

THE
REGISTRAR GENERAL'S
STATISTICAL REVIEW
OF
ENGLAND AND WALES
FOR THE YEAR

1951

(New Annual Series, No. 31)

TABLES. PART I. MEDICAL.

LONDON: HER MAJESTY'S STATIONERY OFFICE

1953

TABLE OF CONTENTS

Part I. Medical

Explanatory Notes	Page
.. .. .	v.
Table 1. Estimated Population, Home, Total and Civilian, Sex and Age, 1951. England and Wales	2
Table 2. Estimated Home Population by Sex and Age, 1951. England and Wales, Standard Regions, Conurbations, Aggregates of Urban and Rural Areas outside the Conurbations ..	3
Table 3. Deaths, Death Rates, Mortality Comparisons and Infant Mortality, 1841-1951. England and Wales	4
Table 4. Death Rates in Age Groups, Infant Mortality and Mortality Ratios, 1841-1951. England and Wales	6
Table 5. Deaths Registered and Death Rates in each Quarter, 1841-1951. England and Wales	9
Table 6. Comparative Mortality Indices (All Ages) and Death Rates at Ages under 15. Principal Epidemic or General Diseases, 1851-1951. England and Wales	10
Table 7. Deaths by Cause and Sex at All Ages 1941-1951. England and Wales	11
Table 8. Crude Death Rates by Sex from Certain Causes at All Ages, 1941-1951. England and Wales	43
Table 9. Comparative Mortality Indices (Base Year 1938) by Sex for Certain Causes, 1941-1951. England and Wales	57
Table 10. Deaths of Infants under One Year from Certain Causes, 1941-1951. England and Wales	60
Table 11. Infant Mortality from Certain Causes, 1941-1951. England and Wales	61
Table 12. Population, Births, Deaths and Infant Mortality, 1951. England and Wales, Standard Regions, Conurbations, Counties, Boroughs and other Urban Districts and Rural Districts ..	62
Table 13. Deaths by Sex at each year of Age (with Marital Condition), 1951. England and Wales	112
Table 14. Constructed Analysis of 1951 Deaths by Age and Marital Condition. England and Wales	114
Table 15. Deaths at Different Ages, 1951. England and Wales, Standard Regions, Conurbations, London and Metropolitan Boroughs, County Boroughs, Aggregates of Urban and Rural Districts in each Administrative County	115
Table 16. Deaths at Different Ages by Month of Occurrence, 1951. England and Wales	133

Table 17.	Causes of Death at Different Age Periods, 1951. England and Wales	Page 134
Table 18a.	Accidental Poisoning by Solid or Liquid and other Non-Transport Accidents by Place of Occurrence, Age and Sex, 1951. England and Wales	177
Table 18b.	Deaths from Violent Causes according to Nature of Injury, Sex and Age, 1951. England and Wales	184
Table 18c.	Deaths from Violent Causes, Nature of Injury according to External Cause, 1951. England and Wales	189
Table 19.	Causes of Death by Sex, at Different Periods of Life, 1951. England and Wales, Standard Regions, Conurbations, and Aggregates of Urban and Rural Areas outside the Conurbations	190
Table 20.	Causes of Death by Sex, at Different Periods of Life, 1951. London and Metropolitan Boroughs, County Boroughs, Aggregates of other Urban and of Rural Districts in each Administrative County	216
Table 21.	Causes of Death by Sex, 1951. England and Wales, Standard Regions, Conurbations, London and Metropolitan Boroughs, County Boroughs and Administrative Counties	348
Table 22.	Crude Death Rates from the principal Epidemic Diseases and from certain other Causes; Infant Mortality and Maternal Mortality, 1950 and 1951. England and Wales, Metropolitan Boroughs, County Boroughs, Administrative Counties	362
Table 23.	Causes of Death by Month of Occurrence, Jan.-Dec., 1951. England and Wales	368
Table 24.	Stillbirths by Sex and Legitimacy, 1951. England and Wales, Standard Regions, Conurbations, London and Metropolitan Boroughs, County Boroughs, Aggregates of other Urban and of Rural Districts in each Administrative County	377
Table 25.	Deaths at various Periods in the First Year of Life by Legitimacy. Death Rates per 1,000 related Live Births, 1951. England and Wales, Standard Regions, Conurbations, London and Metropolitan Boroughs, County Boroughs, Aggregates of other Urban and of Rural Districts in each Administrative County	380
Table 26.	Deaths at various Periods in the First Year of Life, 1951 and the 4 Quarters thereof. England and Wales, Standard Regions, Conurbations, Aggregates of Urban and Rural Areas outside the Conurbations	388
Table 27.	Causes of Death of Children under One Year at Different Age Periods, 1951. England and Wales	390
Table 28.	Deaths of Children at Ages under One Year, and Illegitimate Deaths under 1 year, from Certain Causes, 1951. England and Wales, Standard Regions, Conurbations, Aggregates of Urban and Rural Areas outside the Conurbations	400
Table 29.	Notifications of certain Infectious Diseases. Case Rate per 1,000 Population, 1941-1951. England and Wales and certain Aggregates	403

Table 30.	Seasonal Incidence of certain Infectious Diseases, 1951. England and Wales	Page 406
Table 31.	Cases of certain Infectious Diseases Notified, 1941-1951. England and Wales	407
Table 32.	Cases of certain Infectious Diseases Notified, by Sex and Age, 1951. England and Wales, Standard Regions, Conurbations	408
Table 33.	Cases of Certain Infectious Diseases Notified, 1951. England and Wales, Standard Regions, Conurbations, All Administrative Areas	424
Table 34.	Air Temperature, Rainfall and Sunshine during 1951. England and Wales	457
Table 35.	Meteorological Elements, 1902-1951. Greenwich	458
Table 36.	Quarterly Meteorological Elements, 1951 Greenwich	459
Appendix A.	Death Rates per million in England and Wales based upon the sex and age distribution of the population of Great Britain in the year of experience, with rates for Scotland for comparison, 1950 and 1951	460
Appendix B.	Changes in Boundaries of Counties, Boroughs, Urban Districts and Rural Districts.	
	(i) Authorities for changes	461
	(ii) Particulars of changes	462
	(iii) Population of areas as constituted after the boundary changes shown in (ii)	463
	(iv) 1951 Census.—Sex and Age Distribution of population in areas transferred between County Boroughs, Urban portions and Rural portions of Administrative Counties	464

EXPLANATORY NOTES

1. New or Recent Changes in Presentation

(a) *Standard Regions, Conurbations, Density Summaries*

All figures given for regions relate to the Standard Regions whose constitution is set out on page viii.

Six conurbation areas have been introduced in tables showing Standard Regions and in Table 19. For definition of "conurbation" and the list of conurbations, *see* Note 11 on page viii.

National density summaries relate to aggregates of (a) conurbations, and (b) areas outside the conurbations, including separately:—Urban Areas with (i) populations of 100,000 and over, (ii) populations of 50,000 and under 100,000, and (iii) populations under 50,000; and Rural Areas. For this purpose "Urban Areas" includes County Boroughs and Urban Districts as defined under the Local Government Acts, and "Rural Areas" covers the Rural Districts as defined under those Acts.

(b) *Order of Tables*

The tables have been renumbered to form the following sequences:—Populations—Tables 1 and 2; Serial mortality records—Tables 3—11; All areas—Table 12; Deaths by age—Tables 13-16; Cause analyses—Tables 17-23; Stillbirths and Infant Mortality—Tables 24-28; Infectious diseases—Tables 29-33; Weather—Tables 34-36. *See* Table of Contents on page ii.

(c) *Change in Classification*

From 1950 inclusive causes of death are classified according to the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948. *(Sixth Revision of the International List).

Rates and indices for earlier years have been adjusted as far as possible to give comparability with those for 1950 and on. *See* Notes 4, 5 and 6 on pages vi and vii.

(d) *Deaths*

The deaths recorded are total deaths, i.e., including deaths of non-civilians registered in this country. Deaths of non-civilians are not now shown separately. *See* Note 3 on page vi.

(e) *Populations*

The populations shown for local areas are *home* populations. *See* Note 2 on page vi.

(f) *New and Revised Tables*

A new table (Table 19) was introduced in the 1950 volume, showing causes of deaths at different age periods in the Conurbations and Density Summaries. Since this table includes all the relative details, Conurbations and Density Summaries were not distinguished in Table 20. Table 19 has now been expanded to include also Standard Regions, which have accordingly been omitted this year from Table 20.

2. Populations

The 1951 estimate of the total population of England and Wales shown in Table 1 includes members of its Armed Forces and Merchant Navy at home and overseas; it excludes the Armed Forces of Dominions, Colonies and Foreign Countries temporarily present in the country.

The national and local estimates of home populations (Tables 1, 2 and 12) comprise the resident civilian population, members of the Merchant Navy at home and overseas, and members of the Armed Forces stationed in the area.

3. Deaths

The deaths recorded in this volume are those registered in England and Wales. No distinction is made between deaths of civilians and deaths of non-civilians.

Except in Tables 16 and 23 the deaths recorded are those registered in the calendar period, the time lag between the date of occurrence and the date of registration being usually only a day or two. In Tables 16 and 23 deaths are classified by calendar month of occurrence.

In all tables deaths are classified according to the area of usual residence of the deceased.

4. Causes of Death

The classification of causes of death is that prescribed in the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948 (Sixth Revision of the International List), operating from the year 1950 in accordance with international agreement. Violent deaths are generally classified according to the External Cause of Injury, but the new alternative method of classification by Nature of Injury (N codes) is also used in Tables, 7, 8, 18B, 18C, 19 and 27. The Abridged List used for separate areas in Table 20 is a modification of the International Abbreviated List and was adopted by the Registrar General in consultation with the Ministry of Health; it is extended by the Supplementary Abridged List in Table 21. The list used in Table 19 is designed so that it can be condensed into either the International Abbreviated List or the Abridged List of Table 20 (see note at 1(f)). Table 18C employs both of the alternative classifications for violent deaths in the International Intermediate List.

The 1948 International Classification, which has been expanded to cover diseases and injuries as well as causes of death, differs considerably from the previous International Lists not only in scope but also in grouping of causes. In order to provide so far as possible continuity and comparability with past experience the following steps have therefore been taken:—

- (a) The 1949 experience has been completely reclassified according to the 1950 procedure and the revised figures used wherever 1949 references appear in this volume. (The full figures for 1949, based on the new Classification, by sex and age will be published in the Registrar General's Statistical Review of England and Wales for the two years 1948-1949, Text, Vol. 1, Medical.)
- (b) In the light of the dual classification experience for 1949, and of a limited amount of reclassification undertaken for earlier years, revised figures have been estimated so far as possible for each year 1940-1948, and have been used wherever references to these years appear in this volume. A series of footnotes has been appended to Table 7 explaining any limitations or qualifications attached to these estimates, and they should be borne in mind wherever the relative causes are distinguished in other tables.

Where more than one cause of death is mentioned on the Medical Certificate, the choice of the assigned cause is determined in the main from the statement of the certifier, and not by arbitrary rules of precedence. The practice in this respect is, in effect, the same as in years since 1940, and has now been adopted internationally.

5. Death Rates

The death rates for 1950 and on (except Infant Mortality and Maternal Mortality) are derived from the total deaths registered in this country and are based on the Home population, while those for 1940-1949 are derived from civilian deaths and populations (see note 2 on page vi). All death rates for years prior to 1950 have been revised so far as possible to the new method of classification.

The crude death rates for local areas in Table 12 (col. 12) are not validly comparable by reason of the fact that the areal populations on which they are based may be of widely differing sex-age constitutions. With a view to eliminating this element of variation, a comparability factor is provided in column 13 of the table for each area and this, when multiplied by the crude death rate of the area, produces an adjusted rate which may be regarded as comparable from a mortality point of view with the corresponding adjusted rate for any other area or with the crude death rate for England and Wales as a whole (where the comparability factor is unity). A guide to the relative incidence of mortality in different areas is provided by column 14 which expresses each local adjusted rate as a ratio of the national rate. For a fuller description of the comparability factor, reference should be made to the Statistical Review, Text 1938/1939, page 5.

Infant Mortality rates are based upon the combined births of the associated and preceding year to which they relate and Maternal Mortality rates upon live and still births occurring in the calendar year except in the case of deaths from Abortion which are based on the estimated numbers of women aged 15-44. (See also Note 7 below).

6. Standard Mortality Comparisons

The method of calculating the Comparative Mortality Index was explained in the Appendix to Part 1 of the Registrar General's Statistical Review for 1941. An alternative notation of the formula will be found on page vi of Part 1 of the Review for 1942. This method has been used for the C.M.I's in Tables 3 and 4. In Tables 5 and 9 C.M.I's worked on this basis have been adjusted so far as possible to the new method of classification. A certain amount of estimation is involved in this process of revision, and the resultant C.M.I's can only be regarded as approximate. For this reason they are given to two decimal places only instead of three as in the past.

7. Births and Birth Rates

The births recorded are those occurring in the calendar year.

In Table 12 births are allocated to the area of usual residence of the mother. Birth rates in this table have been calculated upon estimates of home populations.

The birth rate areal comparability factors and the ratios of the local adjusted birth rates to the national rate shown in Columns 9 and 10 of Table 12 serve a similar purpose to those shown for death rates, as explained in Note 5 above.

8. Notification of Infectious Diseases

Tables 29 and 31 (from the year 1944 only), and Tables 32 and 33 are based on notifications corrected for subsequent amendments of diagnosis by the Notifying Medical Practitioner or by the Medical Superintendent of the Infectious Diseases Hospital. Non-civilians are included throughout.

9. Significance Indication

Rates based upon less than 20 births or deaths are distinguished by italic type as a warning to the user that the smallness of the experiences may effect their significance.

10. Regions

The constitution of the Standard Regions of England and Wales used in this Volume is as follows:—

<p>REGION I. <i>Northern.</i> Cumberland. Durham. Northumberland. Westmorland. Yorkshire, North Riding.</p>	<p>REGION IV. <i>Eastern.</i> Bedfordshire. Cambridgeshire. Ely, Isle of. Essex, Part of² Hertfordshire, Part of³ Huntingdonshire. Norfolk. Suffolk, East. Suffolk, West.</p>	<p>REGION VI. <i>Southern</i> Berkshire Buckinghamshire. Dorsetshire. Oxfordshire. Southampton. Wight, Isle of.</p>	<p><i>Wales II</i> Anglesey. Caernarvonshire. Cardiganshire. Denbighshire. Flintshire. Merionethshire. Montgomeryshire. Pembrokeshire. Radnorshire.</p>
<p>REGION II. <i>East and West Riding.</i> Yorkshire, East Riding. Yorkshire, West Riding.</p>	<p>REGION V. <i>London and South Eastern.</i> Essex, Part of⁴ Hertfordshire, Part of⁵ Kent. London Admin. County. Middlesex. Surrey. Sussex, East. Sussex, West.</p>	<p>REGION VII. <i>South Western</i> Cornwall. Devonshire. Gloucestershire. Somersetshire. Wiltshire.</p>	<p>REGION IX. <i>Midland.</i> Herefordshire. Shropshire. Staffordshire. Warwickshire. Worcestershire.</p>
<p>REGION III. <i>North Midland.</i> Derbyshire, Part of¹ Leicestershire. Lincolnshire— Parts of Holland. Parts of Kesteven. Parts of Lindsey. Northamptonshire. Nottinghamshire. Peterborough, Soke of. Rutlandshire.</p>		<p>REGION VIII. <i>Wales I.</i> Brecknockshire. Carmarthenshire. Glamorganshire. Monmouthshire</p>	<p>REGION X. <i>North Western.</i> Cheshire. Derbyshire, Part of⁶ Lancashire.</p>

1. All except Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D., and Chapel en le Frith R.D.
2. All except East Ham C.B., West Ham C.B., Chingford M.B., Wanstead and Woodford M.B., Leyton M.B., Walthamstow M.B., Ilford M.B., Barking M.B., Dagenham M.B., Waltham Holy Cross U.D., and Chigwell U.D.
3. All except Barnet U.D., Bushey U.D., Cheshunt U.D., East Barnet U.D., and Elstree R.D.
4. All areas stated in 2 above.
5. All areas stated in 3 above.
6. All areas stated in 1 above.

11. Conurbations

The conurbation areas used in this volume were agreed by an interdepartmental committee, representing the principal Departments preparing statistics, as a means of securing uniformity and comparability in statistics published by Government Departments in the United Kingdom.

Conurbation is the word used to describe those areas of urban development where a number of separate towns have grown into each other and become linked by such factors as a common industrial or business interest, or a common centre of shopping, education, etc. The conurbations are each made up of a collection of complete local authority areas, constituted as follows:—

<i>Durham</i>		<i>Tyneside</i>	<i>Northumberland</i>
Gateshead C.B.	Felling U.D.	Newcastle upon Tyne C.B	Longbenton U.D.
South Shields C.B.	Hebburn U.D.	Tynemouth C.B.	Newburn U.D.
	Jarrow M.B.		Wallsend M.B.
	Whickham U.D.	Gosforth U.D.	Whitley Bay U.D.

West Yorkshire

Yorkshire, West Riding

Bradford C.B.	Aireborough U.D.	Heckmondwike U.D.	Ossett M.B.
Dewsbury C.B.	Baildon U.D.	Holmfirth U.D.	Pudsey M.B.
Halifax C.B.	Batley M.B.	Horbury U.D.	Queensbury and Shelf U.D.
Huddersfield C.B.	Bingley U.D.	Horsforth U.D.	Ripponden U.D.
Leeds C.B.	Brighouse M.B.	Keighley M.B.	Rothwell U.D.
Wakefield C.B.	Colne Valley U.D.	Kirkburton U.D.	Shipley U.D.
	Denby Dale U.D.	Meltham U.D.	Sowerby Bridge U.D.
	Denholme U.D.	Mirfield U.D.	Spensborough U.D.
	Elland U.D.	Morley M.B.	Stanley U.D.

South East Lancashire

Cheshire

Lancashire

Stockport C.B.	Bolton C.B.	Horwich U.D.	Urmston U.D.
	Bury C.B.	Irlam U.D.	Wardle U.D.
Alderley Edge U.D.	Manchester C.B.	Kearsley U.D.	Westhoughton U.D.
Altrincham M.B.	Oldham C.B.	Lees U.D.	Whitefield U.D.
Bowden U.D.	Rochdale C.B.	Littleborough U.D.	Whitworth U.D.
Bredbury and Romiley U.D.	Salford C.B.	Little Lever U.D.	Worsley U.D.
Cheadle and Gatley U.D.	Ashton under Lyne M.B.	Middleton M.B.	Limehurst R.D.
Dukinfield M.B.	Audenshaw U.D.	Milnrow U.D.	
Hale U.D.	Chadderton U.D.	Mossley M.B.	
Hazelgrove and Bramhall U.D.	Crompton U.D.	Prestwich M.B.	
Hyde M.B.	Denton U.D.	Radcliffe M.B.	
Marple U.D.	Droylsden U.D.	Royton U.D.	
Sale M.B.	Eccles M.B.	Stretford M.B.	
Stalybridge M.B.	Failsworth U.D.	Swinton and Pendlebury M.B.	
Wilmslow U.D.	Farnworth M.B.	Tottington U.D.	
Disley R.D.	Heywood M.B.		

Merseyside

Cheshire

Lancashire

Birkenhead C.B.	Ellesmere Port U.D.	Bootle C.B.	Huyton with Roby U.D.
Wallasey C.B.	Hoylake U.D.	Liverpool C.B.	Litherland U.D.
Bebington M.B.	Neston U.D.	Crosby M.B.	
	Wirral U.D.		

West Midlands

Staffordshire

Warwickshire

Worcestershire

Smethwick C.B.	Darlaston U.D.	Birmingham C.B.	Dudley C.B.
Walsall C.B.	Rowley Regis M.B.		
West Bromwich C.B.	Sedgeley U.D.	Solihull U.D.	Halesowen M.B.
Wolverhampton C.B.	Tettenhall U.D.	Sutton Coldfield M.B.	Oldbury M.B.
	Tipton M.B.		Stourbridge M.B.
Aldridge U.D.	Wednesbury M.B.		
Ambecote U.D.	Wednesfield U.D.		
Bilston M.B.	Willenhall U.D.		
Brierley Hill U.D.			
Coseley U.D.			

Greater London

London (whole county) *Middlesex* (whole county) *Surrey*

Kent

Essex

Croydon C.B.	Kingston upon Thames M.B.	Beckenham M.B.	East Ham C.B.
Banstead U.D.	Malden and Coombe M.B.	Bexley M.B.	West Ham C.B.
Barnes M.B.	Merton and Morden U.D.	Bromley M.B.	
Beddington and Wallington M.B.	Mitcham M.B.	Chislehurst and Sidcup U.D.	Barking M.B.
Carshalton U.D.	Richmond M.B.	Crayford U.D.	Chigwell U.D.
Coulsdon and Purley U.D.	Surbiton M.B.	Erith M.B.	Chingford M.B.
Epsom and Ewell M.B.	Sutton and Cheam M.B.	Orpington U.D.	Dagenham M.B.
Esher U.D.	Wimbledon M.B.	Penge U.D.	Ilford M.B.
		<i>Hertfordshire</i>	Leyton M.B.
		Barnet U.D.	Waltham Holy Cross U.D.
		Bushey U.D.	Walthamstow M.B.
		Cheshunt U.D.	Wanstead and Woodford M.B.
		East Barnet U.D.	
		Elstree R.D.	

CORRIGENDA

Statistical Review, 1950. Tables Part I, Medical.

- Page 55. Cause E900—E904, Accidental falls, Males, 1950, *for 174 read 74.*
- Page 61. All causes, 1950, *for 29.95 read 29.63.*
- Page 102. Earby, column 18, *for 22 read 21.*
- Page 224. All causes, Males, 75 and over, *for 19,946 read 19,496.*
- Page 382. Gloucester, last column, *for 48 read 49.*
- Page 409. England and Wales, Age 0—, Males, *for 6,557 read 6,577.*
- Page 436. County Boroughs, Food poisoning, *for 282 read 286.*
 Farnworth M.B., Puerperal pyrexia, *for — read 1.*
 Heywood M.B., Food poisoning, *for — read 32.*
 Horwich, Food poisoning, *for 32 read —.*
- Page 437. Lancaster M.B., Puerperal pyrexia, *for — read 1.*
- Page 438. Leicestershire, Dysentery, *for 947 read 949.*
 Shepshed, Dysentery, *for 23 read —.*
 Wigston, Dysentery, *for — read 23.*
- Page 445. Staffordshire, Measles, *for 3,925 read 13,925.*
 „ County Boroughs, *for 16,241 read 6,241.*
-

TABLES
PART I MEDICAL.

TABLE 1.—Estimated Population, Home, Total and } England and Wales.
Civilian, by Sex and Age, Mid-year 1951.
(*Figures in thousands*).
See Explanatory notes on page vi.

Age	Home Population				Total Population				Civil Population			
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Persons	Males	Females	Persons
All Ages	43,800	21,049	22,751	44,008	21,255	22,753	43,269	20,535	43,269	20,535	22,734	43,269
0—	674	346	328	674	346	328	674	346	674	346	328	674
1—	693	354	339	693	354	339	693	354	693	354	339	693
2—	723	371	352	723	371	352	723	371	723	371	352	723
3—	775	396	379	775	396	379	775	396	775	396	379	775
4—	857	438	419	857	438	419	857	438	857	438	419	857
5—	3,722	1,905	1,817	3,722	1,905	1,817	3,722	1,905	3,722	1,905	1,817	3,722
10—	3,187	1,631	1,556	3,187	1,631	1,556	3,187	1,631	3,187	1,631	1,556	3,187
15—	2,829	1,438	1,391	2,829	1,438	1,391	2,829	1,438	2,829	1,438	1,391	2,829
20—	2,715	1,331	1,384	2,773	1,389	1,384	2,497	1,118	2,497	1,118	1,379	2,497
25—	2,879	1,393	1,486	2,968	1,481	1,487	2,710	1,232	2,710	1,232	1,478	2,710
30—	3,235	1,603	1,632	3,259	1,626	1,633	3,181	1,550	3,181	1,550	1,631	3,181
35—	3,106	1,531	1,575	3,124	1,549	1,575	3,069	1,495	3,069	1,495	1,574	3,069
40—	3,314	1,627	1,687	3,325	1,638	1,687	3,287	1,601	3,287	1,601	1,686	3,287
45—	3,394	1,683	1,711	3,399	1,688	1,711	3,377	1,667	3,377	1,667	1,710	3,377
50—	3,197	1,568	1,629	3,198	1,569	1,629	3,190	1,561	3,190	1,561	1,629	3,190
55—	2,817	1,326	1,491	2,818	1,327	1,491	2,815	1,324	2,815	1,324	1,491	2,815
60—	2,435	1,095	1,340	2,436	1,096	1,340	2,435	1,095	2,435	1,095	1,340	2,435
65—	2,157	950	1,207	2,157	950	1,207	2,157	950	2,157	950	1,207	2,157
70—	1,821	779	1,042	1,821	779	1,042	1,821	779	1,821	779	1,042	1,821
75—	1,429	587	842	1,429	587	842	1,429	587	1,429	587	842	1,429
80—	927	373	554	927	373	554	927	373	927	373	554	927
85 & over	445	170	275	445	170	275	445	170	445	170	275	445
	191	59	132	191	59	132	191	59	191	59	132	191

TABLE 2.—Estimated Home Population by Sex and Age, Mid-year 1951. } **England and Wales; Standard Regions; Conurbations; Aggregates of Urban and Rural Areas outside the Conurbations.**
(Figures in thousands.)

		All ages.	0—	5—	15—	25—	35—	45—	55—	65—	75 and over.
ENGLAND AND WALES											
	{ M	21,049	1,905	3,069	2,724	3,134	3,310	2,894	2,045	1,366	602
	{ F	22,751	1,817	2,947	2,870	3,207	3,398	3,120	2,547	1,884	961
Regional Summary and Conurbations :											
Northern	{ M	1,536	145	235	217	225	225	204	145	99	41
	{ F	1,591	139	226	222	222	225	211	171	121	54
Tyneside Conurbation ...	{ M	400	39	61	51	60	59	55	39	26	10
	{ F	435	37	60	61	63	62	59	47	32	14
Remainder of Northern...	{ M	1,136	106	174	166	165	166	149	106	73	31
	{ F	1,156	102	166	161	159	163	152	124	89	40
East and West Ridings ...	{ M	1,962	182	290	234	292	309	280	195	129	51
	{ F	2,119	173	281	264	295	315	299	239	175	78
West Yorks. Conurbation	{ M	784	72	110	84	115	126	119	83	54	21
	{ F	898	69	107	106	120	135	135	109	81	36
Remainder of East and West Ridings ...	{ M	1,178	110	180	150	177	183	161	112	75	30
	{ F	1,221	104	174	158	175	180	164	130	94	42
North Western	{ M	3,023	281	448	360	442	481	431	305	198	77
	{ F	3,391	269	436	417	468	508	481	397	290	125
South East Lancashire Conurbation ...	{ M	1,128	105	162	125	168	186	165	116	74	27
	{ F	1,281	101	159	151	179	197	185	152	111	46
Merseyside Conurbation	{ M	642	68	109	82	95	98	82	58	36	14
	{ F	735	65	107	104	104	105	94	77	55	24
Remainder of North Western ...	{ M	1,253	108	177	153	179	197	184	131	88	36
	{ F	1,375	103	170	162	185	206	202	168	124	55
North Midland	{ M	1,660	153	245	215	248	259	228	157	107	48
	{ F	1,723	146	235	222	242	254	234	186	135	69
Midland	{ M	2,166	201	335	281	346	346	288	192	124	53
	{ F	2,257	191	323	295	341	336	298	230	163	80
West Midlands Conurbation ...	{ M	1,078	102	171	128	178	177	145	95	58	24
	{ F	1,154	97	166	150	178	174	154	117	80	38
Remainder of Midland...	{ M	1,088	99	164	153	168	169	143	97	66	29
	{ F	1,103	94	157	145	163	162	144	113	83	42
Eastern	{ M	1,527	136	220	216	218	234	202	146	103	52
	{ F	1,598	129	210	198	217	234	213	180	137	80
London and South Eastern	{ M	5,117	454	709	597	791	860	719	509	331	147
	{ F	5,811	434	680	715	844	910	808	660	493	267
Greater London...	{ M	3,920	349	527	442	631	682	562	388	239	100
	{ F	4,431	334	509	556	669	712	623	491	353	184
Remainder of South Eastern	{ M	1,197	105	182	155	160	178	157	121	92	47
	{ F	1,380	100	171	159	175	198	185	169	140	83
Southern	{ M	1,319	115	188	219	185	192	167	123	87	43
	{ F	1,374	109	177	173	188	200	179	156	122	70
South Western	{ M	1,470	126	209	220	205	216	197	144	101	52
	{ F	1,569	120	197	192	207	225	215	183	143	87
Wales	{ M	1,269	112	190	165	182	188	178	129	87	38
	{ F	1,318	107	182	172	183	191	182	145	105	51
Wales I	{ M	911	82	136	117	133	136	129	93	60	25
	{ F	934	78	130	126	134	136	129	100	69	32
Wales II	{ M	358	30	54	48	49	52	49	36	27	13
	{ F	384	29	52	46	49	55	53	45	36	19
Density Aggregates Summary											
Conurbations	{ M	7,952	735	1,140	912	1,247	1,328	1,128	779	487	196
	{ F	8,934	703	1,108	1,128	1,313	1,385	1,250	993	712	342
Areas outside the Conurbations ...	{ M	13,097	1,170	1,929	1,812	1,887	1,982	1,766	1,266	879	406
	{ F	13,817	1,114	1,839	1,742	1,894	2,013	1,870	1,554	1,172	619
Urban areas with populations of 100,000 & over	{ M	2,761	260	403	342	419	430	387	272	175	73
	{ F	3,030	247	393	388	431	444	417	341	248	121
Urban areas with populations of 50,000 and under 100,000...	{ M	1,583	143	229	208	234	242	220	155	105	47
	{ F	1,753	136	223	223	241	256	240	200	152	82
Urban areas with populations under 50,000 ...	{ M	4,477	404	672	565	639	683	617	442	312	143
	{ F	4,868	385	640	609	663	708	664	554	421	224
Rural areas	{ M	4,276	363	625	697	595	627	542	397	287	143
	{ F	4,166	346	583	522	559	605	549	459	351	192

TABLE 3.—Deaths, Death Rates, Mortality Comparisons and Infant Mortality, 1841-1951. } England and Wales.

Notes: (a) The Comparative Mortality Index expresses the mortality of each year or period as a ratio to that of 1938 adopted as the base, after adjustment for sex and age differences in the populations exposed to risk.

(b) The ratio of male to female mortality has likewise been adjusted for age differences in the male and female populations.

(c) See Explanatory notes on page vii.

Period.	Deaths.			Crude rates per 1,000 living.			Comparative Mortality Indexes (Base year 1938 taken as unity.)			Adjusted Ratio of Male to Female Mortality.	Deaths of Infants under 1 year per 1,000 Live births.†		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1841-1850	3,769,396	1,909,125	1,860,271	22.4	23.1	21.6	2.270	2.121	2.437	1.090	153	—	—
1851-1860	4,210,715	2,138,536	2,072,179	22.2	23.1	21.4	2.222	2.086	2.374	1.098	154	—	—
1861-1870	4,794,498	2,459,489	2,335,009	22.5	23.7	21.4	2.247	2.136	2.371	1.125	154	—	—
1871-1880	5,178,311	2,679,416	2,498,895	21.4	22.7	20.1	2.173	2.087	2.269	1.155	149	—	—
1881-1890	5,244,770	2,698,316	2,546,454	19.1	20.3	18.1	2.007	1.928	2.095	1.158	142	—	—
1891-1900	5,575,375	2,865,226	2,710,149	18.2	19.3	17.1	1.938	1.869	2.013	1.169	153	—	—
1901-1910	5,248,774	2,706,356	2,542,418	15.4	16.4	14.4	1.642	1.595	1.693	1.194	128	—	—
1911-1920*	5,188,052	2,684,511	2,503,541	14.4	15.9	13.0	1.470	1.450	1.492	1.247	100	96	194
1921-1930	4,722,991	2,407,475	2,315,516	12.1	12.9	11.4	1.192	1.163	1.224	1.254	72	70	130
1931-1940*	4,992,208	2,551,612	2,440,596	12.3	13.1	11.5	1.087	1.074	1.101	1.307	59	57	95
1941-1950*	4,997,653	2,586,188	2,411,465	12.4	14.1	11.0	0.902	0.918	0.889	1.384	43	41	61
1841-1845	1,746,110	885,168	860,942	21.4	22.1	20.6	2.179	2.038	2.336	1.096	148	—	—
1846-1850	2,023,286	1,023,957	999,329	23.3	24.1	22.6	2.360	2.204	2.534	1.088	157	—	—
1851-1855	2,087,236	1,061,271	1,025,965	22.7	23.5	21.8	2.276	2.139	2.429	1.099	156	—	—
1856-1860	2,123,479	1,077,265	1,046,214	21.8	22.6	21.0	2.177	2.041	2.329	1.095	152	—	—
1861-1865	2,331,957	1,192,943	1,139,014	22.6	23.7	21.5	2.253	2.134	2.385	1.116	151	—	—
1866-1870	2,462,541	1,266,546	1,195,995	22.4	23.7	21.2	2.242	2.138	2.358	1.132	157	—	—
1871-1875	2,572,749	1,330,063	1,242,686	22.0	23.3	20.7	2.220	2.130	2.321	1.150	153	—	—
1876-1880	2,605,562	1,349,353	1,256,209	20.8	22.1	19.5	2.130	2.047	2.221	1.160	145	—	—
1881-1885	2,585,164	1,330,461	1,254,703	19.4	20.5	18.3	2.018	1.936	2.110	1.152	139	—	—
1886-1890	2,659,606	1,367,855	1,291,751	18.9	20.0	17.8	1.997	1.921	2.081	1.164	145	—	—
1891-1895	2,785,391	1,427,164	1,358,227	18.7	19.8	17.7	1.993	1.914	2.079	1.161	151	—	—
1896-1900	2,789,984	1,438,062	1,351,922	17.7	18.8	16.6	1.885	1.825	1.951	1.178	156	—	—
1901-1905	2,671,566	1,379,931	1,291,635	16.0	17.1	15.0	1.716	1.668	1.768	1.191	138	—	—
1906-1910	2,577,208	1,326,425	1,250,783	14.7	15.6	13.8	1.572	1.525	1.622	1.198	117	113	224
1911-1915*	2,598,719	1,344,171	1,254,548	14.3	15.4	13.3	1.495	1.464	1.528	1.226	110	105	210
1916-1920*	2,589,333	1,340,340	1,248,993	14.4	16.5	12.8	1.450	1.443	1.456	1.282	90	85	179
1921-1925	2,336,270	1,189,865	1,146,405	12.1	12.9	11.4	1.220	1.186	1.255	1.240	76	73	140
1926-1930	2,386,721	1,217,610	1,169,111	12.1	12.9	11.4	1.167	1.142	1.194	1.268	68	65	119
1931-1935	2,426,435	1,232,370	1,194,065	12.0	12.7	11.4	1.104	1.080	1.129	1.276	62	60	103
1936-1940*	2,565,773	1,319,242	1,246,531	12.5	13.5	11.6	1.070	1.067	1.074	1.337	55	54	86
1941-1945*	2,497,013	1,301,357	1,195,656	12.8	15.1	11.1	0.956	0.982	0.929	1.414	50	48	71
1946-1950*	2,500,640	1,284,831	1,215,809	11.8	12.8	10.9	0.856	0.867	0.848	1.381	36	36	51
1901	551,585	285,618	265,967	16.9	18.1	15.8	1.811	1.764	1.862	1.192	151	—	—
1902	535,538	277,216	258,322	16.3	17.4	15.2	1.748	1.702	1.798	1.196	133	—	—
1903	514,628	266,290	248,338	15.5	16.5	14.4	1.655	1.612	1.702	1.196	132	—	—
1904	549,784	283,206	266,578	16.3	17.4	15.3	1.733	1.680	1.790	1.185	145	—	—
1905	520,031	267,601	252,430	15.3	16.3	14.4	1.637	1.586	1.692	1.189	128	—	—

* For the years 1915-20 and from 3rd September, 1939, to 31st December, 1949, for males and from 1st June, 1941, to 31st December, 1949, for females, the mortality rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

† Based on related live births from 1931.

TABLE 3—continued.

Period.	Deaths.			Crude rates per 1,000 living.			Comparative Mortality Indexes (Base year 1938 taken as unity.)			Adjusted Ratio of Male to Female Mortality.	Deaths of Infants under 1 year per 1,000 Live births.†		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1906	531,281	274,233	257,048	15.5	16.5	14.5	1.649	1.606	1.696	1.197	132	127	261
1907	524,221	269,259	254,962	15.1	16.0	14.2	1.621	1.568	1.678	1.192	118	113	220
1908	520,456	268,714	251,742	14.8	15.8	13.9	1.580	1.539	1.625	1.204	120	116	233
1909	518,003	265,203	252,800	14.6	15.5	13.8	1.571	1.517	1.630	1.192	109	104	211
1910	483,247	249,016	234,231	13.5	14.4	12.7	1.445	1.406	1.487	1.207	105	102	195
1911	527,810	272,512	255,298	14.6	15.6	13.7	1.530	1.496	1.568	1.209	130	125	245
1912	486,939	250,232	236,707	13.4	14.2	12.6	1.428	1.388	1.472	1.211	95	91	181
1913	504,975	261,687	243,288	13.8	14.8	12.9	1.455	1.428	1.484	1.228	108	104	213
1914	516,742	267,359	249,383	14.0	14.9	13.1	1.470	1.439	1.503	1.224	105	100	207
1915*	562,253	292,381	269,872	15.7	17.7	14.0	1.595	1.578	1.613	1.260	110	105	203
1916*	508,217	265,030	243,187	14.3	16.7	12.5	1.457	1.455	1.459	1.300	91	87	183
1917*	498,922	262,215	236,707	14.2	17.1	12.1	1.432	1.456	1.405	1.348	96	90	201
1918*	611,861	314,704	297,157	17.3	20.1	15.2	1.713	1.724	1.695	1.310	97	91	186
1919*	504,203	258,089	246,114	14.0	15.7	12.6	1.421	1.401	1.442	1.267	89	84	173
1920*	466,130	240,302	225,828	12.4	13.5	11.5	1.270	1.253	1.289	1.249	80	76	156
1921	458,629	234,291	224,338	12.1	12.9	11.3	1.233	1.202	1.266	1.234	83	79	158
1922	486,780	247,221	239,559	12.7	13.5	12.0	1.293	1.254	1.336	1.228	77	74	139
1923	444,785	226,858	217,927	11.6	12.4	10.9	1.159	1.129	1.191	1.245	69	67	132
1924	473,235	240,620	232,615	12.2	13.0	11.5	1.211	1.175	1.250	1.239	75	73	133
1925	472,841	240,875	231,966	12.1	12.9	11.4	1.202	1.171	1.236	1.250	75	72	136
1926	453,804	231,549	222,255	11.6	12.4	10.9	1.136	1.110	1.164	1.259	70	68	130
1927	484,609	246,606	238,003	12.3	13.1	11.6	1.203	1.173	1.234	1.261	70	67	120
1928	460,389	235,542	224,847	11.7	12.5	10.9	1.121	1.101	1.142	1.276	65	63	115
1929	532,492	269,903	262,589	13.4	14.2	12.7	1.292	1.256	1.331	1.256	74	72	126
1930	455,427	234,010	221,417	11.4	12.3	10.7	1.084	1.070	1.099	1.291	60	58	105
1931	491,630	249,717	241,913	12.3	13.0	11.6	1.154	1.127	1.183	1.270	66	64	109
1932	484,129	245,715	238,414	12.0	12.7	11.4	1.119	1.093	1.147	1.272	64	62	112
1933	496,465	250,625	245,840	12.3	12.9	11.7	1.132	1.100	1.166	1.262	63	61	106
1934	476,810	242,855	233,955	11.8	12.5	11.1	1.068	1.049	1.089	1.283	59	58	96
1935	477,401	243,458	233,943	11.7	12.5	11.1	1.051	1.035	1.068	1.297	57	56	89
1936	495,764	253,319	242,445	12.1	12.9	11.4	1.073	1.061	1.087	1.311	59	57	88
1937	509,574	260,057	249,517	12.4	13.2	11.7	1.086	1.073	1.100	1.312	58	56	88
1938	478,996	246,898	232,098	11.6	12.5	10.8	1.000	1.000	1.000	1.343	53	52	81
1939*	499,902	255,879	244,023	12.1	13.0	11.3	1.022	1.016	1.028	1.339	51	49	90
1940*	581,537	303,089	278,448	14.4	16.1	12.9	1.171	1.187	1.156	1.382	57	55	82
1941*	535,180	281,035	254,145	13.5	15.7	11.8	1.070	1.096	1.043	1.406	60	59	82
1942*	480,137	251,333	228,804	12.3	14.4	10.7	0.942	0.967	0.916	1.416	51	49	75
1943*	501,412	259,206	242,206	13.0	15.3	11.3	0.957	0.978	0.944	1.397	49	48	71
1944*	492,176	257,705	234,471	12.7	15.3	10.8	0.918	0.952	0.894	1.433	45	44	69
1945*	488,108	252,078	236,030	12.6	15.0	10.8	0.893	0.920	0.875	1.416	46	44	65
1946*	492,090	252,380	239,710	12.0	13.4	10.9	0.881	0.889	0.875	1.378	43	42	60
1947*	517,615	267,714	249,901	12.3	13.5	11.3	0.906	0.921	0.892	1.389	41	40	58
1948*	469,898	242,899	226,999	11.0	11.9	10.1	0.801	0.815	0.789	1.409	34	33	45
1949*	510,736	260,686	250,050	11.8	12.6	11.1	0.856	0.863	0.851	1.396	32	32	45
1950	510,301	261,152	249,149	11.6	12.3	11.0	0.841	0.852	0.833	1.394	30	29	39
1951	549,380	281,724	267,656	12.5	13.4	11.8	0.901	0.922	0.884	1.434	30	29	38

See footnotes on first page of this Table.

TABLE 4.—Death Rates per 1,000 Living in Age Groups, Infant Mortality and Mortality Ratios, 1841-1951. } England and Wales.

Notes: (a) The Mortality Ratio expresses the all ages mortality of each year (or period) as a ratio to that of the preceding year (or period) after adjustment for sex and age differences in the populations exposed to risk.
(b) See Explanatory notes on page vii.

PERSONS

Period.	Mortality Ratio.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over.	Deaths under 1 year per 1,000 live births†
1841-1850	—	66.0	9.05	5.29	7.48	9.29	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153
1851-1860	0.979	67.6	8.46	4.97	7.04	8.67	9.76	12.3	16.5	28.9	61.7	139.9	296.5	154
1861-1870	1.011	68.6	7.99	4.49	6.42	8.21	9.83	12.7	17.4	30.4	62.8	140.4	296.6	154
1871-1880	0.967	63.4	6.47	3.71	5.35	7.07	8.96	12.7	17.8	31.6	65.0	142.2	308.3	149
1881-1890	0.924	56.8	5.30	3.03	4.37	5.63	7.56	11.5	17.1	31.4	65.0	137.6	284.0	142
1891-1900	0.965	57.7	4.34	2.51	3.73	4.74	6.40	10.5	16.8	31.5	65.0	137.2	270.8	153
1901-1910	0.847	46.0	3.56	2.11	2.99	3.82	5.13	8.31	14.3	28.1	58.8	127.2	260.8	128
1911-1920*	0.896	34.6	3.60	2.28	3.32	4.29	5.47	7.41	12.6	25.0	55.8	125.5	254.2	100
1921-1930	0.811	22.7	2.42	1.64	2.55	3.21	3.64	5.54	10.0	21.3	50.8	120.9	260.2	72
1931-1940*	0.912	16.9	2.01	1.31	2.17	2.85	3.04	4.58	9.26	20.2	48.8	119.5	259.8	59
1941-1950*	0.830	11.4	1.13	0.85	1.58	2.24	2.37	3.38	7.44	17.6	42.4	104.0	216.5	43
1841-1845	—	63.6	8.69	5.01	7.21	8.81	9.66	12.2	16.1	28.7	62.0	137.2	295.3	148
1846-1850	1.083	68.7	9.39	5.56	7.74	9.77	10.9	13.6	18.1	31.4	65.0	145.7	306.5	157
1851-1855	0.964	68.9	8.64	5.23	7.48	9.06	10.1	12.7	17.2	29.6	62.9	143.2	299.6	156
1856-1860	0.956	66.9	8.33	4.72	6.74	8.33	9.38	12.0	16.1	28.4	61.0	136.7	293.4	152
1861-1865	1.035	69.1	8.39	4.72	6.64	8.39	9.79	12.6	17.2	30.3	62.5	139.1	299.0	151
1866-1870	0.995	68.1	7.62	4.28	6.21	8.03	9.86	12.9	17.6	30.6	63.2	141.7	294.3	157
1871-1875	0.990	64.9	6.86	3.97	5.81	7.74	9.61	13.1	18.0	31.6	63.2	141.7	303.2	153
1876-1880	0.959	61.9	6.10	3.47	4.93	6.46	8.35	12.3	17.5	31.6	64.7	142.9	311.5	145
1881-1885	0.948	56.6	5.76	3.23	4.63	5.96	8.01	11.8	17.2	31.0	63.5	136.2	277.9	139
1886-1890	0.989	56.9	4.86	2.84	4.13	5.32	7.15	11.1	17.1	31.8	66.4	139.0	290.1	145
1891-1895	0.998	57.8	4.56	2.65	3.98	5.01	6.81	11.0	17.3	32.5	67.3	140.7	273.9	151
1896-1900	0.946	57.6	4.12	2.36	3.48	4.50	6.03	10.1	16.2	30.5	62.9	133.8	267.7	156
1901-1905	0.910	50.2	3.74	2.19	3.11	4.00	5.44	8.86	14.9	28.7	59.4	127.3	258.6	138
1906-1910	0.916	41.7	3.38	2.03	2.87	3.64	4.84	7.81	13.7	27.5	58.1	127.0	262.4	117
1911-1915*	0.951	37.5	3.39	2.08	2.88	3.58	4.57	7.28	13.1	26.2	57.3	126.2	257.9	110
1916-1920*	0.970	31.4	3.81	2.48	3.77	5.16	6.55	7.54	12.1	24.0	54.5	124.8	250.7	90
1921-1925	0.841	24.4	2.48	1.71	2.61	3.30	3.79	5.71	10.1	21.6	51.1	121.8	251.4	76
1926-1930	0.957	20.8	2.37	1.57	2.49	3.11	3.49	5.37	9.94	21.0	50.6	120.2	268.2	68
1931-1935	0.946	18.1	2.18	1.41	2.33	2.96	3.20	4.82	9.44	20.1	49.0	119.3	255.7	62
1936-1940*	0.969	15.6	1.84	1.20	2.01	2.72	2.87	4.35	9.09	20.4	48.5	119.7	263.4	55
1941-1945*	0.893	14.0	1.50	1.08	1.96	3.06	3.04	3.95	8.00	18.1	43.0	104.5	213.0	50
1946-1950*	0.895	9.33	0.77	0.62	1.18	1.63	1.84	2.89	6.94	17.1	41.9	103.5	219.3	36
1921	0.970	28.7	2.76	1.79	2.77	3.39	3.93	5.82	10.0	21.1	49.0	116.7	242.3	83
1922	1.049	27.0	2.56	1.79	2.63	3.47	4.08	6.07	10.6	22.7	53.9	129.4	255.7	77
1923	0.896	21.7	2.26	1.64	2.53	3.20	3.67	5.51	9.82	21.1	49.0	116.0	238.3	69
1924	1.045	22.4	2.31	1.66	2.53	3.28	3.68	5.68	10.1	21.9	52.4	123.3	251.8	75
1925	0.993	22.7	2.48	1.66	2.59	3.20	3.60	5.50	10.1	21.3	51.2	123.4	268.1	75
1926	0.945	21.1	2.40	1.49	2.43	3.04	3.46	5.31	9.57	20.5	48.6	115.4	254.3	70
1927	1.058	21.3	2.34	1.54	2.48	3.15	3.58	5.65	10.2	21.5	52.2	124.8	281.2	70
1928	0.932	19.6	2.34	1.60	2.50	3.09	3.43	5.23	9.62	20.3	48.9	112.6	258.0	65
1929	1.153	23.9	2.47	1.70	2.61	3.28	3.65	5.74	10.9	22.8	56.2	136.5	312.3	74
1930	0.839	18.2	2.29	1.54	2.45	3.00	3.36	4.95	9.43	20.0	47.2	111.8	238.1	60
1931	1.064	19.9	2.14	1.47	2.50	3.10	3.36	5.45	9.80	20.6	50.8	123.9	268.2	66
1932	0.970	19.0	2.07	1.39	2.39	3.02	3.21	4.79	9.33	20.1	49.8	121.9	264.6	64
1933	1.011	17.9	2.20	1.43	2.41	3.09	3.34	5.15	9.89	20.4	49.5	123.8	266.2	63
1934	0.944	17.5	2.44	1.43	2.28	2.85	3.10	4.60	9.19	19.7	47.9	113.2	236.4	59
1935	0.983	16.1	2.04	1.32	2.07	2.72	2.99	4.49	8.99	19.6	47.5	114.6	245.4	57
1936	1.022	17.0	1.99	1.21	1.95	2.69	2.82	4.39	9.09	20.1	48.5	118.3	265.5	59
1937	1.012	16.7	1.87	1.18	1.97	2.66	2.89	4.47	9.23	20.6	49.0	120.0	271.7	58
1938	0.921	15.3	1.87	1.19	1.86	2.49	2.65	4.05	8.47	19.0	45.5	110.6	240.0	53
1939*	1.022	13.7	1.48	1.03	1.75	2.45	2.60	3.94	8.56	19.7	47.2	119.0	260.6	51
1940*	1.147	15.6	1.96	1.40	2.54	3.50	3.44	4.92	10.1	22.6	52.3	130.1	278.7	57
1941*	0.914	16.4	2.06	1.37	2.59	3.55	3.53	4.62	8.97	19.8	46.5	114.3	247.2	60
1942*	0.880	14.0	1.50	1.04	1.91	3.02	2.92	3.87	7.82	17.8	42.7	102.6	216.8	51
1943*	1.016	14.0	1.40	1.04	1.88	3.02	2.97	3.95	8.02	18.0	43.1	106.4	220.2	49
1944*	0.959	13.3	1.38	1.05	1.73	2.96	3.01	3.82	7.73	17.6	41.7	100.3	196.5	45
1945*	0.973	12.3	1.18	0.91	1.56	2.73	2.67	3.48	7.36	17.3	41.5	100.3	194.5	46
1946*	0.987	11.9	0.86	0.76	1.33	2.07	2.10	3.15	7.25	17.4	41.3	102.4	214.5	43
1947*	1.028	12.1	0.90	0.70	1.39	1.92	2.03	3.08	7.24	17.5	42.8	108.3	234.4	41
1948*	0.884	8.70	0.75	0.60	1.20	1.55	1.82	2.79	6.70	16.4	39.4	94.1	191.9	34
1949*	1.069	7.71	0.69	0.56	1.10	1.51	1.70	2.80	6.81	17.2	43.1	105.7	227.5	32
1950	0.982	6.69	0.64	0.48	0.90	1.24	1.57	2.62	6.72	17.0	42.7	106.9	227.6	30
1951	1.071	6.54	0.56	0.47	0.76	1.13	1.46	2.62	6.89	18.0	46.3	117.9	280.9	30

*Civilian mortality only in 1915-20 and from 3rd September, 1939, to 31st December, 1949, for males, and from 1st June, 1941 to 31st December, 1949, for females.

†Based on related live births from 1931.

TABLE 4—continued.

MALES

Period.	Mortality Ratio.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850	—	71.2	9.17	5.13	7.05	9.51	9.94	12.9	18.2	31.8	67.5	148.3	312.3	167
1851-1860	0.984	72.4	8.51	4.88	6.69	8.83	9.57	12.5	18.0	30.9	65.3	146.7	308.2	168
1861-1870	1.024	73.5	8.19	4.48	6.19	8.48	9.94	13.5	19.3	33.1	67.1	147.2	315.0	168
1871-1880	0.977	68.4	6.71	3.71	5.25	7.36	9.34	13.8	20.1	34.9	69.7	150.8	327.4	163
1881-1890	0.924	61.6	5.35	2.95	4.32	5.73	7.77	12.4	19.4	34.7	70.5	146.6	305.8	155
1891-1900	0.969	62.7	4.31	2.45	3.79	5.06	6.76	11.5	18.9	34.9	70.4	146.1	286.8	168
1901-1910	0.953	50.0	3.50	2.05	3.09	4.18	5.57	9.15	16.2	31.8	64.8	137.7	279.2	140
1911-1920*	0.909	37.8	3.61	2.23	3.44	4.94	6.46	8.61	14.5	29.0	63.5	139.3	274.5	112
1921-1930	0.802	25.1	2.52	1.65	2.62	3.41	3.86	6.34	11.6	24.6	58.2	135.4	285.8	81
1931-1940*	0.923	18.8	2.13	1.36	2.30	3.08	3.20	5.17	11.1	24.3	56.8	137.5	282.9	66
1941-1950*	0.855	12.8	1.28	0.95	1.79	2.72	2.72	3.93	9.16	22.7	51.6	120.2	234.7	48
1841-1845	—	68.7	8.82	4.84	6.76	8.99	9.37	12.2	17.2	30.3	65.5	143.7	350.1	162
1846-1850	1.081	73.7	9.54	5.39	7.35	10.0	10.5	13.6	19.2	33.2	69.5	152.9	319.5	175
1851-1855	0.970	73.9	8.75	5.15	6.98	9.24	9.95	12.9	18.6	31.6	66.7	150.9	310.9	172
1856-1860	0.954	71.5	8.30	4.63	6.42	8.44	9.17	12.2	17.5	30.4	64.3	142.7	305.3	166
1861-1865	1.046	74.1	8.53	4.68	6.39	8.65	9.76	13.2	18.9	32.8	66.4	145.9	316.6	166
1866-1870	1.002	72.9	7.88	4.30	5.99	8.31	10.1	13.7	19.6	33.5	67.8	148.7	313.5	170
1871-1875	0.996	69.9	7.10	3.99	5.71	8.07	10.0	14.3	20.3	34.8	70.1	149.6	323.3	167
1876-1880	0.961	67.1	6.34	3.44	4.84	6.70	8.70	13.4	19.8	34.9	69.4	152.2	331.5	159
1881-1885	0.946	61.3	5.85	3.16	4.53	6.00	8.16	12.8	19.3	34.2	68.8	145.4	297.9	152
1886-1890	0.992	61.9	4.86	2.76	4.12	5.48	7.40	12.1	19.4	35.2	72.1	147.9	313.7	159
1891-1895	0.997	62.9	4.53	2.57	4.00	5.23	7.07	11.9	19.5	35.8	72.5	149.2	290.8	165
1896-1900	0.954	62.4	4.09	2.32	3.59	4.90	6.47	11.1	18.4	34.1	68.3	143.1	282.8	170
1901-1905	0.914	54.7	3.68	2.14	3.20	4.39	5.89	9.74	17.0	32.4	65.3	137.6	274.6	151
1906-1910	0.914	45.3	3.33	1.97	2.97	3.97	5.25	8.62	15.5	31.2	64.4	137.7	283.0	129
1911-1915*	0.960	40.9	3.42	2.05	3.01	3.98	5.15	8.20	14.9	30.2	64.1	139.2	281.6	121
1916-1920*	0.986	34.4	3.81	2.41	3.91	6.60	8.58	9.07	14.0	27.9	63.0	139.4	267.8	101
1921-1925	0.822	27.0	2.55	1.69	2.66	3.53	4.05	6.51	11.6	24.9	58.2	135.5	272.7	77
1926-1930	0.962	23.1	2.48	1.61	2.58	3.30	3.68	6.18	11.6	24.4	58.3	135.4	298.1	77
1931-1935	0.946	20.1	2.28	1.44	2.45	3.15	3.31	5.40	11.2	23.6	56.7	135.2	278.9	70
1936-1940*	0.988	17.5	1.96	1.27	2.15	2.99	3.09	4.95	11.0	25.0	56.8	139.5	286.3	62
1941-1945*	0.920	15.5	1.69	1.20	2.22	5.00	4.16	4.81	9.85	23.1	51.7	121.6	226.1	56
1946-1950*	0.883	10.5	0.88	0.69	1.33	1.75	1.92	3.23	8.55	22.4	51.6	119.0	241.6	41
1921	0.960	31.9	2.81	1.76	2.84	3.57	4.21	6.53	11.4	24.4	55.8	128.7	262.8	93
1922	1.043	29.8	2.62	1.74	2.69	3.76	4.35	6.90	12.0	26.0	61.0	143.5	271.7	87
1923	0.900	24.0	2.34	1.64	2.57	3.47	3.97	6.31	11.2	24.2	55.6	129.5	262.9	78
1924	1.041	24.8	2.40	1.65	2.57	3.50	3.89	6.47	11.6	25.1	59.6	136.9	273.4	85
1925	0.996	24.9	2.54	1.68	2.63	3.35	3.83	6.32	11.6	24.7	58.7	138.8	292.0	84
1926	0.948	23.3	2.52	1.52	2.48	3.16	3.64	6.05	11.0	23.6	55.9	131.1	284.3	79
1927	1.056	23.7	2.45	1.57	2.54	3.36	3.76	6.54	11.9	24.9	59.9	139.8	312.2	79
1928	0.938	21.9	2.43	1.68	2.62	3.23	3.62	5.95	11.2	23.6	56.5	128.0	290.9	74
1929	1.141	26.2	2.61	1.74	2.69	3.48	3.86	6.70	12.9	26.3	64.1	151.5	343.6	83
1930	0.852	20.4	2.41	1.57	2.57	3.24	3.52	5.66	11.2	23.4	55.2	126.6	263.5	68
1931	1.052	22.4	2.29	1.46	2.60	3.31	3.46	5.76	11.6	23.9	58.7	138.4	295.9	74
1932	0.970	21.0	2.20	1.45	2.54	3.24	3.33	5.33	10.8	23.4	57.9	138.0	289.7	73
1933	1.007	19.9	2.27	1.49	2.56	3.27	3.49	5.74	11.7	23.8	56.6	139.4	286.3	71
1934	0.907	19.3	2.49	1.45	2.38	3.07	3.19	5.14	10.9	23.4	55.4	129.3	256.4	66
1935	0.986	17.9	2.14	1.35	2.14	2.88	3.10	5.02	10.8	23.3	55.2	131.8	268.9	64
1936	1.025	19.1	2.12	1.29	2.06	2.87	2.94	4.91	10.8	24.2	56.3	137.3	291.8	66
1937	1.011	18.6	1.98	1.23	2.12	2.81	3.02	5.03	11.1	24.9	57.1	138.5	292.3	65
1938	0.932	17.1	1.93	1.28	2.01	2.73	2.83	4.57	10.2	23.1	55.7	130.1	263.6	60
1939*	1.016	15.2	1.65	1.08	1.87	2.64	2.74	4.42	10.3	24.3	55.4	139.1	280.8	56
1940*	1.168	17.5	2.12	1.48	2.76	4.80	4.08	5.84	12.5	28.3	61.3	151.8	303.2	64
1941*	0.923	15.2	2.25	1.50	2.94	5.57	4.64	5.64	11.0	25.1	55.2	134.6	258.8	67
1942*	0.882	18.6	1.68	1.16	2.12	4.75	3.85	4.67	9.58	22.4	51.2	122.7	232.9	57
1943*	1.011	15.6	1.61	1.10	2.12	5.04	4.04	4.76	9.95	22.6	51.4	120.6	234.1	55
1944*	0.973	14.8	1.58	1.18	1.95	4.79	4.29	4.75	9.62	22.7	50.6	116.5	212.0	50
1945*	0.966	13.7	1.35	1.03	1.79	4.75	3.84	4.20	9.10	22.3	50.3	115.7	204.7	51
1946*	0.966	13.4	0.97	0.86	1.52	2.66	2.24	3.55	8.94	22.3	49.7	117.4	232.3	48
1947*	1.036	13.5	1.04	0.78	1.62	2.05	2.12	3.44	8.98	22.9	52.5	125.9	266.5	46
1948*	0.885	9.72	0.88	0.64	1.30	1.54	1.87	3.15	8.24	21.6	49.0	108.6	210.2	38
1949*	1.059	8.66	0.80	0.63	1.27	1.59	1.75	3.12	8.39	22.6	53.2	120.7	249.0	36
1950	0.987	7.48	0.75	0.56	1.01	1.39	1.69	2.92	8.26	22.5	53.3	122.5	250.4	34
1951	1.082	7.36	0.66	0.56	0.89	1.39	1.61	2.93	8.57	24.1	59.1	136.9	318.2	34

* Civilian mortality only in 1915-20 and from 3rd September, 1939, to 31st December, 1949.

† Based on related live births from 1931.

TABLE 4—continued.

FEMALES

Period.	Mortality Ratio.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over.	Deaths under 1 year per 1,000 live birth,†
1841-1850	—	61.1	8.90	5.44	7.89	9.09	10.6	12.9	16.0	28.4	61.0	135.9	293.3	137
1851-1860	0.974	62.7	8.42	5.06	7.39	8.53	9.93	12.1	15.2	27.0	58.7	134.5	288.9	139
1861-1870	0.999	63.7	7.80	4.51	6.65	7.97	9.72	12.1	15.6	27.9	59.1	134.9	285.1	139
1871-1880	0.957	58.7	6.23	3.72	5.45	6.81	8.61	11.6	15.6	26.7	61.0	135.4	296.4	134
1881-1890	0.923	51.9	5.26	3.11	4.42	5.54	7.38	10.6	15.1	28.5	60.4	130.6	270.8	128
1891-1900	0.961	52.8	4.37	2.57	3.67	4.46	6.08	9.59	14.7	28.4	60.7	130.6	261.4	138
1901-1910	0.841	41.9	3.61	2.17	2.89	3.50	4.74	7.53	12.5	24.8	53.9	119.8	250.3	114
1911-1920	0.881	31.4	3.59	2.34	3.21	3.87	4.78	6.42	10.9	21.5	49.6	116.3	243.6	89
1921-1930	0.820	20.2	2.33	1.63	2.48	3.02	3.45	4.85	8.61	18.3	44.9	111.6	248.2	63
1931-1940	0.900	14.9	1.90	1.26	2.04	2.63	2.88	4.07	7.71	16.7	42.3	107.9	249.1	51
1941-1950*	0.807	10.0	0.97	0.76	1.40	1.97	2.11	2.91	5.96	13.4	35.2	93.3	207.9	37
1841-1845	—	58.6	8.56	5.17	7.65	8.64	9.92	12.1	15.1	27.2	59.1	131.8	288.6	133
1846-1850	1.085	63.6	9.23	5.72	8.12	9.57	11.2	13.7	17.0	29.7	62.7	140.0	297.7	142
1851-1855	0.958	63.8	8.54	5.32	7.75	8.90	10.3	12.6	15.8	27.8	59.7	137.2	292.1	141
1856-1860	0.959	62.3	8.35	4.82	7.06	8.24	9.57	11.8	14.8	26.5	58.1	131.9	285.8	137
1861-1865	1.024	64.2	8.26	4.76	6.89	8.17	9.82	12.1	15.5	27.9	59.1	133.8	287.9	136
1866-1870	0.989	63.3	7.37	4.27	6.42	7.78	9.63	12.1	15.8	27.9	59.1	136.1	282.3	142
1871-1875	0.984	60.0	6.61	3.95	5.92	7.43	9.23	12.0	15.9	28.7	61.3	135.3	293.9	138
1876-1880	0.957	56.8	5.87	3.50	5.02	6.23	8.03	11.3	15.3	28.6	60.8	135.5	299.0	130
1881-1885	0.950	51.9	5.68	3.30	4.72	5.93	7.86	10.9	15.2	28.1	59.1	129.0	265.5	125
1886-1890	0.986	52.0	4.85	2.93	4.15	5.17	6.92	10.3	15.0	28.8	61.7	132.3	276.1	131
1891-1895	0.999	52.8	4.59	2.73	3.97	4.81	6.57	10.1	15.2	29.5	63.0	134.3	264.0	135
1896-1900	0.938	52.7	4.15	2.40	3.37	4.14	5.63	9.10	14.3	27.4	58.5	127.0	258.7	141
1901-1905	0.906	45.8	3.79	2.24	3.02	3.66	5.04	8.05	13.1	25.4	54.8	119.9	249.4	124
1906-1910	0.917	38.0	3.44	2.09	2.76	3.34	4.46	7.05	12.0	24.3	53.1	119.6	250.9	105
1911-1915	0.942	34.0	3.37	2.11	2.75	3.25	4.08	6.46	11.4	22.7	51.7	117.5	245.4	97
1916-1920	0.953	28.4	3.81	2.56	3.66	4.47	5.48	6.39	10.4	20.4	47.7	115.1	241.9	79
1921-1925	0.862	21.1	2.41	1.72	2.56	3.11	3.58	5.03	8.79	18.7	45.5	112.9	241.2	66
1926-1930	0.951	18.5	2.25	1.53	2.41	2.94	3.33	4.69	8.44	18.0	44.4	110.4	254.4	59
1931-1935	0.946	16.0	2.07	1.37	2.22	2.77	3.09	4.33	7.96	17.0	42.8	108.9	245.0	54
1936-1940	0.951	13.7	1.71	1.13	1.87	2.49	2.68	3.83	7.47	16.5	41.8	107.1	252.7	48
1941-1945*	0.865	12.3	1.31	0.97	1.74	2.41	2.46	3.27	6.43	14.0	36.0	93.5	206.6	44
1946-1950*	0.913	8.14	0.64	0.54	1.05	1.54	1.76	2.56	5.51	12.8	34.4	93.2	208.9	32
1921	0.982	25.5	2.70	1.82	2.69	3.24	3.70	5.20	8.76	18.2	43.6	108.9	232.3	72
1922	1.055	24.1	2.51	1.83	2.56	3.22	3.85	5.34	9.35	19.7	48.3	120.2	248.0	60
1923	0.891	19.4	2.17	1.63	2.50	2.95	3.42	4.81	8.53	18.2	43.6	107.3	226.5	60
1924	1.050	19.9	2.21	1.67	2.49	3.07	3.51	4.99	8.70	19.1	46.7	114.5	241.6	65
1925	0.989	20.4	2.41	1.65	2.54	3.06	3.42	4.79	8.65	18.3	45.2	113.5	256.8	66
1926	0.942	18.8	2.28	1.46	2.38	2.92	3.31	4.66	8.25	17.6	42.7	105.4	240.2	61
1927	1.060	18.9	2.23	1.52	2.42	2.95	3.44	4.89	8.78	18.5	45.9	115.2	262.3	60
1928	0.925	17.3	2.24	1.53	2.38	2.96	3.26	4.61	8.21	17.3	42.7	102.6	242.9	56
1929	1.165	21.6	2.33	1.66	2.53	3.09	3.46	4.93	9.05	19.6	49.9	126.7	298.2	63
1930	0.826	16.0	2.18	1.51	2.34	2.76	3.21	4.35	7.90	16.9	40.7	102.2	226.5	51
1931	1.076	17.4	1.99	1.47	2.40	2.90	3.27	4.51	8.27	17.6	44.4	114.4	255.3	57
1932	0.970	16.8	1.94	1.33	2.24	2.81	3.10	4.34	8.02	17.1	43.2	111.4	253.0	56
1933	1.016	15.8	2.12	1.38	2.27	2.91	3.20	4.65	8.35	17.4	43.8	113.5	256.9	54
1934	0.934	15.6	2.39	1.40	2.18	2.64	3.02	4.13	7.69	16.5	41.7	102.8	227.1	52
1935	0.981	14.2	1.94	1.29	1.99	2.57	2.88	4.04	7.48	16.4	41.2	103.4	234.4	50
1936	1.018	14.9	1.86	1.13	1.84	2.52	2.71	3.94	7.60	16.5	42.2	106.2	253.2	51
1937	1.012	14.7	1.75	1.13	1.83	2.52	2.77	3.98	7.67	16.9	42.5	108.2	261.9	50
1938	0.909	13.4	1.80	1.09	1.71	2.25	2.49	3.59	6.97	15.5	38.8	98.1	228.9	46
1939	1.028	12.1	1.31	0.97	1.64	2.27	2.47	3.51	7.05	15.7	40.5	106.2	251.1	44
1940	1.124	13.6	1.80	1.31	2.32	2.87	2.94	4.14	8.04	17.7	45.0	116.4	267.5	49
1941*	0.902	14.5	1.86	1.24	2.28	2.81	2.85	3.77	7.26	15.4	39.5	101.5	241.7	52
1942*	0.878	12.3	1.31	0.91	1.73	2.41	2.41	3.22	6.37	13.9	35.4	91.0	209.2	44
1943*	1.031	12.4	1.18	0.98	1.69	2.36	2.45	3.32	6.43	13.9	36.4	95.9	213.5	43
1944*	0.947	11.7	1.17	0.92	1.55	2.36	2.44	3.11	6.19	13.4	34.6	87.7	188.8	40
1945*	0.979	10.8	1.01	0.79	1.38	2.09	2.13	2.92	5.92	13.3	34.6	90.2	189.5	40
1946*	1.000	10.3	0.75	0.67	1.17	1.78	1.99	2.79	5.82	13.3	34.6	92.4	206.2	37
1947*	1.019	10.6	0.75	0.61	1.21	1.82	1.94	2.74	5.72	13.1	35.2	96.6	219.8	36
1948*	0.885	7.64	0.62	0.55	1.12	1.56	1.77	2.45	5.33	12.2	32.1	84.5	183.5	30
1949*	1.079	6.71	0.57	0.49	0.96	1.43	1.65	2.48	5.39	12.8	35.5	95.8	217.5	28
1950	0.979	5.85	0.53	0.41	0.78	1.09	1.45	2.32	5.30	12.6	34.7	96.6	216.9	26
1951	1.061	5.68	0.45	0.37	0.64	0.90	1.31	2.31	5.33	13.1	37.0	105.4	264.2	26

* Civilian mortality only from 1st June, 1941 to 31st December, 1949.

† Based on related live births from 1931.

TABLE 5.—Deaths Registered and Death Rates in each Quarter, 1841-1951. } **England and Wales.**

See Explanatory notes on page vi.

Period.	Quarter ended							
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
	Deaths: Males.				Deaths: Females.			
1841-1850	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851-1860	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861-1870	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871-1880	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881-1890	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891-1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901-1910	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911-1920*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921-1930	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,695
1931-1940*	798,598	604,458	518,256	630,300	780,376	573,530	487,622	599,068
1941-1950*	801,980	612,766	519,908	651,534	751,419	566,731	484,757	608,558
1941*	92,512	74,816	53,495	60,212	86,125	65,370	47,841	54,809
1942*	79,361	61,033	50,768	60,171	71,901	55,904	46,568	54,431
1943*	70,927	59,074	51,146	78,059	66,651	53,837	47,323	74,395
1944*	76,492	60,836	55,876	64,501	69,547	54,712	51,378	58,834
1945*	81,476	57,767	50,215	62,620	76,267	53,205	46,942	59,616
1946*	79,012	58,323	51,737	63,308	76,215	55,585	48,672	59,238
1947*	93,626	60,774	50,218	63,096	88,110	57,241	46,881	57,669
1948*	69,356	57,223	52,059	64,261	63,272	53,034	49,489	61,204
1949*	82,234	61,287	51,480	65,685	79,031	58,685	49,710	62,624
1950	76,984	61,633	52,914	69,621	74,300	59,158	49,953	65,738
1951	104,298	62,560	51,658	63,208	101,580	59,123	48,399	58,554
	Deaths: Persons.				Annual Death Rates per 1,000 persons living.			
1841-1850	1,029,485	926,091	892,964	920,856	24·7	22·0	21·0	21·7
1851-1860	1,157,916	1,040,596	965,924	1,046,279	24·7	22·1	20·3	21·9
1861-1870	1,323,406	1,156,834	1,126,288	1,187,970	25·2	21·8	21·0	22·1
1871-1880	1,422,776	1,259,064	1,195,003	1,301,468	23·7	20·9	19·6	21·3
1881-1890	1,459,550	1,271,775	1,194,102	1,319,343	21·6	18·7	17·3	19·1
1891-1900	1,562,345	1,337,754	1,311,675	1,363,601	20·7	17·6	17·0	17·7
1901-1910	1,490,235	1,246,735	1,185,415	1,326,389	17·7	14·6	13·8	15·4
1911-1920*	1,532,334	1,220,642	1,074,835	1,360,241	17·2	13·6	11·8	14·9
1921-1930	1,489,996	1,136,431	936,261	1,160,303	15·5	11·7	9·5	11·8
1931-1940*	1,578,974	1,177,988	1,005,878	1,229,368	15·8	11·6	9·8	12·0
1941-1950*	1,553,399	1,179,497	1,004,665	1,260,092	15·5	11·6	9·8	12·3
1941*	178,637	140,186	101,336	115,021	18·4	14·2	10·1	11·5
1942*	151,262	116,937	97,336	114,602	15·8	12·0	9·8	11·6
1943*	137,578	112,911	98,469	152,454	14·5	11·7	10·1	15·7
1944*	146,039	115,548	107,254	123,335	15·3	12·0	11·0	12·7
1945*	157,743	110,972	97,157	122,236	16·5	11·5	10·0	12·6
1946*	155,227	113,908	100,409	122,546	15·4	11·2	9·7	11·9
1947*	181,736	118,015	97,099	120,765	17·6	11·3	9·2	11·4
1948*	132,626	110,258	101,545	125,469	12·4	10·3	9·4	11·7
1949*	161,265	119,972	101,190	128,309	15·2	11·2	9·3	11·8
1950	151,284	120,791	102,867	135,359	14·0	11·1	9·3	12·3
1951	205,878	121,683	100,057	121,762	19·1	11·1	9·1	11·0

*See footnote to Table 3.

TABLE 6.—Comparative Mortality Indices (All Ages) and Death Rates at Ages Under 15. Principal Epidemic or General Diseases, 1851-1951. } England and Wales.

Notes: (1) See note to Table 3 for explanation of Comparative Mortality Index.
(2) Changes in cause assignment are allowed for throughout as far as possible.
(3) See Explanatory notes on page v.

Period	Comparative Mortality Indices (base year 1938 taken as unity.)											Death rates per million living at ages under 15.				
	Tuberculosis (all forms) 001-019	Tuberculosis of resp. system 001-008	Syphilis 020-029	Typhoid and paratyphoid fevers 040, 041	Meningococcal infections 057	Cancer 140-205	Cancer excl: Hodg- kins dis: Leukæmia, Alukaemia 140-200 202, 203, 205	Diabetes mellitus 260	Diseases of heart 410-443	Influenza 480-483	Pneumonia (all forms) 490-493, 763	Scarlet fever 050	Diphtheria 055	Whooping cough 056	Polio-myelitis 080, 081	Measles
1851-1860	5.67	5.74	—	—	—	—	0.31	—	—	—	—	—	—	1319	—	1082
1861-1870	5.46	5.37	—	—	—	—	0.38	—	—	—	—	2282	1122	1372	—	1141
1871-1880	4.73	4.66	—	84.37	—	—	0.47	—	—	—	—	1664	747	1316	—	970
1881-1890	4.01	3.81	—	51.94	—	—	0.59	—	—	—	—	787	804	1171	—	1153
1891-1900	3.29	3.01	—	45.78	—	—	0.75	—	—	4.39	—	383	873	1037	—	1144
1901-1910	2.70	2.45	—	23.84	—	—	0.85	0.84	—	2.54	—	271	571	815	—	915
1911-1920†	2.34	2.20	—	9.28	0.94	—	0.92	0.89	—	5.75	—	123	437	554	13	838
1921-1930	1.62	1.59	—	2.85	0.58	—	0.98	0.86	—	3.61	—	64	298	405	11	389
1931-1939†	1.18	1.18	—	1.25	1.25	0.99	1.00	1.01	—	2.46	—	46	290	197	11	217
1940-1949†	0.99	1.01	0.67	0.44	1.36	1.00	0.99	0.77	0.97	1.15	0.73	7	112	111	11	62
1851-1855	5.93	5.98	—	—	—	—	0.30	—	—	—	—	—	—	1338	—	1047
1856-1860	5.43	5.52	—	—	—	—	0.32	—	—	—	—	1919	1347	1300	—	1114
1861-1865	5.41	5.44	—	—	—	—	0.36	—	—	—	—	2307	1389	1336	—	1189
1866-1870	5.26	5.31	—	—	—	—	0.40	—	—	—	—	2258	871	1405	—	1105
1871-1875	4.84	4.86	—	97.71	—	—	0.44	—	—	—	—	1760	788	1282	—	962
1876-1880	4.62	4.48	—	71.90	—	—	0.50	—	—	—	—	1575	709	1349	—	988
1881-1885	4.19	4.04	—	56.99	—	—	0.55	—	—	—	—	1012	828	1180	—	1070
1886-1890	3.83	3.60	—	47.20	—	—	0.63	—	—	—	—	572	781	1163	—	1234
1891-1895	3.48	3.18	—	45.58	—	—	0.71	—	—	5.04	—	434	875	1070	—	1104
1896-1900	3.12	2.85	—	45.97	—	—	0.79	—	—	3.79	—	331	872	1003	—	1184
1901-1905	2.85	2.58	—	29.66	—	—	0.83	0.79	—	2.29	—	319	653	874	—	955
1906-1910	2.55	2.32	—	18.35	—	—	0.87	0.88	—	2.76	—	224	491	756	—	874
1911-1915†	2.31	2.16	—	12.43	0.81	—	0.92	0.97	—	2.00	—	161	434	633	14	1043
1916-1920†	2.38	2.25	—	6.02	1.07	—	0.92	0.82	—	9.53	—	84	439	473	12	625
1921-1925	1.74	1.70	—	3.27	0.46	—	0.99	0.85	—	3.77	—	79	302	448	11	420
1926-1930	1.51	1.49	—	2.45	0.70	—	0.99	0.90	—	3.54	—	48	294	360	12	357
1931-1935	1.29	1.29	—	1.35	1.48	0.99	1.00	0.98	—	2.85	—	50	293	223	11	270
1936-1939†	1.05	1.05	—	1.14	0.95	0.99	1.00	1.03	—	2.01	—	27	287	163	11	149
1940-1944†	1.12	1.13	0.80	0.64	2.22	0.99	0.99	0.91	0.98	1.64	0.85	11	192	140	7	78
1945-1949†	0.88	0.91	0.55	0.26	0.59	1.00	0.99	0.64	0.97	0.70	0.63	3	30	81	16	47
1921	1.82	1.76	—	4.22	0.58	—	0.95	0.80	—	2.40	—	92	420	403	12	198
1922	1.81	1.77	—	3.18	0.49	—	0.95	0.88	—	5.65	—	95	363	563	10	508
1923	1.66	1.60	—	2.94	0.37	—	0.97	0.83	—	2.19	—	72	243	370	9	476
1924	1.70	1.66	—	3.31	0.40	—	0.98	0.80	—	4.86	—	65	225	356	11	435
1925	1.66	1.63	—	2.59	0.48	—	0.99	0.81	—	3.24	—	74	253	550	11	486
1926	1.54	1.51	—	2.44	0.50	—	0.99	0.81	—	2.22	—	50	275	378	16	319
1927	1.56	1.54	—	2.41	0.60	—	0.99	0.87	—	5.48	—	43	250	341	12	337
1928	1.48	1.47	—	2.88	0.63	—	1.00	0.89	—	1.86	—	43	296	279	12	404
1929	1.53	1.53	—	2.49	0.85	—	1.00	0.96	—	7.01	—	50	320	604	10	324
1930	1.43	1.42	—	2.02	0.92	—	0.99	0.94	—	1.18	—	55	332	196	11	404
1931	1.43	1.42	—	1.61	2.13	0.99	1.00	0.95	—	3.34	—	39	252	244	7	320
1932	1.33	1.31	—	1.64	1.80	1.00	1.00	0.98	—	3.01	—	40	223	288	13	332
1933	1.31	1.32	—	1.41	1.41	0.99	1.00	0.98	—	5.15	—	55	255	221	13	190
1934	1.22	1.21	—	1.01	1.10	1.00	1.00	0.99	—	1.24	—	72	393	199	9	368
1935	1.14	1.15	—	1.09	0.94	0.99	1.00	1.00	—	1.60	—	41	345	159	11	134
1936	1.10	1.10	—	1.59	0.97	1.00	1.01	1.04	—	1.29	—	38	311	210	7	281
1937	1.10	1.10	—	1.27	1.07	0.99	1.00	1.05	—	3.92	—	27	305	179	8	106
1938	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	17	305	119	18	169
1939†	1.00	1.00	—	0.69	0.77	0.98	0.98	1.05	—	1.83	—	15	228	140	10	34
1940†	1.14	1.16	0.90	0.83	3.83	1.00	1.00	1.10	1.13	2.52	1.04	12	266	78	9	95
1941†	1.20	1.20	0.87	0.98	3.29	0.99	0.99	0.99	1.00	1.51	0.94	11	280	279	9	128
1942†	1.09	1.09	0.80	0.56	1.83	0.99	0.99	0.89	0.93	0.73	0.74	9	192	94	7	53
1943†	1.12	1.13	0.76	0.46	1.19	0.99	0.99	0.84	0.93	2.65	0.81	11	134	129	4	86
1944†	1.06	1.07	0.68	0.36	0.89	0.98	0.98	0.78	0.93	0.81	0.68	9	92	121	4	28
1945†	1.03	1.06	0.62	0.30	0.81	0.99	0.98	0.75	0.93	0.55	0.66	7	67	79	4	80
1946†	0.90	0.93	0.62	0.32	0.71	0.99	0.99	0.67	0.95	1.04	0.65	3	40	91	5	22
1947†	0.90	0.93	0.56	0.18	0.72	1.00	1.00	0.63	1.01	0.64	0.70	3	23	99	33	69
1948†	0.83	0.86	0.49	0.29	0.39	1.01	1.00	0.57	0.92	0.23	0.53	2	14	80	8	33
1949†	0.75	0.78	0.48	0.19	0.37	1.01	1.00	0.59	1.03	1.03	0.61	1	7	55	29	30
1950	0.59	0.62	0.50	0.09	0.36	1.02	1.01	0.62	1.07	0.71	0.53	1	4	41	33	22
1951	0.51	0.53	0.51	0.12	0.38	1.03	1.01	0.62	1.14	2.87	0.67	1	2	46	8	30

† Civilian mortality only in 1915-20 and from 3rd September, 1939 for males, and from 1st June, 1941 for females, to 1949 inclusive.

TABLE 7.—Deaths by Cause and Sex at All Ages, 1941-1951. } England and Wales.

Excluding non-civilian males from 1st January, 1941, and females from 1st June, 1941, to 31st December, 1949 inclusive).

Note: (i) The following categories of the 1948 International Statistical Classification are not applicable to primary death tabulation and are therefore omitted from this table:—306, 308, 649, 775.

(ii) Although deaths in each year from 1949 inclusive were coded according to the 1948 International Statistical Classification, certain minor changes in coding practice were introduced between 1949 and 1950, and comparability of figures between those years is consequently affected. Categories principally affected are noted accordingly.

(iii) See Explanatory notes on page v.

Inter- national No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
	ALL CAUSES ... {M F}	270344 254090	242089 228568	249620 241911	246894 234156	245436 235838	249452 239602	265739 249852	241674 226971	259942 250031	261152 249149	281721 267656
-138	I.—INFECTIVE AND PARASITIC DISEASES {M F}	23998 18340	19959 14468	19868 14181	18015 12874	17596 12728	16583 11724	17222 12446	15722 10938	14865 9915	12797 8037	11434 6738
-019	Tuberculosis (all forms) ... {M F}	16248 12025	14572 10571	14932 10329	13929 9782	13700 9768	13146 9245	13390 9686	12791 8884	11918 7879	9922 6047	8826 4980
-008	Tuberculosis of respiratory system ... {M F}	+13698 †9641	+12268 †8457	+12819 †8263	+11958 †7857	+11755 †7913	+11415 †7593	+11678 †8075	+11313 †7485	10655 6816	8934 5145	7903 4128
001	With mention of occupational disease ... {M F}	151 4	144 5	153 —	148 —	166 5	194 2	234 3	278 5	262 9	255 7	288 6
002	Pulmonary ... {M F}									10274 6731	8603 5084	7550 4081
003	Pleural ... {M F}									66 47	57 38	50 33
	0. Pleurisy specified as tuberculous ... {M F}									24 11	26 8	19 9
	1. Pleurisy with effusion without mention of cause {M F}									42 36	31 30	31 24
004	Primary, complex with symptoms ... {M F}	+13547 †9637	+12124 †8457	+12666 †8263	+11810 †7857	+11589 †7908	+11221 †7591	+11444 †8072	+11035 †7480	— 1	1 —	2 —
005	Tracheobronchial glandular, with symptoms ... {M F}									5 7	9 7	5 7
006	Radiological evidence sugges- tive of active resp: tub: not classifiable elsewhere. {M F}									— —	— —	— —
007	Other respiratory ... {M F}									30 6	6 9	6 1
008	Unspecified site ... {M F}									18 15	3 —	2 —
0-019	Tuberculosis, other forms ... {M F}	2550 2384	2304 2109	2113 2066	1971 1925	1945 1855	1731 1652	1712 1611	1478 1399	1263 1063	988 902	923 852
010	Meninges and central nervous system {M F}	1150 1170	970 955	918 973	862 885	856 916	790 797	784 749	647 665	558 533	432 458	440 442
011	Intestines, peritoneum, and mesenteric glands ... {M F}	389 381	378 406	299 361	285 305	276 270	231 206	203 242	168 201	146 148	91 100	83 99
012	Bones and joints, active or un- specified ... {M F}	*314 *262	*377 *251	*335 *237	*289 *226	*279 *197	*232 *196	*204 *163	*202 *164	146 119	146 101	114 93
	0. Vertebral column ... {M F}	*178 *157	*228 *162	*206 *164	*172 *150	*169 *127	*167 *149	*137 *115	*136 *114	108 99	100 78	81 67
	1-3. Other ... {M F}	*136 *105	*149 *89	*129 *73	*117 *76	*110 *70	*65 *47	*67 *48	*66 *50	38 20	46 23	36 33
013	Late effects, bones and joints... {M F}	*	*	*	*	*	*	*	*	1 2	5 2	3 3
014	Skin and subcutaneous cellular tissue ... {M F}	21 27	18 30	26 30	14 29	18 41	16 25	9 18	10 7	5 8	5 11	5 11
015	Lymphatic system ... {M F}	52 51	43 51	48 43	41 47	43 28	28 29	29 29	29 28	21 36	18 31	12 19
016	Genito-urinary system ... {M F}	213 128	196 128	188 122	209 134	201 130	157 113	186 114	183 108	208 93	173 89	167 88
017	Adrenal glands ... {M F}	13 8	12 9	10 17	16 11	5 10	12 8	16 20	13 15	18 10	13 11	8 16
018	Other organs ... {M F}	8 10	6 7	7 9	6 5	5 7	5 9	10 5	20 5	5 7	10 7	17 6

† 002-008 excludes 003.1, which comprises about 36% of deaths shown for 519; includes Hæmoptysis N.O.S. from 783.1, (Hæmoptysis) for these years.

* 012.0 includes 013.0 (late effects of tuberculosis of vertebral column) for these years.

{ 012.1-012.3 includes 013.1-013.3 for these years.

TABLE 7—continued.

International List No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
019	Disseminated {M F}									155 107	95 92
	0-1. Acute miliary tuber- {M culosis {F}	††390 ††347	††304 ††272	††282 ††274	††249 ††283	††262 ††256	††260 ††269	††271 ††271	††206 ††206	22 13	22 10
	2. Other forms {M F}									133 94	73 82
020-029	Syphilis and its sequelæ ... {M F}	2072 786	1951 704	1802 737	1625 671	1545 609	1575 616	1445 577	1303 505	1290 491	1202 527
020	Congenital syphilis {M F}	‡72 ‡76	‡77 ‡71	‡97 ‡86	‡87 ‡59	‡66 ‡78	‡79 ‡69	‡49 ‡46	‡47 ‡42	45 38	25 20
021	Early syphilis {M F}	¶	¶	¶	¶	¶	¶	¶	¶	—	—
022	Aneurysm of aorta {M F}	486 153	471 148	446 159	427 180	437 139	495 156	502 177	478 169	515 191	430 225
023	Other cardiovascular syphilis... {M F}	¶640 ‡276	¶659 ‡261	¶593 ‡273	¶525 ‡246	¶499 ‡206	¶509 ‡210	¶447 ‡194	¶462 ‡196	353 126	449 151
024	Tabes dorsalis... .. {M F}	‡303 ‡97	‡241 ‡58	‡251 ‡60	‡221 ‡53	‡219 ‡53	‡178 ‡54	‡164 ‡44	‡111 ‡32	114 20	99 24
025	General paralysis of insane ... {M F}	‡571 ‡184	‡503 ‡166	‡415 ‡159	‡365 ‡133	‡324 ‡133	‡314 ‡127	‡283 ‡116	‡205 ‡66	161 65	111 56
026	Other syphilis of central ner- {M vous system... .. {F}									29 19	46 28
027	Other forms of late syphilis ... {M F}									36 13	21 5
028	Latent syphilis... .. {M F}	¶	¶	¶	¶	¶	¶	¶	¶	—	—
029	Syphilis, unqualified {M F}									37 18	21 17
030-039	Gonococcal infection and other {M venereal diseases {F}	27 6	32 3	34 12	23 8	18 6	19 5	18 2	12 1	3 2	9 —
030	Acute or unspecified gonorrhœa {M F}									2 —	5 —
031	Chronic gonococcal infection {M of genito-urinary system ... {F}									1 —	— —
032	Gonococcal infection of joint... {M F}									— —	1 —
033	Gonococcal infection of eye ... {M F}	27 5	29 3	33 11	21 8	18 4	18 4	17 2	12 1	— —	— —
034	Gonococcal infection of other {M sites {F}									1 1	2 —
035	Late effects of gonococcal in- {M fection {F}									— —	1 —
036	Chancroid {M F}									— —	— —
037	Lymphogranuloma venereum {M F}									— —	— —
038	Granuloma inguinale, venereal {M F}	— 1	— 3	1 1	— 2	— 2	1 1	— 1	— —	— —	— —
039	Other and unspecified venereal {M diseases {F}									— —	— —
040-049	Infectious diseases commonly {M arising in intestinal tract ... {F}	253 242	164 130	89 118	127 108	119 111	126 95	102 64	96 70	75 69	84 68
040	Typhoid fever {M F}	40 42	36 26	22 30	23 19	12 17	13 22	17 8	20 18	10 9	8 7
041	Paratyphoid fever {M F}	20 44	12 7	6 9	3 6	3 12	9 7	2 2	2 8	5 8	— 1
042	Other Salmonella infections... {M F}	†8 †7	†3 †5	†10 †4	†18 †5	†13 †10	†24 †21	†29 †21	†35 †14	24 31	31 27
043	Cholera... .. {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

†† 019 includes 138.0 (Sarcoid of Boeck) for these years.

¶ 023 includes 021, 026-029 for these years.

‡ 024, 025. These numbers combined include 020.1 (Juvenile neurosyphilis) for these years.

† 042 includes 049 for these years.

TABLE 7—continued.

Original No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
044	Brucellosis (undulant fever) ... {M F	6 1	5 1	— 1	2 5	2 1	4 2	3 2	2 2	3 —	— 1	1 1
045	Bacillary dysentery ... {M F	128 115	72 58	30 57	50 52	57 56	30 22	28 20	18 16	17 8	22 21	27 30
046	Amoebiasis ... {M F	12 2	8 1	8 2	5 2	7 1	17 1	15 2	10 5	9 4	14 3	13 1
047	Other protozoal dysentery ... {M F	— —	— 1	— —	2 —	— —	— —	— —	— —	— —	— —	— —
048	Unspecified forms of dysentery {M F	39 31	28 31	13 15	24 19	25 14	29 20	8 9	9 7	3 4	3 2	1 2
049	Food poisoning (infection and intoxication) {M F	‡ —	‡ —	‡ —	‡ —	‡ —	‡ —	‡ —	‡ —	4 5	6 6	— 1
049	Other bacterial diseases ... {M F	4029 4126	2376 2306	2059 2069	1667 1733	1275 1328	1093 1175	1041 1103	814 831	657 627	575 533	546 527
050	Scarlet fever ... {M F	*61 *70	*48 *52	*63 *66	*51 *54	*33 *49	*18 *23	*17 *25	*16 *21	13 14	15 18	13 24
051	Streptococcal sore throat ... {M F	81 119	90 106	79 110	60 94	52 70	42 45	43 58	40 55	23 43	37 24	14 15
052	Erysipelas ... {M F	86 102	76 64	57 65	58 61	41 78	42 40	27 34	27 24	27 27	20 21	9 8
053	Septicæmia and pyæmia ... {M F	256 195	223 167	196 191	218 175	151 138	130 109	104 91	106 83	86 60	89 75	62 49
054	Bacterial toxæmia ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— 2	— 2	1 —
055	Diphtheria ... {M F	1314 1308	889 918	671 677	433 475	343 351	205 250	124 118	78 77	45 39	31 18	15 18
056	Whooping cough ... {M F	1013 1370	356 443	492 622	459 595	293 396	354 454	386 519	336 412	238 289	162 232	212 244
057	Meningococcal infections ... {M F	1127 938	620 523	432 314	327 243	306 221	259 230	287 236	160 136	154 133	154 129	156 142
058	Plague ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
059	Tularæmia ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
060	Leprosy ... {M F	2 —	3 —	2 —	1 —	— —	— —	1 —	— —	— —	— —	1 1
061	Tetanus ... {M F	79 20	66 29	61 24	55 33	55 24	41 22	49 22	48 21	61 18	61 10	59 22
062	Anthrax ... {M F	6 1	2 1	4 —	3 1	— —	1 —	2 —	— 1	2 —	— —	1 —
063	Gas gangrene ... {M F	4 3	3 3	2 —	2 2	1 1	1 2	1 —	3 1	7 2	4 4	2 3
064	Other bacterial diseases ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	1 —	2 —	1 1
074	Spirochætal diseases, except syphilis {M F	27 16	25 24	23 17	25 11	32 10	13 9	16 10	15 5	39 2	45 12	37 3
070	Vincent's infection ... {M F	12 16	12 22	14 12	8 8	9 8	5 7	4 6	2 2	3 1	2 6	1 —
071	Relapsing fever ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
072	Leptospirosis icterohæmorrhagica (Weil's disease) ... {M F	15 —	13 2	9 5	17 3	23 2	8 2	12 4	13 3	36 1	39 5	36 3
073	Yaws ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
074	Other spirochætal and leptospirochætal infections ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	4 1	— —
096	Diseases attributable to viruses {M F	1240 1082	753 682	855 866	565 530	841 865	544 556	1151 962	647 610	839 809	917 811	615 617

049. See 042.

050 excludes deaths occurring 1 or more years after onset, for these years.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
080	Acute poliomyelitis ... {M F}									355 288	411 323	11 8
	0. Specified as bulbar or polio-encephalitis ... {M F}									155 118	164 114	3 3
	1. With other paralysis ... {M F}									17 12	57 44	2 1
	2. Specified as nonparalytic {M F}	99 56	67 56	41 47	58 39	71 55	55 61	407 281	140 99	— —	— —	— —
	3. Unspecified ... {M F}									183 158	190 165	5 3
081	Late effects of acute polio- myelitis {M F}									4 4	10 11	1 1
082	Acute infectious encephalitis... {M F}									105 91	58 57	6 5
083	Late effects of acute infectious encephalitis ... {M F}	374 365	327 298	286 244	248 200	249 250	235 231	245 213	215 189	76 95	132 118	5 12
084	Smallpox ... {M F}	— —	— —	— —	— 3	— —	6 5	11 4	— —	1 4	— —	— —
085	Measles... {M F}	632 510	246 212	369 400	118 125	376 352	108 95	338 306	162 164	152 155	133 88	17 14
086	Rubella (German measles) ... {M F}	4 4	3 —	3 1	4 4	3 —	— 1	3 1	2 —	1 1	1 1	— —
087	Chickenpox ... {M F}	14 14	8 8	12 7	16 8	5 4	6 3	6 6	6 4	7 7	3 4	1 —
088	Herpes zoster ... {M F}	25 48	20 41	22 43	18 41	26 55	19 53	19 56	25 50	20 36	20 53	1 3
089	Mumps ... {M F}	17 10	8 5	6 5	4 4	2 5	3 3	1 —	9 7	— 3	5 3	— —
090	Dengue... {M F}	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
091	Yellow fever ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
092	Infectious hepatitis ... {M F}	72 74	73 62	112 116	96 103	106 136	110 103	120 91	85 95	114 116	142 142	12 12
093	Glandular fever (infectious mononucleosis) ... {M F}	2 —	1 —	3 3	2 3	3 4	2 1	1 4	2 1	1 —	1 1	— —
094	Rabies ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
095	Trachoma ... {M F}	— 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —
096	Other diseases attributable to viruses ... {M F}	† †	† †	† ¹ †	† †	† †	† †	† †	† ¹ † ¹	3 9	1 10	— —
100-108	Typhus and other rickettsial diseases ... {M F}	1 —	3 —	1 —	— —	— —	— —	1 —	1 —	— —	— —	— —
100	Louse-borne epidemic typhus {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
101	Flea-borne endemic typhus (murine) ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Brill's disease, not specified as louse- or flea-borne typhus... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
103	Tabardillo (Mexican typhus), not specified as louse- or flea- borne. {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
104	Tick-borne typhus ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
105	Mite-borne typhus ... {M F}	1 —	3 —	1 —	— —	— —	— —	1 —	1 —	— —	— —	— —
106	Wolhynian fever (trench fever) {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Typhus, unspecified ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
108	Other rickettsial diseases ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

†096. See 706-716.

TABLE 7—continued.

Serial No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
117	Malaria... {M F}									5	9 3	10
110	Vivax malaria (benign tertian) {M F}									—	—	1
111	Malariae malaria (quartan) ... {M F}									—	—	—
112	Falciparum malaria (malignant tertian) ... {M F}									1	6 2	7
113	Ovale malaria ... {M F}	18	13 1	12	6 1	16	16	11 1	9 1	—	—	—
114	Mixed malarial infections ... {M F}									—	—	—
115	Blackwater fever ... {M F}									4	—	1
116	Other and unspecified forms of malaria ... {M F}									—	3 1	1
117	Recurrent induced malaria ... {M F}									—	—	—
118	Other infective and parasitic diseases ... {M F}	83 57	70 47	61 33	48 30	50 31	51 23	47 41	34 31	39 36	34 36	54 45
120	Leishmaniasis ... {M F}	—	—	1 1	1	4	5	4 1	—	3	—	2
121	Trypanosomiasis ... {M F}	— 1	—	—	—	—	—	—	1	—	—	—
122	Other protozoal diseases ... {M F}	—	—	—	—	—	—	—	—	1	1 2	1 2
123	Schistosomiasis ... {M F}	—	—	—	—	—	—	—	1	1	1	—
124	Other trematode infestation... {M F}	—	—	—	—	—	—	—	—	—	—	—
125	Hydatid disease ... {M F}	12 9	8 9	8 2	7 7	11 9	7 7	9 8	8 11	6 9	3 6	17 6
126	Other cestode infestation ... {M F}	—	— 1	1 2	—	1	2	3 1	— 2	—	2 2	2
127	Filariasis ... {M F}	— 1	—	—	—	—	—	—	—	—	1	—
128	Trichiniasis ... {M F}	— 2	—	—	—	—	—	—	—	—	—	—
129	Ankylostomiasis ... {M F}	—	—	—	—	—	—	—	—	—	—	—
130	Infestation with worms of other, mixed & unsp'cd: type {M F}	— 2	2 1	1 1	—	1 1	1 1	— 2	2 4	—	—	1
131	Dermatophytosis ... {M F}	— 1	—	—	— 3	—	—	—	2	1 2	1	2
132	Actinomycosis ... {M F}	54 28	47 24	44 21	26 19	21 12	26 10	15 14	11 11	13 11	8 5	6 3
133	Coccidioidomycosis ... {M F}	—	—	—	—	—	—	—	—	—	—	—
134	Other fungus infections ... {M F}	16 14	13 12	6 6	11 4	12 9	10 4	16 15	9 3	11 8	9 3	9 9
135	Scabies ... {M F}	‡	‡	‡	‡	‡	‡	‡	‡	—	— 1	— 1
136	Pediculosis ... {M F}	—	—	—	—	—	—	—	—	—	1	—
137	Other arthropod infestation ... {M F}	—	—	—	—	—	—	—	—	—	—	—
138	Other infective and parasitic diseases ... {M F}	*— *—	*— *—	*— *—	*— *—	*— *—	*— *1	*— *—	*— *—	4 5	11 13	17 21
239	II.—NEOPLASMS ... {M F}	35245 37417	35849 38126	36783 38971	36740 38833	38192 39691	39244 40420	40814 41022	42236 41488	43124 42054	44436 42838	45531 42436

135. See 706-716.

138. See 019.

TABLE 7—continued.

International List No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
140-205	Malignant neoplasms including neoplasms of lymphatic and hematopoietic tissues. {M F}	34315 36172	34945 36875	35935 37631	35887 37610	37318 38394	38319 39197	39927 39857	41302 40353	42196 41008	43570 41700
140-148	Malignant neoplasm of buccal cavity and pharynx... {M F}	2121 516	2111 543	2059 567	1998 562	1896 572	1761 540	1706 551	1643 530	1560 580	1584 618
140	Lip ... {M F}	214 14	220 29	219 28	206 20	180 18	191 18	150 19	139 13	160 19	148 13
141	Tongue ... {M F}	764 137	779 139	734 166	756 156	656 146	602 123	615 135	581 137	499 156	525 146
142	Salivary gland ... {M F}	82 47	75 52	78 46	80 49	83 60	76 47	72 51	78 46	88 56	82 51
143	Floor of mouth ... {M F}	** F	** F	** F	** F	** F	** F	** F	** F	87 16	89 22
144	Malig: neoplasm of other parts of mouth and mouth unspecified. {M F}	**458 **86	**426 **84	**441 **92	**398 **90	**406 **98	**360 **104	**338 **86	**358 **80	244 65	226 77
145	Oral mesopharynx ... {M F}	239 41	230 44	231 49	228 46	215 55	202 43	183 45	165 49	157 33	172 37
146	Nasopharynx ... {M F}	19 3	42 19	40 16	27 20	38 24	42 18	47 26	30 22	48 34	50 37
147	Hypopharynx ... {M F}	52 85	43 81	54 84	50 86	56 93	49 85	53 99	54 94	56 106	99 139
148	Pharynx, unspecified ... {M F}	293 103	296 95	262 86	253 95	262 78	239 102	248 90	238 89	221 95	193 96
150-159	Malig: neoplasm of digestive organs and peritoneum ... {M F}	19463 17160	19411 17048	19721 17445	19811 17476	20409 17941	20353 18286	20629 18459	20966 18476	20609 18524	20420 18720
150	Esophagus ... {M F}	1572 690	1584 681	1511 766	1509 687	1489 779	1439 824	1548 804	1501 810	1439 786	1510 835
151	Stomach ... {M F}	7288 5790	7105 5552	7047 5707	7339 5816	7588 5867	7548 6165	7810 6206	8167 6225	8065 6139	8013 6432
152	Small intestine, including duodenum ... {M F}	111 97	116 106	123 121	113 98	115 113	123 96	103 107	102 79	113 102	96 86
153	Large intestine, except rectum {M F}	4327 5502	4362 5381	4564 5585	4466 5684	4696 5734	4706 5918	4729 6025	4593 5845	4509 5932	4319 5834
154	Rectum ... {M F}	3649 2309	3698 2442	3776 2437	3730 2360	3902 2489	3829 2464	3784 2529	3901 2552	3762 2609	3699 2537
155	Biliary passages and of liver (stated to be primary site)... {M F}	1192 1573	1249 1625	1368 1587	1287 1606	1257 1543	1219 1419	1147 1375	1103 1393	461 726	479 820
156	Liver (secondary and unspecified) ... {M F}	1192 1573	1249 1625	1368 1587	1287 1606	1257 1543	1219 1419	1147 1375	1103 1393	589 649	586 562
157	Pancreas ... {M F}	1164 980	1146 1056	1201 1051	1251 1023	1232 1180	1344 1220	1379 1182	1449 1325	1514 1363	1567 1434
158	Peritoneum ... {M F}	160 219	151 204	131 191	115 201	130 234	144 178	125 228	148 241	153 212	143 173
159	Unspecified digestive organs... {M F}	— —	— 1	— —	1 1	— 2	2 1	4 3	2 6	4 6	8 7
160-165	Malignant neoplasm of respiratory system ... {M F}	5117 1349	5558 1494	6069 1538	6419 1608	6883 1729	7689 1791	8594 1975	9473 2121	10189 2207	11340 2353
160	Nose, nasal cavities, middle ear, and accessory sinuses... {M F}	71 47	84 88	97 83	104 90	98 93	101 87	89 76	100 83	120 87	117 102
161	Larynx ... {M F}	878 191	812 181	827 200	794 199	795 198	827 183	769 203	827 205	787 199	809 182
162	Trachea, and of bronchus and lung specified as primary... {M F}	\$3968 \$1022	\$4460 \$1136	\$4943 \$1166	\$5331 \$1237	\$5805 \$1356	\$6607 \$1437	\$7581 \$1623	\$8403 \$1759	2213 485	2855 596
163	Lung & bronchus, unspecified as to whether primary or secondary. {M F}	\$3968 \$1022	\$4460 \$1136	\$4943 \$1166	\$5331 \$1237	\$5805 \$1356	\$6607 \$1437	\$7581 \$1623	\$8403 \$1759	6917 1360	7399 1391
164	Mediastinum ... {M F}	\$200 \$89	\$202 \$89	\$202 \$89	\$190 \$82	\$185 \$82	\$154 \$84	\$155 \$73	\$143 \$74	130 69	135 60
165	Thoracic organs (secondary)... {M F}	\$ F	\$ F	\$ F	\$ F	\$ F	\$ F	\$ F	\$ F	22 7	25 22
170-181	Malignant neoplasm of breast and genito-urinary organs... {M F}	4259 14567	4459 15048	4563 15290	4221 15115	4512 15103	4822 15521	5144 15667	5265 15948	5565 15982	5810 16171
170	Breast ... {M F}	63 6956	60 7203	90 7320	60 7306	68 7291	69 7711	70 7738	64 7843	78 7875	65 7927

** 144 includes 143 for these years.

\$ { 162, 163, includes malignant neoplasm of trachea, bronchus, lung, pleura, specified as secondary, from 165, for these years.
164 includes remainder of 165 for these years.

TABLE 7—continued.

Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
71 Cervix uteri F	1905	1884	1932	1784	1814	1768	1837	1873	2138	2654	2585
72 Corpus uteri F	258	299	282	283	332	342	332	338	514	1157	1185
73 Other parts of uterus, including chorionepithelioma.	9	9	7	19	15	7	18	12	16	25	41
74 Uterus, unspecified† F	2356	2383	2333	2247	2209	2170	2082	2098	1579	302	248
75 Ovary, Fallopian tube, and broad ligament.	1824	1889	1992	2113	2098	2098	2209	2256	2350	2501	2542
76 Other and unspecified female genital organs	463	474	488	443	430	412	450	435	425	466	443
77 Prostate... .. M	2188	2388	2386	2189	2372	2585	2800	2781	2963	3095	3020
78 Testis M	160	169	138	148	149	185	179	195	187	217	195
79 Other and unspecified male genital organs.	236	219	203	195	165	174	186	156	158	160	169
80 Kidney {M F	408 263	354 310	419 333	395 347	419 303	434 343	492 350	529 381	562 384	597 366	597 430
81 Bladder and other urinary organs {M F	1204 533	1269 597	1327 603	1234 573	1339 611	1375 670	1417 651	1540 712	1617 701	1676 773	1787 738
99 Malignant neoplasm of other and unspecified sites ... {M F	2285 1754	2201 1845	2254 1859	2157 1886	2239 1956	2168 1927	2329 2025	2310 2079	2381 2274	2466 2347	2469 2232
90 Malignant melanoma of skin... {M F	626 439	574 467	648 479	583 479	610 489	555 437	574 465	558 438	71 102	93 131	112 137
91 Other malignant neoplasm of skin ... {M F	447 351	461 343	376 281	376 281	376 281	376 281	376 281	376 281	447 351	461 343	376 281
92 Eye {M F	36 43	37 36	51 38	41 39	44 35	48 44	45 43	49 48	60 41	60 62	58 54
93 Brain and other parts of nervous system ... {M F	425 290	425 299	433 316	407 326	473 360	455 368	552 380	614 387	654 462	678 521	738 495
94 Thyroid gland... .. {M F	76 210	84 213	69 201	82 212	82 225	67 223	89 231	76 231	82 254	73 241	94 257
95 Other endocrine glands ... {M F	36 30	39 34	51 27	42 39	49 42	49 38	50 43	60 31	41 63	65 50	47 45
96 Bone (including jaw bone) ... {M F	661 435	633 420	618 437	594 415	570 385	555 408	544 371	492 388	499 409	455 325	449 315
97 Connective tissues {M F	* *	* *	* *	* *	* *	* *	* *	* *	52 50	82 85	95 93
98 Secondary and unspecified malignant neoplasm of lymph nodes.	205 73	160 66	155 84	152 72	156 70	116 54	124 57	105 58	83 41	59 32	61 20
99 Other and unspecified sites ... {M F	*220 *234	*249 *310	*229 *277	*259 *301	*255 *350	*323 *355	*351 *435	*356 *498	392 501	440 557	439 535
05 Neoplasms of lymphatic and hæmatopoietic tissues ... {M F	1070 826	1205 897	1269 932	1281 963	1379 1093	1526 1132	1525 1180	1645 1199	1892 1441	1950 1491	2124 1721
00 Lymphosarcoma and reticulo-sarcoma {M F	1221 1116	1251 1128	1257 1144	1237 1126	1272 1163	1279 1158	1282 1157	1276 1167	394 249	381 245	421 294
01 Hodgkin's disease {M F	318 210	356 214	349 225	369 218	378 249	413 228	409 226	441 237	451 246	414 249	472 277
02 Other forms of lymphoma (reticulosis) ... {M F	10 4	5 7	12 9	20 14	16 16	24 21	21 25	25 24	41 36	45 41	82 53
03 Multiple myeloma (plasmocytoma) ... {M F	17 25	20 20	24 18	30 30	41 30	39 55	58 62	90 80	91 105	107 110	154 150
04 Leukæmia and aleukæmia ... {M F	905 798	994 838	984 943	984 943	984 943	984 943	984 943	984 943	905 798	994 838	984 943
0. Lymphatic leukæmia ... {M F	322 228	415 312	429 324	429 324	429 324	429 324	429 324	429 324	322 228	415 312	429 324
1. Myeloid leukæmia ... {M F	308 311	405 398	398 474	398 474	398 474	398 474	398 474	398 474	308 311	405 398	398 474
2. Monocytic leukæmia ... {M F	497 465	566 521	616 531	617 568	661 628	759 660	748 704	806 683	46 57	96 69	83 62
3. Acute leukæmia, unspecified type... {M F	133 114	43 35	45 48	45 48	45 48	45 48	45 48	45 48	133 114	43 35	45 48
4. Other and unspecified leukæmia ... {M F	96 88	35 24	29 35	29 35	29 35	29 35	29 35	29 35	96 88	35 24	29 35

174. Enquiries made from 1950 onwards.

199 includes 197 for these years.

200. Lymphosarcoma and reticulosarcoma of sites other than lymph glands, spleen and mediastinum are included in 140-199 for these years.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
205	Mycosis fungoides ... {M F	7 6	7 7	11 5	8 7	11 7	12 10	7 6	7 8	10 7	9 8
210-229	Benign neoplasm ... {M F	344 735	346 777	331 878	367 758	346 772	347 726	350 719	382 680	371 625	375 689
210	Buccal cavity and pharynx ... {M F	5 5	19 1	12 6	4 2	5 3	6 6	4 6	7 4	3 3	3 3
211	Other parts of digestive system {M F	37 35	41 37	33 36	38 32	36 41	30 39	32 44	37 36	36 34	30 38
212	Respiratory system ... {M F	13 11	17 12	15 12	19 10	12 15	17 18	14 17	30 17	25 10	16 11
213	Breast ... {M F	— 4	1 3	— 3	2 —	— 2	— 1	— 2	1 —	— —	— —
214	Uterine fibromyoma ... F	267	256	353	282	245	223	178	194	169	174
215	Other benign neoplasm of uterus. F	19	36	41	22	24	27	16	24	17	16
216	Ovary ... F	183	206	190	207	198	168	175	126	141	154
217	Other female genital organs ... F	6	16	12	9	14	7	6	5	8	3
218	Male genital organs ... M	3	2	1	2	1	1	3	1	4	—
219	Kidney and other urinary organs {M F	136 49	146 54	139 39	155 49	150 44	136 51	100 50	123 46	120 28	118 44
220	Benign melanoma of skin {M F	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
221	Pilonidal cyst ... {M F	— —	— —	— 1	— —	1 —	— —	1 —	1 —	— —	— 1
222	Other benign neoplasm of skin {M F	1 1	3 3	1 3	1 2	2 1	— —	— 2	— 2	3 2	— 2
223	Brain and other parts of nervous system {M F	102 114	81 111	100 128	98 107	101 140	119 134	130 156	125 148	120 159	133 161
224	Endocrine glands ... {M F	14 21	13 17	8 28	23 19	21 17	31 33	35 32	33 45	23 20	39 44
225	Bone and cartilage ... {M F	16 7	5 12	6 10	9 2	8 6	3 2	8 8	7 10	11 7	13 11
226	Lipoma ... {M F	2 2	1 1	2 2	2 1	— 5	1 4	— 4	— 2	2 2	2 6
227	Other benign neoplasm of muscular and connective tissue {M F	— 3	— 1	— 1	4 1	1 2	— —	2 5	1 7	2 4	7 6
228	Hæmangioma and lymph-angioma {M F	— 3	6 7	4 10	3 5	3 9	8 5	15 13	12 9	8 11	12 12
229	Other and unspecified organs and tissues {M F	15 5	11 4	10 3	9 6	5 6	5 8	6 5	4 5	13 8	2 3
230-239	Neoplasm of unspecified nature {M F	586 510	558 474	517 462	486 465	528 525	578 497	537 446	552 455	557 421	491 449
230	Digestive organs ... {M F	49 50	36 58	42 36	49 46	32 54	42 56	25 37	24 47	27 31	27 40
231	Respiratory organs ... {M F	109 25	86 28	69 24	54 18	71 14	55 23	53 17	45 9	35 8	47 19
232	Breast ... {M F	— 1	— —	— 1	— —	— 1	— 1	— 1	— —	— 4	— —
233	Uterus ... F	4	8	3	4	3	2	4	1	1	1
234	Ovary ... F	11	9	3	3	5	7	2	4	4	5
235	Other female genital organs ... F	5	1	—	1	5	3	3	—	1	—
236	Other genito-urinary organs... {M F	19 6	19 5	18 13	10 12	12 14	11 7	16 6	9 8	11 2	7 7
237	Brain and other parts of nervous system {M F	386 378	392 337	370 355	354 351	391 393	439 368	413 355	449 353	443 340	391 347
238	Skin and musculo-skeletal system {M F	12 7	12 5	6 13	9 8	8 9	10 9	9 9	11 10	9 3	7 4
239	Other and unspecified organs... {M F	11 23	13 23	12 14	10 22	14 27	21 21	21 12	14 23	32 27	12 26

TABLE 7—continued.

Serial No.	Causes of Death.		1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
239	III.—ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES	{M F}	3973 5848	3391 5371	3457 5419	3195 4941	3363 5109	3248 4899	3227 5060	2780 4559	3112 4805	3223 5062	3492 5379
245	Allergic disorders ...	{M F}	1611 1323	1311 1139	1536 1349	1434 1198	1581 1323	1624 1317	1670 1430	1417 1264	1683 1426	1625 1465	1851 1719
240	Hay fever ...	{M F}									—	—	2
241	Asthma ...	{M F}	1611 1323	1311 1139	1536 1349	1434 1198	1581 1323	1624 1317	1670 1430	1417 1264	1681 1425	1622 1463	1844 1714
242	Angioneurotic oedema ...	{M F}	†	†	†	†	†	†	†	†	2	2	3
243	Urticaria ...	{M F}	†	†	†	†	†	†	†	†	1	—	—
244	Allergic eczema ...	{M F}	†	†	†	†	†	†	†	†	—	1	—
245	Other allergic disorders ...	{M F}	—	—	—	—	—	—	—	—	—	—	2
254	Diseases of thyroid gland ...	{M F}	194 1115	157 1064	138 984	101 830	134 816	113 857	127 915	102 767	117 761	117 804	121 783
250	Simple goitre ...	{M F}	18 83	11 90	11 70	5 66	15 61	15 66	15 65	16 59	10 40	15 31	5 29
251	Nontoxic nodular goitre ...	{M F}	83	90	70	66	61	66	65	59	6	8	6
252	Thyrotoxicosis with or without goitre...	{M F}	138 830	113 766	107 725	84 583	90 572	75 600	75 626	65 559	77 512	61 502	81 478
253	Myxœdema and cretinism ...	{M F}	31 179	27 195	18 170	11 161	23 174	21 177	33 205	17 132	20 158	28 208	25 227
254	Other diseases of thyroid gland	{M F}	7 23	6 13	2 19	1 20	6 9	2 14	4 19	4 17	4 19	5 13	4 15
260	Diabetes mellitus ...	{M F}	*1811 *3043	*1626 *2796	*1519 *2777	*1407 *2643	*1364 *2662	*1257 *2437	*1164 *2364	*1048 *2204	1100 2338	1221 2463	1219 2484
277	Diseases of other endocrine glands ...	{M F}	213 253	165 255	151 203	133 167	146 190	131 166	134 220	111 181	121 169	140 183	158 226
270	Dis'orders of pancr: int: secretion other than diabetes mell:	{M F}	*	*	*	*	*	*	*	*	2 4	3	8 3
271	Diseases of parathyroid gland	{M F}	1 3	1 5	1 3	1 1	1 4	1 5	2 6	2 10	—	4 2	— 5
272	Diseases of pituitary gland ...	{M F}	23 37	17 29	24 40	13 31	25 39	13 32	15 45	23 40	29 36	37 55	41 71
273	Diseases of thymus gland ...	{M F}	97 49	64 54	66 45	63 27	51 31	51 27	47 33	36 28	23 7	20 12	30 13
274	Diseases of adrenal glands ...	{M F}	91 158	77 161	59 115	56 103	66 110	66 95	69 132	48 102	63 102	63 93	58 107
275	Ovarian dysfunction ...	F	††	††	††	††	††	††	††	††	—	—	—
276	Testicular dysfunction ...	M	††	††	††	††	††	††	††	††	—	1	—
277	Polyglandular dysfunction and other dis: of endocrine glands	{M F}	1 6	6 6	1 —	— 5	3 6	— 7	1 4	2 1	4 14	12 21	21 27
289	Avitaminoses, and other metabolic diseases	{M F}	144 114	132 117	113 106	120 103	138 118	123 122	132 131	102 143	91 111	120 147	143 167
280	Beriberi ...	{M F}	1 —	2 1	3 1	1 1	1 2	— —	1 —	1 3	1 2	2 2	3 —
281	Pellagra...	{M F}	1 13	6 4	5 2	— 7	2 4	1 2	2 1	1 3	— 2	2 —	— 2
282	Scurvy ...	{M F}	7 4	6 7	8 9	3 5	2 3	5 2	5 4	3 3	6 1	8 2	2 1
283	Active rickets ...	{M F}									3 4	— 5	1 3
284	Late effects of rickets	{M F}	39 29	20 17	18 13	29 5	20 7	10 6	5 11	2 5	—	— 1	— 2

242. Included in 517 and 716 for these years.

243, 244. Included in 716 for these years.

260 includes 270 and 789.6 (Glycosuria) for these years.

275. Included in 625 for these years.

276. Included in 617 for these years.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
285	Osteomalacia ... {M F}	\$2 \$7	\$2 \$14	\$2 \$7	\$5 \$13	\$4 \$8	\$3 \$8	\$5 \$9	\$7 \$12	4 10	— —
286	Other avitaminoses and nut- ritional deficiency states ... {M F}	36 32	43 36	40 38	27 40	48 47	39 57	40 31	26 43	27 30	37 31
287	Obesity, not specified as of en- docrine origin ... {M F}	1 5	3 12	4 18	6 15	9 29	14 23	11 51	18 48	4 24	15 60
288	Gout ... {M F}	44 12	41 5	25 7	30 5	34 3	23 6	34 5	21 4	14 4	11 7
289	Other metabolic diseases ... {M F}	13 12	9 22	8 11	19 12	18 15	28 18	29 19	23 22	32 34	45 39
290-299	IV.—DISEASES OF THE BLOOD AND BLOOD- FORMING ORGANS {M F}	1386 2296	1337 2032	1245 1946	1131 1797	1243 2016	908 1646	1015 1614	892 1426	870 1475	803 1521
290	Pernicious and other hyper- chromic anæmias ... {M F}	941 1602	874 1458	799 1345	731 1203	824 1391	530 1020	569 1004	469 816	441 844	412 836
	0. Pernicious anæmia ... {M F}									409 780	346 751
	1. Subacute combined degen- eration of spinal cord ... {M F}	921 1579	862 1440	786 1330	724 1183	808 1377	518 1007	557 988	454 798	25 43	43 58
	2. Other hyperchromic anæmias ... {M F}	20 23	12 18	13 15	7 20	16 14	12 13	12 16	15 18	7 21	23 27
291	Iron deficiency anæmias (hypochromic anæmias) ... {M F}	24 58	13 56	24 50	13 59	25 85	25 75	27 85	27 99	35 90	48 137
292	Other anæmias of specified type {M F}	120 188	145 150	116 166	116 151	114 183	111 166	156 182	160 176	140 185	131 208
	4. Aplastic anæmia ... {M F}	80 146	103 121	84 121	80 120	82 144	85 117	116 131	121 115	103 121	100 140
	0-3, 5-7. Other ... {M F}	40 42	42 29	32 45	36 31	32 39	26 49	40 51	39 61	37 64	31 68
293	Anæmia of unspecified type ... {M F}	39 102	37 94	42 112	39 94	38 81	37 90	35 78	31 69	55 110	43 106
294	Polycythæmia ... {M F}	10 16	26 15	25 15	28 21	22 15	27 26	33 26	19 16	27 24	22 32
295	Hæmophilia ... {M F}	26 —	28 —	31 1	33 1	25 —	22 —	31 —	17 —	18 —	14 —
296	Purpura and other hæmorr- hagic conditions ... {M F}	112 149	98 111	83 90	78 114	81 97	63 89	60 111	77 93	62 73	56 72
297	Agranulocytosis ... {M F}	14 24	21 29	14 26	16 21	19 25	10 15	18 8	11 22	11 26	9 28
298	Diseases of spleen ... {M F}	99 156	94 118	109 140	76 131	95 139	82 163	84 120	78 135	79 120	62 96
299	Other diseases of blood and blood-forming organs ... {M F}	1 1	1 1	2 1	1 2	— —	1 2	2 —	3 —	2 3	6 6
300-326	V.—MENTAL, PSYCHO- NEUROTIC & PERSON- ALITY DISORDERS {M F}	861 1107	698 958	614 869	651 939	545 908	543 799	527 862	465 695	451 710	479 797
300-309	Psychoses ... {M F}	652 939	543 847	463 744	485 803	400 778	374 674	363 702	312 548	329 553	314 645
300	Schizophrenic disorders (de- mentia præcox) ... {M F}	103 52	64 48	77 33	37 33	41 28	30 47	48 44	20 32	27 33	27 41
301	Manic-depressive reaction ... {M F}									48 80	39 83
302	Involitional melancholia ... {M F}	‡	‡	‡	‡	‡	‡	‡	‡	1 10	2 1
303	Paranoia and paranoid states... {M F}									1 2	2 1
304	Senile psychosis ... {M F}									214 379	202 453
305	Presenile psychosis ... {M F}	315 534	312 527	292 504	302 533	224 515	235 424	207 439	192 338	14 19	25 29
307	Alcoholic psychosis ... {M F}	3 4	9 4	7 1	6 2	5 2	4 1	2 3	4 2	2 —	5 1
309	Other and unspecified psy- choses ... {M F}	‡231 ‡349	‡158 ‡268	‡117 ‡206	‡140 ‡235	‡130 ‡233	‡105 ‡202	‡106 ‡216	‡96 ‡176	22 30	12 36

285 includes osteoporosis from 733 for these years.

‡ 309 includes 301-303 and 310-321 for these years.

TABLE 7—continued.

Serial No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
308	Psychoneurotic disorders ... {M F}									13 34	15 52	15 52
310	Anxiety reaction without mention of somatic symp- toms ... {M F}									1 1	— 3	— 1
311	Hysterical reaction without mention of anxiety reaction {M F}									3 21	6 31	6 39
312	Phobic reaction ... {M F}									— —	— —	— —
313	Obsessive-compulsive reaction {M F}									1 3	2 1	— —
314	Neurotic-depressive reaction... {M F}	†	†	†	†	†	†	†	†	— 2	— —	— 3
315	Psychoneurosis with somatic symptoms (somatization re- action) affecting circ. system. {M F}									— —	1 2	— —
316	Psychoneurosis with somatic symptoms (somatization re- action) affecting dig. system. {M F}									1 2	2 2	2 1
317	Psychoneurosis with somatic symptoms (somatization re- actions) afft. other systems. {M F}									1 —	1 1	3 1
318	Psychoneurotic disorders, others mixed and unspec'd: {M F}									6 5	3 12	4 7
326	Disorders of character, be- haviour, and intelligence ... {M F}	209 168	155 111	151 125	166 136	145 130	169 125	164 160	153 147	109 123	150 100	134 122
320	Pathological personality ... {M F}	†	†	†	†	†	†	†	†	— —	1 —	— —
321	Immature personality... {M F}	†	†	†	†	†	†	†	†	— —	— —	— —
322	Alcoholism ... {M F}									24 24	33 16	33 18
	0. Acute ... {M F}									8 3	6 2	5 —
	1. Chronic ... {M F}	67 38	40 14	41 13	36 12	30 10	35 9	38 16	28 12	11 21	20 12	23 15
	2. Unspecified ... {M F}									5 —	7 2	5 3
323	Other drug addiction... {M F}	3 2	— 1	2 —	2 —	2 1	2 1	4 4	4 5	3 1	1 1	2 11
324	Primary childhood behaviour disorders ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
325	Mental deficiency ... {M F}									82 98	115 83	99 93
326	Other and unspec. character, behaviour, and intelligence disorders. {M F}	139 128	115 96	108 112	128 124	113 119	132 115	122 140	121 130	— —	— —	— —
328	VI.—DISEASES OF THE NERVOUS SYSTEM & SENSE ORGANS {M F}	25278 31021	24931 31117	24864 31647	25804 32568	26200 33413	26734 34942	28703 37270	25787 34597	28371 37917	30402 40707	32024 42617
334	Vascular lesions affecting central nervous system ... {M F}	21159 27142	21139 27473	21069 28085	22102 29037	22671 29886	23249 31640	25178 33786	22912 31613	25270 34781	27175 37528	29003 39443
330	Subarachnoid hæmorrhage ... {M F}									536 780	670 1006	831 1231
331	Cerebral hæmorrhage ... {M F}	12946 16978	12815 17167	12814 17712	13432 18073	13638 18391	13861 19449	14326 20000	12935 18611	13289 18983	13642 19587	13752 19507
332	Cerebral embolism and throm- bosis ... {M F}	*6947 *8835	*7127 *9016	*7061 *9003	*7409 *9615	*7793 *10107	*8093 *10712	*9454 *12234	*8703 *11562	10061 13398	11510 15331	12682 16520
333	Spasm of cerebral arteries ... {M F}									— 2	2 —	1 1
334	Other and ill-defined vascular lesions affecting central ner- vous system {M F}	1266 1329	1197 1290	1194 1370	1261 1349	1240 1388	1295 1479	1398 1552	1274 1440	1384 1618	1351 1604	1737 2184
335	Inflammatory diseases of central nervous system ... {M F}	1118 1058	1040 1037	982 939	978 949	902 943	885 769	851 885	707 753	801 770	781 781	754 869

310-318 } See 309.
320, 321 }

* 332 includes 341 for these years.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
340	Meningitis, except meningo- coccal and tuberculous ... {M F}									276 204	236 172
	0. H. influenzae ... {M F}									38 27	27 22
	1. Pneumococcus ... {M F}	11448 11336	11386 11329	11365 11287	11379 11271	11316 11255	11298 11180	11306 11232	11249 11172	106 87	101 66
	2. Due to other specified organism... {M F}									35 22	3 23
	3. Unspecified cause ... {M F}									97 68	73 61
341	Phlebitis and thrombophlebitis of intracranial venous sinuses {M F}	**	**	**	**	**	**	**	**	5 2	14 19
342	Intracranial and intraspinal abscess ... {M F}	67 33	81 55	76 48	91 58	84 48	80 38	76 43	79 37	77 38	81 37
343	Encephalitis, myelitis, and en- cephalomyelitis (except acute infectious). {M F}	139 156	140 129	138 119	114 130	114 129	120 91	108 112	82 102	100 103	106 75
344	Late effects of intracranial ab- scess or pyogenic infection... {M F}	32 20	24 20	24 16	23 16	25 14	25 14	28 20	20 15	24 19	20 21
345	Multiple sclerosis ... {M F}	432 513	409 504	379 469	371 474	363 497	362 446	333 478	277 427	319 404	324 457
350-357	Other diseases of central nervous system ... {M F}	2367 2340	2111 2155	2081 2114	2046 2085	2020 2134	2037 2104	2056 2177	1723 1880	1879 2074	2055 2138
350	Paralysis agitans ... {M F}	597 594	553 569	585 586	600 642	643 739	623 688	629 739	509 688	614 803	633 813
351	Cerebral spastic infantile paralysis ... {M F}	71 62	63 44	61 47	59 35	51 40	52 44	66 46	40 39	53 33	60 47
352	Other cerebral paralysis ... {M F}	323 475	285 415	272 467	287 427	265 407	269 419	260 416	251 383	269 420	430 475
353	Epilepsy ... {M F}	940 802	795 761	746 624	658 647	628 597	659 580	654 578	511 460	483 440	472 443
354	Migraine ... {M F}									2	1
355	Other diseases of brain ... {M F}	119 153	95 133	96 116	85 100	80 114	90 123	94 118	65 90	87 102	82 110
356	Motor neurone disease and muscular atrophy ... {M F}									335 251	315 217
	0. Progressive muscular atrophy ... {M F}									254 184	211 157
	1. Amyotrophic lateral sclerosis ... {M F}	277 209	274 209	280 238	313 207	315 211	316 221	304 246	324 190	64 50	82 45
	2., 3. Other ... {M F}									17 17	22 15
357	Other diseases of spinal cord... {M F}	40 45	46 24	41 36	44 27	38 26	28 29	49 34	23 30	36 25	62 33
360-369	Diseases of nerves and peri- pheral ganglia ... {M F}	73 71	72 57	68 82	60 54	65 62	67 70	118 88	78 71	91 81	83 68
360	Facial paralysis ... {M F}									4	—
361	Trigeminal neuralgia ... {M F}									4 4	1 8
362	Brachial neuritis ... {M F}	151 146	144 135	148 153	132 132	141 138	148 141	160 143	134 144	—	—
363	Sciatica ... {M F}									2 6	1
364	Polyneuritis and polyradiculitis {M F}									42 22	33 23
365	Erythroedema polyneuritica... {M F}	22 25	28 22	20 29	28 22	24 24	19 29	58 45	44 27	36 30	34 23

†† 340. See 480-483.

** 341. See 332.

† 360-364 includes 366-369 for these years.

TABLE 7—continued.

Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
Other and unspecified forms of neuralgia and neuritis ... {M F}									6 12	15 10	7 7
Other diseases of cranial nerves {M F}									— 1	— 2	— 1
Other diseases of peripheral nerves except autonomic ... {M F}	†	†	†	†	†	†	†	†	— 1	— 1	— 2
Diseases of peripheral autonomic nervous system ... {M F}									1 1	— —	— —
Inflammatory diseases of eye ... {M F}	23 36	10 12	15 10	20 17	8 5	12 11	7 8	5 7	10 16	5 8	8 9
Conjunctivitis and ophthalmia {M F}	1 6	— 1	— —	3 —	— —	— —	1 —	— —	— 1	2 2	— —
Blepharitis ... {M F}	1 —	— —	— —	— 1	— —	— —	— —	— —	— 1	— —	— 1
Hordeolum (stye) ... {M F}	2 2	— 1	— —	— 1	— 1	1 1	1 2	1 —	— —	— 2	— —
Iritis ... {M F}	— —	— —	1 —	— 1	— —	— —	— —	— —	— 1	1 —	— 1
Keratitis ... {M F}	1 —	— —	— —	— —	— —	— —	— —	— —	— 1	— 1	— 1
Choroiditis ... {M F}	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— 2
Other inflammation of uveal tract ... {M F}	6 7	— 3	1 2	3 3	1 1	2 3	2 —	— 1	4 1	— 2	— 1
Inflammation of optic nerve and retina ... {M F}	— —	— —	1 —	— 1	— —	1 —	— —	— —	— 1	— 1	— 1
Inflammation of lachrymal glands and ducts ... {M F}	1 5	1 1	1 1	— —	2 1	1 —	— —	1 —	1 3	— —	— 1
Other inflammatory diseases of eye ... {M F}	11 16	9 5	8 7	12 11	5 2	6 7	4 6	3 5	2 7	3 2	2 3
Other diseases and conditions of eye ... {M F}	6 15	12 26	8 18	10 21	9 18	9 26	7 18	13 20	9 14	14 16	7 18
Refractive errors ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Corneal ulcer ... {M F}	— 3	— 2	— —	— 1	— —	2 1	— —	— —	2 —	2 —	— 1
Corneal opacity ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Pterygium ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Strabismus ... {M F}	1 —	1 —	1 1	— —	2 2	— 2	3 2	— 1	1 —	2 2	— 1
Cataract ... {M F}	3 8	5 10	1 6	2 2	4 8	3 10	2 12	5 9	1 8	6 10	2 13
Detachment of retina ... {M F}	— —	— —	1 —	— —	— —	— —	1 —	— 1	— —	— —	— 1
Glaucoma ... {M F}	2 4	3 10	3 10	6 14	1 5	2 10	1 1	4 9	2 5	3 4	3 1
Other diseases of eye ... {M F}	— —	3 3	2 1	1 2	1 2	2 2	1 2	3 —	1 1	— —	— 1
Blindness ... {M F}	— —	1 —	— —	2 —	1 1	— 1	— —	— 1	2 —	— —	1 1
Diseases of ear and mastoid process ... {M F}	532 359	547 357	641 399	588 405	525 365	475 322	486 308	349 253	311 181	289 168	257 155
Otitis externa ... {M F}									— —	— —	— —
Otitis media without mention of mastoiditis ... {M F}	*307 *223	*295 *193	*359 *245	*325 *199	*289 *192	*287 *185	*273 *183	*234 *181	229 129	207 122	186 124
Otitis media with mastoiditis ... {M F}									18 8	15 15	21 4
Mastoiditis without mention of otitis media ... {M F}	225 136	252 164	282 154	263 206	236 173	188 137	213 125	115 72	56 42	60 28	41 23

366-369. See 360-364.

* 390, 391 includes 394-398 for these years.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
394	Other inflammatory diseases of ear {M F}									—	2
395	Ménière's disease {M F}									—	2
396	Other diseases of ear and mastoid process {M F}	*	*	*	*	*	*	*	*	—	4 2
397	Deaf mutism {M F}									—	—
398	Other deafness {M F}									—	—
400-468	VII.—DISEASES OF THE CIRCULATORY SYSTEM {M F}	69698 71401	67055 68255	68528 71378	71691 72060	72827 75350	76715 78470	84729 83808	79023 78816	89013 91608	92 93
400-402	Rheumatic fever {M F}	448 565	380 513	406 623	446 556	416 521	360 415	350 427	363 449	312 391	—
400	Rheum: fever without mention of heart involvement {M F}	33 36	35 27	31 45	40 32	31 29	20 19	23 14	33 26	24 23	—
401	Rheumatic fever with heart involvement {M F}	403 486	332 457	362 542	394 499	376 460	326 366	318 391	324 405	284 355	—
	0. Active rheumatic pericarditis {M F}	66 47	60 41	56 45	62 60	65 51	67 39	52 42	65 44	60 39	—
	1. Acute rheumatic endocarditis {M F}	112 127	84 116	107 153	116 134	105 113	77 86	85 96	84 100	67 80	—
	2. Active rheumatic myocarditis {M F}	53 56	33 45	29 56	31 37	31 47	26 33	25 43	21 39	11 26	—
	3. Active rheum: fever with other and multiple types of heart involvement. {M F}	172 256	155 255	170 288	185 268	175 249	156 208	156 210	154 222	146 210	—
402	Chorea {M F}									4 13	—
	0. Without mention of heart involvement {M F}	12 43	13 29	13 36	12 25	9 32	14 30	9 22	6 18	1 7	—
	1. With heart involvement {M F}									3 6	—
410-416	Chronic rheumatic heart disease {M F}	4460 6606	4233 6226	3929 6320	4207 6260	4041 6214	3868 5989	3991 6025	3680 5745	3733 6075	4 6
410	Diseases of mitral valve {M F}	3392 5166	3164 4785	2974 4953	3160 4930	3016 4874	2757 4677	2944 4748	2679 4488	2726 4815	2 5
411	Diseases of aortic valve specified as rheumatic {M F}	168 103	182 116	176 109	187 112	191 118	203 105	189 103	182 108	198 114	—
412	Diseases of tricuspid valve {M F}									6 4	—
413	Diseases of pulmonary valve specified as rheumatic {M F}	360 575	389 654	381 618	410 631	417 666	436 591	409 578	394 599	—	—
414	Other endocarditis specified as rheumatic† {M F}									419 629	10 —
415	Other myocarditis specified as rheumatic {M F}	352 526	350 476	258 456	302 409	267 385	298 413	251 356	217 299	174 256	—
416	Other heart disease specified as rheumatic {M F}	188 236	148 195	140 184	148 178	150 171	174 203	198 240	208 251	210 257	—
420-422	Arteriosclerotic and degenerative heart disease {M F}	50810 50146	49006 47947	50719 50435	53173 51207	54536 54025	57697 56401	64058 60421	59669 56413	67769 66014	69 65
420	Arteriosclerotic heart disease, incl: coronary disease {M F}	13877 7497	14275 7819	15579 8510	17237 9172	18661 10126	21019 11468	24409 12984	25740 14590	29902 17226	34 20
	0. Arteriosclerotic heart disease, so described {M F}									99 74	—
	1. Heart dis: spec'd: as involving coronary arteries {M F}	12119 6677	12676 7059	13993 7770	15606 8350	17070 9359	19513 10719	22993 12278	24506 13913	28574 16462	336 193
	2. Angina pectoris without mention of coronary dis: {M F}	1758 820	1599 760	1586 740	1631 822	1591 767	1506 749	1416 706	1234 677	1229 690	10 5
421	Chronic endocarditis not specified as rheumatic {M F}	3670 3551	3419 3355	3296 3215	3237 3200	2988 2996	2786 2704	2584 2520	2169 2160	2313 2142	15 12

* 394-398. See 390, 391.

† 414. See note to title of 421.4

TABLE 7—continued.

Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
0. Of mitral valve, specified as non-rheumatic ... {M ... F	\$	\$	\$	\$	\$	\$	\$	\$	6 7	30 25	14 22
1. Of aortic valve, not specified as rheumatic ... {M ... F	1429 743	1256 673	1213 647	1133 617	1078 561	1043 573	1027 533	891 526	1028 555	979 590	929 557
2. Of tricuspid valve, specified as non-rheumatic ... {M ... F									—	3	3
3. Of pulmonary valve, not specified as rheumatic ... {M ... F	\$2241 \$2808	\$2163 \$2682	\$2083 \$2568	\$2104 \$2583	\$1910 \$2435	\$1743 \$2131	\$1557 \$1987	\$1278 \$1634	1	—	3
4. Other and ill-defined, not specified as rheumatic ... {M ... F									1278 1580	508 600	349 440
Other myocardial degeneration {M ... F	33263 39098	31312 36773	31844 38710	32699 38835	32887 40903	33892 42229	37065 44917	31760 39663	35554 46646	32914 44524	34687 47411
0. Fatty degeneration ... {M ... F	457 752	390 674	370 609	386 558	306 522	296 486	291 433	226 373	225 470	215 386	207 308
1. With arteriosclerosis ... {M ... F	8646 8748	8367 8763	8552 9114	9033 9550	9461 10427	10293 11493	11721 12836	10626 11954	12030 14545	12271 15097	13324 16670
2. Other ... {M ... F	24160 29598	22555 27336	22922 28987	23280 28727	23120 29954	23303 30250	25053 31648	20908 27336	23299 31631	20428 29041	21156 30433
Other diseases of heart ... {M ... F	2931 3543	2693 3171	2534 3046	2400 2920	2293 2906	2230 2863	2327 2899	2041 2668	2443 2974	2592 3068	3346 3749
Acute and subacute endocarditis ... {M ... F	473 479	452 518	463 494	398 440	346 323	293 277	312 250	291 222	255 215	232 167	212 158
Acute myocarditis not specified as rheumatic ... {M ... F	100 85	99 75	87 110	73 97	96 94	87 104	102 130	104 110	96 128	107 96	98 103
Acute pericarditis specified as non-rheumatic ... {M ... F	16 28	14 20	12 22	14 28	17 17	15 20	14 23	16 23	19 25	18 12	15 5
Functional disease of heart ... {M ... F	1021 1633	1004 1530	979 1467	947 1473	885 1566	1031 1663	1101 1690	982 1588	1130 1733	979 1631	1201 1874
Other and unspecified diseases of heart* ... {M ... F	1321 1318	1124 1028	993 953	968 892	949 906	804 799	798 806	648 725	943 873	1256 1162	1820 1609
Hypertensive disease* ... {M ... F	5416 5093	5305 5079	5521 5425	5730 5616	5869 5852	6486 6436	7361 7338	7151 7241	8011 8746	9423 10234	10024 10921
Essential benign hypertension with heart disease* ... {M ... F	**	**	**	**	**	**	**	**	9 13	125 138	127 123
Essential malignant hypertension with heart disease* ... {M ... F									32 32	142 118	174 129
Hypertensive heart dis: with arteriolar nephrosclerosis* ... {M ... F	314 324	297 301	284 298	276 296	280 301	304 312	317 331	281 282	282 305	255 310	328 366
Other and unspecified hypertensive heart disease* ... {M ... F	**2448 **2346	**2400 **2371	**2522 **2524	**2669 **2649	**2766 **2838	**3045 **3150	**3511 **3591	**3360 **3510	3843 4310	6856 7670	7390 8303
Essential benign hypertension without mention of heart* ... {M ... F	†1940 †1743	†1932 †1776	†2072 †1978	†2164 †2051	†2191 †2083	†2450 †2324	†2819 †2724	†2877 †2861	2021 2290	692 831	721 822
Essential malignant hypertension without mention of heart* ... {M ... F									310 223	283 171	262 186
Hypertension with arteriolar nephrosclerosis without mention of heart* ... {M ... F	714 680	676 631	643 625	621 620	632 630	687 650	714 692	633 588	629 638	626 571	576 546
Other hypertensive disease without mention of heart* ... {M ... F	†	†	†	†	†	†	†	†	885 935	444 425	446 446
Diseases of arteries ... {M ... F	5225 4790	5064 4714	4992 4867	5234 4842	5228 5116	5565 5549	6122 5888	5550 5455	6040 6360	6208 6368	6545 6819
General arteriosclerosis ... {M ... F									5325 5617	5701 5891	6038 6366
0. Without mention of gangrene ... {M ... F	4533 4096	4426 4057	4436 4219	4607 4181	4582 4505	4922 4925	5463 5216	4870 4785	4794 5209	5062 5357	5343 5799
1. With gangrene ... {M ... F									531 408	639 534	695 567
Aortic aneurysm specified as non-syph., and dissecting aneurysm. ... {M ... F	276 281	265 321	259 316	263 328	264 276	294 328	321 330	340 351	173 189	212 204	234 231
Other aneurysm, except of heart and aorta* ... {M ... F									182 214	85 100	33 29

2-421.4 includes 421.0 for these years.

4. From 1950, inquiry was made at all ages (instead of at ages under 45 only) regarding endocarditis and valvular disease of unspecified cause, with the result that considerable numbers were assigned to 414 and some to 450.0.

440-447, 452. See note ii at head of table.

** 443 includes 440, 441 for these years.

445 includes 447 for these years.

† 450.0. See note to title of 421.4

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
453	Peripheral vascular disease ... {M F	33 20	38 26	31 23	46 17	45 24	43 21	48 20	43 20	60 26	52 26
	0. Raynaud's disease ... {M F	10 9	5 17	3 15	7 10	5 13	8 12	4 10	3 7	4 10	6 12
	1. Thrombo-angiitis obliterans ... {M F									55 14	41 10
	2., 3. Other ... {M F	23 11	33 9	28 8	39 7	40 11	35 9	44 10	40 13	1 2	5 4
454	Arterial embolism and throm- {M bosis ... F	11 20	13 18	11 20	16 19	23 25	20 19	23 26	15 26	18 34	38 42
455	Gangrene of unspecified cause* {M F	352 332	296 252	234 249	279 249	278 240	266 210	239 252	244 213	206 203	47 40
456	Other diseases of arteries ... {M F	20 41	26 40	21 40	23 48	36 46	20 46	28 44	38 60	76 77	73 65
460-463	Diseases of veins and other dis- {M eases of circulatory system... F	408 658	374 605	427 662	501 659	444 716	509 817	520 810	569 845	705 1048	802 1177
460	Varicose veins of lower ex- {M tremities ... F									73 212	83 235
461	Hæmorrhoids ... {M F	103 238	101 231	122 251	116 244	128 251	110 245	88 249	88 229	15 16	21 13
462	Varicose veins of other speci- {M fied sites ... F									23 23	17 19
463	Phlebitis and thrombophlebitis {M of lower extremities* F	** F	** F	** F	** F	** F	** F	** F	** F	87 160	147 288
464	Phlebitis and thrombophlebitis {M of other sites* F	** F	** F	** F	** F	** F	** F	** F	** F	55 81	14 24
465	Pulmonary embolism and in- {M farction ... F	126 142	107 121	112 130	166 131	123 143	176 205	223 215	228 234	284 312	308 333
466	Other venous embolism and {M thrombosis ... F	**130 **243	**120 **213	**145 **232	**177 **239	**159 **294	**186 **331	**182 **311	**218 **352	142 209	163 227
467	Other diseases of circulatory {M system ... F	10 12	12 10	11 14	11 15	12 8	10 12	4 10	18 9	12 18	36 31
468	Certain diseases of lymph {M nodes and lymph channels... F	††39 ††23	††34 ††30	††37 ††35	††31 ††30	††22 ††20	††27 ††24	††23 ††25	††17 ††21	14 17	13 7
470-527	VIII.—DISEASES OF THE RESPIRATORY SYSTEM {M F	38546 31465	31019 22496	38777 32553	31206 22132	31564 22942	31642 23951	34798 24746	27928 16281	33823 25598	31781 22715
470-475	Acute upper respiratory in- {M fections ... F	158 123	155 109	142 101	132 101	113 81	96 68	94 60	82 56	102 75	127 146
470	Acute nasopharyngitis (common cold) ... {M F	16 9	15 7	13 8	13 9	11 7	10 6	9 6	6 6	6 7	22 47
471	Acute sinusitis... {M F	13 4	16 4	15 6	13 5	11 4	9 4	10 4	8 4	8 3	4 6
472	Acute pharyngitis ... {M F	37 29	22 21	21 16	20 18	17 14	20 11	15 11	10 6	9 10	14 14
473	Acute tonsillitis ... {M F	79 71	86 67	78 58	73 57	63 45	48 38	50 31	50 30	32 30	35 32
474	Acute laryngitis and tracheitis {M F	\$ F	\$ F	\$ F	\$ F	\$ F	\$ F	\$ F	\$ F	39 18	28 23
475	Acute upper resp: infection of multiple or unspecified sites {M F	13 10	16 10	15 13	13 12	11 11	9 9	10 8	8 10	8 7	24 24
480-483	Influenza ... {M F	§§3387 §§2479	§§1798 §§1584	§§5867 §§6709	§§2018 §§1858	§§1390 §§1279	§§2460 §§2812	§§1700 §§1603	§§674 §§564	2630 2962	1862 2040
480	Influenza with pneumonia ... {M F	§§1514 §§1341	§§781 §§598	§§2754 §§2793	§§915 §§756	§§633 §§483	§§1161 §§1241	§§788 §§654	§§313 §§234	1209 1282	941 922
481	'Flu: with other resp: manifesta- {M tions, and 'flu: unqualified F									1387 1634	882 1071
	A. Without mention of re- {M spiratory complications F									? ?	479 632
	B. With mention of respir- {M atory complications F	§§1873 §§2138	§§1017 §§986	§§3113 §§3916	§§1103 §§1102	§§757 §§796	§§1299 §§1571	§§912 §§949	§§361 §§330	? ?	403 439
482	'Flu: with digestive manifesta- {M tions, but without resp: F symptoms.									24 38	30 41
483	'Flu: with nerv: manifestns, {M but without dig: or resp: F symptoms.									10 8	9 6

** 466 includes 463, 464 for these years.

†† 468 includes 694, and 782.7 (enlargement of lymph node) for these years.

\$ 474. See 500.

§§ 480-483 includes 340.0 for these years.

* 455, 463, 464. See note ii at head of table.

TABLE 7—continued.

Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
493 Pneumonia † ... {M F	14051 11498	11196 8748	12950 10925	10774 8315	10501 8551	10326 8806	11734 9799	9265 7618	10496 9636	9075 8498	11596 10900
490 Lobar pneumonia † ... {M F	4266 2737	3582 2245	3773 2651	3257 2005	2892 1946	2815 1949	2884 1973	2429 1545	2399 1773	2229 1587	2382 1697
491 Bronchopneumonia † ... {M F	8430 7854	6447 5732	7917 7280	6438 5475	6680 5853	6588 6147	7928 7146	6111 5503	7255 7135	6139 6345	8321 8459
492 Primary atypical pneumonia † {M F	1355 907	1167 771	1260 994	1079 835	929 752	923 710	922 680	725 570	19 9	55 37	86 58
493 Pneumonia, other and un- specified † ... {M F											
502 Bronchitis ... {M F	*18138 *14653	*15243 *10614	*17031 *13245	*15632 *10471	*16866 *11604	*16132 *10917	*18333 *11866	*15147 *8741	17514 11467	17571 10686	22717 14268
500 Acute bronchitis ... {M F	*3794 *4659	*3269 *3263	*3805 *4479	*3000 *2941	*3211 *3453	*2911 *3183	*3352 *3550	*2195 *2153	2605 3042	1959 2495	2824 3552
501 Bronchitis, unqualified ... {M F	14344 9994	11974 7351	13226 8766	12632 7530	13655 8151	13221 7734	14981 8316	12952 6588	1732 1697	1377 1298	1669 1722
502 Chronic bronchitis ... {M F											
0. Bronchitis with emphy- sema ... {M F											
1. Other ... {M F	2812 1712	2627 1441	2787 1573	2650 1387	2694 1427	2628 1348	2937 1418	2760 1302	3081 1458	3146 1345	3404 1599
Other diseases of respiratory system ... {M F											
510 Hypertrophy of tonsils and adenoids ... {M F	43 55	56 58	51 60	40 43	38 38	33 31	24 32	37 34	18 22	28 21	17 26
511 Peritonsillar abscess (quinsy)... {M F	15 30	16 29	15 24	17 25	15 21	10 19	11 13	12 13	9 13	6 9	13 7
512 Chronic pharyngitis and naso- pharyngitis ... {M F	73 47	88 44	84 59	75 56	63 49	51 42	57 38	42 45	— 40	1 31	2 23
513 Chronic sinusitis ... {M F											
514 Deflected nasal septum ... {M F	6 9	5 11	8 5	5 8	9 6	2 5	5 5	5 4	5 2	4 3	7 4
515 Nasal polyp ... {M F											
516 Chronic laryngitis ... {M F	68 58	50 45	48 36	44 38	38 33	41 27	35 27	36 20	— 28	3 22	4 30
517 Other diseases of upper re- spiratory tract ... {M F											
518 Empyema ... {M F	273 100	245 78	212 88	208 92	182 77	148 62	148 67	125 49	116 40	105 40	81 52
519 Pleurisy... {M F	‡294 ‡208	‡260 ‡206	‡236 ‡163	‡193 ‡125	‡175 ‡151	‡143 ‡116	‡158 ‡108	‡137 ‡107	85 56	83 51	78 47
520 Spontaneous pneumothorax... {M F	11 4	6 2	8 4	5 2	6 3	2 3	2 2	8 3	11 4	7 1	5 —
521 Abscess of lung ... {M F	100 41	107 44	100 49	83 44	78 29	89 31	100 35	80 29	58 28	45 24	63 28
522 Pulmonary congestion and hypostasis ... {M F	312 473	278 393	337 460	284 374	274 391	268 408	297 433	252 389	328 495	262 427	322 483
523 Pneumoconiosis due to silica & silicates (occupational) ... {M F	258 7	259 5	318 3	337 4	387 5	396 7	441 7	433 5	526 9	559 8	594 4
524 Other spec'd: pneumoconiosis & pul: fibr: of occupat'l: {M F											
525 Other chronic interstitial pneu- monia ... {M F	151 57	177 47	161 73	166 82	151 70	173 62	162 76	185 82	171 78	201 75	188 89
526 Bronchiectasis ... {M F	964 538	825 408	917 480	900 429	979 473	976 452	1119 488	993 408	1146 530	1143 507	1152 614
527 Other diseases of lung and pleural cavity ... {M F	244 85	255 71	292 69	293 65	297 81	296 83	378 87	415 114	529 127	604 130	814 211

500 includes 474 for these years.

‡ 519 includes 003.1 for these years.

490-493. See 763 (Pneumonia of Newborn) for Pneumonia deaths at ages under 4 weeks.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
530-587	IX.—DISEASES OF THE DIGESTIVE SYSTEM {M F}	12413 9367	11651 8897	11378 8872	11346 8695	11531 8468	11229 8443	11629 8703	9847 7275	9658 7269	9438 7198	9672
530-539	Diseases of buccal cavity and œsophagus ... {M F}	213 211	178 178	146 178	157 139	147 140	133 122	168 112	112 122	131 132	109 165	111
530	Dental caries ... {M F}									3 6	2 1	
531	Abscesses of supporting structures of teeth ... {M F}									2 2	3 3	
532	Other inflammatory diseases of supporting structures of teeth {M F}									17 4	9 16	
533	Disorders of occlusion, eruption, and tooth development* {M F}	113 55	100 45	72 40	74 29	72 30	55 22	51 18	37 19		5 5	24 24
534	Toothache from unspecified cause ... {M F}									—	—	—
535	Other diseases of teeth and supporting structures {M F}									—	1	—
536	Stomatitis ... {M F}									6 9	7 20	
537	Diseases of salivary glands ... {M F}	58 116	45 96	48 103	43 85	49 83	41 57	38 55	29 60	36 46	18 42	
538	Other diseases of buccal cavity {M F}									4 6	8 2	
539	Diseases of œsophagus ... {M F}	42 40	33 37	26 35	40 25	26 27	37 43	19 39	46 43	58 53	38 57	
540-545	Diseases of stomach and duodenum ... {M F}	4645 1449	3994 1226	4030 1223	4081 1288	4232 1231	4045 1190	3947 1283	3830 1240	3958 1291	4092 1365	4111
540	Ulcer of stomach ... {M F}									2019 792	2035 843	2111
	0. Without mention of perforation ... {M F}	†2703 †892	†2233 †767	†2314 †701	†2330 †809	†2320 †729	†2242 †765	†2133 †848	†2080 †790	1363 616	1630 634	1741
	1. With perforation ... {M F}									656 176	405 209	511
541	Ulcer of duodenum ... {M F}									1737 310	1847 375	2011
	0. Without mention of perforation ... {M F}	1630 249	1464 197	1452 255	1510 236	1678 295	1587 225	1621 254	1603 279	1087 197	1170 243	1281
	1. With perforation ... {M F}									650 113	677 132	781
542	Gastrojejunal ulcer ... {M F}									55 16	63 11	731
	0. Without mention of perforation ... {M F}	†	†	†	†	†	†	†	†	38 12	43 6	531
	1. With perforation ... {M F}									17 4	20 5	291
543	Gastritis and duodenitis ... {M F}	244 273	217 224	190 212	178 205	166 183	148 170	120 145	87 143	79 128	68 93	791
544	Disorders of function of stomach ... {M F}									18 19	10 16	111
545	Other diseases of stomach and duodenum ... {M F}	†68 †35	†80 †38	†74 †55	†63 †38	†68 †24	†68 †30	†73 †36	†60 †28	50 26	69 27	701
550-553	Appendicitis ... {M F}									739 507	744 555	851
550	Acute appendicitis ... {M F}									644 451	641 469	751
	0. Without mention of peritonitis ... {M F}									89 56	101 79	111
	1. With peritonitis ... {M F}	1092 781	1107 820	987 899	1027 854	952 751	867 668	855 636	722 535	555 395	540 390	651
551	Appendicitis, unqualified ... {M F}									91 50	61 59	711
552	Other appendicitis ... {M F}									3 6	6 6	711
553	Other diseases of appendix ... {M F}									1	36 21	411

* 533. See note *ii* at head of table.

† 540 includes 542 for these years.

‡ 544, 545 includes 784.1-784.3 (nausea and vomiting, pylorospasm and heartburn) for these years.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
560-561	Hernia of abdominal cavity ... {M F}	1150 1524	1119 1300	1162 1241	986 1120	1031 1081	1163 1203	1021 1188	934 931	842 889	832 866	821 883
560	Hernia of abdom'l: cavity with- out mention of obstruction... {M F}	233 170	225 150	238 146	211 136	221 134	248 148	227 149	208 123	191 124	151 138	170 125
561	Hernia of abdominal cavity {M with obstruction† ... {F}	917 1354	894 1150	924 1095	775 984	810 947	915 1055	794 1039	726 808	651 765	681 728	651 758
570-578	Other diseases of intestines and peritoneum ... {M F}	3929 3490	4049 3628	3886 3637	3983 3650	4055 3601	3914 3547	4517 3865	3112 2816	2764 2676	2345 2290	2133 2267
570	Intestinal obstruction without mention of hernia ... {M F}	1089 986	1092 961	1035 942	1082 950	931 843	1018 920	1116 985	923 844	827 813	732 663	721 704
	0. Intussusception ... {M F}	197 117	193 119	185 125	214 117	190 102	195 118	212 126	167 88	115 68	73 72	85 61
	1. Paralytic ileus ... {M F}	23 21	33 30	36 29	21 26	15 23	26 22	20 20	22 20	29 25	26 15	17 18
	2. Mesenteric infarction ... {M F}	42 36	48 34	43 32	52 27	52 41	47 36	62 38	49 45	72 67	136 136	166 150
	3. Volvulus ... {M F}	271 211	268 202	254 197	263 206	223 179	249 197	273 215	228 184	204 170	193 143	190 149
	4. Impaction of intestine... {M F}	26 63	23 61	20 61	20 53	19 51	18 55	20 48	17 47	16 48	35 60	25 77
	5. Other ... {M F}	530 538	527 515	497 498	512 521	432 447	483 492	529 538	440 460	391 435	269 237	238 249
571	Gastro-ent: and colitis, exc: {M ulcer've: age 4 w'ks: & over {F}	*2112 *1617	*2219 *1775	*2196 *1792	*2263 *1882	*2475 *1941	*2276 *1782	*2846 *2147	*1567 *1222	1328 1084	922 743	721 644
572	Chronic enteritis and ulcer- ative colitis ... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	422 583	454 667	434 675
	0. Regional enteritis ... {M F}	49 40	39 38	34 35	33 34	43 43	41 38	29 27	26 25	24 24	19 24	20 19
	1. Diverticulitis ... {M F}	199 246	229 250	219 245	215 248	222 264	213 278	195 266	236 260	240 283	255 336	247 349
	2. Ulcerative colitis ... {M F}									143 251	154 273	154 283
	3. Other ... {M F}	213 316	201 308	167 350	160 280	167 293	163 292	128 245	158 268	15 25	26 34	13 24
573	Functional disorders of in- testines ... {M F}									3 7	17 21	15 22
574	Anal fissure and fistula ... {M F}									2 3	6 1	4 2
575	Abscess of anal and rectal regions ... {M F}	56 22	48 22	39 22	41 18	37 16	35 20	37 15	31 15	27 12	21 14	26 7
576	Peritonitis ... {M F}									62 40	54 53	62 52
577	Peritoneal adhesion ... {M F}	81 123	103 128	97 107	87 112	82 84	75 84	73 75	81 74	8 14	12 7	13 15
578	Other diseases of intestines and peritoneum ... {M F}	\$130 \$140	\$118 \$146	\$99 \$144	\$102 \$126	\$98 \$117	\$93 \$133	\$93 \$105	\$90 \$108	85 120	127 121	143 146
580-587	Diseases of liver, gallbladder, and pancreas ... {M F}	1384 1912	1204 1745	1167 1694	1112 1644	1114 1664	1107 1713	1181 1619	1137 1631	1224 1774	1316 1957	1325 1986
580	Acute and subacute yellow at- rophy of liver ... {M F}	35 49	37 67	53 77	41 72	46 84	61 88	69 83	68 85	54 98	52 87	59 85
581	Cirrhosis of liver ... {M F}	667 337	546 293	532 311	491 283	504 282	487 304	538 324	506 310	556 362	574 440	615 502
582	Suppurative hepatitis and liver abscess ... {M F}	13 8	9 4	14 10	15 12	18 11	25 10	24 10	20 8	24 10	23 14	22 10
583	Other diseases of liver... {M F}	8 9	9 15	12 14	15 14	7 19	10 14	15 15	9 16	10 25	28 18	22 23
584	Cholelithiasis ... {M F}	227 632	218 583	205 587	208 522	201 550	213 548	199 518	210 511	211 521	245 617	213 583
585	Cholecystitis without mention of calculi ... {M F}	278 680	216 578	222 526	206 538	183 502	157 520	176 447	164 453	169 472	178 461	161 454

561. See note *ii* at head of table.

571 includes 785.6 (Diarrhoea, age 2 years and over) for these years.

578 includes 785.4, 785.5 and 785.7-785.9 (Flatulence, abdominal pain, incontinence of faeces, melæna (age 1 year and over) and visible peristalsis) for these years.

TABLE 7—continued.

Inter-national List No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
586	Other diseases of gallbladder and biliary ducts ... {M F	15 23	24 41	21 36	20 42	16 43	21 47	18 42	20 47	28 53	29 57
587	Diseases of pancreas ... {M F	141 174	145 164	108 133	116 161	139 173	133 182	142 180	140 201	172 233	187 263
590-637	X.—DISEASES OF THE GENITO-URINARY SYSTEM {M F	11619 6083	11129 5630	10945 5587	10763 5474	10562 5264	10445 5197	10226 5161	9456 4623	9602 4512	9627 4788
590-594	Nephritis and nephrosis ... {M F	4623 4629	4295 4289	3996 4249	3964 4184	3934 4039	3923 4018	3811 3889	3387 3419	3400 3321	3431 3443
590	Acute nephritis ... {M F	291 293	287 252	245 248	274 237	261 239	243 202	231 192	208 177	178 147	194 157
591	Nephritis with œdema, including nephrosis ... {M F	170 180	168 152	148 158	155 151	155 151	152 134	148 126	134 122	129 117	236 231
592	Chronic nephritis ... {M F	3814 3812	3487 3541	3239 3497	3211 3473	3200 3363	3230 3400	3132 3298	2808 2879	2883 2820	2815 2898
593	Nephritis not specified as acute or chronic* ... {M F	307 318	314 320	327 322	328 329	282 263	259 258	260 248	220 220	210 208	159 137
594	Other renal sclerosis ... {M F	41 26	39 24	37 24	35 24	36 23	39 24	40 25	35 21	— 29	27 20
600-609	Other diseases of urinary system {M F	1460 1086	1380 941	1314 930	1271 890	1197 868	1167 856	1240 940	1157 883	1117 911	1181 1052
600	Infections of kidney ... {M F	397 543	435 506	429 496	415 436	418 457	378 452	494 505	397 513	421 514	464 590
601	Hydronephrosis ... {M F	46 42	48 56	61 43	59 62	45 40	47 53	67 46	54 54	62 51	80 62
602	Calculi of kidney and ureter ... {M F	172 178	169 140	159 165	145 145	154 142	184 149	136 153	153 132	135 119	140 129
603	Other diseases of kidney and ureter ... {M F	5 12	8 13	8 9	10 11	6 10	12 4	11 20	9 9	29 18	27 31
604	Calculi of other parts of urinary system ... {M F	84 17	70 12	59 7	63 14	74 8	59 5	52 13	54 9	30 6	49 14
605	Cystitis ... {M F	362 270	285 190	271 199	275 203	231 183	235 168	226 182	242 145	217 177	194 188
606	Other diseases of bladder ... {M F	67 15	46 19	39 10	53 15	59 16	50 18	51 15	60 15	54 19	63 24
607	Urethritis (nonvenereal) ... {M F	† †	† †	† †	† †	† †	† †	† †	† †	— 1	2 1
608	Stricture of urethra ... {M F	300 3	293 1	255 1	226 1	195 1	188 3	187 3	170 —	161 3	131 1
609	Other diseases of urethra ... {M F	†27 †6	†26 †4	†33 †—	†25 †3	†15 †1	†14 †4	†16 †3	†18 †6	8 3	31 12
610-617	Diseases of male genital organs M	5536	5454	5635	5528	5431	5355	5175	4912	5085	5015
610	Hyperplasia of prostate ... M	**5276	**5207	**5394	**5286	**5198	**5149	**4976	**4764	**4932	4762
611	Prostatitis ... M	**220	**193	**182	**188	**189	**157	**158	**106	**13	110
612	Other diseases of prostate* ... M										
613	Hydrocele ... M	4	5	8	11	3	11	7	7	3	9
614	Orchitis and epididymitis ... M	11	21	19	16	13	7	12	10	2	1
615	Redundant prepuce and phimosis M	21	24	23	20	25	29	18	18	17	9
616	Sterility, male ... M	—	—	—	—	—	—	—	—	—	—
617	Other diseases of male genital organs M	††4	††4	††9	††7	††3	††2	††4	††7	8	16
620-626	Diseases of breast, ovary, Fallopian tube, and parametrium F	160	164	156	165	133	95	107	90	81	64
620	Chronic cystic disease of breast F	7	16	8	15	6	3	5	7	1	—
621	Other diseases of breast ... F										
622	Acute salpingitis and oophoritis F	112	118	121	123	92	68	78	66	4	8
623	Chronic salpingitis and oophoritis ... F										
624	Salpingitis and oophoritis, unqualified F										

* 593, 612. See note *ii* at head of table.

† 593 includes 789.0 (Albuminuria, unqualified) for these years.

† 609 includes 607 for these years.

†† 617 includes 276 for these years.

** 610 includes 612A (Prostatectomy N.O.S.) for years up to 1949 inclusive.

TABLE 7—continued.

International No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
625	Other diseases of ovary and Fallopian tube	F †12	†6	†6	†8	†10	†5	†8	†6	3	8	6
626	Diseases of parametrium and pelvic peritoneum (female)	F 29	24	21	19	25	19	16	11	15	12	14
637	Diseases of uterus and other female genital organs	F 208	236	252	235	224	228	225	231	199	229	218
630	Infective disease of uterus, vagina and vulva	F 29	32	38	21	28	25	15	27	12	13	15
631	Uterovaginal prolapse	F 97	107	108	116	126	119	128	127	119	138	128
632	Malposition of uterus	F 2	4	14	5	2	2	5	4	3	4	3
633	Other diseases of uterus	F 40	40	50	54	31	52	40	47	37	33	32
634	Disorders of menstruation	F 23	29	21	22	20	13	15	18	16	26	22
635	Menopausal symptoms	F 11	10	11	12	10	8	6	3	7	4	5
636	Sterility, female	F —	—	3	2	—	1	—	1	—	—	—
637	Other diseases of female genital organs	F 6	14	7	3	7	8	16	4	5	11	13
689	XI.—DELIVERIES & COMPLICATIONS OF PREGNANCY, CHILDBIRTH & THE PUERPERIUM	F 1678	1672	1620	1492	1260	1209	1060	811	727	620	‡566
648	Complications of pregnancy	F 444	471	436	381	353	418	329	265	198	225	208
640	Pyelitis and pyelonephritis of pregnancy	F 5	3	3	4	6	3	—	2	5	5	6
641	Other infections of genito-urinary tract during pregnancy	F 2	2	—	—	—	—	—	—	2	—	1
642	Toxæmias of pregnancy	F 325	345	326	279	260	311	251	209	120	149	152
643	Placenta prævia	F 22	10	11	9	6	15	5	3	6	9	3
644	Other hæmorrhage of pregnancy	F 14	9	11	9	12	10	10	7	10	11	5
645	Ectopic pregnancy	F 63	84	53	44	37	57	40	34	36	36	22
646	Anæmia of pregnancy	F 1	3	8	6	4	4	2	2	3	3	5
647	Pregnancy with malposition of fetus in uterus	F 1	—	4	1	4	1	3	1	1	—	—
648	Other complications arising from pregnancy	F 11	15	20	29	24	17	18	7	15	12	14
652	Abortion	F 325	313	321	313	233	157	143	125	118	103	107
650	Abortion without mention of sepsis or toxæmia	F 87	51	55	41	40	32	27	27	32	32	37
651	Abortion with sepsis	F 211	237	242	242	173	110	89	87	78	64	67
652	Abortion with toxæmia, without mention of sepsis	F 27	25	24	30	20	15	27	11	8	7	3
660	Delivery without complication	F 14	9	9	14	9	6	8	5	1	5	3
678	Delivery with specified complication	F 539	518	522	508	428	422	370	272	241	158	161
670	Placenta prævia or antepartum hæmorrhage	F 65	68	64	66	50	60	41	36	22	24	29
671	Retained placenta	F } *210	*198	*187	*179	*158	*162	*156	*115	43	11	23
672	Other postpartum hæmorrhage	F }								47	27	31
673	Abnormality of bony pelvis	F 28	33	30	37	26	17	16	10	9	2	6
674	Disproportion or malposition of fetus	F 71	66	72	61	60	60	40	23	34	17	10

671, 672 includes 688.0 (Anæmia of puerperium) for these years. † 625 includes 275 for these years.
Including 40 cases in which it was stated that death followed the maternal condition after an interval of more than 12 months.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
675	Prolonged labour of other origin F	56	59	63	78	62	40	54	33	26	23
676	With laceration of perineum, F w/out: mention of other lacer'n.	3	4	4	8	3	6	3	1	1	1
677	With other trauma ... F	34	33	23	29	31	30	27	22	26	18
678	With other complications of F childbirth	72	57	79	50	38	47	33	32	33	35
680-689	Complications of the puerperium F	356	361	332	276	237	206	210	144	169	129
680	Puerperal urinary infection F without other sepsis	20	9	10	9	5	2	1	2	2	
681	Sepsis of childbirth and the F puerperium	\$134	\$146	\$129	\$101	\$76	\$50	\$33	\$31	25	21
682	Puerperal phlebitis and throm- F bosis	65	64	59	47	47	47	54	29	31	36
683	Pyrexia of unknown origin F during the puerperium	\$	\$	\$	\$	\$	\$	\$	\$	—	—
684	Puerperal pulmonary embolism F	\$69	\$64	\$77	\$60	\$39	\$55	\$56	\$38	25	26
685	Puerperal eclampsia ... F	48	55	34	41	39	34	46	33	60	31
686	Other forms of puerperal tox- F æmia	8	10	15	8	22	14	15	7	19	5
687	Cerebral hæmorrhage in the F puerperium	—	—	—	—	—	—	—	—	3	6
688	Other and unspecified compli- F cations of the puerperium	†6	†5	†4	†4	†4	†1	†2	†2	3	3
689	Mastitis and other disorders of F lactation	6	8	4	6	5	3	3	2	1	—
690-716	XII.—DISEASES OF THE {M SKIN & CELLULAR {F TISSUE	711 576	633 544	590 483	555 530	459 443	392 362	355 363	324 295	288 303	287 326
690-698	Infections of skin and subcut- {M aneous tissue ... {F	471 356	424 342	369 276	350 295	260 216	220 146	169 129	159 105	137 116	124 102
690	Boil and carbuncle ... {M ... {F	238 161	212 176	167 115	168 126	128 87	94 54	69 42	61 37	58 42	27 22
691	Cellulitis of finger and toe ... {M ... {F									2 3	4 4
692	Other cellulitis and abscess {M w/out ment: of lymphangitis {F	206 168	181 146	172 139	160 158	119 118	110 83	85 75	88 59	64 58	77 58
693	Other cellulitis and abscess {M with lymphangitis ... {F									5 6	4 1
694	Acute lymphadenitis ... {M ... {F	†	†	†	†	†	†	†	†	—	2 3
695	Impetigo ... {M ... {F	19 22	24 16	23 18	15 6	6 6	10 5	9 7	5 5	2 —	1 2
696	Infectious warts ... {M ... {F	—	—	—	—	—	—	—	—	—	1 1
697	Molluscum contagiosum ... {M ... {F	—	—	—	—	—	—	—	—	—	—
698	Other local infections of skin {M and subcutaneous tissue ... {F	8 5	7 4	7 4	7 5	7 5	6 4	6 5	5 4	6 5	8 11
700-716	Other diseases of skin and sub- {M cutaneous tissue ... {F	240 220	209 202	221 207	205 235	199 227	172 216	186 234	165 190	151 187	163 224
700	Seborrhæic dermatitis ... {M ... {F									3 3	2 6
701	Eczema ... {M ... {F									20 12	27 12
702	Occupational dermatitis ... {M ... {F	99 60	87 55	92 57	85 66	83 62	69 59	77 64	68 51	1 —	4 —
703	Other dermatitis* ... {M ... {F									36 37	2 5

§ 681 includes 683 for these years.

† 684 includes 688.2 (Sudden death from unknown cause in the puerperium) for these years.

‡ 688. See 671, 672, 684.

¶ 694. See 468.

* 703. See note ii at head of table.

TABLE 7—continued.

	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
4	Pemphigus ... {M F}	73 57	63 51	67 53	62 62	61 58	51 55	56 61	48 48	44 48	46 57	55 57
5	Erythematous conditions* ... {M F}	18 21	16 19	17 20	15 23	15 22	13 21	14 22	12 18	11 18	46 48	34 43
6	Psoriasis and similar disorders {M F}									5 5	2 4	5 5
7	Lichen planus ... {M F}									—	—	1 1
8	Pruritus and related conditions {M F}									—	—	1 5
9	Corns and callosities ... {M F}									—	—	1
0	Other hypertrophic and atrophic conditions of skin ... {M F}									8 7	7 23	13 28
1	Other dermatoses ... {M F}	**50 **82	**43 **77	**45 **77	**43 **84	**40 **85	**39 **81	**39 **87	**37 **73	—	—	—
2	Diseases of nail ... {M F}									—	—	— 1
3	Diseases of hair and hair follicles ... {M F}									—	—	—
4	Diseases of sweat and sebaceous glands ... {M F}									2 1	1	—
5	Chronic ulcer of skin ... {M F}									21 56	24 66	34 63
6	Other diseases of skin... {M F}									—	2 2	1 2
9	XIII.—DISEASES OF THE BONES & ORGANS OF MOVEMENT {M F}	991 1591	1011 1460	858 1519	884 1440	822 1450	758 1356	726 1296	696 1283	685 1367	522 954	547 1043
7	Arthritis and rheumatism except rheumatic fever... {M F}	634 1335	597 1202	546 1270	534 1195	550 1227	480 1167	462 1105	429 1094	456 1169	289 747	302 775
	Acute arthritis due to pyogenic organisms ... {M F}	66 45	66 46	59 34	54 46	53 35	36 27	26 26	28 24	19 9	15 11	18 7
1	Acute nonpyogenic arthritis ... {M F}	—	—	—	—	—	1	—	—	—	—	—
2	Rheumatoid arthritis and allied conditions †† ... {M F}	364 1012	379 924	322 966	327 904	320 947	293 863	295 841	260 858	276 902	165 562	185 574
3	Osteo-arthritis (arthrosis) and allied conditions†† ... {M F}	121 174	101 152	112 149	89 174	115 169	113 201	95 190	100 161	119 186	92 149	84 171
4	Other specified forms of arthritis†† ... {M F}	4 4	3 6	— 6	1 1	— 2	— 1	—	1	5 13	2 3	4 4
5	Arthritis, unspecified ... {M F}	5 6	3 11	7 17	6 8	10 7	6 17	8 9	4 7	7 8	9 14	7 10
6	Muscular rheumatism ... {M F}	8 6	5 3	8 8	6 4	7 6	2 4	4 7	6 2	4 3	5 3	1 3
7	Rheumatism, unspecified ... {M F}									26 48	1 5	3 6
	A, B. Acute and subacute rheumatism (so described) {M F}	66 88	40 60	38 90	51 58	45 61	32 51	34 32	30 42	13 23	— 1	— 1
	C, D, E. Other ... {M F}									13 25	1 4	3 5
8	Osteomyelitis and other diseases of bone and joint {M F}	285 193	328 187	245 189	266 173	201 156	188 125	180 120	173 129	151 144	155 130	164 175
0	Osteomyelitis and periostitis {M F}	222 111	247 124	179 101	196 105	136 96	116 60	99 56	92 53	70 37	73 31	52 41
1	Osteitis deformans ... {M F}									63 72	61 60	81 83
2	Osteochondrosis ... {M F}	*60 *80	*76 *63	*63 *84	*64 *65	*63 *56	*63 *62	*73 *59	*70 *67	—	—	— 1
3	Other diseases of bone... {M F}									10 22	11 24	15 31

5. See note *ii* at head of table.

6-716 includes 096.0 (Herpes febrilis) and 135 for these years

2-724. In 1940-1949 includes some deaths with associated heart diseases which, from 1950 would be classed to those conditions.

1-733. See 285.

TABLE 7—continued.

International List No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
734	Internal derangement of knee joint ... {M F	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	1 —
735	Displacement of intervertebral disc ... {M F	— —	1 —	2 —	5 —	— —	4 —	6 2	— 5	6 5	10 8
736	Affection of sacro-iliac joint... {M F	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —
737	Ankylosis of joint ... {M F	1 —	1 —	1 1	— —	1 1	— —	1 1	9 —	— 3	— 2
738	Other diseases of joint ... {M F	2 2	3 —	— 3	1 3	1 2	5 3	1 2	2 3	— 4	— 4
740-749	Other diseases of musculoskeletal system ... {M F	72 63	86 71	67 60	84 72	71 67	90 64	84 71	94 60	78 54	78 77
740	Bunion ... {M F	1 4	— 3	— —	— 2	1 2	— —	— 1	— —	2 —	1 1
741	Synovitis, bursitis, and tenosynovitis, w/out mention of occupational origin {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
742	Synovitis, bursitis, and tenosynovitis of occupational origin {M F	10 —	8 —	2 —	7 —	9 —	8 —	6 —	3 —	— —	1 —
743	Infective myositis and other inflammatory diseases of tendon and fascia {M F	1 —	— —	2 —	1 —	1 —	2 1	— 1	1 1	— 1	— 1
744	Other diseases of muscle, tendon, and fascia ... {M F	47 38	52 41	42 37	50 53	48 41	59 34	58 41	63 32	58 39	62 55
745	Curvature of spine ... {M F	12 6	24 15	15 16	18 9	16 10	18 18	16 17	22 20	10 10	3 8
746	Flat foot ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
747	Hallux valgus and varus ... {M F	— 1	— 1	— 2	2 —	— 2	— 1	— —	3 —	— 2	— 1
748	Clubfoot ... {M F	4 4	3 3	2 3	4 —	1 2	6 2	5 4	4 1	3 —	1 1
749	Other deformities ... {M F	— —	2 —	1 —	— 1	— 1	2 —	1 1	— —	2 —	7 6
750-759	XIV.—CONGENITAL MALFORMATIONS {M F	2556 2127	2717 2393	2656 2313	2809 2305	2613 2281	2956 2386	2977 2527	2526 2106	2406 2238	2528 2220
750	Monstrosity ... {M F	38 58	46 62	43 48	28 65	29 59	47 59	52 63	46 44	32 43	34 50
751	Spina bifida and meningocele... {M F	450 654	572 858	576 778	537 771	445 685	555 716	419 644	367 520	350 549	337 441
752	Congenital hydrocephalus ... {M F	188 143	141 141	141 109	137 108	146 97	144 100	167 137	117 102	115 112	131 143
753	Other congen: malformations of nerv: sys'm & sense organs {M F	44 49	40 43	41 47	40 32	46 47	63 54	46 58	68 45	48 60	50 59
754	Congenital malformations of circulatory system ... {M F	1001 800	1066 844	1034 866	1157 834	1082 889	1158 900	1247 1040	1077 868	1044 923	1158 975
755	Cleft palate and harelip ... {M F	39 50	61 40	49 38	49 48	50 31	47 39	46 34	27 38	25 24	21 20
756	Congenital malformations of digestive system ... {M F	575 194	526 226	529 234	576 237	515 254	583 260	614 290	456 235	458 245	402 218
	0. Congenital hypertrophic pyloric stenosis ... {M F	328 61	293 66	269 70	282 59	222 67	252 65	265 71	142 30	152 33	96 24
	1. Imperforate anus ... {M F	49 15	51 21	42 17	47 19	34 12	45 11	37 16	24 10	24 4	38 16
	2. Other ... {M F	198 118	182 139	218 147	247 159	259 175	286 184	312 203	290 195	282 208	268 178
757	Congenital malformations of genito-urinary system ... {M F	145 107	170 111	163 119	179 122	181 127	214 147	239 147	222 127	197 150	247 193
	1. Polycystic disease of kidney ... {M F	71 88	88 79	84 85	94 95	86 88	105 109	122 118	122 96	104 110	139 146
	0, 2, 3. Other ... {M F	74 19	82 32	79 34	85 27	95 39	109 38	117 29	100 31	93 40	108 47

TABLE 7—continued.

Personal No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
758	Congenital malformations of bone and joint ... {M ... {F	15 19	15 19	15 16	19 22	17 22	19 21	27 25	17 21	15 23	30 27	32 24
759	Other & unspec'd: congen: malform'ns, not elsewhere classified	61 53	80 49	65 58	87 66	102 70	126 90	120 89	129 106	122 109	118 94	161 134
776	XV.—CERTAIN DISEASES OF EARLY INFANCY {M ... {F	8528 5949	8769 6249	8511 6169	8892 6524	8355 5928	9791 6806	10015 7070	7671 5317	7043 4796	6425 4347	6450 4282
769	Birth injuries, asphyxia, and infections of newborn... {M ... {F	2633 1847	2850 1937	2838 1891	3108 2224	3418 2195	4010 2671	4357 2948	3439 2193	3393 2207	3404 2056	3509 2246
760	Intracranial and spinal injury at birth ... {M ... {F	663 370	753 428	764 432	829 497	894 492	1086 554	1147 678	962 516	943 534	907 497	1033 523
761	Other birth injury ... {M ... {F	256 186	256 224	251 166	244 201	262 173	314 236	349 238	312 214	261 177	251 166	221 176
762	Postnatal asphyxia and atelectasis ... {M ... {F	724 578	791 546	742 522	888 639	1178 765	1427 992	1527 1090	1295 880	1413 989	1461 880	1455 990
763	Pneumonia of newborn ... {M ... {F	576 409	605 393	587 427	632 464	613 446	739 552	803 578	568 367	521 337	512 331	570 376
764	Diarrhœa of newborn ... {M ... {F	173 107	194 123	196 129	202 139	213 130	198 124	264 168	138 88	118 76	67 33	56 36
765	Ophthalmia neonatorum ... {M ... {F	†	†	†	†	†	†	†	†	—	3	1
766	Pemphigus neonatorum ... {M ... {F	42 28	44 23	37 32	33 31	21 18	21 19	18 17	11 6	3 4	6 4	1 3
767	Umbilical sepsis ... {M ... {F	23 23	24 20	21 15	19 19	20 16	14 10	29 15	20 19	19 7	8 6	13 9
768	Other sepsis of newborn ... {M ... {F	†15 †5	†21 †17	†29 †13	†45 †34	†37 †16	†24 †11	†52 †19	†21 †15	15 10	23 17	24 11
769	Neonatal disorders arising from maternal toxæmia ... {M ... {F	161 141	162 163	211 155	216 200	180 139	187 173	168 145	112 88	100 73	166 122	135 122
776	Other diseases peculiar to early infancy ... {M ... {F	5895 4102	5919 4312	5673 4278	5784 4300	4937 3733	5781 4135	5658 4122	4232 3124	3650 2589	3021 2291	2941 2036
770	Hæmolytic disease of newborn (erythroblastosis) ... {M ... {F	214 124	260 174	290 170	316 183	325 196	348 240	436 254	350 227	321 231	286 216	325 187
771	Hæmorrhagic disease of newborn ... {M ... {F	186 154	177 150	169 146	189 119	173 110	162 111	214 151	125 89	108 68	122 62	125 96
772	Nutritional maladjustment ... {M ... {F	58 35	49 34	41 30	43 28	34 24	32 26	35 26	18 17	14 12	18 16	18 7
773	Ill-defined diseases peculiar to early infancy ... {M ... {F	1030 628	877 600	773 537	826 488	657 425	670 447	693 442	428 291	320 190	225 181	208 124
774	Immaturity with mention of any other subsidiary cond'n {M ... {F	4407 3161	4556 3354	4400 3395	4410 3482	3748 2978	4569 3311	4280 3249	3311 2500	2887 2088	130 109	106 83
776	Immaturity unqualified ... {M ... {F	4407 3161	4556 3354	4400 3395	4410 3482	3748 2978	4569 3311	4280 3249	3311 2500	2887 2088	2240 1707	2159 1539
795	XVI.—SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS {M ... {F	8052 10939	6951 9896	7256 10193	7093 9862	7170 10319	6640 9840	6384 9453	4950 7621	4919 7936	3822 6152	3749 5968
789	Symptoms referable to systems or organs ... {M ... {F	1010 704	871 646	769 541	729 497	623 443	551 397	505 342	378 286	243 210	137 121	139 98
780	Certain symptoms referable to nerv: system & special senses {M ... {F	523 342	426 297	356 234	321 202	262 189	226 148	205 143	140 111	77 64	33 38	40 18
	2. Convulsions ... {M ... {F	523 342	426 297	356 234	321 202	262 189	226 148	205 143	140 111	77 64	33 38	40 18
	0, 1, 3-9. Other ... {M ... {F	—	—	—	—	—	—	—	—	—	3 4	5 —
781	Other symptoms referable to nerv: system & special senses {M ... {F	—	—	—	—	—	—	—	—	—	3 —	—
782	Symptoms referable to cardio-vascular & lymphatic system {M ... {F	\$1410 \$1313	\$1356 \$1275	\$1325 \$1243	\$1300 \$1228	\$1273 \$1194	\$1230 \$1189	\$1209 \$1148	\$1147 \$1116	107 92	66 54	67 56
	4. Acute heart failure, un-defined ... {M ... {F	\$403 \$303	\$350 \$265	\$318 \$231	\$293 \$209	\$263 \$183	\$226 \$171	\$198 \$142	\$137 \$106	92 81	63 48	59 51
	0-3, 5-9. Other ... {M ... {F	\$17 \$10	\$16 \$10	\$17 \$12	\$17 \$19	\$110 \$11	\$14 \$18	\$111 \$16	\$110 \$10	15 11	3 6	8 5

768 includes 765 for these years.

780 includes 788.5 (Tetany) for these years.

782.4 includes 795.2 (Sudden death (cause unknown)), for these years.

782.7 See 468.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
783	Symptoms referable to respir- atory system ... {M ... F	**— **1	**1 **2	**— **1	**1 **—	**— **1	**1 **1	**— **1	**— **1	8 —	4 5
784	Symptoms referable to upper gastro-intestinal tract ... {M ... F	††21 ††18	††18 ††28	††22 ††21	††27 ††13	††25 ††16	††30 ††17	††18 ††12	††29 ††18	21 11	11 12
785	Syms: referable to abdomen & lower gastro-intest'nl system {M ... F	††22 ††17	††18 ††25	††29 ††26	††20 ††35	††13 ††22	††20 ††18	††25 ††14	††12 ††17	14 23	10 5
786	Symptoms referable to genito- urinary system ... {M ... F	21 5	35 13	25 8	49 10	43 16	37 19	36 17	42 16	13 9	8 —
787	Symptoms referable to limbs and back ... {M ... F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
788	Other general symptoms ... {M ... F	†8 †4	†8 †5	†7 †3	†4 †4	†2 †1	†2 †4	†8 †6	†3 †3	3 6	2 2
789	Abnormal urinary constituents of unspecified cause... {M ... F	*5 *4	*9 *1	*5 *5	*7 *5	*5 *4	*5 *1	*4 *1	*5 *4	— 1	— —
790-795	Senility and ill-defined diseases {M ... F	7042 10235	6080 9250	6487 9652	6364 9365	6547 9876	6089 9443	5879 9111	4572 7335	4676 7726	3685 6031
790	Nervousness and debility ... {M ... F	4 1	3 3	— 2	2 2	2 2	3 3	1 —	— 2	— 3	1 1
791	Headache ... {M ... F	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
792	Uræmia unqualified ... {M ... F	93 55	97 56	104 57	89 52	87 44	77 44	76 41	56 37	63 38	13 23
793	Observation, without need for further medical care ... {M ... F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
794	Senility without mention of psychosis ... {M ... F	6795 10128	5866 9141	6310 9549	6184 9274	6396 9791	5941 9354	5738 9028	4466 7256	4567 7666	3626 5988
795	Ill-defined and unknown causes of mortality ... {M ... F	\$150 \$51	\$114 \$50	\$73 \$44	\$89 \$37	\$62 \$39	\$68 \$42	\$64 \$41	\$50 \$40	46 18	45 19
E800-E999	XVII.—ACCIDENTS, POI- SONINGS, AND VIOLENCE {M ... F	26489 16885	14989 9004	13296 8191	16118 11690	12394 8268	11624 7152	12392 7391	11371 6840	11712 6801	11905 6984
E800-E802	Railway accidents ... {M ... F	— —	— —	— —	— —	— —	— —	— —	— —	329 29	331 38
E800	Involving railroad employee... {M ... F	— —	— —	— —	— —	— —	— —	— —	— —	181 4	203 —
E801	Involving passenger ... {M ... F	446 41	437 48	439 60	457 55	409 58	401 63	445 48	346 63	27 5	33 16
E802	Involving other and unspecified person ... {M ... F	— —	— —	— —	— —	— —	— —	— —	— —	121 20	95 22
E810-E825	Motor vehicle traffic accidents {M ... F	4792 1600	3421 1211	2604 971	2808 1177	2512 1068	2780 1027	2807 1031	2536 970	2841 923	3099 1035
E810	Involving collision with railway train ... {M ... F	15 1	6 —	15 4	7 1	16 1	8 —	6 2	12 2	4 —	13 2
E811	Involving collision with street car ... {M ... F	2 1	3 —	2 —	3 2	— —	1 —	— 1	2 —	1 —	1 —
E812	To pedestrian ... {M ... F	†2737 †1154	†1967 †883	†1570 †750	†1688 †899	†1354 †767	†1343 †713	†1304 †711	†1190 †720	1205 674	1140 726
E813	To pedal cyclist ... {M ... F	†701 †168	†527 †129	†411 †115	†508 †158	†442 †102	†461 †97	†405 †81	†452 †86	490 78	475 80
E814	To rider or pass'r: of m/c: in coll: with non-motor v: or object {M ... F	†202 †16	†157 †14	†79 †—	†66 †22	†102 †8	†247 †19	†234 †25	†208 †12	130 12	175 9
E815	To rider or pass'r: of m/c: in coll: with other m: v: {M ... F	449 36	296 17	120 12	149 6	192 16	311 26	379 37	275 12	425 32	640 56
E816	Other m: v: traffic acc: involv'g two or more vehicles ... {M ... F	— —	— —	— —	— —	— —	— —	— —	— —	190 53	216 75
E817	To occupant of m: v: in coll: with pedestrian or pedal c: {M ... F	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
E818	Involving coll: with animal or animal-drawn v: ... {M ... F	§§686 §§224	§§465 §§168	§§407 §§90	§§387 §§109	§§406 §§174	§§409 §§172	§§479 §§174	§§397 §§138	7 —	6 1
E819	Involving coll: with fixed or unspecified object ... {M ... F	— —	— —	— —	— —	— —	— —	— —	— —	62 13	72 21
E820	While boarding and alighting... {M ... F	— —	— —	— —	— —	— —	— —	— —	— —	20 10	22 11

** 783.1 (Hæmoptysis)=Hæmoptysis of unstated cause but stated to be non-tuberculous for these years. "Hæmoptysis N.O.S." is included in 002-008.

† 784. See 544, 545. †† 785. See 571 and 578. ¶ 788. See 780. * 789. See 260 and 593.

‡ 795. See 782.4. † E812 includes E830, and E813 includes E831 for these years.

§ 814 includes E821 and E832 for these years. §§ E816-E820 includes E822-E825 for these years.

|| E810-E825. See note on next page.

TABLE 7—continued.

Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
821 To rider of motor cycle not involving collision ... {M F	‡	‡	‡	‡	‡	‡	‡	‡	133 12	164 14	261 30
822 Involving overturning in road-way ... {M F	§§	§§	§§	§§	§§	§§	§§	§§	48 8	64 7	54 14
823 Involving running off roadway ... {M F									21 4	14 3	52 19
824 Other non-collision motor vehicle traffic accident... {M F									104 26	93 28	78 27
825 Of unspecified nature ... {M F	1 2								4 —	—	
835 Motor vehicle non-traffic accidents ... {M F	48 1	73 —	83 10	68 3	87 7	73 1	77 2	69 4	69 3	88 8	103 15
830 To pedestrian ... {M F	†	†	†	†	†	†	†	†	13 2	32 6	43 10
831 To pedal cyclist ... {M F	†	†	†	†	†	†	†	†	—	1 —	—
832 To rider or passenger of motor-cycle ... {M F	‡	‡	‡	‡	‡	‡	‡	‡	6 —	7 —	3 —
833 Other m: v: non-traffic acc: invol'g two or more v's: ... {M F	*48 *1	*73 *—	*83 *10	*68 *3	*87 *7	*73 *1	*77 *2	*69 *4	—	2 —	1 —
834 While boarding and alighting ... {M F									1 —	1 —	2 —
835 Of other and unspecified nature ... {M F									49 1	45 2	54 5
845 Other road vehicle accidents ... {M F	477 131	430 129	430 166	387 111	287 120	255 79	257 79	261 80	251 88	294 95	238 68
840 Street car accident to pedestrian ... {M F	89 29	65 26	66 32	48 24	29 21	19 22	17 12	26 11	11 13	18 8	8 10
841 Other street car accident, exc: collision with motor vehicle ... {M F	18 9	15 3	13 14	11 8	14 7	9 5	7 3	6 4	7 3	3 —	4 —
842 Accident to pedestrian caused by pedal cycle ... {M F	77 46	61 28	65 39	56 25	32 30	41 14	45 33	52 31	43 34	47 39	40 29
843 Acc: to rider of p: cycle not involving collision with m: v: ... {M F	219 36	209 57	212 68	199 43	157 46	150 29	152 25	154 30	152 30	168 31	160 18
844 Accident to pedestrian caused by other non-motor road v: ... {M F	46 8	43 11	38 11	44 7	28 14	22 7	16 5	10 3	13 4	11 4	11 4
845 Other non-motor road vehicle accidents ... {M F	28 3	37 4	36 2	29 4	27 2	14 2	20 1	13 1	25 4	47 13	15 7
858 Water transport accidents ... {M F	214 4	142 4	150 5	139 1	151 2	166 5	158 2	131 6	142 9	186 3	145 8
850 Submersion of occupant of small boat ... {M F	93 3	54 4	63 5	53 —	67 1	91 3	92 2	65 6	48 4	57 1	39 3
851 Other water transport injury by submersion ... {M F									33 2	59 1	44 —
852 Fall on stairs and ladders in water transport ... {M F									7 —	10 —	6 —
853 Other falls from one level to another in water transport ... {M F	72 1	47 —	61 —	49 —	49 1	35 1	32 —	32 —	28 1	25 —	19 —
854 Falls on same level in water transport ... {M F									1 —	1 —	—
855 Unspecified falls in water transport ... {M F									1 —	—	—
856 Machinery accident in water transport ... {M F	49 —	41 —	26 —	37 1	35 —	40 1	34 —	34 —	8 —	6 —	7 —
857 Other specified accidents in water transport ... {M F									16 2	28 1	30 5
858 Water transport accident of unspecified cause ... {M F									—	—	—

E821 and E832. See E814. §§ E822-E825 See E816-E820. † E830 and E831. See E812 and E813.

E833-E835 includes a few non-motor vehicles used in farming, for these years.

E810-E835. Motor Vehicle Accidents. An analysis of these deaths for years 1950 and on according to the types of vehicle involved (as provided for in the 1948 International Statistical Classification) is not included in this table, but details are available at the General Register Office.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
E860-E866	Aircraft accidents ... {M F}									76 19	230 10
E860	Accident to personnel in military aircraft ... {M F}									11	128
E861	Inj: to occupant by acc: to comm: "transport" aircraft {M F}									34 14	76 10
E862	Other injury in commercial "transport" aircraft ... {M F}									1	—
E863	Injury to occupant by accident to other aircraft ... {M F}	6 1	7 —	30 6	31 8	23 1	15 1	50 9	88 19	18	21
E864	Aircraft accident at airfield to person not in aircraft ... {M F}									3	4
E865	Aircraft accident elsewhere to person not in aircraft ... {M F}									1 5	—
E866	Other and unspecified aircraft accidents ... {M F}									8	1
E870-E888	Accidental poisoning by solid and liquid substances ... {M F}	90 84	76 69	69 47	59 56	83 84	85 79	92 106	116 99	93 101	113 142
E870	Morphine and other opium de- rivatives ... {M F}	2 2	6 3	3 4	4 —	5 2	4 —	6 3	4 3	2 1	3 1
E871	Barbituric acid and derivatives {M F}	17 21	12 21	12 15	15 18	18 22	20 34	30 47	34 41	27 50	47 80
E872	Aspirin and salicylates ... {M F}	6 6	5 5	8 3	5 11	10 15	5 15	6 16	16 16	10 17	14 17
E873	Bromides ... {M F}	— —	2 —	— —	1 —	1 —	— —	— —	— —	— —	— —
E874	Other analgesic and soporific drugs ... {M F}	7 2	2 8	8 2	— 4	5 9	2 6	8 10	6 7	8 8	5 3
E875	Sulphonamides ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	1 2	— —
E876	Strychnine ... {M F}	2 2	— 2	2 2	— 1	1 —	— 1	2 1	1 1	3 2	— 2
E877	Belladonna, hyoscine, and at- ropine ... {M F}	1 1	— —	3 1	2 2	1 1	2 1	1 —	1 1	5 —	1 1
E878	Other and unspecified drugs... {M F}	9 6	8 4	4 4	1 3	9 15	8 6	5 12	10 8	— 4	5 6
E879	Noxious foodstuffs ... {M F}	— —	— —	— —	1 —	2 1	— 1	1 —	1 1	— —	1 1
E880	Alcohol... {M F}	7 1	7 —	3 1	2 —	2 3	7 —	1 3	6 3	5 —	4 2
E881	Petroleum products ... {M F}	4 1	1 —	— —	2 —	3 —	— —	1 —	2 —	— —	1 —
E882	Industrial solvents ... {M F}	1 1	2 1	4 —	— —	3 —	4 —	3 1	6 —	3 —	5 —
E883	Corrosive aromatics, acids, and caustic alkalis ... {M F}	13 20	13 9	12 9	13 5	12 13	14 10	13 6	10 4	10 4	15 9
E884	Mercury and its compounds ... {M F}	— 1	1 2	— 1	— —	— —	— —	— 1	2 —	1 —	— 1
E885	Lead and its compounds ... {M F}	9 —	11 1	3 —	5 —	3 1	7 —	5 1	1 1	2 1	— 2
E886	Arsenic and antimony, and their compounds ... {M F}	— 1	— 1	— —	2 —	— —	1 —	— —	3 1	1 —	— 3
E887	Fluorides ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E888	Other and unspecified solid and liquid substances ... {M F}	12 19	6 12	7 5	8 10	8 2	11 5	10 5	13 12	15 12	10 16
E890-E895	Accidental poisoning by gases and vapours ... {M F}	210 119	150 133	125 126	155 155	214 204	185 213	211 269	195 207	229 235	208 255
E890	Utility (illuminating) gas ... {M F}					171 197	152 199	170 250	166 195	195 226	158 248
E891	Motor vehicle exhaust gas ... {M F}	184 119	136 131	101 124	141 152	— —	4 —	4 1	1 2	7 1	7 1
E892	Other carbon monoxide gas {M F}					25 5	10 9	16 14	13 5	13 2	27 2

TABLE 7—continued.

Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
E903 Cyanide gas ... {M F	—	1	1	1	—	1	—	2	1	—	—
E904 Other specified gases and vapours ... {M F	20	13 1	19 2	11 3	16 2	16 5	21 4	13 5	9 4	16 4	9 1
E905 Unspecified gases and vapours ... {M F	6	— 1	4	2	2	2	—	—	4 1	—	1
E904 Accidental falls ... {M F									1661 2365	1577 2551	1816 2657
E900 Fall on stairs ... {M F									290 463	260 458	320 502
E901 Fall from ladders ... {M F									81 10	83 6	95 5
E902 Other falls from one level to another ... {M F	2501 2935	2131 2560	1929 2447	1740 2393	1691 2396	1631 2425	1842 2446	1581 2227	614 355	555 365	607 423
E903 Fall on same level ... {M F									509 1131	448 1115	516 1111
E904 Unspecified falls ... {M F									167 406	231 607	278 616
E926 Other accidents ... {M F	4503 1770	3854 1639	3565 1466	3488 1543	3367 1556	3113 1493	3535 1586	2850 1296	2801 1199	2596 1112	2766 1206
E910 Blow from falling object ... {M F	784 32	667 21	602 24	510 9	475 17	477 19	469 17	411 6	437 17	387 10	392 17
E911 Caused by vehicle ... {M F	*179 —	*150 —	*156 —	*147 —	*111 —	*116 —	*116 —	*109 —	98 —	90 1	101 —
E912 Caused by machinery ... {M F	346 11	299 19	259 20	261 15	219 11	206 9	224 3	245 4	198 7	176 5	181 4
E913 Caused by cutting and piercing instruments ... {M F	26 9	23 1	23 6	24 8	22 9	25 4	22 11	14 8	16 2	15 11	17 6
E914 Caused by electric current ... {M F	78 18	88 14	94 20	79 22	81 29	90 16	78 16	77 19	68 21	69 20	85 17
E915 Caused by explosion of pressure vessel ... {M F									19 2	8 —	12 —
E916 Caused by fire and explosion of combustible material ... {M F	759 926	682 830	525 684	502 699	444 678	365 604	536 603	264 449	191 367	180 366	311 440
E917 Caused by hot substance, corrosive liquid, and steam ... {M F									80 89	78 74	73 64
E918 Caused by radiation ... {M F	—	—	—	—	—	—	—	—	—	—	—
E919 Caused by firearm ... {M F	157 31	135 26	119 18	101 31	107 20	78 5	77 5	82 13	84 7	93 6	87 5
E920 Foreign body entering the eye and adnexa ... {M F	—	—	—	—	—	—	—	—	1	—	1
E921 Inhalat'n and ingest'n of food causing obstr: or suffocation {M F									241 169	226 181	228 163
E922 Inhalat'n and ingest'n of other obj: causing obstr: or suff'n: {M F									21 15	23 9	14 14
E923 Foreign body entering other orifice ... {M F	407 314	400 287	392 233	445 337	469 327	558 394	658 470	528 383	17 22	17 14	14 13
E924 Acc: mechanical suffocation in bed and cradle ... {M F									210 138	180 106	165 130
E925 Acc: mechanical suffocation in other and unspecified circs: {M F									30 10	49 5	56 6
E926 Lack of care of infants under 1 year of age ... {M F	80 92	87 89	72 106	85 104	88 107	61 86	74 80	66 65	65 65	51 41	63 41
E927 Acc: caused by bites and stings of ven: animals and insects... {M F	8 5	7 9	3 10	3 3	5 1	3 9	2 4	2 4	2 8	2 —	1 3
E928 Other accidents caused by animals ... {M F	61 10	43 8	42 10	49 7	42 8	49 7	38 13	43 13	28 5	36 6	24 4
E929 Accidental drowning and submersion ... {M F	1293 239	993 215	988 235	1016 210	1059 243	810 248	979 231	793 235	822 185	763 200	754 214

E911. See E833-E 835.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	
E930	High and low air pressure ... {M F}	—	—	—	—	1	1	—	—	—	1	2
E931	Excessive heat and insolation... {M F}	29 14	8 3	8 3	8 5	2 4	3 2	11 13	18 8	10 5	9 3	
E932	Excessive cold... {M F}	—	—	—	—	—	—	—	—	—	4 2	4 2
E933	Hunger, thirst, and exposure... {M F}	45 15	43 24	35 11	24 12	39 12	38 24	41 26	20 15	16 8	23 14	
E934	Cataclysm ... {M F}	1 —	—	—	2 4	—	3 1	6 7	1 1	1 3	—	—
E935	Lightning ... {M F}	5 2	3 —	7 —	8 2	6 1	12 3	6 1	9 2	9 3	11 2	
E936	Other and unspecified accidents {M F}	245 52	226 93	240 85	223 75	197 89	219 62	198 86	168 71	132 49	104 36	
E940-E946	Complications due to nonthera- peutic medical and surgical procedures {M F}	1 6	4 9	5 1	7 14	5 7	3 3	6 9	6 2	6 6	4 4	
E940	Generalized vaccinia following vaccination ... {M F}	—	4	3	3	4	1	2	4	—	—	
E941	Postvaccinal encephalitis ... {M F}	2	3	1	3	2	1	3	—	1	1	
E942	Other complications of small- pox vaccination ... {M F}	1 1	—	—	—	—	—	1 2	—	—	1 1	
E943	Post-immunization jaundice & hepatitis ... {M F}	—	—	—	—	—	—	—	—	2 1	—	
E944	Other complication of prophylactic inoculation ... {M F}	† †2	† †2	† †	†3 †8	†1 †5	†2 †1	†3 †3	†2 †1	2 1	2 1	
E945	Complications of anaesthesia for nontherapeutic purpose {M F}	— 1	— 4	— 2	1 1	—	— 1	— 1	— 1	— 4	—	
E946	Other compl'ns due to non- therap: med: & surg: procs: {M F}	† †	† †	† †	† †	† †	† †	† †	† †	— 1	— 2	
E950-E959	Therapeutic misadventure and late complications of thera- peutic procedures {M F}	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	1 5	10 15	
E950	Therapeutic misadventure in surgical treatment ... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	—	5 3	
E951	Therapeutic misadventure in infusion or transfusion ... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	— 2	2 3	
E952	Therapeutic misadventure in local application ... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	—	—	
E953	Therapeutic misadv: in admin: of drugs or biologicals ... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	1 1	3 5	
E954	Therapeutic misadventure in anaesthesia ... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	— 1	1 1	
E955	Other and unspecified thera- peutic misadventure ... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	— 1	2 1	
E956	Late complication of surgical operation ... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	—	1	
E957	Late complication of amput- ation stump... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	—	—	
E958	Late complication of irradiation ... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	—	—	
E959	Late complications of other forms of treatment... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	—	—	
E960-E965	Late effects of injury and poisoning ... {M F}	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	80 7	175 23	
E960	Late effect of motor vehicle accident ... {M F}	† †	† †	† †	† †	† †	† †	† †	† †	1 1	7 3	
E961	Late effect of accidental poisoning ... {M F}	† †	† †	† †	† †	† †	† †	† †	† †	—	1	
E962	Late effect of other accidental injury... {M F}	† †	† †	† †	† †	† †	† †	† †	† †	3 4	47 19	

† E943, E944 include E946 for these years.

‡ E960. Included in E810-E835 for these years.

‡ E961. Included in E870-E895 for these years.

‡ E962. Included in rest of E800-E946 for these years.

TABLE 7—continued.

	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
E963	Late effect of self-inflicted injury ... {M F	†	†	†	†	†	†	†	†	1	—	—
E964	Late effect of injury purposely inflicted by another person (not in war) ... {M F	†	†	†	†	†	†	†	†	—	—	—
E965	Late effects of injuries due to war operations ... {M F	†	*	*	*	*	*	*	*	74 2	120 1	131 —
E979	Suicide and self-inflicted injury {M F	2318 1339	2095 1321	2185 1343	2190 1257	2238 1432	2673 1639	2694 1680	2961 1757	3023 1697	2965 1586	2831 1638
E970	Poisoning by analgesic and soporific substances ... {M F	46 61	36 58	39 67	29 69	49 82	53 116	97 142	142 217	148 207	176 245	152 221
E971	Poisoning by other solid and liquid substances ... {M F	115 145	97 135	110 106	106 98	121 99	134 103	120 113	122 78	119 99	110 83	111 64
E972	Poisoning by gases in domestic use ... {M F	719 594	635 612	664 619	750 599	732 683	851 786	919 856	1098 904	1081 852	1034 757	1080 876
E973	Poisoning by other gases ... {M F	13 3	12 —	9 2	4 —	12 2	16 1	20 2	36 6	21 —	24 5	33 8
E974	Injury by hanging and strangulation ... {M F	417 129	411 110	448 122	390 116	483 130	590 167	582 165	589 131	632 143	569 128	536 133
E975	Injury by submersion (drowning) ... {M F	295 235	262 237	297 272	305 234	295 267	344 266	301 234	340 251	357 235	330 221	326 218
E976	Injury by firearms and explosives ... {M F	255 17	237 17	236 11	191 15	184 22	211 10	241 13	205 13	220 10	198 9	189 13
E977	Injury by cutting and piercing instruments ... {M F	281 46	220 46	238 57	247 42	222 41	275 55	216 44	187 37	232 38	198 40	162 25
E978	Injury by jumping from high place ... {M F	71 51	83 55	59 50	65 48	52 61	72 69	70 68	95 61	80 66	84 51	90 41
E979	Injury by other and unspecified means ... {M F	106 58	102 51	85 37	103 36	88 45	127 66	128 43	147 59	133 47	162 47	152 39
E985	Homicide and injury purposely inflicted by other persons (not in war) ... {M F	85 109	125 126	105 112	75 103	125 131	90 114	94 123	123 102	86 114	107 107	99 83
E980	Non-accidental poisoning by another person ... {M F									5 18	7 8	5 10
E981	Assault by firearm and explosive ... {M F									8 7	13 11	3 13
E982	Assault by cutting and piercing instruments ... {M F	72 109	114 126	95 112	68 103	121 131	74 114	84 123	115 102	8 11	7 17	3 8
E983	Assault by other means ... {M F									51 77	62 71	73 52
E984	Injury by intervention of police ... {M F									—	—	1
E985	Execution ... {M F	13 —	11 —	10 —	7 —	4 —	16 —	10 —	8 —	14 1	18 —	14 —
E999	Injury resulting from operations of war ... {M F									24 1	2 —	—
E990	By gas and chemicals ... {M F									—	—	—
E991	By gunshot ... {M F									—	—	—
E992	By grenade and land mine ... {M F									—	—	—
E993	By bomb ... {M F									1	—	—
E994	By marine mine, depth charge, and torpedo ... {M F	*10798 *8745	*2044 *1747	*1571 *1431	*4515 *4814	*1202 *1202	*154 *10	*124 *1	*108 *8	—	—	—
E995	By explosion of artillery shell ... {M F									—	—	—
E996	By explosion of undetermined origin ... {M F									—	—	—
E997	By aircraft destruction ... {M F									—	—	—
E998	By other and unspecified means ... {M F									—	—	—
E999	Inj: due war ops; but occurring after cess'n: of hostilities ... {M F									24 —	2 —	—

E 963. Included in E970-E979 for these years.

E 964. Included in E980-E985 for these years.

* E 990- E999. Includes E965 for these years.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
N800-N999	XVII.—ALTER'VE CLASS- IFICATION OF AC'NTS POIS'NGS, & VIO- LENCE (NATURE OF INJURY)	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	11712 6801	11905 6984
N800-N804	Fracture of skull ... {M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	2974 890	3248 961
N805-N809	Fracture of spine and trunk ... {M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	759 210	703 245
N810-N829	Fracture of limbs ... {M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	836 1798	837 1995
N830-N839	Dislocation without fracture ... {M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	6 5	24 9
N840-N848	Sprains and strains of joints and adjacent muscles ... {M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	7 1	4 1
N850-N856	Head injury (excluding frac- ture) ... {M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	817 373	902 387
N860-N869	Internal injury of chest, ab- domen, and pelvis ... {M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	580 125	746 151
N870-N908	Laceration and open wounds {M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	490 89	402 94
N910-N929	Superficial injury, contusion & crushing with intact skin {M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	55 57	38 61
N930-N936	Effects of foreign body entering through orifice ... {M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	280 213	271 206
N940-N949	Burns ... {M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	272 449	257 426
N960-N979	Effects of poisons ... {M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	1759 1542	1752 1522
N950-N959 N980-N999	} All other & unspecified effects of external causes ... {M F	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	2877 1049	2721 926

TABLE 8.—Crude Death Rates by Sex from Certain Causes at All Ages to a Million Living, 1941-1951. } England and Wales.

Note: (1) Rates for years up to 1949 are based on civilian deaths and civilian populations. Rates from 1950 are based on total deaths and Home Populations. See Explanatory notes on page v.
(2) Footnotes to individual causes in Table 7 apply also to those causes in this table.

International List No.	Causes of Death		1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
	Estimated mid-year population (in thousands)	M F P	17228 21515 38743	16802 21441 38243	16334 21484 37818	16188 21597 37785	16412 21745 38157	18616 21979 40595	19612 22174 41786	20370 22380 42750	20580 22520 43100	21169 22661 43830	21049 22751 43800
	ALL CAUSES	M F P	15692 11810 13536	14408 10660 12307	15282 11260 12997	15252 10842 12731	14955 10846 12613	13400 10901 12047	13550 11268 12339	11864 10142 10962	12631 11103 11832	12337 10995 11643	13384 11765 12543
138	I.—INFECTIVE & PARASITIC DISEASES	M F P	1393 852 1093	1188 675 900	1216 660 900	1113 596 817	1072 553 795	891 533 697	878 561 710	772 489 624	722 440 575	605 355 475	543 296 415
019	Tuberculosis (all forms)	M F P	943 559 730	867 493 657	914 481 668	860 453 628	835 449 615	706 421 552	683 437 552	628 397 507	579 350 459	469 267 364	419 219 315
008	Respiratory system	M F P	795 448 602	730 395 542	785 385 557	739 364 524	716 364 515	613 345 468	595 364 473	555 334 440	518 303 405	422 227 321	375 181 275
019	Other forms	M F P	148 111 127	137 98 115	129 96 111	122 89 103	119 85 100	93 75 83	87 63 80	73 63 67	61 47 54	47 40 43	44 37 41
	Meninges and central nervous system	M F P	67 54 60	58 45 50	56 45 50	53 41 46	52 42 46	42 36 39	40 34 37	32 30 31	27 24 25	20 20 20	21 19 20
	Intestines, peritoneum, and mesenteric glands	M F P	23 18 20	22 19 21	18 17 17	18 14 16	17 12 14	12 9 11	10 11 11	8 9 9	7 7 7	4 4 4	4 4 4
013	Bones and joints	M F P	18 12 15	22 12 16	21 11 15	18 10 14	17 9 12	12 9 11	10 7 9	10 7 9	7 5 6	7 5 6	6 5 5
	Genito-urinary system	M F P	12 6 9	12 6 8	12 6 8	13 6 9	12 6 9	8 5 7	9 5 7	9 5 7	10 4 7	8 4 6	8 4 6
	Disseminated tuberculosis	M F P	23 16 19	18 13 15	17 13 15	15 13 14	16 12 13	14 12 13	14 12 13	10 9 10	8 5 6	4 4 4	4 3 3
029	Syphilis and its sequelæ	M F P	120 37 74	116 33 69	110 34 67	100 31 61	94 28 56	85 28 54	74 26 48	64 23 42	63 22 41	57 23 39	60 22 40
	Aneurysm of aorta	M F P	28 7 16	28 7 16	27 7 16	26 8 16	27 6 15	27 7 16	26 8 16	23 8 15	25 8 16	20 10 15	23 9 16
	Other cardiovascular syphilis	M F P	37 13 24	39 12 24	36 13 23	32 11 20	30 9 18	27 10 18	23 9 15	23 9 15	17 6 11	21 7 14	22 7 14
	Tabes dorsalis	M F P	18 5 10	14 3 8	15 3 8	14 2 7	13 2 7	10 2 6	8 2 5	5 1 3	6 1 3	5 1 3	5 1 3
	General paralysis of insane	M F P	33 9 19	30 8 17	25 7 15	23 6 13	20 6 12	17 6 11	14 5 10	10 3 6	8 3 5	5 2 4	6 2 4
	Other syphilis of central nervous system	M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	1 1 1	2 1 2	2 1 2
049	Infectious diseases commonly arising in intestinal tract	M F P	15 11 13	10 6 8	5 5 5	8 5 6	7 5 6	7 5 4	5 3 4	5 3 4	4 3 3	4 3 3	4 3 3
041	Typhoid and paratyphoid fevers	M F P	3 4 4	3 2 2	2 2 2	2 1 1	1 1 1	1 1 1	1 0 1	1 1 1	1 1 1	0 0 0	0 1 0
	Other salmonella infections	M F P	0 0 0	0 0 0	1 0 0	1 0 1	1 0 1	1 1 1	1 1 1	2 1 1	1 1 1	1 1 1	1 0 1

TABLE 8—continued.

Inter- national List No.	Causes of Death	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
045-048	Dysentery (all forms) .. { M F P	10 7 8	6 4 5	3 3 3	5 3 4	5 3 4	4 2 3	3 1 2	2 1 2	1 1 1	2 1 1	2 1 1
045	Bacillary dysentery .. { M F P	7 5 6	4 3 3	2 3 2	3 2 3	3 3 3	2 1 1	1 1 1	1 1 1	1 0 1	1 1 1	1 1 1
050-064	Other bacterial diseases .. { M F P	234 192 210	141 108 122	126 96 109	103 80 90	78 61 68	59 53 56	53 50 51	40 37 38	32 28 30	27 24 25	27 24 25
050	Scarlet fever .. { M F P	4 3 3	3 2 3	4 3 3	3 3 3	2 2 2	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
051	Streptococcal sore throat .. { M F P	5 6 5	5 5 5	5 5 5	4 4 4	3 3 3	2 2 2	2 2 2	2 2 2	1 2 2	2 1 1	2 1 1
052	Erysipelas .. { M F P	5 5 5	5 3 4	3 3 3	4 3 3	2 4 3	2 2 2	1 2 1	1 1 1	1 1 1	1 1 1	1 1 1
053	Septicæmia and pyæmia .. { M F P	15 9 12	13 8 10	12 9 10	13 8 10	9 6 8	7 5 5	5 4 5	5 4 4	4 3 3	4 3 4	4 3 4
055	Diphtheria .. { M F P	76 61 68	53 43 47	41 32 36	27 22 24	21 16 18	11 5 11	6 5 6	4 3 4	2 2 2	1 1 1	1 1 1
056	Whooping cough .. { M F P	59 64 62	21 21 21	30 29 29	28 28 28	18 21 18	19 21 20	20 23 22	16 18 17	12 13 12	8 10 9	8 10 9
057	Meningococcal infections .. { M F P	65 44 53	37 24 30	26 15 20	20 11 15	19 10 14	14 10 12	15 11 13	8 7 7	7 6 7	7 6 6	7 6 6
080-096	Diseases attributable to viruses .. { M F P	72 50 60	45 32 38	52 40 46	35 25 29	51 40 45	29 25 27	59 43 51	32 27 29	41 36 38	43 36 39	43 36 39
080, 081	Acute poliomyelitis, including late effects .. { M F P	6 3 4	4 3 3	3 2 2	4 2 3	4 3 3	3 3 3	21 13 16	7 13 6	17 13 15	20 15 17	20 15 17
082, 083	Acute infectious enceph- alitis, including late effects .. { M F P	22 17 19	19 14 16	18 11 14	15 9 12	15 11 13	13 11 11	12 10 11	11 8 9	9 8 9	9 8 8	9 8 8
085	Measles .. { M F P	37 24 29	15 14 12	23 19 20	7 6 6	23 16 19	6 14 5	17 14 15	8 7 8	7 7 7	6 4 5	6 4 5
092	Infectious hepatitis .. { M F P	4 3 4	4 3 4	7 6 6	6 5 5	6 6 6	6 5 5	6 4 5	4 4 4	6 5 5	7 6 6	7 6 6
140-239	II.—NEOPLASMS .. { M F P	2046 1739 1875	2134 1778 1934	2252 1814 2003	2270 1798 2000	2327 1825 2041	2108 1839 1962	2081 1850 1958	2073 1854 1958	2095 1867 1976	2099 1890 1991	2099 1890 1991
140-205	Cancer, including Hodgkin's disease, leukæmia and aleukæmia .. { M F P	1992 1681 1819	2080 1720 1878	2200 1752 1945	2217 1741 1945	2274 1766 1984	2058 1783 1909	2036 1797 1909	2028 1803 1910	2050 1821 1930	2058 1840 1945	2058 1840 1945
140-200 202, 203, 205	Cancer, excluding Hodgkin's disease, leukæmia and aleukæmia .. { M F P	1945 1650 1781	2025 1686 1835	2141 1716 1900	2156 1705 1898	2211 1743 1934	1995 1743 1859	1977 1756 1859	1966 1762 1859	1984 1775 1875	1992 1792 1889	1992 1792 1889
140-148	Malignant neoplasm of buccal cavity and pharynx .. { M F P	123 24 68	126 25 69	126 26 69	123 26 68	116 26 65	95 25 57	87 25 54	81 24 51	76 26 50	75 27 50	75 27 50
140	Lip .. { M F P	12 1 6	13 1 7	13 1 7	13 1 6	11 1 5	10 1 5	8 1 4	7 1 4	7 1 4	7 1 4	7 1 4
141	Tongue .. { M F P	44 6 23	46 6 24	45 8 24	47 7 24	40 7 21	32 6 18	31 6 18	29 6 17	24 7 15	25 6 15	25 6 15
142-148	Other or unspecified parts of buccal cavity and pharynx .. { M F P	66 17 39	66 17 39	68 17 39	64 18 38	65 19 38	52 18 34	48 18 32	45 17 30	44 18 30	43 20 31	43 20 31
150-159	Malignant neoplasm of digestive organs and peritoneum .. { M F P	1130 798 945	1155 795 953	1207 812 983	1224 809 987	1244 825 1005	1093 832 952	1052 832 935	1029 826 923	1001 823 908	965 826 893	965 826 893

TABLE 8—continued.

International No.	Causes of Death	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
	Esophagus { M F P	91 32 58	94 32 59	93 36 60	93 32 58	91 36 59	77 37 56	79 36 56	74 36 54	70 35 52	71 37 54	71 37 53
	Stomach { M F P	423 269 338	423 259 331	431 266 337	453 269 348	462 270 353	405 280 338	398 280 335	401 278 337	392 273 330	379 284 330	387 286 335
	Small intestine, including duodenum { M F P	6 5 5	7 5 6	8 6 6	7 5 6	7 5 6	7 4 5	5 4 5	5 4 4	5 5 5	5 4 4	4 5 5
	Large intestine, except rectum { M F P	251 256 254	260 251 255	279 260 268	276 263 269	286 264 273	253 269 262	241 272 257	225 261 244	219 263 242	204 257 232	202 240 221
	Rectum { M F P	212 107 154	220 114 161	231 113 164	230 109 161	238 114 167	206 112 155	193 114 151	192 112 151	183 116 148	175 112 142	172 106 138
	Biliary passages and liver (stated to be primary site) { M F P	69 73 71	74 76 75	84 74 78	80 74 77	77 71 73	65 65 65	58 62 60	54 62 58	22 32 28	23 36 30	23 34 28
	Liver (secondary and unspecified) { M F P									29 29 29	28 25 26	27 24 25
	Pancreas { M F P	68 46 55	68 49 58	74 49 60	77 47 60	75 54 63	72 56 63	70 53 61	71 59 65	74 61 67	74 63 68	77 60 68
	Peritoneum { M F P	9 10 10	9 10 9	8 9 9	7 9 8	8 11 10	8 8 8	6 10 8	7 11 9	7 9 8	7 8 7	7 8 8
165	Malignant neoplasm of respiratory system { M F P	297 63 167	331 70 184	372 72 201	397 74 212	419 80 226	413 81 234	438 89 253	465 95 271	495 98 288	536 104 312	581 107 335
	Nose, nasal cavities, middle ear, and accessory sinuses { M F P	4 2 3	5 4 4	6 4 5	6 4 5	6 4 5	5 4 5	5 3 4	5 4 4	6 4 5	6 5 5	6 4 5
	Larynx { M F P	51 9 28	48 8 26	51 9 27	49 9 26	48 9 26	44 8 25	39 9 23	41 9 24	38 9 23	38 8 23	38 9 23
	Trachea, and bronchus and lung specified as primary { M F P	230 48 129	265 53 146	303 54 162	329 57 174	354 62 188	355 65 198	387 73 220	413 79 238	108 22 63	135 26 79	142 27 83
	Lung and bronchus, un- specified as to whether primary or secondary { M F P									336 60 192	350 61 201	388 64 220
	Mediastinum { M F P	12 4 7	12 4 8	12 4 8	12 4 7	11 4 7	8 4 6	8 3 5	7 3 5	6 3 5	6 3 4	5 2 4
181	Malignant neoplasm of breast and genito-urinary organs { M F P	247 677 486	265 702 510	279 712 525	261 700 512	275 695 514	259 706 501	262 707 498	258 713 496	270 710 500	274 714 502	277 713 503
	Breast { M F P	4 323 181	4 336 190	6 341 196	4 338 195	4 335 193	4 351 192	4 349 187	3 350 185	4 350 185	3 350 182	3 352 184
174	Uterus F	210	213	212	201	201	195	193	193	189	183	178
	Ovary, Fallopian tube and broad ligament F	85	88	93	98	96	95	100	101	104	110	112
	Other and unspecified female genital organs F	22	22	23	21	20	19	20	19	19	21	19
	Prostate M	127	142	146	135	145	139	143	137	144	146	143
	Testis M	9	10	8	9	9	10	9	10	9	10	9
	Other and unspecified male genital organs M	14	13	12	12	10	9	9	8	8	8	8
	Kidney { M F P	24 12 17	21 14 17	26 15 20	24 16 20	26 14 19	23 16 19	25 16 20	26 17 21	27 17 22	28 16 22	28 19 23
	Bladder and other urinary organs { M F P	70 25 45	76 28 49	81 28 51	76 27 48	82 28 51	74 30 50	72 29 49	76 32 53	79 31 54	79 34 56	85 32 58

TABLE 8—continued.

Inter- national List No.	Causes of Death	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1
190-199	Malignant neoplasm of other and unspecified sites ..	M 133 F 82 P 104	M 131 F 86 P 106	M 138 F 87 P 109	M 133 F 87 P 107	M 136 F 90 P 110	M 116 F 88 P 101	M 119 F 91 P 104	M 113 F 93 P 103	M 116 F 101 P 108	M 116 F 104 P 110	
190, 191	Skin	M 36 F 20 P 27	M 34 F 22 P 27	M 40 F 22 P 30	M 36 F 22 P 28	M 37 F 22 P 29	M 30 F 20 P 24	M 29 F 21 P 25	M 27 F 20 P 23	M 25 F 20 P 23	M 26 F 21 P 23	
192	Eye	M 2 F 2 P 2	M 2 F 2 P 2	M 3 F 2 P 2	M 3 F 2 P 2	M 3 F 2 P 2	M 3 F 2 P 2	M 2 F 2 P 2	M 2 F 2 P 2	M 3 F 2 P 2	M 3 F 3 P 3	
193	Brain and other parts of nervous system ..	M 25 F 13 P 18	M 25 F 14 P 19	M 27 F 15 P 20	M 25 F 15 P 19	M 29 F 17 P 22	M 24 F 17 P 20	M 28 F 17 P 22	M 30 F 17 P 23	M 32 F 21 P 26	M 32 F 23 P 27	
194	Thyroid gland ..	M 4 F 10 P 7	M 5 F 10 P 8	M 4 F 9 P 7	M 5 F 10 P 8	M 5 F 10 P 8	M 4 F 10 P 7	M 5 F 10 P 8	M 4 F 10 P 7	M 4 F 11 P 8	M 3 F 11 P 7	
195	Other endocrine glands ..	M 2 F 1 P 2	M 2 F 2 P 2	M 3 F 1 P 2	M 2 F 2 P 2	M 3 F 2 P 2	M 3 F 2 P 2	M 3 F 2 P 2	M 3 F 1 P 2	M 2 F 3 P 2	M 3 F 2 P 3	
196	Bone (including jaw bone)	M 38 F 20 P 28	M 38 F 20 P 28	M 38 F 20 P 28	M 37 F 19 P 27	M 35 F 18 P 25	M 30 F 19 P 24	M 28 F 17 P 22	M 24 F 17 P 21	M 24 F 18 P 21	M 21 F 14 P 18	
197-199	Other and unspecified sites	M 25 F 14 P 19	M 24 F 18 P 21	M 24 F 17 P 20	M 25 F 17 P 21	M 25 F 19 P 22	M 24 F 19 P 21	M 24 F 22 P 23	M 23 F 25 P 24	M 26 F 26 P 26	M 27 F 30 P 29	
200-205	Neoplasms of lymphatic and hematopoietic tissues ..	M 62 F 38 P 49	M 72 F 42 P 55	M 78 F 43 P 58	M 79 F 45 P 59	M 84 F 50 P 65	M 82 F 52 P 65	M 78 F 53 P 65	M 81 F 54 P 67	M 92 F 64 P 77	M 92 F 66 P 79	
200	Lymphosarcoma and reticulosarcoma ..	M 13 F 5 P 9	M 15 F 6 P 10	M 16 F 7 P 11	M 15 F 6 P 11	M 17 F 7 P 11	M 15 F 7 P 11	M 14 F 7 P 11	M 14 F 7 P 10	M 19 F 11 P 15	M 18 F 11 P 14	
201	Hodgkin's disease ..	M 18 F 10 P 14	M 21 F 10 P 15	M 21 F 10 P 15	M 23 F 10 P 16	M 23 F 11 P 16	M 22 F 10 P 16	M 21 F 10 P 15	M 22 F 11 P 16	M 22 F 11 P 16	M 20 F 11 P 15	
204	Leukæmia and aleukæmia	M 13 F 5 P 9	M 15 F 6 P 10	M 16 F 7 P 11	M 15 F 6 P 11	M 17 F 7 P 11	M 15 F 7 P 11	M 14 F 7 P 11	M 14 F 7 P 10	M 19 F 11 P 15	M 18 F 11 P 14	
	0. Lymphatic leukæmia	M 29 F 22 P 25	M 34 F 24 P 28	M 38 F 25 P 30	M 38 F 26 P 31	M 40 F 29 P 34	M 41 F 30 P 35	M 38 F 32 P 35	M 40 F 31 P 35	M 16 F 10 P 13	M 20 F 14 P 17	
	1. Myeloid leukæmia ..	M 25 F 25 P 25	M 28 F 25 P 25	M 30 F 25 P 25	M 31 F 26 P 25	M 34 F 29 P 25	M 35 F 30 P 25	M 35 F 32 P 25	M 35 F 31 P 25	M 15 F 14 P 14	M 19 F 18 P 18	
	2-4 Other and unspecified leukæmia ..	M 13 F 5 P 9	M 15 F 6 P 10	M 16 F 7 P 11	M 15 F 6 P 11	M 17 F 7 P 11	M 15 F 7 P 11	M 14 F 7 P 11	M 14 F 7 P 10	M 19 F 11 P 15	M 18 F 11 P 14	
210-229	Benign neoplasm ..	M 20 F 34 P 28	M 21 F 36 P 29	M 20 F 41 P 32	M 23 F 35 P 30	M 21 F 36 P 29	M 19 F 33 P 26	M 18 F 32 P 26	M 19 F 25 P 25	M 18 F 28 P 23	M 18 F 30 P 24	
214	Uterine fibromyoma ..	F 12	F 12	F 16	F 13	F 11	F 10	F 8	F 9	F 8	F 8	
216	Ovary	F 9	F 10	F 9	F 10	F 9	F 8	F 8	F 6	F 6	F 7	
219	Kidney and other urin- ary organs ..	M 8 F 2 P 5	M 9 F 3 P 5	M 9 F 2 P 5	M 10 F 2 P 5	M 9 F 2 P 5	M 7 F 2 P 5	M 5 F 2 P 4	M 6 F 2 P 4	M 6 F 1 P 3	M 6 F 2 P 4	
223	Brain and other parts of nervous system ..	M 6 F 5 P 6	M 5 F 5 P 5	M 6 F 5 P 6	M 6 F 5 P 5	M 6 F 5 P 6	M 6 F 5 P 6	M 7 F 5 P 6	M 6 F 5 P 6	M 6 F 5 P 6	M 6 F 5 P 6	
230-239	Neoplasm of unspecified nature	M 34 F 24 P 28	M 33 F 22 P 27	M 32 F 22 P 26	M 30 F 22 P 25	M 32 F 24 P 28	M 31 F 23 P 26	M 27 F 20 P 24	M 27 F 20 P 24	M 27 F 19 P 23	M 23 F 20 P 21	
240-289	III.—ALLERGIC, ENDO- CRINE SYSTEM, META- BOLIC, & NUTRITION- AL DISEASES	M 231 F 272 P 253	M 202 F 251 P 229	M 212 F 252 P 235	M 197 F 229 P 215	M 205 F 235 P 222	M 174 F 223 P 201	M 165 F 228 P 198	M 136 F 204 P 172	M 151 F 213 P 184	M 152 F 223 P 189	
240-245	Allergic disorders ..	M 94 F 61 P 76	M 78 F 53 P 64	M 94 F 63 P 76	M 89 F 55 P 70	M 96 F 61 P 76	M 87 F 60 P 72	M 85 F 64 P 74	M 77 F 56 P 63	M 82 F 63 P 72	M 77 F 65 P 70	
241	Asthma	M 2 F 2 P 2	M 2 F 2 P 2	M 2 F 2 P 2	M 2 F 2 P 2	M 2 F 2 P 2	M 2 F 2 P 2	M 2 F 2 P 2	M 2 F 2 P 2	M 82 F 63 P 72	M 77 F 65 P 70	

TABLE 8—continued.

Causes of Death	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
Diseases of thyroid gland .. { M F P	11 52 34	9 50 32	8 46 30	6 38 25	8 38 25	6 39 24	6 41 25	5 34 20	6 34 20	6 35 21	6 34 21
Thyrototoxicosis with or without goitre .. { M F P	8 39 25	7 36 23	7 34 22	5 27 18	5 26 17	4 27 17	4 28 17	3 25 15	4 23 14	3 22 13	4 21 13
Myxœdema and cretinism { M F P	2 8 5	2 9 6	1 8 5	1 7 5	1 8 5	1 8 5	2 9 6	1 6 3	1 7 4	1 9 5	1 10 6
Diabetes mellitus .. { M F P	105 141 125	97 130 116	93 129 114	87 122 107	83 122 106	68 111 91	59 107 84	51 98 76	53 104 80	58 109 84	58 109 85
Diseases of other endocrine glands .. { M F P	12 12 12	10 12 11	9 9 9	8 8 8	9 9 9	7 8 7	7 10 8	5 8 7	6 8 7	7 8 7	8 10 9
Diseases of pituitary gland .. { M F P	1 2 2	1 2 1	1 2 2	1 1 1	2 2 2	1 1 1	1 2 1	1 2 1	1 2 2	2 2 2	2 3 3
Diseases of adrenal glands { M F P	5 7 6	5 8 6	4 5 5	3 5 4	4 5 5	4 4 4	4 5 5	2 5 4	3 5 4	3 4 4	3 5 4
Avitaminoses, and other metabolic diseases .. { M F P	8 5 7	8 5 7	7 5 6	7 5 6	8 5 7	7 6 6	7 6 6	7 6 6	4 5 5	6 6 6	7 7 7
IV.—DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS ... { M F P	80 107 95	80 95 88	76 91 84	70 83 77	76 93 85	49 75 63	52 73 63	44 64 54	42 65 54	38 67 53	40 64 53
Pernicious and other hyperchromic anæmias { M F P	55 74 66	52 68 61	49 63 57	45 56 51	50 64 58	28 46 38	29 45 38	23 36 30	21 37 30	19 37 28	18 34 27
0. Pernicious anæmia .. { M F P	53 73 65	51 67 60	48 62 56	45 55 50	49 63 57	28 46 38	28 45 37	22 36 29	20 35 28	16 33 25	16 31 24
1. Subacute combined degeneration of spinal cord .. { M F P	1 3 2	1 3 2	1 2 2	1 3 2	2 4 3	1 3 2	1 4 3	1 4 3	2 4 3	2 6 4	2 7 5
Iron deficiency anæmias (hypochromic anæmias) { M F P	9 13 12	11 10 11	10 13 12	10 11 11	9 12 11	8 12 10	10 12 11	9 11 10	9 13 11	8 14 11	10 11 11
Other anæmias .. { M F P	50 51 51	42 45 43	38 40 39	40 43 42	33 42 38	29 36 33	27 39 33	23 31 27	22 32 27	23 35 29	25 36 31
V.—MENTAL, PSYCHO-NEUROTIC, AND PERSONALITY DISORDERS { M F P	38 44 41	32 40 36	28 35 32	30 37 34	24 36 31	20 31 26	19 32 25	15 24 20	16 25 20	15 28 22	18 28 23
Psychoses .. { M F P	12 8 10	9 5 7	9 6 7	10 6 8	9 6 7	9 6 7	8 7 8	8 7 5	5 5 6	7 4 6	6 5 6
Disorders of character, behaviour, and intelligence { M F P	2 2 2	2 2 2	2 2 2	2 2 2	2 2 2	2 2 2	2 2 2	2 2 2	4 4 4	5 4 5	5 4 4
Mental deficiency .. { M F P	1467 1442 1453	1484 1451 1466	1522 1473 1494	1594 1508 1545	1596 1537 1562	1436 1590 1519	1464 1537 1579	1266 1546 1412	1379 1684 1538	1436 1796 1622	1521 1873 1704
VI.—DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS { M F P	1228 1262 1247	1258 1281 1271	1290 1307 1300	1365 1344 1353	1381 1374 1377	1249 1440 1352	1284 1524 1411	1125 1413 1275	1228 1544 1393	1284 1656 1476	1378 1734 1563
Vascular lesions affecting central nervous system .. { M F P	751 789 772	763 801 784	784 824 807	830 837 834	831 846 839	745 885 821	730 902 821	635 832 738	26 35 31	32 44 38	39 54 47
Subarachnoid hæmorrhage { M F P	403 411 407	424 421 422	432 419 425	458 445 451	475 465 469	435 487 463	482 552 519	427 517 474	489 595 544	544 677 612	602 726 667
Cerebral hæmorrhage .. { M F P	403 411 407	424 421 422	432 419 425	458 445 451	475 465 469	435 487 463	482 552 519	427 517 474	489 595 544	544 677 612	602 726 667
Cerebral embolism and thrombosis .. { M F P	403 411 407	424 421 422	432 419 425	458 445 451	475 465 469	435 487 463	482 552 519	427 517 474	489 595 544	544 677 612	602 726 667

TABLE 8—continued.

Inter- national List No.	Causes of Death	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
333,334	Spasm of cerebral arteries, and other and ill-defined vascular lesions affecting central nervous system ..	M 73 F 62 P 67	M 71 F 60 P 65	M 73 F 64 P 68	M 78 F 62 P 69	M 76 F 64 P 69	M 70 F 67 P 68	M 71 F 70 P 71	M 63 F 64 P 63	M 67 F 72 P 70	M 64 F 71 P 67
340-345	Inflammatory diseases of central nervous system ..	M 65 F 49 P 56	M 62 F 48 P 54	M 60 F 44 P 51	M 60 F 45 P 51	M 55 F 43 P 48	M 48 F 35 P 41	M 43 F 40 P 42	M 35 F 34 P 34	M 39 F 34 P 36	M 37 F 34 P 36
340	Meningitis, except menin- gococcal and tuberculous	M 26 F 16 P 20	M 23 F 15 P 19	M 22 F 13 P 17	M 23 F 13 P 17	M 19 F 12 P 15	M 16 F 8 P 12	M 16 F 10 P 13	M 12 F 8 P 10	M 13 F 9 P 11	M 11 F 9 P 9
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious) ..	M 8 F 7 P 8	M 8 F 6 P 7	M 8 F 6 P 7	M 7 F 6 P 6	M 7 F 4 P 6	M 6 F 5 P 5	M 6 F 5 P 4	M 4 F 5 P 4	M 5 F 5 P 5	M 5 F 3 P 4
345	Multiple sclerosis ..	M 25 F 24 P 24	M 24 F 24 P 24	M 23 F 22 P 22	M 23 F 22 P 22	M 22 F 23 P 23	M 19 F 20 P 20	M 17 F 22 P 19	M 14 F 19 P 16	M 16 F 18 P 17	M 15 F 20 P 18
350-357	Other diseases of central nervous system ..	M 137 F 109 P 121	M 126 F 101 P 112	M 127 F 98 P 111	M 126 F 97 P 109	M 123 F 98 P 109	M 109 F 96 P 102	M 105 F 98 P 101	M 85 F 84 P 84	M 91 F 92 P 92	M 97 F 94 P 96
350	Paralysis agitans ..	M 35 F 28 P 31	M 33 F 27 P 29	M 36 F 27 P 31	M 37 F 30 P 33	M 39 F 34 P 36	M 33 F 31 P 32	M 32 F 33 P 33	M 25 F 31 P 28	M 30 F 36 P 33	M 36 F 30 P 33
351, 352	Cerebral spastic infantile paralysis and other cerebral paralysis ..	M 23 F 25 P 24	M 21 F 21 P 21	M 20 F 24 P 22	M 21 F 21 P 21	M 19 F 21 P 20	M 17 F 21 P 19	M 17 F 21 P 19	M 14 F 19 P 17	M 16 F 20 P 18	M 23 F 23 P 23
353	Epilepsy ..	M 55 F 37 P 45	M 47 F 35 P 41	M 46 F 29 P 36	M 41 F 30 P 35	M 38 F 27 P 32	M 35 F 26 P 31	M 33 F 26 P 29	M 25 F 21 P 23	M 23 F 20 P 21	M 22 F 20 P 21
356	Motor neurone disease and muscular atrophy ..	M 16 F 10 P 13	M 16 F 10 P 13	M 17 F 11 P 14	M 19 F 10 P 14	M 19 F 10 P 14	M 17 F 10 P 13	M 16 F 11 P 13	M 16 F 8 P 12	M 16 F 11 P 10	M 15 F 10 P 12
	0. Progressive muscular atrophy ..	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M 12 F 8 P 10	M 10 F 7 P 8
360-369	Diseases of nerves and peripheral ganglia ..	M 4 F 3 P 4	M 4 F 3 P 3	M 4 F 4 P 4	M 4 F 3 P 3	M 4 F 3 P 3	M 4 F 3 P 3	M 6 F 4 P 5	M 4 F 3 P 4	M 4 F 4 P 3	M 4 F 3 P 4
390-398	Diseases of ear and mastoid process ..	M 31 F 17 P 23	M 33 F 17 P 24	M 39 F 19 P 28	M 36 F 19 P 26	M 32 F 17 P 23	M 26 F 15 P 20	M 25 F 14 P 19	M 17 F 11 P 14	M 15 F 8 P 11	M 14 F 7 P 7
391	Otitis media without men- tion of mastoiditis ..	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M 11 F 6 P 8	M 10 F 5 P 8
392, 393	Otitis media with mastoid- itis, and mastoiditis with- out mention of otitis media	M 13 F 6 P 9	M 15 F 8 P 11	M 17 F 7 P 12	M 16 F 10 P 12	M 14 F 8 P 11	M 10 F 6 P 8	M 11 F 6 P 8	M 6 F 3 P 4	M 4 F 2 P 3	M 4 F 2 P 3
400-468	VII.—DISEASES OF THE CIRCULATORY SYSTEM	M 4046 F 3319 P 3642	M 3991 F 3183 P 3538	M 4195 F 3322 P 3699	M 4429 F 3337 P 3804	M 4437 F 3465 P 3883	M 4121 F 3570 P 3823	M 4320 F 3780 P 4033	M 3879 F 3522 P 3692	M 4325 F 4068 P 4191	M 4378 F 4143 P 4256
400-402	Rheumatic fever ..	M 26 F 26 P 26	M 23 F 24 P 23	M 25 F 29 P 27	M 28 F 26 P 27	M 25 F 24 P 25	M 19 F 19 P 19	M 18 F 19 P 19	M 18 F 20 P 19	M 15 F 17 P 16	M 12 F 14 P 13
410-416	Chronic rheumatic heart disease ..	M 259 F 307 P 286	M 252 F 290 P 273	M 241 F 294 P 271	M 260 F 290 P 277	M 246 F 286 P 269	M 208 F 272 P 243	M 203 F 272 P 240	M 181 F 257 P 220	M 181 F 270 P 228	M 201 F 306 P 255
410	Diseases of mitral valve ..	M 197 F 240 P 221	M 188 F 223 P 208	M 182 F 231 P 210	M 195 F 228 P 214	M 184 F 224 P 207	M 148 F 213 P 183	M 150 F 214 P 184	M 132 F 201 P 168	M 132 F 214 P 175	M 134 F 224 P 181
411	Diseases of aortic valve specified as rheumatic ..	M 10 F 5 P 7	M 11 F 5 P 8	M 11 F 5 P 8	M 12 F 5 P 8	M 12 F 5 P 8	M 11 F 5 P 8	M 10 F 5 P 7	M 9 F 5 P 7	M 10 F 5 P 7	M 13 F 5 P 9
412-414	Dis: of tricuspid v: pulm: v: specified as rh: & other en- docarditis specified as rh:	M 21 F 27 P 24	M 23 F 31 P 27	M 23 F 29 P 26	M 25 F 29 P 28	M 25 F 31 P 28	M 23 F 27 P 25	M 21 F 26 P 24	M 19 F 27 P 23	M 21 F 28 P 25	M 31 F 47 P 39
415	Other myocarditis specified as rheumatic ..	M 20 F 24 P 23	M 21 F 22 P 22	M 16 F 21 P 19	M 19 F 19 P 19	M 16 F 18 P 17	M 16 F 19 P 18	M 13 F 16 P 15	M 11 F 13 P 12	M 8 F 11 P 10	M 9 F 12 P 11
416	Other heart disease specified as rheumatic ..	M 11 F 11 P 11	M 9 F 9 P 9	M 9 F 8 P 9	M 9 F 8 P 9	M 9 F 8 P 8	M 9 F 9 P 9	M 10 F 11 P 10	M 10 F 11 P 11	M 10 F 11 P 11	M 14 F 18 P 16

TABLE 8—continued.

Causes of Death	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
Arteriosclerotic and degenerative heart disease	M 2949 F 2331 P 2606	M 2917 F 2236 P 2535	M 3105 F 2348 P 2675	M 3285 F 2371 P 2762	M 3323 F 2484 P 2845	M 3099 F 2566 P 2811	M 3266 F 2725 P 2979	M 2929 F 2521 P 2715	M 3293 F 2931 P 3104	M 3266 F 2903 P 3078	M 3466 F 3067 P 3259
Arteriosclerotic heart disease, including coronary disease	M 805 F 348 P 552	M 850 F 365 P 578	M 954 F 396 P 637	M 1065 F 425 P 699	M 1137 F 466 P 754	M 1129 F 522 P 800	M 1245 F 586 P 895	M 1264 F 652 P 943	M 1453 F 765 P 1093	M 1640 F 885 P 1249	M 1756 F 938 P 1331
0. Arteriosclerotic heart disease so described	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P
1. Heart disease specified as involving coronary arteries	M 703 F 310 P 485	M 754 F 329 P 516	M 857 F 362 P 575	M 964 F 387 P 634	M 1040 F 430 P 693	M 1048 F 488 P 745	M 1172 F 554 P 844	M 1203 F 622 P 899	M 1388 F 731 P 1045	M 1588 F 855 P 1209	M 1708 F 909 P 1293
2. Angina pectoris without mention of coronary disease	M 102 F 38 P 67	M 95 F 35 P 62	M 97 F 34 P 62	M 101 F 38 P 65	M 97 F 35 P 62	M 81 F 34 P 56	M 72 F 32 P 51	M 61 F 30 P 45	M 60 F 31 P 45	M 47 F 25 P 36	M 40 F 22 P 31
Chronic endocarditis not specified as rheumatic	M 213 F 165 P 186	M 203 F 156 P 177	M 202 F 150 P 172	M 200 F 148 P 170	M 182 F 138 P 157	M 150 F 123 P 135	M 132 F 114 P 122	M 106 F 97 P 101	M 112 F 95 P 103	M 72 F 54 P 62	M 62 F 45 P 53
0. Of mitral valve, specified as non-rheumatic	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P
1. Of aortic valve, not specified as rheumatic	M 83 F 35 P 56	M 75 F 31 P 50	M 74 F 30 P 49	M 70 F 29 P 46	M 66 F 26 P 43	M 56 F 26 P 40	M 52 F 24 P 37	M 44 F 24 P 33	M 50 F 25 P 37	M 46 F 26 P 36	M 44 F 24 P 34
2-4 Of tricuspid: v: specified as non-rh.; pulm: v: not specified as rh.; & other & ill-def: not specified as rh:	M 130 F 131 P 130	M 129 F 125 P 127	M 128 F 120 P 123	M 130 F 120 P 124	M 116 F 112 P 114	M 94 F 97 P 95	M 79 F 90 P 85	M 63 F 73 P 68	M 62 F 70 P 66	M 24 F 26 P 25	M 18 F 20 P 18
Other myocardial degeneration	M 1931 F 1817 P 1868	M 1864 F 1715 P 1780	M 1950 F 1802 P 1866	M 2020 F 1798 P 1893	M 2004 F 1881 P 1934	M 1821 F 1921 P 1875	M 1890 F 2026 P 1962	M 1559 F 1772 P 1671	M 1728 F 2071 P 1907	M 1555 F 1965 P 1767	M 1648 F 2084 P 1874
0. Fatty degeneration	M 27 F 35 P 31	M 23 F 31 P 28	M 23 F 28 P 26	M 24 F 26 P 25	M 19 F 22 P 22	M 16 F 22 P 19	M 15 F 20 P 17	M 11 F 17 P 14	M 11 F 21 P 16	M 10 F 17 P 14	M 10 F 14 P 12
1. With arteriosclerosis	M 502 F 407 P 449	M 498 F 409 P 448	M 524 F 424 P 467	M 558 F 442 P 492	M 576 F 480 P 521	M 553 F 537 P 537	M 598 F 579 P 588	M 522 F 534 P 528	M 585 F 646 P 617	M 580 F 666 P 624	M 633 F 733 P 685
2. Other	M 1402 F 1376 P 1388	M 1342 F 1275 P 1305	M 1403 F 1349 P 1373	M 1438 F 1330 P 1376	M 1409 F 1378 P 1391	M 1252 F 1376 P 1319	M 1277 F 1427 P 1357	M 1026 F 1221 P 1129	M 1132 F 1405 P 1274	M 965 F 1282 P 1129	M 1005 F 1338 P 1178
Other diseases of heart	M 170 F 165 P 167	M 160 F 148 P 153	M 155 F 142 P 148	M 148 F 135 P 141	M 140 F 134 P 136	M 120 F 130 P 125	M 119 F 131 P 125	M 100 F 119 P 110	M 119 F 132 P 126	M 122 F 135 P 129	M 159 F 165 P 162
Acute and subacute endocarditis	M 27 F 22 P 25	M 27 F 24 P 25	M 28 F 23 P 25	M 25 F 20 P 22	M 21 F 15 P 18	M 16 F 13 P 14	M 16 F 11 P 13	M 14 F 10 P 12	M 12 F 10 P 11	M 11 F 7 P 9	M 10 F 7 P 8
Acute myocarditis not specified as rheumatic	M 6 F 4 P 5	M 6 F 3 P 5	M 5 F 5 P 5	M 5 F 4 P 4	M 6 F 4 P 5	M 5 F 5 P 5	M 5 F 6 P 6	M 5 F 5 P 5	M 5 F 6 P 5	M 5 F 4 P 5	M 5 F 5 P 5
Acute pericarditis specified as non-rheumatic	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 0 P 0
Functional disease of heart	M 59 F 76 P 69	M 60 F 71 P 66	M 60 F 68 P 65	M 59 F 68 P 64	M 54 F 72 P 64	M 55 F 76 P 66	M 56 F 76 P 67	M 48 F 71 P 60	M 55 F 77 P 66	M 46 F 72 P 60	M 57 F 82 P 70
Other and unspecified diseases of heart	M 77 F 61 P 68	M 67 F 48 P 56	M 61 F 44 P 51	M 60 F 41 P 49	M 58 F 42 P 49	M 43 F 36 P 39	M 41 F 36 P 38	M 32 F 32 P 32	M 36 F 39 P 42	M 59 F 51 P 55	M 86 F 71 P 78
Hypertensive disease	M 314 F 237 P 271	M 316 F 237 P 272	M 338 F 253 P 289	M 354 F 260 P 300	M 358 F 269 P 307	M 348 F 293 P 318	M 375 F 331 P 352	M 351 F 324 P 337	M 389 F 388 P 389	M 445 F 452 P 448	M 476 F 480 P 478
Essential benign hypertension with heart disease	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P
Essential malignant hypertension with heart disease	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P
Hypertensive heart disease with arteriolar nephrosclerosis	M 18 F 15 P 16	M 18 F 14 P 16	M 17 F 15 P 15	M 17 F 14 P 15	M 17 F 14 P 15	M 16 F 14 P 15	M 16 F 15 P 16	M 14 F 13 P 13	M 14 F 14 P 14	M 12 F 14 P 13	M 16 F 16 P 16

TABLE 8—continued.

Inter- national List No.	Causes of Death	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
443	Other & unspecified hyper- tensive heart disease .. { M F P	142 109 124	143 111 125	154 117 133	165 123 141	169 131 147	164 143 153	179 162 170	165 157 161	187 191 189	324 338 331
444	Essential benign hyperten- sion without mention of heart { M F P	113 81 95	115 83 97	127 92 107	134 95 112	133 96 112	132 106 118	144 123 133	141 128 134	98 102 100	33 37 35
445	Essential malignant hyper- tension without mention of heart { M F P	95	97	107	112	112	118	123 133	128 134	15 10 12	13 8 10
446	Hypertension with arteri- olar nephrosclerosis with- out mention of heart .. { M F P	41 32 36	40 29 34	39 29 34	38 29 33	39 29 33	37 30 33	36 31 34	31 26 29	31 28 29	30 25 27
447	Other hypertensive disease without mention of heart { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	43 42 42	21 19 20
450-456	Diseases of arteries .. { M F P	303 223 258	301 220 256	306 227 261	323 224 267	319 235 271	299 252 274	312 266 287	272 244 257	293 282 288	293 281 287
450	General arteriosclerosis .. { M F P									259 249 254	269 260 264
	0. Without mention of gangrene { M F P	263 190 223	263 189 222	272 196 229	285 207 233	279 207 238	264 224 243	279 235 256	239 214 226	233 231 232	239 236 238
	1. With gangrene .. { M F P									26 18 22	30 24 27
451	Aortic aneurysm specified as non-syphilitic, and dissecting aneurysm .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	8 8 8	10 9 9
460-468	Diseases of veins and other diseases of circulatory system { M F P	24 31 28	22 28 26	26 31 29	31 31 31	27 33 30	27 37 33	27 37 32	28 38 33	34 47 41	38 52 45
460	Varicose veins of lower extremities { M F P									4 9 7	4 10 7
461	Hæmorrhoids { M F P	6 11 9	6 11 9	7 12 10	7 11 10	8 12 10	6 11 9	4 11 8	4 10 7	1 1 1	1 1 1
462	Varicose veins of other specified sites .. { M F P									1 1 1	1 1 1
463	Phlebitis and thrombo- phlebitis of lower extre- mities { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	4 7 6	7 13 10
464	Phlebitis and thrombo- phlebitis of other sites .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	3 4 3	1 1 1
465	Pulmonary embolism and infarction { M F P	7 7 7	6 6 6	7 6 6	10 6 8	7 6 7	9 9 9	11 10 10	11 10 11	14 10 14	15 15 15
466	Other venous embolism and thrombosis .. { M F P	8 11 10	7 10 9	9 11 10	11 11 11	10 14 12	10 15 13	9 14 12	11 16 13	7 16 8	8 10 9
470-527	VIII.—DISEASES OF THE RESPIRATORY SYSTEM { M F P	2237 1462 1807	1846 1049 1399	2374 1515 1886	1928 1025 1412	1923 1055 1428	1700 1090 1369	1774 1116 1425	1371 817 1081	1643 1137 1379	1501 1002 1243
470-475	Acute upper respiratory infections { M F P	9 6 7	9 5 7	9 5 6	8 5 6	7 4 5	5 3 4	5 3 4	4 3 3	5 3 3	6 6 6
480-483	Influenza { M F P	197 162 177	107 74 88	359 312 333	125 86 103	85 59 70	132 128 130	87 72 79	33 25 29	128 132 130	88 90 89
480	Influenza with pneumonia { M F P	88 62 74	46 28 36	169 130 147	57 35 44	39 22 29	62 56 59	40 29 35	15 10 13	59 57 58	44 41 43
481	Influenza with other res- piratory manifestations, & influenza unqualified { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	67 73 70	42 47 45

TABLE 8—continued.

Final No.	Causes of Death	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
493	Pneumonia	M 849 F 553 P 635	M 702 F 426 P 548	M 829 F 528 P 658	M 705 F 406 P 534	M 677 F 414 P 527	M 594 F 426 P 503	M 639 F 468 P 548	M 483 F 357 P 417	M 535 F 443 P 487	M 453 F 390 P 420	M 578 F 496 P 535
	Lobar pneumonia (age 4 weeks and over) ..	M 248 F 127 P 181	M 213 F 105 P 152	M 231 F 123 P 170	M 201 F 93 P 139	M 176 F 89 P 127	M 151 F 89 P 117	M 147 F 89 P 116	M 119 F 69 P 93	M 117 F 79 P 97	M 105 F 70 P 87	M 113 F 75 P 93
	Bronchopneumonia (age 4 weeks and over) ..	M 489 F 365 P 420	M 384 F 267 P 318	M 485 F 339 P 402	M 398 F 254 P 315	M 407 F 269 P 328	M 354 F 280 P 314	M 404 F 322 P 361	M 300 F 246 P 272	M 353 F 317 P 334	M 290 F 280 P 285	M 395 F 372 P 383
	Primary atypical pneumonia (age 4 weeks and over) ..	M 79 F 42 P 58	M 69 F 36 P 51	M 77 F 46 P 60	M 67 F 39 P 51	M 57 F 35 P 44	M 50 F 32 P 40	M 47 F 31 P 38	M 36 F 25 P 30	M 1 F 0 P 1	M 3 F 2 P 2	M 4 F 3 P 3
	Pneumonia, other and unspecified	M 58 F 42 P 58	M 69 F 36 P 51	M 77 F 46 P 60	M 67 F 39 P 51	M 57 F 35 P 44	M 50 F 32 P 40	M 47 F 31 P 38	M 36 F 25 P 30	M 1 F 0 P 1	M 3 F 2 P 2	M 4 F 3 P 3
	Pneumonia of the newborn*	M 1-94 F 1-45 P 1-71	M 1-81 F 1-25 P 1-54	M 1-66 F 1-29 P 1-48	M 1-64 F 1-28 P 1-47	M 1-74 F 1-35 P 1-55	M 1-77 F 1-40 P 1-59	M 1-76 F 1-35 P 1-56	M 1-42 F 0-97 P 1-20	M 1-38 F 0-95 P 1-17	M 1-43 F 0-98 P 1-21	M 1-63 F 1-14 P 1-39
2	Bronchitis	M 1053 F 681 P 846	M 907 F 495 P 676	M 1043 F 617 P 801	M 966 F 485 P 691	M 1028 F 534 P 746	M 867 F 497 P 666	M 935 F 535 P 723	M 744 F 390 P 559	M 851 F 509 P 672	M 830 F 472 P 645	M 1079 F 627 P 844
	Acute bronchitis	M 220 F 217 P 218	M 195 F 152 P 171	M 233 F 208 P 219	M 185 F 136 P 157	M 196 F 159 P 175	M 156 F 145 P 150	M 171 F 160 P 165	M 108 F 96 P 102	M 127 F 135 P 131	M 93 F 110 P 102	M 134 F 156 P 146
	Bronchitis unqualified	M 833 F 465 P 628	M 713 F 343 P 505	M 810 F 408 P 582	M 780 F 349 P 534	M 832 F 375 P 571	M 710 F 352 P 516	M 764 F 375 P 558	M 636 F 294 P 457	M 84 F 75 P 80	M 65 F 57 P 61	M 79 F 76 P 77
	Chronic bronchitis	M 833 F 465 P 628	M 713 F 343 P 505	M 810 F 408 P 582	M 780 F 349 P 534	M 832 F 375 P 571	M 710 F 352 P 516	M 764 F 375 P 558	M 636 F 294 P 457	M 640 F 299 P 462	M 672 F 304 P 482	M 866 F 395 P 621
	0. Bronchitis with emphysema	M 217 F 217 P 218	M 152 F 152 P 171	M 208 F 208 P 219	M 136 F 136 P 157	M 159 F 159 P 175	M 145 F 145 P 150	M 160 F 160 P 165	M 96 F 96 P 102	M 135 F 135 P 131	M 110 F 110 P 102	M 156 F 156 P 146
	1. Other	M 163 F 80 P 117	M 156 F 67 P 106	M 171 F 73 P 115	M 164 F 64 P 107	M 164 F 66 P 108	M 141 F 61 P 98	M 150 F 64 P 104	M 135 F 58 P 95	M 150 F 65 P 105	M 149 F 59 P 102	M 162 F 70 P 114
27	Other diseases of respiratory system	M 16 F 5 P 10	M 15 F 4 P 8	M 13 F 4 P 8	M 13 F 4 P 8	M 11 F 4 P 7	M 8 F 3 P 5	M 8 F 3 P 5	M 6 F 2 P 4	M 6 F 2 P 4	M 5 F 2 P 3	M 4 F 2 P 3
	Empyema	M 17 F 10 P 13	M 15 F 10 P 12	M 14 F 8 P 11	M 12 F 6 P 8	M 11 F 7 P 9	M 8 F 5 P 6	M 8 F 5 P 6	M 7 F 5 P 6	M 4 F 2 P 3	M 4 F 2 P 3	M 4 F 2 P 3
	Pleurisy	M 18 F 22 P 20	M 17 F 18 P 18	M 21 F 21 P 21	M 18 F 17 P 17	M 17 F 18 P 17	M 14 F 19 P 17	M 15 F 20 P 17	M 12 F 22 P 15	M 16 F 22 P 19	M 12 F 19 P 16	M 15 F 21 P 18
	Pulmonary congestion and hypostasis	M 15 F 0 P 7	M 15 F 0 P 7	M 19 F 8 P 8	M 21 F 9 P 10	M 24 F 0 P 10	M 21 F 0 P 10	M 22 F 0 P 11	M 21 F 0 P 10	M 26 F 0 P 13	M 27 F 0 P 13	M 29 F 0 P 14
24	Silicosis, and occupational pulmonary fibrosis	M 9 F 3 P 5	M 11 F 2 P 6	M 10 F 3 P 6	M 10 F 4 P 7	M 9 F 3 P 6	M 9 F 3 P 6	M 8 F 3 P 6	M 9 F 4 P 6	M 8 F 3 P 6	M 9 F 3 P 6	M 9 F 4 P 6
	Other chronic interstitial pneumonia	M 56 F 25 P 39	M 49 F 19 P 32	M 56 F 22 P 37	M 56 F 20 P 35	M 60 F 22 P 38	M 52 F 21 P 35	M 57 F 22 P 38	M 49 F 18 P 33	M 56 F 24 P 39	M 54 F 22 P 38	M 55 F 27 P 40
	Bronchiectasis	M 14 F 4 P 8	M 15 F 3 P 9	M 18 F 3 P 10	M 18 F 3 P 9	M 18 F 4 P 10	M 16 F 4 P 9	M 19 F 4 P 11	M 20 F 5 P 12	M 26 F 6 P 15	M 29 F 6 P 17	M 39 F 9 P 23
	Other diseases of lung and pleural cavity	M 12 F 2 P 7	M 14 F 2 P 7	M 16 F 2 P 8	M 16 F 2 P 8	M 17 F 3 P 9	M 15 F 3 P 8	M 17 F 3 P 10	M 19 F 3 P 11	M 23 F 4 P 13	M 27 F 4 P 15	M 36 F 8 P 21
	1. Emphysema without mention of bronchitis	M 721 F 435 P 562	M 693 F 415 P 537	M 697 F 413 P 535	M 701 F 403 P 530	M 703 F 389 P 524	M 703 F 389 P 485	M 593 F 392 P 487	M 483 F 325 P 401	M 469 F 323 P 393	M 446 F 318 P 380	M 456 F 318 P 385
87	IX.—DISEASES OF THE DIGESTIVE SYSTEM	M 721 F 435 P 562	M 693 F 415 P 537	M 697 F 413 P 535	M 701 F 403 P 530	M 703 F 389 P 524	M 703 F 389 P 485	M 593 F 392 P 487	M 483 F 325 P 401	M 469 F 323 P 393	M 446 F 318 P 380	M 456 F 318 P 385
39	Diseases of buccal cavity and esophagus	M 12 F 10 P 11	M 11 F 8 P 9	M 9 F 8 P 9	M 10 F 6 P 8	M 9 F 6 P 8	M 7 F 6 P 6	M 6 F 5 P 5	M 5 F 5 P 5	M 6 F 6 P 6	M 5 F 7 P 6	M 6 F 6 P 6

ates per 1,000 related live births.

TABLE 8—continued.

Inter- national List No.	Causes of Death	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
540-545	Diseases of stomach and duodenum ..	M 270 F 67 P 157	M 238 F 57 P 136	M 247 F 57 P 139	M 252 F 60 P 142	M 258 F 57 P 143	M 217 F 54 P 129	M 201 F 58 P 125	M 188 F 55 P 119	M 192 F 57 P 122	M 193 F 60 P 125	
540	Ulcer of stomach ..	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P
	0. Without mention of perforation ..	M 157 F 41 P 93	M 133 F 36 P 78	M 142 F 33 P 80	M 144 F 37 P 83	M 141 F 34 P 80	M 120 F 35 P 74	M 109 F 38 P 71	M 102 F 35 P 67	M 66 F 27 P 46	M 77 F 28 P 52	
	1. With perforation ..	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P
541	Ulcer of duodenum ..	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P
	0. Without mention of perforation ..	M 95 F 12 P 48	M 87 F 9 P 43	M 89 F 12 P 45	M 93 F 11 P 46	M 102 F 14 P 52	M 85 F 10 P 45	M 83 F 11 P 45	M 79 F 12 P 44	M 53 F 9 P 30	M 55 F 11 P 32	
	1. With perforation ..	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M F P
550-553	Appendicitis ..	M 63 F 36 P 48	M 66 F 38 P 50	M 60 F 42 P 50	M 63 F 40 P 50	M 58 F 35 P 45	M 47 F 30 P 38	M 44 F 29 P 36	M 35 F 24 P 29	M 36 F 23 P 29	M 35 F 24 P 30	
560, 561	Hernia of abdominal cavity ..	M 67 F 71 P 69	M 67 F 61 P 63	M 71 F 58 P 64	M 61 F 52 P 56	M 63 F 50 P 55	M 62 F 55 P 58	M 52 F 54 P 53	M 46 F 42 P 44	M 41 F 39 P 40	M 39 F 38 P 39	
560	Hernia of abdominal cavity without mention of obstruction ..	M 14 F 8 P 10	M 13 F 7 P 10	M 15 F 7 P 10	M 13 F 6 P 9	M 13 F 6 P 9	M 13 F 7 P 10	M 12 F 5 P 8	M 10 F 5 P 7	M 9 F 6 P 7	M 7 F 6 P 7	
561	Hernia of abdominal cavity with obstruction ..	M 53 F 63 P 59	M 53 F 54 P 53	M 57 F 51 P 53	M 48 F 46 P 47	M 49 F 44 P 46	M 49 F 48 P 49	M 40 F 47 P 44	M 36 F 36 P 36	M 32 F 34 P 33	M 32 F 32 P 32	
570-578	Other diseases of intestines and peritoneum ..	M 228 F 162 P 191	M 241 F 169 P 201	M 238 F 169 P 199	M 246 F 169 P 202	M 247 F 166 P 201	M 210 F 161 P 184	M 230 F 174 P 201	M 153 F 126 P 139	M 134 F 119 P 126	M 111 F 101 P 106	
570	Intestinal obstruction without mention of hernia ..	M 63 F 46 P 54	M 65 F 45 P 54	M 63 F 44 P 52	M 67 F 44 P 54	M 57 F 39 P 46	M 55 F 42 P 48	M 57 F 44 P 50	M 45 F 38 P 41	M 40 F 36 P 38	M 35 F 29 P 32	
	2. Mesenteric infarction ..	M 2 F 2 P 2	M 3 F 2 P 2	M 3 F 1 P 2	M 3 F 1 P 2	M 3 F 2 P 2	M 3 F 2 P 2	M 3 F 2 P 2	M 2 F 2 P 2	M 3 F 3 P 3	M 6 F 6 P 6	
	3. Volvulus ..	M 16 F 12 P 12	M 16 F 9 P 12	M 16 F 10 P 12	M 16 F 10 P 12	M 14 F 8 P 11	M 13 F 9 P 11	M 14 F 10 P 12	M 11 F 8 P 10	M 10 F 8 P 9	M 9 F 6 P 8	
571	Gastro-enteritis and colitis except ulcerative, (age 4 weeks and over) ..	M 123 F 75 P 96	M 132 F 83 P 104	M 134 F 83 P 105	M 140 F 87 P 110	M 151 F 89 P 116	M 122 F 81 P 100	M 145 F 97 P 119	M 77 F 55 P 65	M 65 F 48 P 56	M 44 F 33 P 38	
	0. Ages between 4 weeks and 2 years * ..	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M 1434 F 1039 P 1242	M 971 F 624 P 802	
	1. Age 2 years and over ..	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M 11 F 15 P 13	M 10 F 14 P 12	
572	Chronic enteritis and ulcerative colitis ..	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M 21 F 26 P 23	M 21 F 29 P 26	
	1. Diverticulitis ..	M 12 F 11 P 11	M 14 F 12 P 13	M 13 F 11 P 12	M 13 F 11 P 12	M 14 F 12 P 13	M 11 F 13 P 12	M 10 F 12 P 11	M 12 F 12 P 12	M 12 F 13 P 12	M 12 F 15 P 13	
	2. Ulcerative colitis † ..	M 12 F 15 P 14	M 12 F 14 P 13	M 10 F 16 P 14	M 10 F 13 P 12	M 9 F 13 P 11	M 9 F 13 P 11	M 7 F 11 P 9	M 8 F 12 P 10	M 7 F 11 P 9	M 7 F 12 P 10	
580-587	Diseases of liver, gall bladder, and pancreas ..	M 80 F 89 P 85	M 72 F 81 P 77	M 71 F 79 P 76	M 69 F 76 P 73	M 59 F 77 P 73	M 59 F 78 P 69	M 60 F 73 P 67	M 56 F 73 P 65	M 59 F 79 P 70	M 62 F 86 P 75	
581	Cirrhosis of liver ..	M 39 F 16 P 26	M 32 F 14 P 22	M 33 F 14 P 22	M 30 F 13 P 20	M 31 F 13 P 21	M 26 F 14 P 19	M 27 F 15 P 21	M 25 F 14 P 19	M 27 F 16 P 21	M 27 F 19 P 23	

*571.0 Rates per million population aged under 2 years.

†572.2 includes 572.3 and 573 for years up to 1948 inclusive.

TABLE 8—continued.

Causes of Death	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
Cholelithiasis	M 13 F 29 P 22	13 27 21	13 27 21	13 24 19	12 25 20	11 25 19	10 23 17	10 23 17	10 23 17	12 27 20	10 26 18
Cholecystitis without men- tion of calculi	M 16 F 32 P 25	13 27 21	14 24 20	13 25 20	11 23 17	8 24 17	9 20 15	8 20 14	8 21 15	8 20 15	8 20 14
Diseases of pancreas	M 8 F 8 P 8	9 8 8	7 6 6	7 7 7	8 8 8	7 8 8	7 8 8	7 8 9	8 10 9	9 12 10	10 12 11
0. Acute pancreatitis	M ? F ? P ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	6 7 7	6 9 7	6 8 7
X.—DISEASES OF THE GENITO-URINARY SYS- TEM	M 674 F 283 P 457	662 263 438	670 260 437	665 253 430	644 242 415	561 236 385	521 233 368	464 207 329	467 200 327	455 211 329	439 201 315
Nephritis and nephrosis	M 268 F 215 P 239	256 200 224	245 198 218	245 194 216	240 186 209	211 183 196	194 175 184	166 153 159	165 147 156	162 152 157	154 144 149
Acute nephritis	M 17 F 14 P 15	17 12 14	15 12 13	17 11 14	16 11 13	13 9 11	12 9 10	10 8 9	9 7 8	9 7 8	8 6 7
Nephritis with œdema, including nephrosis	M 10 F 8 P 9	10 7 8	9 7 8	10 7 8	9 7 8	8 6 7	8 6 7	7 5 6	6 5 6	11 10 11	10 8 9
Chronic nephritis	M 221 F 177 P 197	208 165 184	198 163 178	198 161 177	195 155 172	174 155 163	160 149 154	138 129 133	140 125 132	133 128 130	125 121 123
Nephritis not specified as acute or chronic	M 18 F 15 P 16	19 15 17	20 15 17	18 14 16	17 12 14	14 12 13	13 11 12	10 10 10	10 9 10	8 6 7	11 8 9
Other diseases of urinary system	M 85 F 50 P 66	82 44 61	80 43 59	79 41 57	73 40 54	63 39 50	63 42 52	57 39 48	54 40 47	56 46 51	58 45 51
Infections of kidney	M 23 F 25 P 24	26 24 25	26 23 24	26 20 23	25 21 23	20 21 20	25 23 24	19 23 21	20 23 22	22 26 24	24 25 25
0. Pyelitis, pyelocystitis and pyelonephritis	M ? F ? P ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	19 21 20	20 25 23	22 24 23
Calculi of kidney and ureter	M 10 F 8 P 9	10 7 8	10 8 9	9 7 8	9 7 8	10 7 8	7 7 7	8 5 7	7 6 6	7 6 6	8 6 7
Cystitis	M 21 F 13 P 16	17 9 12	17 9 12	17 9 13	14 8 11	13 8 10	12 8 10	12 6 9	11 8 9	9 8 9	9 7 8
Stricture of urethra	M 17 F 0 P 8	17 0 8	16 0 7	14 0 6	12 0 5	10 0 5	10 0 5	8 0 4	8 0 4	6 0 3	6 0 3
Diseases of male genital organs M	321	325	345	341	331	288	264	241	247	237	227
Hyperplasia of prostate M	306	310	330	327	317	277	254	234	240	225	216
Prostatitis M	?	?	?	?	?	?	?	?	5	6	6
Diseases of breast, ovary, Fal- lopian tube, and parametrium F	7	8	7	8	6	4	5	4	4	3	3
Diseases of uterus and other female genital organs .. F	10	11	12	11	10	10	10	10	9	10	10
Uterovaginal prolapse .. F	5	5	5	5	6	5	6	6	5	6	6
XI—DELIVERIES & COM- PLICATIONS OF PREG- NANCY, CHILDBIRTH & THE PUERPERIUM .. F	2.80	2.48	2.30	1.93	1.80	1.43	1.17	1.02	0.97	0.87	0.82
Deliveries and complications of pregnancy, childbirth and the puerperium, excl. abortion F	2.26	2.02	1.84	1.53	1.47	1.25	1.02	0.86	0.81	0.72	0.66
Complications of pregnancy F	0.74	0.70	0.62	0.49	0.50	0.50	0.36	0.33	0.26	0.32	0.30
Toxæmias of pregnancy .. F	0.54	0.51	0.46	0.36	0.37	0.37	0.28	0.26	0.16	0.21	0.22
Ectopic pregnancy .. F	0.11	0.12	0.08	0.06	0.05	0.07	0.04	0.04	0.05	0.05	0.03
Abortion F	33	32	33	33	24	16	15	13	12	11	11
Without mention of sepsis or toxæmia F	9	5	6	4	4	3	3	3	3	3	4
With sepsis F	21	24	25	25	18	11	9	9	8	7	7
With toxæmia, without mention of sepsis .. F	3	3	3	3	2	2	3	1	1	1	0

Rates per 1,000 total (live and still) births.

† Rates per million women aged 15–44 years.

TABLE 8—continued.

Inter- national List No.	Causes of Death	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
670-678	Delivery with specified complication .. F	0-90	0-77	0-74	0-66	0-61	0-50	0-41	0-34	0-32	0-22
670	Placenta prævia or ante- partum hæmorrhage .. F	0-11	0-10	0-09	0-09	0-07	0-07	0-05	0-05	0-03	0-03
671, 672	Retained placenta, and other postpartum hæmorrhage .. F	0-35	0-29	0-27	0-23	0-23	0-19	0-17	0-14	0-12	0-05
673-675	Abnormality of bony pelvis, disproportion or malposition of fœtus, and prolonged labour of other origin .. F	0-26	0-23	0-23	0-23	0-21	0-14	0-12	0-08	0-09	0-06
* 680-689	Complications of the puer- perium .. F	0-59	0-54	0-47	0-36	0-34	0-24	0-23	0-18	0-23	0-18
681	Sepsis of childbirth and the puerperium .. F	0-22	0-22	0-18	0-13	0-11	0-06	0-04	0-04	0-03	0-03
682	Puerperal phlebitis and thrombosis .. F	0-11	0-09	0-08	0-06	0-07	0-06	0-06	0-04	0-04	0-05
684	Puerperal pulmonary embolism .. F	0-12	0-09	0-11	0-08	0-06	0-07	0-06	0-05	0-03	0-04
685	Puerperal eclampsia .. F	0-03	0-08	0-05	0-05	0-06	0-04	0-05	0-04	0-08	0-04
690-716	XII.—DISEASES OF THE SKIN AND CELLULAR TISSUE .. F	41 27 33	38 25 31	36 22 28	34 25 29	28 20 24	21 16 19	18 16 17	16 13 14	14 13 14	14 14 14
690-698	Infections of skin and sub- cutaneous tissue .. F	27 17 21	25 16 20	23 13 17	22 14 17	16 10 12	12 7 9	9 6 7	8 5 6	7 5 5	6 5 5
700-716	Other diseases of skin and subcutaneous tissue .. F	14 10 12	12 9 11	14 10 11	13 11 12	12 10 11	9 10 10	9 11 10	8 8 8	7 8 8	8 10 9
720-749	XIII.—DISEASES OF THE BONES AND ORGANS OF MOVEMENT .. F	58 74 67	60 68 65	53 71 63	55 67 62	50 67 60	41 62 52	37 58 48	34 57 46	33 61 48	25 42 34
720-727	Arthritis and rheumatism, except rheumatic fever .. F	37 62 51	36 56 47	33 59 48	33 55 46	34 56 47	26 53 41	24 50 38	21 49 36	22 52 38	14 33 24
722	Rheumatoid arthritis and allied conditions .. F	21 47 36	23 43 34	20 45 34	20 42 33	19 44 33	16 39 28	15 38 27	13 38 26	13 40 27	8 25 17
	0. Rheumatoid arthritis .. F	21 47 35	23 43 34	20 45 34	20 42 32	19 44 33	16 39 28	15 38 27	12 38 26	13 40 27	7 25 16
723	Osteo-arthritis (arthrosis) and allied conditions .. F	7 8 8	6 7 7	7 7 7	5 8 7	7 8 7	6 9 8	5 9 7	5 7 6	6 8 7	4 7 5
	0. Osteo-arthritis (arthrosis) .. F	7 8 7	6 7 6	6 7 7	5 8 7	7 9 7	6 9 7	5 8 7	5 8 6	5 8 6	4 6 5
730-738	Osteomyelitis and other diseases of bone and joint .. F	17 9 12	20 9 13	15 9 11	16 8 12	12 7 9	10 6 8	9 5 7	8 6 7	7 6 7	7 6 7
730	Osteomyelitis & periostitis .. F	13 5 9	15 6 10	11 5 7	12 4 8	8 4 6	6 3 4	5 3 4	5 2 3	3 2 2	3 1 2
750-759	XIV.—CONGENITAL MALFORMATIONS .. F	140 99 121	162 112 134	163 108 131	174 107 135	159 105 128	159 109 132	152 114 132	124 94 108	117 99 108	119 98 108
750	Monstrosity .. F	2 3 2	3 3 3	3 2 2	2 3 2	2 3 2	3 3 3	3 3 3	2 2 2	2 2 2	2 2 2
751	Spina bifida and meningocele .. F	26 30 28	34 40 37	35 36 36	33 36 35	27 32 30	30 33 31	21 29 25	18 23 21	17 24 21	16 19 18
752	Congenital hydrocephalus .. F	11 7 9	8 7 7	9 5 7	8 5 6	9 5 6	8 5 6	9 6 7	6 5 5	6 5 5	6 6 6
753	Other congenital malforma- tions of nervous system and sense organs .. F	3 2 2	2 2 2	3 2 2	2 1 2	3 2 2	3 2 3	2 3 2	3 3 3	2 3 3	2 3 2
754	Congenital malformations of circulatory system .. F	58 37 46	63 39 50	63 40 50	71 39 53	66 41 52	62 41 51	64 47 55	53 39 45	51 41 46	55 43 49
756	Congenital malformations of digestive system .. F	33 9 20	31 11 20	32 11 20	36 11 22	31 12 20	31 12 21	31 13 22	22 11 16	22 11 16	19 10 14
757	Congenital malformations of genito-urinary system .. F	8 5 7	10 5 7	10 6 7	11 6 8	11 6 8	11 7 9	12 7 9	11 6 8	10 7 8	12 9 10

*Rates per 1,000 total (live and still) births.

TABLE 8—continued.

Personal No.	Causes of Death	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
61	XV.—CERTAIN DISEASES OF EARLY INFANCY* { M F P	28-79 21-15 25-07	26-21 19-86 23-13	24-14 18-62 21-46	23-04 18-01 20-61	23-76 17-89 20-92	23-44 17-27 20-45	21-96 16-45 19-29	19-17 14-10 16-71	18-68 13-49 16-16	17-79 12-73 15-33	18-39 12-94 15-74
95	XVI.—SYMPTOMS, SENILITY, & ILL-DEFINED CONDITIONS .. { M F P	467 508 490	414 462 441	444 474 461	438 457 449	437 475 458	357 448 406	326 426 379	243 341 294	239 352 298	181 271 228	178 262 222
99	Symptoms referable to systems or organs .. { M F P	59 33 44	52 30 40	47 25 35	45 23 32	38 20 28	30 18 23	26 15 20	19 13 16	12 9 11	6 5 6	7 4 5
95	Senility and ill-defined diseases .. { M F P	409 476 446	362 431 401	397 449 427	393 434 416	399 454 430	327 430 383	300 411 359	224 328 279	227 343 288	174 266 222	172 258 216
	Senility without mention of psychosis .. { M F P	394 471 437	349 426 392	386 444 419	382 429 409	390 450 424	319 426 377	293 407 353	219 324 274	222 340 284	171 264 219	168 256 214
E999	XVII.—ACCIDENTS, POISONINGS, & VIOLENCE (EXTERNAL CAUSE) { M F P	1538 785 1120	892 420 627	814 381 568	996 541 736	755 380 541	624 325 463	632 333 473	558 306 426	569 302 430	562 308 431	591 321 451
E802	Railway accidents .. { M F P	26 2 13	26 2 13	27 3 13	28 3 14	25 3 12	22 3 11	23 2 12	17 1 10	16 1 8	16 2 8	14 1 8
E835	Motor vehicle accidents .. { M F P	281 74 166	208 56 123	165 46 97	178 55 107	158 49 96	153 47 96	147 47 94	128 44 84	141 41 89	151 46 97	161 49 103
E845	Other road vehicle accidents { M F P	28 6 16	26 6 15	26 8 16	24 5 13	17 6 11	14 4 8	13 4 8	13 4 8	12 4 8	14 4 9	11 3 7
E858	Water transport accidents { M F P	12 0 6	8 0 4	9 0 4	9 0 4	9 0 4	9 0 4	8 0 4	6 0 3	7 0 4	9 0 4	7 0 3
E866	Aircraft accidents .. { M F P	0 0 0	0 0 0	2 0 1	2 0 1	1 0 1	1 0 0	3 0 1	4 0 3	4 1 2	11 0 5	13 1 7
E888	Accidental poisoning by solid and liquid substances .. { M F P	5 4 4	5 3 4	4 2 3	4 3 3	5 4 4	5 4 4	5 5 5	6 5 5	5 4 5	5 6 6	6 6 6
E895	Accidental poisoning by gases and vapours .. { M F P	12 6 8	9 6 7	8 6 7	10 7 8	13 9 11	10 9 10	11 12 11	10 9 9	11 10 11	10 11 11	12 13 13
E904	Accidental falls .. { M F P	145 136 140	127 120 123	118 114 116	107 111 109	103 110 107	88 110 100	94 110 103	78 100 89	81 105 93	74 113 94	86 117 102
E936	Other accidents .. { M F P	261 82 162	229 76 144	218 68 133	215 71 133	205 72 129	167 68 113	180 72 123	140 58 97	136 53 93	123 49 85	131 53 91
	Blow from falling object .. { M F P	46 1 21	40 1 18	37 1 17	32 1 14	29 1 13	26 1 12	24 1 12	20 0 10	21 0 11	18 0 9	19 1 9
	Caused by machinery .. { M F P	20 1 9	18 1 8	16 1 7	16 1 7	13 1 6	11 0 5	11 0 5	12 0 6	10 0 5	8 0 4	9 0 4
	Caused by fire and explosion of combustible material .. { M F P	44 43 43	41 39 40	32 32 32	31 32 32	27 31 29	20 27 24	27 27 27	13 16 17	9 16 13	9 16 12	15 19 17
E925	Accidental mechanical obstruction or suffocation { M F P	24 15 19	24 13 18	24 11 17	27 16 21	29 15 21	30 18 23	34 21 27	26 17 21	25 16 20	23 14 18	23 14 18
	Accidental drowning and submersion .. { M F P	75 11 40	59 10 32	60 11 32	63 10 32	65 11 34	44 11 26	50 10 29	39 11 24	40 8 23	36 9 22	36 9 22
O-E965	Late effects of injury and poisoning .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	4 0 2	8 1 5	10 1 5
O-E979	Suicide and self-inflicted injury .. { M F P	135 62 94	125 62 89	134 63 93	135 58 91	136 66 96	144 75 106	137 76 105	145 79 110	147 75 110	136 70 102	134 72 107
	Poisoning by analgesic and soporific substances { M F P	3 3 3	2 3 2	2 3 3	2 3 3	3 4 3	3 5 4	5 6 6	7 10 8	7 9 8	8 11 10	7 10 9

Rates per 1,000 related live births.
For detail of causes 760-776, see Table 11.

TABLE 8—continued.

Inter- national List No.	Causes of Death	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
E971	Poisoning by other solid and liquid substances .. { M F P	7 7 7	6 6 6	7 5 6	7 5 5	7 5 6	7 5 6	6 5 6	6 3 5	6 4 5	5 4 4	
E972	Poisoning by gases in domestic use .. { M F P	42 28 34	38 29 33	41 29 34	46 28 36	45 31 37	46 36 40	47 39 42	54 40 47	53 38 45	49 33 41	
E974	Hanging and strangulation .. { M F P	24 6 14	24 5 14	27 6 15	24 5 13	29 6 16	32 8 19	30 7 18	29 6 17	31 6 18	27 6 16	
E975	Submersion (drowning) { M F P	17 11 14	16 11 13	18 13 15	19 11 14	18 12 15	18 12 15	15 11 13	17 11 14	17 10 14	16 10 13	
E976	Firearms and explosives .. { M F P	15 1 7	14 1 7	14 1 7	12 1 5	11 1 5	11 0 5	12 1 6	10 1 5	11 0 5	9 0 5	
E977	Cutting and piercing instruments .. { M F P	16 2 8	13 2 7	15 3 8	15 2 8	14 2 7	15 3 8	11 2 6	9 2 5	11 2 6	9 2 5	
E978	Jumping from high place { M F P	4 2 3	5 3 4	4 2 3	4 2 3	3 3 3	4 3 3	4 3 3	5 3 4	4 3 3	4 2 3	
E979	Other and unspecified means .. { M F P	6 3 4	6 2 4	5 2 3	6 2 4	5 2 3	7 2 5	7 2 4	7 3 5	6 2 4	8 2 5	
E980-E985	Homicide and injury purposely inflicted by other persons (not in war) .. { M F P	5 5 5	7 6 7	6 5 6	5 5 5	8 6 7	5 5 5	5 6 5	6 5 5	4 5 5	5 5 5	
N800-N999	XVIII.—ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, & VIOLENCE (NATURE OF INJURY) { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	569 302 430	562 308 431	
N800-N804	Fracture of skull .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	145 40 90	153 42 96	
N805-N809	Fracture of spine and trunk { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	37 9 22	33 11 22	
N810-N829	Fracture of limbs .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	41 80 61	40 88 65	
N830-N839	Dislocation without fracture { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	0 0 0	1 0 1	
N840-N848	Sprains and strains of joints and adjacent muscles { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	0 0 0	0 0 0	
N850-N856	Head injury (excluding fracture) .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	40 17 28	43 17 29	
N860-N869	Internal injury of chest, abdomen and pelvis .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	28 6 16	35 7 20	
N870-N908	Laceration and open wounds .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	24 4 13	19 4 11	
N910-N929	Superficial injury, contusion and crushing with intact skin surface .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	3 3 3	3 3 2	
N930-N936	Effects of foreign body entering through orifice { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	14 9 11	13 9 11	
N940-N949	Burns .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	13 20 17	12 19 16	
N960-N979	Effects of poisons .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	85 68 77	83 67 75	
{ N950- N959 N980- N999	All other and unspecified effects of external causes .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	140 47 91	129 41 83	

TABLE 9.—Comparative Mortality Indices (Base Year 1938) by Sex for Certain Causes of Death, 1941-1951. } **England and Wales.**

es: (1) The C.M.I. expresses each cause mortality (all ages) of each year as a ratio to that of 1938 adopted as a base, after adjustment for age differences in the populations exposed to risk. For years prior to 1950, including the base year 1938, mortality has been adjusted to the new (1948) method of classification to eliminate the effects of changing methods of cause assignment through those years. Owing to the degree of estimation thus involved, C.M.I.'s are shown to two decimal places only instead of three as in past years.

(2) In years up to 1949, C.M.I.'s are based on civilian death rates and age distribution.

(3) Footnotes to Table 7 for individual causes apply also to this table.

(4) See Explanatory notes on page v.

ter- no- No.	Causes of Death	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
	ALL CAUSES	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.10 1.04 1.07	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.97 0.92 0.94	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.98 0.94 0.96	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.95 0.89 0.92	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.92 0.87 0.89	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.89 0.88 0.88	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.92 0.89 0.91	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.82 0.79 0.80	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.86 0.85 0.86	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.85 0.83 0.84	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.92 0.88 0.90
19	Tuberculosis (all forms) ..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.28 1.11	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.19 0.99	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.26 0.98	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.20 0.92	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.17 0.92	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.94 0.85	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.90 0.89	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.83 0.82	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.76 0.72	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.62 0.55	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.55 0.45
08	Respiratory system	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.36 1.09	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.27 0.97	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.33 0.96	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.27 0.91	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.23 0.91	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.97 0.86	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.93 0.92	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.87 0.85	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.80 0.77	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.66 0.58	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.58 0.46
19	Other forms	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.30 1.20	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.21 1.07	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.14 1.05	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.06 0.97	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.03 0.92	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.80 0.81	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.74 0.77	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.61 0.65	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.52 0.50	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.40 0.41	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.37 0.39
	Meninges and central nervous system ..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.42 1.37	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.20 1.13	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.13 1.14	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.05 1.02	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.01 1.04	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.87 0.89	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.81 0.81	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.64 0.70	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.55 0.56	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.42 0.48	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.43 0.46
	Intestines, peritoneum, mesenteric glands ..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.27 1.00	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.27 1.08	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.02 0.96	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.97 0.81	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.93 0.71	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.69 0.53	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.56 0.62	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.45 0.51	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.39 0.37	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.23 0.25	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.21 0.24
29	Syphilis and its sequelæ ..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.88 0.86	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.83 0.76	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.76 0.78	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.68 0.70	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.64 0.63	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.62 0.58	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.56 0.58	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.49 0.50	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.48 0.48	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.44 0.50	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.47 0.48
041	Typhoid and paratyphoid fevers	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.80 1.23	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.64 0.47	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.41 0.55	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.37 0.36	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.20 0.41	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.25 0.40	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.22 0.14	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.25 0.35	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.16 0.23	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.08 0.11	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.06 0.20
	Scarlet fever	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.44 0.44	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.34 0.33	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.45 0.42	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.36 0.34	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.22 0.31	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.12 0.14	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.11 0.15	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.10 0.12	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.06 0.05	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.09 0.10	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.08 0.13
	Erysipelas	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.47 0.60	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.42 0.37	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.30 0.37	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.30 0.34	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.21 0.42	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.20 0.21	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.13 0.18	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.12 0.12	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.12 0.13	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.09 0.10	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.04 0.04
	Diphtheria	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.97 0.91	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.66 0.64	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.50 0.47	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.32 0.33	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.25 0.24	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.14 0.17	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.08 0.08	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.05 0.05	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.03 0.02	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.02 0.01	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.01 0.01
	Whooping cough	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 2.28 2.39	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.78 0.76	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.00 1.00	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.88 0.90	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.55 0.59	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.65 0.66	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.63 0.67	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.54 0.52	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.41 0.38	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.29 0.32	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.38 0.35
	Meningococcal infections ..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 3.28 3.61	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.79 2.00	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.24 1.17	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.90 0.88	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.84 0.79	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.64 0.80	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.65 0.77	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.35 0.44	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.34 0.43	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.34 0.42	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.35 0.47
081	Acute poliomyelitis incl. late effects ..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.89 0.48	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.59 0.48	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.37 0.40	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.53 0.33	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.69 0.47	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.45 0.51	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 3.19 2.35	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.07 0.81	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 2.61 2.39	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 2.95 2.73	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.83 0.79
083	Acute infectious encephalitis incl. late effects ..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.47 1.41	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.32 1.14	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.18 0.92	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.03 0.75	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.03 0.93	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.81 0.85	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.80 0.77	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.69 0.68	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.57 0.66	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.59 0.61	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.48 0.62
	Measles	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.79 0.73	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.31 0.30	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.45 0.55	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.13 0.16	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.42 0.44	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.12 0.12	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.33 0.35	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.15 0.18	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.15 0.17	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.13 0.10	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.17 0.17
205	Neoplasms, malignant, & of lymphatic and hæmato-poietic tissues ..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.01 0.97	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.02 0.97	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.03 0.96	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.01 0.94	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.03 0.94	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.03 0.95	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.05 0.96	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.06 0.95	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.06 0.97	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.09 0.95	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.12 0.93
200 203,	Neoplasms, malignant excl. Hodgkin's disease & leukæmia and aleukæmia ..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.01 0.97	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.01 0.96	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.02 0.96	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.01 0.94	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.02 0.94	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.02 0.95	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.05 0.95	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.06 0.94	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.06 0.94	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.08 0.94	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.11 0.92
148	Buccal cavity and pharynx ..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.87 0.88	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.85 0.91	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.81 0.92	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.77 0.89	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.71 0.89	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.65 0.83	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.62 0.84	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.58 0.79	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.54 0.85	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.54 0.89	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.54 0.89
159	Digestive organs and peritoneum ..	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.00 0.97	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.98 0.94	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.98 0.93	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.97 0.91	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.98 0.91	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.95 0.92	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.95 0.91	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.94 0.89	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.91 0.88	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.89 0.87	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.89 0.84
165	Respiratory system	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.14 1.05	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.23 1.14	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.34 1.15	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.40 1.18	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.48 1.25	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.60 1.28	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.76 1.39	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.90 1.47	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 2.02 1.51	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 2.22 1.59	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 2.39 1.62
	Breast	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.12 0.98	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.05 0.99	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.55 0.99	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.02 0.97	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.12 0.95	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.12 1.00	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.11 0.99	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.98 0.98	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 1.19 0.97	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.97 0.96	$\left\{ \begin{array}{l} M \\ F \end{array} \right.$ 0.96 0.96

TABLE 9—continued.

Inter- national List No.	Causes of Death	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
171-174	Uterus F	0.99	0.98	0.96	0.90	0.89	0.87	0.85	0.85	0.82	0.79	0.78
175, 176	Other female genital organs F	0.97	0.99	1.02	1.03	1.00	0.99	1.03	1.03	1.05	1.11	1.10
177-179	Male genital organs .. M	1.07	1.13	1.07	0.98	1.02	1.08	1.14	1.10	1.14	1.18	1.17
180, 181	Kidney, bladder and other urinary organs F	1.08 1.06	1.07 1.18	1.13 1.18	1.04 1.14	1.10 1.10	1.10 1.21	1.38 1.18	1.21 1.26	1.26 1.22	1.29 1.26	1.28 1.26
190, 191	Skin F	0.96 0.86	0.85 0.89	0.93 0.89	0.81 0.87	0.83 0.86	0.73 0.75	0.74 0.79	0.70 0.72	0.64 0.74	0.67 0.76	0.66 0.76
193	Brain and other parts of nervous system F	1.03 0.89	1.05 0.91	1.10 0.95	1.03 0.98	1.18 1.07	1.02 1.09	1.20 1.11	1.30 1.12	1.37 1.33	1.39 1.43	1.38 1.43
201	Hodgkin's disease .. F	1.03 0.90	1.19 0.92	1.22 0.96	1.30 0.93	1.27 1.04	1.23 0.95	1.15 0.93	1.20 0.96	1.22 1.00	1.09 0.99	1.10 0.99
204	Leukæmia & aleukæmia F	0.97 0.96	1.12 1.07	1.22 1.08	1.21 1.15	1.29 1.25	1.36 1.30	1.28 1.37	1.34 1.30	1.49 1.51	1.61 1.57	1.60 1.57
240, 241	Hay fever, asthma .. F	1.18 1.09	0.96 0.92	1.12 1.07	1.04 0.94	1.12 1.02	1.10 1.01	1.11 1.08	0.92 0.94	1.07 1.04	1.02 1.05	1.01 1.05
252	Thyrototoxicosis .. F	0.89 0.66	0.72 0.60	0.70 0.56	0.54 0.45	0.57 0.43	0.44 0.45	0.43 0.46	0.36 0.41	0.42 0.37	0.33 0.36	0.34 0.36
260	Diabetes mellitus .. F	1.02 0.97	0.91 0.87	0.84 0.84	0.76 0.78	0.72 0.77	0.63 0.70	0.57 0.66	0.50 0.60	0.52 0.63	0.56 0.65	0.55 0.65
290-0 290.1	Pernicious anæmias and sub- acute combined degener- ation of spinal cord .. F	1.28 1.32	1.18 1.18	1.05 1.05	0.95 0.92	1.03 1.04	0.64 0.75	0.68 0.72	0.54 0.57	0.50 0.57	0.44 0.56	0.44 0.56
330-334	Vascular lesions affecting central nervous system .. F	1.00 1.03	0.98 1.02	0.94 1.00	0.97 1.01	0.96 1.01	0.97 1.05	1.03 1.10	0.92 1.00	0.99 1.08	1.05 1.14	1.04 1.14
345	Multiple sclerosis .. F	1.18 1.34	1.12 1.30	1.07 1.20	1.04 1.20	1.00 1.24	0.90 1.11	0.80 1.19	0.65 1.04	0.74 0.98	0.74 1.10	0.80 1.13
350	Paralysis agitans .. F	1.11 1.02	1.00 0.95	1.02 0.94	1.03 1.01	1.07 1.13	1.02 1.04	1.01 1.09	0.80 0.99	0.95 1.13	0.97 1.13	1.01 1.20
353	Epilepsy F	1.31 1.15	1.15 1.09	1.12 0.89	1.02 0.91	0.96 0.84	0.86 0.80	0.79 0.80	0.60 0.63	0.55 0.59	0.53 0.59	0.53 0.59
400-468	Diseases of the circulatory system F	1.01 0.98	0.95 0.91	0.95 0.91	0.97 0.90	0.96 0.91	0.98 0.93	1.06 0.97	0.97 0.89	1.07 1.01	1.09 1.01	1.10 1.01
430	Acute and subacute endo- carditis F	0.96 0.83	0.97 0.91	1.04 0.87	0.90 0.77	0.77 0.57	0.54 0.47	0.54 0.43	0.48 0.38	0.42 0.36	0.37 0.28	0.33 0.28
480-483	Influenza F	1.41 1.65	0.74 0.74	2.37 3.02	0.81 0.82	0.53 0.55	0.91 1.19	0.61 0.67	0.24 0.23	0.90 1.17	0.63 0.79	2.50 3.20
490-493, 763	Pneumonia F	0.90 1.01	0.72 0.76	0.82 0.92	0.68 0.70	0.64 0.70	0.60 0.71	0.66 0.76	0.50 0.56	0.55 0.69	0.47 0.60	0.60 0.70
490	Lobar pneumonia .. F	0.70 0.76	0.59 0.62	0.62 0.71	0.53 0.53	0.46 0.50	0.42 0.50	0.41 0.49	0.34 0.37	0.33 0.42	0.30 0.37	0.33 0.37
491	Bronchopneumonia .. F	1.04 1.13	0.78 0.81	0.94 1.00	0.75 0.74	0.75 0.76	0.71 0.78	0.82 0.87	0.61 0.65	0.71 0.82	0.59 0.72	0.80 0.90
500-502	Bronchitis F	1.25 1.24	1.03 0.88	1.12 1.05	1.01 0.81	1.06 0.87	0.98 0.80	1.09 0.85	0.88 0.60	1.00 0.78	0.99 0.71	1.20 0.90
500	Acute bronchitis .. F	1.47 1.49	1.24 1.01	1.40 1.34	1.08 0.85	1.12 0.97	0.98 0.87	1.09 0.95	0.70 0.55	0.81 0.77	0.60 0.62	0.80 0.80
501, 502	Chronic and unqualified F	1.23 1.19	0.94 0.86	1.10 0.99	1.05 0.84	1.11 0.90	1.07 0.84	1.20 0.89	1.04 0.72	1.18 0.90	1.22 0.86	1.50 1.10
530-587	Diseases of the digestive system F	0.96 0.90	0.90 0.84	0.87 0.82	0.86 0.79	0.85 0.75	0.78 0.74	0.78 0.74	0.65 0.60	0.63 0.59	0.60 0.58	0.60 0.55
540	Ulcer of stomach .. F	1.14 1.03	0.94 0.87	0.98 0.78	0.98 0.98	0.95 0.78	0.87 0.81	0.81 0.88	0.77 0.80	0.76 0.80	0.73 0.82	0.70 0.80
541	Ulcer of duodenum .. F	1.26 1.04	1.13 0.81	1.13 1.02	1.17 0.93	1.27 1.14	1.12 0.85	1.12 0.95	1.08 1.03	1.16 1.12	1.21 1.33	1.40 1.50
550-553	Appendicitis F	0.68 0.62	0.70 0.64	0.63 0.70	0.66 0.65	0.60 0.57	0.49 0.50	0.47 0.47	0.38 0.39	0.38 0.36	0.37 0.39	0.33 0.33

TABLE 9—continued.

Personal No.	Causes of Death		1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
61	Hernia of abdominal cavity	{ M F	1·14 1·46	1·09 1·22	1·11 1·13	0·92 0·99	0·94 0·93	1·01 1·03	0·88 1·00	0·78 0·76	0·69 0·71	0·67 0·68	0·67 0·69
	Intestinal obstruction, without mention of hernia	{ M F	1·16 1·19	1·17 1·14	1·10 1·09	1·14 1·09	0·95 0·94	0·98 1·01	1·13 1·06	0·83 0·88	0·74 0·84	0·64 0·67	0·64 0·71
	Cirrhosis of liver	{ M F	0·81 0·71	0·66 0·61	0·64 0·63	0·58 0·57	0·58 0·55	0·55 0·60	0·59 0·63	0·55 0·59	0·59 0·68	0·60 0·81	0·65 0·92
	Cholelithiasis	{ M F	0·69 0·73	0·66 0·65	0·60 0·64	0·60 0·56	0·57 0·57	0·58 0·53	0·54 0·51	0·55 0·51	0·55 0·51	0·63 0·59	0·55 0·55
	Cholecystitis without mention of calculi	{ M F	0·84 0·78	0·64 0·65	0·65 0·57	0·59 0·57	0·51 0·52	0·42 0·53	0·46 0·45	0·42 0·44	0·43 0·45	0·44 0·43	0·40 0·42
	Diseases of pancreas	{ M F	0·72 0·74	0·74 0·68	0·55 0·55	0·58 0·65	0·69 0·68	0·62 0·72	0·65 0·70	0·62 0·76	0·76 0·87	0·80 0·97	0·86 0·95
	Cystitis	{ M F	0·70 0·70	0·54 0·48	0·49 0·48	0·49 0·48	0·40 0·42	0·39 0·38	0·37 0·40	0·38 0·31	0·34 0·37	0·30 0·39	0·28 0·34
	Stricture of urethra	M	0·90	0·87	0·74	0·64	0·54	0·51	0·50	0·44	0·42	0·33	0·29
12	Diseases of prostate	M	1·10	1·04	1·04	0·99	0·94	0·91	0·86	0·79	0·81	0·78	0·75
59	Congenital malformations	{ M F	1·05 1·03	1·12 1·15	1·08 1·09	1·11 1·06	1·00 1·02	1·06 1·02	1·00 1·02	0·82 0·82	0·77 0·86	0·80 0·85	0·77 0·84
E999	Accidents, poisonings and violence	{ M F	1·97 2·14	1·12 1·12	1·01 1·00	1·22 1·41	0·92 0·97	0·77 0·82	0·79 0·82	0·70 0·75	0·71 0·73	0·71 0·74	0·74 0·77
E825 E835	Motor vehicle accidents	{ M F	1·34 1·17	0·98 0·88	0·77 0·70	0·82 0·84	0·75 0·75	0·74 0·70	0·70 0·70	0·61 0·64	0·68 0·61	0·72 0·67	0·77 0·71
E888	Accidental poisoning by solid or liquid substances	{ M F	0·98 1·04	0·82 0·86	0·76 0·58	0·68 0·67	0·91 1·00	0·84 0·92	0·87 1·22	1·07 1·13	0·85 1·13	1·02 1·58	1·09 1·58
E895	Accidental poisoning by gases and vapours	{ M F	1·59 1·11	1·16 1·22	1·02 1·12	1·26 1·36	1·61 1·74	1·22 1·78	1·34 2·21	1·19 1·66	1·38 1·84	1·23 1·96	1·50 2·32
E904	Accidental falls	{ M F	1·23 1·06	1·05 0·91	0·95 0·83	0·85 0·79	0·81 0·77	0·71 0·76	0·77 0·75	0·64 0·66	0·66 0·69	0·61 0·73	0·71 0·75
E979	Suicide and self-inflicted wounds	{ M F	0·69 0·76	0·63 0·74	0·67 0·75	0·67 0·69	0·67 0·78	0·72 0·89	0·71 0·90	0·76 0·93	0·76 0·89	0·71 0·82	0·70 0·84

**TABLE 10.—Deaths under One Year of Age from } England and Wales.
Certain Causes, 1941-1951.**

Note: For years 1941-48 inclusive, deaths and rates classified in this table and in Table 11 according to the 1948 International Statistical Classification have been estimated from available material based on the 1938 International List in the light of experience gained in 1949, when both lists were employed. For those years, therefore, figures must be regarded as approximate.

See Explanatory notes on page v.

International Classification No.	Causes of Death	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
	ALL CAUSES	34,550	32,258	33,431	33,455	31,959	33,541	36,849	26,766	23,882	20,817	20,817
010	Tuberculosis of meninges and central nervous system ..	218	188	179	164	181	149	153	113	85	52	52
001-008, 011-019	Other tuberculosis	178	157	174	150	131	140	191	138	81	74	74
020	Congenital syphilis	119	121	156	110	108	124	84	76	62	31	31
055	Diphtheria	75	43	57	26	18	23	16	6	2	—	—
056	Whooping cough	1,218	487	621	686	412	512	564	484	357	277	277
057	Meningococcal infections ..	310	219	187	159	190	142	182	98	112	103	103
080, 081	Acute poliomyelitis	3	7	8	2	6	7	39	5	25	48	48
085	Measles	324	136	256	89	252	88	252	107	86	70	70
Rem. of 001-138	Other infective and parasitic diseases	214	177	204	212	183	152	192	125	106	86	86
295,296,771	Hæmorrhagic conditions ..	389	370	349	352	321	301	399	234	192	198	198
340-343	Inflammatory diseases of central nervous system ..	244	260	261	253	278	225	290	223	197	203	203
365	Pink disease	28	30	35	32	31	35	75	49	47	33	33
390-396	Diseases of ear and mastoid process	249	242	317	351	348	329	335	231	151	146	146
480-483	Influenza	205	119	257	148	129	174	135	76	115	77	77
490-493,763	Pneumonia	6,430	4,905	6,006	5,392	5,747	5,439	6,462	4,615	4,012	3,276	3,276
500-502	Bronchitis	1,696	1,015	1,173	1,041	1,022	833	807	621	484	477	477
470-475, 510-527	Other respiratory diseases	*	*	*	*	*	*	*	*	91	119	119
543	Gastritis and duodenitis ..	128	110	94	92	84	61	79	37	25	17	17
571, 764	Enteritis and diarrhoea ..	2,738	3,226	3,324	3,493	3,559	3,317	4,571	2,289	1,945	1,160	1,160
690-716	Diseases of the skin and subcutaneous tissue	204	230	212	198	159	97	117	63	45	51	51
751	Spina bifida & meningocele	1,059	1,377	1,303	1,251	1,074	1,224	1,006	833	843	727	727
752	Congenital hydrocephalus ..	259	219	187	189	188	187	230	162	164	198	198
754-0-754-4	Congenital malformations of heart	1,186	1,280	1,248	1,277	1,253	1,331	1,462	1,108	1,049	1,085	1,085
757	Congenital malformations of genito-urinary system ..	61	81	81	88	87	109	106	91	105	106	106
Rem. of 750-759	Other congenital malformations	953	933	930	1,012	1,010	1,151	1,260	1,066	993	920	920
760, 761	Injury at birth	1,479	1,667	1,614	1,774	1,830	2,204	2,433	2,028	1,915	1,820	1,820
762	Postnatal asphyxia and atelectasis	1,257	1,289	1,216	1,476	1,898	2,367	2,567	2,138	2,401	2,340	2,340
766-768	Pemphigus and sepsis of newborn	139	153	151	187	132	100	154	94	58	64	64
770	Hæmolytic disease of newborn	326	427	456	498	527	593	704	591	552	502	502
774, 776	Immaturity	7,573	7,916	7,796	7,889	6,727	7,883	7,533	5,817	4,975	4,185	4,185
780-2	Convulsions	675	569	456	408	350	297	270	185	118	59	59
E900-E904	Accidental falls	15	22	19	20	15	14	32	15	16	13	13
E916, E917	Accident by fire or hot substance	85	54	60	63	48	45	46	33	34	19	19
E921, E922	Obstruction by inhalation or ingestion	132	142	121	182	185	273	389	315	309	306	306
E924, E925	Accidental mechanical suffocation	397	357	360	452	409	446	515	376	343	286	286
E926	Lack of care of newborn ..	172	176	178	189	195	147	154	131	130	92	92
Rem. of E800-E965	Other accidents	54	34	49	45	60	38	56	41	28	24	24
	All other causes	*	*	*	*	*	*	*	*	1,629	1,573	1,573

* Not available

TABLE 11.—Infant Mortality (Deaths under 1 Year per 1,000 Related Live Births) from Certain Causes, 1941-1951. } England and Wales.

See Note at head of Table 10.

Causes of Death	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
ALL CAUSES	60·04	50·62	49·12	45·44	46·00	42·85	41·37	33·93	32·37	29·63	29·67
Tuberculosis of meninges and central nervous system	0·38	0·30	0·27	0·23	0·25	0·21	0·18	0·13	0·11	0·06	0·08
Other tuberculosis	0·63	0·51	0·49	0·41	0·39	0·39	0·38	0·29	0·10	0·11	0·06
Congenital syphilis	0·21	0·19	0·23	0·16	0·15	0·15	0·09	0·09	0·08	0·04	0·03
Diphtheria	0·13	0·08	0·08	0·04	0·02	0·03	0·01	0·00	0·00	—	0·00
Whooping cough	2·13	0·79	0·92	0·96	0·57	0·69	0·63	0·59	0·48	0·38	0·40
Meningococcal infections	0·54	0·36	0·27	0·22	0·27	0·20	0·21	0·11	0·15	0·14	0·15
Acute poliomyelitis	0·01	0·01	0·01	0·00	0·01	0·01	0·04	0·01	0·03	0·08	0·01
Measles	0·56	0·23	0·38	0·12	0·34	0·12	0·27	0·13	0·11	0·10	0·14
Other infective and parasitic diseases	0·37	0·28	0·30	0·29	0·26	0·19	0·22	0·16	0·14	0·12	0·12
Hæmorrhagic conditions	0·66	0·57	0·52	0·49	0·46	0·37	0·45	0·32	0·27	0·29	0·35
Inflammatory diseases of central nervous system	0·42	0·41	0·38	0·34	0·40	0·29	0·33	0·28	0·26	0·28	0·25
Pink disease	0·05	0·05	0·05	0·04	0·05	0·05	0·08	0·06	0·06	0·05	0·06
Diseases of ear and mastoid process	0·43	0·38	0·47	0·50	0·49	0·44	0·38	0·29	0·21	0·20	0·17
Influenza	0·36	0·20	0·38	0·21	0·18	0·24	0·14	0·10	0·16	0·11	0·24
Pneumonia	11·20	7·84	8·87	7·42	8·17	7·20	7·22	5·77	5·40	4·63	5·09
Bronchitis	2·96	1·63	1·73	1·43	1·45	1·11	0·89	0·76	0·65	0·67	0·67
Other respiratory diseases	*	*	*	*	*	*	*	*	0·13	0·17	0·17
Gastritis and duodenitis	0·21	0·18	0·14	0·13	0·12	0·08	0·09	0·04	0·03	0·02	0·02
Enteritis and diarrhoea	4·76	5·06	4·89	4·75	5·12	4·24	5·13	2·90	2·59	1·63	1·22
Diseases of the skin and sub-cutaneous tissue	0·35	0·36	0·31	0·27	0·23	0·12	0·13	0·08	0·06	0·07	0·06
Spina bifida & meningocele	1·84	2·16	1·92	1·70	1·55	1·56	1·13	1·06	1·15	1·03	1·17
Congenital hydrocephalus	0·45	0·34	0·27	0·26	0·27	0·24	0·26	0·21	0·22	0·29	0·17
Congenital malformations of heart	2·06	2·01	1·83	1·73	1·80	1·70	1·64	1·40	1·43	1·55	1·19
Congenital malformations of genito-urinary system	0·11	0·13	0·12	0·12	0·13	0·14	0·12	0·12	0·14	0·16	0·13
Other congenital malformations	1·66	1·46	1·37	1·38	1·45	1·47	1·41	1·35	1·34	1·31	1·53
Injury at birth	2·56	2·57	2·36	2·37	2·66	2·72	2·74	2·60	2·61	2·61	2·87
Postnatal asphyxia and atelectasis	2·17	1·98	1·77	1·96	2·77	2·92	2·90	2·75	3·28	3·34	3·58
Pemphigus and sepsis of newborn	0·24	0·24	0·22	0·25	0·19	0·13	0·17	0·12	0·08	0·08	0·09
Hæmolytic disease of newborn	0·57	0·67	0·67	0·68	0·76	0·76	0·79	0·75	0·75	0·71	0·74
Immaturity	13·16	12·42	11·46	10·72	9·69	10·07	8·46	7·38	6·79	5·99	5·70
Convulsions	1·17	0·89	0·67	0·55	0·50	0·38	0·30	0·23	0·15	0·08	0·06
Accidental falls	0·03	0·03	0·03	0·03	0·02	0·02	0·04	0·02	0·02	0·01	0·02
Accident by fire or hot substance	0·15	0·08	0·09	0·09	0·07	0·06	0·05	0·04	0·04	0·02	0·03
Obstruction by inhalation or ingestion	0·23	0·22	0·18	0·25	0·27	0·35	0·44	0·40	0·41	0·44	0·41
Accidental mechanical suffocation	0·69	0·56	0·53	0·61	0·59	0·57	0·58	0·48	0·47	0·40	0·43
Lack of care of newborn	0·29	0·26	0·26	0·25	0·28	0·18	0·17	0·16	0·18	0·12	0·15
Other accidents	0·09	0·05	0·07	0·06	0·09	0·05	0·06	0·05	0·03	0·03	0·05
All other causes	*	*	*	*	*	*	*	*	2·26	2·23	2·04

* Not available.

TABLE 12.—Home Population, Births, Deaths and Infant Mortality, 1951. { England and Wales, Standard Regions, Conurbations, Counties, Boroughs, other Urban Districts and Rural Districts.

See Explanatory notes on page vi.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number	Rate per 1,000 Live Births.
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
ENGLAND AND WALES	43,800,000	331,745	313,013	16,859	15,912	677,529	15.5	1.00	1.00	281,724	267,656	549,380	12.5	1.00	1.00	20,223	30	12,788	15,985
Regional Summary :																			
Northern ..	3,127,000	26,672	25,228	1,109	1,077	54,086	17.3	1.02	1.14	21,277	18,339	39,616	12.7	1.07	1.09	2,018	37	1,172	1,363
*Tyneside conurbation ..	834,540	7,123	6,718	293	274	14,408	17.3	0.98	1.09	5,705	4,966	10,671	12.8	1.10	1.13	552	38	317	360
*Remainder of Northern ..	2,292,460	19,549	18,510	816	803	39,678	17.3	1.04	1.16	15,572	13,373	28,945	12.6	1.06	1.07	1,466	37	855	1,003
East and West Ridings ..	4,081,000	31,666	29,584	1,642	1,531	64,423	15.8	1.01	1.03	27,703	25,657	53,360	13.1	1.04	1.09	2,135	33	1,234	1,601
*West Yorkshire conurbation ..	1,682,332	12,733	11,862	772	719	26,086	15.5	1.00	1.00	12,150	12,030	24,180	14.4	1.00	1.15	857	33	478	611
*Remainder of East and West Ridings ..	2,398,668	18,933	17,722	870	812	38,337	16.0	1.02	1.05	15,553	13,627	29,180	12.2	1.07	1.04	1,278	33	756	990
North Western ..	6,414,000	49,784	47,016	2,517	2,465	101,782	15.9	1.00	1.03	45,917	44,864	90,781	14.2	1.03	1.17	3,473	34	2,135	2,634
*South East Lancashire conurbation ..	2,409,207	18,210	17,497	1,040	1,062	37,809	15.7	0.97	0.98	17,096	17,192	34,288	14.2	1.04	1.18	1,295	34	791	962
*Merseyside conurbation ..	1,376,585	12,499	11,793	674	620	25,886	18.6	0.98	1.18	9,365	8,926	18,291	13.3	1.14	1.21	911	35	539	651
*Remainder of North Western ..	2,628,208	19,075	17,726	803	783	38,387	14.6	1.03	0.97	19,456	18,746	38,202	14.5	0.98	1.14	1,267	33	805	1,021
North Midland ..	3,383,000	26,497	24,716	1,391	1,296	53,900	15.9	1.02	1.05	20,588	18,924	39,512	11.7	1.01	0.95	1,559	29	953	1,274
Midland ..	4,423,000	35,115	33,203	1,654	1,508	71,480	16.2	0.99	1.03	27,172	24,617	51,789	11.7	1.09	1.02	2,275	32	1,453	1,749
*West Midlands conurbation ..	2,232,143	17,959	16,890	782	753	36,384	16.3	0.97	1.02	13,512	12,299	25,811	11.6	1.14	1.06	1,121	31	706	857
*Remainder of Midland ..	2,190,857	17,156	16,313	872	755	35,096	16.0	1.02	1.05	13,660	12,318	25,978	11.9	1.05	1.00	1,154	33	747	892
Eastern ..	3,125,000	23,398	21,775	1,177	1,121	47,471	15.2	1.04	1.02	18,782	18,086	36,868	11.8	0.91	0.86	1,211	25	801	1,063
London and South Eastern ..	10,928,000	76,069	71,981	4,197	4,017	156,264	14.3	0.95	0.88	64,918	64,542	129,460	11.8	0.98	0.93	3,789	24	2,610	3,322
Greater London ..	8,350,380	58,417	55,618	3,256	3,114	120,405	14.4	0.92	0.85	48,471	47,107	95,578	11.4	1.03	0.94	2,866	24	2,005	2,551
*Remainder of South Eastern ..	2,577,620	17,652	16,363	941	903	35,859	13.9	1.06	0.95	16,447	17,435	33,882	13.1	0.83	0.87	923	26	605	771
Southern ..	2,693,000	20,112	19,078	1,236	1,051	41,477	15.4	1.04	1.03	16,063	15,818	31,881	11.8	0.93	0.88	1,051	25	703	822
South Western ..	3,039,000	22,081	21,072	1,149	1,074	45,376	14.9	1.05	1.01	19,882	20,226	40,108	13.2	0.89	0.94	1,210	27	826	1,036

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Wales ...	2,587,000	20,351	19,360	787	772	41,270	16.0	1.03	1.06	19,422	16,583	36,005	13.9	1.00	1.11	1,502	36	901	1,121
Wales I ...	1,845,000	14,774	14,078	522	492	29,866	16.2	1.02	1.07	13,819	11,173	24,992	13.8	1.05	1.13	1,075	36	663	823
Wales II ...	742,000	5,577	5,282	265	280	11,404	15.4	1.07	1.06	5,603	5,410	11,013	14.8	0.89	1.05	427	37	238	298
Density Aggregates Summary :																			
*Conurbations ...	16,885,187	126,941	120,378	6,817	6,542	260,678	15.4	0.95	0.94	106,299	102,520	208,819	12.4	1.05	1.04	7,602	29	4,836	5,992
*Areas outside the conurbations	26,914,813	204,804	192,635	10,042	9,370	416,851	15.5	1.03	1.03	175,425	165,156	340,561	12.7	0.96	0.98	12,621	30	7,952	9,993
*Urban areas, with popula-	5,787,260	44,605	42,097	2,394	2,274	91,370	15.8	1.00	1.02	38,556	36,079	74,635	12.9	1.03	1.06	2,906	32	1,799	2,218
tions of 100,000 and over...	3,334,680	24,944	23,474	1,369	1,347	51,134	15.3	1.02	1.01	21,662	21,597	43,259	13.0	0.96	1.00	1,546	30	955	1,258
*Urban areas, with popula-	9,344,814	71,156	66,965	3,304	3,026	144,451	15.5	1.03	1.03	63,015	59,962	122,977	13.2	0.95	1.00	4,403	30	2,789	3,551
tions under 50,000 ...	8,448,059	64,099	60,099	2,975	2,723	129,896	15.4	1.08	1.07	52,192	47,498	99,690	11.8	0.94	0.89	3,766	29	2,409	2,966
*Rural areas ...																			
ENGLAND (excluding Monmouth)																			
BEDFORDSHIRE :	319,000	2,373	2,208	120	124	4,825	15.1	1.00	0.97	1,731	1,615	3,346	10.5	1.01	0.85	129	27	90	120
Admin. County ...			1,503	85	88	3,337	15.7	0.97	0.98	1,178	1,115	2,293	10.8	1.03	0.89	95	28	62	84
Urban Districts ...	212,900	1,661	1,503	85	88	3,337	15.7	0.97	0.98	1,178	1,115	2,293	10.8	1.03	0.89	95	28	62	84
Amptill ...	2,950	28	28	—	—	51	17.3	1.13	1.26	14	23	37	12.5	0.70	0.70	—	—	13	12
Bedford M.B. ...	54,120	399	391	27	18	835	15.4	1.00	0.99	276	347	623	11.5	0.94	0.86	21	25	—	1
Biggleswade ...	7,262	57	51	6	6	121	16.7	1.04	1.12	45	48	93	12.8	0.89	0.91	2	16	—	3
Dunstable M.B. ...	17,070	116	118	7	10	251	14.7	0.94	0.89	120	90	210	12.3	1.06	1.04	7	28	3	10
Kempston ...	9,136	65	57	3	1	126	13.8	1.00	0.89	47	46	93	10.2	1.05	0.86	5	39	4	4
Leighton Buzzard ...	9,083	96	75	2	2	175	19.3	0.96	1.20	60	48	108	11.9	0.91	0.87	1	6	1	7
Luton M.B. ...	109,600	873	760	36	49	1,718	15.7	0.95	0.96	585	490	1,075	9.8	1.12	0.88	57	33	41	46
Sandy ...	3,679	27	28	3	2	60	16.3	1.05	1.10	31	23	54	14.7	0.84	0.99	2	33	—	3
Rural Districts ...	106,100	712	705	35	36	1,488	14.0	1.09	0.98	553	500	1,053	9.9	0.96	0.76	34	23	28	36
Amptill ...	23,250	168	180	7	9	362	15.6	1.06	1.07	143	119	262	11.3	0.90	0.81	6	16	4	4
Bedford ...	33,430	222	229	11	9	471	14.1	1.19	1.08	173	156	329	9.8	0.95	0.74	15	32	14	15
Biggleswade ...	29,960	187	149	8	11	355	11.8	1.11	0.85	131	128	259	8.6	1.01	0.69	10	28	8	9
Luton ...	19,460	135	147	9	9	300	15.4	0.98	0.97	106	97	203	10.4	0.98	0.82	3	70	2	6
BERKSHIRE	413,000	3,196	2,958	208	152	6,514	15.8	1.03	1.05	2,452	2,414	4,866	11.8	0.94	0.89	179	27	116	115
County Borough ...			863	818	57	43	1,781	15.5	0.99	712	690	1,402	12.2	0.94	0.92	52	29	33	36
Reading ...	115,100																		
Admin. County ...	297,900	2,333	2,140	151	109	4,733	15.9	1.04	1.07	1,740	1,724	3,464	11.6	0.94	0.87	127	27	83	79
Urban Districts ...	96,900	796	767	53	40	1,656	17.1	1.00	1.10	643	665	1,308	13.5	0.88	0.95	45	27	30	29
Abingdon M.B. ...	10,600	99	104	9	1	413	20.1	1.05	1.36	72	79	151	14.2	1.00	1.14	7	33	4	3
Maidenhead M.B. ...	27,430	226	198	13	20	457	16.7	0.99	1.07	184	169	353	12.9	0.88	0.91	17	37	13	12
Newbury M.B. ...	17,710	137	120	8	5	270	15.2	1.03	1.01	121	125	246	13.9	0.85	0.95	6	22	2	8
New Windsor M.B. ...	23,590	185	199	15	9	408	17.3	0.92	1.03	140	157	297	12.6	0.96	0.97	8	19	6	3
Wallingford M.B. ...	3,536	27	24	2	—	53	15.0	1.08	1.05	29	24	53	15.0	0.81	0.97	1	19	1	—
Wantage ...	5,437	59	56	5	4	124	22.8	1.11	1.63	30	39	69	12.7	0.81	0.82	4	32	2	1
Wokingham M.B. ...	8,597	63	66	1	1	131	15.2	1.12	1.10	67	72	139	16.2	0.70	0.91	2	15	2	2

* Change of boundary. See Appendix on page 468.

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS.					DEATHS.					Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.										
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.			Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.						
		M.	F.	M.	F.																				
						(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)			(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
BERKSHIRE—contd.																									
Rural Districts ..	201,000	1,537	1,373	98	69	3,077	15.3	1.06	1.05	1,097	1,059	2,156	10.7	0.97	0.83	82	26	53	50						
Abingdon ..	24,060	194	170	16	12	392	16.3	1.07	1.13	106	94	200	8.3	1.21	0.80	6	15	5	10						
Bradfield ..	19,780	168	129	16	4	317	16.0	0.98	1.01	130	116	246	12.4	0.92	0.91	12	38	9	1						
Cookham ..	13,990	84	96	6	5	191	13.7	0.98	0.87	78	70	148	10.6	0.97	0.82	7	36	5	1						
Easthampstead ..	24,790	168	163	8	6	344	13.9	1.14	1.02	143	130	273	11.0	0.89	0.78	12	35	9	2						
Faringdon ..	13,360	127	113	6	9	255	19.1	1.01	1.24	54	75	129	9.7	1.01	0.78	4	16	1	1						
Hungerford ..	9,550	64	71	3	5	143	15.0	1.19	1.15	55	54	109	11.4	0.88	0.80	3	21	2	6						
Newbury ..	15,600	108	92	11	5	216	13.8	1.06	0.94	98	82	180	11.5	0.92	0.85	6	28	3	—						
Wallingford ..	15,570	128	125	11	3	267	17.1	1.09	1.20	79	59	138	8.9	1.01	0.72	5	19	2	4						
Wantage ..	14,890	133	134	6	5	278	18.7	1.07	1.29	86	88	174	11.7	0.96	0.90	9	21	7	2						
Windsor ..	11,730	106	80	4	4	194	16.5	1.07	1.14	78	88	166	14.2	0.92	1.05	6	16	4	9						
Wokingham ..	37,680	257	200	11	12	480	12.7	1.07	0.88	190	203	393	10.4	0.99	0.82	12	25	8	—						
BUCKINGHAMSHIRE :																									
Admin. County ..	390,300	2,925	2,734	146	115	5,920	15.2	1.00	0.98	2,149	2,067	4,216	10.8	0.97	0.84	145	24	105	110						
Urban Districts ..	194,600	1,472	1,363	64	63	2,962	15.2	0.97	0.95	1,027	973	2,000	10.3	1.03	0.85	78	26	57	59						
Aylesbury M.B. ..	20,530	178	152	7	6	343	16.7	0.93	1.00	96	102	198	9.6	1.03	0.79	14	41	10	3						
Beaconsfield ..	7,949	59	55	4	2	120	15.1	1.00	0.97	40	39	79	9.2	0.92	0.73	4	33	3	2						
Bletchley ..	10,927	75	87	2	—	164	15.0	1.04	1.01	60	44	104	9.5	1.08	0.82	5	30	5	2						
Buckingham M.B. ..	4,005	39	19	1	—	62	15.5	1.05	1.05	23	26	49	12.2	0.90	0.83	3	48	2	2						
Chesham ..	11,410	91	92	1	4	188	16.5	1.00	1.06	82	82	164	14.4	0.88	1.01	4	21	4	—						
Eton ..	4,676	25	27	—	—	52	11.1	1.61	1.15	15	15	30	6.4	1.23	0.63	—	—	3	3						
High Wycombe M.B. ..	41,300	311	305	11	16	643	15.6	0.96	0.97	237	201	438	10.7	0.83	0.91	16	25	11	15						
Linshire ..	3,259	32	24	—	—	56	17.2	0.98	1.09	18	24	42	12.5	0.83	0.86	1	18	1	1						
Marlow ..	6,468	53	35	4	3	95	14.7	0.99	0.94	40	39	79	12.0	0.91	0.89	1	40	—	—						
Newport Pagnell ..	4,256	26	19	—	—	46	10.8	1.08	0.75	23	28	51	12.0	0.67	0.64	2	43	—	1						
Slough M.B. ..	66,430	493	469	31	26	1,019	15.3	0.89	0.88	305	284	589	18.2	0.71	0.86	24	23	17	21						
Wolverton ..	13,390	90	79	2	3	174	13.0	1.14	0.96	88	89	177	13.2	0.77	0.81	4	23	4	1						
Rural Districts ..	195,700	1,453	1,371	82	52	2,958	15.1	1.03	1.00	1,122	1,094	2,216	11.3	0.91	0.82	67	23	48	51						
Amersham ..	41,750	293	260	13	10	576	13.8	0.98	0.87	241	239	480	11.5	0.91	0.84	11	19	9	8						
Aylesbury ..	30,330	221	217	15	12	465	15.3	1.10	1.09	158	163	321	10.6	0.97	0.82	3	24	9	1						
Buckingham ..	10,527	79	67	5	4	153	14.7	1.28	1.21	47	49	96	9.9	1.01	0.96	3	10	2	1						
Eton ..	42,990	316	289	21	12	638	14.8	0.97	0.93	227	256	483	13.8	0.70	0.80	18	28	10	12						

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS						DEATHS.										Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.					
		M.	F.	M.	F.												M.	F.	M.			F.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)			
CHESHIRE—contd.																						
Urban Districts—contd.																						
Sale M.B. ...	42,930	296	276	12	8	592	13.8	0.95	0.85	256	278	534	12.4	1.00	0.99	19	32	13	16			
Sandbach ...	9,301	68	53	5	—	126	13.5	1.00	0.87	68	57	125	13.4	1.00	1.07	6	47	4	3			
Stalybridge M.B. ...	22,550	167	172	8	10	357	15.8	1.00	1.02	176	181	357	15.8	0.96	1.21	10	28	7	13			
Winslow ...	19,560	98	101	6	2	207	10.6	0.97	0.66	120	99	219	11.2	1.02	0.91	8	38	6	7			
Winstford ...	12,770	112	96	3	2	213	16.7	0.99	1.07	79	86	165	12.9	1.02	1.05	4	19	2	2			
Wirral ...	17,160	116	101	2	2	221	12.9	1.02	0.85	108	114	222	12.9	0.90	0.93	6	27	4	4			
Rural Districts																						
Bucklow ...	189,900	1,465	1,354	58	52	2,929	15.4	1.04	1.03	1,216	1,074	2,290	12.1	0.95	0.92	108	37	76	85			
Chester ...	11,550	89	86	3	2	180	15.6	1.10	1.11	79	63	142	12.3	0.99	0.97	4	22	1	3			
Congleton ...	25,590	152	164	4	3	323	12.6	1.18	0.96	117	93	210	8.2	1.06	0.90	11	34	5	7			
Disley ...	13,090	98	97	6	1	207	15.8	1.09	1.11	87	69	156	11.9	0.95	0.90	7	34	10	12			
Macclesfield ...	2,826	19	11	—	1	31	11.0	1.02	0.72	23	21	44	15.6	0.86	1.07	—	—	—	6			
Nantwich ...	19,630	131	102	1	8	242	12.3	1.04	0.83	124	110	234	11.9	0.92	0.88	9	37	7	—			
Northwich ...	27,380	208	182	9	12	411	15.0	0.97	0.94	197	157	354	12.9	0.89	0.92	19	46	11	15			
Runcorn ...	38,310	403	364	19	6	792	20.7	0.98	1.31	225	208	433	11.3	0.90	0.90	26	33	16	26			
Tarvin ...	35,510	228	240	10	9	483	13.6	1.03	0.90	250	243	493	13.9	0.94	1.05	24	49	18	8			
Tintwistle ...	14,630	127	99	6	—	241	16.5	1.05	1.12	104	95	199	13.6	0.91	0.99	8	33	8	—			
Tintwistle ...	1,384	10	9	—	—	19	13.7	1.04	0.92	10	15	25	18.1	0.78	1.13	—	—	—	—			
CORNWALL:																						
Admin. County ...	341,700	2,323	2,341	130	110	4,904	14.4	1.07	0.99	2,387	2,508	4,895	14.3	0.83	0.95	163	33	107	115			
Urban Districts																						
Bodmin M.B. ...	186,500	1,238	1,207	78	68	2,591	13.9	1.06	0.95	1,285	1,394	2,679	14.4	0.83	0.96	93	36	68	67			
Bude-Stratton M.B. ...	5,886	41	37	2	1	81	13.8	1.56	1.39	33	40	73	12.4	0.89	0.88	4	49	4	—			
Camborne-Redruth M.B. ...	5,254	38	31	1	3	73	13.9	1.09	0.98	39	57	96	18.3	0.73	1.07	3	41	3	—			
Falmouth M.B. ...	35,230	241	243	19	16	519	14.7	0.99	0.94	230	295	525	14.9	0.87	1.04	19	36	17	19			
Fowey M.B. ...	16,620	116	106	10	1	238	14.3	1.04	0.96	101	108	209	12.6	0.86	0.87	8	33	6	—			
Helston M.B. ...	2,234	12	17	—	—	30	13.4	1.10	0.95	17	13	30	13.4	0.76	0.81	1	33	2	—			
Illogan M.B. ...	5,601	46	36	1	2	85	15.2	1.07	1.05	52	45	97	17.3	0.74	1.02	2	23	2	—			
Liskeard M.B. ...	4,516	16	17	3	2	38	8.4	1.11	0.60	33	37	70	15.5	0.77	0.95	1	26	1	—			
Liskeard M.B. ...	4,388	33	33	2	—	68	15.5	1.05	1.05	34	38	72	16.4	0.68	0.89	5	73	5	2			

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Loce ...	3,617	20	18	2	1	41	11.3	1.08	0.79	28	29	57	15.8	0.74	0.94	2	48	1	1
Lostwithiel M.B.	2,124	14	26	—	—	40	18.8	1.14	1.38	20	20	40	18.8	0.69	1.04	25	1	—	—
Newquay	9,773	51	57	5	2	115	11.8	0.94	0.72	57	71	128	13.1	0.77	0.81	2	17	2	5
Padstow	2,713	32	25	—	1	58	21.4	0.98	0.72	21	27	48	17.7	0.72	1.02	2	34	2	—
Pennryn M.B.	4,104	30	44	—	—	74	18.0	1.00	1.16	30	18	48	11.7	0.96	0.90	3	40	2	2
Penzance M.B.	20,030	123	132	10	11	276	13.8	1.02	0.91	148	164	312	15.6	0.82	1.02	11	40	8	10
St. Austell	23,460	161	140	9	11	321	13.7	1.10	0.97	181	171	352	15.0	0.78	0.94	11	34	4	10
St. Ives M.B.	8,598	64	46	5	4	119	13.8	1.02	0.90	68	70	138	16.1	0.71	0.91	4	33	1	—
St. Just	4,060	26	22	2	1	50	12.3	1.14	0.90	27	37	64	15.8	0.85	1.07	4	80	4	1
Saltash M.B.	7,936	61	46	3	1	111	14.0	1.02	0.92	23	37	116	14.6	0.76	0.89	3	27	3	—
Torpoint	7,236	32	30	—	—	62	8.6	1.50	0.83	63	19	42	5.8	1.49	0.69	1	16	—	—
Truro M.B.	13,120	81	101	5	5	192	14.6	1.01	0.95	80	82	162	12.3	1.01	0.99	6	31	2	5
Rural Districts	155,200	1,085	1,134	52	42	2,313	14.9	1.09	1.05	1,102	1,114	2,216	14.3	0.82	0.94	70	30	39	48
Camelford	7,347	47	43	7	4	97	13.2	1.11	0.95	58	57	115	15.7	0.80	1.00	2	20	2	2
Kerrier	21,760	171	144	7	6	328	15.1	1.03	1.00	153	147	300	13.8	0.88	0.97	7	21	4	5
Launceston	6,438	43	42	—	—	87	13.5	1.12	0.98	53	46	99	15.4	0.83	1.02	5	57	3	1
Liskeard	14,100	101	112	4	8	225	16.0	1.16	1.20	104	70	174	12.3	0.77	0.76	4	18	2	2
St. Austell	20,470	149	176	8	8	341	16.7	1.03	1.11	146	161	307	15.0	0.87	1.04	16	47	8	4
St. Germans	16,740	109	120	4	1	234	14.0	1.11	1.00	124	141	265	15.8	0.78	0.99	8	34	6	13
Scilly, Isles of	1,900	17	20	1	1	39	20.5	1.00	1.32	17	15	32	16.8	0.88	1.21	—	—	—	1
Straton	5,635	43	43	2	1	89	15.8	1.15	1.17	54	38	92	16.3	0.90	1.15	1	11	1	1
Truro	26,810	193	189	8	8	398	14.8	1.10	1.05	190	223	413	15.4	0.76	0.94	10	25	5	11
Wadebridge	16,010	86	116	5	1	208	13.0	1.13	0.95	90	105	195	12.2	0.89	0.87	8	38	4	5
West Penwith...	17,990	126	129	8	4	267	14.8	1.04	0.99	113	111	224	12.5	0.82	0.82	9	34	4	3
CUMBERLAND	282,000	2,361	2,263	111	98	4,833	17.1	1.05	1.16	1,915	1,838	3,753	13.3	1.02	1.09	154	32	91	146
County Borough :	67,070	566	548	31	29	1,174	17.5	1.03	1.16	447	479	926	13.8	1.09	1.20	30	25	16	46
*Carlisle	214,930	1,795	1,715	80	69	3,659	17.0	1.05	1.15	1,468	1,359	2,827	13.2	1.00	1.06	124	34	75	100
*Admin. County	85,900	747	680	37	25	1,489	17.3	1.02	1.14	570	568	1,138	13.2	1.03	1.09	48	32	27	40
Urban Districts	5,203	44	32	3	1	80	15.4	0.98	0.97	41	36	89	15.6	0.94	1.16	4	50	1	2
Cockermouth	4,797	31	15	5	—	51	10.6	1.00	0.68	33	56	163	13.4	0.79	1.18	—	—	—	2
Keswick	12,180	108	117	3	6	234	19.2	1.03	1.28	82	81	163	13.4	1.01	1.08	11	47	5	6
Maryport	10,620	89	81	3	3	176	16.6	1.04	1.11	70	70	140	13.2	0.92	0.97	5	28	4	—
Penrith	24,480	263	220	11	9	503	20.5	1.01	1.34	149	148	297	12.1	1.13	1.03	14	28	9	17
Whitehaven M.B.	28,620	212	215	12	6	445	15.5	1.03	1.03	195	174	369	12.9	1.08	1.11	14	31	8	13
Workington M.B.	129,030	1,048	1,035	43	44	2,170	16.8	1.08	1.17	898	791	1,689	13.1	0.98	1.03	76	35	48	60
*Rural Districts	2,260	19	17	1	—	37	16.4	1.11	1.17	19	22	41	18.1	0.85	1.23	1	27	1	—
*Alston with Garrigill	28,950	215	219	8	7	449	15.5	1.08	1.08	200	160	360	12.4	0.94	0.93	8	18	5	12
*Border...	19,560	145	144	2	10	301	15.4	1.07	1.07	119	115	234	12.0	0.96	0.92	12	40	10	9
Cockermouth...	29,640	269	284	9	9	571	19.3	1.09	1.36	208	193	401	13.5	1.07	1.16	26	45	10	11
Ennerdale	13,360	104	107	8	8	227	17.0	1.05	1.15	102	88	190	14.2	0.94	1.07	9	39	5	11
Millom	11,500	92	80	5	4	181	15.7	1.07	1.08	78	65	143	12.4	0.91	0.90	5	27	5	5
Penrith	23,760	204	184	10	6	404	17.0	1.08	1.18	172	148	320	13.5	1.00	1.08	15	37	12	12
Wigton																			

* Change of boundary. See Appendix on page 468.

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS.				DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.				
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.			Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
DERBYSHIRE	826,300	6,248	5,820	263	236	12,567	15.2	1.01	0.99	5,200	4,675	9,875	12.0	1.04	1.00	367	29	223	313
County Borough :																			
Derby ...	140,100	1,065	934	60	56	2,115	15.1	0.99	0.96	1,003	863	1,866	13.3	1.02	1.09	66	31	39	55
Admin. County ...	686,200	5,183	4,886	203	180	10,452	15.2	1.02	1.00	4,197	3,812	8,009	11.7	1.05	0.98	301	29	184	258
Urban Districts ...	360,700	2,718	2,554	118	91	5,481	15.2	1.01	0.99	2,297	2,105	4,402	12.2	1.04	1.02	169	31	96	134
Alfreton ...	23,170	172	148	6	6	332	14.3	1.04	0.96	134	127	261	11.3	1.07	0.97	8	24	5	4
Asbourne ...	5,378	33	45	—	—	81	15.1	1.09	1.06	38	44	82	15.2	0.96	1.17	—	—	—	—
Bakewell ...	3,393	23	21	1	2	47	13.9	1.06	0.95	12	20	32	9.4	0.83	0.62	1	21	—	6
Belper ...	15,690	128	81	4	2	215	13.7	0.98	0.87	93	95	188	12.0	0.95	0.91	7	32	3	3
Bolsover ...	10,750	87	95	3	2	187	17.4	1.03	1.16	55	50	105	9.8	1.18	0.93	7	37	4	4
Buxton M.B. ...	19,590	165	129	4	4	302	15.4	1.01	1.00	131	134	265	13.5	0.95	1.03	11	36	9	8
Chesterfield M.B. ...	67,820	473	427	28	14	942	13.9	0.97	0.87	450	389	839	12.4	1.09	1.08	36	38	19	29
Clay Cross ...	8,571	60	100	2	3	165	19.3	1.08	1.34	57	50	107	12.5	1.08	1.02	3	18	2	3
Dronfield ...	7,619	53	41	2	1	97	12.7	1.01	0.83	49	43	92	12.1	1.05	1.01	6	67	—	16
Glossop M.B. ...	17,900	145	135	8	9	297	16.6	1.07	1.15	155	161	316	17.7	0.79	1.12	13	44	9	9
Heanor ...	24,350	207	177	11	10	405	16.6	0.99	1.06	144	110	254	10.4	1.11	0.92	13	32	6	9
Ilkeston M.B. ...	33,640	283	283	8	4	578	17.2	0.98	1.09	218	171	389	11.6	1.17	1.09	14	24	6	9
Long Eaton ...	29,090	189	182	8	12	391	13.4	0.99	0.86	181	156	337	11.6	1.05	0.97	12	31	7	5
Matlock ...	18,470	114	141	5	6	266	14.4	1.08	1.00	110	134	244	13.2	0.96	1.01	7	26	5	5
New Mills ...	8,400	72	79	2	1	154	18.3	1.07	1.26	57	46	103	12.3	0.88	0.87	—	—	—	2
Ripley ...	18,070	140	142	1	5	288	15.9	1.03	1.06	124	89	213	11.8	1.06	1.00	9	31	8	7
Staveley ...	17,890	148	121	9	2	280	15.7	1.04	1.05	99	91	190	10.6	1.23	1.04	11	39	8	2
Swadlincote District ...	20,770	133	133	9	3	285	13.7	0.99	0.88	129	120	249	12.0	1.09	1.05	8	28	3	2
Whaley Bridge ...	5,280	38	42	3	3	84	15.9	1.03	1.06	35	45	80	15.2	0.96	1.17	1	12	1	2
Wirksworth ...	4,859	48	32	4	1	85	17.5	1.08	1.22	26	30	56	11.5	0.96	0.88	2	23	1	2
Rural Districts ...	325,500	2,465	2,332	85	89	4,971	15.3	1.03	1.02	1,900	1,707	3,607	11.1	1.06	0.94	132	26	88	124
Ashbourne ...	12,490	86	56	3	5	150	12.0	1.17	0.91	77	71	148	11.8	1.02	0.96	6	40	4	7
Bakewell ...	19,230	137	125	5	6	273	14.2	1.09	1.00	142	150	292	15.2	0.86	1.05	7	25	5	9
Belper ...	28,230	189	184	6	6	385	13.6	1.03	0.90	173	172	345	12.2	0.96	0.94	9	23	6	20
Blackwell ...	42,950	402	310	14	16	742	17.3	1.04	1.16	265	207	472	11.0	1.16	1.02	26	33	18	3
Chapel en le Frith ...	18,830	132	135	5	10	282	15.0	1.08	1.05	111	128	239	12.7	0.94	0.96	10	35	15	5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Chesterfield ...	75,680	566	553	14	23	1,156	15.3	1.01	1.00	456	381	837	11.1	1.10	0.98	33	28	21	34
Clowne ...	19,040	144	184	5	2	335	17.6	1.08	1.23	101	81	182	9.6	1.07	0.82	9	27	6	5
Repton ...	32,240	257	215	10	7	489	15.2	1.10	0.98	163	143	789	9.4	1.01	0.76	23	18	7	30
Shardlow ...	76,810	552	570	23	14	1,159	15.1	0.97	0.94	462	377	789	10.3	1.11	0.91	9	20	16	16
DEVON ...	804,300	5,512	5,376	334	304	11,526	14.3	1.08	1.00	5,823	5,765	11,508	14.4	0.83	0.96	345	30	234	280
*County Boroughs ...	295,280	2,184	2,168	159	155	4,666	15.8	1.04	1.06	1,936	1,795	3,731	12.6	1.01	1.02	154	33	101	119
Exeter ...	76,200	510	512	32	33	1,087	14.3	1.00	0.92	531	529	1,060	13.0	0.90	1.00	33	30	24	32
*Plymouth ...	219,080	1,674	1,656	127	122	3,579	16.3	1.05	1.10	1,405	1,266	2,671	12.2	1.06	1.03	121	34	77	87
*Admin. County ...	509,020	3,328	3,208	175	149	6,860	13.5	1.10	0.96	3,887	3,970	7,857	15.4	0.76	0.94	191	28	133	161
Urban Districts ...	262,800	1,595	1,614	94	82	3,385	12.9	1.07	0.89	2,185	2,323	4,508	17.2	0.71	0.98	99	29	67	78
Ashburton ...	2,685	30	18	1	2	51	19.0	1.09	1.34	21	21	42	15.6	0.79	0.99	2	39	3	3
Aminster ...	2,674	17	14	2	—	33	12.3	1.05	0.83	14	28	42	15.7	0.89	1.12	2	60	2	—
Barnstaple M.B. ...	16,110	128	126	7	2	263	16.3	0.99	1.04	125	116	241	15.0	0.79	0.95	10	38	9	10
Bideford M.B. ...	10,200	72	87	4	4	167	16.4	1.08	1.14	102	85	187	18.3	0.80	0.97	3	18	2	5
Brixham ...	8,720	41	54	4	3	102	11.7	1.09	0.82	69	75	144	16.5	0.76	1.01	1	10	1	2
Buckfastleigh ...	2,575	23	17	1	—	41	15.9	1.21	1.24	38	25	63	24.5	0.73	1.43	2	48	—	2
Buckfield Salterton ...	3,788	25	16	—	—	42	11.1	1.20	0.86	39	40	79	20.9	0.56	0.94	1	24	—	1
Credon ...	4,146	28	26	3	—	55	13.3	1.04	0.89	36	40	76	18.3	0.82	1.20	1	18	—	1
Dartmouth M.B. ...	6,131	36	44	3	1	84	13.7	1.15	1.02	64	54	118	19.2	0.84	1.29	2	24	2	2
Dawlish ...	7,084	40	41	1	—	83	11.7	1.15	0.87	47	67	114	16.1	0.70	0.90	2	24	2	1
Exmouth ...	17,160	98	100	4	6	208	12.1	1.06	0.83	156	178	334	19.5	0.65	1.01	4	19	3	4
Great Torrington M.B. ...	2,818	18	18	3	—	40	14.2	1.05	0.96	22	23	42	16.0	0.79	1.01	1	25	1	2
Holsworthy ...	1,527	14	11	—	—	25	16.4	1.05	1.11	7	12	19	12.4	0.74	0.73	—	—	—	4
Honiton M.B. ...	4,354	33	28	—	—	61	14.0	1.36	1.23	20	23	43	9.9	0.97	0.77	—	16	—	2
Ilfracombe ...	9,105	51	52	2	4	109	12.0	1.10	0.85	79	77	156	17.1	0.69	0.94	6	55	2	2
Kingsbridge ...	3,144	24	26	—	2	52	16.5	1.02	1.09	37	24	61	19.4	0.76	1.18	—	—	—	—
Lynton ...	1,897	9	11	—	—	20	10.5	0.97	0.66	16	16	32	16.9	0.76	1.03	—	50	—	—
Newton Abbot ...	16,580	110	107	2	9	228	13.8	1.06	0.94	136	153	289	17.4	0.80	1.11	7	31	2	4
Northam ...	6,549	50	46	2	—	100	15.3	1.04	1.03	51	47	98	15.0	0.74	0.89	4	40	3	3
Okehampton M.B. ...	3,929	22	27	—	—	49	12.5	0.98	0.79	26	32	58	14.8	0.80	0.95	1	20	—	5
Ottery St. Mary ...	3,949	28	29	1	1	59	14.9	1.08	1.04	36	29	65	16.5	0.75	0.99	3	51	—	—
Paignton ...	25,300	112	116	6	4	238	9.4	1.09	0.66	202	259	461	18.2	0.64	0.93	4	17	3	4
Salcombe ...	2,433	15	16	—	1	32	13.2	1.10	0.94	18	18	36	14.8	0.66	0.78	—	—	—	—
Seaton ...	2,871	16	11	—	1	29	10.1	1.08	0.70	35	33	68	23.7	0.58	1.10	—	—	—	—
Sidmouth ...	9,795	54	43	3	7	107	10.9	1.15	0.81	86	94	180	18.4	0.59	0.87	2	19	2	2
South Molton M.B. ...	3,115	20	27	3	1	51	16.4	1.18	1.25	35	16	51	16.4	0.78	1.02	3	58	—	—
Taivstock ...	6,181	27	33	1	1	62	10.0	1.16	1.25	43	40	83	13.4	0.73	0.78	4	64	4	—
Teignmouth ...	10,520	67	68	—	2	137	13.0	1.12	0.94	95	100	195	18.5	0.62	0.92	5	36	5	6
Tiverton M.B. ...	11,210	69	87	7	3	166	14.8	1.08	1.03	82	72	154	13.7	0.87	0.95	10	60	5	2
Torquay M.B. ...	50,650	287	279	34	22	622	12.3	1.04	0.83	407	483	890	17.6	0.69	0.97	16	26	13	16
Totnes M.B. ...	5,600	31	36	—	—	69	12.3	1.00	0.79	41	43	84	15.0	0.80	0.96	1	14	—	—
*Rural Districts ...	246,220	1,733	1,594	81	67	3,475	14.1	1.13	1.03	1,702	1,647	3,349	13.6	0.81	0.88	92	26	66	83
Ashminster ...	11,610	80	67	3	3	153	13.2	1.11	0.95	77	77	156	13.4	0.71	0.76	5	32	4	4
Barnstaple ...	23,150	171	153	4	7	335	14.5	1.10	1.03	148	166	314	13.6	0.79	0.86	8	24	7	8
Bideford ...	5,378	37	43	—	3	83	15.4	1.07	0.96	36	27	61	11.7	0.80	0.75	1	12	1	1
Broadwood Widger ...	2,011	7	7	—	—	28	13.9	1.08	0.97	10	11	21	10.4	0.96	0.80	2	71	1	1
Credon ...	9,869	93	69	3	8	173	17.5	1.16	1.31	83	63	146	14.8	0.81	0.96	6	34	6	1

* Change of boundary. See Appendix on page 468.

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS.					DEATHS.					Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.				
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.			Comparability Factor.	Ratio of local to National Rate.	Deaths under 1 year.	
																		Number.	Rate per 1,000 Live Births.
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
DEVON— <i>contid.</i> Rural Districts— <i>contid.</i>																			
Holworthy ...	6,045	34	43	—	2	79	13.1	1.15	0.97	53	45	98	16.2	0.80	1.04	3	38	—	3
Honiton ...	7,038	58	53	—	—	113	16.1	1.16	1.20	52	51	103	14.6	0.82	0.96	1	9	—	3
Kingsbridge ...	11,340	92	85	4	4	185	16.3	1.09	1.13	85	74	159	14.0	0.75	0.84	3	16	3	3
Newton Abbot ...	25,570	187	153	10	3	353	13.8	1.10	0.98	191	202	393	15.4	0.77	0.95	6	17	4	2
Okehampton ...	12,520	87	77	5	3	172	13.7	1.19	1.05	100	107	207	16.5	0.76	1.01	8	46	4	2
*Plympton St. Mary ...	32,240	211	194	15	9	429	13.3	1.07	0.92	228	193	421	13.1	0.89	0.93	10	23	8	12
St. Thomas ...	31,800	192	205	15	9	421	13.2	1.26	1.07	197	187	384	12.1	0.84	0.81	14	33	12	1
South Molton ...	9,207	64	53	3	2	122	13.3	1.15	0.99	60	57	117	12.7	0.88	0.89	3	24	1	1
Tavistock ...	16,240	111	92	4	5	212	13.1	1.12	0.95	126	133	259	15.9	0.80	1.02	6	28	5	3
Tiverton ...	20,750	161	165	5	5	336	16.2	1.10	1.15	119	123	242	11.7	0.84	0.79	11	33	7	7
Torrington ...	7,412	50	48	2	3	103	13.9	1.20	1.08	41	40	81	10.9	0.84	0.73	2	19	2	5
Totnes ...	14,040	85	87	5	1	178	12.7	1.11	0.91	96	89	185	13.2	0.78	0.82	3	17	—	8
DORSET :																			
Admin. County ...	296,300	2,105	2,001	131	110	4,347	14.7	1.11	1.05	1,913	1,965	3,878	13.1	0.85	0.89	116	27	80	89
Urban Districts ...																			
Blandford Forum M.B. ...	183,500	1,250	1,191	80	67	2,588	14.1	1.08	0.98	1,184	1,302	2,486	13.5	0.85	0.92	78	30	58	49
Bridport M.B. ...	3,557	30	31	2	2	65	18.3	1.03	1.22	28	35	63	17.7	0.81	1.15	1	15	1	1
Dorchester M.B. ...	6,271	44	51	3	3	101	16.1	1.05	1.09	42	60	102	16.3	0.75	0.98	4	39	2	4
Lynne Regis M.B. ...	11,520	79	69	6	2	156	13.5	1.05	0.91	72	77	149	12.9	0.89	0.92	3	19	3	2
Poole M.B. ...	3,096	23	16	1	1	41	13.2	1.08	0.92	22	34	56	18.1	0.71	1.03	0	48	1	18
Poole M.B. ...	83,000	595	562	36	37	1,230	14.8	1.03	0.98	534	589	1,123	13.5	0.84	0.91	39	32	30	1
Portland ...	15,100	71	68	2	—	141	9.3	1.66	1.00	76	58	134	8.9	1.36	0.97	6	42	6	4
Shaftesbury M.B. ...	3,494	36	24	—	1	61	17.5	1.16	1.31	25	30	55	15.7	0.73	0.92	1	16	—	2
Sherborne ...	7,145	32	39	2	—	73	10.2	1.38	0.91	35	35	97	13.6	0.98	1.07	6	82	5	3
Swanage ...	6,775	33	30	—	5	70	10.3	1.13	0.75	39	56	95	14.0	0.72	0.81	1	14	—	1
Wareham M.B. ...	2,733	21	13	3	1	38	13.9	1.08	0.97	15	17	32	11.7	0.75	0.70	—	—	—	9
Weymouth and Melcombe Regis M.B. ...	36,250	260	266	21	14	561	15.5	1.00	1.00	266	244	510	14.1	0.81	0.91	14	25	9	9
Wimborne Minster ...	4,559	26	22	—	1	51	11.2	1.15	0.83	30	40	70	15.4	0.71	0.87	1	19	—	2

(T)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rural Districts ...	112,800	855	810	51	43	1,759	15.6	1.16	1.17	729	663	1,392	12.3	0.86	0.85	38	21	22	40
Beaminster ...	8,160	69	61	2	2	134	16.4	1.11	1.17	65	53	111	14.5	0.80	0.93	1	7	1	3
Blandford ...	12,520	109	92	7	3	211	16.9	1.63	1.78	52	56	116	14.5	1.24	0.92	5	24	3	10
Brildord ...	7,670	57	37	2	1	97	12.6	1.15	0.93	55	56	111	14.5	0.70	0.81	—	—	—	3
Dorchester ...	17,560	131	115	11	12	269	15.3	1.18	1.16	114	92	281	11.7	0.87	0.81	7	26	2	3
Shaftesbury ...	10,120	69	74	6	3	152	15.0	1.18	1.14	50	56	106	10.5	0.79	0.66	5	33	4	5
Sherborne ...	6,030	60	37	3	—	100	16.6	0.90	0.96	42	37	79	13.1	0.93	0.97	3	30	1	4
Sturminster ...	9,490	72	87	3	3	165	17.4	1.11	1.25	75	62	137	14.4	1.04	0.85	5	30	3	3
Vareham and Purbeck ...	19,710	158	155	6	7	326	16.5	1.07	1.14	114	105	217	11.1	1.04	0.92	4	12	2	3
Wimborne and Cranborne ...	21,540	130	152	11	12	305	14.2	1.17	1.07	162	138	300	13.9	0.75	0.83	8	26	6	6
DURHAM ...	1,457,000	12,921	12,152	464	458	25,995	17.8	1.02	1.17	9,932	8,277	18,209	12.5	1.12	1.12	1,063	41	604	653
*County Boroughs ...	556,000	5,077	4,761	207	211	10,256	18.4	1.00	1.19	3,794	3,316	7,101	12.8	1.11	1.14	393	38	220	245
Darlington ...	84,770	633	586	32	42	1,293	15.3	1.00	0.99	557	494	1,051	12.4	1.03	1.02	37	28	20	37
Gateshead ...	114,700	1,092	1,007	37	37	2,173	18.9	0.98	1.19	802	718	1,520	13.3	1.16	1.23	96	44	54	41
*South Shields ...	106,670	932	895	55	40	1,922	18.0	0.98	1.14	757	620	1,377	12.9	1.08	1.11	78	40	48	48
*Sunderland ...	177,630	1,685	1,668	60	58	3,471	19.5	1.01	1.27	1,178	1,064	2,242	12.6	1.13	1.14	133	38	76	93
West Hartlepool ...	72,230	735	605	23	34	1,397	19.3	1.03	1.28	500	420	920	12.7	1.12	1.14	49	35	22	26
*Admin. County ...	901,000	7,844	7,391	257	247	15,739	17.5	1.03	1.16	6,138	4,961	11,099	12.3	1.13	1.11	670	42	384	408
*Urban Districts ...	618,350	5,450	5,130	184	175	10,939	17.7	1.02	1.16	4,181	3,511	7,692	12.4	1.13	1.12	460	42	260	282
Barnard Castle ...	4,606	35	24	2	3	64	13.9	1.05	0.94	42	42	84	18.2	0.79	1.15	2	47	3	2
Billingham ...	23,770	241	217	15	8	481	20.2	0.98	1.28	129	88	217	9.1	1.54	1.12	20	41	7	14
Bishop Auckland ...	35,910	343	307	13	14	677	18.9	0.97	1.18	266	257	523	14.6	1.02	1.19	24	35	10	7
Blaydon ...	30,500	249	217	12	5	483	15.8	1.04	1.06	208	170	378	12.4	1.12	1.12	18	37	12	13
*Boldon ...	16,870	149	143	1	5	298	17.7	1.03	1.18	118	91	209	12.4	1.03	1.02	10	33	5	4
Brandon and Byshtotles ...	19,620	164	168	7	4	343	17.5	1.06	1.20	121	127	248	12.6	1.09	1.10	18	52	9	8
Chester le Street ...	18,210	147	124	7	5	283	15.5	1.02	1.02	148	103	251	13.8	1.08	1.19	10	35	5	5
Consett ...	39,020	322	317	6	6	651	16.7	1.02	1.10	246	189	435	11.1	1.12	0.99	23	35	17	15
Crook and Willington ...	27,520	194	185	10	5	394	14.3	1.05	0.97	207	165	372	13.5	1.01	1.09	17	43	9	7
Durham M.B. ...	20,240	137	138	7	5	287	14.2	1.13	1.04	109	115	224	11.1	1.11	0.99	14	48	6	7
Felling ...	25,190	227	210	5	4	446	17.7	0.97	1.11	158	146	304	13.1	1.13	1.09	12	27	4	16
Hartlepool M.B. ...	16,990	194	183	5	13	395	23.2	1.04	1.56	124	98	224	12.1	1.16	1.22	22	55	14	15
Hebburn ...	23,400	245	191	9	5	450	19.4	0.97	1.21	162	109	271	11.7	1.24	1.16	23	51	11	18
Hetton ...	18,380	144	160	5	2	311	16.9	1.05	1.14	139	117	256	13.9	1.16	1.29	12	38	6	6
Houghton le Spring ...	30,600	282	312	6	4	604	19.7	1.05	1.33	193	147	340	11.1	1.12	0.99	18	30	10	13
Jarrow M.B. ...	28,560	234	206	9	4	493	17.3	0.99	1.10	202	192	375	13.8	1.21	1.34	31	63	16	11
Ryton ...	73,680	115	106	2	4	227	16.6	1.01	1.08	101	74	194	12.8	1.05	1.08	10	44	7	1
Seaham ...	25,920	234	221	5	6	467	18.0	1.05	1.22	157	135	292	11.3	1.22	1.10	21	6	5	13
Shildon ...	14,420	113	128	6	6	253	17.5	1.03	1.16	102	93	195	13.5	1.06	1.14	12	47	9	5
Spennymoor ...	19,740	186	168	7	5	366	18.5	1.02	1.22	129	123	252	12.8	1.15	1.18	14	38	9	16
Stanley ...	48,110	388	373	13	12	786	16.3	1.06	1.11	330	229	559	11.6	1.11	1.03	31	39	14	20
*Stockton on Tees M.B. ...	73,680	713	642	26	33	1,414	19.2	1.01	1.26	535	427	962	13.1	1.14	1.19	77	54	48	36
Tow Law ...	3,164	27	29	1	2	61	19.3	1.05	1.31	107	26	43	13.6	1.05	1.23	6	98	4	3
Washington ...	17,720	178	146	3	6	331	18.7	1.03	1.24	108	113	221	12.5	1.23	1.14	14	42	9	13
Whickham ...	22,790	189	175	2	8	374	16.4	0.99	1.05	130	135	265	11.6	1.13	1.05	11	29	10	6
*Rural Districts ...	282,650	2,394	2,261	73	72	4,800	17.0	1.05	1.15	1,957	1,450	3,407	12.7	1.14	1.10	210	43	124	126
Barnard Castle ...	17,860	141	112	16	2	268	14.8	1.16	1.11	135	110	245	13.1	1.06	1.16	9	34	5	15
Chester le Street ...	40,670	357	324	5	12	698	17.2	1.01	1.12	269	227	496	12.2	1.13	1.10	32	46	16	16

* Change of boundary. See Appendix on page 468.

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.				
		Legitimate.			Illegitimate.			TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.			Comparability Factor.	Ratio of adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.
		M.	F.	M.	F.																
(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)			
DURHAM—contd.																					
Rural Districts—contd.																					
Darlington	12,040	101	94	5	3	203	16.9	1.02	1.11	74	53	127	10.5	0.95	0.80	8	39	3	3		
Durham	33,560	279	288	15	11	593	17.7	1.03	1.18	209	188	397	11.8	1.19	1.12	28	47	15	11		
Easington	81,700	755	685	16	12	1,468	18.0	1.06	1.23	576	369	945	11.6	1.26	1.17	58	39	40	37		
Lanchester	15,300	103	122	4	5	234	15.3	1.16	1.15	118	81	199	13.0	1.06	1.10	16	68	11	7		
Sedgefield	36,140	273	275	9	11	568	15.7	1.05	1.06	242	178	420	11.6	1.14	1.06	20	35	10	25		
*Stockton	8,405	84	65	3	3	155	18.4	1.03	1.22	60	46	106	10.6	1.02	1.03	8	51	5	4		
*Sunderland	27,880	258	240	3	10	511	18.3	1.02	1.20	185	123	308	11.0	1.12	0.99	24	47	16	8		
Weardale	9,095	43	56	3	3	105	11.5	1.12	0.83	89	75	164	18.0	0.90	1.30	7	66	3	3		
ELY, ISLE OF: Admin. County																					
Urban Districts	88,210	708	669	30	45	1,452	16.5	1.06	1.13	547	480	1,027	11.6	0.95	0.88	41	28	27	39		
Chatteris	54,210	426	406	16	29	877	16.2	1.05	1.10	333	298	631	11.6	0.95	0.88	21	24	13	23		
Ely	5,473	48	50	1	1	100	18.3	1.08	1.28	34	25	89	10.8	0.88	0.76	2	20	1	4		
March	10,010	76	61	3	4	147	14.7	1.05	1.00	61	57	118	11.8	0.96	0.91	4	27	3	4		
Whittlesey	12,970	83	82	—	4	169	13.0	1.07	0.90	75	64	139	10.7	1.02	0.87	4	24	2	4		
Wisbech	8,567	75	78	—	5	159	18.6	1.02	1.22	55	38	93	10.9	0.99	0.86	4	23	3	4		
Wisbech M.B.	17,190	144	135	11	12	302	17.6	1.05	1.19	108	114	222	12.9	0.89	0.92	7	23	4	7		
Rural Districts	34,000	282	263	14	16	575	16.9	1.07	1.17	214	182	396	11.6	0.95	0.88	20	35	14	16		
Ely	14,480	121	109	5	7	242	16.7	1.09	1.17	94	90	184	12.7	0.90	0.90	9	37	5	8		
North Witchford	4,922	43	34	2	—	79	16.1	1.08	1.12	22	27	49	10.0	0.90	0.72	1	13	—	2		
Thorney	2,308	26	24	1	2	53	23.0	0.92	1.37	10	7	18	7.8	1.20	0.75	2	38	2	2		
Wisbech	12,290	92	96	6	7	201	16.4	1.07	1.13	88	57	145	11.8	0.98	0.93	8	40	7	4		
ESSEX																					
County Boroughs	2,043,000	14,798	14,054	630	574	30,056	14.7	0.98	0.93	11,755	10,874	22,629	11.1	1.00	0.89	666	22	453	662		
County Boroughs	442,100	3,308	3,113	166	156	6,743	15.3	0.97	0.96	2,847	2,754	5,601	12.7	0.99	1.01	159	23	104	146		
East Ham	120,500	850	820	36	25	1,731	14.4	0.95	0.88	758	675	1,433	11.9	1.04	0.99	32	38	24	35		
Southeast-on-Sea	151,500	1,036	922	58	62	2,078	13.7	1.02	0.90	1,027	1,146	2,173	14.3	0.82	0.94	53	35	37	46		
West Ham	170,100	1,422	1,371	72	69	2,934	17.2	0.96	1.07	1,062	933	1,995	11.7	1.15	1.08	74	25	43	63		

Admin. County	11,490	10,941	464	418	23,313	14.6	0.99	0.93	8,908	8,120	17,028	10.6	1.01	0.86	507	22	349	516
Urban Districts	1,373,600	9,786	371	341	19,896	14.5	0.97	0.91	7,460	6,754	14,214	10.3	1.05	0.87	449	22	306	454
Barking M.B.	77,550	549	13	21	1,162	15.0	0.96	0.93	397	333	730	9.4	1.34	1.01	18	15	13	20
Benfleet	19,760	114	7	4	242	12.2	0.92	0.88	162	141	303	15.3	0.73	0.89	7	29	5	6
Billerica	43,500	337	23	16	697	16.0	1.11	1.15	330	284	614	14.1	0.79	0.89	16	23	10	21
Blairney and Bocking	17,520	117	5	7	239	13.6	0.98	0.86	123	103	226	12.9	0.86	0.89	3	12	2	6
Brentwood	30,380	203	8	9	425	14.0	1.17	1.06	147	157	304	10.0	0.90	0.72	14	33	9	7
Brightlingsea	4,534	27	23	2	52	11.5	1.17	0.87	44	40	84	18.5	0.64	0.95	1	19	1	1
Burnham on Crouch	3,876	26	25	—	51	13.2	1.15	0.98	31	23	54	13.9	0.75	0.83	—	—	—	1
Canvey Island	11,050	90	105	5	205	18.6	1.11	1.33	85	72	157	14.2	0.80	0.91	3	15	3	1
Chelmsford M.B.	37,690	297	241	12	566	15.0	0.96	0.93	200	188	388	10.3	1.02	0.84	16	28	12	9
Chigwell	53,160	441	18	7	881	16.6	0.93	1.00	197	194	391	7.4	1.02	0.60	14	16	10	20
Chingford M.B.	48,330	283	302	5	596	12.3	0.93	0.74	214	209	423	8.8	1.20	0.84	14	23	8	9
Cleaton	23,980	152	106	11	282	11.8	1.13	0.86	188	184	372	15.5	0.70	0.87	6	21	6	11
Colchester M.B.	60,570	407	386	30	841	13.9	1.04	0.93	316	303	619	10.2	0.97	0.79	24	28	16	25
Dagenham M.B.	113,400	809	873	26	1,725	15.2	0.95	0.93	497	344	841	7.4	1.64	0.97	52	30	36	26
Epping	6,872	50	47	1	1,799	14.4	0.97	0.90	39	38	77	11.2	0.85	0.76	2	20	2	3
Frinton and Walton	8,136	39	40	1	81	10.0	1.11	0.72	58	70	128	15.7	0.71	0.89	3	27	3	6
Halstead	6,083	47	35	1	86	14.1	1.03	0.94	50	27	77	12.7	0.81	0.82	3	37	1	1
Harwich M.B.	14,390	114	92	1	212	14.7	1.09	1.03	71	73	144	14.0	1.08	0.86	5	23	3	12
Hornchurch	103,800	731	756	10	1,513	14.6	0.95	0.89	496	430	926	8.9	1.18	0.84	26	17	17	32
Ilford M.B.	181,600	1,166	36	35	2,355	13.0	0.92	0.77	942	893	1,835	10.1	1.06	0.86	50	21	40	59
Leyton M.B.	104,700	648	30	19	1,297	12.4	0.94	0.75	696	666	1,362	13.0	0.96	1.00	27	21	17	32
Maldon M.B.	9,654	72	67	2	127	12.2	1.10	0.98	71	66	137	14.2	0.75	0.85	3	20	2	4
Rayleigh	9,320	52	69	3	156	13.5	1.11	0.97	65	53	101	14.1	0.76	0.86	—	—	—	3
Romford M.B.	89,340	860	31	33	1,732	13.4	0.93	1.16	407	358	760	8.5	1.20	0.83	42	24	31	38
Saffron Walden M.B.	7,186	61	39	2	104	14.5	0.99	0.93	43	49	92	12.8	0.81	0.83	1	10	1	4
Thurrock	82,320	706	34	27	1,436	17.4	0.98	1.10	442	345	787	9.6	1.17	0.90	49	34	26	32
Waltham Holy Cross	8,210	55	70	2	150	15.8	1.01	1.03	47	43	92	11.2	1.00	0.90	8	11	4	4
Waltham M.B.	120,900	815	768	21	1,656	13.5	0.96	0.84	668	641	1,309	10.8	1.04	0.90	37	22	23	37
Westward and Woodford M.B.	61,850	387	355	22	12	12.5	0.97	0.78	349	339	688	11.1	0.96	0.85	11	14	6	21
West Mersea	2,991	30	13	—	75	11.7	1.11	0.84	32	15	57	12.4	0.68	0.67	—	—	—	1
Widham	8,548	59	6	3	123	14.4	1.06	0.98	37	39	76	8.9	1.02	0.73	1	8	1	2
Wivenhoe	2,400	22	19	1	44	18.3	1.07	1.26	26	24	50	20.8	0.74	1.23	1	23	1	—
Rural Districts	227,300	1,704	93	77	3,417	15.0	1.07	1.04	1,448	1,366	2,814	12.4	0.82	0.81	58	17	43	62
Braintree	16,140	52	132	5	288	16.4	0.97	1.03	118	135	253	13.9	0.77	0.86	1	3	—	2
Chelmsford	36,120	340	23	19	588	15.1	1.00	0.97	212	201	415	10.6	0.89	0.75	16	27	15	14
Dunmow	18,730	149	17	8	308	16.4	1.14	1.21	99	118	217	11.6	0.89	0.83	7	23	5	4
Epping	20,630	164	3	5	363	17.7	1.03	1.18	126	115	245	11.9	0.95	0.90	8	22	5	5
Halstead	17,060	105	7	3	225	13.2	1.12	0.95	104	115	219	12.8	0.74	0.76	2	9	2	4
Lexden and Winstree	22,740	144	17	9	292	12.8	1.11	0.92	160	152	312	13.7	0.76	0.83	2	7	2	9
Maldon	14,840	118	122	6	251	16.9	1.15	1.25	106	109	215	14.5	0.77	0.87	3	12	2	6
Ngar	14,640	129	9	4	240	16.4	1.10	1.16	97	67	164	11.2	0.97	0.89	1	29	5	1
Roehampton	19,010	114	118	7	243	12.8	1.09	0.90	118	109	227	11.9	0.76	0.72	5	20	2	8
Saffron Walden	17,540	134	4	5	258	14.7	1.13	1.07	129	114	243	13.9	0.81	0.90	5	19	4	7
Tendring	24,830	169	6	10	348	14.0	1.12	1.01	179	127	306	12.3	0.79	0.78	2	6	1	2

* Change of boundary. See Appendix on page 468.

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS.					DEATHS.					Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.				
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.			Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number	Rate per 1,000 Live Births.
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
*GLOUCESTERSHIRE	945,250	7,177	6,791	373	319	14,660	15.5	1.01	1.01	5,825	5,810	11,635	12.3	0.96	0.94	360	24	238	339
*County Boroughs	511,470	3,850	3,745	175	168	7,938	15.5	0.99	0.99	3,226	3,214	6,440	12.6	0.98	0.99	181	23	120	178
*Bristol ...	441,650	3,302	3,232	145	134	6,813	15.4	0.99	0.98	2,783	2,840	5,623	12.7	0.97	0.99	140	20	92	152
*Gloucester	69,820	548	513	30	34	1,125	16.1	0.98	1.02	443	374	817	11.7	1.04	0.97	41	36	28	26
*Admin. County	433,780	3,327	3,046	198	151	6,772	15.5	1.04	1.04	2,599	2,596	5,195	12.0	0.95	0.91	179	26	118	161
Urban Districts	143,700	1,085	1,007	74	52	2,218	15.4	1.02	1.01	924	991	1,915	13.3	0.90	0.96	71	32	47	53
Charlton Kings	5,795	30	27	6	1	64	11.0	1.07	0.76	54	44	98	16.9	0.76	1.03	4	62	3	3
Cheltenham M.B.	65,080	518	492	42	31	1,083	16.6	1.03	1.10	417	487	904	13.9	0.88	0.98	36	33	21	26
Cirencester	11,450	84	100	2	7	193	16.9	1.03	1.12	67	69	136	11.9	0.90	0.86	6	31	5	5
Kingswood	18,750	125	108	3	1	237	12.6	1.01	0.82	134	118	252	13.4	1.03	1.10	9	38	7	6
Mangotsfield	17,830	114	111	2	3	230	12.9	1.69	1.41	90	109	199	11.2	0.99	0.89	8	35	7	5
Nailsworth	3,632	39	19	—	1	59	16.2	1.07	1.12	22	22	44	12.1	0.82	0.79	1	17	—	1
Stroud	15,930	124	101	12	8	245	15.4	1.03	1.02	108	109	217	13.6	0.85	0.92	6	24	4	3
Tewkesbury M.B.	5,233	51	49	7	—	107	20.4	1.01	1.33	32	33	65	12.4	0.85	0.84	1	9	—	3
Rural Districts	290,080	2,242	2,039	124	99	4,504	15.5	1.05	1.05	1,675	1,605	3,280	11.3	0.97	0.88	108	24	71	108
Cheltenham	22,940	189	181	6	8	384	16.7	1.01	1.09	123	123	246	10.7	0.93	0.80	6	16	3	4
Cirencester	16,370	141	133	11	8	293	17.9	0.98	1.13	86	86	172	10.7	0.99	0.83	7	24	2	3
Dursley	16,890	121	116	4	2	243	14.4	1.08	1.00	86	95	181	10.7	0.96	0.82	4	16	3	9
East Dean	20,420	180	155	11	8	354	17.3	1.04	1.16	125	110	235	11.5	1.02	0.94	11	31	6	9
*Gloucester	37,640	253	216	22	11	502	13.3	1.04	0.89	186	171	357	9.5	1.02	0.78	10	20	8	15
Lydney	11,880	94	86	6	4	190	16.0	1.15	1.19	83	51	134	11.3	1.01	0.91	4	21	2	5
Newent	8,220	64	54	3	6	127	15.5	1.12	1.12	48	48	96	11.7	0.83	0.78	4	31	3	1
North Cotswold	21,900	172	175	18	9	374	17.1	1.11	1.22	132	137	269	12.3	0.91	0.90	9	24	8	9
Northleach	8,530	67	89	7	2	165	19.3	1.07	1.33	47	37	84	9.8	0.85	0.67	2	12	1	2
Sodbury	37,880	319	283	6	15	623	16.4	1.00	1.06	193	172	365	9.6	1.11	0.85	11	18	9	17
Stroud	26,790	208	167	12	9	396	14.8	1.06	1.01	177	212	389	14.5	0.83	0.96	12	30	7	13
Tetbury	6,870	61	57	2	3	123	17.9	1.20	1.39	33	46	79	11.5	0.99	0.91	5	40	3	7
Thornbury	25,410	175	169	7	8	359	14.1	1.07	0.97	164	153	317	12.5	1.03	1.03	13	36	9	10
Warmley	10,350	68	54	2	1	125	12.1	0.97	0.76	49	58	107	10.3	0.98	0.81	2	16	2	1
West Dean	17,990	130	104	7	5	246	13.7	1.10	0.97	143	106	249	13.8	0.97	1.07	8	32	5	8

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
HEREFORDSHIRE :	126,600	1,005	963	75	63	2,106	16.6	1.07	1.15	794	756	1,550	12.2	0.88	0.86	70	33	48	48
Admin. County
Urban Districts ...	50,880	411	394	27	22	854	16.8	0.98	1.06	324	345	669	13.1	0.90	0.94	29	34	18	25
Bromyard ...	1,670	13	17	1	1	33	19.8	1.06	1.35	9	6	25	15.0	0.88	1.06	1	30	—	—
Hereford M.B. ...	32,100	236	246	17	12	513	16.0	0.95	0.98	203	216	415	12.9	0.96	0.99	22	43	14	16
Kington ...	1,883	16	6	—	—	33	11.7	1.03	0.78	77	31	28	13.8	0.82	0.91	—	—	—	—
Ledbury ...	3,676	34	27	2	2	65	17.7	1.05	1.20	271	31	58	15.8	0.78	0.99	3	46	2	—
Leominster M.B. ...	6,206	57	55	5	5	118	19.0	1.02	1.25	31	35	68	16.6	0.84	0.71	2	17	1	—
Ross on Wye ...	5,345	55	43	2	3	103	19.3	1.06	1.32	37	42	79	14.8	0.79	0.94	1	10	1	7
Rural Districts ...	75,720	594	569	48	41	1,252	16.5	1.14	1.21	470	411	881	11.6	0.86	0.80	41	33	30	23
Bromyard ...	7,080	65	48	8	1	122	17.2	1.17	1.30	39	44	83	11.7	0.84	0.79	4	33	3	3
Dore and Bredwardine ...	8,644	75	74	9	4	162	18.7	1.14	1.38	59	73	96	11.1	0.88	0.78	6	37	5	3
Hereford ...	17,540	114	105	7	6	232	13.2	1.16	0.99	84	73	157	9.0	0.98	0.71	5	21	1	—
Kington ...	4,933	39	43	5	2	89	18.0	1.16	1.35	34	33	67	13.6	0.78	0.85	3	34	2	6
Ledbury ...	8,695	69	69	2	10	150	17.3	1.17	1.31	56	47	103	11.8	0.89	0.84	8	53	4	5
Leominster and Wignmore ...	10,650	77	83	3	11	174	16.3	1.14	1.20	72	61	133	12.5	0.78	0.78	5	29	4	1
Ross and Whitechurch ...	11,660	96	73	7	5	191	16.4	1.14	1.21	83	83	166	14.2	0.79	0.90	8	42	7	3
Woolley ...	6,518	59	64	7	2	132	20.3	1.01	1.32	43	53	76	11.7	0.86	0.80	2	15	2	—
HERTFORDSHIRE :	618,700	4,565	4,222	208	174	9,169	14.8	0.99	0.95	3,255	3,247	6,502	10.5	1.00	0.84	222	24	157	208
Admin. County
*Urban Districts ...	436,130	3,163	2,928	146	116	6,353	14.6	0.97	0.91	2,387	2,445	4,832	11.1	0.99	0.88	156	24	109	155
Baldock ...	6,022	42	43	6	1	92	15.3	0.96	0.95	21	34	55	9.1	1.22	0.89	2	22	2	—
Barret ...	24,680	154	145	9	7	315	12.8	0.92	0.76	135	147	282	11.4	0.98	0.89	8	25	5	11
Berkhamsted ...	11,300	70	73	6	2	151	13.4	1.16	1.00	88	94	182	16.1	1.04	1.34	6	30	2	—
Bishop's Stortford ...	13,270	88	81	8	2	179	13.5	1.03	0.90	92	68	160	12.1	0.86	0.83	2	17	1	4
Bushey ...	16,060	111	110	7	6	234	14.6	1.05	0.99	70	90	160	10.0	1.08	0.86	9	38	7	—
Chechunt ...	23,290	194	192	6	2	394	16.9	0.97	1.06	105	117	222	9.5	0.85	0.65	11	28	9	11
Chorleywood ...	4,480	26	27	3	—	56	12.5	1.06	0.85	23	15	38	8.5	0.84	0.57	—	—	—	—
East Barnet ...	40,410	251	218	9	11	489	12.1	0.91	0.71	182	189	371	9.2	1.06	0.78	10	20	10	11
Harpenden ...	14,500	93	91	4	2	190	13.1	1.01	0.85	71	99	170	11.7	0.95	0.89	3	16	2	16
Hemel Hempstead M.B. ...	24,350	177	165	9	5	356	14.6	0.95	0.89	152	142	294	12.1	0.98	0.95	11	37	17	—
Hertford M.B. ...	14,140	99	89	2	2	192	13.6	1.01	0.89	88	89	177	12.5	1.02	1.02	4	21	2	6
Hitchin ...	19,870	145	134	10	9	298	15.0	0.94	0.91	121	122	243	12.2	0.93	0.91	7	23	5	8
Hoddesdon ...	13,820	119	78	3	9	209	15.1	0.96	0.94	85	69	154	11.1	0.97	0.86	7	33	5	8
Leichworth ...	20,660	171	149	7	5	332	16.1	0.95	0.99	95	105	200	9.7	1.09	0.85	8	24	5	6
Rickmansworth ...	25,310	166	171	5	6	348	13.7	0.95	0.84	121	110	231	9.1	1.11	0.81	5	14	5	10
Royston ...	4,511	30	31	1	1	63	14.0	1.08	0.98	27	36	63	14.0	0.86	0.96	3	47	1	—
St. Alban M.B. ...	44,240	368	331	14	10	723	16.3	0.98	1.03	264	269	533	12.0	0.96	0.92	20	27	14	14
Sawbridgeworth ...	3,785	36	34	—	3	63	16.6	1.06	1.14	25	25	50	13.2	0.87	0.92	1	16	1	3
Stevenage ...	6,659	54	53	4	1	124	18.6	0.98	1.18	36	33	69	10.4	0.91	0.76	2	16	—	—
Ting ...	5,248	51	20	1	—	72	13.7	1.18	1.04	37	38	75	14.3	0.87	1.00	3	41	3	—
Ware ...	8,365	65	74	4	1	144	17.2	1.24	1.38	56	55	111	13.3	0.89	0.95	3	21	1	29
Watford M.B. ...	72,700	491	472	21	25	1,009	13.9	0.95	0.85	408	419	827	11.4	0.98	0.89	19	19	14	8
*Welwyn Garden City ...	18,460	150	157	7	6	320	17.3	0.88	0.98	85	80	165	8.9	1.36	0.97	12	37	8	—

* Change of boundary. See Appendix on page 468.

TABLE 12—continued.

AREA.	LIVE BIRTHS.										DEATHS.										Stillbirths.
	Estimated Home Population (Middle 1951).		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Deaths under 1 year.		(19)	(20)	
	M.	F.	M.	F.	M.	F.											Number.	Rate per 1,000 Live Births.			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)		
HERTFORDSHIRE—contd.																					
*Rural Districts ...	182,570	1,402	1,294	62	58	2,816	15.4	1.03	1.02	868	802	1,670	9.1	1.00	0.73	66	23	48	53		
Berkhamsted ...	5,534	41	45	1	4	91	16.4	1.36	1.44	21	31	52	9.4	1.02	0.77	—	—	—	2		
Braughing ...	10,460	86	73	5	3	167	16.0	1.10	1.14	60	61	121	11.6	0.86	0.80	4	24	2	4		
Elstree... ..	14,960	130	124	5	5	264	17.6	1.04	1.18	45	38	83	5.5	1.14	0.50	5	19	5	5		
*Hatfield ...	24,000	173	139	10	2	324	13.5	0.95	0.83	107	95	202	8.4	1.07	0.72	2	67	1	1		
Hemel Hempstead ...	11,700	88	86	6	4	184	15.7	0.98	0.99	70	72	142	12.1	0.98	0.95	4	22	4	1		
*Hertford ...	8,642	62	73	3	5	143	16.5	1.04	1.11	50	47	97	11.2	0.94	0.84	4	28	4	2		
Hitchin ...	22,060	164	135	9	7	315	14.3	1.01	0.93	130	122	252	11.4	0.89	0.81	9	28	4	6		
St. Albans ...	28,490	183	167	12	12	376	13.2	1.05	0.89	109	109	218	7.7	1.09	0.67	11	29	10	7		
Ware ...	11,230	95	96	1	1	196	17.5	1.05	1.19	91	53	144	12.8	0.91	0.93	6	30	3	4		
*Watford ...	40,150	335	318	9	10	672	16.7	1.06	1.14	147	138	285	7.1	1.05	0.60	20	30	14	14		
*Welwyn ...	5,344	43	38	1	2	84	15.7	0.94	0.95	38	36	74	13.8	0.97	1.07	1	12	1	—		
HUNTINGDONSHIRE :																					
Admin. County ...	69,790	590	515	32	34	1,171	16.8	1.07	1.16	407	404	811	11.6	0.93	0.86	31	26	18	25		
Urban Districts ...	30,220	264	221	13	13	511	16.9	1.02	1.11	170	192	362	12.0	0.93	0.89	17	33	11	12		
Godmanchester M.B. ...	2,487	18	13	—	—	32	12.2	0.98	0.82	11	13	24	9.7	0.89	0.69	—	—	—	—		
Huntingdon M.B. ...	5,220	46	34	3	3	86	16.5	0.95	1.01	33	37	70	13.4	0.87	0.93	3	35	1	4		
Old Fletton ...	8,641	84	76	2	5	167	18.9	1.06	1.29	48	32	80	9.0	1.07	0.77	6	36	5	—		
Ramsey ...	5,733	60	49	4	4	114	19.9	1.05	1.35	33	42	75	13.1	0.97	1.02	7	67	4	2		
St. Ives M.B. ...	3,129	24	25	2	2	53	16.9	1.03	1.12	18	34	52	16.6	0.82	1.09	1	19	1	2		
St. Neots ...	4,810	32	24	2	2	59	12.3	1.03	0.83	27	34	61	12.7	0.86	0.87	—	—	—	4		
Rural Districts ...	39,570	326	294	19	21	660	16.7	1.10	1.19	237	212	449	11.3	0.94	0.85	14	27	7	13		
Huntingdon ...	10,350	87	82	7	6	182	17.6	1.22	1.39	58	48	106	10.2	1.01	0.82	3	16	—	6		
Norman Cross ...	8,732	75	56	2	8	141	16.1	0.99	1.03	54	50	104	11.9	1.05	1.00	5	35	4	1		
St. Ives ...	12,650	100	92	7	6	205	16.2	1.08	1.13	78	62	140	11.1	0.92	0.82	3	15	1	2		
St. Neots ...	7,838	64	64	3	1	132	16.8	1.17	1.27	47	52	99	12.6	0.80	0.81	3	23	2	2		
KENT																					
County Borough :	1,579,000	11,688	10,724	546	515	23,473	14.9	1.02	0.98	9,579	9,146	18,725	11.9	0.93	0.89	616	26	401	511		
Canterbury ...	29,640	239	209	10	11	469	15.8	1.07	1.09	148	165	313	10.6	0.91	0.77	9	19	9	13		

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Admin. County ...	1,549,360	11,449	10,515	536	504	23,004	14.8	1.02	0.97	9,431	8,981	18,412	11.9	0.93	0.89	607	26	392	498
*Urban Districts ...	1,225,500	8,932	8,237	421	407	17,997	14.7	1.01	0.96	7,393	7,207	14,600	11.9	0.95	0.90	476	26	305	408
Asford ...	25,090	180	153	7	9	349	13.9	1.06	0.95	155	157	332	12.4	0.87	0.86	7	20	5	11
Beckham M.B. ...	74,880	485	433	10	12	940	12.6	0.97	0.79	399	433	832	11.1	0.92	0.82	27	29	17	15
Bexley M.B. ...	88,420	553	532	24	25	1,134	12.8	0.94	0.78	457	392	849	9.6	1.18	0.91	28	25	20	21
Broadstairs and St. Peters ...	15,200	79	87	6	2	1,174	11.4	1.16	0.85	106	128	234	15.4	0.78	0.96	5	20	3	17
Bromley M.B. ...	64,550	437	457	12	8	914	14.2	0.95	0.87	362	373	735	11.4	0.89	0.81	11	12	8	17
Chatham M.B. ...	51,550	392	372	32	21	817	15.8	1.11	1.13	341	264	605	11.7	1.08	1.01	30	36	15	23
Chislehurst and Sidcup ...	85,150	693	637	27	23	1,380	16.2	0.96	1.00	379	378	757	8.9	1.16	0.83	32	23	19	30
Crayford ...	27,820	192	172	8	5	380	13.7	0.93	0.82	136	130	266	9.6	1.01	0.93	18	23	14	9
Dartford M.B. ...	40,050	273	276	5	8	559	14.0	0.96	0.87	199	173	372	9.3	1.02	0.76	13	23	6	10
Deal M.B. ...	24,100	226	173	13	7	419	17.4	1.10	1.23	164	154	318	13.2	0.96	1.01	5	12	4	6
*Dover M.B. ...	34,850	320	261	14	12	607	17.4	1.04	1.17	234	221	455	13.1	0.93	0.97	21	34	15	12
Erith M.B. ...	46,010	356	304	10	13	683	14.8	0.95	0.91	301	232	533	11.6	1.07	0.89	24	35	13	14
Faversham M.B. ...	12,290	79	89	2	4	174	14.2	1.15	1.05	75	75	150	12.5	0.78	0.76	5	39	3	18
Folkstone M.B. ...	45,210	335	323	22	33	713	15.8	1.03	1.05	270	349	619	13.7	0.86	0.94	16	22	9	34
Gillingham M.B. ...	73,420	547	475	27	35	1,084	14.8	1.15	1.10	425	389	814	11.1	1.07	0.95	30	28	20	34
Gravesend M.B. ...	44,280	335	332	15	18	700	15.8	1.03	1.05	264	224	488	11.0	1.04	0.92	22	31	13	9
Herne Bay ...	17,680	97	82	9	13	201	11.4	1.18	0.87	145	166	311	17.6	0.64	0.90	1	35	5	5
Hythe M.B. ...	9,161	59	48	4	3	114	12.4	1.15	0.92	73	74	147	16.0	0.70	0.90	4	35	3	1
Lydd M.B. ...	2,702	31	25	—	24	57	21.1	1.14	1.35	13	312	26	9.6	0.92	0.71	5	52	3	1
Maidstone M.B. ...	53,600	406	382	—	26	838	15.6	1.01	1.02	318	312	630	11.8	0.97	0.92	17	20	7	21
Margate M.B. ...	41,730	239	226	25	14	504	12.1	1.01	0.79	328	337	665	15.9	0.82	1.04	14	28	6	8
New Romney M.B. ...	2,241	24	15	6	—	45	20.1	0.99	1.28	127	30	37	16.5	0.85	1.12	12	44	2	4
Northfleet ...	18,840	155	147	4	2	308	16.3	0.90	1.05	133	89	222	11.8	1.07	1.01	11	36	6	4
Orpington ...	62,850	451	433	15	17	916	14.8	0.95	0.89	321	353	654	10.4	0.99	0.82	18	20	12	24
Penge ...	25,370	239	255	20	17	531	20.9	0.97	1.31	141	153	294	11.6	0.91	0.84	13	24	10	17
Queensborough M.B. ...	3,111	29	21	—	2	52	16.7	1.06	1.14	11	12	23	7.4	1.04	0.62	—	—	—	—
Ramsgate M.B. ...	35,840	263	227	19	17	175	14.7	1.04	0.99	282	271	553	15.4	0.86	1.06	17	32	13	15
Rochester M.B. ...	43,700	363	334	16	14	759	16.6	0.94	1.01	228	217	515	11.8	1.03	0.97	29	40	19	22
Royal Tunbridge Wells M.B. ...	38,580	242	217	8	8	475	12.3	1.03	0.82	257	387	644	16.7	0.66	0.88	7	15	6	11
Sandwich M.B. ...	4,349	31	31	—	—	62	14.3	1.19	1.10	27	23	50	11.5	0.89	0.82	1	16	—	4
Sevenoaks ...	15,370	100	81	2	3	186	12.1	1.02	0.80	89	96	185	12.0	0.92	0.88	7	37	7	4
Sheerness ...	17,590	124	110	13	19	257	14.6	1.15	1.08	121	77	198	11.3	1.00	0.90	13	50	9	4
Sittingbourne and Milton ...	21,920	186	151	7	3	353	16.1	1.01	1.05	147	118	265	12.1	0.92	0.89	14	39	10	9
Southborough ...	8,665	76	63	—	3	142	16.4	1.08	1.14	59	56	115	13.3	0.74	0.79	2	14	2	2
Swancombe ...	8,527	72	62	1	3	138	16.2	0.98	1.02	39	43	82	9.6	1.08	0.83	5	36	2	2
Tenterden M.B. ...	4,174	37	18	3	1	59	14.1	1.09	0.99	25	30	55	13.2	0.67	0.71	—	—	3	3
Tonbridge ...	19,760	120	131	6	1	258	13.1	1.06	0.90	126	138	264	13.4	0.86	0.92	7	27	5	8
Whitstable ...	16,870	106	102	5	8	221	13.1	1.19	1.01	154	172	326	19.3	0.63	0.97	7	31	5	5
*Rural Districts ...	323,860	2,517	2,278	115	97	5,007	15.5	1.07	1.07	2,038	1,774	3,812	11.8	0.88	0.83	131	26	87	90
Bridge Blau ...	14,860	139	116	6	9	270	13.6	1.24	1.09	97	103	200	10.1	0.82	0.66	6	22	5	6
Canbrook ...	14,620	96	96	10	3	206	16.1	1.14	1.04	96	93	189	12.9	0.90	0.93	3	14	3	2
Dartford ...	37,520	285	272	11	8	576	15.4	1.05	1.04	232	195	427	11.4	1.00	0.91	13	22	11	12
*Dover ...	11,660	105	83	4	3	195	16.7	1.20	1.29	59	54	113	9.7	0.91	0.71	6	31	1	1
East Ashford ...	10,400	71	65	1	4	141	13.6	1.07	0.94	76	68	144	13.8	0.75	0.83	6	42	4	2

* Change of boundary. See Appendix on page 468.

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS.						DEATHS.										Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.	
		Legitimate.		Illegitimate.		TOTAL.		Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Live Births.				
		M.	F.	M.	F.	M.	F.												M.			F.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)			
KENT—contd.																						
Rural Districts—contd..																						
Eastry ...	23,200	182	162	10	6	360	15.5	1.19	1.19	135	109	244	10.5	0.95	0.80	4	11	2	6			
Elham ...	9,043	67	59	2	1	129	14.3	1.10	1.01	70	72	142	15.7	0.66	0.83	3	23	2	4			
Hollingbourne	16,500	108	117	7	5	237	14.4	1.08	1.00	108	92	200	12.1	0.84	0.81	8	34	6	4			
Maidstone	17,980	140	133	7	6	286	15.9	1.01	1.04	118	96	214	11.9	0.82	0.78	9	31	5	4			
Malling	36,510	295	253	18	10	576	15.8	1.00	1.02	245	196	441	12.1	0.94	0.91	18	51	15	8			
Romney Marsh	4,455	36	25	1	—	62	13.9	1.06	0.95	32	21	53	11.9	0.84	0.80	3	48	12	—			
Sevenoaks	33,060	240	233	7	7	487	14.7	1.04	0.99	191	198	389	11.8	0.88	0.83	15	37	11	12			
Sheppey	9,104	88	58	2	2	150	16.5	1.01	1.08	62	43	105	11.5	0.94	0.86	5	20	2	2			
Strood ...	21,020	186	172	4	7	369	17.6	1.06	1.20	125	105	230	10.9	0.91	0.79	9	24	4	9			
Swale ...	19,580	154	150	6	8	318	16.2	1.04	1.09	126	85	211	10.8	0.85	0.73	5	36	2	7			
Tenterden	7,018	56	55	—	5	116	16.5	1.06	1.13	44	36	80	11.4	0.79	0.72	3	26	2	—			
Tonbridge	22,240	182	163	14	8	367	16.5	0.98	1.04	136	156	292	13.1	0.90	0.94	12	33	8	5			
West Ashford	10,090	86	66	5	5	162	16.1	1.07	1.11	86	52	138	13.7	0.77	0.84	5	32	2	6			
LANCASHIRE		39,890	37,559	2,052	2,081	81,582	16.0	0.99	1.02	36,915	35,967	72,882	14.3	1.05	1.20	2,781	34	1,686	2,115			
*County Boroughs																						
Barrow-in-Furness	3,049,540	25,191	23,695	1,472	1,511	51,869	17.0	0.98	1.07	22,572	22,040	44,612	14.6	1.07	1.25	1,911	37	1,119	1,372			
Blackburn	66,440	483	483	21	25	1,014	15.3	1.03	1.02	531	415	946	14.2	1.02	1.16	37	36	24	21			
Blackpool	110,000	766	647	37	38	1,488	13.5	1.03	0.90	860	943	1,803	16.4	0.82	1.21	47	31	29	40			
Bolton ...	146,300	771	738	58	56	1,623	11.1	1.02	0.73	1,319	1,363	2,682	18.3	0.86	1.26	57	35	40	53			
Bolton ...	166,700	1,205	1,146	57	82	2,490	14.9	0.99	0.95	1,311	1,373	2,684	16.1	0.99	1.28	102	41	57	57			
*Boole ...	73,940	775	702	37	29	1,543	20.9	0.97	1.31	465	436	901	12.2	1.35	1.32	62	40	38	35			
Burnley	84,280	600	575	30	41	1,246	14.8	1.04	0.99	705	745	1,450	17.2	0.94	1.29	41	33	21	33			
Bury ...	58,380	389	388	27	27	831	14.2	1.01	0.93	447	476	923	15.8	0.96	1.21	31	37	17	12			
Liverpool	784,800	7,590	7,086	433	433	15,542	19.8	0.96	1.23	5,472	5,256	10,728	13.7	1.19	1.30	554	35	321	395			
Manchester	699,900	5,978	5,624	415	417	12,434	17.8	0.95	1.09	4,827	4,849	9,676	13.8	1.11	1.23	439	35	251	319			
*Oldham	119,450	948	858	51	57	1,914	16.0	0.99	1.02	901	897	1,798	15.1	1.00	1.21	79	41	46	49			
Preston	118,100	961	892	45	55	1,953	16.5	1.00	1.06	915	901	1,816	15.4	1.04	1.28	68	35	43	44			
Rochdale	87,300	583	607	41	37	1,268	14.5	0.99	0.93	717	740	1,457	16.7	0.96	1.28	69	54	46	32			
St. Helens	109,400	914	850	39	23	1,826	16.7	0.99	1.07	852	594	1,446	13.2	1.21	1.28	71	39	37	64			
Salford	176,800	1,463	1,421	102	114	3,100	17.5	0.95	1.07	1,335	1,162	2,497	14.1	1.14	1.29	107	34	69	104			

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Southport	83,400	432	404	22	27	885	10.6	1.06	0.72	737	876	1,613	19.3	0.76	1.17	36	40	22	23
Warrington	80,180	652	661	36	33	1,382	17.3	0.99	1.10	528	544	968	12.1	1.17	1.13	53	38	36	45
Wigan	84,170	675	613	21	17	1,326	15.8	1.00	1.02	654	570	1,224	14.5	1.12	1.30	58	43	22	46
*Admin. County	2,040,460	14,699	13,864	580	570	29,713	14.6	1.02	0.96	14,343	13,927	28,270	13.9	1.02	1.13	870	29	567	743
Urban Districts	1,731,000	12,603	11,907	515	516	25,541	14.8	1.01	0.96	12,477	12,153	24,630	14.2	1.01	1.15	741	29	481	666
Abram	6,305	46	64	15	7	115	18.2	0.96	1.13	45	37	82	13.0	1.20	1.25	5	43	—	4
Accrington M.B.	40,340	310	230	15	7	582	14.4	1.03	0.96	354	321	675	16.7	1.02	1.23	23	30	13	15
Adlington	4,000	34	31	1	1	4,000	67	1.08	1.17	146	26	52	15.0	1.02	1.06	2	30	2	1
Ashdon in Makenfield	18,970	146	132	2	4	284	15.0	0.99	0.96	146	98	244	12.9	1.09	1.12	5	18	2	13
Ashton under Lyne M.B.	45,960	360	325	18	23	726	15.8	1.02	1.04	340	360	700	15.2	0.97	1.18	30	41	16	24
Aspull	6,514	51	41	1	1	94	14.4	0.97	0.90	48	41	89	13.7	1.14	1.25	2	28	1	2
Atterton	20,480	139	118	5	3	265	12.9	0.97	0.81	152	123	275	13.4	1.06	1.14	2	26	1	10
Audenshaw	12,590	92	71	3	2	201	13.6	0.97	0.85	177	87	164	13.0	1.02	1.06	4	23	3	3
Bacup M.B.	18,150	123	139	10	10	282	15.5	1.02	1.02	138	169	307	16.9	0.99	1.34	9	32	4	6
Barrowford	4,679	36	32	1	—	69	14.7	1.11	1.05	42	48	90	19.2	0.81	1.24	1	14	1	3
Billinge and Winstanley	5,943	36	39	—	—	75	12.6	1.16	0.94	40	34	74	12.5	1.02	1.02	1	13	1	3
Blackrod	3,124	18	23	2	—	103	13.8	1.01	0.90	20	17	37	11.8	0.96	0.91	1	10	1	3
Brierfield	6,936	46	51	3	4	434	15.0	1.06	0.94	54	73	127	18.3	0.89	1.30	1	10	—	—
Carnforth	3,380	22	21	2	3	48	14.0	0.99	0.98	20	22	42	12.4	0.98	0.97	—	24	6	7
Chadderton	30,990	225	209	12	9	455	14.7	0.94	0.89	238	218	456	14.7	1.09	1.28	11	24	—	—
Chorley M.B.	32,420	246	229	7	6	488	15.1	0.98	0.95	264	206	470	14.5	1.05	1.22	16	33	12	17
Church	5,283	58	37	1	3	99	18.7	0.99	1.19	47	52	99	18.7	0.95	1.42	2	20	2	1
Clayton le Moors	6,830	42	51	5	—	98	14.3	1.00	0.92	42	63	105	15.4	0.98	1.21	5	51	4	3
Culthorpe M.B.	12,010	75	79	4	2	160	13.3	1.09	0.94	86	98	184	15.3	0.85	1.04	6	37	5	7
Colne M.B.	20,520	136	128	12	9	285	13.9	1.04	0.93	174	172	346	16.9	0.91	1.23	8	28	5	6
Crompton	12,560	79	81	2	2	164	13.1	1.00	0.85	99	108	207	16.5	0.99	1.31	5	30	3	2
Crosby M.B.	58,580	410	409	23	21	863	14.7	1.03	0.98	437	403	840	14.3	0.94	1.08	30	35	23	25
Dalton in Furness	10,290	78	72	6	4	160	15.5	1.08	1.08	96	74	170	16.5	0.97	1.28	9	56	5	4
Darwen M.B.	30,650	228	201	8	8	445	14.5	1.06	0.99	297	274	571	18.6	0.88	1.31	11	25	7	14
Denton	25,550	175	172	11	1	359	14.1	0.95	0.86	167	167	334	13.1	1.08	1.13	11	42	11	12
Droylsden	26,320	187	179	5	7	378	14.4	0.90	0.84	141	153	294	11.2	1.24	1.11	10	26	6	7
Eccles M.B.	43,700	292	293	10	20	615	14.1	1.00	0.91	299	304	603	13.8	1.03	1.14	18	29	11	25
Falsworth	18,020	134	156	5	5	300	16.6	0.92	0.99	112	114	226	12.5	1.12	1.12	3	70	3	7
Farnworth M.B.	28,030	198	210	8	8	425	15.2	1.00	0.98	201	208	409	14.6	1.01	1.18	14	33	9	11
Fleetwood M.B.	27,490	219	227	9	4	458	16.7	1.07	1.15	181	179	360	13.1	1.23	1.29	16	35	12	13
Formby	10,560	62	67	—	3	132	12.5	1.13	0.91	74	76	150	14.2	0.92	1.05	3	23	2	2
Fulwood	13,330	98	73	2	4	174	13.1	1.16	0.98	106	92	198	14.9	0.86	1.03	3	17	2	9
Golborne	17,050	121	134	3	4	262	15.4	0.93	0.92	112	97	209	12.3	1.18	1.16	8	30	5	1
Grange	2,774	10	12	2	1	25	9.0	1.34	0.78	21	19	40	14.4	0.60	0.69	—	4	—	2
Great Harwood	10,700	67	61	—	1	129	12.1	1.05	0.82	97	108	205	19.2	0.84	1.29	4	31	2	1
Haslingden M.B.	14,410	110	88	3	4	205	14.2	1.08	0.99	126	128	254	17.6	0.87	1.22	4	19	—	6
Heywood	11,760	111	93	—	5	209	17.8	1.02	1.17	70	52	122	10.4	1.21	1.01	6	29	5	5
Heywood M.B.	25,150	162	183	17	11	373	14.8	1.01	0.96	185	213	398	15.8	1.03	1.30	11	29	6	11
Hindley	19,320	147	131	4	2	283	14.6	0.98	0.92	149	144	293	15.2	1.10	1.34	9	32	3	6
Horwich	15,450	115	102	2	2	221	14.3	1.01	0.93	118	98	216	14.0	0.97	1.09	5	22	3	3
Huyton with Roby	56,370	500	448	25	18	991	17.6	0.97	1.10	245	199	444	7.9	1.57	0.99	35	35	22	29

* Change of boundary. See Appendix on page 468.

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Stillbirths.			
		Legitimate.			Illegitimate.			Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.		Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.
		M.		F.	M.		F.												
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
LANCASHIRE—contd.																			
Urban Districts—contd.																			
Ince in Makerfield	20,330	169	148	2	5	324	15.9	1.01	1.04	133	106	239	11.8	1.24	1.17	10	31	5	7
Irlam	15,030	93	89	5	1	188	12.5	0.98	0.79	99	70	169	11.2	1.20	1.08	6	32	4	3
Kearsley	10,650	75	76	3	3	157	14.7	0.99	0.94	95	77	172	16.2	1.06	1.37	3	19	2	5
Kirkham	7,388	43	40	4	—	87	11.8	1.27	0.97	30	45	75	10.2	1.40	1.14	4	46	2	1
Lancaster M.B.	51,220	351	328	19	26	724	14.1	1.14	1.04	312	331	643	12.6	0.99	1.00	28	38	21	18
Lees	4,208	22	30	—	—	53	12.6	1.02	0.83	30	44	74	17.6	0.91	1.28	2	38	1	4
Leigh M.B.	48,480	363	324	15	10	712	14.7	0.97	0.92	317	301	618	12.7	1.11	1.13	18	25	13	26
Leyland	14,630	109	116	1	2	228	15.6	0.97	0.98	83	94	177	12.1	1.14	1.10	5	22	2	7
Litherland	22,200	200	190	3	7	400	18.0	0.87	1.01	132	108	240	10.8	1.23	1.06	12	30	8	8
Littleborough	10,930	80	72	8	5	165	15.1	1.00	0.97	99	86	185	16.9	0.97	1.31	6	36	2	3
Little Lever	4,704	33	38	1	—	72	13.3	1.01	0.90	41	34	75	15.9	1.03	1.31	2	28	2	1
Longridge	4,308	42	40	1	—	83	19.3	1.09	1.36	30	33	63	14.6	0.93	1.09	1	12	1	1
Lytham St. Anne's M.B.	29,980	178	148	7	7	335	11.2	1.06	0.77	242	311	553	18.4	0.70	1.03	12	36	8	4
Middleton M.B.	32,560	244	238	14	4	520	16.0	0.98	1.01	233	252	485	14.9	1.02	1.22	15	29	11	8
Milnrow	8,557	71	66	3	4	144	16.8	0.98	1.06	61	62	123	14.4	0.94	1.08	5	35	4	3
Morecambe and Heysham M.B.	36,770	226	168	13	12	419	11.4	1.09	0.80	358	393	751	20.4	0.73	1.19	13	31	12	21
Mossley M.B.	10,380	71	65	4	5	145	14.0	0.99	0.89	90	78	168	16.2	0.95	1.23	8	55	6	3
Nelson M.B.	34,240	232	219	7	10	468	13.7	1.06	0.94	272	308	580	16.9	0.88	1.19	13	28	10	13
Newton le Willows	21,760	163	169	3	11	346	15.9	0.99	1.02	139	113	252	11.6	1.08	1.00	9	26	5	7
Ormskirk	20,920	159	146	6	7	318	15.2	1.00	0.98	162	163	325	15.5	0.98	1.22	18	56	10	8
Orrell	9,317	72	70	3	—	145	15.6	1.00	1.01	67	49	116	12.5	1.20	1.20	1	7	1	2
Oswaldtwistle	12,030	87	80	4	5	176	14.6	1.03	0.97	117	88	205	17.0	0.92	1.25	3	17	2	2
Padiham	19,000	61	79	3	3	146	14.6	1.04	0.98	94	85	179	17.9	0.89	1.27	2	14	1	1
Poulton le Fylde	7,508	65	50	1	—	116	15.5	1.03	1.03	59	60	119	15.8	0.89	1.12	4	34	3	7
Presall	2,157	14	9	—	—	23	10.5	1.17	0.79	21	15	36	16.4	0.71	0.93	—	—	—	1
Prescot	12,440	98	99	4	3	204	16.4	0.97	1.03	73	73	146	11.7	1.12	1.05	3	15	3	3
Prescot M.B.	32,370	220	202	6	1	429	12.5	1.09	0.88	222	222	432	12.6	1.01	1.02	19	21	7	15
Radcliffe M.B.	27,580	193	174	8	9	384	13.9	1.03	0.92	222	227	449	16.3	0.99	1.29	17	44	11	10
Ranfoul	1,037	43	48	1	1	86	21.3	0.95	1.31	27	26	53	13.1	1.06	1.11	1	12	1	2
Ramsbottom	4,380	99	98	1	3	207	14.4	1.06	0.98	133	115	248	17.2	0.85	1.17	5	24	2	5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rawtenstall M.B.	25,320	177	150	6	7	340	13.4	1.02	0.88	215	210	425	16.8	0.92	1.24	11	32	10	10
Rishon	5,794	39	28	—	7	70	12.1	1.04	0.81	44	47	91	15.7	0.90	1.13	—	—	—	5
Roxton	14,720	94	91	—	2	194	13.2	0.98	0.83	114	111	225	15.3	1.03	1.26	9	46	7	15
Skelsdale	6,305	43	48	5	3	99	15.7	0.99	1.00	38	42	80	12.7	1.11	1.13	6	60	2	4
Standish with Langtree	8,922	51	60	1	5	117	13.1	0.98	0.83	57	76	133	14.9	1.06	1.26	6	51	4	2
Stretford M.B.	61,810	486	450	26	41	1,003	16.2	0.95	0.99	357	345	702	11.4	1.12	1.02	19	19	10	22
Thornton and Pendlebury M.B.	40,970	272	266	7	9	554	13.5	0.96	0.84	296	252	548	13.4	1.09	1.17	13	23	9	13
Thorncliffe Cleveleys	15,350	82	92	3	3	180	11.7	1.15	0.87	140	140	280	18.2	0.75	1.09	3	17	3	1
Tottington	5,827	25	33	2	2	62	10.6	1.11	0.76	48	62	110	18.9	0.83	1.25	1	16	1	1
Trawden	2,114	19	17	—	1	37	17.5	1.14	1.29	16	19	35	16.6	0.88	1.17	—	—	—	—
Turton	10,890	73	60	4	1	138	12.7	1.10	0.90	99	89	188	17.3	0.88	1.22	3	22	2	2
Tyldesley	17,900	122	110	1	8	241	13.5	0.97	0.84	148	115	263	14.7	1.08	1.27	12	49	8	7
Upton	9,920	72	63	1	1	137	13.8	1.05	0.93	75	80	155	15.6	0.88	1.10	7	1	1	1
Upholland	6,321	55	48	—	—	103	16.3	1.00	1.05	40	31	71	11.2	1.09	0.98	4	39	3	1
Urmston	38,660	292	282	10	15	599	15.5	0.93	0.93	226	219	445	11.5	1.10	1.01	6	10	4	14
Walton le Dale	14,610	126	108	2	4	240	16.4	0.95	1.01	105	96	201	13.8	1.09	1.20	5	21	5	6
Wardle	4,786	30	27	3	2	62	13.0	0.98	0.82	22	36	58	12.1	0.77	0.75	1	16	—	1
Westthornton	14,900	79	93	4	1	177	11.9	0.99	0.76	98	99	197	13.2	1.05	1.11	3	17	2	4
Whitcliffe	12,920	83	81	2	1	167	12.9	0.98	0.82	81	93	174	13.5	1.07	1.16	3	18	1	7
Whitworth	7,439	52	56	2	3	113	15.2	1.07	1.05	55	61	116	15.6	0.99	1.24	3	26	2	—
Widnes M.B.	48,750	511	426	19	32	988	20.3	1.01	1.32	296	260	556	11.4	1.26	1.15	36	36	23	21
Witnell	2,830	21	20	1	—	42	14.8	0.96	0.92	29	24	53	18.7	0.96	1.44	1	24	—	9
Worsley	27,350	182	198	7	6	393	14.4	1.05	0.98	211	202	413	15.1	1.03	1.24	7	18	5	—
*Rural Districts	309,460	2,096	1,957	65	54	4,172	13.5	1.08	0.94	1,866	1,774	3,640	11.8	1.03	0.97	129	31	86	77
Blackburn	13,370	65	80	3	6	151	11.3	1.17	0.85	83	83	166	12.4	0.99	0.98	4	26	2	4
Burnley	12,560	88	89	4	2	187	11.3	1.11	0.81	124	135	279	16.8	0.85	1.14	3	16	1	2
Chorley	27,150	185	181	7	4	377	13.9	0.98	0.88	198	183	381	14.0	1.04	1.16	12	32	5	11
Clitheroe	9,335	59	56	1	—	116	12.4	1.31	1.05	39	50	89	9.5	1.10	0.84	3	26	2	2
Fylde	16,540	109	113	3	2	227	13.7	1.36	1.20	73	75	148	8.9	1.18	0.84	8	35	7	4
Garstang	12,610	118	92	1	1	212	16.8	1.07	1.16	72	100	172	13.6	0.97	1.06	5	23	4	7
Lancaster	11,990	87	89	6	5	187	15.6	1.17	1.18	75	89	164	13.7	0.93	0.91	6	32	5	5
*Limehurst	9,045	62	63	3	2	132	14.6	1.06	1.00	65	54	119	13.2	0.83	0.98	4	30	2	3
Lunesdale	7,258	64	56	1	1	122	16.8	1.11	1.20	54	47	101	13.9	0.92	1.02	3	24	2	1
Preston	39,520	246	236	10	4	496	12.6	1.15	0.93	241	232	473	12.0	0.95	0.91	12	24	11	9
Ulverston	16,580	102	112	4	4	222	13.4	1.09	0.94	135	136	271	16.3	0.81	1.06	5	22	3	3
Warrington	35,910	266	201	10	7	484	13.5	1.24	1.08	129	112	241	6.7	1.40	0.75	19	39	9	7
*West Lancashire	42,590	292	277	7	6	582	13.7	0.95	0.84	290	236	526	12.4	1.06	1.05	24	41	18	10
Whiston	43,303	299	252	2	2	563	13.0	1.00	0.84	217	177	394	9.1	1.14	0.83	18	32	13	8
Wigan	7,902	54	58	—	2	114	14.4	1.00	0.93	71	45	116	14.7	1.01	1.19	3	26	2	1
LEICESTERSHIRE	632,200	5,003	4,678	215	211	10,107	16.0	1.00	1.03	3,693	3,568	7,261	11.5	1.02	0.94	259	25	155	231
County Borough :	284,700	2,247	2,101	112	115	4,575	16.1	0.98	1.02	1,750	1,780	3,530	12.4	1.01	1.00	116	25	72	104
Admin. County	347,500	2,756	2,577	103	96	5,532	15.9	1.02	1.05	1,943	1,788	3,731	10.7	1.02	0.87	143	26	83	127
Urban Districts	162,700	1,300	1,234	57	45	2,636	16.2	1.02	1.07	903	821	1,724	10.6	1.06	0.90	72	27	41	62
Ashby de la Zouch	6,405	52	43	3	3	101	15.8	1.07	1.09	37	38	75	11.7	0.99	0.93	4	39	3	1

* Change of boundary. See Appendix on page 468.

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.					
		Legitimate.			Illegitimate.			Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.			Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Live Births.		
		M.		F.		M.															F.	
		(3)	(4)	(5)	(6)	(7)	(8)														(9)	(10)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)			
LEICESTERSHIRE—contd.																						
Urban Districts—contd.																						
Ashby Wolds	3,389	22	30	—	—	52	15.3	1.08	1.07	13	17	30	8.9	1.14	0.81	1	19	—	1			
Coalville	25,660	190	175	6	4	375	14.6	1.01	0.95	134	126	260	10.1	1.10	0.89	9	24	4	12			
Hinckley	38,980	336	306	13	16	671	17.2	0.96	1.07	195	197	392	10.1	1.16	0.94	32	47	18	17			
Loughborough M.B.	35,300	279	249	12	6	546	15.5	1.06	1.06	216	175	391	11.1	1.08	0.96	10	18	6	10			
Market Harborough	10,310	74	76	4	4	158	15.3	1.04	1.03	71	56	127	12.3	0.84	0.83	2	13	1	3			
Melton Mowbray	13,940	121	117	9	8	255	18.3	0.99	1.17	75	67	142	10.2	0.98	0.80	7	27	5	6			
Oadby	6,244	43	47	2	2	94	15.1	1.03	1.00	42	29	71	11.4	0.89	0.81	—	—	—	3			
Shepshed	6,252	66	56	3	1	126	20.2	1.02	1.33	35	29	64	10.3	1.02	0.84	2	16	2	3			
Wigston	16,240	117	135	5	1	258	15.9	1.01	1.04	85	87	172	10.6	1.12	0.95	5	19	2	6			
Rural Districts	184,800	1,456	1,343	46	51	2,896	15.7	1.03	1.04	1,040	967	2,007	10.9	0.99	0.86	71	24	42	65			
Ashby de la Zouch	13,700	117	102	3	3	225	16.4	1.04	1.10	85	80	165	12.0	1.01	0.97	10	14	6	5			
Barrow upon Soar	47,770	359	334	14	10	717	15.0	1.00	0.97	264	261	525	11.0	1.01	0.89	13	18	6	12			
Billesdon	7,804	68	41	3	3	115	14.7	1.02	0.97	33	36	69	8.8	1.01	0.71	1	9	—	3			
Blaby	39,520	285	278	6	10	579	14.7	0.98	0.95	207	189	396	10.0	1.03	0.82	16	27	9	16			
Castle Donington	9,391	72	64	3	4	143	15.2	1.13	1.11	52	50	102	10.9	0.99	0.86	2	14	1	7			
Lutterworth	11,790	108	81	2	3	194	16.5	1.03	1.10	68	63	131	11.1	0.88	0.78	6	37	5	4			
Market Bosworth	26,330	221	228	9	3	461	17.5	1.00	1.13	162	133	295	11.2	1.06	0.95	12	26	7	10			
Market Harborough	9,915	78	80	1	3	162	16.3	1.20	1.26	56	54	110	11.1	1.05	0.84	5	37	3	2			
Melton and Belvoir	18,580	148	135	5	12	300	16.1	1.09	1.13	113	101	214	11.5	0.89	0.82	6	20	3	2			
LINCOLNSHIRE :																						
Parts of Holland :																						
Admin. County	101,100	810	767	45	45	1,667	16.5	1.03	1.10	636	537	1,173	11.6	0.97	0.90	49	29	32	48			
Urban Districts																						
Boston	38,680	288	298	20	20	626	16.2	1.00	1.05	243	227	470	12.2	0.92	0.90	24	38	18	25			
Boston M.B.	24,300	195	205	9	15	424	17.4	0.99	1.11	143	135	278	11.4	0.93	0.85	13	30	9	17			
Spalding	14,380	93	93	11	5	202	14.0	1.03	0.93	100	92	192	13.4	0.90	0.96	11	34	9	8			
Rural Districts																						
Boston	62,420	522	469	25	25	1,041	16.7	1.05	1.13	393	310	703	11.3	1.00	0.90	25	24	14	23			
Boston	20,850	167	169	10	5	351	16.8	1.03	1.12	129	104	233	11.2	1.08	0.97	6	17	5	8			
East Elloe	22,970	195	157	8	11	371	16.2	1.08	1.13	148	103	251	10.9	0.95	0.83	12	32	7	11			
Spalding	18,600	160	143	7	9	319	17.2	1.04	1.15	116	103	219	11.8	0.99	0.93	7	22	2	6			

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
LINCOLNSHIRE :																			
Parts of Kesteven :																			
Admin. County
Urban Districts
Bourne	46,610	351	331	21	16	719	15.4	1.01	1.00	739	691	1,430	10.8	0.96	0.83	61	28	36	41
Grantham M.B.	4,986	28	170	3	1	58	11.6	1.01	0.76	277	293	570	12.2	0.94	0.92	16	22	10	20
Stamford	23,390	188	170	14	7	379	16.2	1.00	0.75	32	29	61	12.2	0.91	0.89	3	51	1	3
Stamford M.B.	7,204	68	48	1	5	122	16.9	0.99	1.08	63	51	114	15.8	0.92	1.16	8	24	5	13
...	11,030	67	87	3	3	160	14.5	1.04	0.97	56	61	123	11.2	0.91	0.82	3	19	3	1
Rural Districts
East Kesteven	86,090	729	648	27	33	1,437	16.7	1.11	1.20	462	398	860	10.0	0.98	0.78	45	31	26	21
North Kesteven	22,210	190	161	5	7	363	16.3	1.17	1.23	103	91	194	8.7	1.10	0.77	8	22	5	1
South Kesteven	31,330	240	233	7	8	488	15.6	1.08	1.09	182	131	313	10.0	0.98	0.78	15	31	7	5
West Kesteven	14,360	131	105	9	7	252	17.5	1.11	1.25	80	84	164	11.4	0.86	0.78	7	28	5	7
...	18,190	168	149	6	11	334	18.4	1.09	1.29	97	92	189	10.4	0.94	0.78	15	45	9	8
LINCOLNSHIRE :																			
Parts of Lindsey :																			
County Boroughs	472,100	3,885	3,609	238	229	7,961	16.9	1.05	1.14	2,924	2,668	5,592	11.8	0.96	0.91	256	32	163	207
Grimsby	162,300	1,302	1,303	90	92	2,787	17.2	1.02	1.13	1,016	955	1,971	12.1	1.00	0.97	87	31	59	70
Lincoln	93,250	821	805	65	53	1,744	18.7	1.03	1.24	577	552	1,129	12.1	1.05	1.02	60	34	39	40
...	69,050	481	498	25	39	1,043	15.1	1.00	0.97	439	403	842	12.2	0.95	0.93	27	26	20	30
Admin. County ...	309,800	2,583	2,306	148	137	5,174	16.7	1.07	1.15	1,908	1,713	3,621	11.7	0.94	0.88	169	32	104	137
Urban Districts ...	151,200	1,282	1,142	74	68	2,566	17.0	1.02	1.12	919	854	1,773	11.7	0.98	0.92	82	32	48	61
Alford ...	2,204	18	8	—	1	27	12.3	1.14	0.90	22	21	43	19.5	0.68	1.06	2	74	1	—
Barton upon Humber	6,304	58	43	5	3	109	17.3	1.05	1.17	37	42	79	12.5	0.88	0.88	4	36	3	—
Brigg ...	4,487	35	23	—	—	68	12.9	1.08	0.90	37	44	81	15.4	0.76	0.94	3	33	3	—
Cleethorpes M.B.	30,100	282	220	10	17	529	17.6	1.02	0.93	206	170	376	14.7	0.92	1.08	2	39	1	4
Gainsborough	17,370	122	117	9	5	253	14.6	1.12	1.05	136	127	263	15.1	0.78	0.94	8	36	10	11
...
Horncastle	3,835	26	20	1	1	12	12.5	1.02	0.82	30	31	61	15.9	0.81	1.03	4	83	1	—
Louth M.B.	11,090	84	78	6	4	172	15.5	1.01	1.01	64	70	134	12.1	0.80	0.77	4	33	3	—
Mablethorpe and Sutton	5,262	30	38	—	—	81	12.9	1.08	0.90	37	44	81	15.4	0.76	0.94	3	33	3	—
Market Rasen	2,180	19	20	2	2	43	19.7	1.22	1.55	14	14	28	12.8	0.72	0.74	1	44	2	4
Scunthorpe M.B.	54,030	495	483	29	29	1,036	19.2	0.97	1.20	254	220	474	18.8	1.32	0.94	28	23	18	1
Skegness	12,360	101	85	6	6	198	16.0	0.98	1.01	71	72	143	11.6	0.84	0.78	4	20	18	24
Woodhall Spa	1,978	12	7	1	—	20	10.1	1.22	0.79	11	14	25	12.6	0.72	0.73	—	—	4	2
Rural Districts ...	158,600	1,301	1,164	74	69	2,608	16.4	1.11	1.17	989	859	1,848	11.7	0.90	0.84	87	33	56	76
Caistor	14,510	123	97	3	2	225	15.5	1.18	1.18	85	70	150	10.7	0.90	0.77	9	39	31	9
Gainsborough	12,810	111	110	6	1	238	17.8	1.21	1.39	81	59	140	10.9	0.93	0.81	9	22	6	8
Glanford Brigg	32,780	254	244	19	13	530	16.2	1.10	1.15	203	165	368	11.2	0.97	0.87	15	28	11	19
Grimsby	12,880	110	80	5	9	203	15.8	1.08	1.10	97	75	172	13.4	0.95	1.02	9	44	6	6
Horncastle	13,230	119	94	4	8	226	17.1	1.10	1.21	65	67	132	10.0	0.81	0.65	6	26	5	2
...
Isle of Axholme	14,140	134	108	12	7	261	18.5	1.06	1.27	107	86	193	13.6	0.93	1.01	10	38	6	4
Louth ...	18,600	159	132	7	6	304	16.3	1.15	1.21	116	104	220	11.8	0.83	0.78	16	52	10	10
Spilsby	23,720	170	175	9	17	371	15.6	1.09	1.10	154	159	313	9.7	0.80	0.84	11	29	5	8
Welton	15,930	121	124	9	6	260	16.3	1.08	1.14	81	74	155	13.2	1.05	0.81	6	23	4	10

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Deaths under 1 year.	
		M.	F.	M.	F.													Number.	Rate per 1,000 Live Births.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
LONDON ...	3,358,000	24,937	23,853	1,852	1,745	52,387	15.6	0.90	0.91	21,754	20,584	42,338	12.6	1.01	1.02	1,333	25	907	1,073
City of London ...	5,200	22	14	3	—	39	7.5	0.87	0.42	45	23	68	13.1	0.99	1.04	3	76	3	—
Inner and Middle Temples ...																			
Metropolitan Boroughs :																			
Battersea ...	117,000	893	853	63	54	1,863	15.9	0.94	0.96	719	737	1,456	12.4	0.98	0.97	52	28	32	37
Barnet ...	60,380	528	478	23	26	1,055	17.5	0.95	1.07	420	331	751	12.4	1.09	1.08	27	25	20	22
Barnetsey ...	58,000	448	480	31	33	992	17.1	0.95	1.05	422	363	785	13.5	1.07	1.16	22	22	11	23
Bethnal Green ...	179,500	1,352	1,404	98	75	2,929	16.3	0.94	0.99	1,239	1,185	2,424	13.5	0.98	1.06	76	26	53	59
Camden ...	52,430	392	366	28	27	813	15.5	0.74	0.74	359	325	684	13.0	0.94	0.98	19	23	13	20
Chelsea ...																			
Deptford ...	76,040	646	591	26	29	1,292	17.0	0.97	1.06	532	441	973	12.8	0.98	1.00	28	22	20	13
Finchley ...	35,620	316	279	16	24	635	17.8	0.96	1.10	296	213	509	14.3	1.01	1.16	14	22	10	12
Fulham ...	122,400	787	786	53	67	1,693	13.8	0.91	0.81	773	807	1,580	12.9	0.98	1.01	46	27	35	43
Greenwich ...	89,390	676	609	27	29	1,341	15.0	0.93	0.90	520	482	1,002	11.2	1.05	0.94	29	21	19	35
Hackney ...	170,800	1,261	1,188	56	60	2,565	15.0	0.89	0.86	1,082	1,050	2,132	12.5	1.07	1.07	74	29	52	40
Hammermith ...	118,300	894	846	72	74	1,886	15.9	0.94	0.96	795	702	1,497	12.7	1.06	1.08	41	22	24	39
Hamstead ...	97,750	635	640	70	74	1,419	14.5	0.75	0.70	478	650	1,128	11.5	0.98	0.90	38	27	30	27
Holborn ...	24,540	135	129	10	15	289	11.8	0.86	0.65	172	132	304	12.4	1.12	1.11	10	34	8	7
Islington ...	235,800	1,886	1,712	145	129	3,872	16.4	0.93	0.98	1,581	1,550	3,131	13.3	1.00	1.06	110	28	75	85
Kensington ...	171,300	1,156	1,203	140	124	2,623	15.3	0.76	0.75	877	1,043	1,920	11.2	1.02	0.91	65	25	46	59
Lambeth ...	229,100	1,844	1,706	144	135	3,829	16.7	0.92	0.99	1,515	1,432	2,947	12.9	1.00	1.03	96	25	62	84
Lewisham ...	227,200	1,664	1,652	55	66	3,437	15.1	0.94	0.92	1,278	1,264	2,542	11.2	1.02	0.91	86	25	59	55
Paddington ...	125,400	986	892	141	137	2,156	17.2	0.79	0.88	755	764	1,519	12.1	1.10	1.06	61	28	40	51
Poplar ...	73,260	604	618	20	26	1,268	17.3	0.97	1.08	506	430	936	12.8	1.13	1.16	40	31	22	31
St. Marylebone ...	76,160	418	415	45	41	919	12.1	0.77	0.60	540	509	1,049	13.8	0.97	1.07	18	19	15	22
St. Pancras ...	139,100	939	959	112	97	2,107	15.1	0.89	0.87	979	824	1,803	13.0	1.00	1.04	56	26	32	41
Shoreditch ...	45,010	415	358	31	25	829	18.4	1.00	1.19	326	276	602	13.4	1.05	1.13	13	16	6	14
Southwark ...	97,930	840	813	57	49	1,759	18.0	0.99	1.15	722	602	1,324	13.5	1.01	1.09	33	19	27	42
Stoke Newington ...	98,850	861	824	93	82	1,860	18.8	0.97	1.18	776	588	1,364	13.8	1.06	1.07	17	29	21	40
Stoke Newington ...	49,440	416	409	21	14	860	17.4	0.89	1.00	296	315	611	12.4	1.03	1.02	26	30	21	11
Wandsworth ...	332,300	2,247	2,029	132	137	4,545	13.7	0.93	0.82	2,115	2,157	4,272	12.9	0.90	0.93	106	23	72	91
Westminster ...	149,800	1,102	1,053	57	44	2,266	15.1	1.02	0.99	624	563	1,187	11.9	1.07	1.02	42	34	31	42
Willesden ...	199,000	1,102	1,053	67	67	2,266	15.1	1.02	0.99	624	563	1,187	11.9	1.07	1.02	42	34	31	42

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
MIDDLESEX :	2,268,000	15,104	14,020	678	667	30,469	13.4	0.92	0.80	12,028	12,066	24,094	10.6	1.07	0.91	719	23	525	660
Admin. County
Urban Districts ...	2,268,000	15,104	14,020	678	667	30,469	13.4	0.92	0.80	12,028	12,066	24,094	10.6	1.07	0.91	719	23	525	660
Acton M.B. ...	67,540	511	405	35	31	1,010	15.0	0.93	0.90	404	375	779	11.5	1.00	0.92	24	24	17	29
Brentford and Clackwick M.B.	59,960	412	439	29	19	871	14.5	0.93	0.87	383	366	749	12.5	0.96	0.96	26	30	18	18
Ealing M.B. ...	187,600	1,140	1,142	72	65	2,419	12.9	0.92	0.74	986	997	1,083	10.5	1.07	0.91	61	25	46	45
Edmonton M.B. ...	103,300	669	648	26	39	1,382	13.4	0.92	0.80	589	514	1,031	10.7	1.14	0.98	33	24	24	32
Enfield ...	109,900	738	767	20	21	1,546	14.1	0.93	0.85	606	548	1,154	10.5	1.07	0.90	36	23	24	22
Feltham ...	45,230	377	314	11	14	716	15.8	0.97	0.99	165	153	318	7.0	1.41	0.79	13	18	8	10
Finchley M.B. ...	70,190	452	423	16	19	910	13.0	0.91	0.76	395	483	878	12.5	0.92	0.92	22	24	16	13
Friern Barnet ...	28,450	158	162	7	1	328	11.5	1.03	0.78	138	146	284	10.0	0.98	0.78	10	30	7	11
Harrow ...	220,000	1,453	1,357	53	51	2,914	13.2	0.92	0.76	1,022	1,072	2,094	9.5	1.16	0.88	64	22	48	71
Hayes and Harlington	65,270	503	396	15	16	930	14.2	0.91	0.83	267	253	500	7.7	1.50	0.92	14	25	11	19
Hendon M.B.	155,700	1,046	922	55	60	2,083	13.4	0.91	0.79	791	843	1,634	10.5	1.08	0.91	47	22	34	43
Hendon and Isleworth M.B.	106,400	602	544	18	26	1,190	11.2	0.96	0.69	558	547	1,105	11.6	1.09	0.91	22	18	17	24
Horseley M.B.	98,890	726	643	37	39	1,445	14.6	0.89	0.84	495	652	1,147	10.4	0.92	0.85	35	24	28	32
Potters Bar ...	16,800	123	117	3	4	247	14.7	0.91	0.86	85	80	165	9.8	1.10	0.86	6	24	5	3
Ruislip Northwood ...	69,640	478	461	13	17	969	13.9	0.88	0.79	303	276	579	8.3	1.19	0.79	24	25	17	18
Southall M.B.	55,620	363	322	12	13	710	12.8	0.96	0.79	289	262	551	9.9	1.11	0.88	15	21	13	18
Southgate M.B.	72,840	449	391	12	5	854	11.7	0.97	0.73	448	503	951	13.1	0.85	0.89	13	15	10	15
Staines ...	39,730	306	296	16	14	652	15.9	0.96	0.98	201	220	421	10.6	1.11	0.94	17	27	12	15
Sunbury on Thames ...	23,240	216	178	15	6	412	17.7	0.95	1.08	121	125	246	10.6	1.13	0.96	11	27	7	10
Tottenham M.B.	126,800	832	758	34	41	1,665	13.1	0.93	0.79	795	725	1,520	12.0	1.06	1.02	43	26	30	44
Twickenham M.B.	106,300	678	620	31	26	1,355	12.7	0.94	0.77	622	650	1,272	12.0	0.97	0.93	35	26	25	37
Uxbridge ...	55,060	420	398	25	17	860	15.6	0.94	0.95	259	246	505	9.2	1.20	0.88	13	15	7	17
Wembley M.B.	130,800	765	690	18	20	1,495	11.4	0.92	0.68	603	621	1,224	9.4	1.16	0.87	34	23	29	39
Willesden M.B.	194,400	1,201	1,154	92	85	2,532	14.1	0.89	0.81	1,049	983	2,032	11.3	0.99	0.99	73	29	52	58
Wood Green M.B.	52,400	323	319	5	10	657	12.5	0.93	0.75	348	367	715	13.6	0.95	1.03	21	32	15	13
Yewley and West Drayton ...	20,940	163	157	11	8	339	16.2	0.93	0.97	106	79	185	8.8	1.27	0.89	7	21	5	4
NORFOLK ...	544,400	3,944	3,767	244	219	8,174	15.0	1.07	1.04	3,536	3,447	6,983	12.8	0.85	0.87	237	29	147	189
*County Boroughs ...	171,330	1,275	1,193	87	81	2,636	15.4	1.01	1.00	1,144	1,200	2,344	13.7	0.90	0.99	74	28	46	55
*Great Yarmouth ...	51,100	352	333	26	19	730	14.3	1.01	0.93	364	403	767	15.0	0.89	1.07	22	30	14	15
*Norwich ...	120,230	923	860	61	62	1,906	15.9	1.01	1.04	780	797	1,577	13.1	0.90	0.94	52	27	32	40
*Admin. County ...	373,070	2,669	2,574	157	138	5,538	14.8	1.11	1.06	2,392	2,247	4,639	12.4	0.84	0.83	163	29	101	134
Urban Districts ...	71,400	525	505	39	26	1,095	15.3	1.06	1.05	523	490	1,013	14.2	0.82	0.93	29	26	16	23
Cromer ...	4,675	24	29	5	2	60	12.8	1.05	0.87	31	47	78	16.7	0.76	1.02	2	33	2	1
Diss ...	3,448	34	23	—	—	57	16.5	1.08	1.15	29	26	55	16.0	0.73	0.93	2	35	—	—
Downham Market ...	2,675	20	11	3	1	36	13.5	1.14	0.99	23	18	41	15.3	0.76	0.93	—	—	—	—
East Dereham ...	6,460	58	61	1	2	123	19.0	1.08	1.32	49	43	92	14.2	0.83	0.94	5	40	4	2
Kings Lynn M.B.	25,850	212	170	16	10	408	15.8	1.01	1.03	171	156	327	12.6	0.93	0.94	9	22	7	8
New Hunstanton ...	3,361	28	27	4	—	59	17.6	1.00	1.14	24	27	51	15.2	0.77	0.94	1	17	—	1
North Walsham ...	4,689	21	26	2	1	50	10.7	1.10	0.76	33	17	50	10.7	0.74	0.63	2	40	—	1
Sheringham ...	4,636	22	30	—	1	53	11.4	1.16	0.85	36	51	87	18.8	0.68	1.02	1	19	—	—
Swaffham ...	2,923	22	16	2	3	43	14.7	1.16	1.10	30	17	47	16.1	0.77	0.99	1	23	—	2
Thetford M.B.	4,456	33	42	2	2	79	17.7	1.11	1.27	29	33	62	13.9	0.78	0.87	1	13	1	2

* Change of boundary. See Appendix on page 468.

TABLE 12—continued.

AREA.	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.			
	Legitimate.			Illegitimate.			TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.			Comparability Factor.	Ratio of local adjusted death rate to National Rate.	
	M.		F.	M.		F.													
	(3)	(4)	(5)	(6)	(7)	(8)													(9)
(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
(1)																			
NORFOLK—contd.																			
Urban Districts—contd.																			
Wells	2,577	24	15	4	1	44	17.1	1.08	1.19	22	17	39	15.1	0.86	1	23	—	1	5
Wymondham	5,650	27	53	—	3	83	14.7	1.10	1.04	46	38	84	14.9	1.03	4	48	2		
*Rural Districts																			
*Bloxfield and Flegg	301,670	2,144	2,069	118	112	4,443	14.7	1.12	1.06	1,869	1,757	3,626	12.0	0.84	134	30	85	111	
Depwade	137	180	201	7	5	393	12.4	1.04	0.83	184	187	371	11.7	0.84	10	25	6	13	
Docking	131	137	137	4	11	283	15.6	1.21	1.22	133	122	255	14.1	0.74	7	25	5	6	
Downham	17,450	123	155	10	4	292	16.7	1.12	1.21	128	127	255	14.6	0.77	11	37	9	5	
Dorington	25,050	197	163	11	9	380	15.2	1.13	1.11	161	120	281	11.2	0.96	12	31	8	9	
Eringham	19,230	109	110	9	5	233	12.1	1.20	0.94	129	106	235	12.2	0.76	8	34	4	3	
Forehoe and Henstead	23,330	180	154	6	7	347	14.9	1.08	1.04	149	132	281	12.0	0.81	13	37	7	12	
Freebridge Lynn	10,980	94	79	11	6	190	17.3	1.16	1.29	72	60	132	12.0	0.81	3	16	3	5	
Loddon	12,660	90	91	4	4	189	14.9	1.14	1.10	77	88	165	13.0	0.82	5	26	3	9	
Marshall	16,380	135	130	4	11	280	17.1	1.06	1.17	84	94	178	10.9	1.00	10	36	8	12	
Miford and Launditch	18,140	137	136	9	8	290	16.0	1.24	1.28	108	105	213	11.7	0.80	9	31	7		
*St. Faiths and Aylsham	37,540	252	235	18	12	517	13.8	1.04	0.93	231	203	434	11.6	0.93	16	31	10	10	
Smallburgh	18,140	132	126	7	11	276	15.2	1.14	1.12	114	122	236	13.0	0.78	9	32	6	7	
Swaffham	8,840	78	56	3	1	138	15.6	1.07	1.08	61	49	110	12.4	0.86	2	14	1	2	
Walsingham	23,270	171	156	7	8	342	14.7	1.14	1.08	116	125	241	10.9	0.85	10	29	4	3	
Wayland	20,830	135	140	8	10	293	14.1	1.21	1.10	122	117	239	11.5	0.85	9	31	4	8	
NORTHAMPTONSHIRE																			
County Borough:	360,400	2,664	2,526	152	139	5,481	15.2	1.05	1.03	2,328	2,198	4,526	12.6	0.90	146	26	92	131	
Northampton...	103,700	723	705	47	40	1,515	14.6	1.02	0.96	712	702	1,414	13.6	0.92	45	30	31	33	
Admin. County	256,700	1,941	1,821	105	99	3,966	15.4	1.07	1.06	1,616	1,496	3,112	12.1	0.90	101	25	61	98	
Urban Districts	134,900	1,007	941	56	56	2,060	15.3	1.04	1.03	826	752	1,578	11.7	0.95	41	20	28	53	
Brackley M.B.	2,775	25	21	3	3	50	18.0	1.22	1.42	20	16	36	13.0	0.95	—	—	—	2	
Burton Latimer	4,093	24	36	1	1	64	15.6	1.02	1.03	26	26	52	12.7	0.93	1	16	—	11	
Corby	17,000	198	183	12	10	403	23.7	0.98	1.50	61	47	108	6.7	1.77	7	17	4	1	
Daventry M.B.	4,095	28	27	3	2	64	15.6	1.06	1.07	28	23	51	12.5	0.81	4	62	3	3	
Desborough	4,690	28	29	—	2	57	12.2	1.00	0.79	33	32	65	13.9	0.89	2	35	1	1	

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Higham Ferrers M.B.	3,661	25	24	1	—	4	50	13.7	0.99	0.88	15	25	40	0.91	0.79	—	—	—	1
Irthlingborough	5,039	38	38	2	—	—	79	15.7	1.02	1.03	28	34	12.9	0.92	0.91	—	—	—	14
Kettering M.B.	36,740	268	215	11	16	—	510	13.9	1.03	0.92	226	185	411	0.92	0.82	10	70	2	—
Oundle	3,044	23	17	1	—	—	41	13.5	1.56	1.36	17	19	36	0.94	0.89	1	24	1	—
Raunds	4,579	36	27	3	1	—	67	14.6	1.08	1.02	30	32	62	0.82	0.89	1	15	1	—
Rothwell	4,584	28	36	—	4	—	65	14.2	1.06	0.97	36	40	76	0.84	1.12	—	—	—	3
Rushden	16,220	87	104	4	4	—	199	12.3	1.08	0.96	120	98	218	0.90	0.96	—	—	—	16
Wellingborough	28,380	200	184	15	12	—	411	14.5	1.03	0.96	186	175	361	0.89	0.90	12	29	6	—
Rural Districts	121,800	934	880	49	43	—	1,906	15.6	1.10	1.11	790	744	1,534	0.85	0.86	60	31	33	45
Brackley	9,930	82	73	2	5	—	162	16.3	1.11	1.17	71	56	127	0.83	0.85	5	31	3	2
Brixworth	17,730	134	140	7	5	—	286	16.1	1.05	1.09	93	98	191	0.81	0.70	9	37	2	8
Daventry	16,290	147	107	10	7	—	271	16.6	1.10	1.18	111	90	201	0.82	0.81	2	71	2	4
Kettering	12,190	96	79	5	3	—	183	15.0	1.19	1.15	85	73	158	0.98	1.02	6	33	3	5
Northampton	19,580	138	159	6	3	—	306	15.6	1.11	1.12	112	122	234	0.84	0.81	9	29	5	4
Oundle and Thrapston	18,460	143	132	9	14	—	298	16.1	1.11	1.15	116	124	240	0.87	0.90	11	37	3	9
Towcester	14,620	106	111	6	3	—	226	15.5	1.12	1.12	95	102	197	0.85	0.92	11	46	3	4
Wellingborough	13,000	88	79	4	3	—	174	13.4	1.08	0.93	107	79	186	0.83	0.95	7	40	7	8
NORTHUMBERLAND	795,600	6,522	6,141	266	256	—	13,185	16.6	1.00	1.07	5,494	4,734	10,228	1.05	1.08	454	34	263	329
County Boroughs	358,000	2,947	2,796	136	137	—	6,016	16.8	0.97	1.05	2,544	2,181	4,725	1.09	1.15	220	36	132	152
Newcastle upon Tyne	291,700	2,363	2,209	109	105	—	4,786	16.4	0.97	1.03	2,999	1,801	3,900	1.09	1.17	166	34	100	118
Tynemouth	66,300	584	587	27	32	—	1,230	18.6	0.99	1.19	445	380	825	1.07	1.06	54	44	32	34
Admin. County	437,600	3,575	3,345	130	119	—	7,169	16.4	1.02	1.08	2,950	2,553	5,503	1.03	1.04	234	32	131	177
Urban Districts	336,800	2,850	2,687	97	93	—	5,727	17.0	1.01	1.11	2,267	1,896	4,163	1.07	1.06	192	33	106	146
Alnwick	7,459	59	54	—	—	—	116	15.6	1.00	1.01	57	50	107	1.00	1.14	1	47	—	4
Amble	4,731	44	—	8	—	—	97	20.5	1.03	1.36	42	27	69	0.95	1.11	4	9	4	1
Ashington	28,440	262	244	3	7	—	516	18.1	1.05	1.23	202	162	364	1.18	1.28	24	46	13	11
Bedlingtonshire	28,520	255	265	8	10	—	538	18.9	1.04	1.27	209	159	368	1.18	1.18	20	37	13	17
Berwick upon Tweed M.B.	12,460	114	112	5	5	—	236	18.9	1.00	1.22	83	84	167	0.88	0.94	6	25	3	5
Blyth M.B.	34,110	337	314	8	15	—	674	19.8	1.02	1.30	267	191	458	1.15	1.23	21	31	9	12
Gosforth	24,500	180	167	4	4	—	355	14.5	0.96	0.90	141	132	273	1.11	0.98	9	25	4	2
Hexham	9,264	65	66	—	—	—	131	14.1	0.99	0.90	69	57	126	1.03	0.86	5	47	3	6
Longbenton	28,360	226	230	4	6	—	466	16.4	1.01	1.07	142	145	287	1.01	0.98	12	26	6	3
Morpeth M.B.	10,770	105	90	12	4	—	211	19.6	0.98	1.24	69	74	143	1.01	0.91	5	24	4	7
Newbiggin by the Sea	9,742	84	75	1	4	—	164	16.8	1.02	1.11	77	41	118	1.14	1.10	4	24	4	6
Newburn	21,890	179	178	6	7	—	370	16.9	0.98	1.07	112	108	220	1.11	0.90	13	35	6	14
Prudhoe	9,484	64	57	4	1	—	126	13.3	0.96	0.82	53	35	88	1.16	0.86	6	47	3	6
Seaton Valley	26,330	204	167	8	14	—	381	14.6	1.04	0.98	187	151	338	1.05	1.08	15	39	8	6
Walsend M.B.	48,570	448	431	16	14	—	909	18.7	0.93	1.18	316	227	586	1.20	1.08	36	39	18	30
Whitby Bay	32,170	224	192	10	8	—	434	13.5	1.02	0.89	238	253	491	0.87	1.06	11	25	8	7
Rural Districts	100,800	725	658	33	26	—	1,442	14.3	1.05	0.97	683	657	1,340	0.92	0.98	42	29	25	31
Alnwick	11,920	91	82	3	2	—	180	15.1	1.01	0.98	79	81	160	0.90	0.96	5	28	2	2
Belford	5,155	26	39	2	3	—	86	12.8	0.99	0.82	45	43	88	1.14	0.83	1	14	1	1
Bellingham	5,568	40	31	2	2	—	82	14.7	1.20	1.01	44	48	152	0.93	1.23	3	36	3	5
Castle Ward	14,570	113	91	4	3	—	211	14.5	1.06	0.99	84	68	152	10.4	0.88	4	79	4	1
Glendale	7,550	47	49	1	1	—	98	13.0	1.07	0.90	39	49	88	11.7	0.90	2	20	1	1

* Change of boundary. See Appendix on page 468.

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.				
		Legitimate.			Illegitimate.			TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.			Comparability Factor.	Ratio of local to National Rate.	Number.	Rate per 1,000 Related Live Births.
		M.		F.	M.		F.														
		(3)	(4)	(5)	(6)	(7)	(8)														
(1) NORTHUMBERLAND—contd.																					
Rural Districts—contd.																					
Haltwhistle	7,591	55	51	2	1	109	14.4	1.05	0.98	43	50	93	12.3	0.92	0.91	4	36	3	3	4	
Hexham	20,560	139	135	6	4	284	13.8	1.04	0.93	162	132	294	14.3	0.86	0.98	8	28	5	5	9	
Morpeth	17,910	137	110	6	7	260	14.5	1.07	1.00	119	92	211	11.8	1.12	1.06	10	38	6	6	9	
Newcastle upon Tyne (Moot Hall and precincts) ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Norham and Islandshires ..	4,470	38	28	4	2	72	16.1	1.09	1.13	36	38	74	16.6	0.88	1.17	2	28	1	1	1	
Rothbury	5,507	39	39	1	1	80	14.5	1.01	0.94	32	56	88	16.0	0.84	1.08	3	37	1	1	1	
NOTTINGHAMSHIRE																					
County Borough : Nottingham ..	842,400	6,732	6,234	418	364	13,748	16.3	1.00	1.05	5,056	4,621	9,677	11.5	1.08	0.99	422	31	252	305	305	
Admin. County ..	306,600	2,552	2,256	212	178	5,198	17.0	0.97	1.06	1,872	1,801	3,673	12.0	1.08	1.04	170	33	107	119	119	
Urban Districts ..	535,800	4,180	3,978	206	186	8,550	16.0	1.01	1.04	3,184	2,820	6,004	11.2	1.08	0.97	252	29	145	186	186	
Arnold	374,500	2,951	2,749	150	121	5,971	15.9	1.00	1.03	2,261	2,002	4,263	11.4	1.10	1.00	183	30	102	131	131	
Beeston and Stapleford ..	21,550	151	137	6	2	296	13.7	0.96	0.85	127	106	233	10.8	1.09	0.94	11	37	10	8	8	
Carlton	50,320	373	342	21	19	755	15.0	0.97	0.94	246	261	507	10.1	1.17	0.95	13	17	8	21	21	
East Retford M.B.	34,360	262	231	12	11	516	15.0	0.97	0.94	196	160	356	10.4	1.05	0.87	12	23	8	10	10	
Eastwood	16,470	132	140	10	4	286	17.4	0.99	1.11	99	126	225	13.7	0.95	1.04	6	21	4	5	5	
Hucknall	5,870	96	89	6	3	194	19.7	1.04	1.32	55	38	93	9.4	1.20	0.90	4	20	1	3	3	
Kirkby in Ashfield ..	23,290	204	185	6	7	402	17.3	0.99	1.10	125	119	244	10.5	1.23	1.03	13	32	5	9	9	
Mansfield M.B.	20,180	160	138	5	3	306	15.2	1.04	1.02	136	111	247	12.2	1.14	1.11	16	52	8	8	8	
Mansfield Woodhouse ..	50,960	378	378	27	19	802	15.7	0.97	0.98	334	266	600	11.8	1.10	1.04	28	35	16	19	19	
Newark M.B.	17,740	176	133	10	6	322	18.2	1.04	1.22	104	77	181	10.2	1.24	1.01	14	43	4	6	6	
Sutton in Ashfield ..	22,820	161	175	10	10	356	15.6	1.01	1.02	159	133	292	12.8	0.99	1.01	9	25	5	5	5	
Worsop	40,240	328	316	20	12	676	16.8	1.01	1.09	261	216	477	11.9	1.17	1.11	22	32	17	15	15	
West Bridgford ..	10,910	102	87	2	3	194	17.8	1.01	1.16	61	50	111	10.2	1.26	1.03	6	31	2	2	2	
Worsop M.B.	24,780	170	149	9	9	331	13.4	1.00	0.86	159	176	335	13.5	0.82	0.89	9	27	6	8	8	
Rural Districts ..	31,110	258	249	9	19	535	17.2	1.07	1.19	199	163	362	11.6	1.20	1.11	20	37	8	13	13	
Basford	161,300	1,229	1,229	56	65	2,579	16.0	1.04	1.07	923	818	1,741	10.8	1.03	0.89	69	27	43	55	55	
	50,530	385	387	15	21	808	16.0	1.02	1.05	309	276	585	11.6	1.03	0.96	17	21	12	23	23	

(7)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Bingham	20,780	135	138	6	13	292	14.1	1.08	0.98	113	119	232	11.2	0.88	0.79	10	34	7	4
Bing. Retford	21,550	149	138	11	10	308	14.2	1.09	0.90	145	145	264	12.2	0.91	0.92	11	36	7	6
Newark	11,228	108	87	4	5	204	18.2	0.96	1.13	70	50	120	10.7	0.98	0.84	4	19	3	1
Nottingham (Shire Hall)	39,840	313	321	14	9	657	16.5	1.06	1.13	211	184	395	9.9	1.13	0.89	17	26	10	18
Southwell	17,270	139	158	6	7	310	18.0	1.01	1.17	75	70	145	8.4	1.27	0.85	10	32	4	3
Workshop																			
OXFORDSHIRE	287,200	2,106	2,103	143	128	4,480	15.6	1.01	1.02	1,548	1,522	3,070	10.7	0.98	0.84	81	18	57	72
County Borough :																			
Oxford	106,400	721	704	57	58	1,540	14.5	0.96	0.90	555	557	1,112	10.5	1.06	0.89	29	19	22	30
Admin. County :	180,800	1,385	1,399	86	70	2,940	16.3	1.04	1.09	993	965	1,958	10.8	0.94	0.81	52	18	35	42
Urban Districts :																			
Banbury M.B.	46,600	339	349	19	16	723	15.5	1.04	1.04	299	296	595	12.8	0.91	0.93	15	21	10	12
Banbury	18,970	132	143	5	5	285	15.1	1.03	1.00	108	107	215	12.7	1.01	0.92	10	10	3	2
Bicester	4,884	47	48	3	3	101	24.1	1.03	1.60	34	19	53	12.7	1.05	1.07	4	39	3	2
Chipping Norton M.B.	3,898	26	26	3	3	157	15.0	1.17	1.13	30	30	60	15.8	0.77	0.97	3	52	3	5
Chipping Norton	7,968	55	46	3	3	107	13.4	1.03	0.89	60	66	126	15.8	0.78	0.99	3	28	—	—
Henley on Thames M.B.	3,627	33	27	1	1	112	17.1	1.07	1.18	14	27	48	11.3	0.87	0.79	—	2	1	2
Thame...	3,627	33	27	1	1	112	17.1	1.07	1.18	14	27	48	11.3	0.87	0.79	—	2	1	2
Witney	6,461	40	40	2	3	89	13.8	0.99	0.88	42	36	72	13.0	0.96	0.93	—	22	—	—
Woodstock	1,690	6	15	1	—	22	13.0	1.07	0.90	11	11	22	13.0	0.73	0.76	—	—	—	—
Rural Districts :																			
Banbury	134,200	1,046	1,050	67	54	2,217	16.5	1.05	1.12	694	669	1,363	10.2	0.96	0.78	37	17	25	30
Banbury	14,770	119	101	4	2	226	15.3	1.12	1.11	80	105	185	12.3	0.84	0.84	3	13	2	3
Bullington	36,740	292	269	18	23	600	16.3	0.92	0.97	192	186	342	9.3	0.96	0.71	11	18	9	4
Chipping Norton	13,760	131	133	13	7	280	17.8	1.13	1.30	188	199	157	11.8	0.86	0.82	17	25	5	3
Henley	19,680	147	154	17	9	325	16.5	1.08	1.05	129	104	233	11.8	0.94	0.89	3	9	1	6
Ploughley	25,230	165	177	4	9	431	14.1	1.12	1.42	91	101	192	7.6	1.16	0.71	4	11	3	6
Witney	22,020	192	216	11	12	353	19.6	1.05	1.35	114	110	224	10.2	0.98	0.80	9	21	5	8
PETERBOROUGH, SOKE OF :																			
Admin. County :	64,160	460	457	29	40	986	15.4	1.00	0.99	379	368	747	11.6	0.98	0.91	24	24	16	24
Urban District :																			
Peterborough M.B.	53,060	377	344	24	34	779	14.7	1.00	0.95	317	321	638	12.0	0.98	0.94	19	24	11	20
Rural Districts :																			
Barnack	11,100	83	113	5	6	207	18.6	1.04	1.25	62	47	109	9.8	0.97	0.76	5	24	5	4
Peterborough	3,782	24	36	2	—	62	16.4	1.14	1.21	18	15	33	8.7	1.08	0.75	3	48	3	1
Peterborough	7,318	59	77	3	6	145	19.8	1.00	1.28	44	32	76	10.4	0.93	0.77	2	14	2	3
RUTLAND :																			
Admin. County :	21,640	167	166	5	8	346	16.0	1.18	1.22	121	112	233	10.8	0.92	0.79	10	29	8	7
Urban District :																			
Oakham	3,860	23	29	1	—	53	13.7	1.19	1.05	27	19	46	11.9	0.80	0.76	—	—	—	—
Rural Districts :																			
Ketton	17,780	144	137	4	8	293	16.5	1.18	1.26	94	93	187	10.5	0.96	0.81	10	34	8	7
Oakham	3,048	23	27	1	2	53	17.4	1.04	1.17	15	19	34	11.2	0.85	0.76	1	19	1	—
Uppingham	6,056	80	66	3	3	152	17.5	1.21	1.37	50	45	95	10.9	1.12	0.98	8	52	7	6
Uppingham		41	44	—	3	88	14.5	1.21	1.13	29	29	58	9.6	0.83	0.64	1	71	—	1

TABLE 12—continued.

AREA.	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Stillbirths.				
	Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.		Number.	Rate per 1,000 Related Live Births.	Deaths under 4 weeks.	
	M.	F.	M.	F.															
					(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)		(13)	(14)	(15)	(16)
SHROPSHIRE : Admin. County ...	293,500	2,219	2,171	106	107	4,603	15.7	1.10	1.11	1,980	1,739	3,719	12.7	0.99	1.01	140	30	82	121
Urban Districts ...	140,500	1,077	1,001	54	52	2,184	15.5	1.04	1.04	1,035	928	1,963	14.0	0.95	1.06	71	32	46	58
Bishop's Castle M.B.	1,271	10	11	2	—	23	18.1	1.23	1.44	42	21	63	16.5	0.62	0.82	1	43	—	1
Brighthelm M.B.	6,153	52	49	2	1	104	16.9	1.04	1.13	42	57	99	16.1	0.84	1.08	—	—	—	4
Church Stretton	2,604	11	17	—	1	29	11.1	1.15	0.82	27	16	43	16.5	0.65	0.86	—	—	—	2
Dawley	8,368	66	56	4	5	131	15.7	1.02	1.03	22	36	58	11.6	1.01	0.94	5	38	4	4
Ellesmere	2,139	17	15	3	1	36	16.8	1.23	1.33	22	14	36	16.8	0.76	1.02	1	28	4	—
Ludlow M.B. ...	6,427	58	42	2	3	105	16.3	1.08	1.14	54	45	99	15.4	0.80	0.99	6	57	4	2
Market Drayton	5,564	55	40	2	1	98	17.6	0.95	1.08	42	35	77	13.8	0.93	1.03	1	70	1	1
Newport	3,793	37	23	3	2	62	16.3	1.06	1.11	37	20	57	15.0	0.91	1.09	3	48	3	2
Oakengates	11,660	80	83	4	3	170	14.6	0.98	0.92	81	79	160	13.7	0.96	1.05	3	78	2	5
Oswestry M.B.	10,890	90	86	2	4	182	16.7	1.03	1.11	81	87	168	15.4	0.97	1.20	7	38	6	4
Shrewsbury M.B.	45,460	315	307	20	18	660	14.5	1.01	0.94	297	305	602	13.2	1.02	1.08	13	20	10	18
Wellington	12,060	81	96	2	3	182	15.1	1.12	1.09	76	71	147	12.2	1.08	1.05	8	44	3	2
Wem	2,995	22	19	—	1	42	17.5	1.09	1.23	17	13	30	12.5	0.83	0.83	3	71	1	—
Wenlock M.B.	14,890	127	114	6	7	254	17.1	1.08	1.19	128	93	221	14.8	0.83	1.10	16	63	8	12
Whitchurch	6,821	56	43	4	3	106	15.5	1.06	1.06	57	49	106	15.5	0.89	1.10	4	38	3	7
Rural Districts	153,000	1,142	1,170	52	55	2,419	15.8	1.16	1.18	945	811	1,756	11.7	1.04	0.96	69	28	36	63
Atcham	21,320	184	177	17	7	385	18.1	1.05	1.23	145	126	271	12.5	0.93	0.94	8	27	4	4
Bridgnorth	16,590	113	107	3	3	234	13.5	1.40	1.22	74	63	137	8.3	1.18	0.78	3	13	2	3
Cunliffe	9,735	80	71	2	4	157	16.1	1.22	1.27	82	79	161	16.5	0.81	1.07	4	25	2	6
Drayton	11,410	87	96	4	5	192	16.8	1.26	1.37	61	59	120	10.5	1.23	1.03	9	47	5	7
Ellesmere	8,785	71	67	2	5	145	16.5	1.42	1.51	33	39	72	8.2	1.14	0.75	3	21	2	4
Ludlow	13,980	94	105	3	6	208	14.9	1.19	1.14	130	93	223	16.0	0.84	1.08	9	43	3	4
Oswestry	20,440	144	132	6	3	285	13.9	1.21	1.09	139	92	231	11.3	1.09	0.99	10	35	5	12
Shifnal	13,670	97	114	6	6	223	16.3	1.03	1.08	73	58	131	9.6	1.17	0.90	9	40	4	4
Wellington	24,710	177	188	7	8	380	15.4	1.06	1.05	136	131	267	10.8	1.16	1.00	12	31	7	6
Wem	12,560	95	113	2	10	220	17.8	1.10	1.26	72	71	143	11.6	0.96	0.89	2	9	2	8
SOMERSET : County Borough : Bath ...	555,350	4,066	3,830	164	185	8,245	14.8	1.05	1.00	3,660	4,002	7,662	13.8	0.84	0.93	201	24	149	167
	78,330	545	533	28	31	1,137	14.5	0.99	0.93	470	639	1,109	14.2	0.82	0.93	24	21	20	24

(7)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
*Admin. County ...																			
*Urban Districts ...	477,020	3,521	3,297	136	154	7,108	14.9	1.07	1.03	3,190	3,363	6,553	13.7	0.84	0.92	177	25	129	143
Bridgwater M.B.	225,400	1,650	1,610	64	81	3,405	15.1	1.05	1.02	1,582	1,752	3,334	14.8	0.83	0.98	81	24	55	71
Burnham on Sea	22,180	202	208	3	3	425	19.2	0.98	1.21	158	135	313	14.1	0.96	1.08	7	16	3	9
Chard M.B.	9,340	79	63	3	1	146	15.6	1.11	1.12	33	39	166	17.8	0.78	1.11	4	27	4	2
*Cleveland	5,251	42	21	3	3	69	13.1	1.09	0.92	77	43	76	14.5	0.87	1.01	2	29	2	1
Clewkerne	9,563	58	70	1	2	131	13.7	1.12	0.99	68	125	193	20.2	0.67	1.08	5	38	4	4
	3,927	23	38	1	—	62	15.8	1.09	1.11	32	25	57	14.5	0.84	0.97	—	—	—	1
Frome ...	11,140	78	94	5	7	184	16.5	1.08	1.15	84	93	177	15.9	0.79	1.00	2	11	1	5
Glastonbury M.B.	5,129	36	45	1	2	84	16.4	1.05	1.11	42	30	72	14.0	0.83	0.93	—	—	—	3
Ilminster	2,633	21	15	1	—	41	15.6	1.01	1.02	12	16	28	10.6	0.92	0.78	1	24	—	3
Keynsham	8,262	49	55	1	—	108	13.1	1.04	0.88	51	63	114	13.8	0.84	0.93	2	18	2	—
Minehead	7,339	38	41	4	3	83	11.3	1.09	0.79	50	75	125	17.0	0.65	0.88	1	12	1	—
Norton Radstock	11,870	92	89	4	3	188	15.8	1.08	1.10	85	73	158	13.3	0.97	1.03	9	48	4	7
*Portishead	4,536	43	37	1	1	82	18.1	1.09	1.27	32	35	67	14.8	0.79	0.94	—	—	—	—
Shepton Mallet	5,198	49	37	2	6	94	18.1	0.98	1.14	31	30	61	11.7	0.98	0.92	6	63	6	4
Street ...	5,736	40	35	—	—	75	13.1	0.97	0.82	36	31	67	11.7	0.91	0.85	1	13	1	1
Taunton M.B.	34,270	288	232	13	11	344	15.9	1.04	1.07	212	204	416	12.1	0.95	0.92	13	24	8	8
Watchet	2,575	18	14	—	—	32	12.4	1.11	0.89	18	15	33	12.8	0.84	0.86	1	31	1	—
Wellington	7,432	50	58	3	1	112	15.1	1.16	1.13	52	57	109	14.7	0.79	0.93	2	18	1	7
Wells M.B.	5,949	45	31	1	—	77	12.9	1.11	0.92	50	50	100	16.8	0.81	1.09	6	77	5	7
Weston super Mare M.B.	39,660	247	241	7	23	518	13.1	1.04	0.88	298	371	669	16.9	0.72	0.97	10	19	7	4
Yeovil M.B.	23,410	152	182	8	8	350	15.0	1.01	0.98	161	172	333	14.2	0.92	1.05	9	26	5	5
*Rural Districts ...																			
Axbridge	251,620	1,871	1,687	72	73	3,703	14.7	1.08	1.02	1,608	1,611	3,219	12.8	0.85	0.87	96	26	74	72
*Bathavon	26,570	194	159	6	5	364	13.7	1.07	0.97	133	185	368	13.9	0.82	0.91	12	33	10	7
Bridgwater	20,370	181	141	4	10	336	13.5	0.97	1.03	129	124	253	12.4	0.87	0.86	4	12	3	7
Chard ...	20,080	148	153	10	4	315	13.7	1.12	1.13	126	128	254	12.6	0.87	0.88	8	25	6	4
Clutton	12,280	101	86	—	2	189	13.4	1.10	1.00	72	76	148	12.1	0.84	0.81	4	21	3	8
	17,150	138	109	7	3	257	13.0	1.09	1.05	103	108	211	12.3	0.87	0.86	3	12	1	5
Dulverton	4,466	37	30	1	3	71	15.9	1.10	1.13	30	27	57	12.8	0.82	0.84	3	42	2	—
Frome ...	10,390	75	86	3	3	167	16.1	1.11	1.15	59	59	118	11.4	0.83	0.76	4	24	4	—
Langport	12,820	96	102	5	4	207	16.1	1.07	1.11	90	103	193	15.1	0.80	0.97	5	24	3	3
*Long Ashton	23,460	157	146	2	5	310	13.2	1.01	0.86	134	169	303	12.9	0.89	0.92	10	32	8	5
Shepton Mallet	10,860	74	80	2	3	159	14.2	1.09	1.12	82	61	143	13.2	0.92	0.97	5	31	4	2
Taunton	20,550	149	145	7	11	312	15.2	1.08	1.06	125	118	243	11.8	0.84	0.79	7	22	4	5
Wellington	7,884	58	58	4	4	124	15.7	1.06	1.07	63	50	113	14.3	0.82	0.82	1	8	—	1
Wells ...	10,220	71	64	5	6	146	14.3	1.20	1.11	67	59	126	12.3	0.82	0.81	9	61	6	5
Williton	13,170	81	64	4	3	182	11.5	1.12	0.83	99	95	194	14.7	0.78	0.92	4	26	4	3
Wincanton	17,460	140	105	8	4	287	14.7	1.11	1.05	123	112	235	13.5	0.81	0.87	6	23	6	5
Yeovil ...	23,890	171	159	4	3	337	14.1	1.08	0.98	123	137	260	10.9	0.96	0.84	11	32	10	7
SOUTHAMPTON																			
	1,121,000	9,199	8,687	572	515	18,973	15.7	1.06	1.07	7,335	7,125	14,460	11.9	0.94	0.89	499	26	322	392
County Boroughs																			
Bournemouth...	560,600	3,906	3,746	267	260	8,179	14.6	1.03	0.97	3,677	3,650	7,327	13.1	0.92	0.96	223	27	140	167
Portsmouth...	138,900	722	696	56	54	1,528	11.0	1.06	0.75	1,038	1,257	2,295	16.5	0.69	0.91	38	25	22	32
Southampton ...	244,400	1,766	1,657	106	118	3,667	14.9	1.05	1.01	1,517	1,385	2,902	11.9	1.04	0.99	109	30	65	70
	177,300	1,418	1,393	105	88	3,004	16.9	0.99	1.08	1,122	1,008	2,130	12.0	1.02	0.98	76	25	53	65

* Change of boundary. See Appendix on page 468.

TABLE 12—continued.

AREA.	LIVE BIRTHS.							DEATHS.							Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.	
	Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local to National Rate.	Number.	Rate per 1,000 Live Births.			Deaths under 1 year.
	M.	F.	M.	F.															
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
SOUTHAMPTON—contd.																			
Admin. County	651,400	5,293	4,941	305	255	10,794	16.6	1.03	1.16	3,658	3,475	7,133	11.0	0.95	0.84	276	25	192	225
Urban Districts	366,730	2,931	2,750	158	139	5,978	16.3	1.07	1.13	2,029	2,013	4,042	11.0	1.00	0.88	147	24	93	126
Aldershot M.B.	41,020	354	301	24	16	695	16.9	1.29	1.41	165	149	314	7.7	1.56	0.96	29	41	15	14
Alton	8,614	65	53	9	1	128	14.9	1.00	0.96	56	44	100	11.6	0.89	0.83	4	31	3	2
Andover M.B.	15,390	117	103	2	8	230	14.9	1.04	1.00	77	95	172	11.2	0.99	0.89	1	—	—	5
Basingstoke M.B.	17,000	134	129	9	3	275	16.2	1.01	1.06	115	89	204	12.0	0.98	0.94	7	25	4	4
Christchurch M.B.	20,330	153	163	9	15	340	16.7	0.98	1.06	131	126	257	12.5	0.72	0.73	8	23	5	4
Eastleigh M.B.	30,410	268	267	11	10	556	18.3	1.04	1.23	186	157	343	11.3	0.97	0.88	12	21	8	11
Fareham	42,870	338	292	14	17	661	15.4	1.03	1.02	218	207	425	9.9	1.01	0.80	13	20	8	12
Farnborough	26,170	230	210	11	10	461	17.6	1.09	1.24	116	86	202	7.7	1.34	0.83	13	28	10	10
Fleet	9,091	73	70	2	2	147	16.2	1.31	1.37	56	69	125	13.7	0.94	1.03	—	—	—	4
Gosport M.B.	61,710	533	478	21	23	1,055	17.1	1.05	1.16	286	287	573	9.3	1.24	0.92	22	21	13	29
Havant and Waterloo	32,080	240	257	17	12	526	16.4	0.99	1.05	203	220	423	13.2	0.79	0.83	14	26	11	13
Lymington M.B.	22,440	137	129	10	9	285	12.7	1.07	0.88	162	200	362	16.1	0.70	0.90	5	17	3	7
Petersfield	6,922	45	49	1	2	97	14.0	1.12	1.01	46	51	97	14.0	0.83	0.93	—	—	—	—
Romsey M.B.	6,283	65	55	4	2	126	20.1	1.17	1.52	41	46	87	13.8	0.78	0.86	5	39	4	2
Winchester M.B.	26,400	179	194	14	9	396	15.0	1.12	1.03	171	187	358	13.6	0.92	1.00	14	35	9	9
Rural Districts	284,670	2,362	2,191	147	116	4,816	16.9	1.08	1.18	1,629	1,462	3,091	10.9	0.90	0.78	129	27	89	99
Alton	22,920	227	200	20	16	463	20.2	1.18	1.54	134	117	251	11.0	1.00	0.88	17	36	11	7
Andover	17,590	156	131	7	3	297	16.9	1.06	1.16	86	56	142	8.1	1.05	0.68	10	33	7	7
Basingstoke	17,270	104	114	7	8	233	13.5	1.25	1.09	98	79	177	10.2	0.87	0.71	3	13	3	6
Droxford	20,770	157	157	9	5	328	15.8	1.08	1.10	117	122	239	11.5	0.82	0.75	5	15	3	4
Hartley Wintney	23,810	150	148	14	13	325	13.6	1.04	0.91	118	116	234	9.8	0.85	0.67	13	40	9	4
Kingsclere and Whitchurch	18,640	155	145	12	10	322	17.3	1.05	1.17	115	116	231	12.4	0.86	0.85	12	37	8	7
New Forest	44,900	407	367	23	13	810	18.0	1.07	1.24	275	217	492	11.0	0.99	0.87	21	26	14	21
Petersfield	23,310	210	194	13	9	426	18.3	1.03	1.22	137	126	263	11.3	0.87	0.79	15	30	10	7
Ringwood and Fordingbridge	23,970	194	195	12	13	414	17.3	1.08	1.21	156	144	300	12.5	0.79	0.79	5	12	3	10
Romsey and Stockbridge	27,090	209	196	16	13	434	16.0	1.06	1.09	149	133	282	10.4	0.96	0.80	13	37	10	12
Winchester	44,400	393	344	14	13	764	17.2	1.05	1.17	244	236	480	10.8	0.87	0.75	13	77	11	13

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
STAFFORDSHIRE	1,617,000	12,951	12,262	455	241	26,109	16.1	0.98	1.02	10,223	8,288	19,211	11.9	1.14	1.09	913	35	558	645
County Boroughs	760,800	6,151	5,913	227	18	12,537	16.5	0.98	1.04	5,084	4,508	9,592	12.6	1.14	1.15	432	34	266	325
Buryon Trent	48,900	345	394	23	21	780	16.0	0.96	1.06	363	309	672	13.7	0.97	1.06	25	32	19	23
Smethwick	76,290	554	565	22	18	1,163	15.2	0.98	0.96	500	458	958	12.6	1.05	1.06	31	26	18	22
Stoke on Trent	272,600	2,125	2,005	66	79	4,275	15.7	0.96	0.97	1,843	1,674	3,517	12.9	1.21	1.25	144	33	89	125
Walsall	113,800	998	938	35	45	2,016	17.7	1.00	1.14	805	675	1,480	13.0	1.12	1.16	75	37	51	49
West Bromwich	87,210	751	732	20	30	1,533	17.6	0.98	1.11	566	483	1,049	12.0	1.22	1.17	45	29	23	38
Wolverhampton	162,000	1,378	1,279	61	52	2,770	17.1	0.97	1.07	1,007	909	1,916	11.8	1.12	1.06	112	40	66	68
Admin. County ...	856,200	6,800	6,349	228	195	13,572	15.9	0.97	1.02	5,139	4,430	9,619	11.2	1.14	1.02	481	35	292	320
Urban Districts	639,300	5,194	4,787	164	140	10,285	15.1	0.99	1.01	3,907	3,411	7,318	11.4	1.17	1.07	362	35	222	253
Alridge	29,140	203	178	5	6	392	13.5	0.88	0.77	130	105	235	8.1	1.29	0.84	10	25	8	10
Balsall Heath	3,079	22	29	—	—	51	16.6	0.96	0.92	19	23	42	13.6	0.87	0.95	—	—	—	—
Biddulph	10,820	81	66	4	—	155	14.3	1.00	0.92	66	59	125	11.6	1.20	1.11	7	45	3	11
Bilston M.B.	33,420	288	281	9	6	584	17.5	0.97	1.10	183	191	374	11.2	1.30	1.09	21	36	15	18
Brierley Hill	48,690	345	372	9	7	733	15.1	0.97	0.94	326	254	580	11.9	1.14	1.16	20	27	11	26
Brownhills	21,320	155	160	3	6	324	15.2	1.00	0.98	130	100	230	10.8	1.19	1.03	9	28	8	6
Cannock	40,810	354	356	17	17	744	18.2	1.03	1.21	263	224	487	11.9	1.15	1.09	27	36	14	15
Cosley	34,720	302	263	6	6	577	16.6	0.95	1.31	209	195	404	11.6	1.31	1.22	24	41	12	9
Darlaston	21,880	198	153	7	3	361	16.5	0.96	1.02	143	107	250	11.4	1.26	1.15	17	47	15	6
Kidsgrove	16,260	151	156	4	—	311	19.1	0.98	1.21	89	113	202	12.4	1.15	1.14	11	35	6	10
Leek ...	19,210	135	129	4	—	274	14.3	1.03	0.95	131	143	274	14.3	0.97	1.11	9	33	4	8
Lichfield M.B.	10,760	91	74	1	5	171	15.9	1.03	1.06	51	66	117	10.9	0.92	1.07	5	29	4	6
Newcastle under Lyme M.B.	69,820	532	506	24	15	1,077	15.4	0.97	0.96	420	374	794	11.4	1.17	1.07	40	37	27	30
Rowley Regis M.B.	49,220	394	314	7	6	721	16.6	0.94	1.01	276	235	511	10.4	1.22	1.02	22	30	7	14
Rugeley	8,472	73	58	1	3	135	15.9	1.03	1.06	50	50	100	11.8	1.07	1.01	7	52	5	4
Sedgley	23,170	189	169	4	4	366	15.8	0.99	1.01	164	129	293	12.6	1.07	1.08	10	27	8	7
Stafford M.B.	40,110	367	307	21	6	701	17.5	1.02	1.15	218	198	416	10.4	1.06	0.88	24	34	16	19
Stone ...	8,278	50	62	3	4	119	14.4	0.96	0.89	43	43	86	10.4	0.98	0.82	6	50	3	1
Tamworth M.B.	12,840	97	113	3	8	221	17.2	1.02	1.13	93	82	175	13.6	0.97	1.06	10	45	8	5
Tettenhall	7,824	59	68	1	1	129	16.5	1.02	1.09	60	76	136	17.4	0.86	1.20	4	31	4	1
Tipton M.B.	39,330	385	321	5	6	717	18.2	0.98	1.15	243	197	440	11.2	1.30	1.16	26	36	13	14
Uttoxeter	7,427	48	45	2	5	100	13.5	1.01	0.88	50	43	93	12.5	1.23	1.02	6	60	3	3
Wednesbury M.B.	34,740	303	269	8	6	586	16.9	0.96	1.05	244	167	411	11.8	1.23	1.16	18	31	9	14
Wednesfield	17,390	130	112	6	9	257	14.8	0.88	0.97	97	90	187	10.6	1.33	1.15	9	35	7	7
Willenhall	30,570	242	226	10	1	479	15.7	0.97	0.98	209	147	356	11.6	1.26	1.17	20	42	12	9
Rural Districts	216,900	1,606	1,562	64	55	3,287	15.2	1.05	1.03	1,232	1,069	2,301	10.6	1.06	0.90	119	36	70	67
Cannock	24,200	182	206	13	10	411	17.0	1.04	1.14	145	145	289	11.9	1.12	1.07	15	36	9	12
Chendale	32,880	240	242	10	10	498	15.1	1.06	1.03	197	147	344	10.5	1.04	0.87	21	42	13	12
Leek ...	16,920	153	137	1	9	309	17.7	1.00	1.14	96	112	208	12.3	1.02	1.00	11	36	7	12
Lichfield	41,940	296	265	7	6	574	13.7	1.19	1.05	184	160	344	8.2	1.15	0.75	22	38	13	12
Newcastle under Lyme	17,120	113	98	5	4	220	12.9	1.04	0.87	110	99	209	12.2	0.96	0.94	2	9	1	4
Seisdon	22,160	157	170	11	3	341	15.4	1.00	0.99	132	122	254	11.5	1.07	0.98	9	26	2	3
Stafford	16,700	154	142	4	7	307	13.6	1.10	1.11	102	82	184	19.3	1.12	0.83	15	40	11	4
Stone ...	16,480	103	120	6	2	231	14.0	0.84	0.76	105	93	198	12.6	1.06	1.02	12	52	9	7
Tutbury	14,660	120	109	2	2	233	13.9	1.00	1.03	107	71	178	12.1	0.93	0.92	11	47	5	5
Uttoxeter	10,840	88	73	2	6	172	15.9	1.23	1.26	54	39	93	8.6	1.05	0.72	1	6	—	4

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS.				DEATHS.							Deaths under 1 year.		Stillbirths.				
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.		Ratio of local to National Rate.	Number.	Rate per 1,000 Live Births.	Deaths under 4 weeks.
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
SUFFOLK, EAST	322,400	2,481	2,347	133	125	5,086	15.8	1.07	1.09	2,100	2,045	4,145	12.9	0.87	0.90	148	29	93	105
County Borough	104,000	869	812	38	48	1,767	17.0	0.99	1.09	646	626	1,272	12.2	0.96	0.94	53	30	32	36
Ipswich	218,400	1,612	1,535	95	77	3,319	15.2	1.12	1.10	1,454	1,419	2,873	13.2	0.84	0.89	95	28	61	69
Admin. County	95,400	715	623	35	33	1,406	14.7	1.06	1.01	676	682	1,358	14.2	0.84	0.95	38	27	18	33
Urban Districts	2,545	16	19	2	1	38	14.9	1.06	1.02	27	26	53	20.8	0.72	1.20	2	52	2	2
Aldeburgh M.B.	6,829	39	39	1	2	81	11.9	1.15	0.88	46	62	108	15.8	0.78	0.99	1	12	1	1
Beccles M.B.	3,483	20	32	2	—	54	15.5	1.10	1.10	21	22	43	12.3	0.84	0.83	—	—	—	3
Bungay	1,568	5	9	—	—	14	8.9	1.25	0.72	8	7	15	9.6	0.68	0.82	—	—	—	1
Eye M.B.	15,200	120	81	4	7	212	13.9	0.99	0.99	100	117	217	14.3	0.78	0.89	9	42	2	7
Felixstowe	2,169	10	10	—	1	21	9.7	1.09	0.88	17	23	40	18.4	0.84	1.24	1	47	1	1
Halesworth	2,169	10	10	—	1	21	9.7	1.09	0.88	17	23	40	18.4	0.84	1.24	1	47	1	1
Leiston cum Sizewell	4,079	31	32	1	1	65	15.9	1.21	1.24	35	28	63	15.4	0.74	0.91	1	15	1	3
Lowestoft M.B.†	42,890	349	304	23	19	695	16.2	1.03	1.08	315	280	595	13.9	0.94	1.05	17	24	10	12
Saxmundham	1,401	12	7	—	—	19	13.6	1.15	1.01	11	11	22	15.7	0.73	0.92	—	83	—	—
Southwold M.B.	2,441	12	7	—	—	24	9.8	1.12	0.71	22	23	45	18.4	0.64	0.94	2	10	—	4
Stowmarket	7,382	53	46	2	—	101	13.7	1.07	0.95	47	43	90	12.2	0.93	0.91	1	10	—	—
Woodbridge	5,413	48	32	—	2	82	15.1	1.28	1.25	27	40	67	12.4	0.75	0.74	4	48	2	—
Rural Districts	123,000	897	912	60	44	1,913	15.6	1.17	1.18	778	737	1,515	12.3	0.83	0.82	57	30	43	36
Blyth	19,390	142	142	10	5	318	16.4	1.19	1.26	142	141	283	14.6	0.73	0.85	8	25	6	6
Deben	27,850	202	179	17	14	412	14.8	1.12	1.07	176	146	322	11.6	0.85	0.79	14	34	12	5
Gipping	20,510	148	166	13	18	335	16.3	1.08	1.14	111	119	230	11.2	0.86	0.77	9	27	6	7
Hartismere	17,190	127	138	9	9	283	16.5	1.22	1.30	126	132	258	15.0	0.80	0.96	8	28	6	7
Lothlingland	15,090	122	91	3	3	219	14.5	1.18	1.10	85	85	170	11.3	0.85	0.77	10	45	8	6
Sanford	15,860	99	104	7	3	213	13.4	1.30	1.12	90	86	176	11.1	0.92	0.82	5	23	4	2
Wainford	7,110	57	73	1	2	133	18.7	1.10	1.33	48	28	76	10.7	0.83	0.71	3	22	1	4
SUFFOLK, WEST :	124,200	921	852	46	47	1,866	15.0	1.10	1.06	789	806	1,595	12.8	0.83	0.85	53	28	30	36
Admin. County	43,790	287	268	19	14	588	13.4	1.07	0.93	283	300	583	13.3	0.84	0.89	20	34	11	6
Urban Districts	20,200	146	138	7	4	295	14.6	1.05	0.99	102	131	233	11.5	0.93	0.86	13	44	8	2
Bury St. Edmunds M.B.	3,103	20	21	4	2	47	15.1	1.11	1.08	28	23	51	16.4	0.82	1.08	1	21	1	1
Hadleigh	4,109	33	18	—	—	51	12.4	1.10	0.88	26	34	60	14.6	0.77	0.90	3	58	—	—
Haverhill																			1

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Newmarket ...	10,060	58	61	7	7	133	13.2	1.05	0.89	72	59	131	13.0	0.86	0.89	2	15	1	3
Sudbury M.B.	6,318	30	30	1	1	62	9.8	0.70	0.70	55	53	108	17.1	0.70	0.96	1	16	1	—
Rural Districts ...	80,414	634	584	27	33	1,278	15.9	1.12	1.15	506	506	1,012	12.6	0.83	0.84	33	26	19	30
Care ...	9,426	74	63	3	3	143	15.2	1.19	1.22	78	81	159	16.9	0.79	1.07	3	21	1	30
Melford ...	9,505	74	74	2	1	151	15.9	1.19	1.22	76	64	140	14.7	0.73	0.86	3	20	2	—
Mildenhall ...	12,920	104	90	1	8	203	15.7	1.03	1.04	84	105	189	14.6	0.78	0.91	8	39	4	7
Thetwastre ...	21,700	166	159	11	14	350	16.1	1.08	1.12	74	95	169	7.8	0.96	0.60	6	17	4	10
Thingoe ...	8,719	78	72	3	3	156	17.9	1.15	1.33	67	58	125	14.3	0.77	0.88	4	25	3	5
Thingoe ...	18,140	138	126	7	4	275	15.2	1.15	1.13	127	103	230	12.7	0.89	0.90	9	33	5	5
SURREY ...	1,606,000	10,452	10,033	466	457	21,408	13.3	0.98	0.84	8,788	9,297	18,095	11.3	0.95	0.85	21	338	462	462
County Borough :	250,300	1,758	1,646	101	88	3,593	14.4	0.96	0.89	1,432	1,542	2,974	11.9	0.93	0.89	69	19	47	77
Croydon
Admin. County ...	1,355,700	8,694	8,387	365	369	17,815	13.1	0.98	0.83	7,356	7,755	15,111	11.1	0.95	0.84	22	291	385	385
Urban Districts ...	1,204,700	7,577	7,348	316	332	15,573	12.9	0.98	0.82	6,509	6,926	13,435	11.2	0.96	0.86	339	22	258	327
Banstead ...	33,220	175	179	9	1	364	11.0	1.08	0.77	157	149	306	9.7	0.93	0.68	7	19	5	9
Barnes M.B. ...	40,620	195	214	7	8	424	10.4	0.94	0.63	228	278	506	12.5	0.86	0.86	11	26	10	11
Beddington and Wallington M.B. ...	32,650	199	159	6	8	372	11.4	0.97	0.71	172	200	372	11.4	0.92	0.84	9	24	7	12
Carshalton ...	61,730	346	376	13	18	753	12.2	0.94	0.74	266	272	538	8.7	1.25	0.87	22	29	15	23
Caterham and Warlingham ...	31,520	243	215	6	9	473	15.0	1.05	1.02	159	151	310	9.8	1.05	0.82	17	36	12	8
Chertsey ...	31,400	231	227	11	11	480	15.3	1.00	0.99	163	166	329	10.5	1.13	0.95	14	29	7	7
Coulston and Purley ...	64,200	387	371	10	12	780	12.1	1.06	0.83	348	350	738	11.5	0.92	0.85	17	22	14	23
Dorking ...	20,020	116	135	11	12	274	13.7	1.00	0.88	116	141	257	12.8	0.84	0.86	17	25	8	23
Egham ...	25,370	169	169	9	15	354	14.0	1.07	0.97	149	128	277	10.9	0.99	0.86	10	28	8	10
Epsom and Ewell M.B. ...	68,010	361	329	9	15	714	10.5	1.05	0.71	343	378	721	10.6	0.96	0.81	20	28	16	10
Essex ...	51,210	324	339	11	7	681	13.3	0.96	0.82	295	310	605	11.8	0.94	0.89	14	20	13	18
Farnham ...	24,080	179	145	6	8	338	14.0	1.00	0.90	158	167	325	13.5	0.78	0.84	9	26	7	18
Frimley and Camberley ...	21,000	164	150	11	4	329	15.7	1.13	1.14	105	105	210	10.0	1.19	0.95	9	27	8	5
Godalming M.B. ...	15,030	91	86	15	6	186	12.4	1.05	0.84	89	101	190	12.6	0.89	0.90	1	5	1	3
Guildford M.B. ...	47,280	332	289	15	9	645	13.6	0.91	0.80	240	308	548	11.6	0.93	0.86	10	15	8	20
Haslemere ...	11,930	80	84	1	5	170	14.2	0.99	0.91	77	83	160	13.4	0.86	0.92	3	18	2	2
Kingston upon Thames M.B. ...	39,920	277	258	20	20	575	14.4	0.95	0.88	277	279	556	10.9	0.90	1.00	14	24	12	9
Leatherhead ...	28,030	185	173	8	9	372	13.3	1.00	0.86	142	164	306	10.9	0.91	0.79	3	8	2	10
Malden and Coombe M.B. ...	45,640	256	238	6	9	509	11.2	0.96	0.69	236	211	447	9.8	1.03	0.81	8	16	5	10
Merton and Morden ...	74,140	408	443	16	13	880	13.0	0.93	0.78	371	339	710	9.6	1.14	0.88	13	15	11	11
Mitcham M.B. ...	67,010	436	470	14	14	874	13.0	0.93	0.78	337	317	654	9.8	1.16	0.91	23	26	16	23
Reigate M.B. ...	42,220	258	261	14	12	545	12.9	1.04	0.87	263	288	551	13.1	0.80	0.84	11	20	9	14
Richmond M.B. ...	41,540	363	281	18	26	630	15.0	0.97	0.94	278	260	568	13.5	0.81	0.87	11	17	10	19
Surrey M.B. ...	61,090	385	412	18	15	850	13.6	0.92	0.81	313	344	657	10.8	1.01	0.87	17	20	12	15
Sutton and Cheam M.B. ...	79,520	451	443	14	23	931	11.7	0.94	0.71	411	467	878	11.0	0.97	0.85	11	12	8	15
Wotton and Weybridge ...	38,180	277	291	14	10	552	14.5	0.93	0.87	221	215	436	11.4	0.95	0.87	15	27	12	10
Wimbledon M.B. ...	58,430	394	351	11	25	842	14.4	0.93	0.86	366	366	779	13.3	0.82	0.87	17	20	14	13
Woking ...	49,310	335	319	23	19	696	14.1	1.02	0.93	229	272	501	10.2	0.95	0.78	16	23	12	7

TABLE 12—continued.

AREA.	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.			
	Estimated Home Population (Middle 1951).			Illegitimate.			TOTAL.			Crude Rate per 1,000 Home Population.			Comparability Factor.				Ratio of local adjusted death rate to National Rate.		
	Legitimate.		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			Number.	Rate per 1,000 Related Live Births.	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
SURREY—contd.																			
Rural Districts ...	151,000	1,117	1,039	49	37	2,242	14.8	1.01	0.96	847	829	1,676	11.1	0.89	0.79	48	21	33	58
Bagshot ...	14,290	95	104	3	9	211	14.8	1.10	1.05	69	84	153	10.7	0.95	0.81	1	5	1	7
Dorking and Horley ...	26,120	215	175	12	6	408	15.6	0.98	0.99	176	147	323	12.4	0.91	0.90	8	19	6	8
Godstone ...	32,970	232	218	8	8	466	14.1	1.03	0.94	174	176	350	10.6	0.86	0.73	11	23	8	12
Guildford ...	45,990	344	344	14	10	712	15.5	0.97	0.97	241	224	465	10.2	0.90	0.73	21	29	14	16
Hambleton ...	31,830	231	198	12	4	445	14.0	1.03	0.93	187	198	385	12.1	0.88	0.85	7	16	4	15
SUSSEX, EAST ...	619,400	3,665	3,412	235	232	7,544	12.2	1.08	0.85	4,190	5,150	9,340	15.1	0.74	0.89	195	26	116	147
County Boroughs ...	278,200	1,622	1,566	120	137	3,445	12.4	1.05	0.84	1,990	2,455	4,445	16.0	0.75	0.96	93	27	55	62
Brighton ...	155,000	944	923	79	88	2,034	13.1	1.02	0.86	1,116	1,247	2,363	15.2	0.80	0.97	69	34	39	40
Eastbourne ...	57,510	306	272	17	19	614	10.7	1.08	0.75	406	501	907	15.8	0.73	0.92	6	10	5	15
Hastings ...	65,090	372	371	24	30	797	12.2	1.10	0.87	468	707	1,175	18.1	0.67	0.97	18	22	11	17
Admin. County ...	341,200	2,043	1,846	115	95	4,099	12.0	1.11	0.86	2,200	2,695	4,895	14.3	0.73	0.84	102	25	61	85
Urban Districts ...	181,300	1,007	959	68	56	2,090	11.5	1.11	0.82	1,166	1,601	2,767	15.3	0.71	0.87	52	25	32	42
Bexhill M.B. ...	26,030	130	122	10	4	266	10.2	1.22	0.80	203	252	455	17.5	0.65	0.91	8	30	5	2
Burgess Hill ...	8,685	58	50	2	3	113	13.0	1.04	0.87	54	72	126	14.5	0.75	0.87	3	26	5	2
Cuckfield ...	16,830	103	84	4	5	196	11.6	1.12	0.84	80	144	224	13.3	0.77	0.82	5	25	4	6
East Grinstead ...	11,170	73	58	2	7	140	12.5	1.04	0.84	63	86	149	13.3	0.81	0.86	4	28	4	4
Hove M.B. ...	69,780	337	304	31	24	696	10.0	1.11	0.72	472	740	1,212	17.4	0.63	0.88	18	26	8	11
Lewes M.B. ...	12,940	83	94	4	2	183	14.1	1.07	0.97	75	86	161	12.4	0.85	0.84	6	33	5	1
Newhaven ...	7,803	58	66	2	4	130	16.7	1.03	1.11	55	45	100	12.8	0.89	0.91	2	15	2	1
Portsmouth by Sea ...	13,510	83	81	6	4	174	12.9	0.97	0.81	69	85	154	11.4	0.97	0.88	3	17	2	10
Rye M.B. ...	4,442	40	53	5	3	98	22.1	1.08	1.54	20	31	51	11.5	0.77	0.71	1	10	2	2
Seaford ...	10,110	42	47	2	3	94	9.3	1.28	0.77	75	60	135	13.4	0.80	0.86	2	21	1	3
Rural Districts ...	159,900	1,036	887	47	39	2,087	12.6	1.12	0.91	1,034	1,094	2,128	13.5	0.75	0.80	50	25	29	43
Battle ...	29,960	206	160	11	10	387	12.9	1.15	0.96	220	215	435	14.5	0.72	0.84	12	31	6	11
Chichester ...	20,510	157	106	3	9	275	13.4	1.12	0.97	125	151	276	13.5	0.74	0.80	6	22	3	4
Cuckfield ...	29,280	166	140	6	7	319	10.9	1.15	0.81	171	196	367	12.5	0.79	0.79	12	37	6	9
Haileham ...	36,400	230	212	15	7	464	12.7	1.10	0.90	254	226	480	13.2	0.73	0.77	11	24	7	10
Uckfield ...	43,750	277	269	12	6	564	12.9	1.12	0.93	264	306	570	13.0	0.77	0.80	9	16	7	9

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
SUSSEX, WEST :																			
Admin. County ...																			
Urban Districts ...																			
Arundel M.B.	317,900	1,928	1,909	103	124	4,064	12.8	1.11	0.92	2,210	2,444	4,654	14.6	0.74	0.86	100	24	69	99
Bognor Regis ...	169,300	961	932	49	66	2,008	11.9	1.13	0.85	1,241	1,572	2,763	16.3	0.68	0.89	48	24	31	57
Chichester M.B.	2,650	19	19	1	1	40	15.1	1.11	0.85	20	20	19	39	0.72	0.85	—	—	—	2
Horsham	25,000	124	129	7	16	276	11.0	1.07	0.76	197	213	410	16.4	0.73	0.86	10	36	6	5
Littlehampton	19,050	127	112	5	8	252	13.2	1.12	0.95	105	124	229	12.7	0.86	0.83	4	16	2	8
Shoreham-by-Sea	16,890	101	106	2	5	214	12.7	1.06	0.87	112	139	251	14.9	0.81	0.97	6	28	4	11
Southwick	13,990	94	106	2	9	211	15.1	1.07	1.04	81	96	177	12.7	0.87	0.88	5	24	5	7
Worthing M.B.	12,970	70	95	2	6	176	13.6	1.00	0.88	87	61	148	11.4	0.81	0.83	5	28	4	8
	10,690	74	70	5	1	150	14.0	1.06	0.96	65	69	134	12.5	0.81	0.81	1	71	1	4
	68,060	352	295	22	20	689	10.1	1.18	0.77	574	801	1,375	20.2	0.55	0.89	17	25	11	12
Rural Districts ...																			
Chancerybury	148,600	967	977	54	58	2,056	13.8	1.10	0.98	969	922	1,891	12.7	0.82	0.83	52	25	38	42
Chichester	20,880	141	137	7	10	295	14.1	1.09	0.96	124	141	265	12.7	0.79	0.80	9	30	7	8
Hogham	43,170	313	295	15	23	456	12.0	1.08	1.05	283	231	314	11.9	0.93	0.89	8	12	7	15
Midhurst	28,480	183	223	13	7	456	12.0	1.08	1.05	178	164	342	12.0	0.91	0.87	12	28	6	6
Perworth	16,730	111	108	4	5	233	13.9	1.11	1.00	102	101	203	12.1	0.78	0.76	3	38	8	5
Worthing	9,460	43	59	4	3	109	11.5	1.10	0.82	81	71	152	16.1	0.77	0.99	5	46	3	3
	29,880	176	135	6	10	347	11.6	1.19	0.89	201	214	415	13.9	0.68	0.76	9	26	7	5
WARWICKSHIRE																			
County Boroughs	1,860,000	14,916	14,068	828	733	30,545	16.4	0.97	1.03	10,920	10,039	20,959	11.3	1.11	1.00	920	30	620	701
Birmingham	1,369,000	11,129	10,454	655	599	22,837	16.7	0.96	1.03	8,084	7,366	15,450	11.3	1.14	1.03	701	31	464	518
C Coventry	1,110,900	9,004	8,556	501	483	18,524	16.7	0.96	1.03	6,568	6,197	12,765	11.5	1.12	1.03	547	29	348	423
	258,100	2,125	1,918	154	116	4,313	16.7	0.94	1.01	1,516	1,169	2,685	10.4	1.26	1.05	154	35	116	95
Admin. County ...																			
Urban Districts ...	491,000	3,787	3,614	173	134	7,708	15.7	1.00	1.01	2,836	2,673	5,509	11.2	1.04	0.93	219	28	156	183
Bedworth	318,200	2,405	2,366	106	79	4,956	15.6	0.98	0.99	1,833	1,822	3,655	11.5	1.03	0.95	134	27	97	121
Kenilworth	25,080	217	238	16	4	472	18.4	0.97	1.18	162	110	272	10.8	1.20	1.04	26	55	15	26
Nuneaton M.B.	40,120	93	78	1	1	174	16.4	0.97	1.03	73	54	127	12.0	1.00	0.96	7	40	6	2
Royal Leamington Spa M.B.	54,120	424	449	14	16	933	17.2	0.96	1.10	341	270	611	13.1	1.16	1.05	22	23	16	20
Rugby M.B.	36,520	267	268	22	14	571	15.6	0.96	0.97	222	285	507	13.9	0.90	1.00	14	24	9	16
Solidrud	45,880	318	337	16	14	682	14.9	1.00	0.96	275	257	532	11.6	1.05	0.97	18	26	13	18
Stratford upon Avon M.B.	67,880	488	464	16	14	982	14.4	0.93	0.86	330	346	676	9.9	1.12	0.89	29	22	23	23
Sutton Coldfield M.B.	14,700	225	131	4	2	260	17.7	1.00	1.14	81	93	167	11.8	0.85	0.80	5	19	4	8
Warwick M.B.	47,920	337	259	8	7	651	13.6	0.99	0.87	253	314	567	11.9	0.94	0.89	10	15	10	7
	15,550	111	105	8	7	231	14.9	1.04	1.00	96	93	189	12.2	0.97	0.95	3	13	2	11
Rural Districts ...																			
Alcester	172,800	1,382	1,248	67	55	2,752	15.9	1.04	1.07	1,003	851	1,854	10.7	1.04	0.89	85	31	59	62
Atherstone	33,260	115	97	3	2	217	16.4	1.02	1.08	71	62	133	10.0	0.90	0.72	5	23	5	6
Meriden	25,580	200	190	8	5	403	17.1	1.01	1.11	148	104	252	10.7	1.10	0.94	14	35	8	5
Rugby ...	37,950	287	276	13	16	592	15.6	1.05	1.06	202	188	390	10.3	1.17	0.96	20	34	12	19
Shipston on Stour	20,830	158	138	9	6	314	15.1	1.03	1.02	112	99	211	10.1	1.12	0.90	8	25	6	9
	8,110	72	61	5	6	144	17.8	1.08	1.24	67	59	126	15.5	0.75	0.93	2	14	1	2
Southern																			
Stratford on Avon	12,700	119	98	5	2	224	17.6	1.13	1.28	78	60	138	10.9	0.94	0.82	6	27	5	4
Tamworth	20,390	187	155	7	10	359	17.6	1.09	1.24	129	106	235	11.5	0.96	0.88	12	33	11	3
Warwick	16,040	134	118	7	—	259	16.1	0.98	1.02	98	94	192	12.0	1.06	1.02	12	46	6	6
	19,940	110	115	10	5	240	12.0	0.97	0.75	98	79	177	8.9	1.07	0.76	6	25	5	8

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Rate per 1,000 Live Births.	Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local to National Rate.				Deaths under 1 year.	
		M.	F.	M.	F.														Number.	Rate per 1,000 Live Births.
						(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)					
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
WESTMORLAND :																				
Admin. County ...	66,800	455	410	23	18	906	13.6	1.06	0.93	465	455	920	13.8	0.89	0.98	32	35	28	21	
Urban Districts ...	32,270	203	172	6	9	390	12.1	1.01	0.79	235	215	450	13.9	0.88	0.98	13	33	11	7	
Appleby M.B. ...	1,739	19	10	—	—	29	16.7	1.11	1.20	11	11	19	10.9	0.90	0.78	1	34	1	—	
Kendal M.B. ...	18,380	120	104	4	6	234	12.7	1.00	0.82	134	110	244	13.3	0.95	1.01	11	47	10	6	
The Lakes ...	5,529	24	29	2	1	56	10.1	1.02	0.66	41	48	89	16.1	0.79	1.02	—	—	—	1	
Windermere ...	6,622	40	29	—	2	71	10.7	0.98	0.68	49	49	98	14.8	0.79	0.94	1	14	—	—	
Rural Districts ...	34,530	252	238	17	9	516	14.9	1.11	1.07	230	240	470	13.6	0.89	0.97	19	37	17	14	
North Westmorland ...	16,620	118	109	8	5	240	14.4	1.11	1.03	120	114	234	14.1	0.92	1.04	7	29	6	8	
South Westmorland ...	17,910	134	129	9	4	276	15.4	1.12	1.11	110	126	236	13.2	0.86	0.91	12	43	11	6	
WIGHT, ISLE OF :																				
Admin. County ...	94,200	581	595	36	31	1,243	13.2	1.03	0.92	666	725	1,391	14.8	0.75	0.89	31	25	23	44	
Urban Districts ...	76,460	461	476	32	24	993	13.0	1.07	0.90	535	567	1,102	14.4	0.77	0.89	25	25	19	34	
Cowes ...	16,980	113	106	3	—	222	13.1	1.06	0.90	112	104	216	12.7	0.82	0.83	4	18	4	9	
Newport M.B. ...	20,290	146	140	12	10	308	15.2	1.09	1.07	124	139	263	13.0	0.87	0.90	8	26	5	12	
Ryde M.B. ...	19,820	123	123	10	8	264	13.3	1.05	0.90	146	161	307	15.5	0.71	0.88	6	23	4	7	
Sandown-Shanklin	12,490	51	67	2	2	122	9.8	1.04	0.66	91	108	199	15.9	0.70	0.89	5	41	4	5	
Ventnor ...	6,880	28	40	5	4	77	11.2	1.11	0.80	62	55	117	17.0	0.70	0.95	2	26	2	1	
Rural District :																				
Isle of Wight ...	17,740	120	119	4	7	250	14.1	1.15	1.05	131	158	289	16.3	0.70	0.91	6	24	4	10	
WILTSHIRE :																				
Admin. County ...	392,400	3,003	2,734	148	156	6,941	15.4	1.10	1.09	2,187	2,141	4,328	11.0	0.98	0.86	141	23	98	135	
Urban Districts ...	178,300	1,353	1,264	68	71	2,756	15.5	1.03	1.03	1,148	1,149	2,297	12.9	0.92	0.95	75	27	60	59	
Bradford on Avon	5,603	47	45	2	1	95	17.0	1.01	1.11	44	26	70	12.5	0.83	0.83	4	42	4	3	
Caine M.B. ...	5,711	39	38	—	1	78	13.7	0.94	0.83	33	37	70	12.3	0.86	0.85	4	51	3	2	
Chippenham M.B. ...	11,810	59	69	6	6	140	11.9	1.07	0.82	77	80	157	13.3	0.88	0.94	7	50	6	7	
Devizes M.B. ...	7,890	80	55	5	5	145	18.4	1.01	1.20	58	53	111	14.1	0.87	0.98	4	27	3	2	
Malnesbury M.B. ...	2,476	18	16	—	1	35	14.1	1.11	1.01	21	35	56	22.6	0.78	1.41	1	28	1	1	

Marlborough M.B. ...	5,412	29	25	1	3	58	10.7	1.23	0.85	25	27	52	9.6	1.07	0.82	1	17
Melksham ...	6,711	65	40	1	3	140	17.9	0.97	1.12	43	45	88	13.1	0.98	1.03	2	17
Salisbury M.B. ...	33,250	264	250	11	20	525	16.4	1.03	1.09	196	194	380	11.7	0.92	0.86	9	16
Swindon M.B. ...	68,570	522	490	33	21	1,066	15.5	1.03	0.93	469	440	909	13.3	0.94	1.00	28	26
Trowbridge ...	17,750	57	102	3	6	208	15.3	1.01	0.98	81	116	199	14.5	0.85	0.99	5	24
Warminster ...	8,278	63	65	4	2	134	16.2	1.14	1.19	46	51	97	11.7	0.94	0.88	5	37
Westbury ...	5,333	50	40	1	1	92	17.3	1.02	1.14	31	28	59	11.3	0.81	0.81	5	54
Wilton M.B. ...	5,466	20	19	1	—	40	11.5	1.35	1.00	22	17	39	11.1	1.08	0.98	—	—
Rural Districts ...	214,100	1,650	1,470	80	85	3,385	15.3	1.16	1.15	1,039	992	2,031	9.5	1.03	0.78	66	20
Amesbury ...	25,470	206	192	8	9	422	16.6	1.16	1.24	80	61	141	5.5	1.49	0.66	8	19
Bradford and Melksham ...	13,380	93	73	2	4	174	13.0	1.21	1.01	67	61	128	6	0.99	0.76	6	34
Caine and Chippenham ...	38,450	262	218	8	11	499	13.0	1.20	1.01	136	136	272	7.1	1.27	0.72	11	22
Cricklade and Wootton Bassett ...	15,060	162	126	8	6	302	20.1	1.17	1.52	90	75	165	11.0	1.06	0.93	3	10
Devizes ...	16,380	106	97	6	10	219	13.4	1.49	1.29	76	80	156	9.5	0.92	0.70	7	32
Highworth ...	21,330	155	165	10	12	342	16.0	1.06	1.09	122	86	208	9.8	1.05	0.82	6	17
Malborough ...	11,070	84	64	5	7	159	14.4	1.18	1.10	71	37	108	9.2	0.96	0.75	1	6
Malborough and Ramsbury ...	10,990	83	83	2	6	175	15.9	1.08	1.11	63	73	133	12.1	0.87	0.84	3	17
Mere and Tisbury ...	11,450	78	78	4	3	167	14.6	1.11	1.05	73	78	151	13.2	0.81	0.86	6	36
Pewsey ...	18,950	139	139	12	6	323	17.0	1.19	1.31	86	90	176	9.3	1.12	0.83	4	2
Salisbury and Wilton ...	17,500	136	122	8	7	273	15.6	1.05	1.06	108	118	226	12.9	0.83	0.86	6	22
Warminster and Westbury ...	14,070	115	104	7	4	230	16.3	1.11	1.17	67	100	167	11.9	0.83	0.79	3	13
WORCESTERSHIRE ...	525,900	4,024	3,739	190	164	8,117	15.4	1.01	1.00	3,254	3,093	6,347	12.1	1.02	0.99	232	28
County Boroughs ...	122,300	928	859	42	41	1,870	15.3	0.98	0.97	811	721	1,532	12.5	1.07	1.07	50	27
Dudley ...	62,200	478	477	14	11	980	15.8	0.98	1.00	404	324	728	11.7	1.18	1.10	25	25
Worcester ...	60,100	450	382	28	30	890	14.8	0.97	0.93	407	397	804	13.4	0.97	1.04	25	28
Admin. County ...	403,600	3,096	2,880	148	123	6,247	15.5	1.02	1.02	2,443	2,372	4,815	11.9	1.00	0.95	182	29
Urban Districts ...	283,500	2,163	2,013	93	79	4,348	15.3	0.99	0.98	1,713	1,651	3,364	11.9	1.04	0.99	124	28
Bewdley M.B. ...	4,903	40	34	—	3	74	15.1	1.04	1.01	43	43	86	17.5	0.88	1.23	4	54
Bromsgrove ...	28,550	193	181	8	3	385	13.5	1.00	0.87	147	156	303	10.6	1.03	0.87	5	13
Droitwich M.B. ...	6,447	63	59	2	1	125	19.4	1.02	1.28	39	59	98	15.2	0.88	1.07	4	32
Evesham M.B. ...	11,950	93	108	4	5	210	17.6	1.00	1.14	97	72	169	14.1	0.89	1.00	7	33
Halesowen M.B. ...	39,770	265	223	4	4	496	12.5	0.94	0.76	253	228	481	12.1	1.15	1.11	7	14
Kidderminster M.B. ...	37,390	315	295	23	16	649	17.4	1.00	1.12	245	267	512	13.7	0.95	1.04	27	41
Malvern ...	23,940	175	152	8	7	342	14.3	1.15	1.06	132	156	288	12.0	0.81	0.78	8	23
Oldbury M.B. ...	53,740	381	365	11	20	777	14.5	0.96	0.90	293	218	511	9.5	1.30	0.99	19	24
Redditch ...	29,400	281	250	16	13	560	19.0	0.99	1.21	168	166	334	11.4	1.04	0.95	19	34
Stourbridge M.B. ...	37,290	265	257	13	4	539	14.5	1.02	0.95	230	231	461	12.4	1.00	0.99	20	37
Stourport on Severn ...	10,120	92	89	4	6	191	18.9	0.96	1.17	66	55	121	12.0	1.03	0.99	4	21
Rural Districts ...	120,100	933	867	55	44	1,899	15.8	1.10	1.12	730	721	1,451	12.1	0.93	0.90	58	30
Bromsgrove ...	27,880	208	176	11	12	407	14.6	1.01	0.95	158	147	305	10.9	1.01	0.88	11	27
Droitwich ...	15,480	157	139	11	7	314	20.3	1.03	1.35	88	99	187	12.1	0.91	0.88	12	38
Evesham ...	16,300	117	122	3	3	245	15.0	1.12	1.08	104	106	210	12.9	0.87	0.90	7	28
Kidderminster ...	11,900	84	87	5	4	180	15.1	1.05	1.02	71	64	135	11.3	1.01	0.91	6	33
Martley ...	11,540	93	94	4	6	197	17.1	1.12	1.24	74	68	142	12.3	0.91	0.90	5	25
Penshore ...	16,490	132	141	8	5	286	17.3	1.10	1.23	112	122	234	14.2	0.99	1.12	10	35
Tenbury ...	5,460	47	30	5	—	82	15.0	1.18	1.14	37	37	78	13.6	0.85	0.92	2	24
Upton on Severn ...	15,050	95	78	8	7	188	12.5	1.42	1.15	86	78	164	10.9	0.82	0.72	5	26

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Stillbirths.				
		Legitimate.			Illegitimate.			TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.		Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Live Births.
		M.		F.	M.	F.	F.													
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)		(17)	(18)	(19)	(20)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
YORKSHIRE :																				
EAST RIDING...	...	4,226	4,031	249	205	8,711	17-0	1-03	1-13	3,250	2,983	6,233	12-2	1-03	1-01	345	39	188	194	
County Borough : Hull	2,722	2,598	163	131	5,614	18-8	1-00	1-21	1,902	1,685	3,587	12-0	1-14	1-09	258	46	135	134	
Admin. County	1,504	1,433	86	74	3,097	14-5	1-07	1-00	1,348	1,298	2,646	12-4	0-91	0-90	87	28	53	60	
Urban Districts	724	687	44	35	1,490	14-2	1-02	0-93	700	739	1,439	13-7	0-87	0-95	45	30	29	28	
Beverley M.B.	113	116	12	9	250	16-4	1-01	1-07	94	104	198	13-0	0-93	0-97	5	20	3	4	
Bridlington M.B.	174	134	11	10	329	13-3	1-07	0-92	204	220	424	17-1	0-79	1-08	9	27	9	4	
Driffield	51	55	1	2	109	15-9	1-00	1-03	46	52	98	14-3	0-76	0-87	5	46	2	1	
Filey	31	28	—	1	60	12-8	0-97	0-80	36	48	84	17-9	0-90	1-29	1	17	1	2	
Haltemprice	232	238	10	5	485	13-4	0-96	0-83	189	181	370	10-2	0-99	0-81	19	39	11	9	
Hedon M.B.	20	17	1	3	41	20-6	1-10	1-46	18	15	33	16-5	0-79	1-04	3	73	2	3	
Hornsea	33	36	1	2	72	13-7	1-19	1-05	43	46	89	17-0	0-70	0-95	1	14	1	2	
Norton	28	40	2	—	70	14-6	1-03	0-97	30	34	64	13-4	0-89	0-95	—	—	—	1	
Withernsea	42	23	6	3	74	14-7	1-12	1-06	40	39	79	15-7	0-79	0-99	2	27	—	2	
Rural Districts	780	746	42	39	1,607	14-9	1-13	1-09	648	559	1,207	11-2	0-95	0-85	42	26	24	32	
Beverly	155	136	3	7	301	14-3	1-13	1-04	83	86	169	8-1	1-01	0-65	5	17	3	6	
Bridlington	55	63	6	3	127	13-8	1-13	1-01	71	51	122	13-3	0-89	0-95	1	8	1	1	
Derwent	103	86	4	2	195	15-0	1-05	1-02	73	69	142	10-9	0-94	0-82	8	41	2	2	
Driffield	81	80	5	4	171	15-3	1-23	1-21	72	55	127	11-4	0-94	0-86	1	6	1	3	
Holderness	120	120	3	4	247	13-0	1-08	0-91	120	97	217	11-4	0-89	0-81	5	20	3	8	
Howden	95	83	8	11	197	17-0	1-10	1-21	84	63	147	12-7	0-90	0-91	4	20	3	4	
Norton	71	69	7	4	151	19-9	1-18	1-51	53	43	96	12-7	0-91	0-92	7	46	4	1	
Pocklington	101	108	6	3	218	14-1	1-17	1-06	92	95	187	12-1	1-02	0-99	11	50	7	7	
YORKSHIRE :																				
NORTH RIDING	...	4,413	4,262	245	247	9,167	17-4	1-06	1-19	3,472	3,037	6,509	12-4	1-04	1-03	315	34	186	214	
County Borough : Middlesbrough	1,440	1,429	84	93	3,046	20-8	1-01	1-36	936	787	1,723	11-8	1-21	1-14	109	36	61	70	

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Admin. County ...	379,000	2,973	2,833	161	154	6,121	16.2	1.09	1.14	2,536	2,250	4,786	12.6	0.98	0.99	206	33	125	144
Urban Districts ...	203,100	1,675	1,592	105	93	3,465	17.1	1.03	1.14	1,465	1,340	2,805	13.8	0.96	1.06	134	38	79	81
Eston ...	33,110	361	346	20	22	749	22.6	1.05	1.53	224	168	392	11.8	0.96	1.19	39	52	25	20
Guisborough ...	8,559	72	60	4	5	141	16.5	1.05	1.18	58	52	107	14.0	0.98	1.10	7	49	4	6
Lofus ...	7,346	60	4	3	4	130	17.7	1.03	1.18	69	48	107	14.6	1.01	1.18	5	38	4	5
Mallon ...	4,188	35	29	4	4	69	16.5	1.09	1.16	24	25	49	11.7	0.88	1.07	2	29	1	—
Northallerton ...	5,772	65	56	2	1	124	21.5	1.04	1.44	38	33	71	12.3	0.99	0.97	3	24	2	—
Pickering ...	4,321	35	31	4	4	74	17.1	1.12	1.24	31	32	63	14.6	0.74	0.86	2	27	1	1
Redcar M.B. ...	27,380	205	191	15	8	417	15.3	1.03	1.02	204	151	355	13.0	1.03	1.07	15	36	12	2
Richmond M.B. ...	6,321	44	46	7	1	98	15.5	0.96	0.96	32	29	61	9.7	1.12	0.87	10	—	—	2
Saltburn and Marske by the Sea ...	8,471	75	67	1	4	147	17.4	1.06	1.19	70	62	132	15.6	0.87	1.09	8	54	5	4
Skelton M.B. ...	6,182	35	28	1	4	68	11.0	1.07	0.76	46	48	94	15.2	0.70	0.85	1	15	1	2
Skefston M.B. ...	43,670	257	242	23	23	545	12.5	1.10	0.89	305	382	687	15.7	1.07	0.97	13	24	10	10
Thornaby on Tees M.B. ...	12,540	115	99	7	6	227	17.5	1.06	1.20	78	81	159	12.3	1.06	1.04	9	39	3	3
Whitby ...	23,380	241	241	10	7	499	21.3	1.02	1.40	182	127	309	13.2	1.26	1.32	12	45	9	15
Rural Districts ...	175,000	1,298	1,241	56	61	2,656	15.1	1.15	1.12	1,071	910	1,981	11.3	1.01	0.91	72	27	46	63
Aysgarth ...	3,534	39	29	1	1	70	19.8	1.16	1.48	31	29	60	17.0	0.78	1.06	1	14	1	5
Beadle ...	7,286	63	47	2	3	115	14.4	1.12	1.04	62	38	100	12.5	0.95	0.95	5	43	5	3
Croft ...	2,587	27	24	2	2	55	21.3	0.95	1.31	14	13	27	12.0	1.18	0.98	1	18	1	1
Easingwold ...	12,170	94	80	5	1	180	14.8	1.12	1.07	73	75	148	12.2	0.92	0.90	2	11	1	5
Flaxton ...	20,440	129	132	10	9	280	13.7	1.00	0.88	111	96	207	10.1	1.06	0.86	7	25	5	5
Hemley ...	5,476	17	27	1	2	47	8.6	1.15	0.64	37	24	61	11.1	1.11	0.99	2	42	2	4
Kirkby Moorside ...	4,786	36	39	2	2	79	16.5	1.08	1.15	35	37	72	15.0	0.85	1.02	4	50	3	1
Leyburn ...	6,465	43	65	—	2	110	17.0	1.15	1.26	45	33	78	12.1	0.94	0.91	1	9	1	1
Malton ...	5,651	51	34	3	2	90	15.9	1.23	1.26	34	38	72	12.7	0.90	0.91	3	33	1	2
Masham ...	1,658	10	9	—	1	20	12.1	1.09	0.85	15	15	30	18.1	0.91	1.32	2	10	1	—
Northallerton ...	8,417	64	61	—	6	131	15.6	1.08	1.09	51	37	88	10.3	0.90	0.76	3	23	1	3
Pickering ...	5,190	32	29	4	2	67	12.9	1.15	0.96	52	38	90	17.5	0.76	1.05	1	15	1	1
Reeth ...	2,039	7	13	—	—	20	9.8	1.25	0.79	29	12	41	20.1	0.73	1.17	—	—	—	6
Richmond ...	30,290	226	202	9	10	447	14.8	1.52	1.45	83	64	147	4.9	2.09	0.82	18	40	8	2
Scarborough ...	8,569	61	78	1	2	142	16.6	1.09	1.17	59	46	105	12.3	0.80	0.79	4	28	3	3
Starrforth ...	4,292	41	33	—	3	77	17.9	1.04	1.20	27	29	56	13.0	0.88	0.92	2	26	2	2
Stokesley ...	17,650	134	121	5	3	263	14.9	1.10	1.06	110	102	212	12.0	0.96	0.92	8	30	3	3
Thrusk ...	13,700	109	94	1	4	208	15.2	1.12	1.10	92	84	176	12.8	0.91	0.93	5	24	5	5
Wath ...	3,340	23	30	—	—	56	16.8	1.13	1.22	26	7	33	9.9	1.26	1.00	1	18	—	2
Whitby ...	11,660	92	94	7	6	199	17.1	1.20	1.32	85	93	178	15.3	0.76	0.93	2	10	2	8
YORKSHIRE :																			
WEST RIDING :	3,570,000	27,440	25,553	1,393	1,326	55,712	15.6	1.00	1.01	24,454	22,678	47,132	13.2	1.04	1.10	1,790	32	1,046	1,407
*County Boroughs	1,983,600	15,002	14,057	890	831	30,780	15.5	0.99	0.99	13,916	13,011	26,927	13.6	1.04	1.13	992	32	573	735
Barnsley ...	74,890	632	615	34	37	1,318	17.6	1.04	1.18	499	386	885	11.8	1.18	1.11	43	32	22	32
Bradford ...	289,800	2,255	2,186	157	147	4,745	16.4	1.01	1.07	2,161	2,294	4,455	15.4	0.97	1.20	208	44	105	116
Dewsbury ...	52,990	450	441	23	37	951	17.9	1.04	1.20	391	376	765	14.4	1.00	1.15	34	36	18	19
*Doncaster	81,330	607	603	38	39	1,287	15.8	1.01	1.03	564	417	981	12.1	1.14	1.10	41	32	22	29
Halifax ...	97,490	703	679	65	62	1,509	15.5	1.01	1.01	733	745	1,478	15.2	0.92	1.12	43	28	27	33

* Change of boundary. See Appendix on page 468.

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number.	Rate per 1,000 Related Live Births.
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
YORKSHIRE : WEST RIDING—contd.																			
County Boroughs—contd.																			
...	128,000	964	849	51	52	1,916	15.0	1.01	0.98	930	994	1,924	15.0	0.95	1.14	46	24	29	35
Huddersfield ...	503,030	3,906	3,558	281	241	7,986	15.9	0.96	0.98	3,525	3,276	6,801	13.5	1.07	1.16	248	31	141	192
Leeds ...	81,670	713	652	36	22	1,423	17.4	1.00	1.12	584	389	973	11.9	1.15	1.09	40	28	27	47
Rotherham ...	510,000	3,555	3,370	138	132	7,195	14.1	0.99	0.90	3,484	3,151	6,635	13.0	1.07	1.11	219	30	137	170
Sheffield ...	59,200	452	407	23	19	901	15.2	1.04	1.02	406	338	744	12.6	1.05	1.06	30	33	15	15
*Wakefield ...	105,200	765	697	44	43	1,549	14.7	0.99	0.94	656	630	1,286	12.2	1.05	1.02	40	26	32	47
York
*Admin. County ...																			
...	1,586,400	12,438	11,496	503	495	24,932	15.7	1.02	1.03	10,538	9,667	20,205	12.7	1.04	1.06	798	32	473	672
Urban Districts ...																			
...	1,157,200	8,952	8,224	375	367	17,918	15.5	1.02	1.02	8,033	7,583	15,616	13.5	1.01	1.09	555	31	325	481
Adwick le Street ...	18,640	180	161	6	2	349	18.7	1.03	1.24	97	73	170	9.1	1.33	0.97	10	28	6	10
Aireborough ...	27,620	190	182	3	5	380	13.8	1.11	0.99	163	183	346	12.5	1.01	1.01	13	34	6	9
Baildon ...	10,100	63	47	2	2	115	11.4	1.00	0.74	71	67	138	13.7	0.96	1.05	6	52	4	2
Barnoldswick ...	10,180	56	52	2	2	110	10.8	1.10	0.77	85	74	159	15.6	0.90	1.12	—	—	—	8
Batley M.B. ...	39,900	351	279	17	13	660	16.5	1.00	1.06	297	301	598	15.0	1.01	1.21	17	26	7	21
Bentley with Arksey ...	19,740	184	163	11	9	367	18.6	0.97	1.16	116	104	220	11.1	1.32	1.17	16	43	9	9
Bingley ...	21,750	140	139	6	7	292	13.4	0.99	0.86	174	187	361	16.6	0.92	1.22	11	37	7	9
Brighouse M.B. ...	30,500	201	220	8	17	446	14.6	1.04	0.98	232	221	453	14.9	0.92	1.10	11	25	8	13
Castleford ...	42,910	358	306	18	19	701	16.3	1.03	1.08	277	213	490	11.4	1.22	1.11	16	23	8	14
Colne Valley ...	22,090	168	159	8	3	338	15.3	1.03	1.02	163	165	328	14.8	0.91	1.08	10	29	5	10
Conisborough ...	16,450	146	141	9	10	306	18.6	1.04	1.25	108	79	187	11.4	1.25	1.14	14	45	9	9
Cudworth ...	8,735	92	62	—	1	158	18.1	1.05	1.23	59	40	99	11.3	1.23	1.11	5	31	2	9
Darfield ...	6,209	47	42	1	1	91	14.7	1.05	1.00	42	40	82	13.2	1.11	1.17	2	22	2	3
Darton ...	14,280	127	109	5	7	248	17.4	1.06	1.19	94	56	150	10.5	1.17	0.98	6	24	2	10
Deane ...	24,240	250	190	12	8	460	19.0	1.06	1.30	165	117	282	11.6	1.29	1.20	18	39	6	15
Denby Dale ...	9,607	72	51	1	1	125	13.0	1.07	0.90	87	70	157	16.3	0.90	1.17	5	40	3	3
Dewholme ...	2,606	16	17	—	2	35	13.4	1.01	0.87	19	19	38	14.6	0.88	1.03	1	28	—	—
Dodworth ...	4,238	30	17	3	2	75	17.7	1.03	1.18	25	19	44	10.4	1.30	1.08	1	13	1	—
Earby ...	5,299	35	34	3	1	73	13.8	1.01	0.90	35	32	67	12.6	0.95	0.96	1	14	—	2
Elland ...	19,070	114	128	8	5	255	13.4	1.02	0.88	132	145	277	14.5	0.91	1.06	5	19	3	8

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Featherstone ...	13,840	140	110	5	2	257	18.6	1.20	0.69	52	47	99	7.2	1.20	0.69	2	8	2	15
Garforth ...	12,340	91	92	4	5	192	15.6	0.98	0.69	72	71	143	11.6	1.06	0.98	9	47	4	6
Goole M.B. ...	19,060	139	145	9	10	303	15.9	1.04	1.07	164	104	268	14.1	1.03	1.16	9	30	4	11
Harrogate M.B.	51,210	326	298	12	27	663	12.9	0.95	0.79	317	457	774	15.1	0.83	1.00	19	28	10	13
Hebden Royd	10,180	61	58	—	1	121	11.9	1.09	0.84	71	103	174	17.1	0.82	1.12	4	33	3	1
Heddoncliffe	8,622	65	65	8	3	134	15.5	1.04	1.04	79	68	144	16.7	0.95	1.27	7	52	5	1
Hemsworth	13,450	144	156	8	4	312	23.2	1.05	1.57	91	68	159	11.8	1.22	1.15	7	22	5	8
Holmfirth	18,960	132	116	4	3	255	13.4	1.04	0.90	141	150	291	15.3	0.86	1.05	10	39	8	6
Horsforth	7,959	56	53	4	2	115	14.4	1.02	0.95	66	59	125	15.7	0.98	1.23	3	26	2	2
Horsforth	14,060	111	85	3	5	204	14.5	0.93	0.87	94	100	194	13.8	1.00	1.10	8	39	7	2
Hoyland Nether	15,690	129	113	2	6	250	15.9	1.04	1.07	114	75	189	12.0	1.08	1.04	5	20	2	3
Ilkley	17,110	109	103	4	3	219	12.8	1.00	0.83	107	127	234	13.7	0.79	0.87	8	36	16	7
Keighley M.B.	56,630	387	384	21	24	816	14.4	1.00	0.94	443	453	896	15.8	0.93	1.18	25	36	6	20
Kirkburton	17,690	102	101	7	6	216	12.2	1.29	1.02	126	92	218	12.3	0.91	0.90	3	14	2	5
Knaresborough	8,125	52	50	5	4	111	13.7	0.97	0.86	45	70	115	14.2	0.90	1.02	5	45	3	2
Knottingley	9,973	97	91	3	3	194	19.5	0.98	1.23	60	49	109	10.0	1.25	1.09	8	41	6	10
Malby	12,510	127	129	9	2	267	21.3	1.00	1.37	65	54	119	9.5	1.43	1.09	9	34	7	1
Meltham	5,024	38	38	3	1	80	15.9	1.01	1.04	42	35	77	15.3	0.89	1.09	1	12	—	1
Mexborough	18,730	151	132	7	6	296	15.8	1.04	1.06	131	99	230	12.3	1.17	1.15	16	54	9	9
Mirfield	11,840	110	77	8	3	193	16.3	0.99	1.04	87	77	164	13.3	0.90	1.06	9	36	5	15
Morley M.B.	39,690	273	314	12	16	615	15.5	0.89	0.89	277	278	555	14.0	1.09	1.22	27	44	19	6
Normanton	19,010	153	123	8	5	295	15.5	1.03	1.03	143	98	241	12.7	1.10	1.12	12	40	10	6
Ossett M.B.	14,480	111	103	5	7	226	15.6	1.00	1.01	127	104	231	16.0	1.03	1.32	6	26	2	3
Otley	11,430	87	66	3	5	161	14.1	1.00	0.91	82	79	161	14.1	0.91	1.03	1	6	—	6
Penistone	6,406	86	45	—	—	99	15.5	1.07	1.07	48	37	85	13.3	0.90	0.96	2	20	1	4
Pontefract M.B.	23,010	211	167	10	13	401	17.4	1.03	1.16	131	112	243	10.6	1.15	0.98	15	37	9	14
Pudsey M.B.	30,450	256	222	7	7	492	16.2	1.02	1.07	183	249	432	14.2	0.99	1.12	8	16	4	7
Queensbury and Shelf	8,965	91	58	4	—	153	17.1	1.00	1.10	66	63	129	14.4	0.97	1.12	5	32	2	2
Rawmarsh	18,720	169	146	3	6	324	17.3	1.05	1.17	130	99	229	12.2	1.14	1.11	12	37	5	8
Ripon M.B.	9,677	76	76	3	5	161	16.6	1.06	1.14	78	61	139	14.4	0.88	1.01	6	37	—	4
Ripponden	5,309	32	35	1	1	70	13.2	1.10	0.94	37	37	74	13.9	0.91	1.01	4	57	2	4
Royston	24,120	175	141	6	1	323	13.4	1.00	0.86	180	126	306	12.7	1.03	1.05	7	22	4	6
Saddleworth	8,081	76	72	2	—	150	18.6	1.06	1.27	50	39	89	11.0	1.22	1.07	4	27	2	1
Selby	16,640	113	102	—	6	221	13.3	1.03	0.88	115	141	256	15.4	0.90	1.11	7	31	5	5
Shipley	10,110	81	77	1	10	160	15.8	1.04	1.06	83	69	152	15.0	0.94	1.13	5	31	3	3
Spidren	32,500	243	255	8	10	516	15.9	1.01	1.04	210	225	435	13.4	0.98	1.05	16	31	11	13
Skipton	5,729	41	41	3	4	87	15.2	0.98	0.96	38	37	75	13.1	1.04	1.09	4	46	4	1
Sowerby Bridge	13,230	82	101	1	4	190	14.4	1.00	0.93	92	93	185	14.0	0.91	1.02	4	21	1	3
Spentborough	18,750	147	134	6	7	294	15.7	1.00	1.01	139	168	307	16.4	0.93	1.22	7	24	4	12
Stanley	36,840	251	232	14	6	503	13.7	1.03	0.91	270	267	537	14.6	0.96	1.12	16	32	7	15
Stockbridge	16,690	108	111	5	3	227	13.6	0.99	0.87	116	86	202	12.1	1.11	1.07	9	39	4	5
Swinton	10,210	81	75	1	—	157	15.4	1.01	1.00	59	50	135	10.7	1.17	1.00	3	19	2	2
Tadworth	11,910	104	89	1	4	203	17.0	1.03	1.13	83	52	139	11.3	1.13	1.02	7	34	5	6
Tickhill	2,516	22	22	—	1	45	17.9	1.19	1.37	16	27	43	17.1	0.89	1.22	—	—	—	1
Todmorden M.B.	18,920	139	110	3	3	255	13.5	1.07	0.93	170	171	341	10.0	0.85	1.22	9	35	8	11
Wath upon Dearne	13,800	107	112	6	—	225	16.3	1.06	1.11	88	78	166	12.0	1.08	1.04	5	22	4	6
Wombwell	18,770	157	171	9	3	340	18.1	1.02	1.19	127	101	228	12.1	1.18	1.14	8	23	7	11
Worsborough...	14,070	123	109	6	5	243	17.3	1.05	1.17	37	76	163	11.6	1.20	1.11	13	53	9	3

* Change of boundary. See Appendix on page 468.

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS.				DEATHS.						Deaths under 1 year.		Stillbirths.						
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.		Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.	Deaths under 4 weeks.	(20)
		M.	F.	M.	F.															
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
YORKSHIRE :																				
WEST RIDING—contd.																				
*Rural Districts ...	429,200	3,486	3,272	128	128	7,014	16.3	1.04	1.09	2,505	2,084	4,589	10.7	1.11	0.95	243	34	148	191	
Bowland ...	5,049	35	36	—	—	72	14.3	1.15	1.06	38	37	75	14.9	0.91	1.08	2	28	1	2	
*Doncaster ...	53,320	495	421	21	14	951	17.8	0.98	1.13	317	214	531	10.4	1.30	1.04	46	48	22	32	
Goole ...	9,169	78	69	1	1	156	17.0	0.98	1.07	68	46	114	12.4	0.98	0.97	10	64	3	1	
Hensworth ...	48,520	464	418	9	19	910	18.8	1.06	1.29	273	224	497	10.2	1.31	1.07	36	39	20	21	
Hepton ...	4,076	23	30	—	2	55	13.5	1.05	0.91	40	23	63	15.5	0.87	1.08	4	72	3	3	
Kiveton Park ...	17,550	133	140	7	11	291	16.6	1.03	1.10	96	96	192	10.9	1.07	0.93	9	37	5	10	
Nidderdale ...	14,960	92	65	3	6	166	11.1	1.25	0.90	90	77	167	11.2	0.99	0.89	6	36	4	6	
Osgodcross ...	7,740	55	51	3	4	113	14.6	1.07	1.01	47	31	78	10.1	1.04	0.84	5	44	3	4	
Penistone ...	7,749	48	60	2	1	111	14.3	1.08	1.00	46	31	77	9.9	0.93	0.83	3	27	1	3	
Kipon and Pateley Bridge ...	14,070	92	82	6	3	183	13.0	1.16	0.97	66	67	133	9.5	0.93	0.71	4	22	3	1	
Rotherham ...	47,960	461	415	16	13	905	18.9	0.99	1.21	280	194	474	9.9	1.26	1.00	32	35	19	26	
Sedburgh ...	3,907	19	24	1	1	45	11.5	1.22	0.91	22	26	48	12.3	0.96	0.94	1	22	1	3	
Selby ...	6,492	48	45	5	2	100	15.4	1.04	1.03	41	46	87	10.1	0.92	0.99	1	70	1	3	
Settle ...	14,330	78	86	2	1	167	11.7	1.12	0.85	108	90	198	13.8	0.88	0.97	11	65	11	12	
SKipton ...	24,020	160	165	7	4	336	14.0	1.05	0.95	165	180	345	14.4	0.91	1.05	16	78	15	7	
Tadcaster ...	26,980	183	162	13	4	362	13.4	1.05	0.91	142	129	271	10.0	1.09	0.87	7	79	5	11	
Thorncliffe ...	32,250	363	337	11	13	724	22.4	1.05	1.52	162	138	300	9.3	1.37	1.02	30	41	23	24	
*Wakefield ...	19,260	156	153	5	9	323	16.8	1.01	1.09	107	87	194	10.1	1.10	0.89	5	75	4	5	
Wetherby ...	20,530	127	132	5	8	272	13.2	1.04	0.89	136	122	258	11.6	0.99	1.00	3	77	2	6	
Wharfedale ...	6,028	36	43	—	—	80	13.3	0.96	0.82	32	38	70	11.6	1.00	0.93	—	—	—	3	
Wortley ...	45,240	340	338	9	5	692	15.3	1.00	0.99	229	188	417	9.2	1.04	0.77	22	32	12	13	
WALES AND MONMOUTH																				
ANGLESEY :	50,980	397	368	27	19	811	15.9	1.10	1.13	403	369	772	15.1	0.85	1.03	45	55	23	16	
Admin. County ...	19,550	169	141	11	7	328	16.8	1.02	1.11	157	152	309	15.8	0.86	1.09	25	76	13	4	
Urban Districts ...																				

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Amwlch	2,774	23	17	3	2	45	16.2	1.01	1.06	17	29	46	16.6	0.77	1.02	5	110	3	—
Beaumaris M.B.	2,136	18	18	1	—	34	15.9	1.06	1.09	19	22	41	19.2	0.81	0.71	1	29	1	1
Holyhead	10,460	96	74	7	3	180	17.2	1.01	1.12	84	68	152	14.5	0.91	1.06	13	72	4	—
Llangefni	2,226	19	19	—	—	40	18.0	1.05	1.22	14	20	34	15.3	0.91	1.11	3	73	3	—
Menai Bridge	1,954	16	13	—	—	29	14.8	1.01	0.96	23	13	36	18.4	0.78	1.15	3	103	2	2
Rural Districts	31,430	228	227	16	12	483	15.4	1.16	1.15	246	217	463	14.7	0.84	0.99	20	41	10	12
Aethw	10,810	67	77	3	3	154	14.2	1.14	1.04	92	81	173	16.0	0.85	1.00	7	45	3	4
Twrcelyn	8,410	55	53	1	2	111	13.2	1.16	0.99	68	53	121	14.4	0.76	0.88	3	27	2	3
Valley	12,210	106	97	8	7	218	17.9	1.17	1.35	86	83	169	13.8	0.90	0.99	10	46	5	5
BRECKNOCKSHIRE :																			
Admin. County	55,700	462	382	11	9	864	15.5	1.10	1.10	405	339	744	13.4	0.97	1.04	32	37	23	26
Urban Districts	16,660	150	123	2	3	278	16.7	1.08	1.16	133	120	253	15.2	0.96	1.17	10	36	8	9
Brecknock M.B.	6,593	55	49	—	—	104	15.8	1.14	1.16	52	43	98	14.8	1.04	1.20	6	57	4	3
Brynmawr	6,434	51	49	—	2	103	16.0	1.02	1.05	58	50	108	16.8	1.01	1.36	1	70	1	4
Builth Wells	1,638	21	12	—	—	33	20.1	1.06	1.37	10	10	20	12.2	0.86	0.84	2	60	2	2
Hay	1,433	13	10	1	1	25	17.4	1.12	1.26	9	15	24	16.7	0.75	1.00	1	40	1	—
Llanwrtyd	562	10	3	—	—	13	23.1	1.13	1.68	4	2	6	10.7	0.70	0.60	—	—	—	—
Rural Districts	39,040	312	259	9	6	586	15.0	1.10	1.06	272	219	491	12.6	0.98	0.99	22	37	15	17
Brecknock	7,338	45	48	1	3	97	13.2	1.15	0.98	31	39	80	10.9	0.89	0.78	2	21	1	5
Builth	3,395	27	26	—	—	53	15.6	1.22	1.23	33	31	50	14.7	0.82	0.96	2	38	2	2
Crickhowell	7,469	66	54	3	2	125	16.7	1.24	1.34	61	39	100	13.4	0.99	1.06	5	40	3	1
Hay	3,657	30	23	—	—	53	14.5	1.18	1.10	16	18	34	9.3	1.84	0.62	3	56	1	2
Vaynor and Penderyn	5,731	50	33	2	—	85	14.8	1.02	0.97	51	38	89	15.5	1.02	1.26	5	58	4	5
Ystradgynlais	11,450	94	75	3	1	173	15.1	0.99	0.96	70	68	138	12.1	1.17	1.13	5	29	4	2
CAERNARVONSHIRE :																			
Admin. County	123,300	834	817	59	37	1,747	14.2	1.05	0.96	1,020	1,031	2,051	16.6	0.86	1.14	75	43	36	47
Urban Districts	71,120	455	482	33	19	989	13.9	1.00	0.90	562	565	1,127	15.8	0.88	1.11	39	39	21	23
Bangor M.B.	13,560	91	96	3	6	199	14.7	0.96	0.91	98	94	192	14.2	1.06	1.20	9	45	3	3
Bethesda	4,407	29	30	3	2	72	20.3	1.16	1.16	49	40	182	20.2	0.89	1.44	5	69	1	—
Bettws y Coed	768	10	6	—	—	11	20.8	1.05	1.41	7	9	16	20.3	0.95	1.58	1	62	1	1
Caernarvon M.B.	9,311	66	74	5	2	147	15.8	1.01	1.03	62	72	134	14.4	0.93	1.07	5	34	2	8
Conway M.B.	9,908	61	72	4	2	130	14.0	1.04	0.94	86	70	156	15.7	0.88	1.11	9	64	6	1
Criccieth	1,556	10	8	—	—	18	17.6	0.97	0.73	14	9	23	14.8	0.69	0.82	1	55	1	1
Llandudno	16,490	92	96	8	3	199	12.1	0.94	0.73	114	131	245	14.9	0.82	0.98	4	20	3	5
Llanfairfechan	3,121	19	21	1	3	43	13.8	1.23	1.10	27	31	58	18.6	0.79	1.18	1	23	1	1
Pennar	4,269	35	18	3	2	58	13.8	1.05	0.93	36	44	80	19.0	0.76	1.16	1	17	1	1
Porthmadog	3,958	18	26	1	—	35	11.4	1.01	0.74	35	32	67	16.9	0.83	1.12	1	22	1	1
Pwllheli M.B.	3,832	24	27	2	—	53	13.8	0.94	0.84	34	33	67	17.5	0.84	1.18	2	38	2	1

* Change of boundary. See Appendix on page 468.

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS.				DEATHS.										Deaths under 1 year.	Deaths under 4 weeks.	Stillbirths.																				
		Legitimate.		Illegitimate.		TOTAL.		Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.				Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.																	
		M.	F.	M.	F.	M.	F.															M.	F.	M.	F.	M.	F.	M.	F.	M.	F.							
								(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)				(11)	(12)	(13)											(14)	(15)	(16)	(17)	(18)	(19)	(20)
CAERNARVONSHIRE—contd.																																						
Rural Districts	52,180	379	335	26	18	758	14.5	1.14	1.07	458	466	924	17.7	0.83	1.18	36	47	15	24	36	47	15	24															
Gwynfa	23,640	182	134	9	7	322	14.0	1.12	1.01	214	242	456	19.3	0.83	1.28	18	54	6	9	18	54	6	9															
Llwyn	17,410	122	110	11	6	249	14.3	1.15	1.06	153	132	285	16.4	0.82	1.08	15	60	7	10	15	60	7	10															
Nant Conway	6,167	36	42	3	4	85	13.8	1.15	1.02	41	57	98	15.9	0.88	1.12	3	35	2	4	3	35	2	4															
Ogwen...	4,963	39	49	3	1	92	18.5	1.17	1.40	50	35	85	17.1	0.84	1.15	—	—	—	1	—	—	—	1															
CARDIGANSHPRE :																																						
Admin. County	54,210	358	355	13	14	740	13.7	1.11	0.98	467	485	952	17.6	0.76	1.07	28	38	14	18	28	38	14	18															
Urban Districts	18,290	117	111	2	4	234	12.8	1.02	0.84	152	141	293	16.0	0.81	1.04	5	21	5	7	5	21	5	7															
Aberayron	1,228	4	—	—	—	4	4.7	1.26	0.33	7	10	27	22.0	0.62	1.09	—	—	—	—	—	—	—	—															
Aberystwyth M.B.	10,620	61	67	1	4	133	12.5	1.00	0.81	70	77	147	13.8	0.85	0.94	2	15	2	5	2	15	2	5															
Cardigan M.B.	3,392	34	27	1	—	62	18.3	0.99	1.17	34	32	66	19.5	0.87	1.36	3	48	3	2	3	48	3	2															
Lampeter M.B.	1,987	14	11	—	—	25	12.6	1.01	0.82	24	13	37	18.6	0.76	1.13	—	—	—	—	—	—	—	—															
New Quay	1,063	4	5	—	—	9	8.5	1.17	0.64	7	5	16	15.1	0.72	0.87	—	—	—	—	—	—	—	—															
Rural Districts	35,920	241	244	11	10	506	14.1	1.16	1.06	315	344	659	18.3	0.74	1.08	23	45	9	11	23	45	9	11															
Aberayron	9,400	63	71	4	2	140	14.9	1.18	1.13	72	83	155	16.5	0.74	0.98	10	21	5	5	10	21	5	5															
Aberystwyth	10,980	67	65	5	3	135	12.3	1.15	0.91	95	116	211	19.2	0.69	1.06	4	30	1	1	4	30	1	1															
Telfside	10,210	71	75	5	3	154	15.1	1.13	1.10	93	100	193	18.9	0.77	1.16	3	19	2	4	3	19	2	4															
Tregaron	5,330	40	33	1	3	77	14.4	1.20	1.11	55	45	100	18.8	0.76	1.14	6	77	1	1	6	77	1	1															
CARMARTHENSHIRE :																																						
Admin. County	170,600	1,148	1,126	41	46	2,361	13.8	1.01	0.90	1,313	1,114	2,427	14.2	1.01	1.15	60	25	45	51	60	25	45	51															
Urban Districts	70,620	445	468	13	16	942	13.3	1.00	0.86	554	489	1,043	14.8	1.01	1.20	22	23	14	12	22	23	14	12															
Ammarford	6,561	38	39	1	1	79	12.0	0.99	0.77	51	43	94	14.3	0.99	1.13	2	25	2	—	2	25	2	—															
Burry Port	5,921	44	42	1	1	88	14.9	0.95	0.91	40	39	79	13.3	1.06	1.13	3	34	2	—	3	34	2	—															
Cardarthen M.B.	12,080	70	77	4	3	154	12.7	1.03	0.84	81	77	158	13.1	1.06	1.11	3	19	2	2	3	19	2	2															
Cwmaman	4,505	28	29	1	1	59	13.1	1.00	0.85	36	23	59	13.1	0.99	1.04	—	—	—	1	—	—	—	1															

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Kidwelly M.B.	2,951	23	25	—	2	50	16.9	1.02	1.11	22	15	37	12.5	1.05	1.05	3	60	3	1
Llandilo	1,949	17	12	—	1	30	15.4	1.09	1.08	20	22	42	21.5	0.88	1.51	1	33	—	—
Llandoverly M.B.	2,034	10	19	—	—	19	9.3	1.08	0.65	16	17	33	16.2	0.85	1.10	—	—	—	—
Llanelli M.B.	33,870	215	230	6	5	456	13.5	1.00	0.87	282	248	530	15.6	1.02	1.27	10	22	5	8
Newcastle Emlyn	749	—	5	—	2	7	9.3	1.13	0.68	6	5	11	14.7	0.81	0.95	—	—	—	—
Rural Districts	99,980	703	658	28	30	1,419	14.2	1.01	0.93	759	625	1,384	13.8	1.00	1.10	38	27	31	39
Carmarthen	28,230	240	182	8	6	436	15.4	1.05	1.04	208	191	399	14.1	0.99	1.12	12	27	9	11
Llando	26,230	172	187	8	12	379	14.4	1.03	0.96	202	141	343	13.1	0.99	1.04	18	21	7	12
Llanelli	36,990	244	225	6	9	484	13.1	0.95	0.80	263	203	466	12.6	1.11	1.12	14	29	12	13
Newcastle Emlyn	8,530	47	64	6	3	120	14.1	1.12	1.02	86	90	176	20.6	0.75	1.24	4	33	3	3
DENBIGHSHIRE :																			
Admin. County	170,400	1,280	1,165	37	72	2,554	15.0	1.06	1.03	1,254	1,236	2,490	14.6	0.92	1.07	91	35	46	85
Urban Districts	78,530	551	523	15	32	1,121	14.3	1.05	0.97	567	614	1,181	15.0	0.85	1.02	32	28	16	33
Abergele	7,327	51	61	—	—	113	15.4	1.02	1.01	73	45	118	16.1	0.82	1.06	3	26	1	4
Colwyn Bay M.B.	22,340	112	96	3	8	219	9.8	1.09	0.69	189	262	451	20.2	0.69	1.12	7	32	4	2
Denbigh M.B.	8,469	60	53	2	3	118	13.9	1.47	1.32	55	56	111	13.5	0.93	0.97	3	25	2	2
Llangollen	3,170	21	27	—	2	50	15.8	0.99	1.02	21	25	46	14.5	0.75	0.87	—	—	—	—
Llanrwst	2,628	23	22	1	2	48	18.3	1.08	1.28	30	21	51	19.4	0.81	1.26	3	62	1	3
Ruthin M.B.	3,656	27	25	1	2	55	15.0	1.03	1.00	22	24	46	12.6	0.85	0.86	1	18	1	2
Wrexham M.B.	30,940	257	239	7	15	518	16.7	0.96	1.03	177	181	358	11.6	1.06	0.98	15	29	7	20
Rural Districts	91,870	729	642	22	40	1,433	15.6	1.07	1.08	687	622	1,309	14.2	0.98	1.11	59	41	30	52
Aled	7,139	56	42	4	2	104	14.6	1.06	1.00	49	40	89	12.5	0.91	0.91	5	48	3	3
Ceirrog	7,496	64	52	2	6	124	16.5	1.14	1.21	51	37	88	11.7	0.90	0.84	5	40	3	1
Hiraeog	5,073	38	30	—	2	73	14.4	1.16	1.08	44	40	84	16.6	0.88	1.17	—	—	—	4
Ruthin	9,652	74	75	2	6	157	16.3	1.11	1.17	60	59	119	12.3	0.87	0.86	4	25	2	11
Wrexham	62,510	497	443	14	21	975	15.6	1.05	1.06	483	446	929	14.9	1.03	1.23	45	46	22	33
FLINTSHIRE :																			
Admin. County	145,700	1,185	1,120	47	49	2,401	16.5	1.04	1.11	1,013	927	1,940	13.3	0.98	1.04	78	32	48	60
Urban Districts	71,340	584	547	25	26	1,182	16.6	1.01	0.98	479	515	994	13.9	0.95	1.06	34	29	23	28
Buckley	7,703	53	49	4	7	113	14.7	0.99	0.94	53	51	104	13.5	1.02	1.10	3	26	2	2
Connah's Quay	7,316	76	53	—	—	131	17.9	0.95	1.10	42	43	85	11.6	1.24	1.15	3	23	3	1
Flint M.B.	14,230	134	111	5	3	253	17.8	0.98	1.13	70	73	143	10.0	1.22	0.98	6	24	3	6
Holywell	8,162	75	75	3	3	156	19.1	0.99	1.22	58	47	105	12.9	1.00	1.03	5	32	4	5
Mold	6,509	68	58	—	3	129	19.8	1.02	1.30	39	28	67	10.3	1.03	0.85	1	8	1	2
Presatyn	8,720	49	41	1	1	92	10.6	1.17	0.86	65	108	173	19.8	0.65	1.03	4	43	2	2
Rhyl	18,700	129	160	10	9	308	16.5	1.00	1.06	152	165	317	17.0	0.85	1.16	12	39	9	10
Rural Districts	74,360	601	573	22	23	1,219	16.4	1.07	1.13	534	412	946	12.7	1.01	1.03	44	36	25	32
Hawarden	34,900	302	280	9	11	602	17.2	1.00	1.11	213	181	394	11.3	1.14	1.03	14	23	11	28
Holywell	22,340	179	180	8	6	373	16.7	1.11	1.20	181	134	315	14.1	0.87	0.98	14	37	7	8
Overton	6,480	54	41	2	1	98	15.1	0.98	0.95	91	35	126	19.4	0.99	1.54	8	81	4	4
St. Asaph	10,640	66	72	3	5	146	13.7	1.30	1.15	49	62	111	10.4	0.97	0.81	8	54	3	—

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS.				DEATHS.										Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Live Births.		
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
*GLAMORGANSHIRE ...	1,195,930	9,717	9,258	343	314	19,632	16.4	1.00	1.06	9,052	7,224	16,276	13.6	1.07	1.16	700	35	423	536
*County Boroughs ...	463,870	3,843	3,617	146	141	7,747	16.7	0.99	1.07	3,322	2,863	6,185	13.3	1.05	1.12	259	33	149	215
*Cardiff ...	243,470	2,142	1,983	87	91	4,303	17.7	0.97	1.11	1,684	1,498	3,182	13.1	1.06	1.11	140	32	82	126
*Merthyr Tydfil ...	60,400	476	489	17	13	995	16.5	1.04	1.11	513	400	913	15.1	1.01	1.22	42	42	22	34
Swansea ...	160,000	1,225	1,145	42	37	2,449	15.3	1.01	1.00	1,125	965	2,090	13.1	1.06	1.11	77	31	45	55
*Admin. County ...	732,110	5,874	5,641	197	173	11,885	16.2	1.01	1.06	5,730	4,361	10,091	13.8	1.08	1.19	441	37	274	321
*Urban Districts ...	531,900	4,333	4,203	156	125	8,817	16.6	1.01	1.08	4,365	3,322	7,687	14.5	1.07	1.24	350	39	219	228
Aberdare ...	40,710	316	262	12	6	596	14.6	1.03	0.97	418	333	751	18.4	0.97	1.43	33	55	23	11
Barry M.B. ...	40,700	336	336	20	11	703	17.3	0.96	1.07	263	215	478	11.7	1.03	0.96	24	34	15	13
Bruidgend ...	13,530	115	106	2	5	228	16.9	0.98	1.07	76	86	162	12.0	1.06	1.02	8	35	4	4
Caepriffilly ...	35,380	347	366	11	9	733	20.7	1.03	1.38	264	194	458	12.9	1.16	1.20	27	37	18	22
Cowbridge M.B. ...	1,069	5	8	—	1	14	13.1	1.15	0.97	7	6	13	12.2	0.99	0.97	1	71	1	—
Gelligaer ...	36,110	326	288	10	10	634	17.6	1.07	1.21	294	188	482	13.3	1.16	1.23	18	28	11	15
Glyncoerwg ...	9,343	117	95	3	2	217	23.2	1.09	1.63	82	40	122	13.1	1.23	1.29	9	41	7	5
Llchwyr ...	25,530	186	176	4	2	368	14.4	0.99	0.92	200	179	379	14.8	1.10	1.30	12	32	9	10
Maesteg ...	23,010	219	226	11	10	466	20.3	1.03	1.35	171	133	304	13.2	1.16	1.22	19	41	12	11
Mountain Ash ...	31,360	257	272	7	7	543	17.3	1.03	1.15	248	217	465	14.8	1.08	1.28	23	42	13	17
Neath M.B. ...	31,850	245	204	6	6	462	14.5	0.98	0.92	253	192	445	14.0	1.03	1.15	22	47	17	11
Ogmore and Garw ...	22,480	173	175	5	3	356	15.8	1.05	1.07	193	120	313	13.9	1.09	1.21	9	25	4	11
*Penarth ...	18,310	126	152	7	6	291	15.9	0.98	1.01	119	144	263	14.4	0.90	1.04	8	27	5	7
Pontypridd ...	38,460	328	297	15	14	654	17.0	1.00	1.10	338	217	575	15.0	1.07	1.28	26	40	14	18
Port Talbot ...	9,388	62	62	2	1	127	13.5	0.96	0.84	81	83	164	17.5	0.85	1.19	1	8	—	—
Port Talbot M.B. ...	43,970	344	358	8	10	720	16.4	0.98	1.04	308	237	545	12.4	1.16	1.15	22	30	12	15
Rhondda ...	110,700	831	820	33	21	1,705	15.4	1.03	1.02	1,030	738	1,768	16.0	1.06	1.36	88	51	54	56
Rural Districts ...	200,210	1,541	1,438	41	48	3,068	15.3	1.01	1.00	1,365	1,039	2,404	12.0	1.10	1.06	91	29	55	93
*Cardiff ...	35,740	226	216	8	7	457	12.8	1.00	0.83	244	213	457	12.8	0.98	1.00	8	17	5	12
Cowbridge ...	19,850	151	142	5	2	300	15.1	1.15	0.92	91	57	148	7.5	1.40	0.84	9	30	8	10
Gower ...	11,590	113	84	2	2	201	17.3	1.02	1.14	78	73	151	13.0	0.91	0.95	5	25	2	5
Llantrisant and Llantwitfardre ...	25,440	244	229	6	11	490	19.3	1.02	1.27	165	130	295	11.6	1.11	1.03	16	32	10	21
Neath ...	41,430	314	305	6	9	634	15.3	0.99	0.98	316	220	536	12.9	1.17	1.21	15	24	6	19

	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Penyfont	33,820	272	264	9	13	558	16.5	0.97	1.03	202	157	359	10.6	1.11	0.94	25	45	17	16
Fondarawe	32,340	221	198	5	4	428	13.2	1.00	0.85	269	189	458	14.2	1.06	1.20	13	50	7	10
MERIONETHSHIRE																			
Admin. County	41,170	269	264	19	13	565	13.7	1.17	1.03	317	334	651	15.8	0.85	1.07	23	40	13	15
Urban Districts	17,670	127	126	5	6	264	14.9	1.09	1.05	136	163	299	16.9	0.85	1.15	9	34	6	8
Bala	1,488	7	15	—	2	23	15.5	1.04	1.04	11	11	22	14.8	0.82	0.97	2	36	1	—
Barmouth	2,366	20	22	—	—	44	18.6	0.96	1.15	16	19	35	14.8	0.80	0.95	1	36	1	2
Dolgellau	2,535	16	17	—	1	34	13.4	1.16	1.00	14	28	44	16.6	0.96	1.27	2	33	1	1
Festiniog	6,871	48	49	1	2	100	14.6	1.11	1.05	70	67	137	19.9	0.90	1.30	3	30	3	2
Town...	4,410	36	23	2	2	63	14.3	1.14	1.05	25	38	63	14.3	0.75	0.86	1	16	—	3
Rural Districts	23,500	142	138	14	7	301	12.8	1.23	1.02	181	171	352	15.0	0.86	1.03	14	46	7	7
Deudraeth	6,975	45	48	3	3	95	14.2	1.13	1.04	61	60	108	17.3	0.86	1.19	4	40	2	3
Dolgellau	9,225	47	43	3	2	95	10.3	1.38	0.92	60	48	108	11.7	0.94	0.96	2	73	4	1
Edernion	4,182	35	29	2	1	67	16.0	1.19	1.23	36	32	68	16.3	0.74	0.86	2	30	1	3
Penllyn	2,799	15	17	5	1	38	13.6	1.16	1.02	20	28	48	17.1	0.85	1.16	1	26	—	—
Civil Parish of Pernal, administered by R.D.C. of Machynlleth (Montgomeryshire)	319	—	1	1	—	2	6.3	1.41	0.57	4	3	7	21.9	0.58	1.02	—	—	—	—
*MONMOUTHSHIRE																			
County Borough :	422,720	3,447	3,312	127	123	7,009	16.6	1.04	1.11	3,049	2,496	5,545	13.1	1.05	1.10	283	40	172	210
Newport	104,800	870	856	35	28	1,789	17.1	0.98	1.08	688	601	1,289	12.3	1.10	1.08	58	32	34	53
*Admin. County	317,920	2,577	2,456	92	95	5,220	16.4	1.06	1.12	2,361	1,895	4,256	13.4	1.04	1.11	225	43	138	157
Urban Districts	273,800	2,232	2,111	80	81	4,504	16.4	1.06	1.12	2,047	1,618	3,665	13.4	1.06	1.14	192	42	120	143
Abercarn	18,610	156	131	7	2	290	15.6	1.05	1.06	126	92	218	11.7	1.10	1.03	11	38	6	11
Abercarn M.B.	8,904	81	63	1	1	157	17.6	1.01	1.15	83	74	157	17.6	0.88	1.24	7	44	2	9
Bedwery	27,440	208	229	4	5	446	16.3	1.08	1.14	223	183	406	14.8	1.06	1.26	23	51	18	18
Bedwas and Machen	8,662	66	70	1	2	139	16.0	1.07	1.10	62	57	119	13.7	1.00	1.16	2	14	1	1
Beuwlly	28,590	282	259	15	15	571	20.0	1.08	1.39	236	158	394	13.8	1.21	1.34	23	40	12	16
Blaenavon	9,719	60	61	3	1	125	12.9	1.10	0.92	67	58	125	12.9	1.03	1.06	6	48	5	8
Cleaton	4,839	33	32	3	—	68	14.1	1.26	1.15	20	25	59	11.1	1.13	0.84	4	58	3	1
Clepton	5,317	34	43	1	1	79	14.9	1.07	1.03	34	25	59	11.1	0.89	0.72	2	25	2	1
Cwmbran	13,140	116	128	7	5	256	19.5	0.99	1.25	103	63	166	12.6	1.08	1.06	11	43	9	6
Ebbw Vale	28,760	211	214	4	8	437	15.2	1.05	1.03	211	173	384	13.4	1.12	1.20	17	39	11	15
Monmouth M.B.	5,688	42	38	4	4	88	15.5	1.04	1.04	45	36	81	14.2	0.82	0.93	5	56	4	1
Mynyddiwy	14,330	122	105	5	10	242	16.9	1.06	1.16	90	65	155	10.8	1.21	1.03	9	37	7	7
Nantgilio and Blaia	11,340	87	91	3	2	183	16.1	1.10	1.14	109	72	181	16.0	1.00	1.28	5	27	1	7
Pontypool	42,460	340	330	11	9	690	16.3	1.04	1.09	297	271	568	13.4	1.06	1.14	30	43	18	20
Rhymney	9,049	74	55	4	3	136	15.0	1.06	1.03	70	63	133	14.7	1.06	1.25	10	73	6	2
Risca	15,050	114	103	5	1	223	14.8	1.04	0.99	114	85	199	13.7	1.01	1.07	12	53	7	8
Tredeg	20,310	195	153	2	7	357	17.6	1.03	1.17	146	111	257	12.7	1.01	1.05	14	39	7	10
Usk	1,592	11	6	—	—	17	10.7	0.95	0.66	11	7	18	17.3	0.95	0.86	1	58	1	2

* Change of boundary. See Appendix on page 468.

TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1951).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.			
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local to National Rate.			Number.	Rate per 1,000 Live Births.	
		M.	F.	M.	F.															TOTAL.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
MONMOUTHSHIRE—contd.																				
*Rural Districts	44,120	345	345	12	14	716	16.2	1.11	1.16	314	277	591	13.4	0.89	0.95	33	46	18	14	
Abergavenny	8,690	65	73	4	2	144	16.6	1.33	1.42	61	51	112	12.9	0.82	0.85	4	28	2	2	
Llanidloes M.B.	10,180	79	79	4	4	166	16.3	1.04	1.09	74	76	150	12.9	0.97	1.00	12	72	8	2	
*Major and St. Mellons	13,570	103	103	4	5	215	15.8	1.07	1.09	97	76	173	12.7	0.91	0.92	11	57	6	4	
Chepstow	13,570	103	103	4	5	215	15.8	1.07	1.09	97	76	173	12.7	0.91	0.92	11	57	6	4	
Monmouth	5,832	45	43	—	—	90	15.4	1.13	1.12	50	46	96	16.5	0.83	1.10	2	22	1	2	
Pontypool	5,848	53	47	—	1	101	17.3	1.06	1.18	32	47	79	13.5	0.87	0.94	4	39	1	4	
MONTGOMERYSHIRE :																				
Admin. County	45,520	389	321	25	18	753	16.5	1.13	1.20	343	298	641	14.1	0.86	0.97	23	30	15	15	
Urban Districts	17,840	165	141	10	2	318	17.8	1.01	1.16	150	115	265	14.9	0.87	1.04	10	37	8	5	
Llanfyllin M.B.	2,414	15	14	—	—	29	12.7	1.06	0.87	13	14	27	12.7	0.91	0.92	2	170	2	—	
Llanidloes M.B.	2,346	15	14	—	—	29	12.4	1.04	0.83	12	14	26	11.1	0.78	0.69	—	—	—	—	
Machynlleth	1,840	17	20	—	—	39	21.2	0.96	1.31	17	10	27	14.7	0.89	1.05	—	—	—	—	
Montgomery M.B.	5,874	77	77	2	—	154	26.2	1.28	1.10	46	43	89	16.5	0.76	1.46	4	47	2	1	
Newtown and Llanilwchaearn	5,386	48	35	—	—	83	15.8	1.08	1.10	46	32	78	14.0	0.89	1.17	4	29	4	1	
Walspool M.B.	5,980	69	60	4	2	135	22.6	0.94	1.37	52	32	84	14.0	0.91	1.02	4	29	4	1	
Rural Districts	27,680	224	180	15	16	435	15.7	1.22	1.24	193	183	376	13.6	0.84	0.91	13	30	7	10	
Forden	5,049	45	37	1	4	87	17.2	1.17	1.30	28	31	59	11.7	0.83	0.78	—	—	—	—	
Llanfyllin	10,150	83	63	7	8	161	15.9	1.28	1.31	78	65	143	14.1	0.85	0.96	6	37	4	1	
Machynlleth	3,138	19	21	2	3	45	14.3	1.17	1.08	31	34	65	20.7	0.74	1.23	—	—	—	—	
Newtown and Llanidloes	9,343	77	59	5	1	142	15.2	1.19	1.17	56	53	109	11.7	0.89	0.83	7	49	3	6	
PEMBROKESHIRE :																				
Admin. County	90,740	731	736	31	47	1,545	17.0	1.05	1.15	651	587	1,238	13.6	0.96	1.04	50	32	33	37	
Urban Districts	43,850	377	369	14	29	789	18.0	1.03	1.20	310	291	601	13.7	1.00	1.10	19	24	13	17	
Fishguard and Goodwick	4,873	28	40	—	1	69	14.2	1.06	0.97	40	28	68	14.0	0.91	1.02	2	29	1	3	
Haverfordwest M.B.	7,255	63	49	—	1	116	16.0	0.97	1.00	40	46	86	11.9	1.00	0.95	3	26	2	1	
Milford Haven	11,510	93	99	6	4	202	17.5	1.05	1.19	81	47	128	11.1	1.30	1.15	4	20	2	4	

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Narberth	1,054	5	11	—	1	17	16.1	1.13	1.17	7	7	14	13.3	0.83	0.88	—	—	—	—
Neyland	2,242	18	19	—	1	38	16.9	1.08	1.18	14	18	32	14.3	1.04	1.19	—	—	—	1
Pembroke M.B.	12,450	136	116	—	16	275	22.1	1.07	1.53	98	106	204	16.4	0.95	1.25	—	29	7	7
Tenby M.B.	4,466	34	35	—	3	72	16.1	0.93	0.97	30	39	69	15.5	0.79	0.98	—	28	1	1
Rural Districts	46,890	354	367	17	18	756	16.1	1.08	1.12	341	296	637	13.6	0.93	1.01	31	41	20	20
Cemaes	9,141	59	58	2	4	123	13.5	1.16	1.01	71	75	146	16.0	0.80	1.02	6	48	4	3
Haverfordwest	21,560	180	173	11	8	372	17.3	1.02	1.14	147	109	256	11.9	1.01	0.96	19	51	11	11
Narberth	10,160	70	81	1	4	156	15.4	1.10	1.09	68	78	146	14.4	0.87	1.00	2	13	2	3
Pembroke	6,029	45	55	3	2	105	17.4	1.13	1.27	55	34	89	14.8	0.98	1.16	4	38	3	3
RADNORSHIRE :																			
Admin. County	19,980	134	136	7	11	288	14.4	1.17	1.09	135	143	278	13.9	0.83	0.92	14	48	10	5
Urban Districts	6,450	45	42	1	5	93	14.4	1.09	1.01	49	43	92	14.3	0.80	0.92	3	32	2	—
Knighton	1,848	11	9	—	1	22	11.9	1.10	0.84	19	15	34	18.4	0.78	1.15	—	136	—	—
Llandrindod Wells	3,360	23	19	—	3	45	13.4	1.04	0.90	23	19	42	12.5	0.81	0.81	—	—	—	—
Presteign	1,242	11	14	—	1	26	20.9	1.20	1.62	7	9	16	12.9	0.79	0.82	—	—	—	—
Rural Districts	13,530	89	94	6	6	195	14.4	1.21	1.12	86	100	186	13.7	0.85	0.93	11	56	8	5
Colwyn	1,657	5	14	—	—	19	17.5	1.16	0.86	10	9	19	17.5	0.89	0.82	—	52	—	1
Knighton	3,201	20	21	—	3	46	14.4	1.21	1.12	14	18	32	10.0	0.90	0.72	2	43	2	—
New Radnor	2,240	20	16	2	1	39	17.4	1.26	1.41	11	25	36	16.1	0.84	1.08	4	102	3	—
Paincastle	1,856	16	15	—	1	32	17.2	1.14	1.27	9	16	25	13.5	0.77	0.83	2	62	1	—
Rhayader	4,576	28	28	2	1	59	12.9	1.24	1.03	42	32	74	16.2	0.84	1.09	2	34	2	4

* Change of boundary. See Appendix on page 468.

TABLE 13.—Deaths by Sex at each Year of Age } England and Wales.
(with Marital Conditions), 1951.

Included in this Table are 395 cases (190 Males and 205 Females) in which the age of deceased was not definitely stated; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case. The deaths of divorced men and women are included with the deaths of widowed.

See Explanatory notes on page vi.

Age last birthday.	Persons.	MALES					FEMALES				
		Total.	Single.	Married.	Widowed.	No Statement.	Total.	Single.	Married.	Widowed.	No Statement.
All Ages.	549380	281724	45182	156291	69303	13023	267656	54163	85925	127376	187
0-4	24356	14030	14030	—	—	—	10326	10326	—	—	—
0	20223	11773	11773	—	—	—	8450	8450	—	—	—
1	1692	918	918	—	—	—	774	774	—	—	—
2	985	535	535	—	—	—	450	450	—	—	—
3	774	421	421	—	—	—	353	353	—	—	—
4	682	383	383	—	—	—	299	299	—	—	—
5-9	1771	1072	1072	—	—	—	699	699	—	—	—
5	482	295	295	—	—	—	187	187	—	—	—
6	390	233	233	—	—	—	157	157	—	—	—
7	347	216	216	—	—	—	131	131	—	—	—
8	299	173	173	—	—	—	126	126	—	—	—
9	253	155	155	—	—	—	98	98	—	—	—
10-14	1328	812	812	—	—	—	516	516	—	—	—
10	256	154	154	—	—	—	102	102	—	—	—
11	233	144	144	—	—	—	89	89	—	—	—
12	253	156	156	—	—	—	97	97	—	—	—
13	290	171	171	—	—	—	119	119	—	—	—
14	296	187	187	—	—	—	109	109	—	—	—
15-19	2061	1181	1028	1	—	152	880	839	40	—	1
15	329	197	196	—	—	1	132	132	—	—	—
16	388	224	216	—	—	8	164	163	1	—	—
17	371	217	206	—	—	11	154	151	3	—	—
18	440	245	203	—	—	42	195	186	9	—	—
19	533	298	207	1	—	90	235	207	27	—	1
20-24	3263	1931	1142	166	4	619	1332	832	492	7	1
20	578	367	244	2	1	120	211	174	37	—	—
21	634	354	218	13	—	123	280	204	75	—	1
22	698	428	253	32	2	141	270	166	102	2	—
23	649	371	212	38	—	121	278	139	136	3	—
24	704	411	215	81	1	114	293	149	142	2	—
25-29	4300	2396	933	821	19	623	1904	591	1268	39	6
25	785	462	214	122	3	123	323	128	191	2	2
26	850	486	198	144	2	142	364	122	231	9	2
27	824	456	164	170	5	117	368	111	252	5	—
28	858	455	166	167	4	118	403	117	276	9	1
29	983	537	191	218	5	123	446	113	318	14	1
30-34	4956	2662	713	1441	34	474	2294	548	1653	88	5
30	1052	594	173	299	10	112	458	113	327	15	3
31	1074	586	156	312	7	111	488	110	356	22	—
32	925	479	126	269	7	77	446	106	328	11	1
33	885	454	129	235	3	87	431	118	302	11	—
34	1020	549	129	326	7	87	471	101	340	29	—
35-39	6994	3757	755	2396	80	526	3237	669	2396	166	6
35	1174	648	152	372	15	109	526	112	387	25	2
36	1312	694	146	440	16	92	618	128	463	26	1
37	1424	749	135	502	12	100	675	138	495	40	2
38	1525	828	162	525	24	117	697	147	518	32	—
39	1559	838	160	557	13	108	721	144	533	43	1
40-44	10557	5956	953	4225	139	639	4601	945	3387	265	4
40	1783	977	175	643	22	137	806	169	603	34	—
41	1869	1057	176	733	26	122	812	167	601	43	—
42	2223	1294	215	922	21	136	929	180	690	57	2
43	2283	1275	184	922	37	132	1008	216	736	55	1
44	2399	1353	203	1005	33	112	1046	213	757	76	—
45-49	16906	9890	1226	7507	314	843	6916	1345	5022	547	2
45	2828	1665	220	1229	38	178	1163	222	862	78	1
46	3011	1720	229	1266	57	168	1291	258	939	94	—
47	3236	1883	252	1428	50	153	1353	256	997	99	—
48	3616	2072	242	1598	57	175	1544	306	1102	136	—
49	4115	2550	283	1986	112	169	1565	303	1122	140	—

TABLE 13—continued.

Age last birth-day.	Persons.	MALES					FEMALES				
		Total.	Single.	Married.	Widowed.	No Statement.	Total.	Single.	Married.	Widowed.	No Statement.
50-54	24638	14909	1600	11546	789	974	9729	1682	6799	1240	8
50	4438	2700	322	2060	112	206	1738	316	1223	194	5
51	4735	2855	316	2217	128	194	1880	340	1332	207	1
52	4783	2903	301	2269	144	189	1880	324	1320	235	1
53	5226	3172	336	2468	175	193	2054	337	1447	270	—
54	5456	3279	325	2532	230	192	2177	365	1477	334	1
55-59	33808	20260	1966	15767	1511	1016	13548	2324	8541	2675	8
55	5550	3279	345	2548	191	195	2271	387	1509	375	—
56	6249	3675	374	2876	245	180	2574	440	1674	459	1
57	6677	4046	389	3151	281	225	2631	449	1675	504	3
58	7487	4519	411	3505	387	216	2968	530	1802	633	3
59	7845	4741	447	3687	407	200	3104	518	1881	704	1
60-64	48839	29107	2653	21780	3326	1348	19732	3021	10828	5870	13
60	8310	5007	466	3804	478	259	3303	518	1950	830	5
61	8766	5302	473	4057	539	233	3464	564	1971	927	2
62	9930	5952	517	4502	662	271	3978	581	2213	1181	3
63	10465	6191	576	4576	743	296	4274	610	2290	1372	2
64	11368	6655	621	4841	904	289	4713	748	2404	1560	1
65-69	66693	37358	3489	26041	6381	1447	29335	4358	13267	11695	15
65	12077	7008	691	5014	996	307	5069	777	2418	1871	3
66	12104	6867	611	4949	1042	265	5237	775	2601	1860	1
67	13181	7434	723	5194	1212	305	5747	874	2542	2328	3
68	13881	7816	723	5350	1472	271	6065	912	2699	2449	5
69	15450	8233	741	5534	1659	299	7217	1020	3007	3187	3
70-74	83648	43312	3852	26523	11478	1459	40336	6007	14058	20242	29
70	15246	8171	738	5320	1797	316	7075	1068	2719	3281	7
71	15331	8109	744	5185	1917	263	7222	1101	2728	3386	7
72	16960	8802	762	5448	2307	285	8158	1153	2942	4057	6
73	17447	8840	765	5187	2605	283	8607	1308	2846	4451	2
74	18664	9390	843	5383	2852	312	9274	1377	2823	5067	7
75-79	90655	43316	3644	21822	16962	1388	46839	7158	11042	28514	25
75	18530	9126	751	5040	3056	279	9404	1448	2614	5339	3
76	18942	9373	849	4833	3391	300	9569	1442	2423	5689	10
77	17978	8692	696	4262	3450	284	9286	1362	2244	5679	1
78	18006	8597	726	4100	3493	278	9409	1465	1985	5954	5
79	17199	8028	622	3587	3572	247	9171	1441	1771	5953	6
80-84	71062	30499	2178	11513	15800	1008	40563	6467	5353	28708	35
80	16356	7394	576	3137	3436	245	8962	1410	1471	6076	5
81	14974	6577	485	2608	3288	196	8397	1301	1256	5827	13
82	14096	6075	421	2205	3230	219	8021	1325	1028	5657	11
83	13350	5505	354	1939	3017	195	7845	1248	894	5701	2
84	12286	4948	342	1624	2829	153	7338	1183	704	5447	4
85-89	38872	14526	895	3912	9295	424	24346	3997	1533	18799	17
85	10276	4024	261	1235	2423	105	6252	999	489	4758	6
86	9246	3574	224	963	2269	118	5672	975	367	4325	5
87	7801	2939	181	762	1917	79	4862	791	306	3763	2
88	6397	2242	132	548	1492	70	4155	685	206	3261	3
89	5152	1747	97	404	1194	52	3405	547	165	2692	1
90-94	12418	3746	209	679	2767	91	8672	1521	228	6916	7
90	4053	1328	67	260	964	37	2725	473	92	2156	4
91	3127	946	46	191	686	23	2181	381	60	1739	1
92	2264	651	40	105	490	16	1613	276	43	1293	1
93	1703	503	31	76	387	9	1200	226	17	956	1
94	1271	318	25	47	240	6	953	165	16	772	—
95-99	2180	471	32	57	375	7	1709	303	17	1384	5
95	834	181	10	24	147	—	653	122	8	522	1
96	593	126	10	17	94	5	467	76	4	386	1
97	372	77	6	6	63	2	285	36	1	247	1
98	228	50	4	9	37	—	178	47	3	127	1
99	163	37	2	1	34	—	126	22	1	102	1
100 and over	175	33	—	4	29	—	142	20	1	121	—

**TABLE 14.—Constructed Analysis of 1951 Deaths
by Age and Marital Condition.**

} England and Wales.

Note.—In this table the deaths of unstated marital condition in each age group (which are shown separately in Table 13) have been distributed proportionately amongst those of stated condition in the age group.

Age Groups. (l.b.d.)	Persons.	MALES.				FEMALES.			
		Total.	Single.	Married.	Widowed.	Total.	Single.	Married.	Widowed.
All Ages	549380	281724	45552	164392	71780	267656	54199	85990	127467
0-4	24356	14030	14030	—	—	10326	10326	—	—
5-9	1771	1072	1072	—	—	699	699	—	—
10-14	1328	812	812	—	—	516	516	—	—
15-19	2061	1181	1180	1	—	880	840	40	—
20-24	3263	1931	1681	244	6	1332	833	492	7
25-29	4300	2396	1261	1109	26	1904	593	1272	39
30-34	4956	2662	868	1753	41	2294	549	1657	88
35-39	6994	3757	878	2786	93	3237	670	2401	166
40-44	10557	5956	1067	4733	156	4601	946	3390	265
45-49	16806	9890	1340	8207	343	6916	1345	5024	547
50-54	24638	14909	1712	12353	844	9729	1683	6805	1241
55-59	33808	20260	2070	16599	1591	13548	2325	8546	2677
60-64	48839	29107	2782	22838	3487	19732	3023	10835	5874
65-69	66693	37358	3630	27090	6638	29335	4360	13274	11701
70-74	83648	43312	3986	27448	11878	40336	6011	14068	20257
75-79	90655	43816	3763	22536	17517	46839	7162	11048	28629
80-84	71062	30499	2252	11907	16340	40563	6472	5358	28733
85-89	38872	14526	922	4030	9574	24346	4000	1534	18812
90-94	12418	3746	214	696	2836	8672	1522	228	6922
95-99	2180	471	32	58	381	1709	304	17	1388
100 and over	175	33	—	4	29	142	20	1	121

TABLE 15.—Deaths at Different Ages, 1951.

England and Wales, Standard Regions, Conurbations, London and Metropolitan Boroughs, County Boroughs.

Aggregates of other Urban and of Rural Districts in each Administrative County.

See Explanatory notes on page vi.

Age.	Sex.	England & Wales	Northern			East and West Ridings			North Western			
		Total.	Tyneside Conurbation.	Remainder.	Total.	West Yorkshire Conurbation.	Remainder.	Total.	South East Lancashire Conurbation.	Merseyside Conurbation.	Remainder.	
All Ages	M	281,724	21,277	5,705	15,572	27,703	12,150	15,553	45,917	17,096	9,365	19,456
	F	267,656	18,339	4,966	13,373	25,657	12,030	13,627	44,864	17,192	8,926	18,746
Under 4 weeks to 3 months	M	7,545	723	191	532	755	295	460	1,289	456	330	503
	F	5,243	449	126	323	479	183	296	846	335	209	302
	M	1,645	171	40	131	188	76	112	292	115	81	96
	F	1,133	129	34	95	132	62	70	224	96	61	67
3-6 months	M	1,363	152	45	107	176	75	101	264	89	76	99
	F	1,101	144	48	96	136	56	80	175	57	55	63
6-12 months	M	1,220	142	42	100	159	65	94	207	86	46	75
	F	973	108	26	82	110	45	65	176	61	53	62
Total under 1 year	M	11,773	1,188	318	870	1,278	511	767	2,052	746	533	773
	F	8,450	830	234	596	857	346	511	1,421	549	378	494
1-	M	918	74	14	60	96	44	52	153	52	42	59
	F	774	66	16	50	69	32	37	143	39	36	68
2-	M	535	53	11	42	49	13	36	91	38	25	28
	F	450	41	12	29	43	17	26	68	15	25	28
3-	M	421	42	6	36	44	18	26	69	24	15	30
	F	353	30	6	24	39	15	24	54	18	11	25
4-	M	383	26	10	16	30	10	20	73	20	25	28
	F	299	27	6	21	28	9	19	38	8	16	14
Total under 5 years	M	14,030	1,383	359	1,024	1,497	596	901	2,438	890	640	918
	F	10,326	994	274	720	1,036	419	617	1,724	629	466	629
5-	M	1,072	79	20	59	108	45	63	164	62	30	72
	F	699	49	10	39	62	26	36	96	32	25	39
10-	M	812	71	18	53	75	30	45	115	36	25	54
	F	516	46	11	35	57	21	36	83	25	22	36
15-	M	1,181	103	23	80	100	31	69	166	36	51	79
	F	880	66	14	52	78	20	58	164	57	39	68
20-	M	1,931	170	40	130	197	67	130	277	79	76	122
	F	1,332	157	50	107	141	53	88	222	86	64	72
25-	M	2,396	219	55	164	216	83	133	398	136	103	159
	F	1,904	173	54	119	169	68	101	352	129	96	127
30-	M	2,662	262	79	183	243	90	153	438	163	114	161
	F	2,294	188	58	130	225	89	136	434	147	116	171
35-	M	3,757	339	88	251	403	165	238	619	215	154	250
	F	3,237	234	64	170	286	112	174	573	239	122	212
40-	M	5,956	529	157	372	628	253	375	1,036	392	215	429
	F	4,601	333	87	246	433	180	253	816	324	188	304
45-	M	9,890	814	239	575	968	434	534	1,741	670	391	680
	F	6,916	494	149	345	677	339	338	1,183	501	243	439
50-	M	14,909	1,226	339	887	1,486	691	795	2,783	1,097	601	1,085
	F	9,729	733	211	522	947	432	515	1,722	698	329	695
55-	M	20,260	1,545	461	1,084	2,082	983	1,099	3,665	1,387	789	1,489
	F	13,548	1,016	270	746	1,386	658	728	2,427	940	434	1,053
60-	M	29,107	2,189	585	1,604	2,875	1,303	1,572	5,092	1,987	1,015	2,090
	F	19,732	1,488	410	1,078	2,051	967	1,084	3,645	1,428	700	1,517
65-	M	37,358	2,778	790	1,988	3,837	1,718	2,119	6,297	2,440	1,250	2,607
	F	29,335	2,130	566	1,564	3,058	1,468	1,590	5,462	2,162	978	2,322
70-	M	43,312	3,078	816	2,262	4,357	1,971	2,386	7,187	2,683	1,435	3,069
	F	40,336	2,825	755	2,070	4,203	2,005	2,198	7,443	2,900	1,432	3,111
75-	M	43,816	3,244	872	2,372	4,422	1,938	2,484	6,943	2,555	1,271	3,117
	F	46,839	3,193	900	2,293	4,654	2,268	2,386	8,119	3,138	1,530	3,451
80-	M	30,499	2,081	488	1,593	2,746	1,167	1,579	4,438	1,549	825	2,064
	F	40,563	2,475	679	1,796	3,567	1,714	1,853	6,194	2,254	1,278	2,662
85 and over	M	18,776	1,167	276	891	1,463	585	878	2,120	729	380	1,011
	F	34,869	1,745	404	1,341	2,627	1,191	1,436	4,205	1,503	864	1,838

TABLE 15—continued.

Age.	Sex.	North Midland.	Midland			Eastern.	London and South Eastern			Southern.	South Western.
			Total.	West Midlands Conurbations.	Remainder.		Total.	Greater London.	Remainder.		
All Ages	M	20,588	27,172	13,512	13,660	18,782	64,918	48,471	16,447	16,063	19,882
	F	18,924	24,617	12,299	12,318	18,086	64,542	47,107	17,435	15,818	20,226
Under 4 weeks	M	566	864	417	447	445	1,514	1,153	361	380	485
	F	387	589	289	300	356	1,096	852	244	323	341
	M	130	182	81	101	92	283	199	84	92	81
	F	81	126	69	57	58	181	133	48	39	66
3-6 months	M	99	156	71	85	79	197	144	53	63	70
	F	107	114	57	57	65	166	128	38	48	53
	M	95	139	71	68	67	182	133	49	64	72
	F	94	105	66	39	49	170	124	46	42	42
Total under 1 year	M	890	1,341	640	701	683	2,176	1,629	547	599	708
	F	669	934	481	453	528	1,613	1,237	376	452	502
1-	M	69	101	46	55	57	196	133	63	39	64
	F	68	81	33	48	65	152	124	28	36	40
2-	M	47	57	26	31	33	100	76	24	37	33
	F	23	69	36	33	31	78	54	24	20	33
3-	M	32	50	22	28	23	93	69	24	19	20
	F	35	39	17	22	22	71	52	19	20	23
4-	M	29	43	27	16	33	70	56	14	22	28
	F	20	39	20	19	25	67	57	10	14	21
Total under 5 years	M	1,067	1,592	761	831	829	2,635	1,963	672	716	853
	F	815	1,162	587	575	671	1,981	1,524	457	542	619
5-	M	95	123	63	60	79	215	153	62	56	82
	F	44	89	57	32	43	174	127	47	45	41
10-	M	60	90	51	39	58	181	113	68	47	41
	F	37	59	32	27	32	112	85	27	21	30
15-	M	83	133	42	91	99	222	155	67	82	102
	F	80	106	65	41	40	173	129	44	41	66
20-	M	157	240	114	126	133	373	283	90	126	137
	F	104	119	69	50	74	258	198	60	68	92
25-	M	184	286	142	144	141	486	374	112	109	181
	F	152	215	106	109	103	402	335	67	78	121
30-	M	200	298	159	139	147	565	439	126	143	167
	F	160	247	141	106	118	532	416	116	120	118
35-	M	266	402	228	174	224	863	689	174	172	211
	F	252	358	187	171	196	759	609	150	167	193
40-	M	440	616	341	275	345	1,355	1,103	252	278	343
	F	350	452	227	225	257	1,129	873	256	229	290
45-	M	705	1,032	567	465	551	2,380	1,901	479	446	602
	F	508	677	360	317	411	1,673	1,324	349	351	466
50-	M	989	1,528	840	688	813	3,456	2,773	683	733	879
	F	657	967	510	457	596	2,319	1,820	499	514	657
55-	M	1,406	2,011	1,049	962	1,091	4,762	3,804	958	963	1,295
	F	961	1,258	626	632	895	3,144	2,367	777	628	927
60-	M	1,998	2,790	1,460	1,330	1,691	6,864	5,362	1,502	1,576	1,936
	F	1,363	1,867	1,015	852	1,188	4,495	3,351	1,144	1,065	1,321
65-	M	2,686	3,549	1,838	1,711	2,278	8,634	6,549	2,085	2,089	2,538
	F	2,053	2,736	1,365	1,371	1,861	6,614	4,961	1,653	1,562	1,991
70-	M	3,133	4,092	1,984	2,108	2,871	10,254	7,618	2,636	2,408	2,985
	F	2,806	3,621	1,785	1,836	2,512	9,347	6,803	2,544	2,256	2,826
75-	M	3,319	4,117	1,980	2,137	3,061	9,991	7,208	2,783	2,523	3,192
	F	3,347	4,084	2,041	2,043	3,157	11,183	8,112	3,071	2,765	3,514
80-	M	2,315	2,780	1,266	1,514	2,508	7,049	4,923	2,126	2,063	2,451
	F	2,775	3,646	1,755	1,891	2,938	10,366	7,326	3,040	2,685	3,479
85 and over	M	1,485	1,493	627	866	1,863	4,633	3,061	1,572	1,533	1,887
	F	2,460	2,954	1,371	1,583	2,994	9,881	6,747	3,134	2,681	3,475

TABLE 15—continued.

Age.	Sex.	Wales			Conurbations.	Areas outside the conurbations				
		Total.	Wales I.	Wales II.		Total.	Urban areas, with populations of 100,000 and over.	Urban areas, with populations of 50,000 and under 100,000.	Urban areas, with populations under 50,000.	Rural areas.
All Ages	M	19,422	13,819	5,603	106,299	175,425	38,556	21,662	63,915	52,192
	F	16,583	11,173	5,410	102,520	165,136	36,079	21,597	59,962	47,498
Under 4 weeks	M	524	388	136	2,842	4,703	1,086	594	1,617	1,406
4 weeks to 3 months	M	377	275	102	1,994	3,249	713	361	1,172	1,003
	F	134	82	52	592	1,053	256	135	363	299
	F	97	67	30	455	678	151	93	229	205
3-6 months	M	107	77	30	500	863	202	104	287	270
6-12 months	M	93	67	26	401	700	150	84	274	192
	F	93	67	26	443	777	186	97	272	222
	F	77	52	25	375	598	162	78	189	169
Total under 1 year	M	858	614	244	4,377	7,396	1,730	930	2,539	2,197
	F	644	461	183	3,225	5,225	1,176	616	1,864	1,569
1-	M	69	48	21	331	587	114	64	200	209
	F	54	39	15	280	494	110	72	170	142
2-	M	35	24	11	189	346	67	45	118	116
	F	44	38	6	159	291	65	32	107	87
3-	M	29	22	7	154	267	60	29	94	84
	F	20	14	6	119	234	41	32	79	82
4-	M	29	24	5	148	235	54	29	78	74
	F	20	17	3	116	183	46	18	66	53
Total under 5 years	M	1,020	732	288	5,199	8,831	2,025	1,097	3,029	2,680
	F	762	569	213	3,899	6,427	1,438	779	2,286	1,933
5-	M	71	54	17	373	699	149	85	205	260
	F	56	41	15	277	422	77	53	148	144
10-	M	74	49	25	273	539	115	54	200	170
	F	39	30	9	196	320	91	34	107	88
15-	M	91	69	22	338	843	149	63	268	363
	F	66	47	19	324	556	134	78	182	162
20-	M	121	75	46	659	1,272	236	143	374	519
	F	97	68	29	520	812	197	117	278	220
25-	M	176	118	58	893	1,503	329	155	506	513
	F	139	106	33	788	1,116	293	139	381	303
30-	M	199	138	61	1,044	1,618	351	225	530	512
	F	152	113	39	967	1,327	329	174	488	336
35-	M	258	199	59	1,539	2,218	556	282	740	640
	F	219	162	57	1,333	1,904	472	226	649	557
40-	M	386	288	98	2,461	3,495	828	464	1,224	979
	F	312	239	73	1,879	2,722	651	354	984	733
45-	M	651	469	182	4,202	5,688	1,370	772	2,049	1,497
	F	476	341	135	2,916	4,000	883	551	1,487	1,079
50-	M	1,016	755	261	6,341	8,568	2,138	1,134	3,141	2,155
	F	617	437	180	4,000	5,729	1,339	754	2,043	1,593
55-	M	1,440	1,070	370	8,473	11,787	2,891	1,601	4,250	3,045
	F	906	663	243	5,295	8,253	1,876	1,078	3,066	2,233
60-	M	2,096	1,609	487	11,712	17,395	4,297	2,234	6,315	4,549
	F	1,249	909	340	7,871	11,861	2,768	1,526	4,313	3,254
65-	M	2,672	1,960	712	14,585	22,773	5,390	2,775	8,350	6,258
	F	1,868	1,276	592	11,500	17,835	4,100	2,277	6,555	4,903
70-	M	2,947	2,051	896	16,507	26,805	5,840	3,423	9,838	7,704
	F	2,497	1,654	843	15,680	24,656	5,534	3,267	8,949	6,906
75-	M	3,004	2,082	922	15,824	27,992	5,812	3,381	10,176	8,623
	F	2,823	1,830	993	17,989	28,850	6,296	3,785	10,531	8,238
80-	M	2,068	1,377	691	10,218	20,281	3,797	2,282	7,307	6,895
	F	2,438	1,573	865	15,006	25,557	5,264	3,407	9,358	7,528
85 and over	M	1,132	724	408	5,658	13,118	2,283	1,492	4,513	4,830
	F	1,847	1,115	732	12,080	22,789	4,337	3,007	8,157	7,288

TABLE 15—continued—Metropolitan Boroughs.

Age.	Sex.	Total London Admin. County.	City of London.	Inner and Middle Temples.	Battersea.	Bernmondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.
All Ages	M	21,754	45	—	719	420	422	1,239	359	532	296	773	520	1,082	792
	F	20,584	23	—	737	331	363	1,185	325	441	213	807	482	1,050	702
Under 4 weeks	M	525	3	—	21	13	7	29	9	14	7	19	9	30	15
4 weeks to 3 months	F	382	—	—	11	7	4	24	4	6	3	16	10	22	9
	M	98	—	—	5	1	1	7	1	2	1	2	1	5	—
	F	69	—	—	2	—	3	2	—	3	1	3	1	6	4
3-6 months	M	68	—	—	3	1	3	4	—	1	1	1	2	4	4
6-12 months	F	62	—	—	3	1	2	3	1	1	—	1	3	3	6
	M	69	—	—	4	2	2	5	1	1	1	1	1	1	4
	F	60	—	—	3	2	—	2	3	—	—	3	2	3	2
Total under 1 year	M	760	3	—	33	17	13	45	11	18	10	23	13	40	20
	F	573	—	—	19	10	9	31	8	10	4	23	16	34	21
1—	M	57	1	—	2	1	—	3	1	—	4	1	2	7	2
	F	66	—	—	2	—	—	4	1	—	—	5	1	2	3
2—	M	36	—	—	2	2	—	1	1	2	1	2	1	2	2
	F	21	—	—	—	—	1	2	—	—	—	—	1	—	1
3—	M	30	—	—	—	—	1	1	1	—	1	1	—	2	—
	F	24	—	—	2	—	—	3	2	2	—	—	—	—	—
4—	M	23	—	—	—	—	2	—	1	—	—	—	2	—	1
	F	18	—	—	1	—	—	1	—	1	—	1	—	1	—
Total under 5 years	M	906	4	—	37	20	16	50	14	18	16	28	18	50	25
	F	702	—	—	24	10	10	41	12	15	5	29	18	37	25
5—	M	78	—	—	2	1	1	7	2	1	1	3	3	5	2
	F	43	—	—	1	2	1	2	—	1	—	—	3	2	3
10—	M	48	—	—	—	2	—	4	2	1	—	1	3	1	2
	F	33	—	—	—	—	1	—	1	1	1	3	1	4	2
15—	M	47	—	—	1	1	—	4	2	—	—	4	3	3	—
	F	53	—	—	3	3	—	5	—	—	1	2	2	4	—
20—	M	105	—	—	6	1	2	3	3	2	—	2	5	5	4
	F	81	—	—	3	2	2	7	—	2	2	2	3	2	1
25—	M	168	—	—	4	7	3	13	1	3	3	4	5	13	9
	F	156	—	—	9	1	4	8	2	7	2	9	4	10	11
30—	M	225	—	—	8	7	6	10	7	8	2	9	5	15	8
	F	171	—	—	6	6	3	9	1	6	2	4	7	11	7
35—	M	329	1	—	12	7	3	18	4	5	6	15	12	13	15
	F	257	—	—	5	6	7	18	2	3	1	12	9	17	4
40—	M	468	1	—	18	10	9	23	6	16	6	25	10	32	8
	F	370	1	—	17	4	4	17	11	4	4	19	6	14	13
45—	M	841	4	—	15	17	19	52	6	15	16	34	28	42	25
	F	556	2	—	20	8	8	20	3	16	2	25	17	25	16
50—	M	1,185	1	—	42	19	16	47	14	29	14	45	29	46	41
	F	768	2	—	33	7	16	34	15	19	12	28	19	44	29
55—	M	1,681	11	—	52	29	39	96	31	41	15	61	43	87	65
	F	996	4	—	35	15	16	53	14	19	10	44	35	60	34
60—	M	2,450	8	—	71	55	50	123	29	61	34	74	53	114	104
	F	1,503	1	—	51	30	35	86	19	35	18	56	34	82	58
65—	M	3,040	8	—	114	60	55	174	42	82	45	122	77	151	124
	F	2,182	3	—	64	43	34	132	30	51	21	83	49	112	75
70—	M	3,514	3	—	107	70	88	189	43	94	49	128	89	194	138
	F	3,043	5	—	125	60	52	207	46	72	33	115	72	164	86
75—	M	3,273	1	—	120	63	61	213	69	69	47	111	60	161	109
	F	3,611	3	—	145	54	70	217	54	67	39	119	71	179	133
80—	M	2,163	3	—	63	31	30	132	53	62	29	67	45	105	79
	F	3,175	1	—	97	46	55	171	54	67	38	123	68	155	108
85 and over	M	1,233	—	—	47	20	23	81	31	25	13	38	32	45	30
	F	2,884	1	—	99	34	45	158	61	56	21	134	64	128	97

TABLE 15—continued—Metropolitan Boroughs.

Age.	Sex.	Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
ages	M	172	1,581	877	1,515	1,278	755	506	540	979	326	722	776	296	2,115	624	1,012
	F	132	1,550	1,043	1,432	1,264	764	430	509	824	276	602	588	315	2,157	563	826
under 16 weeks	M	6	56	19	33	31	26	12	8	17	4	13	15	8	49	15	22
16 weeks to 6 months	M	2	19	27	29	28	14	10	7	15	2	14	12	13	23	16	20
6 months to 12 months	M	1	9	6	8	5	5	2	1	5	—	2	3	1	9	4	9
12 months to 1 year	M	1	2	4	5	3	2	3	1	3	—	—	—	—	5	2	4
1 year to 2 years	M	—	10	5	5	5	3	2	—	1	1	—	4	—	4	1	1
2 years to 3 years	M	—	5	5	7	6	4	5	—	6	—	—	1	—	5	1	1
3 years to 4 years	M	—	3	1	3	3	2	3	—	4	—	1	—	2	6	2	4
4 years to 5 years	M	7	72	34	53	45	39	22	9	33	7	19	23	11	67	21	34
5 years to 6 years	M	3	38	31	43	41	22	18	9	23	6	14	16	15	39	21	29
6 years to 7 years	M	—	3	2	4	2	2	2	1	2	—	3	2	—	2	—	6
7 years to 8 years	M	—	9	2	4	4	2	3	—	4	—	4	2	—	5	—	1
8 years to 9 years	M	—	2	1	3	—	—	—	—	—	—	2	—	—	3	—	2
9 years to 10 years	M	—	3	2	—	4	2	2	—	2	—	2	—	—	—	—	1
10 years to 11 years	M	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 years to 12 years	M	—	3	—	2	3	2	1	—	2	—	2	—	—	1	3	1
12 years to 13 years	M	—	3	—	2	2	1	1	—	2	—	1	—	—	1	1	2
13 years to 14 years	M	—	—	—	2	—	1	—	2	—	1	1	—	1	—	—	—
14 years to 15 years	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 years to 16 years	M	8	81	40	62	54	47	26	13	41	9	27	26	13	74	24	43
16 years to 17 years	M	4	53	35	51	51	25	24	11	27	8	22	19	19	48	24	34
17 years to 18 years	M	—	5	1	10	3	1	3	2	1	4	2	—	3	10	3	2
18 years to 19 years	M	—	2	2	3	5	—	2	—	—	1	—	—	—	4	—	2
19 years to 20 years	M	—	3	3	3	3	3	1	—	2	—	4	—	—	4	—	2
20 years to 21 years	M	—	1	—	3	2	2	1	—	—	1	2	—	—	3	1	2
21 years to 22 years	M	—	5	2	3	1	—	2	—	—	—	1	2	2	4	—	2
22 years to 23 years	M	—	3	1	2	1	2	2	3	—	—	1	2	2	5	—	4
23 years to 24 years	M	—	4	5	3	3	4	4	3	2	—	3	4	2	8	10	8
24 years to 25 years	M	—	3	4	6	7	4	1	—	6	2	5	3	1	7	1	—
25 years to 26 years	M	—	8	12	13	9	7	7	3	5	2	6	5	2	8	3	8
26 years to 27 years	M	—	6	10	11	9	8	2	3	5	4	5	4	—	17	—	4
27 years to 28 years	M	—	16	6	9	14	9	7	4	7	—	5	4	2	17	15	10
28 years to 29 years	M	—	14	8	19	9	8	8	—	9	—	4	1	5	16	6	8
29 years to 30 years	M	—	24	19	22	18	18	5	3	20	5	8	12	7	28	16	5
30 years to 31 years	M	—	15	17	16	20	8	8	5	15	3	6	9	1	20	8	7
31 years to 32 years	M	—	28	16	44	26	18	5	11	19	8	13	22	5	38	15	25
32 years to 33 years	M	—	24	18	28	21	25	7	7	15	5	8	15	4	35	12	13
33 years to 34 years	M	9	64	44	57	45	39	22	20	45	7	25	26	11	81	27	34
34 years to 35 years	M	3	41	26	33	33	23	17	18	21	8	13	22	9	54	19	32
35 years to 36 years	M	18	93	58	98	60	48	32	45	71	17	37	36	16	100	30	56
36 years to 37 years	M	11	36	30	52	52	32	14	14	36	6	23	23	7	82	38	29
37 years to 38 years	M	21	104	77	111	99	59	40	45	67	28	45	70	27	141	58	83
38 years to 39 years	M	3	65	55	66	63	39	13	28	45	10	32	22	17	101	31	35
39 years to 40 years	M	15	175	93	176	162	102	72	58	118	34	82	72	32	220	89	119
40 years to 41 years	M	11	106	71	93	84	52	33	49	64	21	40	61	19	151	49	47
41 years to 42 years	M	17	226	104	197	161	104	57	86	140	49	106	114	38	298	89	137
42 years to 43 years	M	16	152	97	155	113	100	39	69	89	42	63	77	42	215	71	88
43 years to 44 years	M	33	240	129	233	224	94	86	87	153	61	128	141	39	330	96	146
44 years to 45 years	M	11	243	134	215	159	107	75	72	124	49	76	95	55	292	73	138
45 years to 46 years	M	27	231	121	233	186	101	64	75	146	52	116	136	40	365	73	157
46 years to 47 years	M	31	284	182	247	229	112	69	80	141	41	120	124	64	379	101	141
47 years to 48 years	M	15	173	88	150	137	64	42	50	86	36	85	68	42	240	43	102
48 years to 49 years	M	20	267	170	219	227	114	77	66	126	36	97	57	36	367	71	130
49 years to 50 years	M	5	101	59	79	73	36	31	37	56	14	29	38	14	149	31	74
50 years to 51 years	M	13	235	183	230	179	105	38	80	98	39	84	53	35	361	58	112

TABLE 15—continued—County Boroughs.

Age.	Sex.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.
All Ages	M	499	531	470	1,014	6,568	860	1,319	1,311	465	1,038	2,161	1,116	2,783
	F	386	415	639	916	6,197	943	1,363	1,373	436	1,257	2,294	1,247	2,840
Under 4 weeks	M	17	16	14	41	202	12	29	32	25	14	65	22	53
4 weeks to 3 months	F	5	8	6	17	146	17	11	25	13	8	38	17	39
	M	22	5	3	15	35	2	3	9	4	7	22	5	8
	F	2	3	—	5	34	2	4	13	1	1	16	4	7
3-6 months	M	3	3	—	12	34	2	3	9	5	—	19	6	12
6-12 months	F	2	1	—	8	32	4	1	4	5	1	16	3	12
	M	8	1	1	6	34	5	5	6	2	3	22	9	7
	F	4	—	—	2	30	3	1	4	7	4	10	3	2
Total under 1 year	M	30	25	18	74	305	21	40	56	36	24	128	42	80
	F	13	12	6	32	242	26	17	46	26	14	80	27	60
1—	M	1	1	2	5	23	1	1	3	4	3	13	4	11
	F	2	1	—	8	21	—	1	3	3	—	4	1	10
2—	M	—	—	2	—	11	—	2	3	1	1	2	2	3
	F	—	—	—	2	15	2	1	1	2	—	3	4	2
3—	M	—	1	—	2	12	3	5	3	—	1	1	—	6
	F	—	3	—	1	11	1	1	—	—	—	5	—	1
4—	M	3	—	1	1	9	4	2	4	1	—	2	—	6
	F	1	—	—	—	8	—	—	—	—	1	3	2	4
Total under 5 years	M	34	28	23	82	360	29	50	69	42	19	146	48	106
	F	16	16	8	43	297	29	20	50	31	15	95	34	77
5—	M	1	3	—	3	28	3	3	5	6	2	5	5	8
	F	1	—	4	3	21	3	1	2	—	5	4	3	5
10—	M	—	3	1	2	26	5	2	2	1	3	4	—	11
	F	2	1	—	1	16	1	1	—	1	—	4	2	6
15—	M	1	—	3	—	17	1	4	3	1	5	9	3	12
	F	3	2	2	—	26	—	1	1	1	4	3	2	8
20—	M	3	2	—	9	56	6	4	3	1	4	11	6	12
	F	4	1	2	5	28	5	1	8	2	6	10	4	21
25—	M	2	4	3	8	66	7	3	8	7	7	14	10	21
	F	3	4	3	8	48	7	9	9	7	5	18	4	30
30—	M	8	4	4	15	77	4	6	8	9	2	17	5	24
	F	4	7	2	10	58	5	6	11	9	6	14	13	21
35—	M	9	12	4	16	101	14	12	18	9	13	25	10	39
	F	6	7	2	14	92	15	9	14	9	7	15	12	37
40—	M	9	19	5	27	171	17	17	18	12	11	43	15	53
	F	12	7	7	10	117	17	13	28	11	13	42	18	47
45—	M	14	30	21	48	282	27	40	40	15	22	82	38	78
	F	9	12	9	32	162	20	35	38	15	29	64	23	81
50—	M	25	33	24	64	411	45	88	76	37	36	122	45	154
	F	24	14	18	37	242	36	52	50	22	27	74	35	97
55—	M	29	39	40	78	505	61	107	88	45	74	173	79	194
	F	20	14	27	45	330	48	67	65	20	40	127	71	142
60—	M	47	57	41	99	738	89	159	156	48	95	257	121	296
	F	26	36	37	64	512	83	129	111	29	90	164	88	188
65—	M	71	65	68	129	885	121	196	202	69	141	286	147	410
	F	41	48	60	92	683	117	178	172	50	119	274	119	272
70—	M	78	62	74	166	975	159	216	196	67	160	297	191	425
	F	52	79	83	146	911	173	236	211	65	194	387	179	418
75—	M	84	88	84	130	932	147	221	227	56	196	374	168	435
	F	68	90	114	168	1,001	172	258	261	68	237	435	227	496
80—	M	58	63	43	86	630	83	140	131	28	135	199	139	316
	F	61	42	124	138	919	131	202	210	60	193	321	213	458
85 and over	M	26	19	33	49	308	42	51	61	12	103	97	86	189
	F	34	35	137	100	734	81	145	132	36	267	243	200	436

TABLE 15—continued—County Boroughs.

Age.	Sex.	Burton upon Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.	Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.
Ages	M	363	447	148	447	336	1,516	1,432	557	1,003	374	564	404	406	758	531	802	443
	F	309	476	165	479	310	1,169	1,542	494	863	391	417	324	501	675	529	718	374
Under weeks	M	12	9	4	12	13	64	23	14	23	11	9	8	3	7	13	29	16
weeks to	F	7	8	5	4	10	52	16	6	16	7	13	5	2	17	11	25	12
months	M	2	2	—	5	2	10	6	2	4	5	5	2	1	3	2	9	4
	F	1	4	—	—	1	8	6	2	1	—	4	1	—	2	2	4	1
3-6 months	M	1	2	—	2	2	8	2	3	2	—	3	5	—	—	—	6	1
	F	1	3	—	1	3	3	4	4	6	—	4	1	—	3	—	10	2
6-12 months	M	—	2	—	1	2	3	—	—	10	3	—	1	—	—	4	4	2
	F	1	1	—	5	—	6	4	6	3	2	3	2	—	—	—	9	1
al under 1 year	M	15	15	4	20	19	85	31	19	27	19	20	16	3	10	20	48	22
	F	10	16	5	10	14	69	38	18	37	15	21	9	3	22	13	48	19
1—	M	2	—	4	2	2	9	4	2	4	—	—	3	2	2	1	2	2
	F	2	1	—	—	—	7	3	—	3	—	—	1	—	1	—	4	3
2—	M	1	—	1	—	—	4	4	1	9	—	2	—	—	1	—	2	2
	F	2	—	—	1	—	3	3	2	—	—	1	1	1	1	—	4	1
3—	M	—	—	—	—	1	4	5	—	3	—	1	—	—	3	1	—	—
	F	—	2	—	—	—	2	2	—	—	—	—	—	—	—	—	1	—
4—	M	1	—	—	—	—	4	2	1	2	—	—	1	—	—	—	2	—
	F	2	2	—	1	—	1	2	1	—	—	—	1	—	1	—	2	—
al under 5 years	M	19	17	9	24	22	106	46	23	48	20	24	20	5	13	22	54	26
	F	16	19	5	11	14	82	50	21	39	16	23	12	4	28	14	59	23
5—	M	1	—	—	3	—	8	4	3	1	1	—	2	2	3	2	3	5
	F	1	—	—	—	1	4	4	1	1	—	—	6	1	—	—	—	2
10—	M	1	1	1	2	—	5	1	2	3	—	—	1	—	2	—	3	—
	F	1	—	—	1	—	2	4	1	2	1	2	—	—	—	—	—	—
15—	M	3	—	3	3	2	3	4	1	2	—	2	—	—	—	1	2	3
	F	—	2	—	2	1	6	3	—	4	—	—	3	—	4	3	2	1
20—	M	—	1	—	3	1	9	8	6	8	4	12	8	1	2	3	6	4
	F	—	2	1	2	—	8	6	3	1	4	4	5	3	3	1	10	4
25—	M	1	2	2	4	5	21	10	1	4	2	3	6	1	4	3	9	8
	F	3	—	—	3	3	16	3	3	11	1	4	3	5	6	3	7	4
30—	M	2	4	2	6	5	23	9	9	11	2	3	4	2	3	8	8	7
	F	—	4	1	1	3	13	16	6	6	4	6	5	2	7	4	10	5
35—	M	3	2	2	4	6	29	18	6	10	6	9	6	4	11	3	11	4
	F	6	9	—	5	7	20	18	7	6	6	8	—	—	12	4	10	6
40—	M	3	14	1	8	3	25	23	9	17	5	11	12	5	12	10	14	4
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	M	14	20	8	21	16	74	46	21	31	19	18	18	8	29	21	43	20
	F	5	15	1	9	9	28	33	11	21	10	8	10	9	19	11	29	13
50—	M	29	33	8	23	12	82	69	35	64	16	35	21	14	40	22	56	36
	F	11	15	5	21	17	53	48	19	19	9	17	20	9	28	10	29	9
55—	M	19	31	7	40	23	127	98	44	80	31	48	33	19	53	32	63	33
	F	9	27	10	30	16	71	76	21	51	18	25	17	20	37	23	37	21
60—	M	41	69	10	62	40	188	145	65	105	38	77	41	34	90	67	73	43
	F	18	36	14	47	25	72	117	40	60	32	36	30	31	44	40	72	32
65—	M	52	59	16	43	40	200	183	53	123	57	71	66	61	102	60	95	50
	F	30	64	16	51	42	149	168	49	96	46	52	28	57	76	55	73	30
70—	M	54	78	19	56	41	228	262	95	152	58	80	56	65	119	81	105	56
	F	51	85	23	71	35	181	226	83	131	72	67	35	57	116	75	100	38
75—	M	57	72	36	74	55	196	230	87	174	57	89	63	77	129	78	125	51
	F	34	72	33	86	55	180	264	94	154	74	66	57	99	104	96	124	70
80—	M	42	35	13	45	39	104	158	59	89	33	54	41	61	84	57	74	43
	F	59	62	29	76	39	154	239	81	123	53	35	42	99	94	90	84	50
85 and over	M	17	14	11	28	22	67	111	29	69	23	26	12	49	53	51	49	44
	F	42	53	25	51	44	105	244	45	120	41	53	37	100	84	92	55	62

TABLE 15—continued—County Boroughs.

Age.	Sex.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston upon Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.	Newcastle upon Tyne.	Northampton.	Norwich.
All Ages	M F	364 403	577 552	733 745	468 707	930 994	646 626	1,902 1,685	3,525 3,276	1,750 1,780	439 403	5,472 5,256	4,827 4,849	936 787	2,099 1,801	712 702	780 797
Under 4 weeks	M F	10 4	18 21	18 9	6 2	21 3	24 8	85 50	85 56	46 26	12 8	199 122	139 112	43 18	61 39	15 16	20 12
4 weeks to 3 months	M F	— —	9 2	2 5	— —	4 1	10 2	17 27	24 13	9 3	— 1	49 46	43 33	7 4	10 15	7 2	7 1
3-6 months	M F	3 2	1 5	5 —	1 1	3 3	2 —	29 15	25 16	8 9	— 1	44 31	34 22	9 5	11 13	— —	3 5
6-12 months	M F	2 1	1 3	1 1	1 1	5 4	3 4	16 19	15 14	5 6	2 3	25 38	34 22	9 14	12 5	2 3	3 1
Total under 1 year	M F	15 7	29 31	28 15	11 7	30 16	39 14	157 101	149 99	68 48	14 13	317 237	250 189	64 41	94 72	24 21	33 19
1—	M F	1 —	— 2	4 1	2 —	4 2	5 3	3 4	10 10	4 1	— 1	28 18	21 18	6 2	5 4	5 4	3 3
2—	M F	— —	1 1	— 1	1 —	1 2	— —	5 6	4 4	5 2	1 —	21 20	9 3	4 1	5 3	— 1	1 3
3—	M F	— —	2 1	— 2	1 —	1 —	1 —	6 3	6 4	4 1	— —	11 8	5 3	3 —	5 2	1 1	1 1
4—	M F	1 1	1 —	— 1	— —	— —	1 1	4 1	2 4	1 3	1 —	18 12	4 1	3 3	3 3	— —	1 1
Total under 5 years	M F	17 8	33 35	33 20	15 7	38 20	46 18	175 115	171 121	82 55	16 14	395 298	289 214	87 47	112 83	30 27	39 27
5—	M F	1 2	2 1	— 1	— —	7 —	2 2	5 6	16 10	9 4	4 1	11 16	12 10	5 5	5 4	1 —	2 —
10—	M F	— —	2 3	1 2	— —	2 1	2 2	5 4	11 7	6 2	— —	18 16	8 8	6 6	7 4	4 1	4 1
15—	M F	— —	— 3	3 —	— —	2 2	3 2	9 9	8 5	4 4	4 1	33 23	9 9	9 6	9 2	1 —	4 —
20—	M F	— —	4 4	7 4	1 2	3 2	4 3	14 7	21 19	11 7	2 1	43 40	31 39	3 6	16 18	4 2	6 6
25—	M F	1 1	4 6	5 3	1 1	8 6	2 1	19 18	26 22	17 18	4 1	64 63	54 43	4 8	12 21	3 2	4 8
30—	M F	1 2	17 4	11 4	2 4	3 4	3 3	12 19	25 35	11 19	5 3	65 70	57 58	9 13	33 15	8 3	3 3
35—	M F	7 6	11 4	10 12	3 6	11 7	4 8	41 30	51 41	25 31	3 1	102 69	70 100	30 15	30 25	8 6	7 7
40—	M F	6 4	10 7	18 9	6 8	17 8	10 8	47 39	86 41	38 35	11 11	135 125	136 90	19 18	55 29	18 7	11 7
45—	M F	10 6	22 16	26 18	15 10	29 23	19 15	81 39	146 95	60 40	10 11	223 151	185 146	43 29	93 59	25 17	23 9
50—	M F	15 14	32 12	33 25	15 16	66 38	31 19	106 66	211 119	79 69	23 10	347 172	354 218	59 34	137 69	26 25	33 27
55—	M F	25 16	44 36	52 39	27 20	78 62	37 24	151 95	341 168	118 100	30 20	451 272	418 286	90 45	173 95	58 29	40 30
60—	M F	37 32	64 48	68 64	40 34	93 90	61 42	219 125	382 298	196 133	36 24	610 427	563 398	122 69	200 137	82 58	66 51
65—	M F	48 41	74 64	104 90	55 63	133 141	81 74	269 196	507 388	240 183	70 57	734 600	666 594	122 86	305 211	91 75	112 104
70—	M F	64 59	97 54	135 119	89 125	170 176	113 87	251 251	558 511	258 270	77 72	832 839	744 786	125 110	317 288	118 109	121 112
75—	M F	48 75	76 89	117 135	93 125	163 190	107 114	252 273	478 610	299 309	61 80	748 908	626 859	126 125	326 325	116 138	123 153
80—	M F	40 76	54 95	82 110	53 133	75 136	69 106	166 220	310 475	174 280	53 48	472 694	409 571	52 101	173 258	71 108	107 132
85 and over	M F	43 56	31 71	28 91	53 153	33 77	50 99	80 173	177 311	123 224	30 48	189 466	196 407	28 67	96 154	48 93	75 111

TABLE 15—continued—County Boroughs.

Age.	Sex.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.	Stockport.
All Ages	M F	901 897	555 557	1,405 1,266	1,517 1,385	915 901	712 690	717 740	584 389	852 594	1,335 1,162	3,484 3,151	500 458	1,122 1,008	1,027 1,146	737 876	757 620	1,003 1,060
Under 4 weeks	M F	33 13	12 10	48 29	40 25	28 15	18 15	21 25	18 9	25 12	41 28	73 64	12 6	30 23	22 15	15 7	27 21	29 25
4 weeks to 3 months	M F	6 8	2 2	7 18	14 3	3 3	3 1	3 6	—	8 5	5 8	17 11	5 1	6 5	2 3	4 4	5 3	7 7
3-6 months	M F	7 6	— 1	6 5	8 2	6 1	6 3	2 2	5 2	8 4	6 5	15 14	3 2	1 4	1 4	2 2	2 2	6 1
6-12 months	M F	3 3	1 1	3 7	12 5	8 4	4 4	2 3	4 1	8 5	10 6	15 10	— 2	4 3	4 2	1 1	7 4	4 6
Total under 1 year	M F	49 30	15 14	79 42	74 35	41 27	29 23	33 36	28 12	45 26	60 47	120 99	22 9	41 35	29 24	22 14	41 37	46 39
1—	M F	4 1	— 2	3 3	2 6	2 5	1 —	2 2	2 —	7 5	7 4	6 6	2 —	— 2	1 6	1 —	3 3	— —
2—	M F	2 1	2 1	4 4	1 1	2 2	1 —	— 1	2 1	1 2	1 1	8 1	— —	6 1	— 3	2 —	1 1	2 —
3—	M F	— 1	1 2	3 5	2 —	2 —	1 1	2 1	2 —	— —	3 —	1 7	— —	2 —	— —	— 1	— 1	3 2
4—	M F	1 1	1 1	6 1	4 1	— 1	1 —	1 1	2 —	— 3	— —	7 4	2 —	2 2	1 1	— —	1 —	2 2
Total under 5 years	M F	56 34	19 20	95 55	83 43	47 35	33 24	39 40	36 13	53 36	74 52	136 117	26 9	51 40	31 34	25 15	46 42	51 43
5—	M F	5 4	4 2	4 1	10 3	1 —	5 1	2 —	2 4	2 2	8 6	11 6	4 2	3 7	1 —	2 —	2 2	8 2
10—	M F	1 1	— 1	2 2	3 3	1 2	1 1	— 1	4 1	2 5	5 3	5 12	2 —	5 3	3 5	1 1	2 1	1 —
15—	M F	1 2	2 3	8 4	7 4	6 4	4 3	1 5	1 1	5 6	4 14	10 14	1 1	4 2	4 2	— 2	6 3	1 4
20—	M F	2 6	3 2	13 18	12 13	5 4	5 4	3 2	3 2	6 9	6 6	19 16	5 —	3 5	3 4	5 2	7 6	3 4
25—	M F	9 6	4 3	17 21	13 8	12 7	6 4	5 5	6 2	9 2	10 9	26 18	7 3	6 4	5 3	2 —	8 6	5 9
30—	M F	6 7	6 1	20 10	14 16	7 9	8 4	7 1	8 4	11 14	18 10	31 27	3 6	12 11	3 4	3 6	9 10	9 9
35—	M F	10 9	6 3	25 15	23 23	16 16	4 8	10 11	9 —	10 3	33 24	53 36	6 3	5 15	9 8	4 —	12 6	10 10
40—	M F	21 15	15 8	23 27	23 24	30 11	12 8	14 11	11 4	20 16	45 28	92 65	8 6	19 19	19 17	11 6	24 6	20 21
45—	M F	39 17	22 37	50 64	40 36	43 25	21 16	25 26	24 11	32 15	69 31	113 67	15 18	45 38	36 24	20 14	32 17	41 27
50—	M F	58 40	37 23	73 44	64 59	91 34	71 25	34 35	25 20	51 27	85 48	195 120	40 17	67 31	41 30	47 23	41 27	59 34
55—	M F	77 53	41 30	87 64	103 52	59 63	36 29	61 42	42 33	73 35	113 60	261 161	41 26	83 39	75 59	63 37	67 31	86 52
60—	M F	89 89	56 25	165 79	172 103	113 79	82 51	53 65	84 28	179 84	372 88	372 279	61 41	113 76	102 73	72 53	93 70	106 65
65—	M F	142 114	72 53	184 157	211 152	115 113	90 69	93 89	61 50	118 76	182 161	544 384	67 47	169 100	146 113	99 85	103 74	134 132
70—	M F	143 168	87 75	204 183	226 214	120 152	102 102	116 130	108 77	141 98	192 189	564 558	71 88	183 135	174 153	119 142	107 94	169 184
75—	M F	135 152	78 52	212 195	202 229	131 146	117 118	135 128	107 59	127 81	161 205	543 597	71 26	171 203	168 218	115 172	102 118	168 228
80—	M F	76 127	50 100	125 209	174 225	94 119	91 103	62 105	51 69	69 143	108 301	431 401	51 55	111 185	128 203	173 107	71 83	81 147
85 and over	M F	31 53	51 100	106 180	110 174	44 82	61 118	29 52	34 39	35 34	43 98	178 273	23 45	68 121	79 196	46 125	28 40	51 89

TABLE 15—continued—County Boroughs.

Age.	Sex.	Stoke on Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.).	Swansea.
All Ages	M	1,843	1,178	445	406	729	805	524	566	1,062	500	654	1,007	407	656	1,684	513	688	1,12
	F	1,674	1,064	380	338	783	675	444	483	933	420	570	909	397	630	1,498	400	601	96
Under 4 weeks	M	55	50	19	9	19	32	28	14	25	17	11	39	8	16	48	13	25	2
4 weeks to 3 months	F	34	26	13	6	16	19	8	9	18	5	11	27	4	16	34	9	9	1
	M	13	17	2	3	6	3	5	5	6	10	9	8	1	3	10	6	5	
	F	9	12	4	3	3	4	3	2	4	5	5	5	3	1	13	—	2	
3-6 months	M	11	6	5	3	5	3	3	4	5	3	3	7	4	—	14	4	5	
6-12 months	F	8	5	3	3	4	1	2	5	6	4	7	8	4	—	8	4	7	
	M	11	8	5	1	7	3	3	1	4	2	8	9	—	1	9	2	1	
	F	3	9	3	2	2	6	1	5	6	3	4	9	1	3	4	4	1	
Total under 1 year	M	90	51	31	16	30	45	39	24	40	32	31	63	13	20	59	25	36	4
	F	54	28	23	14	25	30	14	21	34	17	27	49	12	20	51	17	22	3
1—	M	5	4	1	—	—	4	3	2	4	4	—	5	1	2	2	—	2	
	F	2	6	3	1	3	3	—	7	4	4	3	3	5	1	6	1	1	
2—	M	3	1	1	—	2	5	—	2	2	2	2	—	—	—	1	—	—	
	F	4	4	—	1	1	2	2	1	1	—	1	2	1	—	6	—	2	
3—	M	2	3	1	—	—	2	—	1	2	4	—	1	1	—	1	1	1	
	F	3	1	1	—	1	—	1	—	3	1	3	—	—	2	—	1	—	
4—	M	—	3	—	—	2	—	—	1	3	1	1	2	—	—	1	—	1	
	F	3	3	—	—	2	2	1	2	3	4	1	1	1	1	1	—	1	
Total under 5 years	M	100	90	35	20	34	60	42	30	51	43	34	71	16	22	86	27	41	5
	F	66	66	27	16	30	38	21	24	47	26	35	55	19	24	72	18	26	3
5—	M	9	7	5	—	3	3	4	4	1	1	2	2	—	3	5	4	5	
	F	4	1	2	—	2	5	3	2	2	2	—	—	—	1	—	—	—	
10—	M	4	4	1	2	1	2	2	1	1	1	1	4	—	—	2	1	2	
	F	7	4	1	—	1	4	1	—	1	1	1	1	—	—	5	1	—	
15—	M	3	3	1	1	2	2	2	2	10	2	4	3	5	4	10	2	4	
	F	11	6	—	—	3	5	2	3	3	2	8	5	1	4	10	4	4	
20—	M	12	8	—	2	7	6	3	5	5	6	8	9	4	5	15	1	6	
	F	10	12	5	1	2	4	2	5	5	7	6	4	1	6	9	3	2	
25—	M	22	16	5	3	9	12	3	9	13	6	6	12	4	6	18	3	7	
	F	19	17	2	4	8	8	12	9	9	5	5	10	2	5	16	6	4	
30—	M	25	15	4	3	6	6	3	8	15	10	9	11	7	7	16	2	8	
	F	21	10	3	2	8	9	9	7	12	5	8	14	4	6	23	7	3	
35—	M	29	25	6	5	7	10	7	10	11	3	9	16	6	10	26	9	12	
	F	34	14	9	4	6	10	5	6	16	2	8	23	6	1	20	7	8	
40—	M	41	38	12	9	11	12	18	15	28	11	16	34	8	23	40	12	17	
	F	38	19	7	3	13	13	10	9	23	9	14	14	7	14	28	4	11	
45—	M	69	42	14	8	29	37	22	28	38	19	18	38	16	21	42	18	23	
	F	46	26	9	14	14	18	17	16	29	16	19	29	16	20	44	16	21	
50—	M	115	67	23	25	39	44	41	38	60	39	39	66	16	36	106	32	40	
	F	75	42	21	16	25	23	20	22	42	12	25	35	14	33	55	24	22	
55—	M	172	72	28	40	62	69	51	40	90	30	58	79	33	47	146	27	54	
	F	105	59	29	15	31	33	20	28	42	27	34	42	15	25	89	20	46	
60—	M	213	125	44	44	74	79	60	67	108	44	90	92	43	64	205	60	75	
	F	127	73	23	25	62	64	37	38	75	35	52	75	23	48	126	36	57	
65—	M	267	153	67	57	99	126	57	77	157	68	92	130	52	90	241	77	98	
	F	219	148	45	38	80	74	49	55	106	36	73	104	39	51	149	45	78	
70—	M	297	163	58	63	129	130	77	67	166	82	110	146	56	92	229	93	96	
	F	284	136	56	60	116	103	80	71	152	62	80	122	55	107	217	48	70	
75—	M	267	173	69	69	108	118	77	92	142	59	85	148	54	102	249	80	94	
	F	271	186	67	57	136	108	72	95	146	73	87	141	66	111	240	71	95	
80—	M	138	110	44	41	67	64	32	51	103	52	51	98	54	84	139	44	63	
	F	207	131	47	46	143	88	49	55	124	59	78	131	65	97	212	56	83	
85 and over	M	60	63	29	14	42	25	23	22	60	23	22	48	33	40	109	21	44	
	F	130	114	26	37	103	68	35	37	99	41	37	101	64	77	180	34	65	

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.		Sex.	Bedford-shire.		Berkshire.		Buckinghamshire.		Cambridgeshire.		Cheshire.		Cornwall.		Cumberland.		Derbyshire.	
			U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	...	M	1,178	553	643	1,097	1,027	1,122	451	576	4,219	1,216	1,285	1,102	570	898	2,297	1,900
		F	1,115	500	665	1,059	973	1,094	484	537	4,259	1,074	1,394	1,114	568	791	2,105	1,707
Under 4 weeks		M	32	14	15	26	26	21	8	15	108	47	42	23	18	32	55	48
4 weeks to 3 months		F	30	14	15	27	31	27	9	8	71	29	26	16	9	16	41	40
		M	8	1	3	4	7	6	3	1	20	10	8	4	2	7	14	14
		F	3	1	2	7	1	3	1	1	12	4	3	10	2	4	11	8
3-6 months		M	9	—	1	9	2	3	1	4	18	7	4	5	1	1	15	8
6-12 months		F	3	—	5	3	8	3	1	1	9	3	2	—	6	2	17	6
		M	8	4	2	6	2	2	—	1	18	6	—	6	7	10	8	6
		F	2	—	2	—	1	2	—	1	14	2	2	6	3	4	8	2
Total under 1 year		M	57	19	21	45	37	32	12	21	164	70	60	38	28	50	92	76
		F	38	15	24	37	41	35	11	11	106	38	33	32	20	26	77	56
1—		M	5	1	—	2	1	3	—	3	12	6	4	7	1	6	7	7
		F	4	—	3	2	4	1	1	—	8	5	—	—	4	5	6	5
2—		M	3	1	1	6	2	3	—	—	5	3	5	—	2	5	4	4
		F	2	1	—	1	1	2	2	—	6	3	3	—	5	5	4	2
3—		M	2	—	1	2	—	3	1	1	3	2	1	—	3	—	2	1
		F	3	—	—	1	—	5	—	1	5	—	2	4	2	4	4	4
4—		M	—	—	—	1	—	2	1	—	7	4	1	—	—	1	4	4
		F	3	2	1	1	—	—	—	—	4	1	4	—	1	1	2	2
Total under 5 years		M	67	21	23	56	40	43	14	25	191	85	71	49	34	62	109	92
		F	50	18	28	42	46	43	14	12	129	47	42	36	32	41	93	69
5—		M	6	1	1	4	2	4	2	2	13	6	6	4	3	3	9	13
		F	1	2	5	2	1	3	1	1	8	4	—	1	3	—	4	4
10—		M	1	—	1	2	3	4	2	1	13	4	3	3	—	2	11	5
		F	2	3	—	2	2	1	—	2	8	1	4	3	1	1	4	3
15—		M	3	3	—	7	1	6	2	5	13	6	5	6	2	5	10	9
		F	3	2	—	1	3	2	—	—	14	4	4	5	6	3	5	9
20—		M	9	3	2	13	6	7	7	3	28	8	5	5	4	9	19	14
		F	3	2	4	3	—	4	1	2	18	3	4	4	10	4	19	9
25—		M	7	7	2	11	11	9	2	6	32	12	6	10	8	10	12	18
		F	9	2	2	4	3	2	3	3	15	4	6	6	7	4	16	14
30		M	12	4	7	12	15	10	5	11	32	15	5	7	9	9	16	22
		F	14	—	7	7	11	6	3	7	28	11	14	3	6	4	20	8
35—		M	18	4	5	10	13	14	6	11	35	23	11	10	7	15	23	26
		F	15	8	5	7	16	8	3	4	54	8	12	13	8	10	22	32
40—		M	32	11	11	23	29	19	6	8	79	19	21	14	7	14	43	44
		F	15	9	6	25	18	26	6	7	73	15	19	12	19	12	42	27
45—		M	41	17	18	27	30	27	18	14	143	35	34	32	19	25	89	66
		F	31	11	13	20	27	25	13	12	112	20	40	15	14	11	62	46
50—		M	70	31	27	43	52	47	18	28	279	53	52	39	36	42	103	94
		F	48	15	18	26	41	36	17	13	156	30	37	37	28	28	77	62
55—		M	91	34	37	60	70	55	42	28	339	73	102	63	49	58	160	134
		F	59	23	31	30	56	37	29	22	205	50	53	62	35	40	107	96
60—		M	129	42	75	84	92	107	40	41	470	100	129	91	55	89	201	175
		F	80	26	40	91	69	70	27	31	332	65	101	70	46	62	141	133
65—		M	137	61	79	136	141	133	53	59	575	146	150	138	76	115	340	231
		F	126	50	74	92	107	105	49	58	477	128	123	102	48	90	235	184
70—		M	167	81	93	154	162	144	65	86	635	168	184	167	79	108	394	280
		F	151	77	83	130	139	147	77	74	708	153	204	155	73	142	353	247
75—		M	173	89	100	184	164	185	77	110	660	194	202	197	91	128	369	318
		F	175	88	103	204	150	198	71	109	748	221	225	207	107	132	374	326
80—		M	138	83	101	166	116	167	52	84	453	173	156	147	56	131	257	228
		F	159	74	135	180	158	183	90	81	666	159	259	200	79	112	293	258
85 and over		M	77	61	61	105	80	141	40	54	229	96	143	120	35	73	132	131
		F	174	90	111	193	126	198	80	99	508	151	247	183	47	95	238	180

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Devon.		Dorset.		Durham.		Ely, Isle of.		Essex.		Gloucester-shire.		Herefordshire.		Hertfordshire.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	2,185	1,702	1,184	729	4,181	1,957	333	214	7,460	1,448	924	1,675	324	470	2,387	855
	F	2,323	1,647	1,302	663	3,511	1,450	298	182	6,754	1,366	991	1,605	345	411	2,445	885
Under 4 weeks	M	37	41	35	13	153	71	6	6	181	25	25	38	10	19	62	30
4 weeks to 3 months	F	30	25	23	9	107	53	7	8	125	18	22	33	8	11	47	18
	M	7	3	8	2	40	24	3	2	35	2	4	9	2	3	5	4
	F	4	5	3	—	37	7	2	2	23	1	3	4	2	2	3	—
3-6 months	M	4	5	4	5	36	21	1	1	25	4	5	5	3	1	5	5
6-12 months	F	7	5	2	4	37	14	1	—	16	5	4	5	1	2	4	2
	M	4	4	2	1	28	15	—	1	26	5	7	7	1	2	13	6
	F	6	4	1	4	22	5	1	—	18	—	1	7	1	—	11	1
Total under 1 year	M	52	53	49	21	257	131	10	10	267	34	41	59	17	26	91	37
	F	47	39	29	17	203	79	11	10	182	24	30	49	12	15	65	29
1—	M	6	6	3	3	12	6	1	1	22	7	4	6	1	5	2	2
	F	3	3	3	—	19	5	1	—	18	4	3	5	1	4	10	3
2—	M	2	2	—	—	10	3	—	—	18	3	2	2	—	—	3	2
	F	3	2	1	2	8	1	—	—	10	1	2	5	—	3	3	4
3—	M	2	4	1	—	11	5	—	—	12	3	1	2	1	3	4	—
	F	—	2	1	—	3	4	1	1	10	1	—	2	2	—	3	1
4—	M	2	1	2	2	6	2	—	—	17	4	—	2	—	—	8	—
	F	1	2	1	2	1	3	—	—	12	—	2	1	1	—	3	3
Total under 5 years	M	64	66	55	26	296	147	11	11	336	51	48	71	20	34	108	41
	F	54	48	35	21	234	92	13	11	232	30	37	63	16	22	84	40
5—	M	3	9	1	4	14	8	3	2	33	8	2	17	1	3	3	3
	F	3	5	2	4	9	6	—	—	21	5	1	6	—	—	4	4
10—	M	2	2	2	5	15	10	—	—	21	1	1	1	2	1	5	3
	F	5	1	—	—	11	3	1	—	11	3	—	1	—	2	2	1
15—	M	5	9	7	4	19	12	1	3	23	14	4	13	3	4	6	5
	F	8	6	3	2	10	12	1	—	24	4	1	9	2	2	3	3
20—	M	12	14	13	8	29	31	4	1	48	10	2	15	4	1	15	4
	F	6	6	5	3	32	15	—	—	41	7	8	5	—	1	8	3
25—	M	10	26	6	3	44	28	6	1	69	8	5	20	1	3	15	6
	F	10	6	2	2	31	20	4	2	55	6	4	8	—	5	14	3
30—	M	16	9	7	1	56	25	2	1	47	12	8	21	1	3	15	7
	F	8	5	11	1	44	15	1	—	60	5	4	15	2	3	19	5
35—	M	12	19	13	10	70	37	4	8	111	13	8	18	2	4	36	10
	F	21	13	11	8	46	19	3	4	93	11	4	16	3	4	35	15
40—	M	30	32	14	7	116	62	6	4	173	18	19	30	4	7	59	31
	F	15	29	13	6	77	29	5	5	115	17	11	27	9	7	40	17
45—	M	55	40	27	15	147	75	11	4	278	39	30	60	9	7	102	19
	F	45	31	37	12	102	37	11	5	196	26	21	44	4	9	73	17
50—	M	82	57	52	21	240	115	19	10	432	45	46	82	14	17	120	37
	F	58	51	48	25	140	62	15	5	277	46	32	57	9	8	75	20
55—	M	124	117	80	34	322	130	14	11	562	73	67	111	25	22	145	54
	F	93	74	54	23	216	88	15	8	380	59	51	75	19	15	139	52
60—	M	211	138	106	74	448	216	29	17	792	118	87	164	37	40	249	83
	F	145	98	85	38	281	138	18	8	484	91	66	103	21	39	156	45
65—	M	314	197	152	90	552	223	41	19	941	171	121	180	42	45	320	109
	F	213	174	117	68	448	188	33	20	721	155	108	153	25	27	231	87
70—	M	352	244	179	115	613	267	59	34	1,109	210	136	228	45	67	354	120
	F	337	232	217	91	544	230	37	28	954	185	118	230	48	55	377	95
75—	M	374	291	180	121	610	290	60	33	1,104	271	156	280	45	85	380	156
	F	443	298	208	109	570	221	68	31	1,137	239	180	264	61	57	380	145
80—	M	296	244	157	103	394	190	40	28	813	215	97	207	44	84	282	107
	F	406	283	200	124	444	160	37	29	1,029	236	185	260	55	82	399	114
85 and over	M	223	188	133	88	196	91	23	27	568	171	87	154	25	43	173	73
	F	453	287	248	126	272	115	36	26	924	241	160	269	71	73	406	136

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Huntingdon-shire.		Kent.		Lancashire.		Leicester-shire.		Lincolnshire, Parts of Holland.		Lincolnshire, Parts of Kesteven.		Lincolnshire, Parts of Lindsey.		Middlesex.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages ...	M	170	237	7,393	2,038	12,477	1,846	903	1,040	243	393	277	462	919	989	12,028	—
	F	192	212	7,207	1,774	12,153	1,774	821	967	227	310	293	398	854	859	12,066	—
Under 4 weeks	M	5	2	176	50	288	53	24	26	12	9	5	16	27	34	312	—
4 weeks to 3 months.	F	6	5	129	37	193	33	17	16	6	5	5	10	21	22	213	—
	M	1	—	48	17	64	6	7	4	—	2	1	6	6	3	42	—
	F	2	1	26	4	34	4	6	5	1	3	1	2	4	6	28	—
3-6 months	M	—	—	36	9	51	9	5	5	1	2	1	2	5	9	33	—
6-12 months	F	—	1	19	7	19	6	5	2	1	2	3	2	9	6	34	—
	M	2	1	19	4	39	11	5	6	2	1	—	4	5	2	28	—
	F	1	1	23	3	33	7	3	9	1	1	—	3	5	5	29	—
Total under 1 year	M	8	4	279	80	442	79	41	39	15	14	7	28	43	48	415	—
	F	9	10	197	51	299	50	31	32	9	11	9	17	39	39	304	—
1—	M	2	—	26	11	34	8	4	5	1	1	—	2	5	2	32	—
	F	—	—	15	4	30	8	3	4	—	1	3	1	3	2	22	—
2—	M	1	—	13	3	24	4	2	2	1	1	—	—	3	4	11	—
	F	—	—	11	1	13	2	—	1	1	—	—	—	—	1	11	—
3—	M	—	—	14	2	19	4	2	1	—	—	1	1	2	3	12	—
	F	1	—	11	3	18	1	4	2	—	—	1	2	1	4	7	—
4—	M	—	1	7	5	17	2	4	4	—	2	1	—	1	—	11	—
	F	—	1	4	3	7	1	1	1	1	—	2	—	—	—	15	—
Total under 5 years	M	11	5	339	103	536	97	53	53	17	18	9	31	54	57	481	—
	F	10	11	238	62	367	62	39	40	11	12	13	22	43	46	359	—
5—	M	—	—	24	11	44	12	1	7	—	4	4	3	4	3	26	—
	F	—	1	23	5	22	7	2	—	1	2	—	2	2	1	39	—
10—	M	—	2	44	12	28	5	1	4	—	2	—	1	2	3	26	—
	F	—	2	13	5	21	3	3	1	—	—	1	—	2	1	21	—
15—	M	—	3	30	9	49	12	2	3	—	4	—	7	4	6	51	—
	F	—	1	25	4	34	7	3	3	—	—	3	3	5	2	37	—
20—	M	2	4	48	16	71	17	8	4	1	6	2	12	6	13	77	—
	F	3	1	35	12	44	7	7	3	3	2	1	1	2	5	50	—
25—	M	1	4	68	22	99	9	5	8	1	4	3	8	8	15	90	—
	F	1	1	45	3	85	15	8	6	—	3	1	7	7	7	77	—
30—	M	2	3	62	19	113	12	10	12	3	5	4	5	6	12	97	—
	F	1	4	57	15	104	22	14	10	2	1	—	4	11	6	124	—
35—	M	3	2	80	23	141	33	17	13	3	5	—	2	15	17	165	—
	F	1	2	85	20	142	26	9	10	4	6	3	6	17	11	165	—
40—	M	2	4	143	36	266	41	25	28	4	8	4	10	13	13	290	—
	F	3	4	141	22	219	22	16	14	5	1	8	4	15	11	233	—
45—	M	5	9	262	51	459	71	37	25	8	14	6	8	38	25	488	—
	F	7	4	177	36	300	39	26	28	2	9	5	6	21	19	348	—
50—	M	5	6	391	81	701	86	50	45	15	14	9	15	50	35	729	—
	F	7	9	241	54	484	66	33	23	8	16	8	17	22	33	471	—
55—	M	5	12	450	104	986	124	73	72	12	19	29	18	76	44	1,012	—
	F	11	7	315	86	707	103	38	48	16	8	20	12	45	40	651	—
60—	M	10	15	737	178	1,407	173	99	100	17	38	32	33	68	72	1,325	—
	F	8	22	455	127	999	140	46	65	14	23	20	23	66	55	845	—
65—	M	16	29	962	241	1,779	224	111	136	38	49	31	52	121	93	1,597	—
	F	12	19	717	152	1,559	225	87	133	27	26	31	45	104	83	1,284	—
70—	M	32	35	1,119	308	2,016	297	134	162	39	52	45	60	137	149	1,805	—
	F	32	32	1,019	255	2,119	263	107	134	35	58	39	50	128	125	1,697	—
75—	M	23	46	1,161	307	1,977	302	120	166	35	62	47	95	151	179	1,782	—
	F	29	39	1,221	276	2,280	312	143	148	38	42	51	57	131	162	2,048	—
80—	M	36	29	882	305	1,234	219	96	119	18	51	26	70	108	146	1,211	—
	F	33	22	1,238	345	1,629	259	122	153	29	52	39	65	124	114	1,856	—
85 and over	M	17	29	591	214	571	132	61	83	32	38	26	32	58	107	776	—
	F	34	31	1,162	295	1,038	196	118	148	32	49	50	74	109	138	1,761	—

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Norfolk.		Northampton-shire.		Northumber-land.		Nottingham-shire.		Oxfordshire.		Peterborough, Soke of.		Rutland.		Shropshire.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	523	1,869	826	790	2,267	683	2,261	923	299	694	317	62	27	94	1,035	81
	F	490	1,757	752	744	1,896	657	2,002	818	296	669	321	47	19	93	928	81
Under 4 weeks	M	5	46	16	22	67	15	63	27	6	11	8	3	—	6	32	2
4 weeks to 3 months	M	11	39	12	11	39	10	39	16	4	14	3	2	—	2	14	1
	F	4	7	3	5	17	2	14	8	2	3	1	—	—	1	11	3
	F	2	8	1	4	11	2	11	2	—	2	4	—	—	1	3	—
3-6 months	M	5	13	4	5	22	5	14	7	—	3	1	—	—	—	3	1
6-12 months	M	—	8	1	4	15	4	11	4	1	3	2	—	—	—	1	5
	F	—	7	3	3	15	2	19	2	1	—	—	—	—	—	2	—
	F	2	6	1	6	6	2	12	3	1	1	—	—	—	—	5	2
Total under 1 year	M	14	73	26	35	121	24	110	44	9	17	10	3	—	7	51	4
	F	15	61	15	25	71	18	73	25	6	20	9	2	—	3	20	2
1—	M	3	5	3	2	3	3	2	6	—	5	—	—	—	—	2	5
	F	—	7	3	2	4	—	10	3	—	3	1	—	—	—	2	—
2—	M	2	4	1	—	6	1	5	1	1	1	1	—	—	—	2	3
	F	2	4	1	—	3	2	2	2	—	2	—	—	—	1	—	—
3—	M	1	4	—	1	1	2	5	3	—	—	—	—	—	1	—	1
	F	1	2	—	1	1	2	1	2	—	—	—	—	—	—	—	—
4—	M	1	6	3	—	1	1	1	1	—	—	—	—	—	—	1	—
	F	—	4	3	1	1	—	3	—	—	2	—	—	—	—	2	—
Total under 5 years	M	21	92	33	38	132	30	123	55	10	27	11	3	—	12	56	4
	F	18	78	22	29	80	22	88	32	7	26	10	2	—	4	31	3
5—	M	3	13	4	6	5	1	4	5	—	1	—	2	—	2	2	—
	F	—	7	5	2	4	—	10	3	—	2	—	1	—	—	2	—
10—	M	5	5	—	2	4	—	7	2	1	—	—	—	—	1	3	—
	F	—	3	2	1	2	1	3	5	1	—	—	—	—	—	1	—
15—	M	2	23	4	2	10	1	10	6	4	8	—	2	—	1	7	1
	F	3	5	3	5	3	3	13	3	—	—	2	—	—	—	3	—
20—	M	1	23	5	4	12	2	11	5	2	10	—	—	—	4	6	2
	F	1	7	1	4	6	5	19	5	1	4	1	—	—	1	2	—
25—	M	2	20	8	7	24	7	23	11	—	6	4	1	—	1	5	1
	F	1	11	7	6	19	6	17	8	—	1	—	—	—	—	8	—
30—	M	4	15	9	4	23	5	21	3	3	10	3	—	—	—	7	1
	F	1	11	5	5	21	3	18	5	4	2	4	—	—	—	2	—
35—	M	1	14	5	8	45	5	35	10	3	14	5	1	—	1	9	—
	F	2	23	5	12	25	10	21	18	3	4	6	1	—	2	14	1
40—	M	6	26	20	19	55	10	50	21	6	9	8	—	—	4	18	—
	F	8	17	15	8	32	10	45	25	3	12	3	—	1	3	13	—
45—	M	17	44	26	18	83	25	73	32	13	18	12	2	—	1	28	2
	F	10	31	16	16	52	17	71	29	6	15	11	3	—	2	22	—
50—	M	31	50	50	27	134	38	119	36	16	24	16	4	—	1	49	3
	F	14	53	28	19	82	19	83	30	15	23	7	1	—	3	29	2
55—	M	24	75	45	47	176	44	139	65	19	36	24	5	1	3	64	5
	F	20	77	33	36	116	30	94	48	11	28	10	3	3	5	44	4
60—	M	45	131	78	69	221	57	243	72	33	55	33	1	6	8	100	6
	F	34	107	58	46	165	45	173	57	9	37	18	5	2	5	64	4
65—	M	70	200	110	84	305	83	315	123	37	82	47	7	6	15	131	9
	F	50	154	70	71	208	70	204	80	25	61	28	2	4	9	105	8
70—	M	73	284	117	103	336	115	374	135	39	107	50	7	3	7	164	13
	F	59	234	113	111	291	122	299	127	38	92	47	3	1	14	129	9
75—	M	85	314	151	147	368	114	344	149	40	117	58	11	6	11	187	18
	F	86	299	143	136	354	122	360	127	65	114	57	14	3	19	162	14
80—	M	71	282	97	125	206	88	226	117	43	105	24	9	4	8	131	12
	F	89	316	126	111	247	87	280	108	63	119	55	2	3	8	159	15
85 and over	M	62	258	64	80	128	58	144	76	30	65	22	5	1	14	68	9
	F	92	324	100	127	189	84	204	108	44	129	62	9	2	18	134	12

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Somerset.		Southampton.		Staffordshire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages ...	M	1,582	1,608	2,029	1,629	3,907	1,232	676	778	283	506	6,509	847	1,166	1,034	1,241	969
	F	1,752	1,611	2,013	1,462	3,411	1,069	682	737	300	506	6,926	829	1,601	1,094	1,522	922
Under 4 weeks to 3 months	M	32	42	50	55	142	36	7	25	5	8	143	23	19	15	21	27
	F	23	32	43	34	80	34	11	18	6	11	115	10	13	14	10	11
	M	7	3	16	8	33	13	6	3	2	4	19	2	4	5	3	5
3-6 months	M	6	5	12	8	27	11	3	2	2	2	9	5	2	3	2	2
	F	4	4	3	5	13	7	4	3	2	3	11	—	1	4	2	3
	M	4	2	15	9	25	9	1	—	1	1	15	4	1	1	5	3
6-12 months	M	2	4	5	6	19	5	2	4	1	3	13	3	5	4	1	2
	F																
	M																
Total under 1 year	M	49	52	93	80	227	69	17	30	10	15	186	34	30	24	31	35
	F	32	44	54	49	135	50	21	27	10	18	153	14	22	26	17	17
1—	M	4	1	9	7	12	5	—	2	1	1	19	4	4	5	2	3
	F	3	2	5	4	8	3	6	3	2	2	15	1	3	3	1	3
2—	M	3	2	7	3	10	3	—	2	1	—	10	1	3	1	2	3
	F	1	2	5	2	12	3	1	1	1	—	9	1	2	1	2	1
3—	M	—	—	—	5	10	1	—	—	1	1	12	1	—	1	2	2
	F	3	—	4	6	5	3	—	—	—	—	9	1	1	—	1	1
4—	M	—	4	4	1	7	—	—	1	1	—	6	—	1	—	—	—
	F	—	—	1	2	9	—	—	—	—	1	8	2	—	—	—	—
Total under 5 years	M	56	59	113	96	266	78	17	35	14	17	233	40	38	31	38	41
	F	39	48	69	63	169	59	28	31	13	21	194	19	28	30	22	22
5—	M	7	4	9	6	20	9	1	6	—	2	24	2	1	9	4	3
	F	4	2	4	5	19	3	1	1	—	—	26	4	3	3	5	—
10—	M	5	4	5	8	14	10	2	2	3	—	25	3	—	3	2	2
	F	2	4	4	3	11	5	1	—	1	4	17	1	—	2	1	3
15—	M	6	9	10	11	22	10	2	—	3	3	30	2	4	7	2	8
	F	4	3	5	7	19	3	1	2	—	—	13	2	1	3	4	1
20—	M	9	6	22	11	28	12	1	9	2	11	40	8	2	7	2	6
	F	7	5	4	10	25	4	4	2	—	1	14	2	8	1	2	1
25—	M	12	17	13	10	33	10	4	8	5	2	29	3	3	6	5	7
	F	13	7	18	11	30	14	4	4	3	1	39	2	6	3	3	7
30—	M	8	11	16	20	46	14	7	9	6	3	55	9	8	7	8	10
	F	5	12	17	11	48	10	3	2	1	3	46	3	6	7	5	8
35—	M	20	13	17	15	77	18	8	5	3	5	87	12	13	10	9	11
	F	15	12	24	11	46	17	3	8	4	3	59	5	8	13	8	5
40—	M	24	25	38	37	101	25	9	9	1	10	135	15	11	13	13	10
	F	30	24	23	15	74	20	10	7	4	6	125	10	22	16	12	14
45—	M	47	53	64	46	159	33	12	15	6	7	225	25	23	27	31	30
	F	39	40	45	29	124	23	12	18	4	10	181	18	33	20	31	15
50—	M	72	58	102	66	230	67	17	37	10	19	346	33	45	32	47	24
	F	58	69	49	53	163	39	27	24	6	18	241	33	37	32	45	31
55—	M	102	96	118	75	297	76	34	41	12	18	478	46	79	54	68	56
	F	81	61	75	68	168	54	26	31	14	18	328	34	81	45	60	39
60—	M	147	141	195	156	426	99	70	56	29	41	664	81	110	88	93	75
	F	114	103	153	83	269	65	35	56	25	38	462	50	111	66	89	83
65—	M	183	211	278	187	490	132	99	83	34	47	816	99	153	116	177	113
	F	173	167	213	137	391	114	55	82	29	47	679	68	144	95	142	97
70—	M	236	260	310	239	580	189	116	117	53	70	1,056	143	182	172	216	163
	F	237	218	305	189	497	156	98	89	42	64	923	139	220	201	240	126
75—	M	283	233	303	257	584	203	99	120	38	110	982	140	215	166	227	190
	F	288	288	334	261	592	189	138	134	57	88	1,261	134	294	173	272	179
80—	M	203	232	235	205	362	159	108	117	32	80	738	103	156	159	167	120
	F	313	267	335	235	434	161	115	111	47	83	1,151	138	273	188	289	139
85 and over	M	162	176	181	184	172	88	70	109	32	57	546	83	123	127	132	100
	F	330	281	336	271	332	133	121	135	50	104	1,167	167	326	196	291	156

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Warwickshire.		Westmorland.		Wight, Isle of.		Wiltshire.		Worcestershire.		Yorkshire, East Riding.		Yorkshire, North Riding.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	1,833	1,003	235	230	535	131	1,148	1,039	1,713	730	700	648	1,465	1,071
	F	1,822	851	215	240	567	158	1,149	992	1,651	721	739	559	1,340	910
Under 4 weeks	M	57	35	6	11	5	3	40	21	45	21	17	14	54	24
4 weeks to 3 months	F	40	24	—	6	14	1	20	17	42	12	12	10	25	22
	M	4	7	—	1	1	—	1	3	5	2	2	2	6	5
	F	8	4	—	—	1	1	2	8	5	5	2	3	12	5
3-6 months	M	4	8	2	1	1	—	3	8	9	5	2	3	11	5
6-12 months	F	13	—	—	—	—	—	3	2	4	3	3	3	7	—
	M	6	4	—	—	1	1	3	2	3	3	4	3	12	5
	F	2	3	—	—	2	—	6	4	6	2	3	3	5	1
Total under 1 year	M	75	54	8	13	8	4	50	35	67	36	25	24	83	39
	F	59	31	5	6	17	2	25	31	57	22	20	18	51	33
1—	M	6	3	1	2	—	—	3	4	7	1	1	4	6	5
	F	4	2	—	—	—	1	1	4	3	—	—	—	2	—
2—	M	6	2	—	—	—	—	1	2	2	2	2	2	2	6
	F	2	1	—	1	—	—	6	1	9	4	3	—	—	—
3—	M	2	3	—	—	—	—	—	—	5	1	—	1	2	2
	F	5	3	1	—	—	—	—	1	1	1	—	—	2	4
4—	M	5	—	—	—	—	—	—	3	3	1	—	—	2	—
	F	2	3	—	—	—	—	2	4	1	—	1	2	3	1
Total under 5 years	M	94	62	9	15	8	4	54	43	84	41	30	28	31	52
	F	72	40	6	7	17	3	34	41	71	30	25	25	95	40
5—	M	10	5	—	1	—	—	6	5	8	1	—	4	6	4
	F	4	4	—	1	—	1	3	4	6	3	—	2	1	3
10—	M	3	3	—	2	2	—	2	1	4	1	1	—	2	3
	F	2	3	1	—	—	—	2	—	3	1	—	2	3	2
15—	M	7	11	—	2	2	—	4	15	4	11	—	8	4	12
	F	2	2	—	—	3	—	2	8	3	2	1	2	—	—
20—	M	15	13	—	1	—	—	10	27	10	13	3	14	5	23
	F	4	2	1	—	—	2	10	1	7	5	4	7	7	—
25—	M	14	11	1	2	2	—	10	13	21	11	5	3	14	16
	F	13	8	1	—	2	1	6	5	7	5	3	5	9	4
30—	M	19	12	1	3	—	—	9	9	16	5	6	5	14	16
	F	16	8	2	1	5	—	6	4	10	5	5	4	13	6
35—	M	25	10	2	3	7	—	13	12	25	7	10	4	14	14
	F	21	6	—	1	9	1	11	12	22	13	13	4	11	11
40—	M	35	20	2	4	5	—	20	17	33	8	11	12	33	20
	F	30	11	2	6	10	—	16	12	25	11	7	16	20	7
45—	M	66	38	11	4	11	—	39	22	58	20	18	20	60	37
	F	51	22	5	6	4	2	29	25	33	15	15	12	32	13
50—	M	98	42	8	7	23	4	46	45	95	24	28	25	84	42
	F	62	30	11	10	14	1	47	33	69	20	26	14	47	32
55—	M	125	50	21	9	34	7	75	52	135	47	52	37	84	46
	F	87	36	8	10	20	5	56	44	82	30	42	26	55	44
60—	M	169	88	23	28	62	11	126	90	148	57	65	55	137	87
	F	129	63	19	17	30	13	86	59	121	48	55	37	100	66
65—	M	239	125	40	28	65	26	154	118	239	90	93	88	205	142
	F	213	101	24	22	56	14	112	92	192	57	80	56	152	107
70—	M	303	147	33	35	92	16	186	152	278	101	110	89	229	155
	F	253	121	27	38	78	27	161	137	253	112	110	87	219	139
75—	M	290	177	44	43	84	24	164	152	271	96	121	118	233	182
	F	300	142	36	51	109	32	196	154	247	127	134	92	250	153
80—	M	189	119	25	31	75	27	142	143	183	111	86	77	155	125
	F	251	125	47	35	119	28	189	186	273	120	122	81	203	142
85 and over	M	132	70	15	12	60	12	88	123	101	86	61	58	91	95
	F	308	127	25	34	92	27	183	175	227	117	95	87	156	134

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Yorkshire, West Riding.		Angelsey.		Brecknock- shire.		Caernarvon- shire.		Cardiganshire.		Carmarthen- shire.		Denbighshire.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	8,033	2,505	157	246	133	272	562	458	152	315	554	759	567	687
	F	7,583	2,084	152	217	120	219	565	466	141	344	489	625	614	622
Under 4 weeks	M	198	99	5	6	7	12	13	8	2	6	5	14	11	13
4 weeks to 3 months	M	127	49	8	4	1	3	8	7	3	3	9	17	5	17
	M	46	26	6	3	1	2	7	7	—	—	1	1	2	7
	F	36	15	—	4	—	—	1	2	—	1	1	—	2	6
3-6 months	M	49	12	2	—	—	2	3	3	—	2	—	4	3	4
6-12 months	M	38	16	3	—	1	1	4	2	—	5	3	—	4	2
	M	34	19	1	1	—	2	1	6	—	4	1	1	3	5
	F	27	7	—	2	—	—	2	1	—	2	1	1	2	5
Total under 1 year	M	327	156	14	10	8	18	24	24	2	12	8	20	19	29
	F	228	87	11	10	2	4	15	12	3	11	14	18	13	30
1—	M	33	13	1	—	1	3	2	1	—	—	5	4	—	4
	F	28	7	—	—	—	1	2	1	—	—	3	4	—	2
2—	M	13	7	—	—	—	—	1	1	—	—	1	4	1	1
	F	13	6	—	2	1	—	—	2	—	1	2	4	—	1
3—	M	16	7	—	2	1	1	—	—	—	—	1	3	—	1
	F	9	2	—	—	—	1	1	—	—	—	2	—	—	—
4—	M	6	5	—	—	—	—	—	—	—	—	—	2	—	—
	F	7	3	—	—	—	—	—	1	—	—	1	1	—	1
Total under 5 years	M	395	188	15	12	10	22	27	26	2	12	15	33	21	36
	F	285	105	11	12	3	6	18	16	3	12	22	27	14	34
5—	M	35	18	—	—	1	1	2	2	1	1	1	1	1	2
	F	21	4	—	—	1	—	1	—	—	4	1	3	—	—
10—	M	29	10	1	2	—	3	—	3	—	2	3	2	2	1
	F	16	2	—	—	—	1	—	1	1	1	—	3	1	2
15—	M	32	10	1	—	1	2	—	—	1	1	1	5	3	4
	F	24	10	—	2	1	1	1	2	—	—	1	2	1	1
20—	M	50	28	—	6	—	—	3	5	—	—	5	3	4	5
	F	37	15	1	—	2	3	—	2	—	4	2	2	4	5
25—	M	65	23	3	5	1	3	6	1	—	5	4	4	3	2
	F	40	17	1	2	4	1	3	7	—	1	2	3	3	4
30—	M	72	30	3	2	1	4	8	6	1	4	4	7	3	7
	F	64	23	—	2	—	2	9	2	1	—	5	7	5	4
35—	M	110	39	—	3	2	3	7	3	2	6	11	8	5	5
	F	65	38	3	3	1	4	9	4	4	3	7	5	2	5
40—	M	171	60	2	9	1	4	9	8	1	5	15	20	9	16
	F	109	38	1	3	5	3	3	3	2	4	20	12	10	11
45—	M	269	80	4	5	4	5	25	14	6	6	16	29	15	19
	F	213	60	4	3	4	12	9	12	4	7	16	21	19	22
50—	M	423	115	10	12	5	11	28	17	8	12	29	32	16	36
	F	280	66	5	2	8	8	25	14	—	10	16	31	18	28
55—	M	531	169	12	14	9	15	26	41	16	14	46	55	42	53
	F	421	109	6	12	8	14	20	23	6	12	29	31	22	28
60—	M	822	219	14	18	16	18	48	42	11	23	73	77	49	62
	F	577	167	7	13	6	11	29	33	9	21	38	43	32	46
65—	M	1,086	320	20	22	14	42	75	61	20	33	78	125	77	87
	F	926	245	15	23	15	25	66	56	17	29	48	68	56	59
70—	M	1,316	388	20	39	21	45	100	74	25	44	83	103	101	99
	F	1,234	338	26	30	12	30	94	77	20	51	75	91	86	109
75—	M	1,359	391	22	46	22	36	102	66	29	60	89	114	91	123
	F	1,416	337	31	47	22	39	106	85	27	69	91	116	124	106
80—	M	838	258	16	33	13	43	64	58	19	53	47	86	79	87
	F	1,069	300	19	34	15	30	88	68	32	68	70	91	134	94
85 and over	M	430	159	14	18	11	15	32	31	10	34	34	55	46	43
	F	786	210	22	29	13	29	84	61	15	48	46	69	83	64

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Flintshire.		Glamorgan-shire.		Merioneth-shire.		Monmouth-shire.		Montgomery-shire.		Pembroke-shire.		Radnorshire.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	479	534	4,365	1,365	136	181	2,047	314	150	193	310	341	49	86
	F	515	412	3,322	1,039	163	171	1,618	277	115	183	291	296	43	100
Under 4 weeks	M	17	19	128	29	1	4	64	14	6	4	8	6	2	5
4 weeks to 3 months	F	6	6	91	26	5	3	56	4	2	3	5	14	—	3
	M	3	5	32	3	1	2	14	5	—	—	3	3	—	3
	F	3	3	25	4	—	1	13	3	—	3	1	3	—	—
3-6 months	M	3	3	19	8	—	1	13	3	1	1	—	3	1	—
6-12 months	F	—	—	16	5	1	1	14	2	—	—	1	1	—	—
	M	—	—	21	5	1	1	14	1	—	1	1	1	—	—
	F	2	6	18	11	—	1	4	1	1	—	—	—	—	—
Total under 1 year	M	23	27	200	45	3	8	105	23	7	6	12	13	3	8
	F	11	17	150	46	6	6	87	10	3	7	7	18	—	3
1—	M	1	3	15	3	—	—	7	1	2	1	1	3	2	—
	F	1	5	9	7	—	—	6	—	1	1	—	—	—	—
2—	M	1	2	3	7	—	—	5	1	—	—	2	2	—	—
	F	—	—	13	4	—	—	4	—	—	—	—	—	—	—
3—	M	1	—	10	1	—	—	2	—	—	1	1	1	—	1
	F	1	1	5	1	—	—	2	—	—	—	1	1	—	—
4—	M	—	2	6	2	—	—	7	2	1	—	—	—	—	—
	F	—	—	8	—	—	—	4	—	—	1	—	—	—	—
Total under 5 years	M	26	34	234	58	3	8	126	27	10	8	16	19	5	8
	F	13	23	185	58	6	6	103	10	4	8	10	19	—	4
5—	M	1	1	18	3	—	—	5	3	1	—	2	3	—	—
	F	—	3	12	8	—	1	4	1	1	1	1	2	—	1
10—	M	5	1	15	5	—	—	11	1	—	—	1	4	1	—
	F	1	1	12	1	—	—	3	—	—	—	1	—	—	—
15—	M	3	3	18	10	1	—	11	2	—	1	1	3	—	—
	F	4	4	13	3	—	—	4	—	1	—	4	1	—	—
20—	M	2	4	18	5	2	3	11	3	2	4	2	1	1	2
	F	3	2	28	1	1	—	9	—	1	1	2	3	—	—
25—	M	5	11	35	12	3	—	17	3	4	1	2	6	1	—
	F	2	4	27	17	—	1	17	3	—	1	2	1	—	1
30—	M	5	7	41	18	2	3	23	1	—	2	4	4	—	—
	F	4	3	33	9	—	2	14	3	—	1	1	2	—	3
35—	M	4	13	63	22	1	—	21	4	—	2	1	6	—	1
	F	3	4	52	16	—	—	21	5	1	1	8	7	1	1
40—	M	6	12	96	17	2	2	43	4	1	3	4	7	1	1
	F	7	8	79	29	—	3	25	3	2	4	1	6	2	—
45—	M	27	15	154	44	2	7	72	11	3	12	6	9	2	5
	F	12	14	90	28	5	3	56	7	1	5	11	3	—	1
50—	M	32	40	257	76	8	6	89	8	4	3	15	10	2	2
	F	14	16	144	34	5	2	50	10	5	6	11	10	2	7
55—	M	26	36	340	108	11	8	161	16	14	9	19	19	5	5
	F	26	24	208	62	10	11	93	18	3	6	16	13	2	3
60—	M	42	52	530	160	7	8	212	37	10	20	42	28	5	5
	F	33	23	283	84	11	14	145	14	7	13	24	17	3	—
65—	M	66	63	613	188	21	30	271	45	10	30	41	45	3	9
	F	58	41	404	101	19	21	179	34	18	20	38	36	9	11
70—	M	75	89	673	213	26	20	303	34	32	30	48	55	5	13
	F	89	55	512	156	34	29	243	35	15	24	39	47	3	15
75—	M	58	63	640	211	25	40	347	53	34	31	48	53	12	19
	F	104	77	522	181	29	23	243	45	25	29	53	38	8	12
80—	M	58	54	436	140	14	28	227	40	19	18	35	43	4	15
	F	78	59	427	148	15	23	267	48	16	31	40	45	6	—
85 and over	M	38	36	184	75	8	17	97	22	6	18	23	26	2	6
	F	64	54	291	103	26	32	142	41	15	32	29	47	8	19

TABLE 16—Deaths at Different Ages, by Month of Occurrence,
Jan.—Dec., 1951. } **England and Wales.**
See note at head of Table 23

Age		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All Ages	{ M	42657	31882	28075	22752	20923	18252	17901	17337	16994	19814	20389	22787
	{ F	42723	30920	26210	21792	19779	17004	16775	16276	15845	18747	18522	21084
Under 4 weeks	{ M	727	648	757	680	640	649	573	568	514	601	551	624
	{ F	497	451	514	461	497	428	386	384	393	381	422	412
4 weeks-1 year	{ M	648	493	535	383	326	238	234	212	213	240	292	375
	{ F	432	379	388	322	227	172	174	169	177	204	201	324
1—	{ M	129	97	108	92	77	71	56	46	59	52	58	68
	{ F	125	83	77	73	59	48	56	46	42	53	47	55
2—	{ M	149	125	141	120	132	90	99	106	94	98	103	71
	{ F	144	101	114	92	88	70	94	93	84	68	79	75
5—	{ M	91	99	89	103	72	90	89	87	97	95	73	80
	{ F	90	61	65	54	74	45	64	60	41	41	44	58
10—	{ M	81	58	60	71	78	73	69	76	54	62	50	83
	{ F	50	46	47	40	43	43	42	45	35	37	40	44
15—	{ M	103	80	105	82	91	117	127	122	95	88	94	88
	{ F	117	77	71	60	74	78	72	73	60	65	63	63
20—	{ M	173	147	180	146	160	180	186	153	139	166	172	145
	{ F	169	135	107	88	103	115	111	103	100	106	97	89
25—	{ M	231	197	206	190	204	190	216	182	178	199	206	183
	{ F	221	197	178	159	164	131	165	144	132	142	132	133
30—	{ M	305	252	233	221	218	213	217	197	181	197	199	224
	{ F	272	226	200	164	187	170	162	172	158	217	179	176
35—	{ M	454	333	340	271	303	265	284	296	307	301	275	309
	{ F	425	291	292	255	270	258	231	226	216	249	231	278
40—	{ M	770	504	574	500	478	408	456	392	384	471	501	493
	{ F	574	422	375	358	389	350	337	333	333	347	355	390
45—	{ M	1314	958	982	789	783	683	698	694	673	696	772	794
	{ F	828	659	633	546	572	485	504	515	484	552	540	559
50—	{ M	2113	1544	1400	1156	1092	1040	1035	1024	939	1109	1131	1251
	{ F	1229	935	880	790	770	696	716	691	684	761	749	773
55—	{ M	2952	2114	2032	1617	1531	1366	1340	1235	1265	1508	1519	1690
	{ F	1927	1358	1189	1125	1022	947	865	909	896	1088	986	1175
60—	{ M	4508	3244	2814	2348	2104	1861	1829	1763	1833	2085	2072	2424
	{ F	2991	2156	1835	1690	1463	1282	1300	1307	1265	1387	1365	1539
65—	{ M	5770	4262	3572	2957	2788	2475	2328	2291	2255	2664	2706	3058
	{ F	4645	3339	2797	2360	2163	1859	1881	1866	1767	2205	2003	2247
70—	{ M	6725	5006	4274	3488	3218	2715	2706	2604	2535	3064	3135	3458
	{ F	6766	4701	3855	3142	2897	2576	2547	2439	2338	2821	2752	3201
75—	{ M	7104	5317	4443	3503	3199	2732	2622	2552	2542	2886	3111	3431
	{ F	8028	5725	4610	3728	3396	2943	2837	2671	2618	3117	3232	3571
80—	{ M	5054	3847	3195	2515	2159	1797	1759	1764	1674	1960	2050	2449
	{ F	6966	5061	4238	3399	2851	2317	2397	2245	2224	2664	2677	3168
5 and over	{ M	3256	2557	2035	1520	1270	999	978	973	963	1272	1319	1489
	{ F	6227	4517	3745	2886	2470	1991	1834	1785	1798	2242	2328	2754

TABLE 17.—Causes of Death at Different Age-Periods, 1951, in England and Wales.

Notes: (a) Including deaths of non-civilians registered in England and Wales.
 (b) The sequence of causes of death followed in this table is that of the detailed International Statistical Classification of Diseases, Injuries and Causes of Death (Sixth revision, 1948), including the classification by External Cause of Injury (E codes) for violent deaths. Each three-digit code is separately specified, except a few which are not applicable to primary death classification, and certain 4th-digit splits of general interest are also shown. Table 18 should be consulted for greater detail of violent deaths.
 (c) Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the classification numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International Classification number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus 048, Unspecified forms of dysentery, 50, 65, 85, denotes that one male death (in age-group 50) and two female deaths (one in age-group 65- and one in 85-) are assigned to this cause. A dash (—) indicates that no deaths are assigned.

See Explanatory notes on page v.

Causes of death	TUBERCULOSIS															
	I 001-138 Infective and Parasitic Diseases				001-019		001-008		001 Respiratory tuberculosis with mention of occupa- tional disease of lung		002 Pulmonary tuberculosis		003 Pleural tuberculosis		003.0 Pleurisy specified as tuberculous	
	All Causes				All forms		Respiratory system		M		M		M		M	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	281724	267656	11434	6738	8826	4980	7903	4128	288	6	7550	4081	50	33	19	9
0—	11773	8450	356	325	57	42	14	15	—	—	14	15	—	—	—	—
1—	918	774	245	209	95	73	17	15	—	—	15	15	—	—	—	—
2—	535	450	122	135	56	70	10	5	—	—	10	5	—	—	—	—
3—	421	353	94	83	52	46	10	6	—	—	5	3	—	—	—	—
4—	383	299	72	60	38	28	6	4	—	—	—	—	—	—	—	—
5—	1072	699	151	132	80	70	11	12	—	—	11	11	—	—	—	—
10—	812	516	86	103	49	75	10	19	—	—	9	18	1	—	1	—
15—	1181	880	163	263	125	230	61	148	—	—	61	146	—	—	—	—
20—	1931	1332	324	482	283	458	242	414	—	—	240	414	1	—	1	—
25—	2396	1904	525	663	502	622	448	573	—	—	445	569	3	4	—	—
30—	2662	2294	589	614	529	575	472	544	3	—	467	544	2	—	1	—
35—	3757	3237	658	520	586	475	529	441	7	—	521	440	—	—	1	—
40—	5956	4601	805	452	714	390	667	366	15	1	648	364	4	1	2	—
45—	9890	6916	980	456	857	371	815	323	35	1	778	321	2	1	2	—
50—	14909	9729	1216	431	1069	327	1015	279	37	1	973	275	4	3	2	—
55—	20260	13548	1247	383	1009	270	965	239	50	1	906	234	5	4	2	—
60—	29107	19732	1361	371	1057	252	1023	220	58	2	956	216	6	2	2	—
65—	37358	29335	1168	375	884	240	857	207	46	—	802	202	8	5	2	—
70—	43312	40336	710	319	481	195	451	166	25	—	425	160	1	5	—	—
75—	43816	46839	373	201	222	124	210	97	10	—	194	94	6	2	1	—
80—	30499	40563	133	88	64	35	57	30	2	—	48	26	7	—	—	—
85 and over	18776	34869	56	73	17	12	13	5	—	—	13	5	—	—	—	—

Causes of death	TUBERCULOSIS															
	003.1		004* 005 Tracheobron- chial gland"r tuberculosis with symptoms		006* 007 Other respiratory tuberculosis		008* 010-019 Other forms		010 Meninges and central nervous system		011 Intestines, peritoneum, & mesenteric glands		012 Bones and joints, active or unspecified		012.0 Active or unspecified tuberculosis of vertebra column	
	Pleurisy with effusion without mention of cause															
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	31	24	5	7	6	1	923	852	440	442	83	99	114	93	81	—
0—	—	—	—	—	—	—	43	27	36	20	1	—	—	—	—	—
1—	—	—	1	—	—	—	78	58	66	54	8	1	—	—	—	—
2—	—	—	—	—	—	—	46	65	39	53	5	5	—	2	—	—
3—	—	—	1	2	—	—	42	40	38	35	2	2	—	—	—	—
4—	—	—	1	1	—	—	32	24	29	24	—	—	1	—	—	1
5—	—	—	—	1	—	—	69	58	61	52	2	1	3	1	3	—
10—	—	—	—	1	—	—	39	56	31	48	2	3	3	2	1	—
15—	—	—	1	—	—	—	64	82	41	60	4	5	4	3	4	—
20—	—	—	—	—	—	—	41	44	11	26	2	6	4	2	4	—
25—	3	1	—	—	—	—	54	49	18	20	2	6	10	7	8	—
30—	1	—	—	—	—	—	57	31	13	13	6	4	10	1	6	—
35—	—	1	—	—	—	—	57	34	11	8	5	6	9	4	6	—
40—	2	—	—	—	—	—	47	24	13	9	3	1	9	3	7	—
45—	—	—	—	—	—	—	42	48	8	5	4	13	8	13	7	—
50—	2	3	1	—	—	—	54	48	5	8	7	10	10	9	7	—
55—	3	3	1	—	3	—	44	31	7	2	10	8	7	6	3	—
60—	4	1	—	—	3	—	34	32	7	2	4	8	10	7	9	—
65—	6	3	—	—	—	—	27	33	5	2	4	7	9	7	7	—
70—	11	5	—	—	—	—	30	29	1	1	9	7	6	13	5	—
75—	5	2	—	—	—	1	12	27	—	—	1	6	7	9	2	—
80—	—	—	—	—	—	—	7	5	—	—	1	—	3	2	—	—
85 and over	—	—	—	—	—	—	4	7	—	—	1	—	1	2	—	1

*004, Primary tuberculosis complex with symptoms, 1, 20; 005, Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere, —; 008, Tuberculosis, unspecified site, 35, 65.

TABLE 17—continued.

Causes of death	TUBERCULOSIS															
	012.1;2;3		013*		015		016		017		018		019		019.0;1	
	Others included under 012		014 Skin and subcutaneous cellular tissue		Lymphatic system		Genito-urinary system		Adrenal glands		Other organs		Disseminated tuberculosis		Acute miliary tuberculosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	33	26	5	11	12	19	167	88	8	16	17	6	74	75	7	11
0—	—	—	—	—	1	—	—	—	—	—	—	—	5	7	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	4	3	—	—
2—	—	1	—	—	—	—	—	—	—	—	—	1	2	4	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	2	3	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
5—	—	—	—	1	1	—	—	1	—	—	—	—	2	2	—	1
10—	2	1	—	—	—	—	3	—	—	—	—	—	—	3	—	1
15—	—	—	—	—	—	—	9	3	—	—	2	1	4	9	1	3
20—	—	—	—	—	1	1	15	3	1	—	2	—	5	6	1	—
25—	2	2	—	—	1	1	17	7	1	—	2	—	4	8	—	1
30—	4	—	—	—	—	2	19	7	—	—	2	—	5	4	1	1
35—	3	2	2	—	1	—	20	10	3	2	—	—	5	4	1	2
40—	2	2	—	—	—	1	16	5	—	2	—	1	5	2	—	1
45—	1	3	—	1	1	1	15	11	1	1	1	—	5	2	—	—
50—	3	2	—	—	2	2	20	7	—	4	2	3	7	5	—	—
55—	4	2	—	1	—	1	13	8	1	2	3	—	3	3	—	—
60—	1	1	—	1	—	1	8	10	—	2	—	—	5	1	2	—
65—	2	2	—	2	—	3	6	8	1	1	—	—	2	3	—	—
70—	1	3	1	1	3	1	4	3	—	2	2	—	4	2	—	—
75—	5	1	—	1	—	3	2	3	—	1	1	—	1	3	—	1
80—	3	2	1	2	1	—	—	1	—	—	—	—	1	—	—	—
85 and over	—	2	1	1	—	2	—	1	—	—	—	—	1	1	1	—

Causes of death	TUBERCULOSIS															
	019.2		020-029		020		021*		023		024		025		026	
	Other forms of disseminated tuberculosis		Syphilis and its sequelæ		Congenital syphilis		Aneurysm of aorta		Other cardio-vascular syphilis		Tabes dorsalis		General paralysis of insane		Other syphilis of central nervous system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	67	64	1265	506	17	15	475	204	458	157	111	32	121	47	48	30
0—	5	7	11	8	11	8	—	—	—	—	—	—	—	—	—	—
1—	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	2	4	1	—	1	—	—	—	—	—	—	—	—	—	—	—
3—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1
10—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	3	6	4	2	2	1	1	—	—	—	—	—	—	—	1	1
20—	4	6	4	4	1	3	1	—	2	—	—	—	—	1	—	—
25—	4	7	3	4	—	1	—	1	1	1	—	—	1	1	1	—
30—	4	3	10	6	—	—	2	—	4	6	—	—	1	—	3	—
35—	4	2	18	3	1	1	5	—	7	—	1	—	3	1	—	1
40—	5	1	41	18	1	1	11	2	14	7	—	—	12	7	2	—
45—	5	2	54	40	—	—	18	5	20	18	2	3	11	6	2	4
50—	7	5	89	48	—	—	27	9	38	16	4	3	14	12	4	6
55—	3	3	181	54	—	—	51	17	77	21	17	2	22	3	9	5
60—	3	1	246	66	—	—	97	14	96	27	19	7	20	9	7	5
65—	2	3	234	80	—	—	86	44	88	21	25	8	18	4	9	1
70—	4	2	193	73	—	—	91	39	65	20	23	7	10	1	1	5
75—	1	2	108	49	—	—	50	38	29	7	10	2	8	2	7	—
80—	1	—	52	28	—	—	27	18	14	9	6	—	1	—	2	1
85 and over	—	1	16	22	—	—	8	17	3	4	4	—	—	—	—	—

*013, Late effects of tuberculosis of bones and joints, 30, 40, 50, 15, 45, 75 ; 021, Early syphilis, 85.

TABLE 17—continued.

Causes of death	027		028*		030-039*		040-049		040		041*		043, 044*		046	
	Other forms of late syphilis		Syphilis unqualified		Gonococcal infection and other venereal diseases		Infectious diseases commonly arising in intestinal tract		Typhoid fever		Other salmonella infections		Bacillary dysentery		Amoebiasis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	29	14	6	6	6	1	75	59	5	7	27	9	27	30	13	
0—	—	—	—	—	—	—	12	6	—	—	5	—	7	5	—	—
1—	—	—	—	—	—	—	5	3	—	—	1	1	3	2	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	1	1	—	—	—	1	1	—	—	—
4—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
5—	—	—	—	—	—	—	2	1	—	—	—	—	2	—	—	—
10—	—	—	—	—	—	—	1	2	—	—	1	—	—	—	—	—
15—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	1	2	—	1	—	—	—	1	1	—
30—	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—
35—	1	—	—	—	—	—	2	—	—	—	1	—	—	—	—	1
40—	1	—	—	1	—	—	4	3	1	1	—	—	—	1	1	—
45—	1	3	—	1	—	—	4	3	—	—	2	1	—	1	2	3
50—	2	2	—	—	—	—	10	5	1	—	2	3	3	1	—	—
55—	4	4	1	2	—	—	6	4	—	1	3	—	1	2	2	—
60—	5	3	2	1	—	—	7	5	—	—	3	2	1	2	3	—
65—	6	1	2	1	—	—	6	5	1	—	3	—	2	4	—	—
70—	3	1	—	—	1	—	6	6	—	2	4	—	1	3	—	—
75—	4	—	—	—	1	1	3	3	—	—	2	—	1	2	—	—
80—	2	—	—	—	1	—	4	2	1	—	—	1	3	1	—	—
85 and over	—	—	1	—	1	—	2	5	—	—	—	—	2	4	—	—

Causes of death	047, 048*		050-064		050		051		052		053		054*		056	
	049 Food poisoning (infection & intoxication)		Other bacterial diseases		Scarlet fever		Streptococcal sore throat		Erysipelas		Septicæmia and pyæmia		055 Diphtheria		Whooping cough	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	—	1	546	527	13	24	14	15	9	8	62	49	15	18	212	
0—	—	—	208	197	—	1	1	—	—	—	14	11	1	—	133	—
1—	—	—	87	88	—	—	—	—	—	—	5	3	—	—	55	—
2—	—	—	30	38	1	1	1	—	—	—	3	1	—	—	10	—
3—	—	—	19	20	—	1	1	1	—	—	—	—	—	1	5	—
4—	—	—	15	15	1	1	—	1	—	—	1	—	2	2	2	—
5—	—	—	23	24	—	1	—	—	—	—	2	1	5	6	5	—
10—	—	—	21	15	1	2	—	—	—	—	3	2	2	5	1	—
15—	—	—	13	8	1	1	1	2	—	—	—	2	1	—	—	—
20—	—	—	13	6	—	2	2	—	—	—	2	1	—	—	—	—
25—	—	—	4	9	1	1	—	—	—	—	2	3	—	—	—	—
30—	—	—	8	4	2	—	1	—	—	1	2	2	1	—	—	—
35—	—	—	8	8	—	1	1	—	—	—	1	1	1	1	—	—
40—	—	—	11	6	2	—	1	—	—	—	1	2	—	—	—	—
45—	—	—	13	7	1	—	1	1	—	—	5	1	—	—	—	—
50—	—	—	11	17	—	5	—	—	—	—	2	3	—	—	1	—
55—	—	1	11	16	2	—	—	2	—	1	5	5	—	—	—	—
60—	—	—	17	11	1	1	—	1	1	—	5	5	1	1	—	—
65—	—	—	10	11	—	2	—	2	—	1	3	2	1	—	—	—
70—	—	—	7	13	—	3	2	—	1	1	4	3	—	—	1	—
75—	—	—	9	4	—	1	—	—	3	2	1	—	—	—	—	—
80—	—	—	2	3	—	—	—	1	—	—	1	—	—	—	1	—
85 and over	—	—	6	7	—	—	2	4	4	2	—	1	1	—	—	—

*028, Latent syphilis, —; 030, Acute or unspecified gonorrhœa, 65, 75, 75; 031, Chronic gonococcal infection of genito-urinary system, 65, 80; 032, Gonococcal infection of joint, —; 033, Gonococcal infection of eye, —; 034, Gonococcal infection of other sites, 70; 035, Late effects of gonococcal infection, 85; 036, Chancroid, —; 037, Lymphogranuloma venereum, —; 038, Granuloma inguinale, venereal, —; 039, Other and unspecified venereal diseases, —; 041, Paratyphoid fever, 1, 0, 5, 10, 10, 15, 40, 50, 70; 043, Cholera, —; 044, Brucellosis (undulant fever), 70, 75; 047 Other protozoal dysentery, —; 048, Unspecified forms of dysentery, 50, 65, 85; 054, Bacterial toxæmia, 4.

TABLE 17—continued.

Causes of death	057		058, 059, 060*		062*		064*		070	071*		073, 074*		080		
	Meningo-coccal infections		061 Tetanus		063 Gas gangrene		070-074 Spirochætal diseases, except syphilis			072 Leptospirosis icterohæ-morrhagica (Weil's disease)	080-096 Diseases attributable to viruses					
Ages at death	M	F	M	F	M	F	M	F	M		F	M	F	M	F	M
All Ages	156	142	59	22	2	3	37	3	1	—	36	3	615	617	110	81
0—	59	45	—	—	—	—	—	—	—	—	—	—	64	69	4	2
1—	27	21	—	—	—	—	—	—	—	—	—	—	58	44	4	3
2—	12	16	2	2	—	—	—	—	—	—	—	—	35	26	5	5
3—	9	6	4	2	—	—	—	—	—	—	—	—	22	16	2	4
4—	7	6	1	1	—	—	—	—	—	—	—	—	19	16	7	5
5—	5	6	6	5	—	—	—	—	—	—	—	—	—	—	—	—
10—	5	5	9	—	—	—	1	—	—	—	1	—	45	35	18	10
15—	6	3	4	—	—	—	1	—	—	—	1	—	20	10	3	5
20—	6	2	3	—	—	—	1	1	—	—	1	—	20	21	8	6
25—	1	3	—	1	—	—	—	1	—	—	—	1	19	13	11	6
													12	25	3	11
30—	2	1	—	—	—	—	3	—	—	—	3	—	33	28	14	14
35—	2	2	3	3	—	—	5	—	—	—	5	—	33	32	10	4
40—	3	2	3	2	—	—	2	—	—	—	2	—	32	30	13	3
45—	2	3	4	2	—	—	4	—	—	—	4	—	39	27	6	2
50—	1	7	7	1	—	—	6	—	—	—	6	—	23	32	—	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	1	6	3	1	—	1	6	—	—	—	6	—	31	34	1	—
65—	4	2	3	—	1	1	4	—	—	—	4	—	25	32	1	—
70—	2	2	3	1	—	—	2	1	—	—	2	1	27	35	—	—
75—	—	4	—	1	—	—	—	—	—	—	—	—	19	28	—	—
	2	—	3	—	—	1	2	—	1	—	1	—	22	19	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	1	—	—	—	—	—	—	—	—	—	9	19	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	14	26	—	—

Causes of death	080.0 Specified as bulbar or polio-encephalitis		080.1 With other paralysis		080.2*		081 Late effects of acute poliomyelitis		082 Acute infectious encephalitis		083 Late effects of acute infectious encephalitis		084*		086*	
					080.3 Unspecified								085 Measles		087 Chickenpox	
					M	F							M	F	M	F
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	35	31	21	14	54	36	10	16	63	55	92	124	173	144	6	10
0—	2	—	—	1	2	1	—	—	5	6	—	—	47	51	4	3
1—	2	2	1	—	1	1	—	—	5	9	—	—	46	29	—	1
2—	1	2	1	2	3	1	—	—	6	4	—	—	22	14	—	1
3—	1	2	—	—	1	1	1	—	2	1	—	—	17	9	—	1
4—	3	2	1	1	3	2	—	—	2	1	1	—	9	8	—	2
5—	5	6	2	1	11	3	1	2	3	—	—	—	18	17	—	1
10—	—	2	—	2	3	1	—	1	5	1	—	—	3	1	1	—
15—	2	1	—	—	6	5	1	5	2	6	1	—	2	1	—	—
20—	4	1	1	2	6	3	—	1	2	2	—	—	3	—	—	—
25—	—	3	2	1	1	7	—	—	6	3	1	1	—	3	—	—
30—	4	5	4	3	6	6	2	1	2	2	3	1	2	1	1	1
35—	4	4	—	—	3	—	1	—	4	4	12	15	1	2	—	—
40—	5	—	3	—	5	3	—	—	3	2	6	14	—	—	—	—
45—	1	—	2	—	3	2	1	2	6	1	15	13	1	—	—	—
50—	—	—	—	—	—	—	—	2	4	5	10	17	—	—	—	—
55—	1	—	—	—	—	—	2	—	2	2	12	16	1	—	—	—
60—	—	1	1	—	—	—	—	—	1	3	10	12	—	1	—	—
65—	—	—	—	—	—	—	—	1	3	2	8	17	—	1	—	—
70—	—	—	—	—	—	—	1	—	—	—	5	12	1	2	—	—
75—	—	—	—	—	—	—	—	1	—	1	6	4	—	1	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—

*058, Plague, —; 059, Tularæmia, —; 060, Leprosy, 40, 50; 062, Anthrax, 60; 064, Other bacterial diseases, 2, 80; 071, Relapsing fever, —; 073, Yaws, —; 074, Other spirochætal and leptospirochætal infections, —; 080.2, Specified as nonparalytic, —; 084, Smallpox, 20, 50, 50, 15, 25, 35, 35, 40, 45, 50; 086, Rubella (German measles), 2.

TABLE 17—continued.

Causes of death	088		089		090, 091*		093, 094, 095*		100-108*		110-117		110, 111*		113-117*	
	Herpes zoster		Mumps		092 Infectious hepatitis		096 Other diseases attributable to viruses		100-108 Typhus and other rickettsial diseases		Malaria		112 Falciparum malaria (malignant tertian)		120-138 Other infective and parasitic diseases	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	19	39	5	8	127	125	5	7	—	—	10	—	7	—	54	—
0—	—	—	—	1	2	4	2	2	—	—	—	—	—	—	4	—
1—	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	1	1	3	4	—	—	—	—	—	—	—	—	1	—
10—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	6	2	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	2	4	—	—	—	—	2	—	2	—	2	—
25—	—	—	—	—	2	6	—	—	—	—	—	—	—	—	3	—
30—	—	—	2	—	7	8	—	—	—	—	—	—	—	—	5	—
35—	—	—	—	—	5	5	—	—	—	—	2	—	2	—	4	—
40—	—	—	—	—	9	8	—	—	—	—	1	—	—	—	2	—
45—	—	2	—	—	11	8	—	—	—	—	2	—	1	—	7	—
50—	—	1	—	1	7	5	—	—	—	—	2	—	1	—	6	—
55—	1	—	—	—	12	16	—	—	—	—	—	—	—	—	3	—
60—	—	1	—	1	13	12	—	—	—	—	1	—	1	—	4	—
65—	4	2	—	1	12	12	—	—	—	—	—	—	—	—	3	—
70—	—	4	—	—	12	9	—	1	—	—	—	—	—	—	3	—
75—	3	5	—	—	13	6	—	1	—	—	—	—	—	—	6	—
80—	3	11	1	—	3	4	—	2	—	—	—	—	—	—	1	—
85 and over	8	13	1	3	4	5	1	1	—	—	—	—	—	—	—	—

Causes of death	120-124*		126-131*		133*		135, 136, 137*		NEOPLASMS							
	125 Hydatid disease		132 Actinomy- cycosis		134 Other fungus infections		138 Other infective and parasitic diseases		II 140-239 Neoplasms		140-205 Malignant neoplasms inc. neoplasms of lymphatic & hematopoietic tissues		140-148 Malignant neoplasm of buccal cavity and pharynx		140 Lip	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	17	6	6	3	9	9	17	21	45531	42436	44632	41448	1566	630	136	—
0—	—	—	—	—	3	3	—	—	46	37	32	24	—	—	—	—
1—	—	—	—	—	—	1	—	—	35	36	30	34	—	—	—	—
2—	—	—	—	—	—	—	—	—	46	45	39	42	—	—	—	—
3—	—	—	—	—	—	—	—	—	59	49	49	44	—	—	—	—
4—	—	—	—	—	—	—	—	—	63	49	57	42	—	1	—	—
5—	—	—	—	—	—	1	—	—	141	101	126	85	2	2	—	—
10—	—	—	—	—	—	1	—	—	114	69	100	58	3	3	—	—
15—	—	—	1	—	—	—	—	—	115	86	99	64	—	—	—	—
20—	1	—	1	—	—	—	—	—	167	140	152	125	4	1	—	—
25—	—	—	—	—	—	2	—	—	249	233	224	210	3	4	—	—
30—	2	—	—	—	—	3	—	—	365	428	334	401	5	7	—	—
35—	2	—	1	—	—	1	2	—	731	929	691	885	8	10	—	—
40—	—	2	1	—	1	—	3	—	1306	1605	1264	1521	23	20	—	—
45—	1	1	1	—	2	1	2	6	2355	2469	2289	2369	32	43	—	—
50—	2	1	—	—	1	1	4	—	3770	3421	3663	3308	55	45	3	—
55—	2	2	—	1	—	—	1	1	4949	4278	4843	4173	107	64	5	—
60—	1	—	1	—	1	1	4	—	6335	5123	6229	5037	153	70	7	—
65—	2	—	—	1	—	—	1	2	7367	6025	7277	5938	238	87	13	—
70—	—	—	—	—	1	—	2	2	7323	6369	7254	6306	319	97	30	—
75—	4	—	1	—	—	—	1	1	5987	5614	5921	5539	375	83	36	—
80—	—	—	—	—	1	—	—	—	2950	3465	2919	3410	170	51	22	—
85 and over	—	—	—	—	—	—	—	—	1058	1865	1040	1833	69	42	20	—

*090, Dengue, —; 091, Yellow fever, —; 093, Glandular fever (infectious mononucleosis), 5, 85; 094, Rabies, —; 095, Trachoma, —; 100, Louse-borne epidemic typhus, —; 101, Flea-borne endemic typhus (murine), —; 102, Brill's disease, not specified as louse- or flea-borne typhus, —; 103, Tabardillo (Mexican typhus), not specified as louse- or flea-borne, —; 104, Tick-borne typhus, —; 105, Mite-borne typhus, —; 106, Wolynian fever (trench fever), —; 107, Typhus unspecified, —; 108, Other rickettsial diseases, —; 110, Vivax malaria (benign tertian), 40; 111, Malariae malaria (quartan), —; 113, Ovale malaria, —; 114, Mixed malarial infections, —; 115, Blackwater fever, 45; 116, Other and unspecified forms of malaria, 50; 117, Recurrent induced malaria, —; 120, Leishmaniasis, 5, 45; 121, Trypanosomiasis, —; 122, Other protozoal diseases, 0, 2, 55; 123, Schistosomiasis, —; 124, Other trematode infestation, —; 126, Other cestode infestation, 25, 60; 127, Filariasis, —; 128, Trichiniasis, —; 129, Ankylostomiasis, —; 130, Infestation with worms of other, mixed, and unspecified type, 80; 131, Dermatophytosis, 70, 85; 133, Coccidioidomycosis, —; 135, Scabies, 70; 136, Pediculosis, —; 137, Other arthropod infestation, —;

TABLE 17—continued.

Causes of death	NEOPLASMS															
	141		142		143		144		145		146		147		148	
	Tongue		Salivary gland		Floor of mouth		Other parts of mouth and mouth unspecified		Oral meso-pharynx		Naso-pharynx		Hypo-pharynx		Pharynx, unspecified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	492	155	81	58	80	22	246	85	188	41	68	42	73	124	202	91
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	1	—	—	—	—	1	—	1	1	—	—	—	—
10—	—	—	—	2	—	—	—	—	1	1	—	—	—	—	1	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	1	2	—	—	—	1	—	—	—	—	—	—	—	1	—
25—	1	2	1	1	—	—	—	—	—	—	1	—	—	1	—	—
30—	1	1	1	2	—	1	—	—	1	—	1	3	1	—	—	—
35—	2	3	—	1	—	—	2	1	—	—	2	—	1	3	1	2
40—	4	1	4	2	—	1	—	1	1	1	9	4	1	5	4	5
45—	8	4	2	2	1	1	3	4	6	4	5	3	3	19	4	6
50—	12	5	3	3	5	1	7	4	8	1	6	3	2	16	9	11
55—	23	16	5	3	7	1	20	6	17	5	7	6	9	15	14	12
60—	40	19	15	3	6	3	25	6	10	5	9	6	13	18	28	9
65—	86	22	8	8	17	3	34	14	29	4	12	5	12	17	27	12
70—	102	26	12	6	18	5	56	17	43	6	5	6	12	17	41	10
75—	136	27	16	12	12	2	61	13	43	6	7	2	16	9	48	10
80—	60	13	8	5	11	3	29	10	19	4	2	2	2	3	17	9
85 and over	17	15	4	6	3	1	8	9	9	4	—	1	1	1	7	5

Causes of death	NEOPLASMS															
	150-159		150		151		152		153		154		155		156	
	Malignant neoplasm of digestive organs and peritoneum		Esophagus		Stomach		Small intestine including duodenum		Large intestine except rectum		Rectum		Biliary passages and of liver (stated to be primary site)		Liver (secondary and unspecified)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	20405	18213	1488	852	8155	6506	92	108	4246	5451	3614	2414	479	767	562	544
0—	5	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
1—	2	2	—	—	—	—	—	—	—	—	—	—	1	—	1	—
2—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
3—	1	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—
4—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
10—	2	4	—	—	—	—	1	1	—	1	—	—	1	—	—	2
15—	6	7	—	—	1	3	—	—	—	—	2	—	—	1	—	2
20—	19	21	—	—	4	7	2	1	5	3	5	6	1	—	—	2
25—	40	42	5	2	10	12	2	1	17	17	5	6	1	—	—	2
30—	91	80	5	5	33	26	1	1	23	25	15	13	2	1	3	3
35—	228	205	8	9	82	75	4	3	52	63	40	34	8	6	6	4
40—	477	338	19	11	217	109	2	4	93	111	75	58	13	11	4	11
45—	844	590	44	19	400	200	10	4	141	186	116	80	26	16	19	16
50—	1300	973	74	44	624	300	7	12	215	283	176	150	38	46	43	32
55—	1863	1341	122	67	857	407	10	17	303	394	283	210	45	64	52	51
60—	2718	2033	199	113	1219	733	12	19	435	549	440	281	57	89	83	60
65—	3406	2783	244	122	1403	1036	14	12	669	744	633	366	83	153	94	69
70—	3878	3426	303	187	1479	1262	15	11	877	968	707	451	91	145	105	106
75—	3313	3182	284	147	1142	1215	8	9	810	1004	657	366	66	132	88	80
80—	1647	2099	133	84	522	768	5	5	453	694	339	272	31	69	46	64
85 and over	561	1083	48	42	162	352	1	8	153	408	123	121	14	32	18	40

TABLE 17—continued.

Causes of death	NEOPLASMS															
	157		158		159		160-165		160		161		162		163	
	Pancreas		Peritoneum		Unspecified digestive organs		Malignant neoplasm of respiratory system		Nose, nasal cavities, middle ear, & accessory sinuses		Larynx		Trachea, & of bronchus and lung specified as primary		Lung and bronchus, unspecified as to whether primary or secondary	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	1620	1368	143	192	6	11	12237	2434	124	86	805	202	2998	622	8168	1459
0—	—	—	4	—	—	—	—	2	—	—	—	—	—	—	—	1
1—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	1	—
2—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
4—	—	—	2	—	—	—	1	1	1	—	—	—	—	—	—	—
5—	—	—	1	—	—	—	2	2	1	—	—	—	—	1	1	—
10—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
15—	—	1	3	—	—	—	2	—	—	—	—	—	—	—	1	—
20—	—	1	2	1	—	—	12	9	1	1	1	—	4	2	5	4
25—	3	—	1	2	—	—	22	13	—	—	—	2	8	4	14	7
30—	7	2	2	4	—	—	53	27	1	1	1	2	19	8	29	10
35—	22	5	6	6	—	—	195	62	3	4	2	5	55	28	131	27
40—	45	16	9	7	—	—	411	93	5	2	7	7	138	27	256	53
45—	77	50	11	19	—	—	952	156	6	8	23	18	321	45	595	87
50—	106	80	16	26	1	—	1619	210	12	12	45	10	508	68	1037	115
55—	178	115	13	16	—	—	2013	286	15	9	80	22	562	95	1345	151
60—	254	165	18	23	1	1	2247	354	17	4	121	25	533	100	1551	210
65—	243	245	21	32	2	4	2146	413	18	8	142	42	466	117	1496	230
70—	289	268	12	26	—	2	1450	357	15	14	152	27	243	66	1018	243
75—	247	211	9	15	2	3	760	260	23	15	142	23	92	33	489	180
80—	109	133	9	9	—	1	283	134	5	3	68	11	39	23	166	9
85 and over	40	76	2	4	—	—	67	54	1	5	21	8	10	5	33	3

Causes of death	NEOPLASMS											
	164		165		170-181		170		171		172	
	Mediastinum		Thoracic organs (secondary)		Malignant neoplasm of breast and genito-urinary organs		Breast		Cervix uteri		Corpus uteri	
Ages at death	M	F	M	F	M	F	M	F	F	F	F	F
All Ages	115	53	27	12	5831	16218	63	8006	2585	—	1185	41
0—	—	1	—	—	4	3	—	—	—	—	—	—
1—	—	—	—	—	3	5	—	—	—	—	—	—
2—	—	—	—	—	9	4	—	—	—	—	—	—
3—	—	—	—	—	3	10	—	—	—	—	—	—
4—	—	—	—	—	4	7	—	—	—	—	—	—
5—	—	1	—	—	12	14	—	—	—	—	—	—
10—	1	—	—	—	2	3	—	—	—	1	—	—
15—	1	—	—	—	1	9	—	1	—	1	—	—
20—	1	1	—	1	17	16	—	2	—	—	3	—
25—	—	—	—	—	30	60	—	22	16	—	1	—
30—	2	—	1	—	38	162	1	76	43	3	7	1
35—	2	3	2	—	51	454	1	261	88	9	1	7
40—	4	2	1	—	92	859	3	493	159	35	6	9
45—	5	2	2	—	119	1333	4	730	227	55	5	14
50—	14	4	3	1	277	1776	4	841	328	111	7	27
55—	10	2	1	—	375	2083	9	981	378	154	4	44
60—	17	11	8	4	647	2122	8	1003	378	172	2	32
65—	20	10	4	—	947	2203	6	1036	336	192	2	36
70—	20	3	2	2	1162	1991	12	964	255	195	1	26
75—	11	6	3	3	1153	1651	7	802	238	130	2	32
80—	5	4	—	1	630	931	6	477	87	102	—	14
85 and over	2	3	—	—	255	522	2	317	52	24	—	6

TABLE 17—continued.

Causes of death	NEOPLASMS										
	175 Ovary, Fallopian tube, and broad ligament	176 Other and unspecified female genital organs	177 Prostate	178 Testis	179 Other and unspecified male genital organs	180 Kidney		181 Bladder and other urinary organs		190-199 Malignant neoplasm of other and unspecified sites	
	F	F	M	M	M	M	F	M	F	M	F
All Ages	2542	443	3020	195	169	597	430	1787	738	2469	2232
0—	—	—	—	—	—	4	3	—	—	11	7
1—	—	—	—	—	—	3	4	—	1	18	15
2—	—	1	—	1	—	3	3	—	—	10	9
3—	—	—	—	—	—	3	10	—	—	10	10
4—	—	—	—	—	—	4	7	—	—	22	12
5—	2	—	2	1	—	9	12	—	—	34	19
10—	1	—	—	—	—	2	1	—	—	25	18
15—	6	—	—	1	—	—	—	—	—	36	24
20—	10	—	—	12	—	4	1	1	—	35	34
25—	17	1	—	24	—	5	1	1	1	42	34
30—	24	1	2	29	—	2	4	4	3	61	53
35—	69	6	2	28	1	11	9	8	4	100	75
40—	135	9	6	22	5	27	10	29	3	126	110
45—	252	9	12	10	7	36	20	50	21	177	145
50—	374	20	45	12	9	75	24	132	44	230	165
55—	378	33	102	10	11	77	47	166	64	289	228
60—	357	51	242	9	21	102	54	265	73	253	261
65—	356	61	501	14	20	81	68	325	116	288	255
70—	262	85	714	9	29	74	66	324	137	256	259
75—	186	73	780	8	36	49	47	273	141	225	239
80—	78	48	429	5	23	21	26	146	99	144	146
85 and over	35	45	183	—	7	—	12	63	31	77	114

Causes of death	NEOPLASMS															
	190 Malignant melanoma of skin		191 Other malignant neoplasm of skin		192 Eye		193 Brain and other parts of nervous system		194 Thyroid gland		195 other endocrine glands		196 Bone (including jaw bone)		197 Connective tissue	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	112	137	376	281	58	54	738	495	94	257	47	45	449	315	95	93
0—	—	—	—	—	—	—	9	1	—	—	1	3	—	1	—	2
1—	—	—	1	—	—	1	8	6	—	—	7	8	1	—	1	—
2—	—	—	—	—	—	—	10	6	—	—	—	2	—	1	—	—
3—	—	—	—	—	2	3	4	3	—	1	2	2	2	—	—	—
4—	—	—	—	—	2	—	14	5	—	—	4	5	—	—	2	2
5—	—	—	1	—	1	1	22	13	—	—	3	1	5	3	2	1
10—	—	—	—	—	—	—	10	7	—	—	3	1	10	7	1	2
15—	1	1	—	—	—	—	10	11	—	—	1	—	22	11	2	1
20—	1	3	1	—	—	1	14	17	1	1	—	1	14	9	2	2
25—	2	4	—	—	—	—	19	17	1	1	1	—	9	8	2	—
30—	6	7	2	1	1	1	35	26	1	1	1	—	8	11	2	2
35—	9	12	2	1	2	2	54	30	4	4	—	—	14	8	3	4
40—	9	13	5	4	1	4	70	54	3	6	2	2	15	13	7	3
45—	12	16	5	3	4	4	84	64	6	10	3	2	25	15	5	5
50—	13	10	21	5	4	5	105	58	6	15	2	3	25	20	7	4
55—	11	14	20	14	10	3	110	64	13	27	7	2	46	25	7	9
60—	5	14	34	20	8	5	85	53	17	34	1	4	41	37	9	9
65—	20	11	28	25	10	7	49	37	12	38	2	4	67	30	11	13
70—	10	13	61	46	6	9	15	12	13	49	4	2	62	44	13	8
75—	10	10	81	64	4	6	8	6	5	32	3	—	49	42	13	10
80—	3	8	69	42	1	1	3	4	10	23	—	1	23	20	5	10
85 and over	1	1	45	56	4	1	—	1	2	15	—	—	11	10	1	6

TABLE 17—continued.

Causes of death	NEOPLASMS															
	198		199		200-205		200		201		202		203		204	
	Secondary & unspecified malignant neoplasm of lymph nodes		Other and unspecified sites		Neoplasms of lymphatic & hæmato-poietic tissues		Lymphosarcoma and reticulo-sarcoma		Hodgkin's disease		Other forms of lymphoma (reticulosis)		Multiple myeloma (plasmocytoma)		Leukæmia and aleukæmia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	61	20	439	535	2124	1721	421	294	472	277	82	53	154	150	984	
0—	—	—	1	—	12	12	1	—	1	—	—	1	—	—	10	6
1—	—	—	—	—	7	12	—	1	—	—	1	1	—	—	15	—
2—	—	—	—	—	18	28	2	1	—	—	1	1	—	—	32	—
3—	—	1	—	—	35	21	2	—	—	1	1	—	—	—	24	—
4—	—	—	—	—	28	21	3	1	—	1	1	—	—	—	—	—
5—	—	—	—	—	75	47	17	1	6	2	—	1	—	—	52	—
10—	—	—	1	1	67	30	10	4	14	5	—	1	—	—	43	—
15—	—	—	1	—	54	24	8	3	11	3	—	—	—	—	35	—
20—	—	—	2	—	65	44	13	4	25	13	2	—	—	1	25	—
25—	2	—	6	4	87	57	11	6	28	24	5	—	—	—	43	—
30—	—	—	5	4	86	72	10	13	39	23	5	3	—	1	32	—
35—	—	1	14	11	109	79	21	13	44	22	—	1	5	4	39	—
40—	—	—	14	11	135	101	21	10	36	26	9	4	11	3	58	—
45—	1	—	32	26	165	102	39	14	51	18	6	4	14	8	54	—
50—	1	1	46	44	182	139	37	29	51	18	12	3	17	14	64	—
55—	4	1	61	69	196	171	42	32	41	25	6	10	31	26	73	—
60—	9	3	44	82	211	197	43	33	36	27	11	7	25	28	93	—
65—	16	2	73	88	252	197	44	38	39	25	14	6	33	28	121	—
70—	11	3	61	73	189	176	54	35	31	20	6	4	11	22	86	—
75—	10	3	42	66	95	124	27	30	11	13	1	5	6	10	49	—
80—	5	2	25	35	45	49	11	18	6	7	1	1	1	4	26	—
85 and over	2	3	11	21	11	18	5	8	2	4	—	—	—	1	4	—

Causes of death	NEOPLASMS															
	204.0		204.1		204.2		204.3		204.4		205		210-229		210	
	Lymphatic leukæmia		Myeloid leukæmia		Monocytic leukæmia		Acute leukæmia, unspecified type		Other and unspecified leukæmia		Mycosis fungoides		Benign Neoplasm		Buccal cavity and pharynx	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	429	324	398	474	83	62	45	48	29	35	11	4	386	580	3	
0—	3	4	5	4	—	—	2	2	—	1	—	—	7	8	1	—
1—	2	3	3	5	—	—	1	2	—	—	—	—	1	2	—	—
2—	11	15	3	6	—	1	1	3	—	1	—	—	5	1	—	—
3—	19	11	9	6	1	1	2	2	1	—	—	—	5	1	—	—
4—	16	15	5	4	—	—	3	—	—	—	—	—	1	3	—	—
5—	35	27	6	10	4	1	4	5	3	—	—	—	4	8	—	—
10—	21	5	17	11	2	1	3	1	—	2	—	—	7	6	—	—
15—	15	5	11	9	2	3	6	1	1	—	—	—	10	16	1	—
20—	10	5	12	12	2	6	1	3	—	—	—	—	7	11	—	—
25—	12	5	23	18	5	1	3	1	—	2	—	—	13	11	—	—
30—	5	5	20	24	5	2	1	1	1	—	—	—	18	20	—	—
35—	7	15	20	20	8	—	3	2	1	1	—	—	20	25	—	—
40—	14	13	30	35	9	4	4	2	1	4	—	—	15	62	—	—
45—	14	16	35	35	3	3	1	4	1	—	1	—	28	66	1	—
50—	25	21	31	39	5	7	1	3	2	4	1	1	19	70	—	—
55—	34	15	27	54	5	5	2	3	5	1	3	—	36	51	—	—
60—	42	31	37	56	10	7	1	4	3	3	3	1	37	35	—	—
65—	54	31	52	54	6	6	5	3	4	6	1	—	38	49	—	—
70—	44	39	29	40	9	6	1	3	3	7	1	—	38	34	—	—
75—	33	29	10	25	5	6	—	3	1	2	—	1	42	45	—	—
80—	12	11	12	5	1	2	—	—	1	1	—	—	21	35	—	—
85 and over	1	3	1	2	1	—	—	—	1	—	—	—	14	21	—	—

TABLE 17—continued.

Causes of death	NEOPLASMS												
	211 Other parts of digestive system		212 Respiratory system		213*	215 Uterus	216 Ovary	217, 218*		220, 221, 222*		224 Endocrine glands	
					214 Uterine fibromyoma			219 Kidney and other urinary organs		223 Brain and other parts of nervous system			
	M	F	M	F	F	F	F	M	F	M	F	M	F
All Ages	28	16	9	4	135	14	120	121	35	136	164	54	52
0—	1	—	—	—	—	—	—	—	—	2	2	—	—
1—	1	—	—	—	—	—	—	—	—	—	1	—	—
2—	—	1	1	—	—	—	—	—	—	1	—	1	—
3—	—	—	—	—	—	—	—	—	—	2	—	2	—
4—	—	—	—	—	—	—	—	—	—	1	1	—	2
5—	—	—	—	—	—	—	—	1	—	1	3	1	4
10—	—	—	—	—	—	—	—	—	—	4	4	3	1
15—	—	—	—	—	—	—	3	—	—	3	3	5	7
20—	—	—	—	—	—	1	—	—	—	4	8	3	1
25—	—	—	—	—	1	—	2	—	—	8	6	2	1
30—	2	—	1	—	4	2	2	—	—	11	7	3	3
35—	3	—	—	—	7	4	4	1	—	9	8	6	3
40—	—	—	—	—	24	1	15	1	—	6	13	7	6
45—	1	—	1	—	34	4	5	3	—	19	15	4	5
50—	—	2	1	—	21	—	10	5	1	10	22	1	8
55—	5	—	1	1	11	1	9	4	2	20	24	4	1
60—	3	2	1	—	3	—	4	7	3	17	16	6	—
65—	4	3	—	1	7	—	16	3	11	12	4	4	5
70—	3	—	1	—	7	—	11	22	5	3	10	2	—
75—	5	2	2	1	10	1	19	31	6	3	3	—	1
80—	—	5	1	—	4	—	13	17	5	1	5	—	—
85 and over	—	—	—	—	2	—	7	13	10	—	1	—	—

Causes of death	NEOPLASMS															
	225 Bone and cartilage		226 Lipoma		227 Muscular and connective tissue		228 Hæmangioma and lymphangioma		229*		230 Unspecified nature of digestive organs		231 Unspecified nature of respiratory organs		232-235*	
									230-239						236	
									Neoplasm of unspecified nature						Unspecified nature of other genito-urinary organs	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	6	14	3	1	4	7	20	12	513	408	30	41	42	18	8	7
0—	—	1	—	—	—	—	3	5	7	5	—	—	—	1	—	—
1—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	2	—	2	2	1	—	—	—	—	—
3—	—	—	—	—	—	—	1	—	5	4	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	5	4	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	1	1	11	8	—	—	—	—	1	—
15—	—	2	—	—	1	—	—	1	7	5	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—
25—	1	—	—	—	1	—	1	1	8	4	—	1	1	—	—	—
30—	—	1	1	1	—	—	—	—	12	12	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	13	7	—	—	—	—	—	—
40—	—	1	—	—	—	—	1	1	20	19	—	1	—	2	—	—
45—	—	1	—	—	—	—	1	1	27	22	—	—	1	—	—	—
50—	—	3	—	—	—	—	1	—	38	34	—	—	2	1	—	—
55—	—	—	—	—	—	—	2	1	88	43	1	2	3	—	—	—
60—	—	2	1	—	—	—	1	—	70	54	2	1	5	2	1	—
65—	1	1	—	—	1	1	2	1	69	51	4	1	8	4	2	2
70—	3	1	—	—	—	—	2	—	52	38	4	4	2	—	—	—
75—	—	1	1	—	1	—	3	—	31	29	3	8	10	3	1	—
80—	—	—	—	—	—	—	—	—	24	30	9	10	5	2	2	2
85 and over	1	—	—	—	—	1	—	—	10	20	4	8	4	2	—	3
	—	—	—	—	—	—	—	—	4	11	2	5	1	1	1	—

*213, Benign neoplasm of breast, 85; 217, Benign neoplasm of other female genital organs, 80; 218, Benign neoplasm of male genital organs, 85; 220, Benign melanoma of skin, —; 221, Pilonidal cyst, —; 222, Other benign neoplasm of skin, 80; 229, Benign neoplasm of other and unspecified organs and tissues, 50, 75, 80; 232, Neoplasm of unspecified nature of breast, 70, 75; 233, Neoplasm of unspecified nature of uterus, 85; 234, Neoplasm of unspecified nature of ovary, 65; 235, Neoplasm of unspecified nature of other female genital organs, 55.

TABLE 17—continued.

Causes of death	NEOPLASMS						III		240-245 Allergic disorders	240*		242-245*		250 Simple goi	
	237 Unspecified nature of brain and other parts of nervous system		238 Unspecified nature of skin and musculo-skeletal system		239 Unspecified nature of other and unspecified organs		240-289 Allergic, Endocrine System, Meta-bolic, and Nutritional Diseases			241 Asthma		250-254 Diseases of thyroid gland			
	M	F	M	F	M	F	M	F		M	F	M	F		
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
All Ages	405	312	10	3	18	22	3492	5379	1851	1719	1844	1714	121	783	5
0—	4	2	2	—	1	2	48	31	8	1	7	1	3	1	—
1—	4	—	—	—	—	—	13	13	2	6	2	6	—	—	—
2—	1	2	—	—	—	—	6	9	3	1	2	1	—	—	—
3—	5	3	—	—	—	1	4	5	2	3	2	3	—	—	—
4—	5	3	—	—	—	1	6	7	4	3	4	3	—	—	—
5—	9	8	—	—	1	—	8	14	2	7	2	7	—	—	—
10—	6	5	1	—	—	—	20	22	8	7	8	7	—	1	—
15—	5	6	—	—	1	—	28	32	17	11	17	11	—	1	—
20—	7	3	—	—	—	—	27	50	9	21	8	21	4	6	—
25—	12	12	—	—	—	—	39	47	12	26	12	25	2	5	—
30—	13	7	—	—	—	—	50	73	19	28	19	28	2	8	—
35—	19	15	—	—	1	1	77	112	39	53	38	52	2	16	—
40—	26	21	—	—	—	1	113	171	68	100	67	99	3	19	—
45—	34	31	1	—	1	2	174	246	111	131	111	130	4	40	—
50—	82	41	—	—	2	—	260	303	180	142	180	142	13	56	1
55—	60	47	—	—	2	3	376	450	240	173	239	173	22	86	1
60—	52	42	2	1	1	1	516	657	331	206	330	205	23	111	—
65—	41	28	3	—	2	5	566	926	326	258	326	258	23	176	—
70—	13	16	1	1	3	3	510	920	241	243	241	243	13	115	3
75—	5	12	—	—	3	3	408	757	156	176	156	176	4	79	—
80—	2	5	—	1	—	1	179	376	56	88	56	88	2	40	—
85 and over	—	3	—	—	—	1	64	158	17	35	17	35	1	23	—

Causes of death	251		252		253		254		260		270-277		270*		272
	Nontoxic nodular goitre		Thyrotoxicosis with or without goitre		Myxœdema and cretinism		Other diseases of thyroid gland		Diabetes mellitus		Diseases of other endocrine glands		271 Diseases of parathyroid gland		
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
All Ages	6	34	81	478	25	227	4	15	1219	2484	158	226	—	5	41
0—	—	—	—	—	3	1	—	—	—	1	34	19	—	—	1
1—	—	—	—	—	—	—	—	—	4	2	6	3	—	—	—
2—	—	—	—	—	—	—	—	—	—	1	2	4	—	—	—
3—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—
5—	—	—	—	—	—	—	—	—	3	5	1	—	—	—	—
10—	—	—	—	—	—	—	—	1	8	11	4	1	—	—	—
15—	—	—	—	1	—	—	—	—	4	15	4	4	—	—	1
20—	1	—	1	6	1	—	1	—	9	18	2	4	—	—	—
25—	—	—	2	4	—	—	—	1	16	12	5	4	—	—	2
30—	—	1	2	7	—	—	—	—	20	19	5	18	—	—	1
35—	—	—	2	16	—	—	—	—	25	26	5	17	—	1	2
40—	—	2	2	11	1	5	—	1	28	33	10	19	—	—	8
45—	—	3	4	27	—	5	—	2	44	47	5	23	—	—	1
50—	—	2	12	39	—	11	—	1	42	74	16	25	—	—	4
55—	1	4	14	57	6	22	—	2	75	147	18	21	—	1	7
60—	2	—	16	77	4	26	1	2	126	297	15	20	—	2	5
65—	2	6	14	115	6	49	1	2	186	446	13	26	—	—	3
70—	—	6	7	63	2	40	1	2	239	529	6	13	—	1	2
75—	—	4	3	39	1	32	—	1	233	478	5	2	—	—	3
80—	—	4	1	8	1	25	—	—	115	235	—	—	—	—	—
85 and over	—	2	1	8	—	11	—	—	42	85	—	1	—	—	—

*240, Hay fever, 35, 40; 242, Angioneurotic œdema, 2, 20, 60, 25, 35, 45, 60; 243, Urticaria, —; 244, Allergic eczema, —; 245, Other allergic disorders, 0, 55, 40; 270, Disorders of pancreatic internal secretion other than diabetes mellitus, 10, 30, 50, 55, 55, 60, 75, 40, 45, 70.

TABLE 17—continued.

Causes of death	273 Diseases of thymus gland		274 Diseases of adrenal glands		275, 276*		280-289 Avita- minoses, and other metabolic diseases		280, 281*		283, 284, 285*		287 Obesity not specified as of endocrine origin		288 Gout	
					277 Polyglandular dysfunction and other diseases of endocrine glands				282 Scurvy		286 Other avita- minoses and nutri- tional defi- ciency states					
					M	F			M	F	M	F				
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1 Ages	30	13	58	107	21	27	143	167	2	1	46	43	30	79	23	2
0—	22	7	12	12	—	—	3	9	—	1	1	1	—	—	—	—
1—	3	1	2	2	—	—	1	2	—	—	1	1	—	—	—	—
2—	1	3	1	—	—	1	1	3	—	—	1	1	—	—	—	—
3—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
4—	—	—	—	1	1	—	1	1	—	—	1	1	—	—	—	—
5—	1	—	—	—	—	—	2	2	—	—	—	2	—	—	—	—
10—	2	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—
15—	—	1	2	3	1	—	3	1	—	—	—	—	—	—	—	—
20—	1	—	—	4	—	—	3	1	—	—	1	1	—	—	—	—
25—	—	—	3	4	—	—	4	—	—	—	2	—	—	—	—	—
30—	—	1	1	11	2	1	4	—	—	—	1	—	—	—	—	—
35—	—	—	2	11	1	2	6	—	—	—	2	—	—	—	—	—
40—	—	—	2	10	—	—	4	—	—	—	2	—	—	—	1	—
45—	—	—	4	12	—	1	10	5	—	—	4	—	2	3	2	—
50—	—	—	8	12	2	4	9	6	—	—	2	3	3	2	1	—
55—	—	—	7	7	2	2	21	23	1	—	8	9	7	8	1	—
60—	—	—	6	5	3	5	21	23	—	—	4	4	5	13	3	—
65—	—	—	4	7	6	7	18	20	—	—	3	3	6	14	6	—
70—	—	—	1	3	3	4	11	20	—	—	6	3	2	15	2	—
75—	—	—	1	2	—	—	10	22	1	—	2	6	2	13	5	—
80—	—	—	—	—	—	—	6	13	—	—	3	4	2	4	1	1
85 and over	—	—	—	1	—	—	4	14	—	—	1	4	1	7	1	1

Causes of death	289 Other metabolic diseases		IV 290-299 Diseases of the Blood and Blood-forming Organs		290 Pernicious and other hyperchromic anæmias		290.0 Pernicious anæmia		290.1 Subacute combined degeneration of spinal cord		290.2 Other hyperchromic anæmias		291 Iron deficiency anæmias (hypochromic anæmias)		292 Other anæmias of specified type	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1 Ages	34	34	843	1466	380	783	333	703	32	53	15	27	41	160	153	182
0—	1	4	16	9	1	—	—	—	—	—	1	—	1	1	1	—
1—	—	1	6	5	—	—	—	—	—	—	—	—	—	—	2	—
2—	—	2	2	4	—	—	—	—	—	—	—	—	—	—	2	3
3—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	1	—
4—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	1
5—	2	—	13	8	—	—	—	—	—	—	—	—	—	—	2	4
10—	—	2	8	11	—	—	—	—	—	—	—	—	1	2	6	—
15—	3	1	14	6	—	—	—	—	—	—	—	—	—	6	—	—
20—	2	—	13	8	1	—	1	—	—	—	—	—	—	5	5	—
25—	2	—	11	15	1	—	1	—	—	—	—	—	—	3	7	—
30—	3	—	4	17	—	1	—	1	—	—	—	—	—	1	—	4
35—	2	—	13	23	2	3	1	3	1	—	—	—	—	—	4	8
40—	1	—	17	28	2	7	2	5	—	2	—	—	—	1	4	8
45—	2	2	27	41	4	13	4	11	—	2	—	—	2	5	5	6
50—	2	1	42	72	7	22	5	18	2	4	—	—	—	6	12	11
55—	4	5	57	91	16	32	12	27	4	5	—	—	2	5	18	19
60—	7	5	80	129	28	57	23	53	4	4	1	—	2	12	17	23
65—	2	3	117	193	60	104	49	89	10	9	1	6	2	26	26	23
70—	—	2	138	271	86	179	76	158	5	13	5	8	13	29	18	25
75—	—	2	141	290	92	199	86	185	4	10	2	4	11	38	16	17
80—	—	3	80	155	56	114	50	104	2	3	4	7	5	17	6	5
85 and over	—	1	40	87	24	52	23	49	—	1	1	2	3	17	3	7

*275, Ovarian dysfunction, —; 276, Testicular dysfunction, —; 280, Beriberi, 35, 50, 60; 281, Pellagra, 55, 80; 283, Active rickets, 0, 0, 0, 0; 284, Late effects of rickets, 35, 65; 285, Osteomalacia, 60, 85, 60, 75, 85.

TABLE 17—continued.

Causes of death	292.4 Aplastic anæmia		292.0-3; 5-7 Others included under 292		293 Anæmia of unspecified type		294 Polycythæmia		295 Hæmophilia		296 Purpura and other hæmorrhagic conditions		297 Agranulocytosis		298 Diseases of spleen	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	111	126	42	56	61	78	31	28	23	—	70	100	24	29	55	—
0—	—	—	1	—	—	—	—	—	1	—	10	7	—	—	—	—
1—	—	—	2	—	—	1	—	—	1	—	2	4	1	—	—	—
2—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	1	—	1	—	—	—	—	—	—	2	—	—	—	—
4—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—
5—	2	4	—	—	1	1	—	—	2	—	6	2	—	—	2	—
10—	2	4	—	2	1	—	—	—	2	—	2	4	—	—	1	—
15—	3	—	3	—	—	1	—	—	4	—	2	4	—	1	2	—
20—	5	3	—	2	—	1	—	—	2	—	3	1	—	—	2	—
25—	2	4	1	3	—	—	1	—	—	—	1	2	1	—	4	—
30—	—	3	—	1	—	—	—	1	2	—	2	6	—	1	—	—
35—	3	6	1	2	1	4	—	1	1	—	3	2	—	1	2	—
40—	3	2	1	6	—	—	3	—	1	—	2	10	2	—	2	—
45—	2	4	3	2	—	4	2	1	2	—	6	3	1	3	5	—
50—	9	8	3	3	3	4	4	2	—	—	3	6	5	6	8	—
55—	11	12	7	7	3	5	5	2	—	—	4	8	1	6	8	—
60—	14	16	3	7	5	9	5	2	1	—	6	10	6	2	9	—
65—	18	16	8	7	10	7	6	3	1	—	4	13	4	5	4	—
70—	16	19	2	6	7	12	4	6	1	—	5	5	—	2	4	—
75—	11	11	5	6	12	13	2	6	1	—	3	6	2	—	2	—
80—	5	5	1	—	9	9	—	—	3	—	3	3	1	1	—	—
85 and over	3	6	—	1	8	6	—	—	—	—	2	2	—	1	—	—

Causes of death	299 Other diseases of blood and blood-forming organs		V 300-326 Mental, Psycho-neurotic and Personality Disorders		300-309 Psychoses		300 Schizo-phrenic disorders (dementia præcox)		301 Manic-depressive reaction		302, 303* 304 Senile psychosis		305 Presenile psychosis		307 Alcoholic psychosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	5	3	521	815	372	641	35	44	30	62	261	458	21	33	5	—
0—	2	—	34	31	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	7	2	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	6	3	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	3	6	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	8	6	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	8	4	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	5	4	—	1	—	1	—	—	—	—	—	—	—	—
20—	—	—	11	13	4	4	4	4	—	—	—	—	—	—	—	—
25—	1	—	9	21	3	10	2	9	—	—	—	—	—	—	—	—
30—	—	1	13	17	10	6	7	3	1	2	—	—	—	—	—	—
35—	—	—	12	16	9	12	4	7	3	1	—	1	—	—	—	—
40—	1	—	17	26	10	17	7	7	3	6	—	—	—	1	—	—
45—	—	—	17	35	12	19	3	3	3	5	—	—	—	1	—	—
50—	—	—	22	33	12	20	3	3	6	9	—	1	1	3	2	—
55—	—	—	26	40	17	30	3	1	4	12	—	1	8	8	—	—
60—	1	1	31	47	21	41	1	1	1	8	5	11	10	14	—	—
65—	—	—	23	69	19	57	—	1	2	10	15	37	—	4	1	—
70—	—	—	66	97	61	91	—	—	4	5	55	83	1	2	1	—
75—	—	1	83	123	81	117	—	2	2	3	76	112	—	—	—	—
80—	—	—	72	125	70	120	1	1	1	1	67	117	—	—	—	—
85 and over	—	—	44	96	43	96	—	1	—	—	43	95	—	—	—	—

*302, Involutional melancholia, 60, 80, 45, 45, 45, 60, 60, 60; 303, Paranoia and paranoid states, 30, 75, 45, 45, 70.

TABLE 17—continued.

Causes of death	309		310-318		310*		312-317*		320-326		320, 321*		322.0		322.1	
	Other and unspecified psychoses		Psycho-neurotic disorders		311 Hysterical reaction without mention of anxiety reaction		318 Psycho-neurotic disorders, other, mixed, & unspecified types		Disorders of character, behaviour, & intelligence		Alcoholism		Acute		Chronic	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	16	32	15	52	6	39	4	7	134	122	33	18	5	—	23	15
0—	—	—	—	—	—	—	—	—	34	31	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	7	2	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	6	3	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	3	6	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	8	6	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	8	4	—	—	—	—	—	—
15—	—	—	—	1	—	1	—	—	5	2	—	—	—	—	—	—
20—	—	—	—	2	—	2	—	—	7	7	—	—	—	—	—	—
25—	1	1	—	2	—	2	—	—	6	9	2	—	1	—	1	—
30—	1	1	—	5	—	3	—	1	3	6	3	2	1	—	2	2
35—	1	3	—	2	—	1	—	1	3	2	1	1	—	—	1	1
40—	—	3	2	3	1	2	—	—	5	6	2	3	—	—	1	3
45—	4	4	—	9	—	7	—	2	5	7	4	2	1	—	3	2
50—	1	3	2	4	1	3	1	—	8	9	6	2	—	—	6	1
55—	2	8	1	4	—	4	1	—	8	6	5	3	1	—	3	3
60—	3	4	2	4	1	4	1	—	8	2	7	—	—	—	5	—
65—	1	4	—	8	1	6	—	1	1	4	1	1	—	—	—	1
70—	—	—	2	1	1	—	—	1	3	5	2	3	1	—	1	2
75—	2	—	1	4	1	3	—	—	1	2	—	—	—	—	—	—
80—	—	1	1	3	—	1	1	1	1	2	—	1	—	—	—	—
85 and over	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of death	322.2		323, 324*		326*		330-334		330		331		332		333*	
	Unspecified		Mental deficiency		VI 330-398 Diseases of the Nervous System and Sense Organs		Vascular lesions aff't'g central nervous system		Sub-arachnoid hæmorrhage		Cerebral hæmorrhage		Cerebral embolism & thrombosis		334 Other and ill-defined vascular lesions aff't'g central nervous system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	5	3	99	93	32024	42617	29003	39443	831	1231	13752	19507	12682	16520	1737	2184
0—	—	—	34	31	227	152	10	7	4	1	3	2	3	2	—	2
1—	—	—	7	2	61	46	2	—	1	—	—	—	1	—	—	—
2—	—	—	6	3	30	24	—	3	—	3	—	—	—	—	—	—
3—	—	—	4	1	19	22	1	1	—	—	1	—	—	—	—	—
4—	—	—	3	6	20	22	1	3	1	2	—	1	—	—	—	—
5—	—	—	8	6	58	54	4	5	2	2	1	1	—	—	—	—
10—	—	—	8	4	72	40	11	10	6	5	4	3	—	2	—	1
15—	—	—	5	2	78	59	14	6	6	4	8	1	—	1	—	—
20—	—	—	7	7	109	67	23	18	13	12	7	—	—	1	—	—
25—	—	—	4	9	138	97	48	30	36	13	9	14	1	3	2	1
30—	—	—	—	4	177	159	61	69	26	26	27	36	7	7	1	—
35—	—	—	1	1	217	202	97	107	44	44	43	53	7	7	3	—
40—	1	—	3	3	386	415	249	266	74	71	146	164	29	27	—	4
45—	—	—	1	3	658	825	498	648	76	120	327	431	74	83	20	14
50—	—	1	2	5	1101	1323	924	1130	127	137	571	750	198	216	28	27
55—	1	—	2	1	1685	2131	1476	1904	93	155	930	1259	406	445	47	45
60—	2	—	1	1	2952	3318	2698	3058	115	173	1494	1854	982	917	107	114
65—	1	—	—	—	4490	5336	4172	4982	84	178	2192	2787	1676	1814	220	202
70—	—	1	1	1	6141	7586	5792	7174	60	133	2718	3714	2675	2984	339	343
75—	—	—	1	2	6580	8811	6304	8423	36	92	2755	3890	3084	3968	429	473
80—	—	1	1	1	4412	7049	4267	6830	19	48	1700	2792	2212	3475	336	515
85 and over	—	—	—	—	2413	4879	2351	4769	8	12	816	1750	1326	2567	201	440

*310, Anxiety reaction without mention of somatic symptoms, 75 ; 312, Phobic reaction, —; 313, Obsessive-compulsive reaction, —; 314, Neurotic-depressive reaction, 30, 40, 65 ; 315, Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system, —; 316, Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system, 40, 65, 50 ; 317, Psychoneurosis with somatic symptoms (somatization reactions) affecting other systems, 65, 70, 85, 80 ; 320, Pathological personality, —; 321, Immature personality, —; 323, Other drug addiction, 35, 55, 45, 45, 50, 50, 55, 55, 60, 65, 65, 65, 70 ; 324, Primary childhood behaviour disorders, —; 326, Other and unspecified character, behaviour, and intelligence disorders, —; 333, Spasm of cerebral arteries, 45, 65.

TABLE 17—continued.

Causes of death	340-345		340		340.0		340.1		340.2		340.3		341 Phlebitis and thrombophlebitis of intracranial venous sinuses		342 Intracranial and intraspinal abscess		343 Encephalitis, myelitis & encephalomyelitis (except acute infectious)	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	754	869	227	168	27	15	115	68	30	29	55	56	12	6	63	38	78	
0—	106	73	79	67	13	6	34	22	17	19	15	20	4	1	7	1	11	5
1—	25	22	16	14	5	3	6	5	1	1	4	5	—	—	—	—	3	3
2—	10	6	7	4	2	1	2	3	1	—	2	—	—	—	—	1	2	2
3—	5	6	2	3	—	1	2	—	—	1	—	1	—	—	—	2	3	3
4—	5	8	2	2	—	—	1	2	—	—	—	—	—	—	—	—	—	—
5—	16	20	7	12	1	4	4	6	—	—	2	2	2	—	2	2	4	1
10—	11	13	6	6	—	—	3	3	1	—	—	3	1	1	3	3	3	3
15—	10	15	2	3	—	—	1	—	—	—	5	1	—	—	4	2	2	2
20—	18	11	9	3	—	—	4	1	—	1	2	1	1	—	5	2	3	3
25—	27	22	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	39	36	7	1	—	—	5	—	—	—	2	1	—	1	5	3	2	2
35—	39	52	9	5	—	—	6	1	—	1	2	3	—	—	2	6	4	4
40—	55	79	7	4	1	—	6	2	—	—	4	2	1	—	7	1	3	3
45—	65	108	12	2	—	—	6	3	2	—	—	3	—	—	2	2	4	4
50—	70	108	9	8	—	—	6	3	1	2	2	3	—	1	4	1	8	8
55—	67	87	15	6	—	—	9	3	—	—	6	3	2	1	2	5	4	4
60—	61	61	11	5	1	—	5	3	2	1	3	2	—	—	5	1	4	4
65—	56	59	14	5	2	—	8	1	2	2	2	2	—	—	4	3	3	3
70—	37	44	8	8	1	—	5	6	1	—	1	2	—	—	3	2	5	5
75—	18	26	1	3	—	—	—	2	—	—	—	1	1	1	3	1	2	2
80—	9	8	2	2	—	—	2	1	—	—	—	1	—	—	1	—	—	—
85 and over	5	5	—	1	—	—	—	1	—	—	—	—	—	—	1	1	2	2

Causes of death	344 Late effects of intracranial abscess or pyogenic infection		345 Multiple sclerosis		350-357 Other diseases of central nervous system		350 Paralysis agitans		351 Cerebral spastic infantile paralysis		352 Other cerebral paralysis		353 Epilepsy		354* 355 Other diseases of brain	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	22	27	352	558	1915	2075	711	896	71	54	231	369	467	436	85	
0—	5	3	—	—	18	10	—	—	1	2	—	—	10	5	2	
1—	3	3	—	—	11	11	—	—	3	5	—	—	6	6	1	
2—	—	—	—	—	13	12	—	—	4	3	—	—	8	8	1	
3—	1	1	—	—	10	13	—	—	3	5	—	—	7	8	—	
4—	—	2	—	—	12	9	—	—	4	1	—	—	6	7	1	
5—	1	1	—	—	29	19	—	—	9	9	—	—	15	8	4	
10—	1	3	—	—	41	14	—	—	5	2	—	1	32	11	3	
15—	1	2	1	2	41	32	—	—	6	—	—	—	30	26	2	
20—	—	—	3	7	54	33	—	—	9	1	—	—	42	31	2	
25—	1	—	15	16	51	36	—	—	3	4	1	—	40	31	1	
30—	2	—	23	26	60	42	4	—	4	3	1	1	44	34	1	
35—	—	3	24	38	69	39	5	1	3	2	1	1	42	33	4	
40—	1	1	37	70	62	63	4	6	1	—	1	2	36	39	4	
45—	1	1	45	101	78	65	9	9	3	—	2	3	32	36	8	
50—	—	1	49	88	87	74	12	14	1	—	3	10	25	26	6	
55—	1	2	43	68	125	125	31	39	2	4	9	9	20	25	7	
60—	2	—	39	47	176	190	73	96	4	2	23	23	18	26	9	
65—	—	1	35	45	240	283	136	159	1	1	28	50	21	24	6	
70—	—	1	21	29	301	356	185	229	4	2	47	54	11	17	8	
75—	2	2	9	15	249	343	156	209	—	3	53	87	12	22	10	
80—	—	—	6	4	131	206	74	92	1	1	38	83	6	11	3	
85 and over	—	—	2	2	57	100	22	42	—	—	24	46	4	2	2	

*354, Migraine, —.

TABLE 17—continued.

Causes of death	356 Motor neurone disease and muscular atrophy		356.0 Progressive muscular atrophy		356.1 Amyotrophic lateral sclerosis		356.2; 3 Others included under 356		357 Other diseases of spinal cord		360-369 Diseases of nerves and peripheral ganglia		360* 361 Trigeminal neuralgia		362, 363* 364 Polyneuritis and polyradiculitis	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	300	189	214	137	59	39	27	13	50	37	80	48	4	2	30	13
0—	5	3	1	1	—	—	—	4	2	—	—	25	15	—	—	1
1—	1	—	—	—	—	—	—	1	—	—	—	11	5	—	1	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
3—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	—
4—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—
10—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	3	—	3	—	—	—	—	—	—	—	1	—	—	—	—	—
20—	—	1	—	1	—	—	—	—	1	—	2	—	—	—	1	—
25—	4	—	2	—	2	—	—	—	2	1	2	3	—	—	2	—
30—	3	3	1	2	1	—	1	1	3	1	1	1	—	—	1	—
35—	11	2	9	2	2	—	—	—	3	1	2	1	—	—	1	1
40—	15	5	12	3	1	2	2	—	1	5	2	2	—	—	2	—
45—	18	6	10	3	4	3	4	—	6	2	1	1	—	—	1	—
50—	37	14	29	9	8	3	2	3	2	7	—	—	—	—	7	1
55—	49	36	30	27	16	8	3	1	7	4	3	1	1	—	—	—
60—	45	30	32	18	9	7	4	5	4	4	3	3	—	—	1	—
65—	41	30	31	24	8	5	2	1	7	6	8	4	—	—	1	2
70—	39	34	32	28	5	5	2	1	7	6	3	5	2	2	5	2
75—	15	9	11	7	3	2	1	—	3	3	5	6	1	—	1	1
80—	7	12	6	9	—	—	1	—	2	—	—	—	—	—	—	—
85 and over	4	3	3	2	—	1	1	—	1	—	—	—	—	—	1	—

Causes of death	365 Erythrædema polyneuritica		366 Other and unspecified forms of neuralgia and neuritis		367-369* 370-379 Inflammatory diseases of eye		370-379* 380-389 Other diseases and conditions of eye		380-384* 385 Cataract		386* 387 Glaucoma		388, 389* 390-398 Diseases of ear and mastoid process		390* 391 Otitis media without mention of mastoiditis	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	34	19	7	7	8	9	7	18	2	13	3	1	257	155	186	124
0—	25	14	—	—	1	—	—	—	—	—	—	—	67	47	57	39
1—	9	5	1	—	1	—	—	—	—	—	—	—	11	8	7	7
2—	—	—	—	—	—	—	—	—	—	—	—	—	6	3	5	3
3—	—	—	—	—	—	—	—	—	—	—	—	—	3	2	1	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	2	2
5—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	1	—	—	—	—	—	8	9	4	6
15—	—	—	—	—	—	—	—	—	—	—	—	—	8	3	2	2
20—	—	—	—	—	1	—	—	—	—	—	—	—	11	6	7	5
25—	—	—	—	—	1	—	—	—	—	—	—	—	11	5	5	4
30—	—	—	—	—	—	—	—	—	—	—	—	—	10	6	9	5
35—	—	—	—	—	—	—	—	1	—	—	—	—	16	10	13	7
40—	—	—	1	—	—	—	—	—	—	—	—	—	10	3	5	2
45—	—	—	—	—	—	—	—	—	—	—	—	—	18	5	11	5
50—	—	—	—	—	—	1	—	—	—	—	—	—	16	2	10	2
55—	—	—	—	—	—	—	—	—	—	—	—	—	13	10	11	6
60—	—	—	1	1	1	—	—	—	—	—	—	—	13	14	8	11
65—	—	—	2	2	1	1	—	1	—	1	—	—	14	4	13	4
70—	—	—	—	2	1	3	2	1	—	—	1	—	13	6	12	5
75—	—	—	2	2	1	2	2	9	1	—	1	—	5	4	3	3
80—	—	—	—	—	—	—	—	—	—	8	1	1	1	2	1	2
85 and over	—	—	—	—	—	1	2	3	1	2	1	—	1	3	—	3
	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1

*360, Facial paralysis, —; 362, Brachial neuritis, —; 363, Sciatica, 55, 60, 75, 80, 40, 70, 75, 75, 75, 367, Other diseases of cranial nerves, 65; 368, Other diseases of peripheral nerves except autonomic, 40, 55; 369, Diseases of peripheral autonomic nervous system, —; 370, Conjunctivitis and ophthalmia, 0, 45, 70; 371, Blepharitis, 75; 372, Hordeolum (stye), —; 373, Iritis, 70; 374, Keratitis, 75; 375, Choroiditis, 20, 55; 376, Other inflammation of uveal tract, 85; 377, Inflammation of optic nerve and retina, 65, 70; 378, Inflammation of lachrymal glands and ducts, 75; 379, Other inflammatory diseases of eye, 1, 15, 60, 65, 70; 380, Refractive errors, —; 381, Corneal ulcer, 75; 382, Corneal opacity, —; 383, Pterygium, —; 384, Strabismus, 5; 386, Detachment of retina, 65; 388, Other diseases of eye, 30; 389, Blindness, 10, 85; 390, Otitis externa, —.

TABLE 17—continued.

Causes of death	392		393		394, 395*		397, 398*		400-402		400		401		401.0	
	Otitis media with mastoiditis		Mastoiditis without mention of otitis media		396 Other diseases of ear and mastoid process		VII 400-468 Diseases of the Circulatory System		Rheumatic fever		Rheumatic fever without mention of heart involvement		Rheumatic fever with heart involvement		Active rheumatic pericarditis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	21	4	41	23	7	1	97891	99342	164	214	5	11	150	169	35	
0—	5	1	5	7	—	—	11	7	—	1	—	—	—	1	—	—
1—	2	—	1	1	1	—	4	4	—	—	—	—	—	—	—	—
2—	—	—	1	—	—	—	5	3	1	—	—	—	—	—	—	—
3—	—	—	2	2	—	—	3	3	—	3	—	—	—	3	—	—
4—	—	—	—	—	—	—	5	3	3	2	—	—	3	2	—	—
5—	1	1	3	2	—	—	29	37	12	24	—	4	12	20	1	—
10—	1	—	4	1	1	—	51	64	20	25	—	2	20	23	2	—
15—	1	1	2	—	1	—	74	102	20	29	1	—	19	26	1	—
20—	—	—	6	—	—	1	131	140	9	11	1	2	8	8	—	—
25—	—	—	1	1	—	—	213	222	12	9	1	—	8	6	—	—
30—	2	—	1	3	—	—	337	323	14	11	1	1	13	8	3	—
35—	2	—	1	1	2	—	656	526	6	12	—	—	6	10	—	—
40—	4	—	3	—	—	—	1304	815	10	11	—	—	10	9	3	—
45—	1	—	4	—	—	—	2513	1319	12	21	—	—	12	18	2	—
50—	—	—	1	4	1	—	4159	2117	9	18	—	1	7	12	2	—
55—	—	1	3	1	1	—	6085	3350	10	12	—	—	9	6	2	—
60—	1	—	—	—	—	—	9507	6024	13	9	—	—	12	6	9	—
65—	1	—	—	—	—	—	13584	10396	7	3	—	—	5	3	4	—
70—	—	—	2	—	—	—	17137	16397	4	9	—	—	4	6	—	—
75—	—	—	—	—	—	—	18712	20637	1	1	1	1	—	—	—	—
80—	—	—	1	—	—	—	14106	19339	1	1	—	—	1	1	1	—
85 and over	—	—	—	—	—	—	9265	17514	—	2	—	—	—	1	—	—

Causes of death	401.1		401.2		401.3 Active rheumatic fever with other and multiple types of heart involvement		402		402.0		402.1		410-416		410	
	Active rheumatic endocarditis		Active rheumatic myocarditis				Chorea		Without mention of heart involvement		With heart involvement		Chronic rheumatic heart disease		Diseases of mitral valve	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	41	43	5	9	69	89	9	34	6	31	3	3	4076	6777	2736	4
0—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
4—	2	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—
5—	2	5	1	1	8	12	—	—	—	—	—	—	7	2	2	—
10—	3	3	1	3	14	13	—	—	—	—	—	—	20	30	9	—
15—	11	9	1	1	6	13	—	3	—	3	—	—	37	55	21	—
20—	3	4	1	—	4	3	—	1	—	1	—	—	69	82	36	—
25—	3	1	—	—	5	5	3	3	2	2	1	1	93	133	62	—
30—	4	1	—	1	6	4	—	2	—	1	—	1	142	219	97	—
35—	—	1	—	—	6	9	—	2	—	2	—	—	206	308	143	—
40—	2	5	—	1	5	2	—	2	—	2	—	—	283	419	189	—
45—	3	5	—	1	7	12	—	3	—	3	—	—	321	533	218	—
50—	3	5	—	—	2	5	2	5	1	5	1	—	361	605	249	—
55—	4	—	1	1	2	4	1	6	1	6	—	—	398	622	257	—
60—	1	2	—	—	2	2	1	3	1	3	—	—	438	733	282	—
65—	—	—	—	—	1	—	2	—	1	—	1	—	524	858	352	—
70—	—	1	—	—	—	1	—	3	—	3	—	—	459	809	303	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	412	684	293	—
80—	—	—	—	—	—	1	—	—	—	—	—	—	214	450	162	—
85 and over	—	—	—	—	—	—	—	1	—	—	—	1	90	235	61	—

*394, Other inflammatory diseases of ear, 55, 65 ; 395, Ménière's disease, 45, 55, 70 ; 397, Deaf mutism, —; 398, Other deafness, —.

TABLE 17—continued.

Causes of death	411		412		413*		415		416		420-422		420		420.0	
	Diseases of aortic valve specified as rheumatic		Diseases of tricuspid valve		414		Other myocarditis specified as rheumatic		Other heart disease specified as rheumatic		Arterio-sclerotic and degenerative heart disease		Arterio-sclerotic heart disease, including coronary disease		Arterio-sclerotic heart disease so described	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	290	133	3	4	555	907	147	259	345	517	72950	69778	36965	21344	164	164
0—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	2	1	2	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	1	2	1	3	—	4	2	1	—	—	—
10—	—	—	—	—	6	6	1	—	4	1	3	1	1	—	—	—
15—	3	2	—	—	7	8	—	3	6	5	5	4	—	—	—	—
20—	4	—	—	—	13	15	2	—	14	9	19	11	10	4	—	—
25—	10	6	1	1	11	12	1	2	8	17	46	23	33	11	—	—
30—	8	3	—	—	17	23	4	6	16	13	122	34	87	14	—	—
35—	17	—	—	—	27	32	5	6	14	24	303	93	254	39	—	—
40—	28	5	—	—	26	39	7	5	33	37	786	208	678	114	—	—
45—	29	6	—	2	38	48	8	15	28	46	1743	409	1513	238	—	—
50—	38	14	—	1	29	78	15	11	30	47	3092	918	2643	573	1	2
55—	45	7	—	—	43	84	13	23	40	54	4559	1810	3678	1085	6	4
60—	32	21	2	—	73	103	16	35	33	60	7168	3681	5305	2088	27	10
65—	29	19	—	—	80	128	19	30	44	77	10203	6979	6637	3633	18	20
70—	18	21	—	—	79	124	22	37	37	65	12841	11631	6754	4708	30	33
75—	18	14	—	—	69	101	15	42	17	34	14084	15176	5508	4466	35	39
80—	8	8	—	—	25	80	8	33	11	17	10697	14707	2740	2794	37	36
85 and over	3	7	—	—	12	25	8	10	6	11	7272	14089	1121	1576	10	20

Causes of death	420.1		420.2		421		421.0		421.1		421.2; 3*		422		422.0			
	Heart disease specified as involving coronary arteries		Angina pectoris without mention of coronary disease		Chronic endocarditis not specified as rheumatic		of mitral valve specified as non-rheumatic		of aortic valve, not specified as rheumatic		421.4		Other and ill-defined, not specified as rheumatic		Other myocardial degeneration		Fatty degeneration	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	35955	20678	846	502	1298	1023	14	22	929	557	349	440	34687	47411	207	303		
0—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—
1—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	2	1	—	—	2	—	—	1	1	1	—	—	—	—
10—	1	—	—	—	1	—	—	—	1	—	—	—	1	1	—	—	—	—
15—	—	1	—	—	—	2	—	1	—	—	—	—	1	5	1	—	—	—
20—	10	4	—	—	7	2	—	—	4	—	3	1	2	5	—	1	—	—
25—	32	11	1	—	8	1	—	—	7	1	—	—	5	11	1	—	—	—
30—	85	14	2	—	14	3	1	—	12	2	1	1	21	17	2	2	—	—
35—	253	39	1	—	16	21	1	1	11	6	4	14	33	33	4	3	—	—
40—	668	114	10	—	37	17	1	1	31	8	5	8	71	77	9	8	—	—
45—	1487	233	26	5	65	24	1	1	53	12	11	11	165	147	17	17	—	—
50—	2586	560	56	11	102	38	1	1	87	26	14	10	347	307	15	21	—	—
55—	3599	1049	73	32	134	74	2	2	100	49	31	23	747	651	21	30	—	—
60—	5160	2033	118	45	191	100	1	—	139	55	50	44	1672	1493	28	51	—	—
65—	6458	3532	161	81	216	147	1	3	157	89	58	55	3350	3199	27	54	—	—
70—	6556	4545	168	130	194	194	—	3	133	102	61	88	5893	6729	42	50	—	—
75—	5328	4314	145	113	171	186	1	6	106	93	62	87	8405	10524	23	40	—	—
80—	2635	2702	68	56	93	127	1	3	58	66	34	58	7864	11786	14	22	—	—
85 and over	1094	1527	17	29	46	86	3	—	28	48	15	38	6105	12427	4	9	—	—

*413, Diseases of pulmonary valve specified as rheumatic, 15, 40 ; 421.2, Of tricuspid valve, specified as nonrheumatic, 0, 25, 75, 50, 70 ; 421.3, Of pulmonary valve, not specified as rheumatic, 55, 60, 75, 20, 60.

TABLE 17—continued.

Causes of death	422.1 With arterio-sclerosis		422.2 Other diseases included under 422		430-434 Other diseases of heart		430 Acute and subacute endocarditis		431 Acute myocarditis not specified as rheumatic		432 Acute pericarditis specified as non-rheumatic		433 Functional disease of heart		434 Other unspecified diseases of heart	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	13324	16670	21156	30433	33466	3749	212	158	98	103	15	5	1201	1874	1820	
0—	—	—	—	1	5	2	1	1	1	1	3	—	—	—	—	1
1—	—	—	—	1	1	1	1	1	—	—	—	—	—	—	—	—
2—	—	—	—	—	3	2	—	—	2	—	1	1	—	—	—	—
3—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	1	1	1	—	—	1	—	—	—	—	—	—
5—	—	—	1	1	4	6	3	4	—	2	—	—	—	—	—	1
10—	—	—	1	1	6	5	3	4	2	—	—	—	—	—	—	1
15—	—	—	5	1	9	8	5	8	3	—	—	—	—	—	—	4
20—	—	—	2	4	18	18	12	11	1	1	—	1	1	2	4	8
25—	—	—	4	11	28	21	14	14	2	2	1	—	3	1	—	—
30—	1	—	18	15	24	22	12	14	1	—	—	—	1	3	10	—
35—	1	1	28	29	55	34	24	8	5	2	—	—	4	4	22	—
40—	9	5	53	64	67	51	25	14	2	—	1	1	7	15	32	—
45—	34	14	114	116	108	87	17	7	5	4	—	—	27	36	59	—
50—	68	59	264	227	150	129	17	20	7	8	2	—	31	57	93	—
55—	210	146	516	475	193	197	13	12	8	13	1	—	50	84	121	—
60—	591	469	1053	973	364	309	25	13	12	8	—	—	125	151	202	—
65—	1289	1133	2034	2012	516	480	16	9	15	14	1	1	195	253	289	—
70—	2405	2486	3446	4193	558	654	9	11	10	15	2	—	216	348	321	—
75—	3471	3959	4911	6525	606	705	10	6	14	13	1	—	263	392	318	—
80—	3045	4177	4805	7587	423	615	3	1	6	7	2	1	192	334	220	—
85 and over	2200	4221	3901	8197	206	402	—	—	2	12	—	—	86	194	118	—

Causes of death	440-447 Hypertensive disease		440 Essential benign hypertension with heart disease		441 Essential malignant hypertension with heart disease		442 Hypertensive heart disease with arteriolar nephrosclerosis		443 Other and unspecified hypertensive heart disease		444 Essential benign hypertension without mention of heart		445 Essential malignant hypertension without mention of heart		446 Hypertensive with arterio-nephrosclerosis without mention of heart	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	10024	10921	127	123	174	129	328	366	7390	8303	721	822	262	186	576	
0—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
1—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—
10—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—
15—	1	1	—	—	—	—	—	—	—	1	1	—	—	5	2	—
20—	13	9	1	—	1	1	—	—	—	1	—	—	9	4	—	—
25—	16	18	—	—	—	2	2	1	4	6	2	2	8	—	—	—
30—	21	13	—	—	4	5	2	—	5	1	2	2	6	5	—	—
35—	61	48	—	—	4	6	—	—	24	14	4	3	21	18	4	—
40—	107	91	—	1	16	12	4	4	41	42	17	6	27	19	1	—
45—	239	183	—	2	31	13	6	4	122	106	22	16	49	31	6	—
50—	396	335	2	3	45	17	7	10	235	230	32	28	52	36	17	—
55—	678	517	13	3	24	19	17	16	488	378	59	47	42	22	24	—
60—	1066	922	10	10	26	15	26	20	810	713	91	90	23	18	46	—
65—	1565	1462	23	19	10	17	32	36	1251	1178	110	100	12	11	57	—
70—	2017	2146	25	25	8	12	62	71	1588	1667	133	175	8	7	108	—
75—	1947	2395	25	26	3	7	75	75	1484	1866	128	162	1	5	126	—
80—	1256	1749	17	21	1	3	53	71	923	1353	69	115	2	2	112	—
85 and over	638	1029	11	13	1	—	42	58	413	746	51	76	1	2	72	—

TABLE 17—continued.

Causes of death	447 Other hypertensive disease without mention of heart		450-456 Diseases of arteries		450 General arterio-sclerosis		450.0 Without mention of gangrene		450.1 With gangrene		451 Aortic aneurysm specified as nonsyphilitic, & dissecting aneurysm		452 Other aneurysm, except of heart and aorta		453 Peripheral vascular disease	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	446	446	6545	6819	6038	6366	5343	5799	695	567	234	231	33	29	73	23
0—	—	—	3	—	—	—	—	—	—	—	—	—	1	—	—	—
1—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—
10—	—	—	2	2	—	—	—	—	—	—	1	—	—	—	—	—
15—	—	—	1	5	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	2	3	—	—	—	—	—	—	—	1	—	—	—	—	—
25—	—	1	8	10	1	—	1	—	—	—	1	1	—	1	—	—
30—	1	—	4	9	1	1	1	—	—	—	1	2	—	—	2	—
35—	4	3	14	12	2	3	2	3	—	—	2	2	—	—	3	—
40—	1	4	35	14	11	5	11	5	—	—	7	1	1	2	4	—
45—	3	5	47	32	19	12	18	11	1	1	9	9	—	1	6	2
50—	6	2	99	40	54	22	47	20	7	2	24	7	3	2	6	1
55—	11	17	168	99	124	57	119	54	5	3	20	18	3	4	6	2
60—	34	33	335	229	266	189	245	171	21	18	45	22	5	5	8	4
65—	70	36	648	444	568	396	504	365	64	31	40	33	9	2	11	1
70—	85	86	1111	975	1037	887	909	801	128	86	32	53	6	1	8	8
75—	105	113	1565	1509	1507	1444	1332	1316	175	128	36	38	2	6	7	3
80—	79	89	1468	1721	1438	1671	1260	1519	178	152	8	30	2	1	8	1
85 and over	47	54	1033	1710	1010	1679	894	1533	116	146	7	14	—	1	4	1

Causes of death	453.0 Raynaud's disease		453.1 Thrombo-angiitis obliterans		453.2; 3 Others included under 453		454 Arterial embolism & thrombosis		455 Gangrene of unspecified cause		456 Other diseases of arteries		460-468 Diseases of veins and other diseases of circulatory system		460 Varicose veins of lower extremities	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	4	13	52	6	17	4	51	57	27	38	89	75	786	1084	79	225
0—	—	—	—	—	—	—	1	—	—	—	1	—	—	3	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
15—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	1	5	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	1	2	4	—	3	—	—
30—	—	—	2	—	—	—	—	—	—	—	5	8	10	8	1	—
35—	—	—	—	—	—	—	—	—	—	—	—	6	10	15	1	3
40—	1	—	2	—	—	—	1	1	—	—	7	6	11	19	3	2
45—	—	1	4	—	2	1	3	2	—	—	11	5	16	21	1	5
50—	1	1	2	—	3	—	—	1	—	—	10	6	43	54	3	11
55—	—	1	—	—	—	—	—	—	—	—	12	7	52	72	6	16
60—	—	4	5	—	1	1	5	4	1	2	9	12	79	93	10	14
65—	—	1	6	—	2	—	4	3	1	1	6	5	123	141	11	28
70—	1	1	7	—	3	—	5	6	6	3	9	3	121	170	9	33
75—	—	2	7	3	1	2	13	14	6	7	9	5	147	173	16	39
80—	—	—	6	1	1	—	5	9	6	9	2	—	97	167	6	40
85 and over	—	—	2	1	2	—	9	9	2	8	1	1	47	96	6	23
	—	—	—	—	2	—	5	8	5	7	2	—	26	47	6	11

TABLE 17—continued.

Causes of death	461 Hæmorrhoids		462 Varicose veins of other specified sites		463 Phlebitis and thrombophlebitis of lower extremities		464 Phlebitis and thrombophlebitis of other sites		465 Pulmonary embolism & infarction		466 Other venous embolism & thrombosis		467 Other diseases of circulatory system		468 Certain diseases lymph nodes and lymph channels	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	13	10	27	14	119	217	23	21	335	324	144	239	39	29	7	—
0—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	2	2	—	—	4	3	2	2	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	1	2	1	—	3	5	3	5	1	—	—	—
35—	1	—	1	—	1	5	—	—	2	10	3	3	—	—	—	—
40—	—	—	—	—	4	4	—	1	8	8	3	3	—	—	—	—
45—	1	1	2	—	9	12	1	2	17	14	8	13	2	—	1	—
50—	—	—	3	—	10	20	1	1	19	24	8	9	5	—	2	—
55—	2	2	3	—	11	20	3	2	30	33	16	19	3	—	1	—
60—	1	1	6	3	20	30	7	3	52	48	22	25	2	—	2	—
65—	1	—	6	1	21	40	2	3	52	51	24	37	6	—	4	—
70—	3	2	3	3	18	34	3	4	68	49	26	37	9	—	5	—
75—	2	3	1	3	15	29	—	1	52	43	14	44	6	—	3	—
80—	1	—	—	—	4	13	3	3	21	21	8	25	2	—	7	—
85 and over	1	—	—	1	3	5	2	1	7	11	6	16	1	2	—	—

Causes of death	VIII 470-527		470-475		470		471		472		473		474		475	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	45234	35320	124	137	33	48	1	4	14	9	22	29	32	23	22	—
0—	1837	1416	24	26	5	9	—	—	—	2	—	1	8	7	9	—
1—	239	232	11	4	1	1	—	—	3	—	—	1	6	2	1	—
2—	99	78	5	2	1	—	—	—	—	—	—	1	2	1	—	—
3—	50	55	5	5	—	2	—	—	2	—	—	1	1	1	—	—
4—	43	45	2	4	—	1	—	—	—	—	—	—	1	3	—	—
5—	88	87	2	3	—	—	—	—	—	—	1	3	1	—	—	—
10—	47	42	3	3	—	—	—	—	—	—	2	2	2	—	—	—
15—	77	68	3	1	—	—	—	—	1	—	—	1	1	—	—	—
20—	96	75	2	3	—	—	—	—	—	—	1	—	1	—	—	—
25—	138	131	4	1	—	1	1	—	—	—	—	—	1	—	—	—
30—	171	183	1	1	—	—	—	—	—	—	—	—	1	—	—	—
35—	319	267	2	2	—	—	—	—	1	—	—	—	4	—	—	—
40—	629	336	1	4	—	—	—	—	—	—	1	—	—	—	—	—
45—	1368	540	3	1	—	—	—	—	1	—	1	—	1	—	—	—
50—	2310	836	2	6	—	1	—	—	—	—	2	2	2	—	—	—
55—	3612	1413	4	6	1	1	—	—	—	—	—	2	1	3	—	—
60—	5552	2295	4	5	1	1	—	—	—	—	1	1	1	2	—	—
65—	6664	3724	9	3	4	2	—	1	2	—	—	—	—	—	—	—
70—	7271	5516	4	12	4	7	—	1	—	—	—	4	—	—	—	—
75—	7033	6721	15	9	6	1	—	—	2	—	—	2	3	1	—	—
80—	4672	5860	6	11	3	5	—	1	—	—	—	—	—	—	—	—
85 and over	2919	5400	12	25	7	16	—	—	—	4	—	3	1	—	—	—

TABLE 17—continued.

Causes of death	480-483		480		481		481 (a)		481 (b)		482		483		490-493	
	Influenza		Influenza with pneumonia		Influenza with other respiratory manifest'ns, & influenza unqualified		Influenza without mention of respiratory complications		Influenza with mention of respiratory complications		Influenza with digestive manifest'ns, but without respiratory symptoms		Influenza with nervous manifest'ns, but without digestive or respiratory symptoms		Pneumonia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	7393	8416	3708	4046	3638	4310	1550	2088	2088	2222	41	49	6	11	11596	10900
0—	108	53	70	34	35	15	18	7	17	8	3	3	—	1	1409	1114
1—	19	15	14	15	5	—	3	—	2	—	—	—	—	—	166	170
2—	9	11	5	7	4	4	1	3	3	1	—	—	—	—	61	52
3—	5	5	4	2	1	3	1	1	—	2	—	—	—	—	25	34
4—	5	7	2	4	3	1	1	1	2	—	—	—	—	2	22	24
5—	8	12	6	8	2	4	—	4	2	—	—	—	—	—	47	39
10—	6	7	1	6	5	1	3	—	2	1	—	—	—	—	23	22
15—	19	13	14	11	4	1	4	1	—	—	1	—	—	1	42	27
20—	36	26	20	18	13	8	10	6	3	2	—	—	3	—	34	26
25—	22	39	16	30	6	9	5	7	1	2	—	—	—	—	57	53
30—	43	48	29	36	13	12	11	9	2	3	—	—	1	—	69	75
35—	63	66	48	45	15	20	10	13	5	7	—	—	—	1	112	101
40—	115	104	82	62	33	42	16	22	17	20	—	—	—	—	187	99
45—	233	133	142	78	89	54	34	35	55	19	2	—	—	1	314	179
50—	379	202	210	116	168	85	59	38	109	47	1	1	—	—	458	260
55—	555	366	300	195	251	167	78	85	173	82	3	2	1	2	690	350
60—	812	567	439	285	369	277	127	130	242	147	4	4	—	1	1086	648
65—	1028	987	526	481	496	502	183	214	313	288	5	4	1	—	1337	987
70—	1251	1516	624	724	621	782	247	354	374	428	6	9	—	1	1646	1427
75—	1314	1713	611	807	695	898	313	423	382	475	8	8	—	—	1748	1822
80—	831	1385	362	607	464	766	240	383	224	383	5	11	—	1	1254	1746
85 and over	532	1141	183	475	346	659	186	352	160	307	3	7	—	—	809	1645

Causes of death	490		491		492		493		500-502		500		501		502	
	Lobar pneumonia		Broncho-pneumonia		Primary atypical pneumonia		Pneumonia, other and unspecified		Bronchitis		Acute bronchitis		Bronchitis unqualified		Chronic bronchitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	2382	1697	8321	8459	86	58	807	686	22717	14268	2824	3552	1669	1722	18224	8994
0—	93	83	1222	955	11	8	83	68	257	198	187	140	55	50	15	8
1—	15	13	141	148	—	1	10	8	34	40	20	30	11	7	3	3
2—	8	5	47	42	1	—	5	5	19	10	11	8	7	1	1	1
3—	1	2	24	30	—	—	2	11	6	6	8	5	1	1	2	—
4—	1	5	19	15	—	1	2	3	8	5	5	3	3	2	—	—
5—	5	8	40	24	—	—	2	7	11	7	7	4	1	1	3	2
10—	10	3	12	19	—	—	1	1	6	7	7	5	—	—	2	2
15—	14	6	24	19	1	1	3	1	6	8	2	4	1	1	3	3
20—	15	9	15	16	—	—	4	1	8	10	4	4	—	2	4	4
25—	17	24	31	25	2	—	7	4	19	17	7	6	1	2	11	9
30—	22	30	37	38	5	1	5	6	26	24	4	3	3	5	19	16
35—	46	38	53	50	5	1	8	12	85	58	10	8	5	8	70	42
40—	59	35	101	58	6	2	19	4	221	82	17	17	13	13	191	52
45—	128	50	152	116	6	2	28	11	611	163	53	26	30	21	528	116
50—	150	79	261	153	5	4	42	24	1161	280	80	33	52	26	1029	221
55—	199	83	414	235	13	5	64	27	1951	600	132	81	92	60	1727	459
60—	306	167	662	426	8	2	110	53	3089	951	203	141	171	84	2715	726
65—	344	215	897	705	7	5	89	62	3757	1592	312	293	222	165	3223	1134
70—	354	252	1172	1067	5	9	115	99	3952	2375	399	504	307	290	3246	1581
75—	354	248	1297	1446	6	7	91	121	3661	2975	537	748	317	350	2807	1877
80—	173	198	990	1451	2	5	89	92	2403	2532	484	734	228	315	1691	1483
85 and over	68	144	710	1421	1	4	30	76	1421	2328	338	755	149	318	934	1255

TABLE 17—continued.

Causes of death	502.0		502.1		510-527 Other diseases of respiratory system		510 Hypertrophy of tonsils and adenoids		511 Peritonsillar abscess (quinsy)		512*		514*		516 Chronic laryngitis	
	Bronchitis with emphysema		Others included under 502								513 Chronic sinusitis		515 Nasal polyp			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	6483	1460	11741	7534	3404	1599	17	26	13	7	31	13	7	4	1	
0—	—	2	15	6	39	25	1	—	1	—	—	—	—	—	—	—
1—	—	—	3	3	9	3	—	—	1	—	—	—	—	—	1	—
2—	—	—	1	1	5	3	—	—	—	—	1	—	—	—	—	—
3—	—	—	2	—	4	5	1	3	—	—	—	—	—	—	—	—
4—	—	—	—	—	6	5	—	2	—	—	—	—	—	—	—	—
5—	—	—	3	2	20	26	10	16	—	—	—	1	—	—	—	—
10—	—	—	2	2	9	3	1	—	—	—	1	—	—	—	—	—
15—	2	1	1	2	7	19	1	1	—	—	1	2	—	—	—	—
20—	1	—	3	4	16	10	—	—	1	—	7	—	—	—	—	—
25—	5	1	6	8	36	21	—	1	—	—	4	—	—	—	—	—
30—	9	5	10	11	32	35	—	1	1	—	2	1	—	—	—	—
35—	33	13	37	29	57	40	2	1	—	1	2	—	—	—	—	—
40—	99	15	92	37	105	47	—	—	2	—	3	2	—	—	—	—
45—	270	37	258	79	207	64	—	—	—	—	2	—	—	—	1	—
50—	521	79	508	142	310	88	1	—	—	—	1	—	—	2	1	—
55—	866	132	861	327	412	91	—	1	2	1	—	—	2	—	—	—
60—	1246	170	1469	556	561	124	—	—	1	—	4	—	—	—	—	—
65—	1250	234	1973	900	533	155	—	—	—	3	—	—	—	—	1	—
70—	990	268	2256	1313	418	186	—	—	2	—	—	—	2	—	—	—
75—	692	269	2115	1608	295	202	—	—	2	—	2	2	2	—	—	—
80—	357	142	1334	1341	178	186	—	—	—	1	1	1	—	1	—	—
85 and over	142	92	792	1163	145	261	—	—	—	—	—	2	—	—	—	—

Causes of death	517		518		519		520		521		522		523		524 Other specified pneumoconiosis & pulmonary fibrosis of occupational origin	
	Other diseases of upper respiratory tract		Empyema		Pleurisy		Spontaneous pneumothorax		Abscess of lung		Pulmonary congestion and hypostasis		Pneumoconiosis due to silica and silicates (occupational)			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	25	21	81	52	78	47	5	—	63	28	322	483	594	4	10	—
0—	4	7	9	8	2	—	1	—	4	3	2	—	—	—	—	—
1—	3	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—
2—	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—
3—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—
5—	3	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
10—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
15—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—
20—	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
25—	1	—	3	—	2	1	—	—	—	2	—	—	—	—	—	—
30—	—	—	—	3	—	—	—	—	1	—	—	1	—	—	—	—
35—	2	—	—	2	1	—	1	—	2	2	—	1	—	2	—	—
40—	2	—	4	—	4	3	—	—	4	—	1	2	—	8	—	—
45—	1	—	5	—	3	—	1	—	4	1	—	1	—	40	—	1
50—	—	2	12	1	7	3	1	—	6	3	6	1	—	66	2	1
55—	1	—	6	2	7	2	1	—	7	3	7	4	—	81	1	—
60—	—	—	9	6	6	2	—	—	10	2	6	6	—	140	—	4
65—	1	4	11	8	16	5	—	—	9	2	13	7	—	130	1	4
70—	1	2	11	9	11	7	—	—	11	5	36	29	—	86	—	—
75—	1	3	7	5	5	8	—	—	3	2	54	88	—	35	—	—
80—	1	—	—	—	—	—	—	—	—	—	95	118	—	5	—	—
85 and over	1	—	—	—	5	6	—	—	—	—	100	224	—	1	—	—

*512, Chronic pharyngitis and nasopharyngitis, 65, 75, 85 ; 514, Deflected nasal septum, —.

TABLE 17—continued.

Causes of death	525		526		527		IX 530-587		530-539		530*		532		533	
	Other chronic interstitial pneumonia		Bronchiectasis		Other diseases of lung and pleural cavity		Diseases of the Digestive System		Diseases of buccal cavity and esophagus		531		Abscesses of supporting structures of teeth Other inflammatory diseases of supporting structures of teeth		Disorders of occlusion, eruption, & tooth development	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	188	89	1152	614	814	211	9601	7244	131	129	1	2	14	8	15	12
0—	—	1	5	—	10	6	646	441	13	10	—	—	—	—	7	5
1—	—	—	2	1	1	1	85	57	4	5	—	—	—	—	4	3
2—	—	—	2	1	—	—	50	25	1	1	—	—	1	—	—	—
3—	—	—	2	—	1	—	24	23	—	—	—	—	—	—	—	—
4—	—	—	2	3	1	—	19	12	—	—	—	—	—	—	—	—
5—	—	1	5	5	1	2	55	43	1	4	—	—	1	—	—	1
10—	—	—	5	3	—	—	56	30	—	1	—	—	—	—	—	1
15—	—	—	3	12	1	2	53	34	1	1	—	—	—	—	—	—
20—	—	—	4	9	2	—	47	37	—	1	—	—	—	—	—	—
25—	—	—	25	13	1	4	86	79	3	2	—	1	—	—	1	—
30—	1	2	19	24	8	3	124	76	3	1	—	—	—	—	—	—
35—	3	2	32	27	10	4	215	103	2	3	1	—	—	1	—	—
40—	2	4	54	30	21	6	342	172	5	1	—	—	—	1	1	—
45—	22	7	89	45	37	9	568	269	6	5	—	1	—	1	1	1
50—	23	9	110	46	75	20	747	369	3	2	—	—	—	—	1	1
55—	21	9	170	54	107	14	924	514	12	7	—	—	—	—	—	—
60—	34	13	190	73	157	21	1101	737	12	6	—	—	3	1	—	—
65—	40	13	174	77	134	34	1319	897	14	9	—	—	2	2	—	—
70—	22	17	132	89	106	26	1279	1033	15	10	—	—	4	—	—	—
75—	13	8	86	61	84	25	1010	1054	17	21	—	—	3	—	—	—
80—	6	3	26	24	36	22	592	749	12	23	—	—	—	2	—	—
85 and over	1	—	15	17	21	12	259	490	7	16	—	—	—	—	—	—

Causes of death	534, 535*		537		538		539		540-545		540		540.0		540.1	
	536		Diseases of salivary glands		Other diseases of buccal cavity		Diseases of esophagus		Diseases of stomach and duodenum		Ulcer of stomach		Without mention of perforation		With perforation	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	10	14	17	46	9	11	63	35	4506	1486	2086	917	1466	702	620	215
0—	2	2	2	1	1	1	1	1	14	10	1	3	1	3	—	—
1—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	1	—	—	—	1	—	—	1	2	—	2	—	2	—	—
10—	—	—	—	—	—	—	—	—	7	—	1	—	1	—	—	—
15—	—	—	—	—	—	1	1	—	7	1	2	1	1	—	1	1
20—	—	—	—	—	—	—	—	1	21	3	5	—	2	—	3	—
25—	—	—	—	—	—	1	1	—	31	7	13	5	8	2	5	3
30—	1	—	—	—	—	—	2	1	51	10	14	4	8	2	6	2
35—	—	—	—	—	—	—	—	2	100	19	40	11	27	7	13	4
40—	1	—	—	—	1	—	2	—	212	31	64	13	47	8	17	5
45—	—	—	—	—	—	—	5	2	352	48	157	24	94	13	63	11
50—	—	—	—	—	—	—	2	1	445	73	192	44	137	36	55	8
55—	—	—	—	1	1	—	10	6	515	99	257	64	177	45	80	19
60—	—	1	1	1	2	—	6	3	605	155	279	94	201	73	78	21
65—	1	1	—	3	1	—	10	3	711	209	338	133	239	99	99	34
70—	2	2	—	2	—	1	9	5	658	257	329	162	233	125	96	37
75—	1	2	6	14	—	1	7	4	447	268	229	182	157	142	72	40
80—	1	2	5	14	1	4	5	1	240	179	123	105	96	87	27	18
85 and over	1	2	3	10	1	1	2	3	94	115	42	70	37	58	5	12

*530, Dental caries, 25, 55; 534, Toothache from unspecified cause, —; 535, Other diseases of teeth and supporting structures, 5.

TABLE 17—continued.

Causes of death	541 Ulcer of duodenum		541.0 Without mention of perforation		541.1 With perforation		542 Gastrojejunal ulcer		542.0 Without mention of perforation		542.1 With perforation		543 Gastritis and duodenitis		544 Disorders of function of stomach	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	2190	437	1355	269	835	168	59	10	42	7	17	3	76	85	11	1
0—	2	1	2	1	—	—	—	—	—	—	—	—	11	5	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
15—	4	—	2	—	2	—	—	—	—	—	—	—	1	—	—	—
20—	15	2	9	2	6	—	—	—	—	—	—	—	1	—	—	—
25—	16	2	10	1	6	1	1	—	—	—	1	—	—	—	—	—
30—	35	5	21	1	14	4	—	—	—	—	—	—	1	1	—	—
35—	53	7	37	2	16	5	1	—	1	—	—	—	2	1	—	—
40—	139	17	97	10	42	7	4	1	2	1	2	—	2	—	1	—
45—	174	22	114	13	60	9	6	1	4	1	2	—	2	—	1	—
50—	230	24	149	15	81	9	10	—	7	—	3	—	1	1	—	—
55—	223	26	142	17	81	9	10	1	7	1	3	—	5	6	—	—
60—	300	52	181	33	119	19	11	1	8	1	3	—	5	5	—	—
65—	353	63	198	38	155	25	5	3	3	2	2	1	5	3	1	—
70—	300	76	184	45	116	31	8	2	7	1	1	1	10	14	4	—
75—	204	62	131	39	73	23	2	—	2	—	—	—	6	16	1	—
80—	98	53	58	37	40	16	1	1	1	—	—	1	15	17	2	—
85 and over	44	25	20	15	24	10	—	—	—	—	—	—	8	16	—	—

Causes of death	545 Other diseases of stomach and duodenum		550-553 Appendicitis		550 Acute appendicitis		550.0 Without mention of peritonitis		550.1 With peritonitis		551 Appendicitis, unqualified		552 Other appendicitis		553 Other diseases of appendix	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	84	27	679	493	592	418	89	59	503	359	79	64	2	6	6	—
0—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—
1—	—	—	8	9	8	8	—	—	8	8	—	—	—	—	—	—
2—	—	—	20	9	20	8	1	1	19	7	—	1	—	—	—	—
3—	—	—	16	10	14	10	1	—	13	10	2	—	—	—	—	—
4—	—	—	7	6	7	6	1	1	6	5	—	—	—	—	—	—
5—	—	—	36	24	33	20	3	2	30	18	1	4	—	—	2	—
10—	—	—	36	23	35	22	3	1	32	21	1	1	—	—	—	—
15—	—	—	32	16	32	14	4	2	28	12	—	1	—	1	—	—
20—	—	—	17	9	14	7	1	1	13	6	3	2	—	—	—	—
25—	1	—	15	16	13	13	3	—	10	13	2	2	—	—	—	—
30—	1	—	21	11	18	9	5	1	13	8	3	2	—	—	—	—
35—	4	—	28	8	24	6	4	1	20	5	3	2	1	—	—	—
40—	2	—	19	15	16	10	3	2	13	8	3	5	—	—	—	—
45—	12	1	40	21	35	18	5	5	30	13	5	1	—	1	—	—
50—	12	3	43	35	35	31	6	5	29	26	8	3	—	1	—	—
55—	20	2	57	41	47	34	13	5	34	29	9	7	—	—	1	—
60—	10	2	60	48	51	42	7	5	44	37	6	6	1	—	2	—
65—	9	6	74	51	57	43	8	6	49	37	17	8	—	—	—	—
70—	7	3	70	50	65	40	8	7	57	33	5	8	—	1	—	—
75—	5	6	50	40	41	34	7	8	34	26	8	5	—	1	—	—
80—	1	2	24	28	21	26	5	1	16	25	3	2	—	—	—	—
85 and over	—	2	5	23	5	17	—	5	5	12	—	4	—	2	—	—

TABLE 17—continued.

Causes of death	560-561		560		561		570-578		570		570.0		570.1		570.2	
	Hernia of abdominal cavity		Hernia of abdominal cavity without mention of obstruction		Hernia of abdominal cavity with obstruction		Other diseases of intestines and peritoneum		Intestinal obstruction without mention of hernia		Intus-susception		Paralytic ileus		Mesenteric infarction	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	821	883	170	125	651	758	2139	2267	721	704	85	61	17	18	166	150
0—	63	29	44	28	19	1	521	359	69	53	54	42	1	—	1	1
1—	5	1	5	1	—	—	56	35	14	7	13	6	—	—	—	—
2—	1	—	—	—	1	—	22	11	4	2	3	2	—	—	—	—
3—	1	—	—	—	1	—	6	8	3	1	1	—	—	—	—	—
4—	3	—	3	—	—	—	8	5	2	2	1	2	—	—	1	—
5—	—	2	—	1	—	1	11	9	2	2	—	1	—	—	—	—
10—	1	—	—	—	1	—	16	5	11	2	2	—	—	—	—	—
15—	1	1	—	—	1	1	11	12	4	4	1	—	—	—	—	1
20—	—	—	—	—	—	—	7	19	2	3	1	—	—	—	—	—
25—	3	—	1	—	2	—	19	40	4	12	—	1	—	2	1	3
30—	4	5	2	1	2	4	27	33	10	10	—	—	—	1	2	—
35—	5	3	3	1	2	2	40	42	12	12	2	—	—	1	2	5
40—	6	10	—	4	6	6	54	67	18	17	1	—	—	1	4	—
45—	15	27	5	2	10	25	80	78	31	30	—	1	1	1	7	6
50—	26	43	7	5	19	38	111	72	41	26	1	2	—	2	19	7
55—	54	58	14	10	40	48	133	122	56	43	3	—	2	—	21	15
60—	79	92	13	20	66	72	173	178	79	56	1	1	3	2	19	16
65—	114	105	19	15	95	90	220	233	99	73	1	—	3	2	31	19
70—	123	148	16	14	107	134	225	291	97	106	—	2	4	2	22	28
75—	155	145	14	12	141	133	195	281	82	113	—	—	1	2	20	32
80—	108	127	18	9	90	118	135	212	52	78	—	1	—	—	11	7
85 and over	54	87	6	2	48	85	69	155	29	52	—	—	2	1	5	6

Causes of death	570.3		570.4		570.5		571		572		572.0		572.1		572.2	
	Volvulus		Impaction of intestine		Others included under 570		Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		Chronic enteritis and ulcerative colitis		Regional enteritis		Diverticulitis		Ulcerative colitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	190	149	25	77	238	249	721	644	434	675	20	19	247	349	154	283
0—	9	1	4	8	—	1	442	297	1	2	—	—	—	1	1	1
1—	—	—	—	—	1	—	40	28	1	—	1	—	—	—	—	—
2—	—	—	—	—	—	—	17	9	—	—	—	—	—	—	—	—
3—	2	1	—	—	—	—	2	5	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	4	3	—	—	—	—	—	—	—	—
5—	2	1	—	—	—	—	8	6	—	—	—	—	—	—	—	—
10—	3	2	—	—	6	—	1	1	1	1	—	—	—	—	1	1
15—	—	1	—	—	3	2	2	1	5	7	—	1	—	—	5	6
20—	1	2	—	—	—	1	1	1	2	13	1	1	—	—	1	12
25—	2	2	—	—	1	4	7	3	6	22	1	1	1	1	4	20
30—	7	4	—	—	1	5	3	2	8	14	—	1	—	—	8	13
35—	5	2	—	—	3	4	4	1	19	23	3	2	1	1	14	20
40—	5	5	1	—	7	7	4	6	19	34	2	2	4	5	13	25
45—	11	7	1	1	11	14	8	9	28	30	1	1	4	3	22	26
50—	9	5	—	—	12	10	10	9	43	28	5	1	21	6	17	21
55—	14	10	2	6	14	12	14	12	37	52	2	1	21	24	13	27
60—	27	8	—	6	29	23	15	13	47	81	3	4	34	39	8	37
65—	22	17	1	10	41	25	25	38	57	83	1	—	40	56	14	22
70—	31	28	6	13	34	33	28	43	63	109	—	3	53	78	8	23
75—	22	17	7	19	32	43	29	49	57	88	—	—	41	65	13	19
80—	11	21	1	8	29	40	38	56	29	54	—	1	18	40	10	9
85 and over	6	15	2	6	14	24	19	52	11	34	—	—	9	30	2	1

TABLE 17—continued.

Causes of death	572.3 Others included under 572		573 Functional disorders of intestines		574 Anal fissure and fistula		575 Abscess of anal and rectal regions		576 Peritonitis		577 Peritoneal adhesion		578 Other diseases of intestines and peritoneum		580-587 Diseases of liver, gallbladder and pancreas		
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	F
All Ages	13	24	15	22	4	2	26	7	62	52	13	15	143	146	1325	1986	
0—	—	—	—	—	—	—	1	—	4	2	—	—	4	5	34	33	
1—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	11	6	
2—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	6	1	
3—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	1	5	
4—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	
5—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	6	2	
10—	—	—	—	—	—	—	—	—	1	1	—	—	2	—	2	1	
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	
20—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	2	5	
25—	—	—	—	—	—	—	—	—	1	1	—	—	1	2	15	14	
30—	—	—	1	—	—	—	—	—	2	4	1	—	2	3	18	16	
35—	1	—	—	1	—	—	1	—	1	1	—	—	3	4	40	28	
40—	—	2	—	—	—	—	1	2	4	2	1	1	7	5	46	48	
45—	1	—	—	—	—	—	—	1	4	3	1	1	8	5	75	90	
50—	—	—	2	—	—	—	2	—	4	3	1	1	8	5	119	144	
55—	1	—	—	—	2	—	2	—	10	4	1	1	11	10	153	187	
60—	2	1	1	1	—	—	5	—	4	8	1	—	21	19	172	258	
65—	2	5	1	3	—	1	4	—	12	6	4	—	18	26	186	290	
70—	2	5	4	3	1	—	3	2	6	1	—	2	23	25	188	277	
75—	3	4	1	5	—	—	5	2	—	6	3	4	18	14	146	299	
80—	1	—	—	—	—	—	1	—	1	3	—	—	2	10	73	180	
85 and over	—	4	1	6	1	1	1	—	3	3	—	1	4	9	30	94	

Causes of death	580 Acute and subacute yellow atrophy of liver		581 Cirrhosis of liver		582 Suppurative hepatitis and liver abscess		583 Other diseases of liver		584 Cholelithiasis		585 Cholecystitis without mention of calculi		586 Other diseases of gallbladder and biliary ducts		587 Diseases of pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	59	85	615	502	22	10	22	23	213	583	161	454	33	67	200	262
0—	—	1	6	2	1	2	2	—	—	—	1	—	—	1	24	27
1—	1	1	4	2	—	—	—	—	—	—	—	—	—	—	6	4
2—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	5	3
3—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	5
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
5—	—	2	4	—	—	—	—	—	1	—	—	—	—	—	1	—
10—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—
15—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	1
20—	1	2	1	1	—	—	—	—	—	—	1	—	—	—	—	1
25—	1	6	8	2	2	—	1	—	—	3	—	2	—	—	3	—
30—	1	3	12	6	1	—	1	—	1	5	1	—	—	—	1	2
35—	5	3	21	10	4	—	1	1	1	4	3	3	—	2	5	5
40—	6	3	24	16	—	2	3	1	1	10	1	9	—	1	11	6
45—	7	6	36	44	—	—	2	2	7	10	7	11	5	3	11	14
50—	4	11	69	53	2	1	2	1	16	35	10	21	2	2	14	20
55—	7	11	97	65	2	—	3	2	16	47	8	28	4	7	16	27
60—	5	9	86	81	3	—	3	4	27	76	21	39	3	9	24	40
65—	7	11	92	97	6	1	1	2	31	82	19	63	6	11	24	23
70—	8	6	78	61	—	2	2	2	40	88	27	73	4	10	29	35
75—	2	7	49	39	1	2	1	4	44	127	30	74	1	14	18	32
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	3	1	21	17	—	—	—	3	21	64	22	79	4	5	2	3
	—	—	5	4	—	—	—	1	7	32	10	52	4	2	4	—

TABLE 17—continued.

Causes of death	X 590-637 Diseases of the Genito-Urinary System		590-594 Nephritis and nephrosis		590 Acute nephritis		591 Nephritis with œdema, including nephrosis		592 Chronic nephritis		593 Nephritis not specified as acute or chronic		594 Other renal sclerosis		600-609 Other diseases of urinary system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	9247	4567	3245	3272	162	142	208	192	2625	2744	231	182	19	12	1222	1017
0—	41	31	12	14	7	9	1	2	—	—	3	3	—	—	26	17
1—	10	5	5	3	1	2	3	1	1	—	—	—	—	—	5	2
2—	10	3	9	2	3	—	3	2	3	—	—	—	—	—	1	1
3—	7	7	7	6	1	2	6	2	—	1	—	—	—	1	1	1
4—	5	6	5	5	1	—	3	4	1	1	—	—	—	—	—	1
5—	33	24	28	18	7	3	7	4	14	11	—	—	—	—	5	5
10—	17	36	16	29	5	6	3	9	7	12	—	2	—	—	1	7
15—	40	49	34	43	5	5	8	3	21	33	—	1	—	1	6	6
20—	80	58	70	52	4	4	5	5	59	43	2	—	—	—	9	2
25—	96	62	90	47	11	8	3	5	74	32	—	2	2	—	5	10
30—	111	105	100	79	5	7	9	8	78	63	8	1	—	—	11	15
35—	150	138	134	100	11	7	14	8	101	81	8	4	—	—	15	20
40—	182	201	144	140	8	9	10	12	113	109	12	10	1	—	36	42
45—	262	234	199	158	15	8	19	10	150	126	15	14	—	—	59	40
50—	307	307	234	224	16	8	14	12	184	188	19	16	1	—	47	56
55—	424	341	256	222	16	6	14	11	201	196	22	9	3	—	87	91
60—	641	438	307	312	15	10	21	20	248	266	23	15	—	1	132	94
65—	1090	602	386	409	6	6	18	23	332	345	29	30	1	5	164	162
70—	1592	623	407	469	10	19	17	17	351	407	27	24	2	2	199	128
75—	1818	578	379	427	9	16	14	20	327	369	27	22	2	—	200	134
80—	1453	437	273	317	2	6	13	6	232	291	22	13	4	—	145	105
85 and over	878	282	150	196	4	1	3	8	128	170	14	16	1	1	69	78

Causes of death	600 Infections of kidney		601 Hydro-nephrosis		602 Calculi of kidney and ureter		603 Other diseases of kidney and ureter		604 Calculi of other parts of urinary system		605 Cystitis		606 Other diseases of bladder		607* 608 Stricture of urethra	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	501	573	91	78	167	126	23	29	38	8	179	167	83	24	117	3
0—	18	10	1	1	—	—	3	6	—	—	2	—	1	—	—	—
1—	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
4—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	2	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—
10—	1	3	1	—	—	—	—	3	—	—	—	—	—	—	—	—
15—	2	4	2	—	—	1	—	1	—	—	—	—	—	—	—	—
20—	4	—	1	1	2	—	1	—	1	1	1	—	—	1	—	—
25—	2	6	—	—	2	1	—	1	—	—	—	2	1	—	—	—
30—	3	9	2	1	2	—	—	—	—	—	—	—	—	—	—	—
35—	4	9	2	3	4	1	—	—	—	—	2	1	—	—	—	—
40—	16	31	4	3	3	4	1	—	1	—	—	3	4	1	—	—
45—	28	20	5	3	11	3	1	—	1	—	2	3	—	—	2	—
50—	17	29	8	10	10	9	1	—	—	—	4	4	4	2	3	—
55—	34	52	9	9	26	16	1	—	1	—	—	4	8	3	8	1
60—	50	50	15	11	23	16	1	2	3	—	4	10	6	6	12	—
65—	72	98	10	9	23	16	1	3	—	—	20	21	10	2	16	—
70—	82	73	11	11	29	10	2	—	12	1	21	25	14	3	23	2
75—	85	74	8	7	12	13	3	—	8	1	36	29	14	3	30	—
80—	53	59	6	5	8	9	2	—	—	—	40	25	13	2	17	—
85 and over	24	38	2	2	3	5	1	—	3	1	25	32	8	—	3	—

*607, Urethritis (non-venereal), 70, 80.

TABLE 17—continued.

Causes of death	609 Other diseases of urethra		610-617 Diseases of male genital organs	610 Hyperplasia of prostate	611 Prostatitis	612 Other diseases of prostate	613 Hydrocele	614* 615 Redundant prepuce and phimosis	616* 617 Other diseases of male genital organs
Ages at death	M	F	M	M	M	M	M	M	M
All Ages	22	8	4780	4553	120	89	3	2	8
0—	1	—	13	—	—	—	—	1	2
1—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—
20—	—	—	1	—	—	1	—	—	—
25—	—	—	1	1	—	—	—	—	—
30—	1	—	—	—	—	—	—	—	—
35—	—	—	1	1	—	—	—	—	—
40—	—	—	2	1	—	—	—	—	1
45—	1	—	4	4	—	—	—	—	—
50—	2	—	26	24	—	2	—	—	—
55—	—	—	81	75	4	1	—	—	—
60—	2	—	202	192	4	5	—	—	—
65—	3	1	540	508	16	14	—	—	—
70—	4	3	986	939	21	23	—	1	1
75—	4	4	1239	1180	25	31	2	—	1
80—	4	—	1035	998	26	9	—	—	2
85 and over	—	—	659	630	24	3	1	—	1

Causes of death	620-626 Diseases of breast, ovary, Fallopian tube, and parametrium	620, 621* 622 Acute salpingitis and oophoritis	623* 624 Salpingitis and oophoritis unqualified	625 Other diseases of ovary and Fallopian tube	626 Diseases of parametrium and pelvic peritoneum (female)	630-637 Diseases of uterus and other female genital organs	630 Infective disease of uterus, vagina, and vulva	631 Uterovagina prolapse
Ages at death	F	F	F	F	F	F	F	F
All Ages	60	3	32	6	14	218	15	128
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	1	—	—	1	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—
20—	1	—	1	—	—	3	2	—
25—	3	—	1	2	—	2	1	—
30—	7	—	4	—	2	4	2	2
35—	6	—	3	1	1	12	2	4
40—	6	2	4	—	—	13	2	1
45—	12	1	6	—	5	24	—	5
50—	5	—	2	—	2	22	—	11
55—	1	—	1	—	—	27	—	21
60—	2	—	1	—	1	30	—	22
65—	6	—	6	—	—	25	2	19
70—	5	—	3	1	1	21	2	15
75—	2	—	—	1	1	15	1	11
80—	3	—	—	—	1	12	—	10
85 and over	—	—	—	—	—	8	1	7

*614, Orchitis and epididymitis, 55, 60, 65, 65, 70; 616, Sterility, male, —; 620, Chronic cystic disease of breast, —; 621, Other diseases of breast, 50, 80; 623, Chronic salpingitis and oophoritis, 30, 35, 80.

TABLE 17—continued.

Causes of death	632*	634 Disorders of menstruation	635, 636*	XI 640-689 Deliveries, & Complications of Pregnancy, Childbirth, and the Puerperium	640-649 Complications of pregnancy	640, 641*	643 Placenta prævia	644 Other hæmorrhage of pregnancy
	633 Other diseases of uterus		637 Other diseases of female genital organs			642 Toxæmias of pregnancy		
Ages at death	F	F	F	F	F	F	F	F
All Ages	32	22	13	566	208	152	3	5
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	—	15	6	4	—	—
20—	—	1	—	86	35	25	—	—
25—	1	—	—	135	43	31	2	1
30—	—	—	—	110	37	26	—	3
35—	2	4	—	142	47	33	1	—
40—	4	6	—	50	21	15	—	1
45—	5	7	3	19	14	13	—	—
50—	7	3	—	4	4	4	—	—
55—	3	—	2	1	—	—	—	—
60—	3	1	3	—	—	—	—	—
65—	2	—	1	2	1	1	—	—
70—	3	—	1	—	—	—	—	—
75—	1	—	2	1	—	—	—	—
80—	1	—	1	1	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

Causes of death	645 Ectopic pregnancy	646, 647*	650-652 Abortion	650 Abortion without mention of sepsis or toxæmia	651 Abortion with sepsis	652 Abortion with toxæmia, without mention of sepsis	660 Delivery without complication	670-678 Delivery with specified complication
		648 Other complications arising from pregnancy						
Ages at death	F	F	F	F	F	F	F	F
All Ages	22	14	107	37	67	3	3	161
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	5	—	5	—	—	3
20—	6	1	11	3	7	1	—	28
25—	5	2	32	11	20	1	—	37
30—	2	3	20	9	11	—	1	30
35—	6	5	29	11	17	1	2	46
40—	3	2	9	3	6	—	—	13
45—	—	1	1	—	1	—	—	2
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	1
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	1
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

*632, Malposition of uterus, 45, 45, 65; 635, Menopausal symptoms, 45, 45, 50, 55, 60; 636, Sterility, female, —; 640, Pyelitis and pyelonephritis of pregnancy, 15, 15, 20, 25, 35, 35; 641, Other infections of genito-urinary tract during pregnancy, 20; 646, Anæmia of pregnancy, 20, 25, 30, 30, 30; 647, Pregnancy with malposition of fœtus in uterus, —.

TABLE 17—continued.

Causes of death	670	671	672	673*	675	676*	678	680-689
	Delivery complicated by placenta prævia or antepartum hæmorrhage	Delivery complicated by retained placenta	Delivery complicated by other postpartum hæmorrhage	674 Delivery complicated by disproportion or malposition of fœtus	Delivery complicated by prolonged labour of other origin	677 Delivery with other trauma	Delivery with other complications of childbirth	Complications of the puerperium
Ages at death	F	F	F	F	F	F	F	F
All Ages	29	23	31	10	24	12	25	87
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	2	—	—	—	1	1
20—	2	5	2	3	8	1	6	12
25—	5	6	9	2	7	3	4	23
30—	2	5	7	2	5	5	3	22
35—	14	5	7	3	3	3	9	18
40—	5	2	2	—	1	—	1	7
45—	1	—	1	—	—	—	—	2
50—	—	—	—	—	—	—	—	—
55—	—	—	1	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	1	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	1
80—	—	—	—	—	—	—	—	1
85 and over	—	—	—	—	—	—	—	—

Causes of death	680*	682	683*	685	686*	688, 689*		690-698		690	
	681		684		687	XII 690-716 Diseases of the Skin and Cellular Tissue					
Ages at death	F	F	F	F	F	M	F	M	F	M	F
All Ages	13	30	19	14	3	288	360	110	135	29	2
0—	—	—	—	—	—	26	17	10	11	1	—
1—	—	—	—	—	—	6	2	4	1	1	—
2—	—	—	—	—	—	1	—	1	—	—	—
3—	—	—	—	—	—	2	—	2	—	—	—
4—	—	—	—	—	—	1	—	—	—	—	—
5—	—	—	—	—	—	1	1	1	—	—	—
10—	—	—	—	—	—	3	1	1	—	—	—
15—	—	—	—	1	—	1	4	1	3	—	—
20—	2	7	2	1	—	2	4	2	4	1	—
25—	3	5	8	4	—	5	8	3	3	1	—
30—	2	8	5	4	—	7	8	6	4	1	—
35—	3	8	2	1	3	4	9	2	4	1	—
40—	—	2	2	3	—	6	9	3	3	2	—
45—	1	—	—	—	—	5	14	3	9	1	—
50—	—	—	—	—	—	15	17	8	3	1	—
55—	—	—	—	—	—	16	20	6	5	—	—
60—	—	—	—	—	—	24	25	8	13	2	—
65—	—	—	—	—	—	33	32	12	10	4	—
70—	—	—	—	—	—	40	33	8	12	4	—
75—	1	—	—	—	—	46	54	16	21	3	—
80—	1	—	—	—	—	27	53	8	14	4	—
85 and over	—	—	—	—	—	17	49	5	15	2	—

*673, Delivery complicated by abnormality of bony pelvis, 25, 30, 35, 35, 40, 40; 676, Delivery with laceration of perineum, without mention of other laceration, 20; 680, Puerperal urinary infection without other sepsis, —; 683, Pyrexia of unknown origin during the puerperium, 30, 30; 686, Other forms of puerperal toxæmia, 30, 35; 688, Other and unspecified complications of the puerperium, 25, 25, 25, 45; 689, Mastitis and other disorders of lactation, —.

TABLE 17—continued.

Causes of death	691		692 Other cellulitis and abscess without mention of lymphangitis		693-697* 698 Other local infections of skin and subcutaneous tissue		700-716 Other diseases of skin and subcutaneous tissue		700 Seborrhæic dermatitis		701 Eczema		702* 703 Other dermatitis		704 Pemphigus	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	1	7	64	84	10	12	178	225	3	2	21	8	7	10	55	57
0—	—	1	7	6	1	3	16	6	—	—	—	—	10	2	1	4
1—	—	—	2	—	—	—	2	1	—	—	—	2	1	—	—	—
2—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
5—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
10—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
15—	—	1	—	1	1	—	2	1	—	—	—	—	—	—	—	—
20—	—	1	1	3	—	—	—	1	—	—	—	—	—	—	—	—
25—	—	1	1	1	—	—	2	5	—	—	—	—	—	—	1	3
30—	—	—	5	3	—	—	1	4	—	—	—	—	—	—	—	—
35—	—	2	1	1	—	—	2	5	—	—	—	—	—	—	—	—
40—	—	—	1	2	—	—	3	6	—	—	—	—	—	—	1	1
45—	—	—	2	3	—	—	2	5	—	—	—	—	—	—	1	2
50—	—	—	7	2	—	1	7	14	1	—	—	—	—	—	1	5
55—	—	—	4	3	1	—	10	15	—	—	1	—	—	1	—	2
60—	—	—	5	9	1	2	16	12	—	—	1	—	—	—	5	7
65—	—	—	8	7	—	—	21	22	—	—	1	—	—	—	4	8
70—	—	—	2	8	—	—	32	21	—	—	1	—	—	—	6	8
75—	1	1	8	14	2	1	30	33	1	1	2	3	2	1	13	8
80—	—	—	3	12	1	2	19	39	—	—	—	—	—	—	13	5
85 and over	—	—	3	10	—	1	12	34	—	1	—	2	1	—	6	10
													2	2	5	3

Causes of death	705		706		707-709*		711-714*		716*		720-727		720		721*	
	Erythematous conditions		Psoriasis and similar disorders		710 Other hypertrophic and atrophic conditions of skin		715 Chronic ulcer of skin		XIII 720-749 Diseases of the Bones and Organs of Movement		Arthritis and rheumatism, except rheumatic fever		Acute arthritis due to pyogenic organisms		722 Rheumatoid arthritis and allied conditions	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	34	43	5	5	13	28	34	43	547	1043	302	775	18	7	185	574
0—	2	—	—	—	2	—	—	—	14	9	1	—	1	—	—	—
1—	—	—	—	—	—	—	—	—	3	3	1	—	1	—	—	—
2—	—	—	—	—	—	—	—	—	3	2	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—
5—	—	1	—	—	—	—	—	—	2	3	1	1	—	—	—	—
10—	—	—	—	—	—	—	—	—	11	4	2	—	1	—	1	—
15—	—	1	—	—	2	1	—	—	9	5	1	—	1	—	—	—
20—	—	—	—	—	—	—	—	—	9	4	1	1	—	—	—	—
25—	—	1	1	—	—	—	—	—	8	7	2	3	1	1	1	1
30—	—	2	—	—	1	2	—	—	11	7	2	2	1	1	1	1
35—	—	1	1	—	1	3	—	—	9	7	4	4	1	—	2	3
40—	2	1	—	—	—	2	—	1	17	20	10	7	—	—	8	5
45—	1	2	—	—	—	1	—	—	21	17	14	9	—	—	11	7
50—	2	3	—	—	—	5	2	1	22	39	12	26	—	—	5	22
55—	4	1	1	—	1	6	—	1	36	63	21	42	—	1	16	38
60—	4	3	—	—	3	3	2	2	52	74	28	52	1	—	20	46
65—	9	7	—	1	2	2	2	2	66	139	39	110	3	—	30	89
70—	5	5	—	2	1	1	7	4	76	178	49	138	2	1	33	111
75—	3	10	2	2	—	—	7	9	85	188	54	155	3	1	26	116
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	2	3	—	1	—	1	9	20	63	159	41	136	2	1	21	90
	—	2	—	—	—	1	5	23	29	112	19	89	—	1	9	44

*693, Other cellulitis and abscess with lymphangitis, 25, 55, 75, 75, 60, 65, 85; 694, Acute lymphadenitis, 1; 695, Impetigo, 0, 70; 696, Infectious warts, —; 697, Molluscum contagiosum, —; 702, Occupational dermatitis, 60, 65; 707, Lichen planus, 70, 85; 708, Pruritus and related conditions, 70, 75, 75, 80, 80, 85; 709, Corns and callosities, 50; 711, Other dermatoses, —; 712, Diseases of nail, 25; 713, Diseases of hair and hair follicles, —; 714, Diseases of sweat and sebaceous glands, —; 716, Other diseases of skin, 0, 45, 65; 721, Acute nonpyogenic arthritis, —.

TABLE 17—continued.

Causes of death	723 Osteo- arthritis (arthrosis) and allied conditions		724*		726 Muscular rheumatism		727 Rheumatism unspecified		727a; b*		730-738 Osteomyelitis and other diseases of bone and joint		730 Osteomyelitis and periostitis		731 Osteitis deformans	
			725 Arthritis (unspecified)						727c; d; e Others included under 727							
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	84	171	7	10	1	3	3	6	3	5	164	175	52	41	81	87
0—	—	—	—	—	—	—	—	—	—	—	3	3	3	2	—	—
1—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—
2—	—	—	—	—	—	—	—	—	—	—	2	2	2	2	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—
5—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	2	2	2	1	—	—
20—	—	—	—	—	—	—	—	—	—	—	4	1	3	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	3	2	3	1	—	—
30—	—	—	—	—	—	—	—	—	—	—	7	—	5	—	—	—
35—	—	1	—	—	—	—	—	—	—	—	—	2	—	1	—	—
40—	1	1	1	—	—	—	—	—	1	—	2	4	—	2	—	—
45—	2	2	—	—	—	—	—	—	—	—	5	3	2	—	2	—
50—	6	4	—	—	—	—	—	—	—	—	6	5	4	—	1	—
55—	5	2	—	1	—	—	—	—	—	—	10	14	3	4	3	—
60—	7	5	—	—	—	—	—	—	1	—	18	15	3	6	10	—
65—	6	18	2	—	—	—	—	—	—	—	18	20	4	2	9	1
70—	10	23	3	—	—	2	—	—	—	—	25	33	9	7	16	2
75—	22	37	2	—	—	1	—	1	—	1	27	26	4	4	20	1
80—	16	39	1	3	—	—	1	3	1	3	22	19	4	2	14	—
85 and over	8	39	—	4	1	—	1	—	1	—	9	19	—	2	6	—

Causes of death	732*		734*		736, 737, 738*		740*		742, 743*		745		746, 747, 748*		XIV 750-759	
	733		735		740-749		741 Synovitis, bursitis and tenosynovitis without mention of occupational origin		744 Other diseases of muscle, tendon, and fascia				749		Congenital Malformations	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	15	31	9	7	81	93	4	4	58	61	12	13	6	5	2425	2242
0—	—	—	—	—	10	6	—	—	9	6	1	—	—	—	1536	1327
1—	—	—	—	—	1	2	—	—	1	1	—	—	—	—	82	7
2—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	33	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27	—
4—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	24	—
5—	—	—	—	—	1	1	—	—	1	1	—	—	—	—	57	—
10—	—	—	—	—	9	4	—	—	8	3	1	1	—	—	47	—
15—	—	—	—	—	6	3	—	—	6	2	—	1	—	—	38	—
20—	—	—	1	—	4	2	—	—	3	1	1	1	—	—	49	—
25—	—	—	—	—	3	2	—	—	3	2	—	—	—	—	43	—
30—	—	—	1	—	2	5	—	—	—	3	1	—	1	1	39	—
35—	—	—	—	1	5	1	—	—	4	1	—	—	—	—	46	—
40—	1	—	1	2	5	9	—	1	2	6	1	1	2	—	64	—
45—	—	—	1	2	2	5	—	—	1	2	1	1	—	1	83	—
50—	1	1	—	1	4	8	—	—	3	6	1	—	—	1	67	—
55—	2	1	1	—	5	7	—	—	3	6	—	—	2	1	57	—
60—	1	1	2	—	6	7	2	—	3	3	1	2	—	—	39	—
65—	2	2	1	—	9	9	1	—	7	6	1	2	—	1	36	—
70—	—	3	—	1	2	7	—	—	2	7	—	—	—	—	20	—
75—	2	6	1	—	4	7	—	2	1	3	2	1	1	—	25	—
80—	4	9	—	—	—	4	—	—	—	3	—	1	—	—	8	—
85 and over	2	8	—	—	1	4	1	1	—	—	—	2	—	—	5	—

*724, Other specified forms of arthritis, 10, 45, 50, 70, 25, 65, 70, 85; 727a, Rheumatism acute, not further specified, 5; 727b, Rheumatism subacute, not further specified, —; 732, Osteochondrosis, 25; 734, Internal derangement of knee joint, 30, 85; 736, Affection of sacro-iliac joint, —; 737, Ankylosis of joint, 65, 45; 738, Other diseases of joint, 55, 60, 60, 65, 85, 0, 15, 20, 50, 50, 50, 55, 55, 60, 85; 740, Bunions, 45, 60; 742, Synovitis, bursitis, and tenosynovitis of occupational origin, —; 743, Infective myositis, and other inflammatory diseases of tendon and fascia, 35, 30, 40, 60; 746, Flat foot, —; 747, Hallux valgus and varus, 45, 50, 75; 748, Clubfoot, 1, 85.

TABLE 17—continued.

Causes of death	750		751		752		753 Other congenital malformations of nervous system and sense organs		754		755		756		756.0	
	Monstrosity		Spina bifida and meningocele		Congenital hydrocephalus		M	F	M	F	M	F	M	F	M	F
Ages at death	M	F	M	F	M	F										
All Ages	37	53	367	484	103	76	52	74	1050	963	20	14	348	207	63	19
0—	37	53	341	456	60	57	24	31	582	444	15	13	281	157	63	19
1—	—	—	11	10	8	5	4	9	34	31	3	1	7	9	—	—
2—	—	—	4	5	6	2	3	5	12	13	1	—	3	2	—	—
3—	—	—	—	—	6	3	1	4	16	9	—	—	2	2	—	—
4—	—	—	1	1	—	1	2	3	16	7	—	—	2	2	—	—
5—	—	—	2	2	7	2	4	5	30	19	—	—	3	5	—	—
10—	—	—	2	2	2	2	5	1	28	16	—	—	7	1	—	—
15—	—	—	1	2	1	—	3	4	23	19	—	—	2	2	—	—
20—	—	—	—	2	—	—	2	2	35	22	—	—	4	4	—	—
25—	—	—	—	—	1	—	3	1	28	31	—	—	3	—	—	—
30—	—	—	—	—	2	—	—	1	28	25	—	—	2	—	—	—
35—	—	—	2	—	2	1	—	—	27	28	—	—	1	1	—	—
40—	—	—	1	—	2	1	—	5	36	42	—	—	2	1	—	—
45—	—	—	—	—	2	—	—	2	48	54	1	—	2	—	—	—
50—	—	—	2	3	2	1	—	1	26	44	—	—	1	4	—	—
55—	—	—	—	—	—	—	1	—	30	45	—	—	4	3	—	—
60—	—	—	—	—	1	—	—	—	22	37	—	—	1	1	—	—
65—	—	—	1	—	1	1	—	—	18	30	—	—	—	5	—	—
70—	—	—	—	—	—	—	—	—	4	19	—	—	6	4	—	—
75—	—	—	—	—	—	—	—	—	5	21	—	—	9	3	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	2	6	—	—	4	1	—	—
	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—

Causes of death	756.1		756.2		757		757.1		757.0; 2; 3		758		759		XV 760-776*	
	Imperforate anus		Others included in 756		Congenital malformations of genitourinary system		Polycystic disease of kidney		Others included under 757		Congenital malformations of bone and joint		Other and unspecified congenital malformations, not elsewhere classified		Certain diseases of Early Infancy	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	33	8	252	180	255	175	138	139	117	36	32	24	161	134	6450	4282
0—	33	8	185	130	76	16	11	10	65	6	25	12	95	89	6442	4278
1—	—	—	7	9	4	—	1	—	3	—	1	2	10	3	4	2
2—	—	—	3	2	3	—	—	—	3	—	—	1	1	4	—	—
3—	—	—	2	2	2	—	1	—	—	—	—	—	2	—	—	—
4—	—	—	2	2	—	1	—	1	—	—	1	—	2	2	—	—
5—	—	—	3	5	9	3	1	1	8	2	1	—	1	2	1	—
10—	—	—	7	1	3	4	1	2	2	2	—	2	—	—	1	—
15—	—	—	2	2	5	3	—	—	5	3	1	—	2	—	—	—
20—	—	—	4	4	5	8	2	2	3	3	1	1	2	—	—	—
25—	—	—	3	—	7	—	4	2	3	6	—	1	1	3	—	—
30—	—	—	2	—	5	6	3	4	2	2	1	1	1	1	—	—
35—	—	—	1	1	7	11	7	9	2	2	—	—	7	1	—	—
40—	—	—	2	1	13	17	15	16	3	1	—	—	5	3	—	—
45—	—	—	2	—	24	26	17	21	7	5	—	—	6	6	—	1
50—	—	—	1	4	30	22	28	22	2	—	—	—	6	1	—	—
55—	—	—	4	3	16	19	13	17	3	2	1	—	5	4	—	—
60—	—	—	1	1	10	8	7	8	3	—	—	2	5	1	—	—
65—	—	—	—	5	12	11	12	10	—	1	—	2	5	5	—	—
70—	—	—	6	4	6	6	6	6	—	—	—	—	4	4	—	—
75—	—	—	9	3	10	5	7	4	3	1	—	—	1	4	—	—
80—	—	—	4	1	2	2	1	2	1	—	—	—	—	—	—	—
85 and over	—	—	2	—	3	1	2	1	1	—	—	—	—	—	—	—

*NOTE: The group 760-776 relates particularly to the causes of death within the first 28 days of life, but it includes also some deaths from the causes specified at all ages.

TABLE 17—continued.

Causes of death	760-769		760		761		762		763		764		765*		767	
	Birth injuries, asphyxia, and infections of newborn		Intracranial and spinal injury at birth		Other birth injury		Postnatal asphyxia and atelectasis		Pneumonia of newborn		Diarrhœa of newborn		Pemphigus neonatorum		Umbilical sepsis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	3509	2246	1033	523	221	176	1455	990	570	376	56	36	1	3	13	
0—	3507	2244	1033	523	221	176	1453	988	570	376	56	36	1	3	13	
1—	1	1					1	1								
2—	1															
3—																
4—																
5—																
10—																
15—																
20—																
25—																
30—																
35—																
40—																
45—		1						1								
50—																
55—																
60—																
65—																
70—																
75—																
80—																
85 and over																

Causes of death	768		769		770-776		770		771		772		773		774	
	Other sepsis of newborn		Neonatal disorders arising from maternal toxæmia		Other diseases peculiar to early infancy		Hæmolytic disease of newborn (erythroblastosis)		Hæmorrhagic disease of newborn		Nutritional maladjustment		Ill-defined diseases peculiar to early infancy		Immaturity with mention of any other subsidiary condition	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	24	11	135	122	2941	2036	325	187	125	96	18	7	208	124	106	8
0—	24	11	135	122	2935	2034	320	185	125	96	18	7	208	124	105	8
1—					3	1	2	1							1	
2—					1	1	1	1								
3—																
4—																
5—							1									
10—					1		1									
15—																
20—																
25—																
30—																
35—																
40—																
45—																
50—																
55—																
60—																
65—																
70—																
75—																
80—																
85 and over																

*765, Ophthalmia neonatorum, 0.

TABLE 17—continued.

Causes of death	776		XVI 780-795		780-789		780		780.2		780.0; 1; 3; 4; 5; 6; 7; 8; 9		781*		782.4	
	Immaturity unqualified		Symptoms, Senility, and Ill-defined Conditions		Symptoms referable to systems or organs		Certain symptoms referable to nervous system and special senses		Convulsions		Others included under 780		Symptoms referable to cardiovascular and lymphatic system		Acute heart failure, undefined	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	2159	1539	3749	5968	139	98	40	18	35	18	5	—	67	56	59	51
0—	2159	1539	40	23	31	20	27	15	27	15	—	—	—	—	—	—
1—	—	—	2	3	2	1	2	1	—	—	—	—	—	—	—	—
2—	—	—	3	1	3	—	3	—	2	1	—	—	—	—	—	—
3—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	3	1	1	1	1	1	1	1	—	—	—	—	—	—
20—	—	—	4	2	2	—	—	—	—	—	—	—	2	—	—	—
25—	—	—	6	1	5	—	2	—	2	—	—	—	1	—	1	—
30—	—	—	1	4	1	—	1	—	—	—	1	—	—	—	—	—
35—	—	—	6	4	3	1	—	1	—	1	—	—	3	—	1	—
40—	—	—	3	4	—	1	—	—	—	—	—	—	—	1	—	1
45—	—	—	13	4	4	2	—	—	—	—	—	—	3	2	3	2
50—	—	—	17	6	9	4	1	—	—	—	1	—	4	2	4	1
55—	—	—	10	5	6	4	1	—	—	—	—	1	4	2	4	2
60—	—	—	17	8	9	5	2	—	—	—	2	—	6	4	6	4
65—	—	—	27	24	10	9	—	—	—	—	—	—	7	8	7	8
70—	—	—	257	279	16	14	—	—	—	—	—	—	12	10	10	8
75—	—	—	724	909	22	15	—	—	—	—	—	—	17	13	16	12
80—	—	—	1213	1772	10	9	—	—	—	—	—	—	5	7	5	6
85 and over	—	—	1401	2917	5	11	—	—	—	—	—	—	3	7	2	7

Causes of death	782.0; 1; 2; 3; 5; 6; 7; 8; 9		783		784		785		786		787, 788, 789*		790, 791*		793*	
	Others included under 782		Symptoms referable to respiratory system		Symptoms referable to upper gastro-intestinal tract		Symptoms referable to abdomen and lower gastro-intestinal system		Symptoms referable to genito-urinary system		Senility and ill-defined diseases		Uræmia unqualified		Senility without mention of psychosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	8	5	6	5	12	9	5	9	6	—	3610	5870	19	13	3535	5833
0—	—	—	—	—	—	—	3	5	—	—	9	3	—	1	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
3—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
20—	2	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
25—	—	—	2	—	—	—	—	—	—	—	1	1	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	4	—	2	—	—
35—	2	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—
45—	—	—	—	—	1	—	—	—	—	—	9	2	1	—	—	—
50—	—	1	2	1	2	1	—	—	—	—	8	2	1	—	—	—
55—	—	—	1	1	—	1	—	—	—	—	4	1	2	1	—	—
60—	—	—	—	—	—	1	1	—	—	—	8	3	1	1	—	1
65—	—	—	—	—	2	—	1	1	—	—	17	15	—	2	14	12
70—	2	2	—	2	2	1	—	1	2	—	241	265	5	1	233	262
75—	1	1	1	—	2	1	—	1	2	—	702	894	3	1	697	892
80—	—	1	—	1	2	1	—	—	1	—	1203	1763	4	1	1197	1762
85 and over	1	—	—	—	1	3	—	—	1	—	1396	2906	2	2	1394	2904

*781, Other symptoms referable to nervous system and special senses, —; 787, Symptoms referable to limbs and back, —; 788, Other general symptoms, 0, 80, 85; 789, Abnormal urinary constituents of unspecified cause, 80; 790, Nervousness and debility, 45, 50, 50, 60, 60, 70; 791, Headache, —; 793, Observation, without need for further medical care, —.

TABLE 17—continued.

Causes of death	795		XVII E800-E999 Accidents, Poisonings, and Violence (External Cause)		RAILWAY ACCIDENTS								M. V. TRAFFIC ACC.			
	Ill-defined & unknown causes of mortality				E800-E802		E800		E801		E802		E810-E825		E810	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	50	24	12447	7309	301	33	166	2	53	19	82	12	3293	1099	8	
0—	9	2	453	315	—	1	—	—	—	1	—	—	1	—	—	—
1—	—	1	116	85	1	—	—	—	—	—	1	—	21	17	—	—
2—	—	1	117	85	1	2	—	—	—	1	1	1	40	27	—	—
3—	—	—	126	82	2	—	—	—	2	—	—	—	65	33	—	—
4—	—	—	119	69	1	—	—	—	—	—	1	—	67	33	—	—
5—	1	—	426	151	10	—	—	—	6	—	4	—	188	78	—	—
10—	1	—	270	62	3	1	—	—	2	1	1	—	122	29	—	—
15—	2	—	483	121	9	4	4	—	4	1	1	3	232	64	1	—
20—	2	2	862	130	19	1	12	—	5	1	2	—	425	54	—	—
25—	1	1	830	139	23	4	11	1	4	2	8	1	321	36	—	—
30—	—	2	663	136	16	3	8	—	3	3	5	—	213	25	1	—
35—	3	3	644	197	27	1	16	—	5	1	6	—	166	31	1	—
40—	3	3	765	228	33	3	20	1	3	—	10	2	184	46	—	—
45—	7	2	846	339	32	2	22	—	7	—	3	2	178	51	1	—
50—	5	2	854	375	35	3	26	—	2	3	7	—	143	55	2	—
55—	2	—	756	397	27	2	15	—	4	2	8	—	127	65	—	—
60—	5	1	899	437	37	3	26	—	3	2	8	1	189	72	—	—
65—	3	1	808	540	9	1	6	—	2	—	1	1	150	96	—	—
70—	2	2	752	682	5	2	—	—	—	1	5	1	159	94	—	—
75—	2	1	791	868	7	—	—	—	1	—	6	—	162	106	1	—
80—	2	—	539	926	—	—	—	—	—	—	3	—	92	66	—	—
85 and over	—	—	328	945	1	—	—	—	—	—	1	—	48	21	—	—

MOTOR VEHICLE TRAFFIC ACCIDENTS

Causes of death	E811*		E813		E814		E815		E816		E817*		E819		E820	
	E812 to pedestrian		to pedal cyclist		to rider or passenger of motorcycle, in collision with non- motor vehicle or object		to rider or passenger of motorcycle, in collision with other motor vehicle		Other motor vehicle traffic accident in- volving two or more motor vehicles		E818 involving collision with animal or animal-drawn vehicle		involving collision with fixed or unspecified object		while boarding and alighting	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	1302	725	473	80	134	14	624	50	245	116	4	2	33	4	21	
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	19	16	—	—	—	—	—	—	—	1	—	—	—	—	—	—
2—	35	25	1	—	—	—	—	—	—	1	—	—	—	—	—	—
3—	62	28	2	—	—	—	—	—	—	1	—	—	—	—	—	—
4—	63	30	2	—	—	—	—	—	—	1	—	—	—	1	—	—
5—	153	75	21	2	—	—	1	—	3	1	—	—	1	—	—	—
10—	60	15	55	7	—	—	1	—	2	3	—	—	1	—	—	—
15—	26	17	61	16	14	2	70	10	10	6	—	—	2	—	—	—
20—	33	6	27	5	35	4	203	14	23	13	—	—	7	—	—	—
25—	27	4	24	4	30	2	129	6	34	9	—	1	5	1	1	—
30—	29	6	23	1	23	1	53	2	24	8	—	—	3	1	—	—
35—	29	8	19	5	7	1	41	5	24	7	—	1	3	—	2	—
40—	37	15	31	6	9	—	41	3	29	10	—	—	4	1	1	—
45—	51	24	31	8	7	2	32	4	28	6	—	—	3	—	—	—
50—	57	29	28	10	4	2	27	3	10	7	—	—	1	—	—	—
55—	61	39	26	5	3	—	7	1	16	15	3	—	1	—	—	1
60—	98	49	46	5	1	—	11	—	14	12	—	—	2	—	—	4
65—	89	83	36	4	1	—	4	1	11	2	—	—	—	—	—	5
70—	114	81	23	1	—	—	3	1	9	6	1	—	—	—	—	2
75—	134	92	13	—	—	—	—	—	7	6	—	—	—	—	—	—
80—	81	62	3	1	—	—	1	—	—	1	—	—	—	—	4	—
85 and over	44	21	1	—	—	—	—	—	1	—	—	—	—	—	1	—

*E811, Motor vehicle traffic accident involving collision with street car, 60; E817, Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle, —.

TABLE 17—continued.

Causes of death	MOTOR VEHICLE TRAFFIC ACCIDENTS										M. V. NON-TRAFFIC ACC.					
	E821		E822		E823		E824		E825		E830-E835		E830		E831*	
	to rider of motorcycle not involving collision		involving overturning in roadway		involving running off roadway		non-collision motor vehicle traffic accident		of unspecified nature		Motor vehicle non-traffic accidents		to pedestrian		to rider or passenger of motorcycle	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	261	30	54	14	52	19	78	27	4	—	103	15	43	10	3	—
0—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	1	—	1	—	—	—	—	—	—	—	3	4	3	4	—	—
2—	—	—	—	—	1	—	3	1	—	—	1	—	1	—	—	—
3—	—	—	1	—	1	1	—	3	—	—	1	1	1	1	—	—
4—	—	—	—	—	1	—	—	1	—	—	1	1	1	1	—	—
5—	—	—	—	—	—	—	9	—	—	—	9	3	5	3	—	—
10—	—	—	—	1	—	—	3	2	—	—	3	1	—	—	—	—
15—	33	7	7	1	3	1	4	4	1	—	5	1	3	—	—	—
20—	68	9	14	1	9	2	4	4	2	—	11	1	2	—	—	—
25—	48	4	11	—	7	3	4	4	1	—	7	1	2	—	1	—
30—	36	2	7	2	9	—	4	1	1	—	7	—	1	—	—	—
35—	27	1	3	—	4	1	6	1	—	—	8	—	3	—	1	—
40—	18	4	2	3	3	2	9	1	—	—	11	—	3	—	—	—
45—	11	—	3	1	4	2	7	3	—	—	8	—	4	—	—	—
50—	8	2	1	1	2	1	3	—	—	—	7	2	3	1	—	—
55—	—	1	—	—	3	2	6	2	—	—	7	—	4	—	—	—
60—	6	—	1	2	3	1	3	1	—	—	3	—	2	—	—	—
65—	2	—	1	1	1	2	5	2	—	—	6	—	2	—	—	—
70—	1	—	—	—	—	—	3	1	—	—	2	—	2	—	—	—
75—	1	—	—	1	1	—	3	3	—	—	3	—	1	—	—	—
80—	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—

Causes of death	M. V. NON-TRAFFIC ACCIDENT															
	E833, E834*				E840		E841*								E850-E858	
	E835		E840-E845		Street car accident to pedestrian		E842		E843		E844		E845		Water transport accidents	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	54	5	238	68	8	10	40	29	160	18	11	4	15	7	145	8
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	2	—	1	—	—	—	—	—	1	—	—	—	1	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	1	1	—	1	1	—	—	—	—	—	—	—	—	—
5—	4	—	7	—	—	—	—	—	6	—	1	—	—	—	2	1
10—	3	1	15	2	—	—	—	—	14	1	1	—	—	1	3	—
15—	2	1	19	7	—	—	—	—	19	7	—	—	—	—	16	3
20—	8	1	19	1	1	—	—	1	17	—	—	—	1	—	26	—
25—	4	1	8	1	—	—	—	—	6	—	—	—	2	1	16	1
30—	5	—	10	1	—	—	1	—	7	—	1	—	2	—	16	—
35—	4	—	20	—	—	—	1	—	16	—	1	—	1	—	11	1
40—	8	—	14	2	—	—	2	—	11	1	—	—	1	—	16	—
45—	4	—	14	5	1	1	1	—	9	2	1	—	2	—	9	—
50—	4	1	20	3	—	—	5	—	15	2	—	—	—	1	11	—
55—	3	—	11	6	—	—	5	3	6	3	—	—	—	—	8	—
60—	1	—	22	8	—	3	2	3	16	1	1	—	1	1	3	—
65—	3	—	18	12	3	1	4	9	7	—	2	2	2	—	6	—
70—	—	—	16	8	—	1	7	7	5	—	1	—	—	—	—	—
75—	1	—	11	7	—	1	6	6	4	—	1	—	—	—	1	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	10	2	1	—	5	—	2	1	1	1	1	—	—	—
	—	—	1	2	1	2	—	—	—	—	—	—	—	—	—	—

*E831, Motor vehicle nontraffic accident to pedal cyclist, —; E833, Other motor vehicle nontraffic accident involving two or more motor vehicles, 30; E834, Motor vehicle nontraffic accident while boarding and alighting, 65, 75; E841, Other street car accident, except collision with motor vehicle, 35, 60, 60, 70.

TABLE 17—continued.

Causes of death	E850		E851		E852		E853		E854, E855*		E857		E858*		E860	
	Submersion of occupant of small boat		Other water transport injury by submersion		Fall on stairs and ladders in water transport		Other falls from one level to another in water transport		E856 Machinery accident in water transport		Other specified accidents in water transport		E860-E866 Aircraft accidents		Accident to personnel in military aircraft	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	39	3	44	—	6	—	19	—	7	—	30	5	273	23	198	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
2—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—
10—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	6	2	7	—	—	—	1	—	—	—	2	1	11	—	10	—
20—	8	1	9	—	—	—	6	—	1	—	2	1	71	5	64	—
25—	6	—	4	—	1	—	—	—	1	—	4	1	100	5	81	—
30—	3	—	3	—	2	—	1	—	1	—	6	—	50	2	35	—
35—	4	—	2	—	—	—	3	—	—	—	2	1	19	3	7	—
40—	3	—	7	—	—	—	1	—	1	—	4	—	7	—	1	—
45—	2	—	2	—	—	—	1	—	1	—	3	—	6	1	—	—
50—	1	—	1	—	1	—	5	—	1	—	2	—	2	1	—	—
55—	—	—	5	—	—	—	1	—	—	—	2	—	1	3	—	—
60—	—	—	—	—	1	—	—	—	1	—	1	—	3	—	—	—
65—	1	—	2	—	1	—	—	—	—	—	2	—	1	—	—	—
70—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
75—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of death	E861 Injury to occupant by accident to commercial "transport" aircraft		E862*		E864, E865, E866* E870-E888 Accidental poisoning by solid and liquid substances		ACCIDENTAL POISONING									
			E863 Injury to occupant by accident to other aircraft				E870*		E872 by aspirin and salicylates		E873*		E875, E876, E877* E878		E879* E880	
							E871 by barbituric acid and derivatives				E874 by other analgesic and soporific drugs		by other and unspecified drugs		by alcohol	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	45	20	15	1	121	143	40	77	18	19	6	9	9	3	4	
0—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—
1—	1	—	—	—	16	13	—	—	3	2	—	—	5	2	—	—
2—	—	—	—	—	5	5	—	—	1	—	—	—	2	1	—	—
3—	—	—	—	—	3	—	—	—	1	—	—	—	1	—	—	—
4—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	1	1	—	1	—	—	—	—	1	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
20—	1	5	1	—	5	2	1	1	1	—	—	—	—	—	—	—
25—	13	4	5	1	3	5	2	3	—	2	—	—	—	—	—	—
30—	10	2	4	—	7	7	4	4	—	1	1	1	—	—	—	—
35—	7	3	2	—	2	11	1	6	—	2	—	—	2	—	—	—
40—	3	—	1	—	8	12	4	8	1	1	—	—	—	—	—	—
45—	5	1	1	—	14	14	8	11	1	2	—	—	—	—	—	—
50—	2	1	—	—	11	7	4	12	2	4	1	1	—	—	—	—
55—	1	3	—	—	11	9	4	6	1	—	1	—	—	—	—	—
60—	1	—	1	—	8	8	4	6	1	1	1	1	—	—	—	—
65—	1	—	—	—	6	8	2	5	1	1	1	—	—	—	—	—
70—	—	—	—	—	6	13	3	5	1	1	1	1	—	—	—	—
75—	—	—	—	—	6	9	—	4	2	—	—	1	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	1	—	—	3	6	2	4	—	1	—	—	—	—	—	—
	—	—	—	—	2	2	1	1	1	1	—	—	—	—	—	—

*E854, Falls on same level in water transport, —; E855, Unspecified falls in water transport, —; E858, Water transport accident of unspecified cause, —; E862, Other injury in commercial "transport" aircraft, —; E864, Aircraft accident at airport to person not in aircraft, 15, 20, 20, 40, 60; E865, Aircraft accident elsewhere to person not in aircraft, 35, 70, 70, 75; E866, Other and unspecified aircraft accidents, 20, 20, 20, 25, 30, 35, 35, 40; E870, Accidental poisoning by morphine and other opium derivatives, 3, 4, 50, 60; E873, Accidental poisoning by bromides, 45, 55; E875, Accidental poisoning by sulphonamides, 1; E876, Accidental poisoning by strychnine, 1, 15, 1, 1, 1, 1, 1, 1, 2, 2; E877, Accidental poisoning by belladonna, hyoscine, and atropine, 80; E879, Accidental poisoning by noxious foodstuffs, 55.

TABLE 17—continued.

Causes of death	ACCIDENTAL POISONING															
	E881, E882*		E884-E887*		E890-E895		E890		E891		E892		E893*		E895*	
	E883 by corrosive aromatics, acids, and caustic alkalis		E888 by other and unspecified solid and liquid substances		Accidental poisoning by gases and vapours		by utility (illuminating) gas		by motor vehicle exhaust gas		by other carbon monoxide gas		E894 by other specified gases and vapours		E900-E904 Accidental falls	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	8	9	18	13	252	304	215	300	11	—	16	3	9	1	1816	2657
0—	—	1	—	—	2	1	2	1	—	—	—	—	—	—	9	5
1—	1	—	6	3	2	—	2	—	—	—	—	—	—	—	10	7
2—	—	1	—	1	3	2	2	2	—	—	1	—	—	—	6	6
3—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	5	5
4—	—	—	—	—	1	2	1	2	—	—	—	—	—	—	2	—
5—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	29	10
10—	—	—	—	—	3	4	3	4	—	—	—	—	—	—	24	—
15—	—	—	1	—	5	3	5	3	—	—	—	—	—	—	23	3
20—	1	—	1	1	8	2	5	2	—	—	2	—	1	—	48	8
25—	1	—	—	—	12	3	8	3	—	—	2	—	2	—	56	6
30—	—	1	1	—	3	5	2	5	—	—	—	—	1	—	53	4
35—	—	—	—	1	9	12	3	11	2	—	1	1	—	—	59	—
40—	—	—	1	—	10	8	8	8	1	—	1	—	—	—	71	7
45—	2	—	1	1	25	9	17	9	4	—	3	—	1	—	79	18
50—	—	—	2	—	17	11	15	11	1	—	—	—	1	—	69	19
55—	2	—	1	1	20	11	17	11	1	—	2	—	—	—	70	42
60—	—	—	—	—	32	22	27	21	2	—	2	1	—	—	102	76
65—	1	1	—	—	12	22	11	21	—	—	1	1	—	—	132	161
70—	—	3	1	2	22	42	21	41	—	—	1	—	—	1	199	291
75—	—	2	3	2	26	61	26	61	—	—	—	—	—	—	285	507
80—	—	—	—	1	22	44	22	44	—	—	—	—	—	—	273	677
85 and over	—	—	—	—	16	39	16	39	—	—	—	—	—	—	212	803

Causes of death	E900		E901		E902		E903		E904		E910-E936		E910		E911	
	Fall on stairs		Fall from ladders		Other falls from one level to another		Fall on same level		Unspecified falls		Other accidents		Blow from falling object		Accident caused by vehicle	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	320	502	95	5	607	423	516	1111	278	616	2766	1206	392	17	101	—
0—	2	1	—	—	6	2	—	—	1	2	421	300	—	—	—	—
1—	—	—	—	—	5	5	4	2	1	—	61	42	—	—	—	—
2—	—	—	—	—	5	3	—	2	1	1	57	42	—	—	—	—
3—	—	—	—	—	4	3	1	—	—	2	48	41	2	—	—	—
4—	—	—	1	—	1	—	—	—	—	—	42	27	1	—	—	—
5—	—	—	—	—	24	6	3	4	2	—	171	51	11	1	—	—
10—	—	—	—	—	22	—	2	—	—	—	89	24	6	3	1	—
15—	—	—	2	—	18	1	2	1	1	1	120	17	8	2	5	—
20—	2	—	3	—	38	7	2	—	3	1	145	16	16	2	4	—
25—	2	1	6	—	45	1	—	1	3	3	151	10	38	—	6	—
30—	2	—	5	—	38	2	6	2	2	—	138	18	41	—	7	—
35—	6	—	4	—	34	1	6	1	9	—	134	21	32	—	8	—
40—	8	2	9	—	47	4	4	1	3	—	175	30	62	—	12	—
45—	14	5	8	—	41	4	9	8	7	1	188	36	53	1	8	—
50—	14	2	6	—	30	4	9	9	10	4	172	33	42	—	9	—
55—	22	14	6	—	26	9	10	18	6	1	131	40	35	1	13	—
60—	25	30	14	3	26	9	23	22	14	12	157	49	27	1	17	—
65—	29	55	10	—	39	19	33	56	21	31	113	69	13	1	10	—
70—	42	82	7	—	44	51	74	103	32	55	85	78	3	—	—	—
75—	66	94	13	1	44	76	111	219	51	117	80	103	2	5	—	—
80—	53	126	1	—	35	95	126	288	58	168	60	96	—	—	1	—
85 and over	33	90	—	1	35	121	91	374	53	217	28	63	—	—	—	—

*E881, Accidental poisoning by petroleum products, —; E882, Accidental poisoning by industrial solvents, 20, 30, 40, 65, 70; E884, Accidental poisoning by mercury and its compounds, 55; E885, Accidental poisoning by lead and its compounds, 2, 2, 40, 75; E886, Accidental poisoning by arsenic and antimony, and their compounds, —; E887, Accidental poisoning by fluorides, 60; E893, Accidental poisoning by cyanide gas, —; E895, Accidental poisoning by unspecified gases and vapours, 60.

TABLE 17—continued.

Causes of death	E912 Accident caused by machinery		E913 Accident caused by cutting and piercing instruments		E914 Accident caused by electric current		E915 Accident caused by explosion of pressure vessel		E916 Accident caused by fire and explosion of combustible material		E917 Accident caused by hot substance, corrosive liquid, and steam		E918* Accident caused by firearm		E920* E921 Inhalation and ingestion of food causing obstruction or suffocation	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	181	4	17	6	85	17	12	—	311	440	73	64	87	5	228	163
0—	—	—	—	—	1	—	—	—	4	6	4	4	—	—	156	10
1—	—	—	—	—	1	—	—	—	4	4	17	12	—	—	11	—
2—	—	—	1	1	2	—	—	—	7	11	10	9	—	—	2	—
3—	—	1	—	—	1	—	—	—	8	15	6	5	—	—	1	—
4—	—	—	—	—	2	—	—	—	6	16	2	2	—	—	—	—
5—	1	2	2	1	4	—	—	—	15	34	—	1	4	1	5	—
10—	2	—	—	—	3	2	—	—	6	8	1	—	6	2	1	—
15—	7	—	1	—	5	3	2	—	4	6	—	—	17	—	2	—
20—	17	—	1	—	15	2	—	—	15	6	—	—	10	—	4	—
25—	20	—	—	—	9	—	2	—	14	2	—	1	10	—	5	—
30—	20	—	2	1	9	2	3	—	13	1	1	—	3	—	4	—
35—	16	1	1	1	10	1	—	—	19	3	2	—	3	—	3	—
40—	13	—	—	—	7	—	1	—	25	8	1	2	6	—	2	—
45—	25	—	—	—	8	2	2	—	14	5	3	1	8	—	11	—
50—	25	—	1	1	6	—	—	—	22	5	2	2	7	1	3	—
55—	13	—	2	1	1	1	—	—	15	16	4	—	5	1	4	—
60—	11	—	3	—	1	2	2	—	25	22	1	1	4	—	—	—
65—	9	—	2	—	—	2	—	—	13	30	2	4	2	—	4	—
70—	2	—	1	—	—	—	—	—	16	47	2	7	2	—	3	—
75—	—	—	—	—	—	—	—	—	24	74	5	4	—	—	5	—
80—	—	—	—	—	—	—	—	—	26	70	8	4	—	—	2	—
85 and over	—	—	—	—	—	—	—	—	16	51	2	5	—	—	—	—

Causes of death	E922 Inhalation and ingestion of other object causing obstruction or suffocation		E923 Foreign body entering other orifice		E924 Accidental mechanical suffocation in bed and cradle		E925 Accidental mechanical suffocation in other and unspecified circumstances		E926 Lack of care of infants under 1 year of age		E927* E928 Other accidents caused by animals		E929 Accidental drowning and submersion		E930* E931 Excessive heat and insolation	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	14	14	14	13	165	130	56	6	63	41	24	4	754	214	1	—
0—	8	9	1	—	161	122	7	4	63	41	—	—	1	2	—	—
1—	1	1	—	2	2	3	1	1	—	—	—	—	19	8	—	—
2—	1	—	—	—	—	—	1	—	—	—	1	—	29	19	—	—
3—	2	1	—	—	—	—	—	—	—	—	—	1	27	15	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	29	8	—	—
5—	1	—	—	—	—	—	3	—	—	—	—	—	122	9	—	—
10—	—	—	1	—	—	1	2	—	—	—	—	—	38	7	—	—
15—	—	—	—	1	—	—	2	—	—	—	1	—	52	3	—	—
20—	—	—	1	1	—	—	3	—	—	—	—	—	42	4	—	—
25—	—	—	—	—	—	1	6	—	—	—	—	—	33	3	—	—
30—	—	1	—	1	—	—	6	—	—	—	2	—	21	9	—	—
35—	—	—	1	2	—	—	7	—	—	—	4	—	18	6	—	—
40—	—	1	1	—	1	1	1	1	—	—	2	—	25	8	—	—
45—	1	—	1	1	—	—	6	—	—	—	—	1	35	17	—	—
50—	—	—	—	—	—	—	5	—	—	—	1	—	39	16	—	—
55—	—	—	—	1	—	1	3	—	—	—	3	—	24	13	—	—
60—	—	—	3	—	—	1	2	—	—	—	4	—	52	15	—	—
65—	—	1	4	1	1	—	—	—	—	—	2	—	46	22	—	—
70—	—	—	—	—	—	—	—	—	—	—	—	—	46	10	—	—
75—	—	—	1	1	—	—	1	—	—	—	2	1	34	11	—	—
80—	—	—	—	2	—	—	—	—	—	—	2	1	16	7	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	6	2	1	—

*E918, Accident caused by radiation, —; E920, Foreign body entering eye and adnexa, 15; E927, Accidents caused by bites and stings of venomous animals and insects, 30, 50, 60, 65; E930, High and low air pressure, 20, 35.

TABLE 17—continued.

Causes of death	E932		E933		E934*		E936		E940-E946*		E950-E959		E950		E951, E952*	
	Excessive cold		Hunger, thirst, and exposure		E935 Lightning		Other and unspecified accidents		E940-E946 Complications due to non-therapeutic medical and surgical procedures		Therapeutic misadventure and late complications of therapeutic procedures		Therapeutic misadventure in surgical treatment		E953 Therapeutic misadventure in administration of drugs or biologicals	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	6	4	22	12	3	2	153	43	3	5	2	1	1	1		
0—	—	—	—	—	—	—	15	3	1	2	—	—	—	—	—	—
1—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	22	1	—	—	—	—	—	—	—	—
15—	—	—	—	—	1	—	12	2	—	—	—	—	—	—	—	—
20—	1	—	1	—	1	—	13	—	1	—	—	—	—	—	—	—
25—	—	—	—	—	—	1	8	1	—	1	—	—	—	—	—	—
30—	1	—	—	—	—	—	4	1	—	—	1	—	—	—	—	—
35—	—	—	1	—	—	—	8	2	—	—	—	—	—	—	—	—
40—	1	—	3	2	—	1	12	—	—	1	2	—	1	—	—	—
45—	—	1	2	—	—	—	11	1	—	—	—	—	—	—	—	—
50—	—	—	2	—	—	—	8	2	—	—	—	—	—	—	—	—
55—	—	—	2	—	—	—	7	3	—	—	—	1	—	—	—	—
60—	—	1	1	2	—	—	3	2	—	—	—	—	—	—	—	—
65—	1	—	1	1	1	—	3	4	—	—	—	—	—	—	—	—
70—	1	1	1	3	—	—	8	4	—	—	—	—	—	—	—	—
75—	1	1	5	—	—	—	—	3	—	—	—	—	—	—	—	—
80—	—	—	2	3	—	—	3	4	—	—	—	—	—	—	—	—
85 and over	—	—	1	1	—	—	2	2	—	—	—	—	—	—	—	—

Causes of death	E954-E959*		E960		E961*		E963, E964*		E970-E979		E970 Suicide and self-inflicted poisoning by analgesic and soporific substances		E971 Suicide and self-inflicted poisoning by other solid and liquid substances		E972 Suicide and self-inflicted poisoning by gases in domestic use	
	E960-E965 Late effects of injury and poisoning		Late effect of motor vehicle accident		E962 Late effect of other accidental injury		E965 Late effects of injuries due to war operations		Suicide and self-inflicted injury		M		F		M	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	204	26	8	1	62	25	131	—	2831	1638	152	221	111	64	1080	876
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	8	—	—	—	—	—	—	5	—
15—	1	—	1	—	—	—	—	32	13	1	2	2	2	10	5	—
20—	2	—	1	—	1	—	—	75	30	5	8	2	3	26	8	—
25—	9	1	—	—	3	1	6	114	59	10	7	5	2	36	34	—
30—	8	—	—	—	3	—	5	131	64	8	10	5	1	60	33	—
35—	7	—	—	—	2	—	5	177	109	6	14	5	3	66	64	—
40—	12	2	1	—	6	2	4	216	115	16	21	11	3	88	54	—
45—	6	—	—	—	4	—	2	282	198	17	21	11	7	115	118	—
50—	32	1	2	—	7	1	23	330	224	26	37	14	14	138	107	—
55—	41	1	1	—	3	1	35	297	215	20	32	14	7	110	120	—
60—	24	2	—	—	6	2	18	318	193	13	29	14	8	104	103	—
65—	25	2	—	—	2	2	23	327	168	13	19	12	7	122	83	—
70—	19	2	1	1	10	1	8	236	147	11	13	9	6	87	81	—
75—	9	6	—	—	8	6	1	200	65	3	7	6	—	79	41	—
80—	5	5	—	—	4	5	1	71	28	2	1	1	1	28	17	—
85 and over	3	4	1	—	2	4	—	17	10	1	—	—	—	6	8	—

* E934, Cataclysm. —; E940, Generalized vaccinia following vaccination, 0; E941, Postvaccinal encephalitis, 0, 5, 20 0.; E942, Other complications of smallpox vaccination. —; E943, Post-immunisation jaundice and hepatitis. —; E944, Other complications of prophylactic inoculation. —; E945, Complications of anaesthesia for nontherapeutic purpose. —; E946, Other complications due to nontherapeutic medical and surgical procedures, 25, 30, 40; E951, Therapeutic misadventure in infusion or transfusion. —; E952, Therapeutic misadventure in local applications, 55; E954, Therapeutic misadventure in anaesthesia, 40; E955, Other and unspecified therapeutic misadventure. —; E956, Late complication of surgical operation. —; E957, Late complication of amputation stump. —; E958, Late complication of irradiation. —; E959, Late complications of other forms of treatment. —; E961, Late effect of accidental poisoning, 40, 55, 55; E963, Late effect of self-inflicted injury. —; E964, Late effect of injury purposely inflicted by another person (not in war). —.

TABLE 17—continued.

Causes of death	E973		E974		E975		E976		E977		E978		E979		E980-E985	
	Suicide and self-inflicted poisoning by other gases		Suicide and self-inflicted injury by hanging and strangulation		Suicide and self-inflicted injury by submersion (drowning)		Suicide and self-inflicted injury by firearms and explosives		Suicide and self-inflicted injury by cutting and piercing instruments		Suicide and self-inflicted injury by jumping from high place		Suicide and self-inflicted injury by other and unspecified means		Homicide and injury purposely inflicted by other persons (not in war)	
Age at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	33	8	536	133	326	218	189	13	162	25	90	41	152	39	99	83
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18	2
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	5
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	6
10—	—	—	1	—	—	—	5	—	—	—	—	—	1	—	—	1
15—	1	—	11	—	1	—	5	—	—	—	—	—	1	4	8	6
20—	—	1	19	—	3	5	8	—	1	—	4	2	7	1	7	8
25—	1	1	22	2	8	6	13	2	4	1	5	2	10	2	10	6
30—	—	1	25	3	6	8	11	1	3	2	3	1	10	4	11	6
35—	5	—	38	7	16	10	10	2	8	1	8	1	15	7	5	6
40—	7	1	36	15	12	13	16	2	9	2	6	1	15	3	6	2
45—	5	—	54	14	27	25	22	—	8	2	3	6	20	5	5	5
50—	4	—	51	15	32	33	23	2	16	6	10	6	16	4	5	6
55—	1	2	52	18	41	23	16	1	18	5	7	5	18	2	5	2
60—	2	—	67	20	51	23	20	1	26	1	6	7	15	1	1	4
65—	3	1	62	13	50	32	15	—	22	3	16	6	12	4	3	1
70—	1	1	52	18	31	24	10	—	22	1	7	2	6	1	2	4
75—	3	—	32	5	32	9	16	—	15	1	10	2	4	—	1	3
80—	—	—	13	2	12	6	1	—	7	—	5	—	2	1	—	1
85 and over	—	—	1	1	4	1	2	—	3	—	—	—	—	—	—	1

Causes of death	E980		E981		E982		E983		E984*		E990-E999*	
	Non-accidental poisoning by another person		Assault by firearm and explosive		Assault by cutting and piercing instruments		Assault by other means		E985 Execution		E990-E999 Injury resulting from operations of war	
Age at death	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	5	10	3	13	3	8	73	52	14	—	—	—
0—	1	—	—	—	—	—	17	5	—	—	—	—
1—	1	—	—	1	—	—	—	1	—	—	—	—
2—	—	—	—	—	—	—	1	1	—	—	—	—
3—	—	—	—	—	—	—	1	2	—	—	—	—
4—	1	3	—	—	—	—	2	2	—	—	—	—
5—	2	3	—	—	—	1	4	2	—	—	—	—
10—	—	—	—	—	—	—	—	1	—	—	—	—
15—	—	1	1	1	—	—	5	4	1	—	—	—
20—	—	—	—	2	—	2	6	4	1	—	—	—
25—	—	—	—	3	—	—	6	3	4	—	—	—
30—	—	—	1	2	—	1	6	3	4	—	—	—
35—	—	—	—	1	—	—	5	5	—	—	—	—
40—	—	—	—	1	1	—	4	1	1	—	—	—
45—	—	2	—	1	—	—	3	2	2	—	—	—
50—	—	—	1	—	—	1	4	5	—	—	—	—
55—	—	—	—	1	—	—	4	1	1	—	—	—
60—	—	—	—	—	1	1	—	3	—	—	—	—
65—	—	—	—	—	—	—	3	1	—	—	—	—
70—	—	1	—	—	1	—	1	3	—	—	—	—
75—	—	—	—	—	—	—	1	3	—	—	—	—
80—	—	—	—	—	—	1	—	—	—	—	—	—
85 and over	—	—	—	—	—	1	—	—	—	—	—	—

*E984, Injury by intervention of police, 15; E990, Injury due to war operations by gas and chemicals, —; E991, Injury due to war operations by gunshot, —; E992, Injury due to war operations by grenade and land mine, —; E993, Injury due to war operations by bomb, —; E994, Injury due to war operations by marine mine, depth charge, and torpedo, —; E995, Injury due to war operations by explosion of artillery shell, —; E996, Injury due to war operations by explosion of undetermined origin, —; E997, Injury due to war operations by aircraft destruction, —; E998, Injury due to war operations by other and unspecified means, —; E999, Injury due to war operations but occurring after cessation of hostilities, —.

TABLE 18A—Accidental Poisoning by Solid or Liquid and other Non-Transport Accidents by Place of Occurrence, Age, and Sex, 1951. { England and Wales
(E870-E936)

Note: The deaths in this table have been classified to the several forms of violence in accordance with the information furnished by H.M. Coroners. "Open Verdicts" are included with accidental deaths.

Deaths from poisoning will be analysed periodically in the Text volumes of the Statistical Review to distinguish individual poisons stated to be responsible. These details can be obtained on request from the General Register Office.

See Explanatory notes on page v.

Age Groups	Total		At Work		Home		Industrial place and premises		Public building		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 870. Accidental poisoning by morphine and other opium derivatives.																
All Ages	4	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—
0—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 871. Accidental poisoning by barbituric acid and derivatives.																
All Ages	40	77	—	—	17	42	—	—	—	2	—	—	2	3	21	30
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
15—	12	22	—	—	6	11	—	—	2	—	—	—	1	—	5	9
45—	20	35	—	—	7	24	—	—	—	—	—	—	1	2	12	9
65 & over	8	19	—	—	4	6	—	—	—	—	—	—	—	1	4	12
E 872. Accidental poisoning by aspirin and salicylates.																
All Ages	18	19	—	—	13	12	—	—	—	—	—	—	—	1	5	6
0—	6	2	—	—	6	2	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	2	6	—	—	1	3	—	—	—	—	—	—	—	—	1	2
45—	5	7	—	—	3	4	—	—	—	—	—	—	—	—	2	3
65 & over	5	4	—	—	3	3	—	—	—	—	—	—	—	—	2	1
E 873*.																
E 874. Accidental poisoning by other analgesic and soporific drugs.																
All Ages	6	9	—	—	3	5	—	—	—	—	1	—	—	—	2	4
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	1	5	—	—	—	3	—	—	—	—	—	—	—	—	—	2
45—	3	2	—	—	2	1	—	—	—	—	1	—	—	—	1	1
65 & over	2	2	—	—	1	1	—	—	—	—	—	—	—	—	1	1
E 875.*																
E 876. Accidental poisoning by strychnine.																
All Ages	2	7	—	—	2	6	—	—	—	—	—	—	—	—	—	1
0—	1	7	—	—	1	6	—	—	—	—	—	—	—	—	—	1
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 877.*																
E 878. Accidental poisoning by other and unspecified drugs.																
All Ages	9	3	—	—	9	3	—	—	—	—	—	—	—	—	—	—
0—	8	3	—	—	8	3	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 879.*																
E 880. Accidental poisoning by alcohol.																
All Ages	4	2	1	—	—	—	—	—	1	—	—	—	2	—	1	2
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1
45—	3	—	1	—	—	—	—	—	1	—	—	—	1	—	1	—
65 & over	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1

*E 873. Acc. poisoning by bromides:- 1M, 45-64 yrs., "Industrial place and premises"; 1F, 45-64 yrs., "Home";
E 875. Acc. poisoning by sulphonamides:- 1F, 0-4 yrs., "Home"; E 877. Acc poisoning by belladonna, hyoscine
and atropine:- 1M, 65 yrs and over, "Home"; E 879. Acc. poisoning by noxious foodstuffs:- 1F, 45-64 yrs., "Home."

TABLE 18A—continued.

Age Groups	Total		At Work		Home		Industrial place and premises		Public building		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 881.*																
E 882. Accidental poisoning by industrial solvents.																
All Ages	4	1	2	—	1	—	2	—	1	—	—	—	—	—	—	1
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	3	—	2	—	—	—	2	—	1	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1
E 883. Accidental poisoning by corrosive aromatics, acids, and caustic alkalis.																
All Ages	8	9	2	—	2	8	1	—	1	—	—	—	1	—	3	1
0—	1	2	—	—	1	2	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	2	1	1	—	—	1	—	—	1	—	—	—	1	—	—	—
45—	4	—	1	—	—	—	1	—	—	—	—	—	—	—	3	—
65 & over	1	6	—	—	1	5	—	—	—	—	—	—	—	—	—	1
E 884, E 885, E 886, E 887.*																
E 888. Accidental poisoning by other and unspecified solid and liquid substances.																
All Ages	18	13	—	—	11	7	—	—	1	—	1	—	—	—	5	6
0—	6	4	—	—	5	3	—	—	—	—	—	—	—	—	1	1
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	4	2	—	—	—	—	—	—	—	—	1	—	—	—	2	2
45—	4	2	—	—	2	1	—	—	1	—	—	—	—	—	2	1
65 & over	4	5	—	—	4	3	—	—	—	—	—	—	—	—	—	2
E 890. Accidental poisoning by utility (illuminating) gas.																
All Ages	215	300	14	1	178	281	8	—	4	6	—	—	9	1	16	12
0—	8	5	—	—	8	5	—	—	—	—	—	—	—	—	—	1
5—	4	5	—	—	4	4	—	—	—	—	—	—	—	—	—	5
15—	31	32	3	—	20	26	—	—	1	1	—	—	6	—	4	3
45—	76	52	8	1	57	47	7	—	2	1	—	—	1	1	9	3
65 & over	96	206	3	—	89	199	1	—	1	4	—	—	2	—	3	3
E 891. Accidental poisoning by motor vehicle exhaust gas.																
All Ages	11	—	3	—	5	—	2	—	2	—	—	—	2	—	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	3	—	1	—	1	—	—	—	—	—	—	—	2	—	—	—
45—	8	—	2	—	4	—	2	—	2	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 892. Accidental poisoning by other carbon monoxide gas.																
All Ages	16	3	6	—	4	2	9	—	2	—	—	—	—	—	1	1
0—	1	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	6	1	—	—	1	1	3	—	2	—	—	—	1	—	—	—
45—	7	1	4	—	2	1	4	—	—	—	—	—	—	—	1	—
65 & over	2	1	2	—	—	—	2	—	—	—	—	—	—	—	—	1

*E 881. Acc. poisoning by petroleum products:- Nil; E 884. Acc. poisoning by mercury and its compounds:- 1M, 45-64 yrs., "Home"; E 885. Acc. poisoning by lead and its compounds:- 1M, 0-4 yrs., "Home", 1M, 0-4 yrs., "Place not specified"; 1M, 15-44 yrs., "Place not specified"; 1M, 65 yrs. and over, "Place not specified"; E 886. Acc. poisoning by arsenic and antimony, and their compounds:- Nil; E 887. Acc. poisoning by fluorides:- 1M, 45-64 yrs., "Home."

TABLE 18A—continued.

Age Groups	Total		At Work		Home		Industrial place and premises		Public building		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 893.*																
E 894. Accidental poisoning by other specified gases and vapours.																
All Ages	9	1	6	—	2	1	4	—	—	—	—	—	2	—	1	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	7	—	4	—	2	—	3	—	—	—	—	—	2	—	—	—
45—	2	—	2	—	—	—	1	—	—	—	—	—	—	—	1	—
65 & over	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
E 895.*																
	Total		At Work		Home		Industrial place and premises		Street and highway		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 900. Fall on stairs.																
All Ages	320	502	14	5	255	457	7	2	4	2	9	9	43	29	2	3
0—	2	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	20	3	1	—	12	3	—	—	1	—	—	—	7	—	—	—
45—	75	51	8	2	50	45	5	2	1	—	1	—	18	4	—	—
65 & over	223	447	5	3	191	408	2	—	2	2	8	9	18	25	2	3
E 901. Fall from ladders.																
All Ages	95	5	67	—	37	4	34	—	6	—	—	—	18	1	—	—
0—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	29	—	26	—	8	—	16	—	2	—	—	—	3	—	—	—
45—	34	3	28	—	12	3	12	—	3	—	—	—	7	—	—	—
65 & over	31	2	13	—	17	1	5	—	1	—	—	—	8	1	—	—
E 902. Other falls from one level to another.																
All Ages	607	423	295	4	168	307	246	2	18	12	39	78	119	16	17	8
0—	21	13	—	—	16	9	—	—	—	3	—	—	4	1	1	—
5—	46	6	—	—	8	2	6	1	3	1	—	—	29	2	—	—
15—	220	16	166	4	16	3	146	1	6	—	3	3	47	7	2	2
45—	123	26	98	—	19	17	71	—	2	—	1	6	25	2	5	1
65 & over	197	362	31	—	109	276	23	—	7	8	35	69	14	4	9	5
E 903. Fall on same level.																
All Ages	516	1111	21	6	218	791	15	3	160	135	84	153	35	24	4	5
0—	5	4	—	—	4	4	—	—	1	—	—	—	—	—	—	—
5—	5	4	—	—	2	1	—	—	1	2	—	—	2	1	—	—
15—	20	6	4	1	1	3	3	—	7	1	1	1	8	1	—	—
45—	51	57	9	4	12	22	7	3	16	19	5	11	10	2	1	—
65 & over	435	1040	8	1	199	761	5	—	135	113	78	141	15	20	3	5
E 904. Unspecified falls.																
All Ages	278	616	9	1	143	370	7	—	6	—	19	41	11	7	92	198
0—	3	5	—	—	1	3	—	—	1	—	—	—	1	1	—	1
5—	2	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
15—	21	5	1	—	3	2	—	—	—	—	3	1	1	1	14	1
45—	37	18	6	—	8	13	5	—	4	—	5	3	3	—	12	2
65 & over	215	588	2	1	130	352	2	—	1	—	11	37	5	5	66	194

* E 893. Acc. poisoning by cyanide gas:- Nil; E 895. Acc. poisoning by unspecified gases and vapours:- 1M, 45-64 yrs, "Public building" ("At work").

TABLE 18A—continued.

Age Groups	Total		At Work		Home		Mine and quarry		Industrial place and premises		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 910. Blow from falling object.																
All Ages	392	17	365	3	8	8	199	—	145	3	11	3	27	3	2	—
0—	3	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—
5—	17	4	—	—	2	1	1	—	5	—	3	1	6	2	—	—
15—	197	4	194	1	1	—	110	—	72	1	4	2	9	1	1	—
45—	157	3	154	1	3	2	82	—	59	1	3	—	9	—	1	—
65 & over	18	6	17	1	1	5	6	—	9	1	—	—	2	—	—	—

	Total		At Work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 911. Accident caused by vehicle.																
All Ages	101	—	97	—	—	—	—	—	83	—	17	—	1	—	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
15—	42	—	41	—	—	—	—	—	36	—	6	—	—	—	—	—
45—	47	—	47	—	—	—	—	—	37	—	9	—	1	—	—	—
65 & over	11	—	9	—	—	—	—	—	10	—	1	—	—	—	—	—

E 912. Accident caused by machinery.																
All Ages	181	4	173	1	3	—	18	3	46	—	109	—	4	1	1	1
0—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
5—	3	2	—	—	1	—	—	1	1	—	1	—	—	1	—	—
15—	93	1	91	1	1	—	10	1	25	—	—	—	—	—	—	—
45—	74	—	72	—	1	—	4	—	19	—	54	—	2	—	1	—
65 & over	11	—	10	—	—	—	4	—	1	—	48	—	2	—	—	—

E 913. Accident caused by cutting and piercing instruments.																
All Ages	17	6	6	—	4	5	4	—	—	—	2	—	3	—	4	1
0—	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
5—	2	1	—	—	—	1	—	—	—	—	—	—	2	—	—	—
15—	5	2	4	—	—	2	3	—	—	—	1	—	—	—	1	—
45—	6	2	—	—	3	1	—	—	—	—	—	—	1	—	2	—
65 & over	3	—	2	—	—	—	1	—	—	—	1	—	—	—	1	—

E 914. Accident caused by electric current.																
All Ages	85	17	52	2	23	14	5	—	2	—	34	—	21	3	—	—
0—	7	—	—	—	4	—	—	—	—	—	—	—	3	—	—	—
5—	7	2	—	—	—	2	—	—	—	—	1	—	6	—	—	—
15—	55	8	39	1	15	6	5	—	1	—	24	—	10	2	—	—
45—	16	5	13	1	4	4	—	—	1	—	9	—	2	1	—	—
65 & over	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—

E 915. Accident caused by explosion of pressure vessel.																
All Ages	12	—	11	—	—	—	1	—	—	—	10	—	1	—	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	8	—	8	—	—	—	1	—	—	—	7	—	—	—	—	—
45—	4	—	3	—	—	—	—	—	—	—	3	—	1	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 18A—continued.

Age Groups	Total		At Work		Home		Mine and quarry		Industrial place and premises		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F

E 916. Accident caused by fire and explosion of combustible material.

All Ages	311	440	141	6	157	420	95	—	41	4	3	4	14	7	1	5
0—	29	52	—	—	28	50	—	—	—	—	—	—	1	2	—	—
5—	21	42	—	—	19	38	—	—	—	—	—	—	2	3	—	—
15—	90	26	74	3	11	21	51	—	21	2	—	2	7	—	—	1
45—	76	48	62	1	12	46	42	—	19	—	—	—	2	1	1	1
65 & over	95	272	5	2	87	265	2	—	1	2	3	2	2	1	—	2

E 917. Accident caused by hot substance, corrosive liquid, and steam.

All Ages	73	64	13	—	49	56	1	—	13	—	2	3	3	1	5	4
0—	39	32	—	—	37	32	—	—	—	—	1	—	—	—	1	—
5—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—
15—	4	3	4	—	—	1	—	—	4	—	—	1	—	—	—	1
45—	10	4	9	—	—	2	1	—	8	—	—	—	1	—	—	2
65 & over	19	24	—	—	12	21	—	—	1	—	—	1	2	1	4	1

E 918.*

	Total		At Work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F

E 919. Accident caused by firearm.

All Ages	87	5	25	1	15	4	20	—	4	—	5	1	36	—	7	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	10	3	1	—	3	3	1	—	—	—	—	—	6	—	—	—
15—	49	—	16	—	5	—	11	—	2	—	—	—	—	—	—	—
45—	24	2	7	1	5	1	8	—	2	—	4	—	20	—	7	—
65 & over	4	—	1	—	2	—	—	—	—	—	1	—	9	—	—	—

E 920.*

	Total		At Work		Home		Industrial place and premises		Public building		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F

E 921. Inhalation and ingestion of food causing obstruction or suffocation.

All Ages	228	163	2	—	178	124	1	—	2	—	21	24	13	1	13	14
0—	170	119	—	—	146	102	—	—	—	—	13	7	3	1	8	9
5—	6	—	—	—	5	—	—	—	—	—	—	—	1	—	—	—
15—	20	15	1	—	9	5	—	—	—	—	2	6	7	—	2	4
45—	18	14	1	—	7	8	1	—	2	—	5	6	1	—	2	—
65 & over	14	15	—	—	11	9	—	—	—	—	1	5	1	—	1	1

E 922. Inhalation and ingestion of other object causing obstruction or suffocation.

All Ages	14	14	1	—	11	10	1	—	1	—	2	—	1	—	—	2
0—	12	11	—	—	11	9	—	—	—	—	1	—	1	—	—	1
5—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
15—	—	2	—	—	—	1	—	—	—	—	1	—	—	—	—	—
45—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
65 & over	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1

* E 918. Acc. caused by radiation:- Nil; E 920. Foreign body entering eye and adnexa:- 1M, 15-44 yrs., "Industrial place."

TABLE 18A—continued.

Age Groups	Total		At Work		Home		Industrial place and premises		Public building		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 923. Foreign body entering other orifice.																
All Ages	14	13	—	—	—	5	—	—	—	—	2	3	1	—	11	5
0—	1	2	—	—	—	2	—	—	—	—	1	—	—	—	—	—
5—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
15—	3	5	—	—	—	2	—	—	—	—	3	—	—	—	3	—
45—	4	2	—	—	—	—	—	—	—	—	1	—	—	—	3	2
65 & over	5	4	—	—	—	1	—	—	—	—	—	—	—	—	5	3
E 924. Accidental mechanical suffocation in bed and cradle.																
All Ages	165	130	—	—	162	127	—	—	—	1	1	1	1	—	1	1
0—	163	125	—	—	160	124	—	—	—	—	1	—	—	—	1	—
5—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
15—	1	2	—	—	1	1	—	—	—	—	1	—	—	—	—	—
45—	—	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—
65 & over	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
E 925. Accidental mechanical suffocation in other and unspecified circumstances.																
All Ages	56	6	37	—	10	4	7	—	—	—	—	—	37	—	2	2
0—	9	5	—	—	7	3	—	—	—	—	—	—	1	—	1	2
5—	5	—	—	—	—	—	—	—	—	—	—	—	4	—	1	—
15—	25	1	22	—	2	1	6	—	—	—	—	—	17	—	—	—
45—	16	—	15	—	—	—	1	—	—	—	—	—	15	—	—	—
65 & over	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
E 926. Lack of care of infants under 1 year of age.																
All Ages	63	41	—	—	32	23	1	1	4	2	—	3	19	10	7	2
0—	63	41	—	—	32	23	1	1	4	2	—	3	19	10	7	2
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 927.*																
E 928. Other accidents caused by animals.																
All Ages	24	4	20	—	—	—	15	1	1	—	3	2	5	1	—	—
0—	1	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	9	—	8	—	—	—	6	—	1	—	—	—	2	—	—	—
45—	8	1	8	—	—	—	6	1	—	—	1	—	1	—	—	—
65 & over	6	2	4	—	—	—	3	—	—	—	2	2	1	—	—	—
E 929. Accidental drowning and submersion.																
All Ages	754	214	21	1	26	28	6	2	22	1	10	1	683	181	7	1
0—	105	52	—	—	18	13	2	—	—	—	2	—	83	39	—	—
5—	160	16	—	—	1	—	2	1	14	1	2	—	141	14	—	—
15—	191	33	10	1	2	4	1	—	5	—	2	—	178	29	3	—
45—	150	61	7	—	1	4	1	1	2	—	2	—	144	55	—	1
65 & over	148	52	4	—	4	7	—	—	1	—	2	1	137	44	4	—

*E 927. Acc. caused by bites and stings of venomous animals and insects:- 1M, 15-44 yrs., "Place not specified"; 2F, 45-64 yrs., "Home"; 1F, 65 yrs and over, "Home."

TABLE 18A—continued.

Age Groups	Total		At Work		Home		Farm		Industrial place and premises		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 930.*																
E 931. Excessive heat and insolation.																
All Ages	1	4	—	—	1	1	—	—	—	—	—	—	2	—	1	—
0—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	1	3	—	—	1	1	—	—	—	—	—	—	1	—	1	—

E 932. Excessive cold.																
All Ages	6	4	—	—	—	1	—	—	—	—	—	—	4	2	2	1
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	3	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—
45—	—	2	—	—	—	—	—	—	—	—	—	—	1	—	—	1
65 & over	3	2	—	—	—	1	—	—	—	—	—	—	1	1	2	—

E 933. Hunger, thirst, and exposure.																
All Ages	22	12	—	—	3	4	—	—	—	—	—	—	11	4	8	4
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	5	2	—	—	—	—	—	—	—	—	—	—	4	1	3	1
45—	7	2	—	—	1	—	—	—	—	—	—	—	3	—	1	1
65 & over	10	8	—	—	2	4	—	—	—	—	—	—	4	2	4	2

	Total		At Work		Home		Industrial place and premises		Place for recreation and sport		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F

E 934.*																
E 935. Lightning.																
All Ages	3	2	1	—	1	1	—	—	—	—	—	—	2	1	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	2	2	—	—	1	1	—	—	—	—	—	—	1	1	—	—
45—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

E 936. Other and unspecified accidents.																
All Ages	153	43	23	—	51	17	13	—	11	1	8	8	34	6	36	11
0—	26	9	—	—	16	6	—	—	—	1	1	—	6	1	3	1
5—	25	3	—	—	12	—	—	—	4	—	—	—	7	3	2	—
15—	57	6	11	—	15	1	8	—	7	—	3	2	12	—	12	3
45—	29	8	9	—	4	5	4	—	—	—	3	—	5	—	13	3
65 & over	16	17	3	—	4	5	1	—	—	—	1	6	4	2	6	4

* E 930. High and low air pressure:— 2M, 15-44 yrs., "Industrial place" ("At work"). E 934. Cataclysm:— Nil.

E 870—E 936. Non-transport accidents.—Total.

	Total		At Work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	4955	4310	1432	31	1810	3154	101	8	505	1	748	16	46	9	233	165	132	59	192	327	907	239	281	332

TABLE 18 B.—Deaths from Violent Causes according to Nature of Injury, Sex and Age, 1951.

England and Wales

(N 800 — N 999)

Notes :—(a) Headings to which no deaths were assigned during the year have been omitted from the table.

(b) See note at head of Table 18A.

International Classification Number	Nature of Injury	All Ages	0	1	5	15	25	35	45	55	65	75	85 and over
[N800-N999]	TOTAL	{ M 12447 F 7309 }	453	478	696	1345	1493	1409	1700	1655	1560	1330	372
N800-N809	Fracture of skull, spine, and trunk	{ M 172 F 40 }	1	9	14	32	32	19	14	21	20	9	1
N 800	Fracture of vault of skull	{ M 892 F 255 }	—	37	87	169	156	111	108	88	78	48	10
N 801	Fracture of base of skull	{ M 35 F 13 }	1	22	27	31	8	26	28	19	51	34	8
N 802	Fracture of face bones	{ M 1732 F 471 }	—	1	8	7	6	6	3	3	6	4	1
N 803	Other and unqualified skull fractures	{ M 471 F 646 }	11	93	157	290	299	231	223	182	149	83	14
N 804	Multiple fractures involving skull or face with other bones	{ M 186 F 267 }	—	15	30	117	120	82	88	62	73	49	10
N 805	Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion	{ M 72 F 68 }	—	3	12	38	31	40	34	44	36	23	6
N 806	Fracture and fracture dislocation of vertebral column with spinal cord lesion	{ M 16 F 113 }	—	—	1	6	14	11	12	8	8	8	—
N 807	Fracture of rib(s) and sternum	{ M 47 F 71 }	—	1	2	2	1	11	6	21	21	39	9
N 808	Fracture of pelvis	{ M 50 F 155 }	—	2	3	2	7	3	12	9	10	18	5
N 809	Multiple, and ill-defined fractures of trunk	{ M 66 F 113 }	—	3	4	—	2	2	4	13	16	19	3
N810-N819	Fracture of upper limb	{ M 5 F 7 }	—	—	—	1	—	—	—	—	—	4	—
N 810	Fracture of clavicle	{ M 44 F 62 }	—	—	—	1	—	1	1	3	9	17	12
N 812	Fracture of humerus	{ M 11 F 16 }	—	—	1	1	—	—	1	1	1	5	2
N 813	Fracture of radius and ulna	{ M 3 F 12 }	—	—	—	—	—	—	—	1	1	2	4
N 814	Fracture of carpal bone(s)	{ M 1 F 9 }	—	—	—	—	—	—	1	—	—	—	—
N 815	Fracture of metacarpal bone(s)	{ M 5 F 26 }	—	—	1	—	1	—	1	—	—	—	2
N 818	Other, multiple, and ill-defined fractures of upper limb	{ M 15 F 26 }	—	—	1	—	3	4	3	7	5	1	2
N 819	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum	{ M 15 F 26 }	—	—	1	—	3	4	3	7	5	1	2
N820-N829	Fracture of lower limb	{ M 288 F 923 }	—	—	—	—	—	2	1	9	46	173	57
N 820	Fracture of neck of femur	{ M 355 F 936 }	—	3	2	9	6	3	10	21	122	408	270
N 821	Fracture of other and unspecified parts of femur	{ M 6 F 3 }	—	1	2	—	1	1	6	16	134	435	341
N 822	Fracture of patella	{ M 55 F 59 }	—	—	—	6	1	4	6	11	12	14	7
N 823	Fracture of tibia and fibula	{ M 10 F 14 }	—	—	—	—	1	—	5	7	17	22	7
N 824	Fracture of ankle	{ M 2 F 2 }	—	—	—	—	—	—	2	2	6	3	1
N 825	Fracture of one or more tarsal and metatarsal bones	{ M 1 F 1 }	—	—	—	—	—	—	1	—	—	—	—
N 826	Fracture of one or more phalanges of foot	{ M 27 F 18 }	—	—	—	3	5	1	3	3	5	5	2
N 827	Other, multiple, and ill-defined fractures of lower limb	{ M 95 F 87 }	—	2	7	11	4	12	10	18	25	43	9
N 828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	{ M 27 F 5 }	—	—	1	7	5	2	5	2	4	1	—
N 829	Fracture of unspecified bones	{ M 1 F 2 }	—	—	—	1	—	—	—	2	2	—	—
N830-N839	Dislocation without fracture	{ M 2 F 9 }	—	1	—	—	—	—	—	—	—	—	—
N 830	Dislocation of jaw	{ M 2 F 9 }	—	—	—	—	—	—	—	—	—	—	—
N 831	Dislocation of shoulder	{ M 1 F 1 }	—	—	—	—	—	—	1	—	2	2	4
N 833	Dislocation of wrist	{ M 1 F 1 }	—	—	—	—	—	—	—	—	1	—	—
N 835	Dislocation of hip	{ M 1 F 1 }	—	—	—	—	—	—	—	—	—	—	1
N 836	Dislocation of knee	{ M 1 F 1 }	—	—	—	—	—	—	—	—	—	1	—
N 837	Dislocation of ankle	{ M 1 F 1 }	—	—	—	—	—	—	—	—	—	1	—
N 839	Other, multiple, and ill-defined dislocations	{ M 42 F 14 }	—	1	1	4	6	4	12	2	8	4	3

TABLE 18B—continued.

International Classification Number	Nature of Injury	All Ages	0	1	5	15	25	35	45	55	65	75	85 and over
N840-N849	Sprains and strains of joints and adjacent muscles												
N 840	Sprains and strains of shoulder and upper arm..	M F	—	—	—	—	—	—	—	—	—	—	—
N 843	Sprains and strains of hip and thigh	M F	—	—	—	—	—	—	—	—	—	—	—
N 844	Sprains and strains of knee and leg	M F	—	—	—	—	—	—	—	—	—	—	—
N 845	Sprains and strains of ankle and foot	M F	—	—	—	—	—	—	—	—	—	—	—
N850-N856	Head injury (excluding skull fracture)												
N 850	Open wound of scalp ..	M F	126 53	— —	— 1	11 3	9 2	14 2	27 2	21 5	18 6	22 22	4 9
N 851	Contusion and hæmatoma of scalp	M F	10 23	— —	— —	1 —	1 —	— —	1 —	1 1	3 4	2 11	1 7
N 852	Concussion ..	M F	69 41	— —	1 1	4 5	4 1	8 —	5 —	4 1	13 14	24 21	5 7
N 853	Cerebral laceration and contusion	M F	345 118	3 —	11 7	25 7	58 12	51 10	36 5	40 6	47 13	37 20	7 26
N 854	Subarachnoid, subdural, and extradural hæmorrhage following injury (without mention of cerebral laceration or contusion)	M F	83 67	4 1	— 1	6 —	8 —	1 1	7 —	15 8	14 19	11 22	9 7
N 855	Other and unspecified intracranial hæmorrhage following injury (without mention of cerebral laceration or contusion)	M F	104 47	1 —	1 5	8 —	23 1	11 —	8 1	9 3	15 8	15 10	2 3
N 856	Head injury of other and unspecified nature ..	M F	236 56	1 1	16 10	17 5	32 5	45 3	43 5	22 2	29 6	17 8	11 8
N860-N869	Internal injury of chest, abdomen, and pelvis												
N 860	Traumatic pneumothorax and hæmothorax ..	M F	31 15	— —	2 1	— —	3 —	4 1	7 1	5 3	4 3	6 4	— 2
N 861	Injury to heart and lung ..	M F	163 41	— —	1 4	6 1	20 4	30 3	24 5	33 7	21 7	20 4	8 2
N 862	Injury to other and unspecified intrathoracic organs ..	M F	167 22	— —	3 2	10 2	22 2	31 3	39 2	25 2	28 1	6 4	2 6
N 863	Injury to gastro-intestinal tract ..	M F	45 7	— —	2 1	3 —	1 —	7 1	7 1	9 —	7 —	1 2	— —
N 864	Injury to liver ..	M F	61 9	— —	8 1	10 —	10 —	11 —	10 —	4 —	2 —	1 —	— —
N 865	Injury to spleen ..	M F	30 7	— —	2 —	3 —	7 —	6 —	3 —	5 —	1 —	2 —	— —
N 866	Injury to kidney ..	M F	17 4	— —	1 —	— —	1 —	4 —	3 —	3 —	5 —	1 —	— —
N 867	Injury to pelvic organs ..	M F	35 8	1 —	2 —	2 —	4 —	9 —	7 —	3 —	4 —	3 —	— —
N 868	Injury to other and unspecified intra-abdominal organs ..	M F	87 18	— —	6 3	7 1	12 3	14 4	11 —	18 —	10 —	6 —	3 —
N 869	Internal injury unspecified or involving intrathoracic with intra-abdominal organs	M F	203 35	1 —	5 10	10 2	46 7	33 6	38 3	26 2	29 2	13 2	2 —
N870-N879	Laceration and open wound of face, neck, and trunk												
N 870	Open wound of eye and orbit ..	M F	4 —	— —	— —	2 —	— —	— —	— —	1 —	— —	1 —	— —
N 871	Enucleation of eye ..	M F	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 872	Open wound of ear ..	M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 873	Other and unspecified laceration of face ..	M F	6 18	— —	1 2	— —	— —	— —	— —	— —	— —	— —	— —
N 874	Open wound of neck ..	M F	183 31	— —	2 2	6 2	12 3	27 4	26 8	49 7	37 4	22 1	6 2
N 875	Open wound of chest ..	M F	16 4	— —	— —	2 —	2 —	2 —	4 —	4 —	— —	— —	— —
N 876	Open wound of back ..	M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 878	Open wound of genital organs, including traumatic amputation	M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 879	Multiple and unspecified open wounds of face, neck, and trunk	M F	19 4	— —	1 2	4 1	1 —	1 —	3 —	6 —	2 —	1 —	— —

TABLE 18B—continued

International Classification Number	Nature of Injury	All Ages	0	1	5	15	25	35	45	55	65	75	85 and over
N880-N888	Laceration and open wound of upper limb												
N 880	Open wound of shoulder and upper arm .. { M	3	—	—	—	—	—	—	2	1	—	—	—
N 881	Open wound of elbow and forearm, and wrist not involving tendons .. { F	12	—	—	—	1	1	—	3	3	2	1	1
N 883	Open wound of hand, except finger(s) .. { F	3	—	—	—	—	—	—	1	—	—	—	2
N 884	Open wound of finger(s) .. { M	2	—	—	—	—	—	—	1	1	—	—	—
N 885	Multiple and unspecified open wounds of one upper limb .. { F	1	—	—	1	—	—	—	—	—	—	—	—
N 887	Traumatic amputation of other finger(s) .. { M	6	—	—	—	—	1	—	2	1	2	—	—
N 887	Traumatic amputation of other finger(s) .. { F	1	—	1	—	—	—	—	—	1	—	—	—
N890-N898	Laceration and open wound of lower limb												
N 890	Open wound of hip and thigh .. { M	9	—	—	1	2	2	—	1	—	3	—	—
N 891	Open wound of knee, leg (except thigh), and ankle not involving tendons .. { F	2	—	—	2	—	—	—	—	—	—	—	—
N 891	Open wound of knee, leg (except thigh), and ankle not involving tendons .. { M	9	—	—	—	—	1	3	—	4	—	1	—
N 891	Open wound of knee, leg (except thigh), and ankle not involving tendons .. { F	1	—	—	—	—	—	—	—	—	1	—	—
N 893	Open wound of foot, except toe(s) .. { M	1	—	—	—	—	—	—	—	1	—	—	—
N 895	Multiple and unspecified open wounds of one lower limb .. { F	1	—	—	1	—	—	—	—	—	—	—	—
N 897	Traumatic amputation of foot .. { M	1	—	—	—	—	—	—	1	—	—	—	—
N 897	Traumatic amputation of foot .. { F	1	—	—	—	—	—	—	—	—	—	—	—
N 898	Traumatic amputation of leg .. { M	11	—	—	1	1	2	1	2	1	1	1	—
N 898	Traumatic amputation of leg .. { F	3	—	—	—	1	1	—	—	1	—	—	—
N900-N908	Laceration and open wounds of multiple location												
N 901	Multiple open wounds of both lower limbs .. { M	2	—	—	—	—	—	—	1	1	—	—	—
N 902	Multiple open wounds of both upper and lower limb(s) .. { F	4	—	—	1	1	—	1	—	1	—	—	—
N 904	Multiple open wounds of both head and limb .. { M	1	—	—	—	—	1	—	—	—	—	—	—
N 905	Multiple open wounds of both head and trunk .. { F	2	—	—	—	—	—	—	—	1	—	1	—
N 906	Multiple open wounds of both trunk and limb .. { M	10	—	—	2	—	—	2	1	3	1	1	—
N 907	Multiple open wounds of face with other sites .. { F	2	—	—	1	—	—	—	2	—	—	—	—
N 908	Multiple open wounds of unspecified location .. { M	53	—	—	2	3	6	9	9	5	16	2	1
N 908	Multiple open wounds of unspecified location .. { F	5	—	—	—	1	—	1	1	—	1	1	—
N910-N918	Superficial Injury												
N 910	Superficial injury of face and neck .. { M	1	—	—	1	—	—	—	—	—	—	—	—
N 911	Superficial injury of trunk .. { F	1	—	1	—	—	—	—	—	—	—	—	—
N 916	Superficial injury of hip, thigh, leg, and ankle .. { M	4	—	—	—	—	—	—	—	—	—	1	—
N 918	Superficial injury of other, multiple, and unspecified sites .. { F	5	—	—	—	—	1	—	—	1	4	1	1
N 918	Superficial injury of other, multiple, and unspecified sites .. { M	3	—	1	—	—	—	—	—	—	—	2	—
N920-N929	Contusion and crushing with intact skin surface												
N 920	Contusion of face and neck, except eye(s) .. { M	10	—	—	—	1	—	1	1	1	2	3	1
N 921	Contusion of eye and orbit .. { F	11	—	—	—	—	1	—	—	—	—	6	4
N 922	Contusion of trunk .. { M	2	—	—	—	—	—	—	—	1	—	1	—
N 922	Contusion of trunk .. { F	9	—	—	—	—	—	—	—	1	—	8	—
N 923	Contusion of shoulder and upper arm .. { M	8	—	—	—	—	—	—	—	3	—	—	5
N 924	Contusion of elbow, forearm, and wrist .. { F	1	—	—	—	—	—	—	—	—	1	—	—
N 927	Contusion of hip, thigh, leg, and ankle .. { M	2	—	—	—	—	—	—	—	—	—	1	1
N 927	Contusion of hip, thigh, leg, and ankle .. { F	14	—	—	—	—	1	—	3	2	4	2	2
N 929	Contusion of other, multiple, and unspecified sites .. { M	14	—	1	—	—	1	—	—	2	2	5	3
N 929	Contusion of other, multiple, and unspecified sites .. { F	10	—	—	—	—	—	—	1	1	3	4	1
N 929	Contusion of other, multiple, and unspecified sites .. { M	19	—	—	—	—	—	—	—	—	5	10	4

TABLE 18B—continued.

International Classification Number	Nature of Injury	All Ages	0	1	5	15	25	35	45	55	65	75	85 and over
N930-N936	Effects of foreign body entering through orifice												
N 933	Foreign body in pharynx and larynx	M 249 F 175	168 121	16 10	7 —	7 1	11 4	6 12	15 10	4 4	7 5	7 6	— 2
N 934	Foreign body in bronchus and lung	M 7 F 6	2 2	2 3	1 —	— —	— —	1 —	1 —	— —	— —	1 —	— —
N 935	Foreign body in digestive tract	M 10 F 13	— —	2 —	— —	1 2	— —	1 1	— 2	3 1	4 3	1 2	— —
N 936	Foreign body in genito-urinary tract	M 13 F 2	— —	2 —	— —	2 —	— —	1 1	2 —	1 —	3 —	2 1	— —
N940-N949	Burns												
N 941	Burn confined to face, head, and neck	M 6 F 16	— —	2 —	— —	— —	1 —	— 1	— —	1 3	1 3	2 4	— 2
N 942	Burn confined to trunk	M 20 F 32	1 —	3 —	— —	— —	1 —	— —	1 1	5 5	7 15	2 10	— —
N 943	Burn confined to upper limb(s), except wrist and hand	M 5 F 8	1 —	— —	— —	— —	— —	— —	1 —	1 5	— —	3 —	— —
N 945	Burn confined to lower limb(s)	M 21 F 26	— —	1 —	1 —	2 —	— —	1 —	— —	2 2	6 7	6 12	2 6
N 946	Burn involving face, head, and neck, with limb(s)	M 17 F 24	1 —	4 1	1 —	1 —	1 —	2 1	2 —	2 5	1 11	4 2	— —
N 947	Burn involving trunk with limb(s)	M 57 F 144	2 1	16 24	5 15	1 5	2 1	2 2	2 4	7 17	4 24	14 36	2 15
N 948	Burn involving face, head, and neck, with trunk and limb(s)	M 113 F 146	2 4	18 22	7 18	6 5	19 2	17 5	9 5	12 14	7 26	13 36	3 9
N 949	Burn involving other and unspecified parts	M 67 F 89	— 2	8 15	3 9	4 1	12 —	10 3	7 4	4 5	7 15	9 26	3 9
N950-N959	Injury to nerves and spinal cord without bone injury												
N 958	Spinal cord lesion without evidence of spinal bone injury	M 36 F 8	— —	1 —	— —	3 —	6 —	4 1	5 1	8 —	8 4	1 2	— —
N960-N979	Effects of poisons												
N 961	Poisoning by alcohol	M 4 F 2	— —	— —	— —	— —	— —	1 1	1 —	1 —	1 1	— —	— —
N 963	Poisoning by industrial solvents	M 5 F 1	— —	— —	— —	1 —	1 —	1 —	— —	1 —	— —	— —	— —
N 964	Poisoning by corrosive aromatics, acids, and caustic alkalis	M 77 F 63	— 1	1 1	— —	4 4	2 3	8 4	20 18	24 14	14 15	4 3	— —
N 965	Poisoning by mercury and its compounds	M 1 F —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
N 966	Poisoning by lead and its compounds	M 4 F —	— —	2 —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —
N 967	Poisoning by arsenic and antimony, and their compounds	M 2 F 1	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —
N 968	Poisoning by carbon monoxide	M 1421 F 1213	3 2	15 10	13 8	54 21	119 80	192 140	315 249	273 259	250 229	163 167	24 48
N 969	Poisoning by other gases and vapours	M 86 F 19	1 1	3 2	3 2	6 2	7 —	19 2	24 —	17 3	3 7	— 1	— —
N 970	Poisoning by morphine and other opium derivatives	M 12 F 2	— —	2 —	— —	1 —	— —	5 —	1 —	3 —	— —	— —	— —
N 971	Poisoning by barbituric acid and derivatives	M 140 F 225	— —	— —	1 —	6 —	18 20	18 35	41 68	30 51	20 31	6 12	1 1
N 972	Poisoning by aspirin and salicylates	M 55 F 81	1 —	5 2	— —	2 3	9 7	11 16	13 19	8 18	2 11	1 4	1 1
N 973	Poisoning by bromides	M 3 F 3	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
N 974	Poisoning by other analgesic and soporific drugs	M 12 F 16	— —	— —	— —	— —	3 —	— 5	3 2	2 5	2 1	— 1	— —
N 975	Poisoning by sulphonamides	M 1 F —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 976	Poisoning by strychnine	M 5 F 1	— —	1 7	— —	1 —	1 —	1 —	1 —	— —	— —	— —	— —
N 977	Poisoning by belladonna, hyoscine, and atropine	M 1 F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
N 978	Poisoning by venom	M 1 F 3	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —
N 979	Poisoning by other and unspecified substances	M 65 F 27	— —	14 7	1 —	3 2	9 1	7 3	9 4	9 3	8 4	5 3	— —

TABLE 18B—continued.

International Classification Number	Nature of Injury	All Ages	0	1	5	15	25	35	45	55	65	75	85 and over
N980-N989	Effects of weather, exposure, and related conditions												
N 980	Effects of reduced temperature.. {M	7	—	—	—	1	1	1	—	—	2	1	1
	F	3	—	—	—	—	—	—	1	1	—	—	—
N 981	Effects of heat and insolation .. {M	1	—	—	—	—	—	—	—	—	—	—	—
	F	4	1	—	—	—	—	—	—	—	—	—	—
N 982	Effects of high altitude {M	1	—	—	—	—	—	—	—	—	2	1	—
	F	—	—	—	—	—	—	1	—	—	—	—	—
N 983	Caisson disease {M	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—
N 984	Effects of lightning {M	3	—	—	—	2	—	—	—	1	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	—	—
N 985	Effects of hunger {M	6	1	—	—	—	—	—	2	1	—	2	—
	F	4	—	—	—	—	—	—	—	1	—	—	—
N 987	Effects of exposure, not else- {M	17	—	—	—	1	—	4	2	2	2	5	1
	F	9	—	—	—	—	—	2	—	1	3	2	1
N 988	Effects of excessive exertion .. {M	1	—	—	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
N990-N999	Other and unspecified injuries and reactions												
N 990	Drowning {M	1185	12	107	166	129	90	87	139	175	176	94	10
	F	439	6	50	16	14	26	38	91	74	88	33	3
N 991	Asphyxia and strangulation .. {M	807	193	12	24	46	60	79	116	120	111	45	1
	F	302	135	7	5	5	10	26	34	41	32	7	—
N 992	Electrocution {M	93	1	6	7	20	20	19	15	4	1	—	—
	F	17	—	—	2	5	2	1	2	3	2	—	—
N 994	Other general effects of external {M	40	40	—	—	—	—	—	—	—	—	—	—
	F	25	25	—	—	—	—	—	—	—	—	—	—
N 995	Certain early complications of {M	11	—	—	—	1	1	3	—	—	3	1	2
	F	15	—	—	—	1	—	—	—	4	2	3	5
N 996	Injury of other and unspecified {M	382	—	7	14	44	81	52	61	54	26	36	7
	F	107	—	2	4	6	12	8	10	11	19	2	8
N 997	Reactions and complications {M	3	1	—	1	1	—	—	—	—	—	—	—
	F	5	2	—	—	—	2	1	—	—	—	—	—
N 999	Adverse reaction to other thera- {M	1	—	—	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 18C.—Deaths from Violent Causes—Nature of Injury according to External Cause, 1951.—England and Wales.

(AE 138-AE 150 ; AN 138-AN 150)

(See Note at head of Table 18.4)

External Cause of Injury (Intermediate List)

Nature of Injury (Intermediate List)	Total	AE 138	AE 139	AE 140	AE 141	AE 142	AE 143	AE 144	AE 145	AE 146	AE 147	AE 148	AE 149	AE 150
		Motor vehicle accidents	Other transport accidents	Acciden- tal poison- ing	Acciden- tal falls	Accident caused by mach- inery	Accident caused by fire and ex- plosion of com- bustible material	Accident caused by hot sub- stance, corrosive liquid, & steam, & radia- tion	Accident caused by fire- arm	Acciden- tal drown- ing and sub- mersion	All other acciden- tal causes	Suicide and self- inflicted injury	Homi- cide & injury pur- posely inflicted by other persons (not in war)	Injury resulting from opera- tions of war
Total	12447 7309	3396 1114	957 132	373 447	1816 2657	181 4	311 440	73 64	87 5	754 214	1438 511	2831 1638	99 83	131
AN 138 Fracture of skull	3477 965	2073 624	356 54	—	608 226	52 4	28 4	—	8	—	242 20	75 26	32 11	3
AN 139 Fracture of spine and trunk	674 251	220 98	53 9	—	201 132	25 4	15 —	—	1	—	112 5	32 4	14 3	1
AN 140 Fracture of limbs	960	175	43	—	690	9	—	—	1	—	36	4	1	1
AN 141 Dislocation without fracture	2069 49 24	88 13 3	9 5 1	—	1938 13 15	—	2	—	—	—	29 8 2	3 3 2	2 1	—
AN 142 Sprains and strains of joints and adjacent muscles	2	—	—	—	2	—	—	—	—	—	—	—	—	—
AN 143 Head injury (excluding fracture)	973 405	419 142	100 18	—	146 201	22	2	—	25 2	—	74 14	156 9	8 19	21
AN 144 Internal injury of chest, abdomen and pelvis	839	368	98	—	63	48	—	—	26	—	184	34	7	11
AN 145 Laceration and open wounds	166 362 77	100 24 7	16 36 4	—	23 8 20	6	—	—	1 24 2	—	7 19 5	13 216 34	6 2 5	27
AN 146 Superficial injury, contusion and crushing with intact skin surface	52 63 265	7 6	2	—	31 52	2	—	—	—	—	10 5	—	—	—
AN 147 Effects of foreign body entering through orifice	196	—	1	—	1	—	—	—	—	—	262 195	—	1	—
AN 148 Burns	306	2	29	—	—	1	193	73	—	—	6	2	—	—
AN 149 Effects of poisons	485 1893 1664	4 25 —	2 9	—	—	—	410 57 25	63 1	—	—	2 3 3	4 1376 1169	— 5 10	— 55 —
AN 150 All other and unspecified effects of external causes	2595 940	95 42	209	1	53 46	16	16 3	—	2	754 214	482 224	928 374	27 28	12

TABLE 19.—Causes of Death by Sex, at Different Periods of Life, 1951.
Classified in accordance with the International Abbreviated List,
with certain sub-divisions.

Abbreviated List No.	Causes of Death	England and Wales												
		Age												
		All Ages	0-4 weeks	4 wks.-1 yr.	Years								75 & over	
1-	5-				15-	25-	45-	65-						
	ALL CAUSES	M 281724 F 267656	7545 5243	4228 3207	2257 1876	1884 1215	3112 2212	14771 12036	74166 49925	80670 69671	93091 122277			
B1	Tuberculosis of respiratory system	M 7903 F 4128	— 1	14 14	43 30	21 31	303 562	2116 1924	3818 1061	1308 373	280 132			
B2	Tuberculosis, other forms	M 923 F 852	— —	43 27	198 187	108 114	105 126	215 138	174 159	57 62	23 39			
B3	Syphilis and its sequelæ	M 1265 F 506	5 5	6 3	1 —	— 1	8 6	72 31	570 208	427 153	176 99			
B4	Typhoid fever	M 5 F 7	— —	— —	— —	— —	— —	2 3	1 2	1 2	1 —			
B5	Cholera	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
B6	Dysentery, all forms	M 41 F 33	1 —	6 5	4 3	2 —	— —	3 2	16 7	3 8	6 8			
B7	Scarlet fever and streptococcal sore throat	M 27 F 39	— —	1 1	4 5	1 3	4 5	8 2	5 10	2 7	2 6			
B8	Diphtheria	M 15 F 18	— —	1 —	2 3	7 11	5 —	2 1	1 1	1 1	1 —			
B9	Whooping cough	M 212 F 244	1 2	132 138	72 95	6 6	— —	1 —	1 —	— —	— —			
B10	Meningococcal infections	M 156 F 142	2 2	57 43	55 49	10 11	12 5	8 8	8 18	2 6	2 —			
B11	Plague	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
B12	Acute poliomyelitis	M 110 F 81	— —	4 2	18 17	21 15	19 12	40 32	8 3	— —	— —			
B13	Smallpox	M 3 F 7	— —	— —	— —	— —	1 1	— 4	2 2	— —	— —			
B14	Measles	M 173 F 144	— —	47 51	94 60	21 18	5 1	3 6	2 1	1 3	— 4			
B15	Typhus and other rickettsial diseases	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
B16	Malaria	M — F 10	— —	— —	— —	— —	2 —	3 —	5 —	— —	— —			
B17	All other diseases classified as infective and parasitic	M 591 F 537	2 6	34 25	42 38	40 25	27 26	105 97	193 169	76 78	72 73			
B18	Malignant neoplasm of stomach (151)	M 8155 F 6506	— —	— —	— 1	— —	5 10	342 222	3100 1640	2882 2298	1826 2335			
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	M 11166 F 2081	— —	1 —	2 —	1 —	10 6	650 167	6452 874	3223 664	829 366			
	Malignant neoplasm of breast (170)	M 63 F 8006	— —	— —	— —	— —	— 3	5 852	25 3555	18 2000	15 1596			
	Malignant neoplasm of uterus (171-174)	M — F 4059	— —	— —	— —	— 1	— 4	— 386	— 1938	— 1043	— 687			
	Leukæmia and aleukæmia (204)	M 984 F 943	— —	10 11	77 75	95 63	60 44	172 155	284 311	207 195	79 89			
	Other malign. & lymphatic neoplasms (Rem. 140-205)	M 24264 F 19853	5 —	17 12	97 84	130 78	176 122	1344 1235	7163 6569	8201 6044	7131 5709			
	Benign and unspecified neoplasms	M 899 F 988	7 6	7 7	28 17	29 27	31 37	138 178	385 404	159 150	115 162			
	Diabetes mellitus	M 1219 F 2484	— 1	— —	4 6	11 16	13 33	89 90	287 565	425 975	390 798			
	Anæmias	M 635 F 1203	— —	3 1	6 5	6 12	7 12	17 46	124 233	222 405	245 494			
	B22	Vascular lesions affecting central nervous system	M 29003 F 39443	1 —	9 7	4 7	15 15	37 24	455 472	5596 6740	9964 12156	12922 20022		
B23	Nonmeningococcal meningitis	M 227 F 168	13 28	66 39	27 23	13 18	11 6	25 13	47 22	22 13	3 6			
B24	Rheumatic fever	M 164 F 214	— —	— 1	4 5	32 49	29 40	42 43	44 60	11 12	2 4			
B25	Chronic rheumatic heart disease	M 4076 F 6777	— —	— —	1 —	1 —	27 32	106 137	724 1079	1518 2493	983 1667	716 1369		

{ England and Wales, Regions, Conurbations, and Aggregates of Urban and Rural Areas outside conurbations.

Abbreviated List No.	Causes of Death		England and Wales—continued.										
			Age										
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	25-	45-	65-	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	36945	—	—	2	2	10	1052	13139	13391	9369	
		F	21344	—	—	—	—	5	178	3984	8341	8836	
		M	35985	—	1	—	5	14	205	3423	9653	22684	
		F	48434	—	1	1	3	10	180	2834	10269	35136	
B27	Other diseases of heart	M	3346	2	3	6	10	27	174	815	1074	1235	
		F	3749	—	2	4	11	26	128	722	1134	1722	
B28	Hypertension with heart disease	M	8019	—	1	—	1	2	106	1862	2999	3048	
		F	8921	—	—	—	1	3	94	1559	3025	4239	
B29	Hypertension without mention of heart	M	2005	—	—	1	—	12	99	517	583	793	
		F	2000	—	—	1	1	7	76	398	583	934	
B46 (Pt.)	Other circulatory diseases (450-468)	M	7331	1	2	3	3	5	108	946	2027	4236	
		F	7903	1	2	2	4	14	108	760	1762	5250	
B30	Influenza	M	7393	10	98	38	14	55	243	1979	2279	2677	
		F	8416	5	48	38	19	39	257	1268	2503	4239	
B31	Pneumonia	M	11596	—	1409	274	70	76	425	2548	2983	3811	
		F	10900	—	1114	280	61	53	328	1437	2414	5213	
B32	Bronchitis	M	22717	17	240	72	17	14	351	6812	7709	7485	
		F	14269	14	184	61	14	18	181	1994	3967	7835	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	3528	11	52	47	34	28	238	1503	964	651	
		F	1736	12	39	31	35	33	151	385	356	694	
B33	Ulcer of stomach and duodenum	M	4276	2	1	—	1	26	374	1812	1320	740	
		F	1354	4	—	—	2	3	64	350	434	497	
B34	Appendicitis	M	679	—	1	51	72	49	83	200	144	79	
		F	493	—	—	34	47	25	50	145	101	91	
B35	Intestinal obstruction and hernia	M	1542	55	77	33	14	7	62	381	433	480	
		F	1587	33	49	13	6	8	69	375	432	602	
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M	1231	3	451	64	11	12	75	215	188	212	
		F	1404	—	304	45	8	22	107	246	290	382	
B37	Cirrhosis of liver	M	615	1	5	5	5	1	65	288	170	75	
		F	502	—	2	2	—	3	34	243	158	60	
B38	Nephritis and nephrosis	M	3245	—	12	26	44	104	468	996	793	802	
		F	3272	—	14	16	47	95	366	916	878	940	
B39	Hyperplasia of prostate	M	4553	—	—	—	—	—	3	295	1447	2808	
B40	Complications of pregnancy, childbirth & puerperium	F	566	—	—	—	—	101	437	24	2	2	
B41	Congenital malformations	M	2425	959	577	166	104	87	192	246	56	38	
		F	2204	858	470	138	66	67	189	284	88	44	
B42	Birth injuries, postnatal asphyxia & atelectasis	M	2709	2641	66	2	—	—	—	—	—	—	
		F	1689	1638	49	1	—	—	—	1	—	—	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	56	56	—	—	—	—	—	—	—	—	
		F	36	36	—	—	—	—	—	—	—	—	
		M	609	605	4	—	—	—	—	—	—	—	
		F	399	396	3	—	—	—	—	—	—	—	
B44	Other dis. of early infancy & immaturity unqualified	M	3076	2950	120	4	2	—	—	—	—	—	
		F	2158	2073	83	2	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	3749	21	19	5	2	7	16	57	284	3338	
		F	5968	9	14	5	—	3	13	23	303	5598	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	9338	57	295	198	181	258	950	2948	2418	2037	
		F	11581	41	198	169	130	208	1139	3384	3093	3219	
BE47	Motor vehicle accidents	M	3396	—	1	199	322	673	917	662	317	305	
		F	1114	—	—	116	111	120	139	245	190	193	
BE48	All other accidents	M	5990	106	328	273	360	550	1295	1372	644	1062	
		F	4474	68	242	195	95	74	194	456	712	2438	
BE49	Suicide and self-inflicted injury	M	2831	—	—	—	8	107	638	1227	563	288	
		F	1638	—	—	—	43	347	830	315	103	103	
BE50	Homicide and operations of war	M	230	11	7	6	6	15	52	94	36	3	
		F	83	4	1	10	7	14	20	17	5	5	
BN47	Fractures, head injuries and internal injuries	M	6923	6	17	227	427	971	1806	1608	774	1087	
		F	3856	5	6	144	125	156	203	446	650	2121	
BN48	Burns	M	306	1	6	52	17	14	65	50	30	71	
		F	485	—	8	69	42	12	16	57	88	193	
BN49	Effects of poisons	M	1893	—	5	43	17	74	411	805	324	214	
		F	1664	—	4	30	11	40	318	715	297	249	
BN50	All other injuries	M	3325	110	308	156	235	286	620	892	432	286	
		F	1304	67	225	78	35	43	163	330	187	176	

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Northern Region									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	Years				75 & over
	ALL CAUSES	{ M 21277 F 18339	723 449	465 381	195 164	150 95	273 223	1349 928	5774 3731	5856 4955	6492 7413	
B1	Tuberculosis of respiratory system	{ M 624 F 368	—	1	10	3	34	178	317	72	9	
B2	Tuberculosis, other forms	{ M 91 F 86	—	5	21	3	82	166	87	22	7	
B3	Syphilis and its sequelæ	{ M 103 F 33	—	—	—	—	2	7	57	32	5	
B4	Typhoid fever	{ M 1 F 1	—	—	—	—	1	—	18	9	5	
B5	Cholera	{ M 1 F 1	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M 4 F 1	—	—	—	1	—	—	2	—	1	
B7	Scarlet fever and streptococcal sore throat	{ M 3 F 1	—	—	1	—	—	—	2	—	—	
B8	Diphtheria	{ M 2 F 2	—	—	—	1	—	—	—	1	—	
B9	Whooping cough	{ M 12 F 20	—	12	7	—	—	—	—	—	—	
B10	Meningococcal infections	{ M 30 F 24	—	13	9	2	2	1	3	—	—	
B11	Plague	{ M 1 F 1	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 7 F 7	—	—	1	2	1	3	1	—	—	
B13	Smallpox	{ M 1 F 1	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M 15 F 18	—	8	5	1	1	—	—	—	1	
B15	Typhus and other rickettsial diseases	{ M 1 F 1	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M 1 F 1	—	—	—	—	—	1	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M 38 F 29	—	8	2	4	2	8	10	4	6	
	Malignant neoplasm of stomach (151)	{ M 694 F 475	—	—	—	—	1	32	271	234	156	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 701 F 133	—	—	—	—	—	51	438	175	146	
B18	Malignant neoplasm of breast (170)	{ M 4 F 463	—	—	—	—	—	1	59	217	105	
	Malignant neoplasm of uterus (171-174)	{ M 1 F 325	—	—	—	—	1	40	175	67	82	
	Leukæmia and aleukæmia (204)	{ M 64 F 51	—	—	5	8	2	14	21	11	3	
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M 1649 F 1184	—	1	3	6	14	94	479	597	455	
B19	Benign and unspecified neoplasms	{ M 75 F 66	—	1	2	3	3	13	32	14	8	
B20	Diabetes mellitus	{ M 81 F 170	—	—	—	—	2	9	24	26	20	
B21	Anæmias	{ M 45 F 89	—	—	—	1	—	11	15	18	39	
B22	Vascular lesions affecting central nervous system	{ M 2560 F 2883	—	1	—	3	6	40	474	879	1157	
B23	Nonmeningococcal meningitis	{ M 17 F 19	—	7	2	—	5	28	516	951	1381	
B24	Rheumatic fever	{ M 16 F 19	—	—	—	2	5	4	4	1	—	
B25	Chronic rheumatic heart disease	{ M 304 F 502	—	—	—	—	13	60	96	71	64	
						6	17	85	195	111	88	

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Northern Region—continued.									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	2990	—	—	—	—	1	97	1164	1067	661
		F	1662	—	—	—	—	21	400	698	543	
		M	2572	—	—	—	1	2	24	272	675	1598
		F	3169	—	—	—	—	17	239	755	2158	
B27	Other diseases of heart	M	217	—	—	—	—	2	13	59	68	7
B28	Hypertension with heart disease	F	232	—	—	—	—	6	10	61	66	8
		M	549	—	—	—	—	8	148	231	162	
B29	Hypertension without mention of heart	F	538	—	—	—	—	4	108	221	205	
		M	126	—	—	—	—	12	31	42	41	
B46 (Pt.)	Other circulatory diseases (450-468)	F	126	—	—	—	—	8	21	47	49	
		M	576	—	1	1	—	10	50	150	364	
		F	555	—	—	—	—	2	6	56	123	368
B30	Influenza	M	539	1	14	3	—	5	24	143	141	208
B31	Pneumonia	F	574	2	12	2	—	3	17	94	186	258
		M	809	—	188	21	3	4	40	185	171	197
B32	Bronchitis	F	639	—	151	21	3	5	23	80	123	233
		M	1398	6	29	10	2	3	33	474	461	380
B46(Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	901	1	30	5	—	1	18	149	260	437
		M	227	2	4	7	3	—	22	103	41	45
		F	111	1	5	4	4	2	15	27	18	35
B33	Ulcer of stomach and duodenum	M	311	—	—	—	—	5	50	137	82	37
B34	Appendicitis	F	80	—	—	—	—	—	3	26	26	25
		M	43	—	—	2	7	4	9	9	8	4
B35	Intestinal obstruction and hernia	F	27	—	—	1	1	1	7	9	5	3
		M	98	3	9	2	—	—	7	30	20	27
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	117	2	4	1	—	4	7	34	25	40
		M	97	1	45	4	—	—	7	13	17	10
		F	85	—	25	3	—	—	10	17	15	15
B37	Cirrhosis of liver	M	45	—	—	—	—	—	11	17	11	6
B38	Nephritis and nephrosis	F	38	—	—	—	—	1	2	18	11	6
		M	244	—	1	2	3	6	40	67	71	54
B39	Hyperplasia of prostate	F	243	—	—	—	6	8	24	64	80	61
		M	346	—	—	—	—	—	—	20	126	200
B40	Complications of pregnancy, childbirth & puerperium	F	54	—	—	—	—	11	40	2	1	—
B41	Congenital malformations	M	178	87	40	5	8	5	9	20	4	—
B42	Birth injuries, postnatal asphyxia & atelectasis	F	169	75	43	10	4	6	12	17	1	1
		M	226	221	5	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	F	109	104	5	—	—	—	—	—	—	—
		M	6	6	—	—	—	—	—	—	—	—
		F	4	4	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	57	57	—	—	—	—	—	—	—	—
		F	30	30	—	—	—	—	—	—	—	—
		M	333	321	11	1	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	F	225	209	16	—	—	—	—	—	—	—
		M	318	4	6	1	—	1	3	3	31	269
B46 (Rem.)	All other diseases (Remainder 001-795)	F	422	2	1	—	—	—	3	3	30	383
		M	691	6	22	21	11	18	75	241	191	106
BE47	Motor vehicle accidents	F	808	6	24	10	14	11	85	265	222	171
		M	236	—	—	32	24	39	63	41	20	17
BE48	All other accidents	F	70	—	—	13	9	8	4	20	8	8
		M	678	7	32	22	42	73	203	181	37	81
BE49	Suicide and self-inflicted injury	F	311	6	26	16	7	6	14	32	46	158
		M	209	—	—	—	—	3	50	95	48	13
BE50	Homicide and operations of war	F	70	—	—	—	—	3	20	34	11	2
		M	18	1	1	—	—	2	1	10	3	—
		F	3	—	—	2	—	—	—	—	1	—
BN47	Fractures, head injuries and internal injuries	M	666	1	1	33	44	88	211	159	51	78
BN48	Burns	F	256	—	1	16	12	10	9	30	41	137
		M	38	—	—	3	4	1	10	8	4	8
BN49	Effects of poisons	F	32	—	1	6	3	2	2	3	4	11
		M	141	—	—	—	—	5	36	76	19	5
BN50	All other injuries	F	57	—	—	1	—	3	15	24	8	6
		M	296	7	32	18	18	23	60	84	34	20
		F	109	6	24	8	1	2	12	29	13	14

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Tyneside Conurbation									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M F	5705 4966	191 126	127 108	41 40	38 21	63 64	379 263	1624 1040	1606 1321	1636 1983
B1	Tuberculosis of respiratory system	{ M F	205 108	— —	— —	1 1	— 2	13 24	62 57	106 20	21 3	2 1
B2	Tuberculosis, other forms	{ M F	22 28	— —	2 —	3 7	1 1	3 7	9 8	3 1	1 2	— 2
B3	Syphilis and its sequelæ	{ M F	36 10	— —	— —	— —	— —	— 1	1 —	23 8	11 1	1 —
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B8	Diphtheria	{ M F	1 1	— —	— —	— —	1 1	— —	— —	— —	— —	— —
B9	Whooping cough	{ M F	6 4	— —	6 3	— 1	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	6 9	— —	3 5	1 4	— —	1 —	— —	1 —	— —	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	3 4	— —	— —	1 4	1 —	1 —	— —	— —	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	4 2	— —	2 2	2 —	— —	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	8 12	— —	2 —	2 —	— —	2 —	3 4	3 1	— 2	— 1
B18	Malignant neoplasm of stomach (151)	{ M F	175 158	— —	— —	— —	— —	— —	11 1	75 50	53 55	36 52
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	232 43	— —	— —	— —	— —	— —	14 5	143 22	62 13	13 3
	Malignant neoplasm of breast (170)	{ M F	1 106	— —	— —	— —	— —	— —	18 7	46 51	21 18	1 9
	Malignant neoplasm of uterus (171-174)	{ M F	— 85	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Leukæmia and aleukæmia (204)	{ M F	20 20	— —	— —	3 1	3 1	1 3	7 4	4 6	2 5	— —
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M F	440 335	— —	— —	1 2	1 —	5 —	23 20	119 127	155 101	136 85
	Benign and unspecified neoplasms	{ M F	20 15	— —	— —	— —	1 —	— 1	8 2	6 5	4 1	1 3
	Diabetes mellitus	{ M F	18 52	— —	— —	— —	— —	— 1	3 2	7 16	5 15	6 18
	Anæmias	{ M F	9 25	— —	— —	— —	— —	— —	— 2	4 2	— 7	5 14
	Vascular lesions affecting central nervous system	{ M F	678 764	— —	1 3	— 1	1 —	1 1	8 6	143 154	253 235	272 367
B23	Nonmeningococcal meningitis	{ M F	7 6	— —	3 3	— —	— —	— —	2 —	— 2	— 1	— —
B24	Rheumatic fever	{ M F	3 5	— —	— —	— —	1 —	1 —	1 3	— —	1 —	— —
B25	Chronic rheumatic heart disease	{ M F	79 147	— —	— —	— —	— 3	2 3	13 23	23 66	21 29	20 23

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Tyneside Conurbation—continued										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	25-	45-	65-	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	815	—	—	—	—	—	32	339	286	158
		F	445	—	—	—	—	—	3	113	193	136
		M	628	—	—	—	—	—	4	61	174	389
		F	758	—	—	—	—	—	7	56	186	509
B27	Other diseases of heart	M	56	—	—	—	—	1	4	21	13	17
B28	Hypertension with heart disease	F	46	—	—	—	—	1	3	7	11	24
		M	178	—	—	—	—	—	2	50	81	45
		F	183	—	—	—	—	—	31	80	72	72
B29	Hypertension without mention of heart	M	36	—	—	—	—	—	3	8	12	13
B46 (Pt.)	Other circulatory diseases (450-468)	F	27	—	—	—	—	1	—	5	15	6
		M	170	—	—	1	—	—	1	15	52	101
		F	151	—	—	—	—	1	4	14	31	101
B30	Influenza	M	125	1	6	1	—	1	12	32	21	51
B31	Pneumonia	F	152	2	7	2	—	1	4	21	48	67
		M	257	—	54	3	1	1	14	59	57	68
		F	166	—	37	3	—	—	5	22	36	61
B32	Bronchitis	M	440	3	9	3	1	1	12	154	150	107
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	280	—	9	1	—	1	5	50	73	141
		M	43	—	—	—	—	—	6	18	7	12
		F	26	1	1	2	2	—	4	4	2	10
B33	Ulcer of stomach and duodenum	M	94	—	—	—	—	5	13	40	23	13
B34	Appendicitis	F	26	—	—	—	—	3	8	7	8	7
		M	11	—	—	1	1	1	5	—	2	1
		F	4	—	—	—	—	—	2	—	—	2
B35	Intestinal obstruction and hernia	M	21	—	2	—	—	—	1	6	5	7
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	F	27	1	—	—	—	1	1	7	7	10
		M	24	—	12	—	—	—	1	3	4	4
		F	21	—	5	—	—	—	2	4	7	3
B37	Cirrhosis of liver	M	9	—	—	—	—	—	2	4	2	1
		F	10	—	—	—	—	—	1	3	3	3
B38	Nephritis and nephrosis	M	47	—	1	—	—	1	10	16	12	6
		F	57	—	—	—	2	—	4	12	18	21
B39	Hyperplasia of prostate	M	76	—	—	—	—	—	—	3	28	45
B40	Complications of pregnancy, childbirth & puerperium	F	17	—	—	—	—	4	12	—	1	—
B41	Congenital malformations	M	45	23	7	2	2	3	3	5	—	—
		F	41	19	9	2	1	3	1	6	—	—
B42	Birth injuries, postnatal asphyxia & atelectasis	M	57	57	—	—	—	—	—	—	—	—
		F	26	26	—	—	—	—	—	—	—	—
		M	1	1	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	14	14	—	—	—	—	—	—	—	—
		F	8	8	—	—	—	—	—	—	—	—
		M	92	88	4	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	F	70	62	8	—	—	—	—	—	—	—
		M	61	2	—	—	—	—	—	—	6	53
B45	Senility without mention of psychosis, ill-defined and unknown causes	F	117	1	1	—	—	—	—	1	4	110
		M	183	1	6	5	3	3	20	64	56	25
B46 (Rem.)	All other diseases (Remainder 001-795)	F	242	2	11	1	3	3	28	69	69	56
		M	60	—	—	7	11	10	15	8	4	5
BE47	Motor vehicle accidents	M	19	—	—	4	3	2	3	4	3	3
BE48	All other accidents	F	120	1	8	5	9	7	37	25	7	21
		M	77	3	6	1	—	1	6	13	10	37
		F	—	—	—	—	—	—	—	—	—	—
BE49	Suicide and self-inflicted injury	M	65	—	—	—	—	1	16	30	15	3
BE50	Homicide and operations of war	F	27	—	—	—	—	—	8	12	6	1
		M	3	—	—	—	—	—	—	3	—	—
		F	3	—	—	2	—	—	—	—	1	—
BN47	Fractures, head injuries and internal injuries	M	136	—	1	7	16	15	39	27	13	18
BN48	Burns	F	60	—	—	5	3	2	1	7	11	31
		M	5	1	—	—	—	—	—	1	2	3
		F	6	—	—	—	—	1	—	—	6	2
BN49	Effects of poisons	M	38	—	—	—	—	—	11	20	6	1
BN50	All other injuries	F	27	—	—	—	—	—	8	10	4	5
		M	69	—	7	5	4	3	18	18	7	7
		F	33	3	6	2	—	—	5	10	4	3

TABLE 19—continued.

Abbreviated List No	Causes of Death	East and West Ridings Region										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							
					1-	5-	15-	25-	45-	65-	75 & over	
	ALL CAUSES	M 27703 F 25657	755 479	523 378	219 179	183 119	297 219	1490 1113	7411 5061	8194 7261	8631 10848	
B1	Tuberculosis of respiratory system	M 729 F 347	— —	1 3	6 1	3 5	26 51	189 163	337 84	137 34	30 6	
B2	Tuberculosis, other forms	M 87 F 77	— —	5 2	21 12	12 8	16 14	16 18	15 16	2 3	— 4	
B3	Syphilis and its sequelæ	M 115 F 62	— 1	1 —	— —	— —	— 1	11 2	64 33	29 17	11 7	
B4	Typhoid fever	M 1 F —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	
B5	Cholera	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B6	Dysentery, all forms	M 8 F 6	1 —	2 1	3 —	— —	— —	— —	2 1	— 1	— 3	
B7	Scarlet fever and streptococcal sore throat	M 3 F 3	— —	1 —	— —	— 1	1 1	— —	1 —	— 1	— —	
B8	Diphtheria	M — F 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	
B9	Whooping cough	M 23 F 25	— —	11 16	9 8	2 —	— —	— —	1 —	— 1	— —	
B10	Meningococcal infections	M 15 F 14	1 1	4 5	8 5	1 1	— 1	1 —	— —	— 1	— —	
B11	Plague	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B12	Acute poliomyelitis	M 8 F 12	— —	— —	3 3	2 —	— 2	3 7	— —	— —	— —	
B13	Smallpox	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B14	Measles	M 18 F 17	— —	4 8	11 5	2 2	— 1	— 1	1 —	— —	— —	
B15	Typhus and other rickettsial diseases	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B16	Malaria	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B17	All other diseases classified as infective and parasitic	M 53 F 52	— —	4 2	2 3	3 2	3 2	11 12	13 14	9 9	8 8	
B18	Malignant neoplasm of stomach (151)	M 785 F 633	— —	— —	— —	— —	— 2	40 24	325 148	272 257	148 202	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	M 987 F 185	— —	— —	1 —	— —	— —	72 19	568 88	274 52	72 26	
	Malignant neoplasm of breast (170)	M 5 F 728	— —	— —	— —	— —	— —	— 79	1 334	2 177	2 138	
	Malignant neoplasm of uterus (171-174)	M — F 410	— —	— —	— —	— —	— —	— 32	— 216	— 105	— 57	
	Leukæmia and aleukæmia (204)	M 91 F 73	— —	— 1	5 6	8 6	5 1	14 8	32 31	19 15	8 5	
	Other malign. & lymphatic neoplasms (Rem. 140-205)	M 2304 F 1803	1 —	1 3	9 7	14 10	17 12	139 103	718 636	799 574	606 458	
	Benign and unspecified neoplasms	M 91 F 102	— —	1 1	3 5	— 3	4 4	18 23	46 35	10 19	9 12	
	Diabetes mellitus	M 132 F 252	— —	— —	1 1	2 1	— 4	4 12	37 64	42 96	46 74	
	Anæmias	M 55 F 118	— —	— —	— —	1 —	1 —	2 2	15 26	19 53	17 37	
	Vascular lesions affecting central nervous system	M 3070 F 4060	— —	— 2	1 1	— 1	2 1	49 46	576 700	1103 1350	1339 1955	
B23	Nonmeningococcal meningitis	M 28 F 14	2 1	7 6	3 3	2 1	3 —	5 1	3 1	3 1	— —	
B24	Rheumatic fever	M 15 F 14	— —	— —	1 —	7 2	— 3	4 1	2 7	— 1	— —	
B25	Chronic rheumatic heart disease	M 387 F 716	— —	— —	— —	1 11	9 18	91 126	150 269	88 164	48 128	

TABLE 19—continued.

Abbreviated List No.	Causes of Death	East and West Ridings Region—continued.										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							75 & over
					1-	5-	15-	25-	45-	65-		
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M 3767 F 2157 M 3608 F 4623	— — — —	— — — —	— — 1 —	— — 1 —	2 — — —	110 16 17 22	1394 420 379 299	1418 924 1086 1138	843 797 2125 3163	
B27	Other diseases of heart	M 312 F 311	1 —	— —	— —	2 1	1 2	22 12	75 73	101 99	110 124	
B28	Hypertension with heart disease	M 639 F 784	— —	— —	— —	— —	2 4	7 168	157 303	247 307	228 307	
B29	Hypertension without mention of heart	M 187 F 186	— —	— —	— —	— 1	— —	8 6	50 35	58 59	71 85	
B46 (Pt.)	Other circulatory diseases (450-468)	M 909 F 941	— —	— —	1 1	3 1	12 8	83 73	246 215	564 643		
B30	Influenza	M 544 F 653	— —	9 3	3 3	2 —	6 5	18 24	150 101	171 201	185 316	
B31	Pneumonia	M 1129 F 965	— —	188 144	29 25	4 10	9 4	56 30	265 157	282 228	296 367	
B32	Bronchitis	M 2574 F 1430	1 1	32 13	5 9	1 —	4 1	46 11	811 234	913 457	761 704	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M 306 F 162	— 1	9 6	4 3	4 4	2 5	35 16	122 43	74 28	56 56	
B33	Ulcer of stomach and duodenum	M 381 F 116	— 1	— —	— —	— —	1 9	41 32	169 36	109 36	61 38	
B34	Appendicitis	M 41 F 40	— —	— —	4 5	7 4	4 2	6 4	8 15	8 6	4 4	
B35	Intestinal obstruction and hernia	M 146 F 125	7 2	7 7	2 1	— 1	1 1	2 7	30 36	50 30	47 40	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M 145 F 143	— —	65 45	6 4	3 1	9 2	20 8	22 17	20 28	20 38	
B37	Cirrhosis of liver	M 49 F 44	— —	— —	1 —	2 —	— —	2 2	22 24	15 15	7 3	
B38	Nephritis and nephrosis	M 340 F 371	— —	— —	— —	6 4	9 13	57 43	108 116	72 96	88 99	
B39	Hyperplasia of prostate	M 365	—	—	—	—	—	—	23	135	207	
B40	Complications of pregnancy, childbirth & puerperium	F 59	—	—	—	—	12	46	1	—	—	
B41	Congenital malformations	M 210 F 176	77 71	66 46	22 14	9 6	3 7	17 13	11 12	4 7	1 —	
B42	Birth injuries, postnatal asphyxia & atelectasis	M 294 F 161	284 151	9 10	1 —	— —	— —	— —	— —	— —	— —	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M 12 F 5 M 54 F 27	12 5 53 27	— — 1 —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	
B44	Other dis. of early infancy & immaturity unqualified	M 305 F 201	292 198	12 2	1 —	1 —	— —	— —	— —	— —	— —	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M 316 F 464	1 —	— 1	— —	— —	2 —	— —	3 —	36 34	274 429	
B46 (Rem.)	All other diseases (Remainder 001-795)	M 822 F 1045	7 6	47 27	13 20	14 11	45 22	95 99	274 338	169 282	158 240	
BE47	Motor vehicle accidents	M 294 F 112	— —	— —	13 11	29 12	57 12	70 11	65 32	34 21	26 13	
BE48	All other accidents	M 604 F 469	13 13	36 23	25 20	33 8	48 6	114 14	147 36	70 97	118 252	
BE49	Suicide and self-inflicted injury	M 301 F 156	— —	— —	— —	3 —	12 3	66 26	124 96	60 26	36 5	
BE50	Homicide and operations of war	M 39 F 7	2 —	1 1	3 1	2 1	1 1	10 3	14 —	6 —	— 1	
BN47	Fractures, head injuries and internal injuries	M 661 F 408	— 1	— 2	17 15	40 15	80 14	155 15	172 50	81 86	116 210	
BN48	Burns	M 35 F 49	1 —	— —	5 6	3 2	1 2	4 1	11 2	2 11	8 25	
BN49	Effects of poisons	M 213 F 169	— —	2 —	3 4	3 3	11 5	47 23	85 82	39 30	23 22	
BN50	All other injuries	M 329 F 118	14 12	35 21	16 7	21 1	26 1	54 15	82 30	48 17	33 14	

TABLE 19—continued.

Abbreviated List No.	Causes of Death	West Yorkshire Conurbation										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							
1-	5-				15-	25-	45-	65-	75 & over			
	ALL CAUSES	{ M 12150 F 12030	295 183	216 163	85 73	75 47	98 73	591 449	3411 2396	3689 3473	3690 5173	
B1	Tuberculosis of respiratory system	{ M 303 F 140	—	1	2	1	9	76	133	66	15	
B2	Tuberculosis, other forms	{ M 37 F 36	—	4	7	6	6	6	8	—	3	
B3	Syphilis and its sequelæ	{ M 47 F 38	—	—	—	—	—	2	27	13	5	
B4	Typhoid fever	{ M 38 F 38	1	—	—	—	1	1	19	11	—	
B5	Cholera	{ M — F —	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M 2 F 6	—	1	—	—	—	—	1	1	3	
B7	Scarlet fever and streptococcal sore throat	{ M 2 F 1	—	1	—	—	1	—	—	1	—	
B8	Diphtheria	{ M 1 F 1	—	—	1	—	—	—	—	—	—	
B9	Whooping cough	{ M 9 F 11	—	3	5	—	—	—	1	—	—	
B10	Meningococcal infections	{ M 9 F 8	—	3	5	—	—	1	—	1	—	
B11	Plague	{ M — F —	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 3 F 2	—	—	—	1	—	2	2	—	—	
B13	Smallpox	{ M — F —	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M 11 F 7	—	2	8	1	—	—	—	—	—	
B15	Typhus and other rickettsial diseases	{ M — F —	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M — F —	—	—	—	—	—	—	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M 14 F 23	—	2	3	1	2	2	4	5	3	
	Malignant neoplasm of stomach (151)	{ M 332 F 300	—	—	—	—	—	15	142	113	62	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 432 F 79	—	—	—	—	—	20	255	118	39	
B18	Malignant neoplasm of breast (170)	{ M 5 F 356	—	—	—	—	—	31	173	84	68	
	Malignant neoplasm of uterus (171-174)	{ M — F 177	—	—	—	—	—	13	90	45	29	
	Leukæmia and aleukæmia (204)	{ M 37 F 30	—	—	4	3	—	4	14	9	3	
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M 965 F 821	1	2	3	5	8	45	304	357	242	
B19	Benign and unspecified neoplasms	{ M 46 F 46	—	—	2	—	1	8	28	5	4	
B20	Diabetes mellitus	{ M 57 F 120	—	—	1	2	—	2	16	20	16	
B21	Anæmias	{ M 23 F 60	—	—	—	—	—	1	6	8	8	
B22	Vascular lesions affecting central nervous system	{ M 1449 F 2037	—	1	—	—	—	18	289	512	629	
B23	Nonmeningococcal meningitis	{ M 12 F 8	1	1	3	2	1	20	314	688	1013	
B24	Rheumatic fever	{ M 4 F 7	—	—	—	2	—	1	—	—	1	
B25	Chronic rheumatic heart disease	{ M 161 F 345	—	—	—	—	3	34	68	41	15	
						1	6	52	139	84	63	

TABLE 19—continued.

Abbreviated List No.	Causes of Death	West Yorkshire Conurbation—continued										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	25-	45-	65-	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	1801	—	—	—	—	2	57	696	681	365
		F	1053	—	—	—	—	6	205	450	392	
		M	1584	—	—	—	1	—	4	174	492	913
		F	2182	—	—	—	—	12	130	535	1505	
B27	Other diseases of heart	M	123	1	—	—	1	11	35	35	4	
		F	107	—	—	—	1	—	2	30	29	
B28	Hypertension with heart disease	M	291	—	—	—	—	3	86	113	89	
		F	383	—	—	—	1	3	85	156	138	
B29	Hypertension without mention of heart	M	82	—	—	—	—	3	31	22	26	
		F	87	—	—	—	1	2	20	28	36	
B46 (Pt.)	Other circulatory diseases (450-468)	M	250	—	—	—	1	5	30	62	152	
		F	319	—	—	—	—	4	33	77	205	
B30	Influenza	M	219	—	5	3	1	2	4	60	67	
		F	319	—	1	—	—	10	53	98	156	
B31	Pneumonia	M	522	—	75	8	1	5	24	124	119	
		F	491	—	68	10	4	3	9	77	110	
B32	Bronchitis	M	1205	1	9	2	1	1	24	384	451	
		F	697	—	5	1	—	5	112	239	332	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	153	—	5	1	1	15	56	42	33	
		F	72	—	1	1	—	6	21	11	31	
B33	Ulcer of stomach and duodenum	M	177	—	—	—	—	1	19	80	53	
		F	51	—	—	—	—	4	15	19	13	
B34	Appendicitis	M	10	—	—	—	1	1	2	2	2	
		F	17	—	—	3	2	—	3	5	2	
B35	Intestinal obstruction and hernia	M	59	4	3	1	—	—	—	14	16	
		F	57	—	4	—	1	—	3	15	13	
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M	51	—	26	1	2	—	3	6	7	
		F	55	—	20	1	—	2	8	11	13	
B37	Cirrhosis of liver	M	23	—	—	—	1	—	1	12	5	
		F	27	—	—	—	—	—	1	16	8	
B38	Nephritis and nephrosis	M	152	—	—	—	3	1	27	43	37	
		F	196	—	—	—	2	3	17	70	48	
B39	Hyperplasia of prostate	M	142	—	—	—	—	—	—	8	50	
B40	Complications of pregnancy, childbirth & puerperium	F	21	—	—	—	—	5	16	—	—	
B41	Congenital malformations	M	88	28	25	11	2	2	11	6	3	
		F	64	30	14	2	4	1	5	5	3	
B42	Birth injuries, postnatal asphyxia & atelectasis	M	118	116	2	—	—	—	—	—	—	
		F	61	57	4	—	—	—	—	—	—	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	6	6	—	—	—	—	—	—	—	
		F	1	1	—	—	—	—	—	—	—	
		M	25	25	—	—	—	—	—	—	—	
		F	12	12	—	—	—	—	—	—		
B44	Other dis. of early infancy & immaturity unqualified	M	113	105	8	—	—	—	—	—	—	
		F	74	73	—	1	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	152	1	—	—	—	1	—	3	21	
		F	201	—	1	—	—	—	—	17	183	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	344	1	23	7	9	15	43	106	76	
		F	472	2	15	11	5	5	41	158	114	
BE47	Motor vehicle accidents	M	110	—	—	4	11	20	25	30	12	
		F	41	—	—	4	3	3	6	13	7	
BE48	All other accidents	M	245	5	19	5	14	13	42	57	33	
		F	227	6	7	9	3	4	6	14	39	
BE49	Suicide and self-inflicted injury	M	127	—	—	—	1	1	27	60	22	
		F	80	—	—	—	—	2	17	45	13	
BE50	Homicide and operations of war	M	18	—	—	1	1	1	3	9	3	
		F	4	—	—	1	1	1	—	—	—	
BN47	Fractures, head injuries and internal injuries	M	249	—	—	4	15	25	55	68	31	
		F	184	—	—	7	3	5	8	23	33	
BN48	Burns	M	15	—	—	1	1	1	2	6	2	
		F	26	—	—	2	2	1	—	—	4	
BN49	Effects of poisons	M	114	—	1	1	2	2	24	49	20	
		F	97	—	—	1	2	3	16	41	18	
BN50	All other injuries	M	122	5	18	4	9	7	16	33	17	
		F	45	6	7	4	—	1	6	8	4	

TABLE 19—continued.

Abbreviated List No.	Causes of Death	North Western Region										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							
1-	5-				15-	25-	45-	65-	75 & over			
	ALL CAUSES	{ M 45917 F 44864	1289 846	763 575	386 303	279 179	443 386	2491 2175	13281 8977	13484 12905	13501 18518	
B1	Tuberculosis of respiratory system	{ M 1335 F 748	—	2 3	3 5	2 8	46 107	362 377	671 171	214 64	35 14	
B2	Tuberculosis, other forms	{ M 154 F 146	—	9 4	40 38	20 26	10 21	35 19	29 30	7 5	4 3	
B3	Syphilis and its sequelæ	{ M 158 F 75	1 1	1 —	— —	— —	1 —	18 9	81 35	44 20	12 10	
B4	Typhoid fever	{ M — F —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	
B5	Cholera	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B6	Dysentery, all forms	{ M — F —	— —	— —	— —	— —	— —	— —	2 —	1 1	1 1	
B7	Scarlet fever and streptococcal sore throat	{ M 3 F 8	— —	— 1	2 1	— 1	2 2	— 2	— 1	— 1	— 1	
B8	Diphtheria	{ M — F —	— —	— —	— 1	— 1	— —	— —	— —	— —	— —	
B9	Whooping cough	{ M 28 F 30	— 1	19 16	9 11	— 2	— —	— —	— —	— —	— —	
B10	Meningococcal infections	{ M 34 F 27	— —	13 5	11 11	3 —	2 1	3 2	1 2	— 1	1 —	
B11	Plague	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B12	Acute poliomyelitis	{ M 20 F 10	— —	1 —	3 2	3 2	5 —	6 6	2 —	— —	— —	
B13	Smallpox	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B14	Measles	{ M 27 F 17	— —	6 4	17 10	4 3	— —	— —	— —	— —	— —	
B15	Typhus and other rickettsial diseases	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B16	Malaria	{ M — F —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	
B17	All other diseases classified as infective and parasitic	{ M 92 F 102	— 2	6 10	8 6	7 2	3 5	20 17	34 30	10 19	4 11	
B18	Malignant neoplasm of stomach (151)	{ M 1314 F 1158	— —	— —	— —	— —	1 3	60 37	530 332	465 439	258 347	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 1826 F 303	— —	— —	— —	— —	3 2	117 22	1089 130	495 104	122 45	
	Malignant neoplasm of breast (170)	{ M 10 F 1181	— —	— —	— —	— —	— 1	— 117	4 529	4 307	2 227	
	Malignant neoplasm of uterus (171-174)	{ M — F 605	— —	— —	— —	— —	— —	— 53	— 290	— 164	— 98	
	Leukæmia and aleukæmia (204)	{ M 120 F 128	— —	— 1	9 4	10 7	12 9	20 19	38 49	21 29	10 10	
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M 3521 F 3000	— —	1 2	11 10	21 9	30 19	193 189	1131 1035	1152 957	980 779	
	Benign and unspecified neoplasms	{ M 135 F 142	— 2	— 1	6 3	1 3	8 6	23 27	63 65	16 19	18 16	
	Diabetes mellitus	{ M 183 F 403	— —	— —	1 2	2 1	3 5	16 15	50 93	59 182	52 105	
	Anæmias	{ M 144 F 305	— —	— 1	— 1	— 1	1 1	4 9	27 72	62 115	50 105	
	Vascular lesions affecting central nervous system	{ M 4676 F 6453	— —	— 2	1 2	3 1	7 8	79 83	967 1239	1743 2226	1875 2892	
B23	Nonmeningococcal meningitis	{ M 44 F 25	2 2	12 7	6 2	4 1	1 2	4 3	8 3	6 4	1 1	
B24	Rheumatic fever	{ M 31 F 37	— —	— —	1 —	6 10	6 9	11 8	6 8	1 2	— —	
B25	Chronic rheumatic heart disease	{ M 650 F 1183	— —	— —	— —	6 4	31 35	157 264	252 451	133 263	71 166	

TABLE 19—continued

Abbreviated List No.	Causes of Death		North Western Region—continued.										
			Age										
			All Ages	0-4 weeks	4 wks. -1 yr.	Years							
						1-	5-	15-	25-	45-	65-	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	5930	—	—	—	1	3	201	2406	2127	1192	
		F	3170	—	—	—	—	2	37	737	1339	1055	
		M	6043	—	1	—	—	2	40	683	1813	3504	
		F	8428	—	—	—	—	5	44	592	2137	5650	
B27	Other diseases of heart	M	559	—	—	2	—	2	39	172	169	175	
		F	739	—	1	2	—	2	36	155	244	296	
B28	Hypertension with heart disease	M	1263	—	—	—	—	—	20	316	502	425	
		F	1388	—	—	—	—	—	22	270	494	602	
B29	Hypertension without mention of heart	M	259	—	—	—	—	5	20	73	66	95	
		F	275	—	—	—	—	2	12	72	88	101	
B46 (Pt.)	Other circulatory diseases (450-468)	M	1102	1	—	1	—	1	19	152	319	609	
		F	1189	1	—	1	1	2	15	106	306	757	
B30	Influenza	M	1701	2	27	10	2	6	57	537	559	501	
		F	2042	—	9	5	2	7	64	333	700	922	
B31	Pneumonia	M	1904	—	241	57	9	12	78	498	512	497	
		F	1803	—	218	54	5	8	76	295	465	682	
B32	Bronchitis	M	4370	2	42	9	—	1	77	1519	1525	1195	
		F	2977	3	35	11	3	2	44	513	953	1413	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	541	2	9	7	3	8	42	230	143	97	
		F	248	—	9	1	5	8	27	57	50	91	
B33	Ulcer of stomach and duodenum	M	598	—	—	—	—	2	58	277	186	75	
		F	179	1	—	—	—	—	11	50	59	58	
B34	Appendicitis	M	92	—	—	6	16	6	8	30	16	10	
		F	63	—	—	—	9	1	7	17	17	12	
B35	Intestinal obstruction and hernia	M	251	10	14	6	1	—	13	69	64	74	
		F	262	4	10	1	1	1	8	58	88	91	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	213	1	101	12	3	3	16	31	25	21	
		F	222	—	68	8	—	4	14	41	43	44	
B37	Cirrhosis of liver	M	82	—	1	1	—	—	12	42	14	12	
		F	71	—	1	1	—	—	4	42	18	5	
B38	Nephritis and nephrosis	M	533	—	3	4	3	16	77	172	141	117	
		F	579	—	2	2	7	20	69	183	164	132	
B39	Hyperplasia of prostate	M	572	—	—	—	—	—	1	44	213	314	
B40	Complications of pregnancy, childbirth & puerperium	F	103	—	—	—	—	20	76	7	—	—	
B41	Congenital malformations	M	409	170	105	27	13	13	38	36	4	3	
		F	317	129	75	22	6	5	37	34	8	1	
B42	Birth injuries, postnatal asphyxia & atelectasis	M	463	452	11	—	—	—	—	—	—	—	
		F	283	276	7	—	—	—	—	—	—	—	
B43	Diarrhoea of newborn (764)	M	8	8	—	—	—	—	—	—	—	—	
		F	4	—	—	—	—	—	—	—	—	—	
	Other infections of newborn (763, 765-768)	M	113	113	—	—	—	—	—	—	—	—	
		F	74	72	2	—	—	—	—	—	—	—	
B44	Other dis. of early infancy & immaturity unqualified	M	511	488	23	—	—	—	—	—	—	—	
		F	352	336	16	—	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	633	5	6	2	—	—	3	10	52	555	
		F	1044	—	3	—	—	—	2	4	72	963	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1433	11	50	22	28	43	169	482	351	277	
		F	1901	2	22	26	18	32	197	617	528	459	
BE47	Motor vehicle accidents	M	455	—	—	50	43	65	104	94	43	56	
		F	158	—	—	19	15	9	19	31	34	31	
BE48	All other accidents	M	865	17	56	40	62	65	162	201	96	166	
		F	637	10	39	40	21	16	23	69	112	307	
BE49	Suicide and self-inflicted injury	M	448	—	—	—	1	17	96	197	102	35	
		F	249	—	—	—	—	6	45	118	64	16	
BE50	Homicide and operations of war	M	51	3	1	1	2	1	10	25	8	—	
		F	16	—	—	2	1	—	7	6	—	—	
BN47	Fractures, head injuries and internal injuries	M	941	—	2	55	54	99	222	233	111	165	
		F	500	1	25	17	17	16	28	57	101	254	
BN48	Burns	M	39	—	1	6	2	—	3	8	7	12	
		F	86	—	1	13	9	3	2	14	17	27	
BN49	Effects of poisons	M	332	—	2	12	2	13	61	142	70	30	
		F	276	—	—	8	2	6	40	108	67	45	
BN50	All other injuries	M	507	20	52	18	50	36	86	134	61	50	
		F	198	9	37	15	9	6	24	45	25	28	

TABLE 19—continued.

Abbreviated List No.	Causes of Death	South East Lancashire Conurbation										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							75 & over
1-	5-				15-	25-	45-	65-				
	ALL CAUSES	{ M 17096 F 17192	456 335	290 214	134 80	98 57	115 143	906 839	5141 3567	5123 5062	4833 6695	
B1	Tuberculosis of respiratory system	{ M 503 F 268	—	2	1	1	11	133	260	79	16	
B2	Tuberculosis, other forms	{ M 57 F 57	—	3	11	9	5	16	10	2	1	
B3	Syphilis and its sequelæ	{ M 71 F 36	1	—	—	—	1	10	36	19	4	
B4	Typhoid fever	{ M — F —	—	—	—	—	—	6	16	7	6	
B5	Cholera	{ M — F —	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M — F 1	—	—	—	—	—	—	—	1	—	
B7	Scarlet fever and streptococcal sore throat	{ M 2 F 1	—	1	—	—	—	1	—	1	—	
B8	Diphtheria	{ M — F —	—	—	—	—	—	—	—	—	—	
B9	Whooping cough	{ M 3 F 6	—	2	1	—	—	—	—	—	—	
B10	Meningococcal infections	{ M 5 F 5	—	1	3	2	—	1	—	—	—	
B11	Plague	{ M — F —	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 4 F 4	—	—	1	—	1	2	—	—	—	
B13	Smallpox	{ M — F —	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M 13 F 7	—	3	7	3	—	—	—	—	—	
B15	Typhus and other rickettsial diseases	{ M — F —	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M 1 F —	—	—	—	—	—	1	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M 33 F 44	1	7	4	2	1	6	13	5	2	
B18	Malignant neoplasm of stomach (151)	{ M 506 F 453	—	—	—	—	1	27	196	188	94	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 735 F 124	—	—	—	—	1	44	442	199	125	
	Malignant neoplasm of breast (170)	{ M 5 F 449	—	—	—	—	—	—	2	2	1	
	Malignant neoplasm of uterus (171-174)	{ M — F 216	—	—	—	—	—	50	202	109	88	
	Leukæmia and aleukæmia (204)	{ M 43 F 54	—	—	2	3	3	10	14	8	3	
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M 1347 F 1169	—	2	3	8	6	70	424	465	369	
			1	4	5	4	77	422	372	284		
B19	Benign and unspecified neoplasms	{ M 47 F 59	—	—	4	1	3	10	20	6	4	
B20	Diabetes mellitus	{ M 64 F 168	—	—	—	—	—	9	15	22	18	
B21	Anæmias	{ M 53 F 131	—	1	—	—	—	2	11	24	16	
B22	Vascular lesions affecting central nervous system	{ M 1729 F 2542	—	1	—	2	1	30	374	638	684	
B23	Nonmeningococcal meningitis	{ M 16 F 8	1	3	2	2	3	38	490	875	1135	
B24	Rheumatic fever	{ M 10 F 17	—	—	—	2	2	2	4	—	—	
B25	Chronic rheumatic heart disease	{ M 254 F 503	—	—	—	2	10	49	112	57	24	

TABLE 19—continued.

Abbreviated List No.	Causes of Death		South East Lancashire Conurbation—continued									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
1-	5-	15-				25-	45-	65-	75 & over			
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	2108	—	—	—	—	—	75	894	754	385
		F	1131	—	—	—	—	—	15	270	480	366
		M	2160	—	1	—	—	—	18	270	668	1203
		F	3134	—	—	—	—	—	18	217	850	2049
B27	Other diseases of heart	M	221	—	—	1	—	—	18	75	62	6
B28	Hypertension with heart disease	F	293	—	—	—	—	—	17	62	106	108
		M	487	—	—	—	—	—	5	130	201	151
		F	569	—	—	—	—	—	8	111	213	237
B29	Hypertension without mention of heart	M	114	—	—	—	—	2	6	35	31	40
B46 (Pt.)	Other circulatory diseases (450-468)	F	115	—	—	—	—	—	5	30	38	42
		M	511	—	—	1	—	—	6	69	149	286
		F	589	1	—	—	—	2	4	46	152	384
B30	Influenza	M	454	—	11	3	1	1	17	149	155	117
B31	Pneumonia	F	521	—	2	—	—	1	17	89	196	216
		M	636	—	91	24	3	5	24	177	163	149
		F	593	—	85	16	2	3	23	110	168	186
B32	Bronchitis	M	1902	1	17	5	—	—	28	659	690	502
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	1382	2	11	2	1	1	16	258	435	656
		M	186	—	4	3	—	3	12	78	52	33
		F	88	—	2	—	1	3	14	15	19	34
B33	Ulcer of stomach and duodenum	M	210	—	—	—	—	—	19	98	64	29
B34	Appendicitis	F	61	1	—	—	—	—	4	16	20	20
		M	34	—	—	3	6	1	5	12	5	2
		F	25	—	—	—	1	—	3	8	7	6
B35	Intestinal obstruction and hernia	M	99	7	4	2	—	—	2	30	29	25
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	F	117	2	3	—	—	1	4	33	36	38
		M	83	—	44	6	—	1	5	10	12	5
		F	84	—	25	3	—	1	5	19	14	17
B37	Cirrhosis of liver	M	32	—	—	—	—	—	5	18	3	6
		F	32	—	—	—	—	—	2	21	7	2
B38	Nephritis and nephrosis	M	191	—	—	—	1	4	33	68	43	42
		F	184	—	1	1	3	6	20	67	47	39
B39	Hyperplasia of prostate	M	206	—	—	—	—	—	1	20	79	106
B40	Complications of pregnancy, childbirth & puerperium	F	47	—	—	—	—	10	33	4	—	—
B41	Congenital malformations	M	142	54	41	11	6	2	13	13	1	1
		F	101	43	25	5	2	1	13	9	2	1
B42	Birth injuries, postnatal asphyxia & atelectasis	M	182	178	4	—	—	—	—	—	—	—
		F	116	112	4	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	4	4	—	—	—	—	—	—	—	—
		F	3	3	—	—	—	—	—	—	—	—
		M	36	36	—	—	—	—	—	—	—	—
		F	26	26	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	168	163	5	—	—	—	—	—	—	—
		F	144	136	8	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	242	1	5	2	—	—	3	3	16	212
		F	378	—	3	—	—	—	—	2	26	347
B46 (Rem.)	All other diseases (Remainder 001-795)	M	560	4	22	7	8	11	65	205	140	98
		F	742	1	7	15	3	14	72	244	218	168
BE47	Motor vehicle accidents	M	165	—	—	14	18	15	35	42	17	24
BE48	All other accidents	F	60	—	—	4	9	4	8	11	14	10
		M	278	4	25	15	19	18	52	62	31	52
		F	229	5	16	7	7	6	9	27	48	104
BE49	Suicide and self-inflicted injury	M	169	—	—	—	1	6	31	77	40	14
BE50	Homicide and operations of war	F	99	—	—	—	—	2	16	49	22	10
		M	15	2	—	—	—	—	2	10	1	—
		F	7	—	—	—	—	—	4	3	—	—
BN47	Fractures, head injuries and internal injuries	M	309	—	1	16	19	24	70	82	37	60
BN48	Burns	F	179	1	—	6	7	6	11	23	42	83
		M	15	—	1	2	1	—	1	4	1	5
		F	31	—	—	3	4	—	—	7	6	11
BN49	Effects of poisons	M	124	—	—	3	1	6	24	57	24	9
BN50	All other injuries	F	110	—	—	1	1	5	19	47	21	16
		M	179	6	23	8	17	9	25	48	27	16
		F	75	4	16	1	4	1	7	13	15	14

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Merseyside Conurbation										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							
1-	5-				15-	25-	45-	65-	75 & over			
	ALL CAUSES	{ M 9365 F 8926	330 209	203 169	107 88	55 47	127 103	586 522	2796 1706	2685 2410	2476 3672	
B1	Tuberculosis of respiratory system	{ M 385 F 236	—	—	—	—	19 37	110 127	187 42	64 19	5 3	
B2	Tuberculosis, other forms	{ M 38 F 32	—	2 1	16 11	3 5	1 4	5 5	8 5	2 1	—	
B3	Syphilis and its sequelæ	{ M 47 F 13	—	—	—	—	—	5	22 7	14 4	6 2	
B4	Typhoid fever	{ M — F —	—	—	—	—	—	—	—	—	—	
B5	Cholera	{ M — F —	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M — F 1	—	—	—	—	—	—	1	—	—	
B7	Scarlet fever and streptococcal sore throat	{ M 3 F 3	—	—	2	—	1	—	—	—	—	
B8	Diphtheria	{ M 1 F 1	—	—	1	1	—	—	—	—	1	
B9	Whooping cough	{ M 17 F 12	—	13 8	4 4	—	—	—	—	—	—	
B10	Meningococcal infections	{ M 17 F 12	—	8 3	5 3	1	1 1	1 1	— 3	— 1	— 1	
B11	Plague	{ M — F —	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 4 F 4	—	1	—	1	1	—	1	—	—	
B13	Smallpox	{ M — F —	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M — F 4	—	2 1	2 3	—	—	—	—	—	—	
B15	Typhus and other rickettsial diseases	{ M — F —	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M — F —	—	—	—	—	—	—	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M 20 F 23	— 1	3 2	1 1	— 1	— 2	6 2	7 9	2 4	1 1	
B18	Malignant neoplasm of stomach (151)	{ M 250 F 224	—	—	—	—	—	11 8	105 60	86 84	48 70	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 459 F 64	—	—	—	—	2	27 3	253 29	141 23	36 9	
	Malignant neoplasm of breast (170)	{ M 2 F 226	—	—	—	—	—	22	100	1	1	
	Malignant neoplasm of uterus (171-174)	{ M — F 120	—	—	—	—	—	8	61	57	47	
	Leukæmia and aleukæmia (204)	{ M 26 F 27	—	—	2	2	3	1 3	10 9	4 7	4 3	
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M 710 F 582	—	—	3 1	3 1	7 6	45 42	261 191	210 189	181 151	
	Benign and unspecified neoplasms	{ M 28 F 22	— 2	—	— 1	1 2	2	5 4	12 8	1 1	7 4	
	Diabetes mellitus	{ M 25 F 60	—	—	—	1	1	1	10 11	10 24	3 22	
	Anæmias	{ M 16 F 46	—	—	—	1	1	—	5 14	5 15	5 15	
	Vascular lesions affecting central nervous system	{ M 834 F 1099	—	—	—	—	1	2 1	15 13	172 222	310 370	334 492
B23	Nonmeningococcal meningitis	{ M 15 F 4	—	3 1	6	1	—	2 1	—	3	—	
B24	Rheumatic fever	{ M 11 F 8	—	—	—	1 4	2 2	6 1	1 1	1	—	
B25	Chronic rheumatic heart disease	{ M 106 F 219	—	—	—	2 1	9 8	37 70	33 82	18 35	7 23	

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Merseyside Conurbation—continued										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	Years				75 & over
							25-	45-	65-			
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	1159	—	—	—	1	2	36	498	404	218
		F	637	—	—	—	—	8	123	274	232	
		M	1077	—	—	—	—	1	3	115	337	621
		F	1516	—	—	—	—	1	6	93	353	1063
B27	Other diseases of heart	M	117	—	—	—	—	6	35	45	—	
B28	Hypertension with heart disease	F	172	—	1	1	2	—	11	34	54	—
		M	305	—	—	—	—	8	82	118	97	—
		F	319	—	—	—	—	6	58	110	145	—
B29	Hypertension without mention of heart	M	44	—	—	—	—	3	16	8	17	—
B46 (Pt.)	Other circulatory diseases (450-468)	F	56	—	—	—	—	3	17	10	26	—
		M	125	—	—	—	—	1	5	23	41	55
		F	142	—	—	—	—	—	4	21	40	77
B30	Influenza	M	455	2	6	2	—	2	19	148	152	124
B31	Pneumonia	F	555	—	2	1	—	3	21	87	179	262
		M	566	—	76	16	—	20	134	161	159	—
		F	595	—	66	14	1	2	23	84	137	268
B32	Bronchitis	M	866	—	11	—	—	1	18	299	298	239
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	545	—	5	1	1	—	10	90	168	270
		M	131	—	2	1	1	1	11	50	39	26
		F	61	—	2	1	1	—	5	17	13	22
B33	Ulcer of stomach and duodenum	M	116	—	—	—	—	2	14	55	29	16
B34	Appendicitis	F	45	—	—	—	—	—	3	14	12	16
		M	17	—	—	1	3	1	2	7	—	3
		F	11	—	—	—	5	1	—	1	2	2
B35	Intestinal obstruction and hernia	M	41	2	1	2	—	—	1	11	10	14
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	34	1	2	—	—	—	2	4	14	11
		M	47	—	22	1	—	—	4	7	3	10
		F	62	—	24	2	—	2	3	11	10	10
B37	Cirrhosis of liver	M	22	—	—	—	—	—	2	12	4	4
		F	18	—	1	—	—	—	1	9	5	2
B38	Nephritis and nephrosis	M	78	—	—	1	—	5	19	22	19	12
		F	98	—	1	1	1	8	16	22	24	25
B39	Hyperplasia of prostate	M	83	—	—	—	—	—	—	3	31	49
B40	Complications of pregnancy, childbirth & puerperium	F	18	—	—	—	—	2	15	1	—	—
B41	Congenital malformations	M	105	47	27	7	2	1	9	11	—	1
		F	90	32	25	9	2	1	8	9	4	—
B42	Birth injuries, postnatal asphyxia & atelectasis	M	126	125	1	—	—	—	—	—	—	—
		F	76	76	—	—	—	—	—	—	—	—
		M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
		M	41	41	—	—	—	—	—	—	—	—
		F	20	19	1	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	114	107	7	—	—	—	—	—	—	—
		F	80	75	5	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	63	—	—	—	—	—	—	1	4	58
B46 (Rem.)	All other diseases (Remainder 001-795)	F	149	—	—	—	—	—	1	—	9	139
		M	253	2	8	4	7	13	41	78	58	42
		F	367	1	5	3	4	8	39	117	90	100
BE47	Motor vehicle accidents	M	105	—	—	18	9	21	24	23	7	3
BE48	All other accidents	F	34	—	—	6	1	3	3	7	6	8
		M	207	4	10	12	16	22	42	44	24	33
		F	140	2	9	15	6	4	9	16	18	61
BE49	Suicide and self-inflicted injury	M	79	—	—	—	—	3	21	31	20	4
BE50	Homicide and operations of war	F	41	—	—	—	—	2	10	15	13	1
		M	4	—	—	—	—	—	2	1	1	—
		F	4	—	—	1	—	—	1	2	—	—
BN47	Fractures, head injuries and internal injuries	M	228	—	—	20	16	35	54	56	23	24
BN48	Burns	F	108	—	—	9	3	6	5	15	17	53
		M	7	—	—	2	—	—	—	1	3	1
		F	14	—	—	3	2	—	—	1	3	5
BN49	Effects of poisons	M	72	—	—	6	—	3	14	23	18	8
BN50	All other injuries	F	61	—	—	5	1	—	11	18	17	9
		M	88	4	10	2	9	8	21	19	8	7
		F	36	2	9	5	1	3	7	6	—	3

TABLE 19—continued.

Abbreviated List No.	Causes of Death	North Midland Region										
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M F	20538 18924	556 387	324 282	177 146	155 81	240 184	1090 914	5093 3489	5819 4859	7119 8582
B1	Tuberculosis of respiratory system	{ M F	525 292	— 1	— 3	3 3	1 3	28 57	143 130	254 63	76 25	20 10
B2	Tuberculosis, other forms	{ M F	54 66	— 1	— 15	13 5	8 11	5 13	15 14	7 14	1 4	1 3
B3	Syphilis and its sequelæ	{ M F	80 34	1 1	— 1	— 1	— 2	— 4	— 2	44 14	24 12	3 5
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	2 —	— —	1 —	— —	— —	— —	— —	1 —	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	2 1	— —	— —	— —	— —	— —	— —	1 1	— —	1 —
B8	Diphtheria	{ M F	2 —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —
B9	Whooping cough	{ M F	18 17	— —	10 12	8 5	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	8 9	— —	2 1	4 5	— 1	— —	— 1	1 1	1 —	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	10 5	— —	1 —	— —	2 1	2 1	5 1	1 1	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	15 8	— —	5 5	9 2	1 1	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	45 39	— —	5 3	3 4	3 2	2 1	5 9	13 9	6 7	8 4
B18	Malignant neoplasm of stomach (151)	{ M F	551 419	— —	— —	— —	— —	— —	23 25	208 111	197 152	123 131
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	661 127	— —	— —	— —	— —	1 —	42 12	369 56	206 46	43 13
	Malignant neoplasm of breast (170)	{ M F	3 564	— —	— —	— —	— —	— —	1 67	— 247	— 129	2 121
	Malignant neoplasm of uterus (171-174)	{ M F	322 —	— —	— —	— —	— —	— —	39 140	— 90	— 90	— 53
	Leukæmia and aleukæmia (204)	{ M F	85 53	— —	1 6	3 6	11 3	11 3	14 12	22 19	16 7	7 3
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M F	1761 1377	— —	4 1	9 6	11 3	13 13	107 96	490 465	617 410	510 383
	Benign and unspecified neoplasms	{ M F	53 74	— —	1 1	2 —	2 4	2 3	11 19	23 24	7 13	5 10
	Diabetes mellitus	{ M F	97 183	— —	— —	— —	1 2	— 1	7 9	25 39	31 69	33 63
	Anæmias	{ M F	46 70	— —	— —	1 —	— 1	1 3	— 5	8 14	17 22	16 28
	Vascular lesions affecting central nervous system	{ M F	2294 2890	— —	— —	— —	1 1	2 1	40 44	407 490	811 893	1033 1460
B23	Nonmeningococcal meningitis	{ M F	11 13	1 1	3 5	1 2	1 2	1 —	2 —	2 1	— 1	— 1
B24	Rheumatic fever	{ M F	12 17	— —	— —	— —	3 7	1 3	— 1	5 3	1 1	— 1
B25	Chronic rheumatic heart disease	{ M F	279 407	— —	— —	— —	3 1	6 10	40 68	113 160	71 98	46 70

TABLE 19—continued.

Abbreviated List No.	Causes of Death		North Midland Region—continued									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						75 & over
						1	5-	15-	25-	45-	65-	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	2521	—	—	—	—	—	69	855	893	704
	Degenerative heart disease (421, 422)	F	1495	—	—	—	—	1	9	268	607	610
		M	2673	—	—	—	1	3	15	258	699	1697
		F	3289	—	—	—	—	—	11	218	700	2360
B27	Other diseases of heart	M	281	—	3	—	—	—	22	60	95	101
		F	312	—	1	—	—	3	14	61	79	153
B28	Hypertension with heart disease	M	594	—	—	—	—	—	6	121	208	259
		F	659	—	—	—	—	—	9	103	231	316
B29	Hypertension without mention of heart	M	160	—	—	—	—	—	4	33	46	77
		F	139	—	—	—	—	—	2	35	37	65
B46 (Pt.)	Other circulatory diseases (450-468)	M	637	—	—	—	—	—	9	83	177	368
		F	584	—	—	—	—	1	9	47	124	403
B30	Influenza	M	561	—	3	3	2	2	18	147	160	226
		F	549	1	2	4	1	2	15	85	144	295
B31	Pneumonia	M	787	—	109	23	3	10	29	182	194	237
		F	723	—	100	24	2	4	21	77	161	334
B32	Bronchitis	M	1610	1	27	4	1	—	21	423	554	579
		F	989	2	16	5	—	—	11	124	285	546
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	215	1	5	3	2	2	17	85	47	53
		F	112	1	3	1	3	1	14	21	24	44
B33	Ulcer of stomach and duodenum	M	322	—	—	—	—	6	18	150	103	45
		F	101	—	—	—	—	—	8	36	29	28
B34	Appendicitis	M	51	—	—	4	5	1	6	22	9	4
		F	33	—	—	4	2	6	3	8	7	3
B35	Intestinal obstruction and hernia	M	107	3	4	2	3	—	2	29	31	33
		F	115	2	7	2	1	—	5	28	31	39
B36	Gastritis, enteritis, and diarrhea except diarrhea of newborn	M	72	—	26	3	—	—	2	11	14	16
		F	99	—	23	4	1	1	5	18	20	27
B37	Cirrhosis of liver	M	46	—	1	—	2	—	5	17	16	5
		F	36	—	—	—	—	—	6	14	14	2
B38	Nephritis and nephrosis	M	262	—	2	1	3	6	41	87	62	60
		F	253	—	1	1	6	6	30	78	70	61
B39	Hyperplasia of prostate	M	340	—	—	—	—	—	—	20	101	219
B40	Complications of pregnancy, childbirth & puerperium	F	45	—	—	—	—	11	28	5	—	1
B41	Congenital malformations	M	196	75	51	18	11	9	15	14	3	—
		F	172	72	36	13	4	5	15	19	4	4
B42	Birth injuries, postnatal asphyxia & atelectasis	M	189	187	2	—	—	—	—	—	—	—
		F	139	135	4	—	—	—	—	—	—	—
B43	Diarrhea of newborn (764)	M	3	3	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	52	52	—	—	—	—	—	—	—	—
		F	23	23	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	232	223	9	—	—	—	—	—	—	—
		F	147	138	9	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	344	2	1	—	1	—	2	9	22	307
		F	512	—	—	1	—	1	—	3	24	483
B46 (Rem.)	All other diseases (Remainder 001-795)	M	741	6	22	15	15	12	59	240	207	172
		F	897	6	26	16	8	27	100	264	207	243
BE47	Motor vehicle accidents	M	283	—	—	20	29	54	82	45	34	19
		F	82	—	—	12	11	7	9	18	11	14
BE48	All other accidents	M	470	11	21	23	28	50	129	108	33	67
		F	312	5	21	9	4	2	9	28	49	185
BE49	Suicide and self-inflicted injury	M	217	—	—	—	—	7	53	103	34	20
		F	113	—	—	—	—	—	27	58	22	6
BE50	Homicide and operations of war	M	8	—	1	1	—	1	1	2	2	—
		F	7	—	1	—	—	3	1	1	—	1
BN47	Fractures, head injuries and internal injuries	M	564	—	—	22	40	83	176	120	53	70
		F	288	1	—	13	11	10	14	29	39	171
BN48	Burns	M	23	—	1	3	—	1	7	6	2	3
		F	41	—	2	6	3	1	—	8	9	12
BN49	Effects of poisons	M	119	—	—	2	—	2	31	60	12	12
		F	89	—	1	—	—	—	22	40	17	9
BN50	All other injuries	M	272	11	21	17	17	26	51	72	36	21
		F	96	4	19	2	1	1	10	28	17	14

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Midland Region										
			Age										
			All Ages	0-4 weeks	4 wks. -1 yr.	Years							
						1-	5-	15-	25-	45-	65-	75 & over	
	ALL CAUSES	{ M F	27172 24617	864 589	477 345	251 228	213 148	373 225	1602 1272	7361 4769	7641 6357	8390 10684	
B1	Tuberculosis of respiratory system	{ M F	929 450	—	2 3	7 4	3 2	39 65	281 207	457 128	119 35	21 6	
B2	Tuberculosis, other forms	{ M F	99 107	—	8 5	23 29	6 18	15 17	24 11	17 14	3 9	3 4	
B3	Syphilis and its sequelæ	{ M F	103 31	1	2	—	—	—	6 3	45 17	36 7	13 3	
B4	Typhoid fever	{ M F	—	—	—	—	—	—	—	—	—	—	
B5	Cholera	{ M F	—	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M F	2 4	—	1 3	—	—	—	—	—	1	—	
B7	Scarlet fever and streptococcal sore throat	{ M F	1 4	—	—	1 2	—	—	—	—	—	—	
B8	Diphtheria	{ M F	7 8	—	—	1 1	4 7	1	1	1	—	—	
B9	Whooping cough	{ M F	25 38	—	17 22	7 14	1 1	—	—	—	—	—	
B10	Meningococcal infections	{ M F	12 20	—	5 8	5 6	—	2	—	1	1	2	
B11	Plague	{ M F	—	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M F	10 8	—	—	1 1	2 4	—	5 1	2	—	—	
B13	Smallpox	{ M F	—	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M F	18 15	—	8 7	6 6	3 1	1	—	—	—	—	
B15	Typhus and other rickettsial diseases	{ M F	—	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M F	—	—	—	—	—	—	—	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M F	48 49	—	6 3	4 4	4 5	—	10 10	15 12	3 5	6 6	
B18	Malignant neoplasm of stomach (151)	{ M F	720 577	—	—	—	—	1	35 32	280 158	249 196	155 191	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	1045 169	—	—	—	—	1	88 21	611 70	283 50	62 26	
	Malignant neoplasm of breast (170)	{ M F	11 708	—	—	—	—	1	86 47	6 325	3 167	2 129	
	Malignant neoplasm of uterus (171-174)	{ M F	352	—	—	—	—	—	—	164	94	47	
	Leukæmia and aleukæmia (204)	{ M F	103 84	—	1 1	13 9	14 5	4 2	16 18	30 27	19 15	6 7	
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M F	2341 1795	—	—	10 8	12 6	13 11	143 125	719 600	778 541	666 503	
	Benign and unspecified neoplasms	{ M F	92 88	2	1	2 1	5 4	2 2	11 15	34 51	19 9	16 6	
	Diabetes mellitus	{ M F	110 236	—	—	—	3	1 2	11 8	24 49	50 101	24 73	
	Anæmias	{ M F	66 99	—	—	1 1	—	2 —	1 2	15 21	23 30	24 44	
	Vascular lesions affecting central nervous system	{ M F	2745 3433	—	3	—	2	5 3	61 57	620 608	926 1054	1128 1708	
B23	Nonmeningococcal meningitis	{ M F	23 13	—	8 1	6 2	—	2	2	1	2	1	
B24	Rheumatic fever	{ M F	19 27	—	—	—	2 4	5 3	5 9	6 7	1 1	—	
B25	Chronic rheumatic heart disease	{ M F	409 606	—	—	—	5 3	13 15	87 122	151 236	93 136	60 94	

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Midland Region—continued.										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	25-	45-	65-	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	2950	—	—	—	—	80	1082	1059	729	
		F	1677	—	—	—	—	21	329	666	661	
		M	3388	—	—	—	1	2	20	365	965	2035
		F	4364	—	—	—	—	1	13	296	987	3067
B27	Other diseases of heart	M	349	1	—	2	2	2	17	92	110	123
B28	Hypertension with heart disease	F	412	—	—	1	1	5	14	80	140	171
		M	804	—	—	—	—	—	14	190	312	288
		F	898	—	—	—	—	—	9	185	324	380
B29	Hypertension without mention of heart	M	161	—	—	—	—	14	46	49	52	
B46 (Pt.)	Other circulatory diseases (450-468)	F	150	—	—	—	—	2	11	33	35	69
		M	603	—	—	—	1	—	11	84	179	328
		F	610	—	1	1	—	2	9	66	152	379
B30	Influenza	M	859	—	13	10	3	13	33	241	267	279
B31	Pneumonia	F	946	1	7	3	5	4	31	159	315	421
		M	1189	—	144	23	4	8	49	291	322	348
		F	952	—	111	32	9	4	28	151	203	414
B32	Bronchitis	M	2294	2	24	7	1	2	38	714	797	709
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	1381	3	16	6	—	4	20	189	369	774
		M	355	—	5	5	2	3	30	158	93	59
		F	191	3	4	4	4	5	15	43	42	71
B33	Ulcer of stomach and duodenum	M	444	—	—	—	—	3	42	195	145	59
B34	Appendicitis	F	133	—	—	—	—	1	10	39	47	36
		M	74	—	1	13	8	6	7	24	9	6
		F	55	—	—	9	6	2	4	16	8	10
B35	Intestinal obstruction and hernia	M	163	4	8	2	2	3	8	46	37	53
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	155	2	4	2	—	9	53	39	46	46
		M	134	—	48	7	1	1	10	25	20	22
		F	151	—	47	6	1	3	11	27	23	33
B37	Cirrhosis of liver	M	72	—	—	1	1	1	5	40	19	5
		F	69	—	—	1	—	—	5	32	23	8
B38	Nephritis and nephrosis	M	313	—	3	7	7	14	55	102	69	56
		F	284	—	2	5	3	8	37	89	68	72
B39	Hyperplasia of prostate	M	424	—	—	—	—	—	—	30	121	273
B40	Complications of pregnancy, childbirth & puerperium	F	47	—	—	—	—	6	39	2	—	—
B41	Congenital malformations	M	268	112	64	15	7	18	20	21	5	6
		F	216	103	37	14	3	10	18	22	7	2
B42	Birth injuries, postnatal asphyxia & atelectasis	M	325	317	7	1	—	—	—	—	—	—
		F	195	191	4	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	5	5	—	—	—	—	—	—	—	—
		F	7	7	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	79	78	1	—	—	—	—	—	—	—
F		49	49	—	—	—	—	—	—	—	—	
B44	Other dis. of early infancy & immaturity unqualified	M	329	314	15	—	—	—	—	—	—	—
		F	223	217	6	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	516	—	—	—	—	1	7	52	456	
		F	762	1	1	1	—	—	1	1	41	716
B46 (Rem.)	All other diseases (Remainder 001-795)	M	876	8	36	31	24	40	74	263	231	169
		F	1031	6	22	13	15	18	99	303	296	259
BE47	Motor vehicle accidents	M	408	—	—	18	45	89	119	69	41	27
BE48	All other accidents	F	133	—	—	19	15	9	25	25	20	20
		M	562	16	46	22	39	50	102	115	72	100
		F	397	2	29	19	12	3	16	39	61	216
BE49	Suicide and self-inflicted injury	M	265	—	—	—	1	10	59	116	57	22
BE50	Homicide and operations of war	F	198	—	—	—	—	6	47	98	38	9
		M	26	2	—	—	1	3	8	7	5	—
		F	10	1	—	2	3	—	3	1	—	—
BN47	Fractures, head injuries and internal injuries	M	735	2	2	19	55	117	195	150	94	101
BN48	Burns	F	373	—	—	20	15	10	30	50	58	190
		M	23	—	1	4	2	1	6	4	1	4
		F	54	—	—	8	6	1	2	5	10	22
BN49	Effects of poisons	M	167	—	—	2	—	7	35	75	30	18
BN50	All other injuries	F	180	—	—	5	3	5	43	73	30	21
		M	336	16	43	15	29	27	52	78	50	26
		F	131	3	29	7	6	2	16	35	21	12

TABLE 19—continued.

Abbreviated List No.	Causes of Death	West Midland Conurbation											
			Age										
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	Years			75 & over	
	ALL CAUSES	{ M 13512 F 12299	417 289	223 192	121 106	114 89	156 134	870 661	3916 2511	3822 3150	3873 5167		
B1	Tuberculosis of respiratory system	{ M 570 F 269	—	2 3	2 2	3 1	24 46	180 121	281 75	66 18	12 3		
B2	Tuberculosis, other forms	{ M 52 F 62	—	4 4	13 19	5 15	6 9	13 5	9 6	1 3	1 7		
B3	Syphilis and its sequelæ	{ M 47 F 22	—	2 —	—	—	—	2 1	18 12	18 4	7 3		
B4	Typhoid fever	{ M — F —	—	—	—	—	—	—	—	—	—		
B5	Cholera	{ M — F —	—	—	—	—	—	—	—	—	—		
B6	Dysentery, all forms	{ M 2 F 2	—	1 2	—	—	—	—	—	1	—		
B7	Scarlet fever and streptococcal sore throat	{ M 1 F 1	—	—	1 1	—	—	—	—	—	—		
B8	Diphtheria	{ M 3 F 6	—	—	—	2 5	—	1	—	—	—		
B9	Whooping cough	{ M 8 F 17	—	5 9	2 6	1 1	—	—	—	—	—		
B10	Meningococcal infections	{ M 4 F 10	—	2 2	1 2	—	1 2	1 1	—	1 2	—		
B11	Plague	{ M — F —	—	—	—	—	—	—	—	—	—		
B12	Acute poliomyelitis	{ M 4 F 4	—	—	1 1	2 1	—	1 1	—	—	—		
B13	Smallpox	{ M — F —	—	—	—	—	—	—	—	—	—		
B14	Measles	{ M 12 F 8	—	4 7	5 1	2 —	1 —	—	—	—	—		
B15	Typhus and other rickettsial diseases	{ M — F —	—	—	—	—	—	—	—	—	—		
B16	Malaria	{ M — F —	—	—	—	—	—	—	—	—	—		
B17	All other diseases classified as infective and parasitic	{ M 20 F 29	—	3 2	3 3	1 4	— 1	7 3	4 10	— 2	2 4		
B18	Malignant neoplasm of stomach (151)	{ M 355 F 291	—	—	—	—	—	20 17	147 86	123 89	65 89		
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 631 F 85	—	—	—	—	—	35 11	355 38	172 24	41 12		
	Malignant neoplasm of breast (170)	{ M 5 F 360	—	—	—	—	—	—	3 173	1 91	1 60		
	Malignant neoplasm of uterus (171-174)	{ M — F 168	—	—	—	—	—	35 26	73 73	91 46	23 23		
	Leukemia and aleukemia (204)	{ M 50 F 39	—	—	7 2	9 2	— 2	8 12	13 10	11 6	2 4		
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M 1138 F 905	—	1 1	5 4	7 3	6 5	76 60	369 314	366 264	309 254		
B19	Benign and unspecified neoplasms	{ M 47 F 47	1	1	—	2 3	1 2	9 9	12 26	13 3	8 4		
B20	Diabetes mellitus	{ M 58 F 124	—	—	—	—	1 1	7 4	8 25	27 53	15 40		
B21	Anæmias	{ M 28 F 39	—	—	1	—	—	—	4 7	11 11	12 21		
B22	Vascular lesions affecting central nervous system	{ M 1286 F 1654	—	1	—	1	—	25 24	318 312	441 528	500 786		
B23	Nonmeningococcal meningitis	{ M 7 F 5	1	3 1	2 1	—	1	—	—	—	—		
B24	Rheumatic fever	{ M 2 F 14	—	—	—	—	3 4	— 3	— 4	— 4	— 4		
B25	Chronic rheumatic heart disease	{ M 190 F 327	—	—	—	2 1	7 8	44 71	79 136	35 69	23 42		

TABLE 19—continued.

Abbreviated List No.	Causes of Death	West Midland Conurbation—continued										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							
					1-	5-	15-	25-	45-	65-	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	1407	—	—	—	—	—	47	532	509	319
		F	772	—	—	—	—	8	156	305	303	
		M	1534	—	—	—	1	14	190	459	869	
		F	2150	—	—	—	1	9	162	468	1510	
B27	Other diseases of heart	M	169	1	—	1	—	—	11	40	60	55
		F	208	—	—	1	—	—	7	41	77	79
B28	Hypertension with heart disease	M	439	—	—	—	—	—	7	111	159	162
		F	506	—	—	—	—	6	107	175	218	
B29	Hypertension without mention of heart	M	95	—	—	—	—	—	11	26	25	33
		F	60	—	—	—	—	—	11	10	13	24
B46 (Pt.)	Other circulatory diseases (450-468)	M	242	—	—	—	—	—	1	32	83	126
		F	288	—	—	—	—	3	37	78	170	
B30	Influenza	M	419	—	8	7	—	—	20	141	121	115
		F	438	—	5	2	3	—	16	88	143	180
B31	Pneumonia	M	633	—	67	11	1	3	23	176	171	181
		F	486	—	55	13	6	2	15	86	100	209
B32	Bronchitis	M	1371	1	17	1	1	2	26	453	478	392
		F	747	3	11	4	—	1	10	108	212	398
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	156	—	2	3	—	2	12	70	39	28
		F	94	1	3	3	2	5	5	18	19	38
B33	Ulcer of stomach and duodenum	M	262	—	—	—	—	2	27	114	90	29
		F	74	—	—	—	—	—	4	23	22	25
B34	Appendicitis	M	40	—	—	8	4	4	3	14	3	4
		F	22	—	—	3	1	1	1	8	5	3
B35	Intestinal obstruction and hernia	M	79	1	2	1	—	1	3	20	23	28
		F	82	1	2	—	—	—	8	27	21	23
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M	74	—	25	4	1	—	7	14	9	14
		F	92	—	32	3	1	—	8	17	13	18
B37	Cirrhosis of liver	M	35	—	—	—	1	—	4	16	11	2
		F	38	—	—	1	—	—	1	16	14	6
B38	Nephritis and nephrosis	M	139	—	1	5	3	7	30	45	30	18
		F	124	—	1	1	3	5	17	41	33	23
B39	Hyperplasia of prostate	M	178	—	—	—	—	—	—	13	51	114
B40	Complications of pregnancy, childbirth & puerperium	F	26	—	—	—	—	4	20	2	—	—
B41	Congenital malformations	M	129	51	27	9	3	12	9	13	3	2
		F	107	49	13	8	3	7	7	14	4	2
B42	Birth injuries, postnatal asphyxia & atelectasis	M	180	177	3	—	—	—	—	—	—	—
		F	104	102	2	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	3	3	—	—	—	—	—	—	—	—
		F	3	3	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	35	34	1	—	—	—	—	—	—	—
		F	26	26	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	138	132	6	—	—	—	—	—	—	—
		F	104	101	3	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	258	—	—	—	—	—	—	5	29	224
		F	368	—	—	—	—	—	—	—	25	343
B46 (Rem.)	All other diseases (Remainder 001-795)	M	421	4	20	16	13	19	32	129	102	86
		F	519	3	14	7	10	12	50	154	137	132
BE47	Motor vehicle accidents	M	172	—	—	7	21	26	52	31	20	15
		F	69	—	—	8	6	5	13	13	14	10
BE48	All other accidents	M	231	9	16	5	23	20	42	43	28	45
		F	188	—	19	9	5	—	9	20	25	101
BE49	Suicide and self-inflicted injury	M	141	—	—	—	1	1	32	61	32	14
		F	111	—	—	—	—	2	25	55	24	5
BE50	Homicide and operations of war	M	12	2	—	1	1	1	1	—	2	—
		F	5	—	—	1	3	—	—	—	—	—
BN47	Fractures, head injuries and internal injuries	M	304	2	—	7	27	37	78	63	42	48
		F	175	—	—	8	6	5	15	26	28	87
BN48	Burns	M	11	—	—	1	2	—	4	2	1	1
		F	30	—	—	5	4	—	2	2	5	12
BN49	Effects of poisons	M	108	—	—	1	—	2	20	53	19	13
		F	112	—	—	1	2	2	25	46	23	13
BN50	All other injuries	M	133	9	16	3	17	9	25	22	20	12
		F	56	—	19	4	2	—	6	14	7	4

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Eastern Region										
			Age										
			All Ages	0-4 weeks	4 wks. -1 yr.	Years							75 & over
1-	5-	15-				25-	45-	65-					
	ALL CAUSES	{ M 18782 F 18086	445 356	238 172	146 143	137 75	232 114	857 674	4146 3090	5149 4373	7432 9089		
B1	Tuberculosis of respiratory system	{ M 359 F 214	—	1 1	2 1	2 1	13 22	83 101	171 51	72 24	15 13		
B2	Tuberculosis, other forms	{ M 60 F 42	—	— 2	16 9	11 2	2 4	15 7	10 12	5 4	1 2		
B3	Syphilis and its sequelæ	{ M 73 F 36	1	—	—	—	—	2 2	34 8	23 13	13 10		
B4	Typhoid fever	{ M F	—	—	—	—	—	—	—	—	—		
B5	Cholera	{ M F	—	—	—	—	—	—	—	—	—		
B6	Dysentery, all forms	{ M F	4 3	—	—	—	—	—	4 1	— 1	— 1		
B7	Scarlet fever and streptococcal sore throat	{ M 3 F 1	—	—	—	—	—	1	1	—	1		
B8	Diphtheria	{ M F	1 —	1	—	—	—	—	—	—	—		
B9	Whooping cough	{ M 18 F 16	—	11 7	5 8	2	—	—	—	—	—		
B10	Meningococcal infections	{ M 8 F 11	1	— 2	5 3	— 2	1 2	—	— 2	1	—		
B11	Plague	{ M F	—	—	—	—	—	—	—	—	—		
B12	Acute poliomyelitis	{ M 11 F 5	—	—	—	3	2 1	5 4	1	—	—		
B13	Smallpox	{ M F	—	—	—	—	—	—	—	—	—		
B14	Measles	{ M 1 F 6 F 5	—	—	3 3	1	2	1	—	—	—		
B15	Typhus and other rickettsial diseases	{ M F	—	—	—	—	—	—	—	—	—		
B16	Malaria	{ M F	1	—	—	—	1	—	—	—	—		
B17	All other diseases classified as infective and parasitic	{ M 47 F 40	1	2	3 2	— 3	4 2	9 8	16 18	5 4	8 2		
B18	Malignant neoplasm of stomach (151)	{ M 527 F 410	—	—	—	—	—	23 9	185 96	173 114	146 191		
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 709 F 150	—	—	1	—	2	33 13	414 67	208 41	52 28		
	Malignant neoplasm of breast (170)	{ M 4 F 587	—	—	—	—	—	1 66	— 257	1 148	2 116		
	Malignant neoplasm of uterus (171-174)	{ M F 277	—	—	—	—	—	18	125	79	55		
	Leukæmia and aleukæmia (204)	{ M 61 F 70	—	2 2	4 8	2 3	5 6	8 13	19 18	17 15	4 5		
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M 1731 F 1431	—	1 1	5 6	12 8	11 12	91 75	475 453	526 440	610 436		
	Benign and unspecified neoplasms	{ M 72 F 65	2	1	1 2	5 1	2 1	11 9	30 28	13 8	7 16		
	Diabetes mellitus	{ M 91 F 179	—	—	—	2 1	2	7 7	18 34	36 61	28 72		
	Anæmias	{ M 29 F 57	—	—	1	—	1 3	— 2	3 9	10 16	14 27		
	Vascular lesions affecting central nervous system	{ M 2013 F 2677	—	1	—	—	4 1	18 23	299 416	643 769	1048 1468		
B23	Nonmeningococcal meningitis	{ M 18 F 11	1	4 4	4 2	1 2	—	3 —	3 2	2 —	—		
B24	Rheumatic fever	{ M 10 F 14	—	—	—	2 1	2 3	1 2	3 7	2 —	—		
B25	Chronic rheumatic heart disease	{ M 244 F 385	—	—	—	2 —	3 3	31 34	71 135	71 110	66 103		

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Eastern Region—continued.									
			Age									
			All Ages	0-4 weeks	4 wks.-1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	2611	—	—	1	1	1	61	765	998	784
		F	1531	—	—	—	—	—	7	244	560	720
	Degenerative heart disease (421, 422)	M	2656	—	—	—	—	—	14	185	629	1828
		F	3340	—	—	—	—	1	10	142	607	2580
B27	Other diseases of heart	M	273	—	—	—	1	4	9	38	79	142
B28	Hypertension with heart disease	F	267	—	—	—	—	—	9	38	78	142
		M	500	—	—	—	—	—	8	96	171	225
		F	554	—	—	1	—	—	4	92	165	292
B29	Hypertension without mention of heart	M	127	—	—	—	—	—	5	35	33	54
B46 (Pt.)	Other circulatory diseases (450-468)	F	114	—	—	—	—	—	5	24	36	49
		M	495	—	—	—	—	—	6	47	154	288
		F	530	—	—	—	—	—	11	63	118	338
B30	Influenza	M	494	1	5	4	2	3	9	94	144	232
B31	Pneumonia	F	570	—	—	5	2	1	15	68	153	326
		M	766	—	59	12	6	7	20	140	188	334
		F	808	—	47	19	6	3	19	99	161	454
B32	Bronchitis	M	1104	1	9	7	—	2	11	245	332	497
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	755	1	8	4	—	1	12	83	178	468
		M	179	1	4	5	1	1	8	81	42	36
		F	126	1	2	4	2	—	9	29	29	50
B33	Ulcer of stomach and duodenum	M	262	—	1	—	—	1	19	108	75	58
B34	Appendicitis	F	105	—	—	—	—	—	3	22	37	43
		M	55	—	—	4	3	4	9	13	14	8
		F	30	—	—	3	3	1	4	7	8	4
B35	Intestinal obstruction and hernia	M	94	4	5	3	2	—	1	19	26	34
B36	Gastritis, enteritis and diarrhœa except diarrhœa of newborn	F	91	2	3	1	1	—	2	19	24	39
		M	91	—	32	9	—	1	6	17	15	11
		F	82	—	19	3	—	2	9	14	12	23
B37	Cirrhosis of liver	M	38	—	1	—	—	—	2	14	14	7
B38	Nephritis and nephrosis	F	40	—	—	—	—	1	2	15	13	9
		M	180	—	1	—	2	7	25	48	41	56
B39	Hyperplasia of prostate	F	190	—	2	2	5	4	16	46	45	70
B40	Complications of pregnancy, childbirth & puerperium	M	330	—	—	—	—	—	—	16	82	232
B41	Congenital malformations	F	22	—	—	—	—	3	18	1	—	—
B42	Birth injuries, postnatal asphyxia & atelectasis	M	159	51	40	13	11	4	13	18	7	2
		F	155	60	27	15	4	2	17	18	5	7
B43	Diarrhœa of newborn (764)	M	145	141	4	—	—	—	—	—	—	—
B43	Other infections of newborn (763, 765-768)	F	121	117	4	—	—	—	—	—	—	—
		M	3	3	—	—	—	—	—	—	—	—
		F	3	3	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	32	30	2	—	—	—	—	—	—	—
		F	32	32	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	203	199	4	—	—	—	—	—	—	—
B45	All other diseases (Remainder 001-795)	F	141	134	7	—	—	—	—	—	—	—
		M	314	2	—	—	—	1	—	—	20	291
B46 (Rem.)	All other diseases (Remainder 001-795)	F	492	1	1	2	—	—	1	—	18	469
		M	662	3	19	12	16	13	58	188	177	176
BE47	Motor vehicle accidents	F	742	—	9	18	8	14	58	209	184	242
BE48	All other accidents	M	287	—	—	8	27	73	82	50	23	24
BE48	Suicide and self-inflicted injury	F	74	—	—	10	5	9	10	18	12	10
		M	412	4	27	19	20	47	105	79	34	77
BE49	Homicide and operations of war	F	344	3	22	10	6	4	16	25	55	203
BE50	Fractures, head injuries and internal injuries	M	201	—	—	—	—	7	43	90	40	21
BE50	Burns	F	133	—	—	—	—	5	23	73	27	5
		M	9	—	1	—	—	1	1	3	3	—
BN47	Effects of poisons	F	7	—	—	—	—	4	—	1	1	1
BN48	All other injuries	M	520	1	2	9	32	96	135	110	46	89
BN48	All other injuries	F	307	—	2	11	5	12	15	31	54	177
		M	22	—	1	4	1	1	8	1	—	6
BN49	Fractures, head injuries and internal injuries	F	23	—	1	4	2	1	2	1	3	9
BN50	Effects of poisons	M	108	—	—	1	2	2	29	39	25	10
BN50	All other injuries	F	123	—	1	2	1	4	20	60	19	16
		M	259	3	25	13	12	29	59	72	29	17
BN50	All other injuries	F	105	3	18	3	3	5	12	25	19	17

TABLE 19—continued.

Abbreviated List No.	Causes of Death	London and South Eastern Region											
			All Ages	0-4 weeks	4 wks. -1 yr.	Age							
						1-	5-	15-	Years				75 & over
									25-	45-	65-		
	ALL CAUSES	{ M F	64918 64542	1514 1096	662 517	459 368	396 286	595 431	3269 2822	17462 11631	18888 15961	21673 31430	
B1	Tuberculosis of respiratory system	{ M F	1957 915	— 1	5 1	7 6	3 8	62 89	479 398	912 270	390 99	99 45	
B2	Tuberculosis, other forms	{ M F	186 165	— —	3 5	27 30	21 17	19 23	50 30	42 31	17 16	7 13	
B3	Syphilis and its sequelæ	{ M F	393 161	1 —	1 —	— —	— —	2 —	14 11	143 52	151 51	71 47	
B4	Typhoid fever	{ M F	3 4	— —	— —	— —	— —	— —	1 2	— 1	1 1	— —	
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B6	Dysentery, all forms	{ M F	14 8	— —	2 —	1 2	1 —	— —	2 1	4 2	2 2	2 1	
B7	Scarlet fever and streptococcal sore throat	{ M F	2 11	— —	— —	— —	— —	3 1	1 —	— 1	1 4	— 3	
B8	Diphtheria	{ M F	2 2	— —	— —	— —	1 —	1 —	— —	1 —	1 —	— —	
B9	Whooping cough	{ M F	39 42	— 1	17 19	22 20	— 2	— —	— —	— —	— —	— —	
B10	Meningococcal infections	{ M F	24 26	— —	13 8	4 7	1 4	3 —	2 2	1 3	— 2	— —	
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B12	Acute poliomyelitis	{ M F	18 14	— —	— —	5 1	3 3	3 2	5 6	2 2	— —	— —	
B13	Smallpox	{ M F	3 6	— —	— —	— —	— —	1 1	— 3	2 2	— —	— —	
B14	Measles	{ M F	37 37	— —	8 9	19 14	5 8	1 —	2 2	1 1	1 2	— 1	
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B16	Malaria	{ M F	5 —	— —	— —	— —	— —	1 —	1 —	3 —	— —	— —	
B17	All other diseases classified as infective and parasitic	{ M F	131 113	2 1	3 5	9 12	6 5	6 4	23 15	44 42	20 9	18 20	
B18	Malignant neoplasm of stomach (151)	{ M F	1844 1541	— —	— —	— —	— —	1 3	78 47	684 367	660 520	421 604	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	3441 673	— —	1 —	1 —	1 —	2 3	173 50	1929 253	1034 218	302 147	
	Malignant neoplasm of breast (170)	{ M F	18 2267	— —	— —	— —	— —	— —	2 230	11 967	2 575	3 495	
	Malignant neoplasm of uterus (171-174)	{ M F	975 —	— —	— —	— —	1 —	2 —	83 —	444 —	246 —	199 —	
	Leukæmia and aleukæmia (204)	{ M F	253 307	— —	4 3	20 22	27 22	8 7	45 45	68 97	54 65	27 46	
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M F	6154 5380	2 —	5 3	25 22	25 24	39 30	358 334	1813 1747	2062 1576	1825 1644	
B19	Benign and unspecified neoplasms	{ M F	208 266	2 1	1 3	5 3	8 8	6 12	27 43	80 102	51 41	28 53	
B20	Diabetes mellitus	{ M F	274 567	— 1	— —	2 1	2 3	4 5	17 23	57 125	101 215	91 194	
B21	Anæmias	{ M F	114 211	— —	— —	3 3	2 1	2 4	2 14	26 31	29 52	50 106	
B22	Vascular lesions affecting central nervous system	{ M F	5859 8924	— —	1 1	— 2	3 3	6 4	86 101	1183 1462	1959 2549	2621 4802	
B23	Nonmeningococcal meningitis	{ M F	43 44	2 8	12 7	5 9	4 5	— 2	3 1	15 6	2 5	— 1	
B24	Rheumatic fever	{ M F	31 40	— —	— —	— 1	5 11	4 4	10 5	10 15	2 4	— —	
B25	Chronic rheumatic heart disease	{ M F	977 1727	— —	— —	— —	1 2	3 18	13 226	142 624	381 424	240 433	

TABLE 19—continued.

Abbreviated List No.	Causes of Death	London and South Eastern Region—continued.										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							
					1-	5-	15-	25-	45-	65-	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M 9060 F 5641 M 7388 F 11063	— — — —	— — — 1	— — — —	— — 1 1	3 2 2 2	271 38 32 35	3126 890 578 457	3231 2072 1854 1913	2429 2639 4921 8654	
B27	Other diseases of heart	M 702 F 804	— —	— —	1 —	2 3	7 3	32 17	164 130	248 233	248 418	
B28	Hypertension with heart disease	M 2190 F 2447	— —	— —	— —	— —	2 1	30 22	490 359	812 748	856 1317	
B29	Hypertension without mention of heart	M 613 F 645	— —	— —	1 1	— —	5 2	18 21	160 116	179 179	250 326	
B46 (Pt.)	Other circulatory diseases (450-468)	M 1554 F 1918	— —	1 1	— —	1 1	1 4	24 29	260 214	416 410	851 1259	
B30	Influenza	M 1187 F 1370	3 —	9 5	3 5	— 7	7 7	42 44	297 191	371 357	455 754	
B31	Pneumonia	M 2927 F 3031	— —	209 159	55 53	19 18	12 13	92 62	560 339	795 676	1185 1711	
B32	Bronchitis	M 5636 F 3582	2 2	47 43	19 15	6 8	1 7	85 40	1628 425	1905 908	1943 2134	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M 687 F 420	2 —	6 3	11 6	14 7	6 5	37 24	284 90	200 102	127 183	
B33	Ulcer of stomach and duodenum	M 1229 F 420	1 1	— —	— —	— —	3 1	78 10	473 90	406 134	268 184	
B34	Appendicitis	M 180 F 140	— —	— —	— 6	13 13	15 7	19 15	50 35	47 29	24 35	
B35	Intestinal obstruction and hernia	M 381 F 429	14 12	13 5	10 2	3 —	1 1	18 19	98 90	116 111	108 189	
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M 239 F 331	— —	60 32	11 10	1 1	2 6	18 25	55 63	38 83	54 111	
B37	Cirrhosis of liver	M 144 F 111	1 —	1 1	1 —	— —	— 1	17 5	73 50	38 36	13 18	
B38	Nephritis and nephrosis	M 631 F 639	— —	2 4	7 2	9 9	17 19	83 82	200 156	161 165	152 202	
B39	Hyperplasia of prostate	M 1075	—	—	—	—	—	2	74	348	651	
B40	Complications of pregnancy, childbirth & puerperium	F 113	—	—	—	—	14	95	2	1	1	
B41	Congenital malformations	M 579 F 560	212 161	114 114	44 23	25 18	23 16	50 53	80 113	18 38	13 24	
B42	Birth injuries, postnatal asphyxia & atelectasis	M 553 F 365	542 358	11 5	— 1	— —	— —	— —	— 1	— —	— —	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M 7 F 5 M 113 F 83	7 5 113 83	7 5 — 83	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	
B44	Other dis. of early infancy & immaturity unqualified	M 590 F 447	570 435	17 12	2 —	1 —	— —	— —	— —	— —	— —	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M 442 F 865	2 4	— 3	1 1	1 —	2 —	1 4	10 6	23 27	402 820	
B46 (Rem.)	All other diseases (Remainder 001-795)	M 2153 F 2809	6 4	47 25	44 32	40 30	44 42	226 290	687 757	535 762	524 867	
BE47	Motor vehicle accidents	M 741 F 297	— —	1 —	31 13	75 25	135 31	186 37	154 63	66 56	93 72	
BE48	All other accidents	M 1168 F 1133	28 16	49 39	50 41	62 19	93 18	221 77	250 128	172 175	243 620	
BE49	Suicide and self-inflicted injury	M 690 F 431	— —	— —	— —	2 —	24 12	153 101	289 213	69 124	98 36	
BE50	Homicide and operations of war	M 39 F 17	2 2	— —	1 1	1 —	5 2	11 5	11 5	6 —	2 2	
BN47	Fractures, head injuries and internal injuries	M 1410 F 997	2 2	3 —	39 19	89 28	175 40	335 62	308 127	187 167	272 552	
BN48	Burns	M 57 F 114	— —	— 1	6 12	2 9	5 2	11 6	7 12	10 20	16 52	
BN49	Effects of poisons	M 545 F 495	— —	1 2	11 7	5 2	27 11	105 106	227 204	84 75	85 88	
BN50	All other injuries	M 626 F 272	28 16	46 36	26 17	44 5	50 10	120 46	162 66	87 38	63 38	

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Greater London										
			Age										
			All Ages	0-4 weeks	4 wks. -1 yr.	Years							
						1-	5-	15-	25-	45-	65-	75 & over	
	ALL CAUSES	{ M F	48471 47107	1153 852	476 385	334 287	266 212	438 327	2605 2233	13840 8862	14167 11764	15192 22185	
B1	Tuberculosis of respiratory system	{ M F	1588 726	— 1	4 1	5 6	2 6	51 70	375 330	746 208	319 70	86 34	
B2	Tuberculosis, other forms	{ M F	137 133	— —	1 3	19 23	16 13	14 19	40 26	29 23	13 13	5 13	
B3	Syphilis and its sequelæ	{ M F	310 137	1 —	— —	— —	— —	1 —	10 8	122 46	120 46	56 37	
B4	Typhoid fever	{ M F	3 4	— —	— —	— —	— —	— —	— 2	— 1	1 1	— —	
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B6	Dysentery, all forms	{ M F	7 6	— —	1 —	1 —	— —	— —	1 1	2 2	2 2	— 1	
B7	Scarlet fever and streptococcal sore throat	{ M F	6 2	— —	— —	— —	— 1	1 1	— —	— —	3 —	1 —	
B8	Diphtheria	{ M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	
B9	Whooping cough	{ M F	26 28	— —	12 13	14 14	— 1	— —	— —	— —	— —	— —	
B10	Meningococcal infections	{ M F	21 20	— —	12 8	4 6	1 3	2 —	1 2	1 1	— —	— —	
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B12	Acute poliomyelitis	{ M F	8 8	— —	— —	3 1	— —	1 2	3 3	1 2	— —	— —	
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B14	Measles	{ M F	25 27	— —	7 5	16 12	1 7	— —	— 1	— —	2 —	— —	
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B16	Malaria	{ M F	4 —	— —	— —	— —	— —	1 —	1 —	2 —	— —	— —	
B17	All other diseases classified as infective and parasitic	{ M F	92 81	2 —	1 5	4 9	4 3	4 2	18 11	34 31	11 7	14 13	
B18	Malignant neoplasm of stomach (151)	{ M F	1391 1173	— —	— —	— —	— —	1 3	68 41	558 297	473 398	291 43	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	2746 528	— —	— —	— —	— —	3 2	143 43	1545 202	821 168	234 11	
	Malignant neoplasm of breast (170)	{ M F	14 1654	— —	— —	— —	— —	— 1	2 182	8 705	2 426	34 170	
	Malignant neoplasm of uterus (171-174)	{ M F	677 —	— —	— —	— —	1 —	1 —	55 —	314 —	— —	— —	
	Leukæmia and aleukæmia (204)	{ M F	199 228	— —	2 2	14 17	21 14	3 4	38 30	53 75	46 49	2 3	
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M F	4613 4019	1 —	3 2	20 19	20 20	30 24	297 260	1414 1360	1518 1164	131 117	
B19	Benign and unspecified neoplasms	{ M F	158 196	2 1	1 2	5 2	3 5	5 8	15 33	62 80	42 27	2 3	
B20	Diabetes mellitus	{ M F	201 439	— 1	— —	2 1	1 2	4 4	15 18	40 98	75 169	6 14	
B21	Anæmias	{ M F	86 152	— —	— —	3 1	1 —	2 —	1 9	16 22	24 40	3 7	
B22	Vascular lesions affecting central nervous system	{ M F	4026 6113	— —	— —	1 2	2 1	6 4	66 82	876 1062	1368 1767	170 319	
B23	Nonmeningococcal meningitis	{ M F	30 36	1 6	10 7	4 6	1 —	— 2	2 1	10 4	2 5	— —	
B24	Rheumatic fever	{ M F	25 27	— —	— —	— 1	4 8	3 2	9 4	7 9	2 3	— —	
B25	Chronic rheumatic heart disease	{ M F	777 1355	— —	— —	— —	1 2	2 17	12 194	121 512	312 816	187 316	

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Greater London—continued										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	Years					75 & over
							15-	25-	45-	65-		
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	6907	—	—	—	2	232	2494	2419	1760	
		F	4137	—	—	—	1	29	675	1534	1898	
		M	4799	—	—	1	2	24	407	1242	3123	
		F	7383	—	—	—	—	22	317	1296	5748	
B27	Other diseases of heart	M	518	—	—	1	1	7	24	128	182	175
		F	599	—	—	—	2	3	13	97	176	308
B28	Hypertension with heart disease	M	1705	—	—	—	—	1	25	396	627	656
		F	1899	—	—	—	—	16	293	593	997	
B29	Hypertension without mention of heart	M	482	—	—	1	—	4	16	132	137	192
		F	515	—	—	1	—	1	15	90	146	262
B46 (Pt.)	Other circulatory diseases (450-468)	M	1140	—	1	—	1	1	18	204	312	603
		F	1406	—	1	—	1	1	22	169	289	924
B30	Influenza	M	842	3	7	3	—	4	28	237	264	296
		F	998	—	4	5	5	5	35	144	262	538
B31	Pneumonia	M	2328	—	158	46	11	9	73	473	638	920
		F	2383	—	125	43	12	11	47	261	542	1342
B32	Bronchitis	M	4719	1	40	11	6	1	76	1413	1615	1556
		F	2929	2	36	10	6	4	36	351	783	1701
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	519	2	4	9	4	28	226	147	91	
		F	322	—	2	5	6	3	19	68	78	141
B33	Ulcer of stomach and duodenum	M	971	1	—	—	—	3	62	376	319	210
		F	324	1	—	—	—	1	10	64	106	142
B34	Appendicitis	M	129	—	—	10	11	13	12	37	32	14
		F	106	—	—	6	10	7	10	25	23	25
B35	Intestinal obstruction and hernia	M	285	11	7	6	2	1	13	81	94	70
		F	311	9	4	2	—	1	13	65	83	134
B36	Gastritis, enteritis, and diarrhœa except diarrhœa of newborn	M	159	—	36	3	—	2	14	41	24	39
		F	239	—	19	6	1	4	18	50	59	82
B37	Cirrhosis of liver	M	110	1	1	—	—	—	16	57	27	8
		F	79	—	—	—	—	1	5	38	26	9
B38	Nephritis and nephrosis	M	445	—	2	5	10	15	69	153	105	86
		F	447	—	3	1	8	15	63	121	109	127
B39	Hyperplasia of prostate	M	782	—	—	—	—	—	—	53	267	462
B40	Complications of pregnancy, childbirth & puerperium	F	84	—	—	—	—	8	73	2	1	—
B41	Congenital malformations	M	446	162	83	38	19	17	39	62	16	10
		F	450	126	89	23	15	12	43	88	32	22
B42	Birth injuries, postnatal asphyxia & atelectasis	M	436	431	5	—	—	—	—	—	—	—
		F	294	290	2	1	—	—	—	1	—	—
B43	Diarrhœa of newborn (764)	M	7	7	—	—	—	—	—	—	—	—
		F	4	4	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	86	86	—	—	—	—	—	—	—	—
		F	67	67	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	428	415	10	2	1	—	—	—	—	—
		F	331	321	10	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	278	2	—	1	—	—	1	7	14	253
		F	559	2	1	1	—	—	3	3	14	535
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1509	4	37	27	31	30	168	488	378	346
		F	2045	4	16	23	24	29	232	566	540	611
BE47	Motor vehicle accidents	M	525	—	1	23	33	91	143	111	52	71
		F	234	—	—	9	20	26	31	49	45	54
BE48	All other accidents	M	879	20	30	33	46	66	163	201	137	183
		F	851	15	24	30	13	14	60	102	133	460
BE49	Suicide and self-inflicted injury	M	527	—	—	—	2	19	127	218	90	71
		F	324	—	—	—	—	9	78	165	48	24
BE50	Homicide and operations of war	M	21	—	—	1	1	2	7	6	3	1
		F	13	2	—	1	—	2	4	2	—	2
BN47	Fractures, head injuries and internal injuries	M	1034	1	2	29	46	119	258	227	146	206
		F	757	2	—	13	22	32	52	99	130	407
BN48	Burns	M	44	—	—	4	2	3	8	6	9	12
		F	86	—	—	8	7	2	4	9	15	41
BN49	Effects of poisons	M	427	—	—	6	4	22	87	177	61	70
		F	379	—	1	6	2	9	83	156	53	69
BN50	All other injuries	M	447	19	29	18	30	34	87	126	66	38
		F	200	15	23	13	2	8	34	54	28	23

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Southern Region										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							75 & over
1-	5-				15-	25-	45-	65-				
	ALL CAUSES	{ M 16063 F 15818	380 323	219 129	117 90	103 66	208 109	702 594	3718 2558	4497 3818	6119 8131	
B1	Tuberculosis of respiratory system	{ M 361 F 180	—	—	2 3	—	13 17	87 79	177 54	67 15	15 12	
B2	Tuberculosis, other forms	{ M 48 F 32	—	1	14 6	3 4	7 3	10 5	10 5	3 5	3 3	
B3	Syphilis and its sequelæ	{ M 87 F 19	—	—	—	—	—	2 1	32 8	29 6	24 4	
B4	Typhoid fever	{ M — F —	—	—	—	—	—	—	—	—	—	
B5	Cholera	{ M — F —	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M — F 1 F 2	—	—	—	—	—	—	—	—	1	
B7	Scarlet fever and streptococcal sore throat	{ M 1 F 2	—	—	—	—	—	1	—	—	2	
B8	Diphtheria	{ M — F 1	—	—	—	—	—	1	—	—	—	
B9	Whooping cough	{ M 12 F 12	—	9 5	3 7	—	—	—	—	—	—	
B10	Meningococcal infections	{ M 9 F 2	—	2 1	5	1	—	—	1 1	—	—	
B11	Plague	{ M — F —	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 5 F 7	—	—	—	1	4 1	1 5	—	—	—	
B13	Smallpox	{ M — F —	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M 9 F 4	—	2	7 2	—	—	—	—	—	1	
B15	Typhus and other rickettsial diseases	{ M — F —	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M 1 F —	—	—	—	—	—	—	1	—	—	
B17	All other diseases classified as infective and parasitic	{ M 40 F 32	— 1	—	1 1	5	3 2	6 5	14 11	4 10	7 2	
B18	Malignant neoplasm of stomach (151)	{ M 432 F 322	—	—	—	—	1 1	12 13	138 64	172 94	109 150	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 617 F 124	—	—	—	—	—	20 6	341 63	185 35	71 20	
	Malignant neoplasm of breast (170)	{ M 3 F 508	—	—	—	—	—	40	207	2	1	
	Malignant neoplasm of uterus (171-174)	{ M — F 251	—	—	—	—	1	23	115	159 65	102 47	
	Leukæmia and aleukæmia (204)	{ M 74 F 69	—	1 2	5 6	4 6	4 8	15 9	19 16	20 15	6 7	
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M 1510 F 1230	—	—	6 5	8 5	14 4	65 87	397 348	496 366	524 414	
B19	Benign and unspecified neoplasms	{ M 57 F 65	— 1	1	4	5	1 1	5 9	22 28	13 8	5 19	
B20	Diabetes mellitus	{ M 78 F 135	—	—	—	1	2 1	5 6	12 30	24 49	34 46	
B21	Anæmias	{ M 30 F 55	—	3	—	1 2	1 1	3 4	3 8	10 17	9 23	
B22	Vascular lesions affecting central nervous system	{ M 1704 F 2462	—	—	—	1 2	2 1	30 28	303 366	545 682	823 1383	
B23	Nonmeningococcal meningitis	{ M 16 F 10	— 2	7 1	— 1	— 2	1 2	1 1	2 1	3 —	1 —	
B24	Rheumatic fever	{ M 4 F 11	—	—	—	—	1 4	1 3	— 3	1 —	— 1	
B25	Chronic rheumatic heart disease	{ M 223 F 321	—	1	—	1	3 2	31 38	73 88	53 104	61 89	

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Southern Region—continued.										
			Age										
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	Years				
									25-	45-	65-	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	2210	—	—	1	—	—	47	681	795	686	
		F	1367	—	—	—	—	—	6	206	494	661	
		M	2236	—	—	—	—	—	4	189	556	1487	
		F	3025	—	—	—	1	—	10	150	560	2304	
B27	Other diseases of heart	M	204	—	—	1	—	1	6	50	66	80	
		F	224	—	—	—	1	—	5	37	49	132	
B28	Hypertension with heart disease	M	407	—	—	—	—	—	6	84	158	159	
		F	499	—	—	—	—	—	76	158	265		
B29	Hypertension without mention of heart	M	127	—	—	—	—	—	7	26	40	54	
		F	118	—	—	—	—	—	4	19	30	65	
B46 (Pt.)	Other circulatory diseases (450-468)	M	458	—	—	—	—	—	5	60	125	268	
		F	465	—	—	—	—	—	5	38	101	321	
B30	Influenza	M	342	3	2	—	1	2	8	71	102	153	
		F	386	—	2	1	1	4	8	47	106	217	
B31	Pneumonia	M	634	—	77	16	8	3	11	93	161	265	
		F	674	—	39	13	4	1	9	65	140	403	
B32	Bronchitis	M	976	—	4	2	1	1	9	261	294	404	
		F	615	—	1	2	1	—	4	62	138	407	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	172	1	3	—	2	1	8	58	55	44	
		F	123	1	—	4	1	—	11	23	15	68	
B33	Ulcer of stomach and duodenum	M	243	—	—	—	—	1	21	93	72	56	
		F	90	—	—	—	—	—	2	22	28	38	
B34	Appendicitis	M	46	—	—	1	5	1	6	13	13	7	
		F	37	—	—	—	4	1	2	13	9	8	
B35	Intestinal obstruction and hernia	M	90	1	4	1	1	1	3	13	31	35	
		F	94	2	2	1	1	—	5	15	25	43	
B36	Gastritis, enteritis, and diarrhœa except diarrhœa of newborn	M	83	1	29	6	1	3	2	13	9	19	
		F	80	—	11	4	—	1	9	13	19	23	
B37	Cirrhosis of liver	M	55	—	—	1	—	—	5	28	10	11	
		F	31	—	—	—	—	—	2	17	8	4	
B38	Nephritis and nephrosis	M	185	—	—	4	4	11	25	46	47	48	
		F	184	—	1	1	2	3	15	48	46	68	
B39	Hyperplasia of prostate	M	307	—	—	—	—	—	—	21	65	221	
B40	Complications of pregnancy, childbirth & puerperium	F	31	—	—	—	—	4	25	2	—	—	
B41	Congenital malformations	M	115	43	29	7	6	7	6	7	4	6	
		F	133	58	25	9	5	5	10	16	4	1	
B42	Birth injuries, postnatal asphyxia & atelectasis	M	131	127	4	—	—	—	—	—	—	—	
		F	97	93	4	—	—	—	—	—	—	—	
B43	Diarrhœa of newborn (764) Other infections of newborn (763, 765-768)	M	2	2	—	—	—	—	—	—	—	—	
		F	3	3	—	—	—	—	—	—	—	—	
		M	41	41	—	—	—	—	—	—	—	—	
		F	25	25	—	—	—	—	—	—	—	—	
B44	Other dis. of early infancy & immaturity unqualified	M	155	150	5	—	—	—	—	—	—	—	
		F	128	126	2	—	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	199	2	—	1	—	—	1	4	9	182	
		F	381	—	—	—	—	1	—	3	8	369	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	599	2	17	11	8	9	53	178	175	146	
		F	704	7	19	10	11	15	61	180	177	224	
BE47	Motor vehicle accidents	M	237	—	—	3	16	57	75	51	19	16	
		F	60	—	—	1	8	13	10	11	7	10	
BE48	All other accidents	M	315	4	19	15	20	40	56	67	30	64	
		F	275	5	12	12	2	4	10	23	40	167	
BE49	Suicide and self-inflicted injury	M	158	—	—	—	—	12	38	59	33	16	
		F	108	—	—	—	—	2	21	54	23	8	
BE50	Homicide and operations of war	M	14	—	—	—	—	1	6	1	1	—	
		F	5	—	—	1	1	1	—	—	—	—	
BN47	Fractures, head injuries and internal injuries	M	411	—	—	5	19	86	108	90	41	62	
		F	231	—	—	4	6	15	11	17	31	147	
BN48	Burns	M	14	—	2	5	—	—	2	2	—	3	
		F	20	—	1	3	2	—	—	1	4	9	
BN49	Effects of poisons	M	105	—	—	3	1	3	20	47	18	13	
		F	110	—	—	1	—	2	19	49	24	15	
BN50	All other injuries	M	194	4	17	5	16	21	45	44	24	18	
		F	87	5	11	6	3	3	11	22	12	14	

TABLE 19—continued.

Abbreviated List No.	Causes of Death	South Western Region										
			Age									75 & over
			All Ages	0-4 weeks	4 wks. -1 yr.	Years					65-	
					1-	5-	15-	25-	45-	65-		
	ALL CAUSES	M 19882 F 20226	485 341	223 161	145 117	123 71	239 158	902 722	4712 3371	5523 4817	7530 10468	
B1	Tuberculosis of respiratory system	M 491 F 285	—	—	—	3 2	23 38	149 125	230 79	68 29	18 10	
B2	Tuberculosis, other forms	M 62 F 49	—	5 2	8 11	4 2	8 8	13 12	16 7	5 4	3 3	
B3	Syphilis and its sequelæ	M 85 F 30	—	—	—	—	—	3 1	35 13	31 7	16 6	
B4	Typhoid fever	M 1 F 2	—	—	—	—	—	—	1 1	—	—	
B5	Cholera	M — F —	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	M 1 F 4	—	—	—	—	—	1 1	—	1 1	—	
B7	Scarlet fever and streptococcal sore throat	M 4 F 5	—	—	—	1 —	—	3 —	—	—	—	
B8	Diphtheria	M — F 2	—	—	—	1 —	—	—	—	—	1	
B9	Whooping cough	M 16 F 15	1 —	10 10	5 5	—	—	—	—	—	—	
B10	Meningococcal infections	M 6 F 6	— 1	— 2	4 2	—	—	1 —	—	—	1	
B11	Plague	M — F —	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	M 15 F 9	—	3 —	4 2	3 3	1 3	4 1	—	—	—	
B13	Smallpox	M — F —	—	—	—	—	—	—	—	—	—	
B14	Measles	M 12 F 6	—	2 2	9 3	1 —	—	—	—	—	—	
B15	Typhus and other rickettsial diseases	M — F —	—	—	—	—	—	—	—	—	—	
B16	Malaria	M 1 F —	—	—	—	—	—	—	1	—	—	
B17	All other diseases classified as infective and parasitic	M 50 F 47	—	—	8 3	4 2	2 1	5 7	16 15	8 7	7 12	
B18	Malignant neoplasm of stomach (151)	M 613 F 455	—	—	—	—	—	18 11	221 98	218 147	156 199	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	M 615 F 130	—	—	—	1 —	—	31 5	359 54	185 44	39 27	
	Malignant neoplasm of breast (170)	M 3 F 588	—	—	—	—	—	—	2 61	1 273	— 145	
	Malignant neoplasm of uterus (171-174)	M — F 269	—	—	—	—	—	—	23 124	— 68	— 109	
	Leukæmia and aleukæmia (204)	M 67 F 62	—	—	1 4	6 2	6 1	14 12	20 19	10 20	4 3	
	Other malig. & lymphatic neoplasms (Rem. 140-205)	M 1787 F 1485	—	1 —	11 3	10 3	17 7	78 80	491 461	634 449	545 482	
	Benign and unspecified neoplasms	M 65 F 56	—	1 —	3 —	—	2 2	11 11	25 18	9 13	15 11	
	Diabetes mellitus	M 96 F 181	—	—	—	—	—	7 4	23 29	30 67	36 78	
	Anæmias	M 43 F 91	—	—	—	1 1	2 —	1 2	7 14	13 31	19 43	
	Vascular lesions affecting central nervous system	M 2112 F 3216	—	1 —	2 —	—	3 1	25 33	412 504	665 904	1004 1773	
B23	Nonmeningococcal meningitis	M 11 F 11	—	2 4	—	1 1	2 —	3 1	—	—	—	
B24	Rheumatic fever	M 11 F 18	—	—	—	—	1 6	—	7 5	2 6	1 —	
B25	Chronic rheumatic heart disease	M 287 F 449	—	—	—	2 2	6 7	35 35	111 164	76 131	57 110	

TABLE 19—continued.

Abbreviated List No.	Causes of Death		South Western Region									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	2527	—	—	—	—	—	52	762	923	790
		F	1506	—	—	—	—	—	7	248	530	721
		M	2980	—	—	—	—	—	16	257	676	2031
		F	4266	—	—	—	1	—	12	218	793	3242
B27	Other diseases of heart	M	236	—	—	—	—	4	3	49	73	107
		F	234	—	—	—	1	—	3	43	77	109
B28	Hypertension with heart disease	M	559	—	1	—	1	—	2	140	184	231
		F	653	—	—	—	—	—	9	107	210	327
B29	Hypertension without mention of heart	M	127	—	—	—	—	2	6	39	33	47
		F	126	—	—	—	—	—	4	23	31	68
B46 (Pt.)	Other circulatory diseases (450-468)	M	537	—	—	—	1	—	8	70	148	310
		F	675	—	—	—	—	1	10	54	124	486
B30	Influenza	M	511	—	6	—	1	5	11	114	162	212
		F	673	1	5	—	—	2	17	87	149	406
B31	Pneumonia	M	794	—	81	16	8	7	30	162	192	298
		F	774	—	56	17	2	7	29	103	152	408
B32	Bronchitis	M	1132	—	6	6	2	—	11	265	373	469
		F	752	1	5	1	1	1	11	74	167	491
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	287	—	4	2	1	1	17	116	85	61
		F	135	3	2	—	4	4	10	27	32	53
B33	Ulcer of stomach and duodenum	M	280	1	—	—	—	1	21	114	93	50
		F	82	1	—	—	2	—	4	24	18	33
B34	Appendicitis	M	44	—	—	—	4	3	4	17	10	6
		F	42	—	—	—	3	1	2	13	10	9
B35	Intestinal obstruction and hernia	M	121	5	4	2	2	—	5	27	28	48
		F	107	2	2	1	1	1	5	18	32	45
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M	91	—	21	1	2	1	4	24	16	22
		F	107	—	14	2	1	2	10	17	19	42
B37	Cirrhosis of liver	M	50	—	—	—	—	—	3	24	17	6
		F	32	—	—	—	—	—	3	19	7	3
B38	Nephritis and nephrosis	M	273	—	—	—	1	6	22	79	74	91
		F	258	—	2	3	2	7	19	60	61	104
B39	Hyperplasia of prostate	M	412	—	—	—	—	—	—	18	137	257
B40	Complications of pregnancy, childbirth & puerperium	F	40	—	—	—	—	10	28	2	—	—
B41	Congenital malformations	M	150	56	31	11	8	3	11	24	4	2
		F	153	62	30	13	5	7	4	19	9	4
B42	Birth injuries, postnatal asphyxia & atelectasis	M	197	194	3	—	—	—	—	—	—	—
		F	117	115	2	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	3	3	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
		M	27	27	—	—	—	—	—	—	—	—
		F	26	26	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	198	191	7	—	—	—	—	—	—	—
		F	122	115	6	1	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	313	1	1	—	—	—	3	5	15	288
		F	488	—	1	—	—	1	—	—	14	472
B46 (Rem.)	All other diseases (Remainder 001-795)	M	702	3	10	12	14	16	65	190	216	176
		F	870	3	4	11	7	14	67	217	236	311
BE47	Motor vehicle accidents	M	250	—	—	7	18	66	68	54	22	15
		F	60	—	—	6	4	12	6	16	8	8
BE48	All other accidents	M	417	3	23	27	23	43	87	91	43	77
		F	334	4	11	14	9	10	8	44	39	195
BE49	Suicide and self-inflicted injury	M	194	—	—	—	—	8	52	79	41	14
		F	113	—	—	—	—	4	20	52	28	9
BE50	Homicide and operations of war	M	16	—	—	—	—	—	1	12	2	1
		F	9	1	—	1	1	2	1	1	2	—
BN47	Fractures, head injuries and internal injuries	M	497	—	4	8	23	86	122	130	48	76
		F	265	—	—	8	6	16	9	33	29	164
BN48	Burns	M	23	—	—	8	1	2	5	1	2	4
		F	34	—	—	3	2	—	—	6	8	15
BN49	Effects of poisons	M	108	—	—	5	2	3	35	34	16	13
		F	108	—	—	2	—	1	18	41	24	22
BN50	All other injuries	M	249	3	19	13	15	26	46	71	42	14
		F	109	5	11	8	6	11	8	33	16	11

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Wales I										
			Age										
			All Ages	0-4 weeks	4 wks. -1 yr.	Years							
					1-	5-	15-	25-	45-	65-	75 & over		
	ALL CAUSES	{ M F	13819 11173	388 275	226 186	118 108	103 71	144 115	743 620	3903 2350	4011 2930	4183 4518	
B1	Tuberculosis of respiratory system	{ M F	418 250	—	—	1 3	1 1	16 23	122 141	204 54	64 21	10 7	
B2	Tuberculosis, other forms	{ M F	59 65	—	4	9 16	9 13	10 9	12 6	8 15	6 6	1	
B3	Syphilis and its sequelae	{ M F	65 20	—	—	—	—	1 1	3	31 7	23 10	7 1	
B4	Typhoid fever	{ M F	— —	1	—	—	—	—	—	—	—	—	
B5	Cholera	{ M F	— —	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M F	— 2	—	—	—	—	—	—	1	—	1	
B7	Scarlet fever and streptococcal sore throat	{ M F	1 —	—	—	—	1	—	—	—	—	—	
B8	Diphtheria	{ M F	1 —	—	—	—	1	—	—	—	—	—	
B9	Whooping cough	{ M F	11 20	—	9 13	1 7	1	—	—	—	—	—	
B10	Meningococcal infections	{ M F	6 1	—	2	—	2 1	—	1	1	—	—	
B11	Plague	{ M F	— —	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M F	1 3	—	—	1 2	— 1	—	—	—	—	—	
B13	Smallpox	{ M F	— —	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M F	13 13	—	4 6	6 5	2 1	—	1 1	—	—	—	
B15	Typhus and other rickettsial diseases	{ M F	— —	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M F	— —	—	—	—	—	—	—	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M F	31 12	—	—	2	4 1	1 1	4 5	11 4	6 —	3 1	
B18	Malignant neoplasm of stomach (151)	{ M F	460 339	—	—	—	—	—	14 6	169 99	168 123	109 110	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	415 62	—	—	—	—	—	18 2	254 27	126 20	17 13	
	Malignant neoplasm of breast (170)	{ M F	1 268	—	—	—	—	1	29	134	62	—	
	Malignant neoplasm of uterus (171-174)	{ M F	198	—	—	—	—	—	20	106	46	42	
	Leukæmia and aleukæmia (204)	{ M F	45 33	—	1	4 4	3 3	3 1	10 7	9 10	12 5	3 3	
B19	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M F	1018 781	1	2	5 4	5 6	5 7	58 48	311 293	369 234	262 189	
	Benign and unspecified neoplasms	{ M F	38 42	—	—	—	1 1	1 3	6 4	21 21	6 8	3 4	
B20	Diabetes mellitus	{ M F	45 133	—	—	—	—	1 3	5 3	12 34	17 52	10 40	
B21	Anæmias	{ M F	32 78	—	—	—	—	—	1 3	6 17	15 27	10 30	
B22	Vascular lesions affecting central nervous system	{ M F	1322 1547	1	1	—	2 1	— 1	20 21	249 295	463 511	586 718	
B23	Nonmeningococcal meningitis	{ M F	12 5	1	3 1	—	—	1	1	3 2	4	—	
B24	Rheumatic fever	{ M F	16 13	—	—	2 1	5 2	5 4	4 3	— 2	— 1	—	
B25	Chronic rheumatic heart disease	{ M F	230 351	—	—	—	3 3	9 10	40 68	92 134	60 88	26 48	

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Wales I—continued.									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	1706	—	—	—	—	—	49	692	602	363
		F	764	—	—	—	—	—	10	182	304	268
		M	1712	—	—	—	—	1	18	188	508	997
		F	1955	—	—	—	—	—	5	167	470	1313
B27	Other diseases of heart	M	145	—	—	—	2	3	9	43	46	42
B28	Hypertension with heart disease	F	125	—	—	1	—	4	6	35	41	38
		M	374	—	—	—	—	—	4	93	131	146
		F	327	—	—	—	—	—	8	71	114	134
B29	Hypertension without mention of heart	M	75	—	—	—	—	—	4	16	25	30
B46 (Pt.)	Other circulatory diseases (450-468)	F	74	—	—	—	—	—	1	11	24	38
		M	320	—	—	—	—	—	2	40	81	197
		F	299	—	—	1	—	—	4	29	64	201
B30	Influenza	M	439	—	6	2	1	6	17	131	133	143
B31	Pneumonia	F	370	—	1	3	—	1	16	76	115	158
		M	504	—	76	19	4	3	17	143	130	112
		F	376	—	69	19	2	2	22	48	70	144
B32	Bronchitis	M	1289	1	13	2	3	—	17	387	456	410
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	650	—	14	2	1	1	6	117	202	307
		M	471	2	—	2	2	2	17	230	158	58
		F	69	1	4	3	1	3	9	16	6	26
B33	Ulcer of stomach and duodenum	M	152	—	—	—	—	3	17	76	34	22
B34	Appendicitis	F	32	—	—	—	—	1	2	5	15	9
		M	31	—	—	3	4	3	4	6	7	4
		F	10	—	—	2	—	—	1	6	—	1
B35	Intestinal obstruction and hernia	M	66	1	7	3	—	1	1	17	23	13
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	F	65	3	3	1	—	—	2	18	17	21
		M	39	—	15	1	—	—	1	2	6	14
		F	59	—	14	—	1	—	3	10	13	18
B37	Cirrhosis of liver	M	24	—	—	—	—	—	2	9	12	1
B38	Nephritis and nephrosis	F	23	—	—	—	—	—	2	10	9	2
		M	170	—	—	1	4	9	32	69	25	30
		F	172	—	—	—	3	3	22	57	49	38
B39	Hyperplasia of prostate	M	242	—	—	—	—	—	—	18	73	151
B40	Complications of pregnancy, childbirth & puerperium	F	40	—	—	—	—	6	34	—	—	—
B41	Congenital malformations	M	111	52	27	1	4	1	8	12	3	3
		F	102	47	22	3	7	3	8	9	3	—
B42	Birth injuries, postnatal asphyxia & atelectasis	M	139	131	8	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	F	68	66	2	—	—	—	—	—	—	—
		M	3	3	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B44	Other infections of newborn (763, 765-768)	M	33	33	—	—	—	—	—	—	—	—
		F	20	20	—	—	—	—	—	—	—	—
		M	—	—	—	—	—	—	—	—	—	—
B45	Other dis. of early infancy & immaturity unqualified	F	162	154	7	1	—	—	—	—	—	—
		M	136	130	6	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B46 (Rem.)	Senility without mention of psychosis, ill-defined and unknown causes	M	254	2	5	—	—	1	—	3	18	225
		F	352	1	3	—	—	—	2	—	27	319
		M	478	3	20	13	6	10	48	148	131	99
BE47	All other diseases (Remainder 001-795)	F	561	1	15	11	6	10	64	172	137	145
		M	134	—	—	14	11	19	45	24	10	11
		F	52	—	—	10	5	8	7	8	8	6
BE48	All other accidents	M	384	2	14	25	23	25	91	108	40	56
BE49	Suicide and self-inflicted injury	F	181	4	13	10	6	5	5	21	26	91
		M	115	—	—	—	1	4	19	63	19	9
		F	51	—	—	—	—	2	14	26	2	7
BE50	Homicide and operations of war	M	9	1	2	—	—	—	2	4	—	—
BN47	Fractures, head injuries and internal injuries	F	2	—	—	—	—	1	—	1	—	—
		M	382	—	3	16	24	35	107	106	40	51
		F	170	—	—	11	7	11	9	16	30	86
BN48	Burns	M	25	—	—	7	1	2	7	2	1	5
		F	21	—	—	6	4	—	1	2	1	7
		M	—	—	—	—	—	—	—	—	—	—
BN49	Effects of poisons	M	45	—	—	3	2	—	10	17	10	3
BN50	All other injuries	F	48	—	—	—	—	3	11	29	2	3
		M	190	3	13	13	8	11	33	74	18	17
		F	47	4	13	3	—	2	5	9	3	8

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Wales II											
			Age										
			All Ages	0-4 weeks	4 wks. -1 yr.	Years							
						1-	5-	15-	25-	45-	65-	75 & over	
	ALL CAUSES	{ M F	5603 5410	136 102	108 81	44 30	42 24	68 48	276 202	1300 898	1608 1435	2021 2590	
B1	Tuberculosis of respiratory system	{ M F	175 79	— —	2 2	2 1	— —	3 11	43 37	88 20	29 5	8 3	
B2	Tuberculosis, other forms	{ M F	23 17	— —	1 2	6 3	3 3	2 3	6 2	4 5	2 1	— —	
B3	Syphilis and its sequelae	{ M F	13 5	— —	1 —	— —	— —	— —	2 —	4 3	5 1	1 1	
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B6	Dysentery, all forms	{ M F	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	— 1	
B7	Scarlet fever and streptococcal sore throat	{ M F	1 2	— —	— —	— —	— —	1 —	— —	— 1	— 1	— —	
B8	Diphtheria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B9	Whooping cough	{ M F	10 9	— —	7 6	3 3	— —	— —	— —	— —	— —	— —	
B10	Meningococcal infections	{ M F	4 2	— —	2 1	3 —	— —	2 —	— —	— 1	— —	— —	
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B12	Acute poliomyelitis	{ M F	5 1	— —	1 —	— —	1 —	1 —	3 —	— —	— —	— —	
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B14	Measles	{ M F	3 4	— —	2 —	2 2	1 —	— —	— —	— —	— —	— —	
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B17	All other diseases classified as infective and parasitic	{ M F	16 22	— 1	— 1	— —	— 2	1 1	4 2	7 11	1 3	3 1	
B18	Malignant neoplasm of stomach (151)	{ M F	215 177	— —	— —	— 1	— —	— —	7 2	89 44	74 66	45 64	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	149 25	— —	— —	— —	— —	— —	5 4	80 7	52 9	12 5	
	Malignant neoplasm of breast (170)	{ M F	1 144	— —	— —	— —	— —	— —	18 8	65 39	1 26	— 35	
	Malignant neoplasm of uterus (171-174)	{ M F	75 —	— —	— —	— —	— —	— —	— —	— —	19 —	9 —	
	Leukæmia and aleukæmia (204)	{ M F	21 13	— —	— —	2 1	2 2	— 3	2 3	6 4	8 2	1 —	
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M F	488 387	— —	— —	3 2	6 2	3 1	18 13	139 100	171 144	148 125	
	Benign and unspecified neoplasms	{ M F	13 22	— 1	— —	— —	— —	— —	2 4	9 12	1 2	1 3	
	Diabetes mellitus	{ M F	32 45	— —	— —	— 1	1 —	— 1	1 —	5 10	9 19	16 14	
	Anæmias	{ M F	31 30	— —	— —	— —	1 —	— 1	— —	3 5	9 12	18 12	
	Vascular lesions affecting central nervous system	{ M F	648 898	— —	— —	— —	— —	— 1	7 8	106 144	227 267	308 478	
B23	Nonmeningococcal meningitis	{ M F	4 3	— —	1 2	— —	— 1	— —	2 —	1 —	— —	— —	
B24	Rheumatic fever	{ M F	— 4	— —	— —	— —	— —	— 1	— 1	— 1	— —	— —	
B25	Chronic rheumatic heart disease	{ M F	86 130	— —	— —	— —	1 —	— 2	10 13	28 37	27 38	20 40	

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Wales II—continued.									
			Age									75 & over
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	25-	45-	65-	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	693	—	—	—	—	—	15	212	278	188
		F	374	—	—	—	—	—	6	60	147	161
		M	729	—	—	—	—	2	5	69	192	461
		F	912	—	—	—	—	1	1	56	209	645
B27	Other diseases of heart	M	68	—	—	—	1	1	2	13	19	32
		F	89	—	—	—	—	—	2	9	28	50
B28	Hypertension with heart disease	M	140	—	—	—	—	—	1	27	43	69
		F	174	—	—	—	—	—	3	20	57	94
B29	Hypertension without mention of heart	M	43	—	—	—	—	—	1	8	12	22
		F	47	—	—	—	—	—	2	9	17	19
B46 (Pt.)	Other circulatory diseases (450-468)	M	140	—	—	—	—	—	2	17	32	89
		F	137	—	—	—	—	1	2	14	25	95
B30	Influenza	M	216	—	4	—	—	—	6	54	69	83
		F	283	—	2	—	—	—	3	27	77	166
B31	Pneumonia	M	153	—	37	1	1	3	6	27	77	166
		F	155	—	20	3	2	1	3	29	36	42
		F	155	—	20	3	—	2	9	23	35	63
B32	Bronchitis	M	334	1	7	1	—	—	3	85	99	138
		F	236	—	3	1	—	—	4	24	50	154
B46(Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	88	—	3	1	—	2	5	36	26	15
		F	39	—	1	1	—	—	1	9	10	17
B33	Ulcer of stomach and duodenum	M	54	—	—	—	1	—	9	20	15	9
		F	16	—	—	—	—	—	2	4	5	5
B34	Appendicitis	M	22	—	—	2	—	2	5	8	3	2
		F	16	—	—	—	2	3	1	6	2	2
B35	Intestinal obstruction and hernia	M	25	3	2	—	—	—	2	3	7	8
		F	27	—	2	—	—	—	—	6	10	9
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M	27	—	9	4	—	1	—	4	6	3
		F	45	—	6	1	2	1	3	9	15	8
B37	Cirrhosis of liver	M	10	—	1	—	—	—	1	2	4	2
		F	7	—	—	—	—	—	1	2	4	—
B38	Nephritis and nephrosis	M	114	—	—	—	2	3	11	18	30	50
		F	99	—	—	—	—	4	9	19	34	33
B39	Hyperplasia of prostate	M	140	—	—	—	—	—	—	11	46	83
B40	Complications of pregnancy, childbirth & puerperium	F	12	—	—	—	—	4	8	—	—	—
B41	Congenital malformations	M	50	24	10	3	2	1	5	3	—	2
		F	51	20	15	2	4	1	2	5	2	—
B42	Birth injuries, postnatal asphyxia & atelectasis	M	47	45	2	—	—	—	—	—	—	—
		F	34	32	2	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	4	4	—	—	—	—	—	—	—	—
		F	4	4	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	8	8	—	—	—	—	—	—	—	—
		F	10	9	1	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	58	48	10	—	—	—	—	—	—	—
		F	36	35	1	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	100	—	—	—	—	—	2	3	6	89
		F	186	—	—	—	—	—	—	3	8	175
B46(Rem.)	All other diseases (Remainder 001-795)	M	181	2	5	4	5	4	28	57	42	34
		F	213	—	5	2	2	3	19	62	62	58
BE47	Motor vehicle accidents	M	71	—	—	3	5	19	23	15	5	1
		F	16	—	—	2	2	2	1	3	5	1
BE48	All other accidents	M	115	1	5	5	8	16	25	25	17	13
		F	81	—	7	4	1	—	2	11	12	44
BE49	Suicide and self-inflicted injury	M	33	—	—	—	—	3	9	12	5	4
		F	16	—	—	—	—	—	3	8	5	—
BE50	Homicide and operations of war	M	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
BN47	Fractures, head injuries and internal injuries	M	136	—	—	4	7	26	40	30	22	7
		F	61	—	—	2	3	2	1	6	14	33
BN48	Burns	M	7	—	—	1	1	—	2	—	1	2
		F	11	—	1	2	—	—	—	3	—	4
BN49	Effects of poisons	M	10	—	—	1	—	1	2	3	1	2
		F	9	—	—	—	—	—	1	5	1	2
BN50	All other injuries	M	67	1	5	2	5	11	14	19	3	7
		F	32	—	6	2	—	—	4	8	6	6

TABLE 19—continued.

Abbreviated List No.	Causes of Death	All Causes										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							75 & over
					1-	5-	15-	25-	45-	65-		
	ALL CAUSES	{ M 106299 F 102520	2842 1994	1535 1231	822 674	646 473	997 844	5937 4967	30728 20082	31092 27180	31700 45075	
B1	Tuberculosis of respiratory system	{ M 3554 F 1747	— 1	9 7	11 14	7 17	127 228	936 831	1713 436	615 164	136 49	
B2	Tuberculosis, other forms	{ M 343 F 348	— —	16 13	69 74	40 47	35 58	89 54	67 56	19 24	8 22	
B3	Syphilis and its sequelæ	{ M 558 F 256	2 2	2 —	— —	— —	2 3	30 17	248 108	195 73	79 53	
B4	Typhoid fever	{ M 3 F 4	— —	— —	— —	— —	— —	1 2	1 1	1 1	— —	
B5	Cholera	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B6	Dysentery, all forms	{ M 12 F 15	— —	3 3	1 —	— —	— —	1 1	5 3	2 4	— 4	
B7	Scarlet fever and streptococcal sore throat	{ M 8 F 12	— —	1 1	3 1	— 1	2 1	1 1	— 1	1 4	— 2	
B8	Diphtheria	{ M 7 F 10	— —	— —	1 2	1 7	1 —	1 —	1 —	— —	— —	
B9	Whooping cough	{ M 69 F 78	— —	41 41	26 31	1 4	— —	— 1	1 —	— 1	— —	
B10	Meningococcal infections	{ M 62 F 64	— —	29 21	19 22	2 6	5 1	4 4	2 6	— 4	1 —	
B11	Plague	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B12	Acute poliomyelitis	{ M 26 F 26	— —	1 —	6 8	5 3	4 3	8 10	2 2	— —	— —	
B13	Smallpox	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B14	Measles	{ M 69 F 55	— —	20 21	40 22	7 9	1 —	— 1	1 —	— 2	— —	
B15	Typhus and other rickettsial diseases	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B16	Malaria	{ M — F 6	— —	— —	— —	— —	1 —	3 —	2 —	— —	— —	
B17	All other diseases classified as infective and parasitic	{ M 187 F 212	2 2	9 18	14 20	8 8	7 10	42 30	65 67	18 31	22 26	
B18	Malignant neoplasm of stomach (151)	{ M 3009 F 2599	— —	— —	— —	— —	2 7	152 87	1223 707	1036 927	596 871	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 5235 F 923	— —	— —	— —	— —	6 3	311 79	2993 390	1513 287	412 164	
	Malignant neoplasm of breast (170)	{ M 32 F 3151	— —	— —	— —	— —	— 1	2 338	14 1399	8 788	8 625	
	Malignant neoplasm of uterus (171-174)	{ M — F 1443	— —	— —	— —	— 1	— 1	— 132	— 694	— 362	— 253	
	Leukemia and aleukemia (204)	{ M 375 F 398	— —	2 3	32 26	41 24	10 15	68 59	108 136	80 83	52 34	
B19	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M 9213 F 7831	2 —	5 7	35 32	44 34	62 43	556 502	2891 2713	3071 2364	2547 2136	
	Benign and unspecified neoplasms	{ M 346 F 385	3 3	2 2	9 6	7 11	12 13	55 76	140 160	71 49	47 65	
B20	Diabetes mellitus	{ M 423 F 963	— 1	— —	3 3	3 5	6 11	37 34	96 224	159 392	119 293	
B21	Anæmias	{ M 215 F 453	— —	— 1	4 2	1 1	2 4	5 14	46 83	72 151	85 197	
B22	Vascular lesions affecting central nervous system	{ M 10002 F 14209	— —	1 5	1 2	8 3	10 12	162 183	2172 2554	3522 4463	4126 6987	
B23	Nonmeningococcal meningitis	{ M 87 F 67	4 8	23 17	6 8	2 6	8 4	18 9	8 8	8 8	2 3	
B24	Rheumatic fever	{ M 55 F 78	— —	— —	— 1	9 20	4 14	19 18	13 20	4 5	1 —	
B25	Chronic rheumatic heart disease	{ M 1567 F 2896	— —	— —	1 —	8 8	43 61	298 518	627 1137	359 646	231 526	

TABLE 19—continued.

Abbreviated List No.	Causes of Death		All Conurbations—continued.										
			All Ages	0-4 weeks	4 wks. -1 yr.	Age							
						1-	5-	15-	25-	45-	65-	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	14197	—	—	—	1	6	479	5453	5053	3205	
		F	8175	—	—	—	—	1	69	1542	3236	3327	
		M	11782	—	1	—	3	4	67	1217	3372	7118	
		F	17123	—	—	—	—	2	74	975	3688	12384	
B27	Other diseases of heart	M	1204	2	—	3	3	8	74	334	397	383	
B28	Hypertension with heart disease	F	1425	—	1	1	6	7	53	271	453	633	
		M	3405	—	—	—	—	1	50	855	1299	1200	
B29	Hypertension without mention of heart	F	3859	—	—	—	—	1	39	685	1327	1807	
		M	853	—	—	1	—	6	42	248	235	321	
B46 (Pt.)	Other circulatory diseases (450-468)	F	860	—	—	1	1	4	36	172	250	396	
		M	2438	—	1	2	1	3	36	373	699	1323	
		F	2895	1	1	—	—	4	41	320	667	1861	
B30	Influenza	M	2514	6	43	19	4	15	100	767	780	780	
B31	Pneumonia	F	2983	2	21	10	8	12	103	482	926	1419	
		M	4942	—	521	108	17	23	178	1143	1309	1643	
		F	4714	—	436	99	26	22	122	640	1093	2276	
B32	Bronchitis	M	10503	7	103	22	9	6	184	3362	3682	3128	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	6580	7	77	19	8	7	82	969	1910	3501	
		M	1188	2	17	16	12	10	84	498	326	223	
		F	663	2	11	12	12	12	53	143	142	276	
B33	Ulcer of stomach and duodenum	M	1830	1	—	—	—	13	154	763	578	321	
B34	Appendicitis	F	581	2	—	—	—	1	28	140	186	224	
		M	241	—	—	23	26	21	29	72	44	26	
		F	185	—	—	12	19	9	17	49	39	40	
B35	Intestinal obstruction and hernia	M	584	25	19	12	2	2	20	162	177	165	
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	F	628	14	15	2	1	3	31	151	174	237	
		M	438	—	165	15	3	3	34	81	59	78	
		F	553	—	125	15	2	7	38	109	114	143	
B37	Cirrhosis of liver	M	231	1	1	—	2	1	30	119	52	25	
B38	Nephritis and nephrosis	F	204	—	1	1	—	1	11	103	63	24	
		M	1052	—	4	11	18	33	188	347	246	205	
B39	Hyperplasia of prostate	F	1106	—	6	4	19	37	137	333	279	291	
		M	1467	—	—	—	—	—	1	100	506	860	
B40	Complications of pregnancy, childbirth & puerperium	F	213	—	—	—	—	33	169	9	2	—	
B41	Congenital malformations	M	955	365	210	78	34	37	84	110	23	14	
B42	Birth injuries, postnatal asphyxia & atelectasis	F	853	299	175	49	27	25	77	131	45	25	
		M	1099	1084	15	—	—	—	—	—	—	—	
B43	Diarrhoea of newborn (764)	F	677	663	12	1	—	—	—	1	—	—	
		M	21	21	—	—	—	—	—	—	—	—	
		F	12	12	—	—	—	—	—	—	—	—	
		M	237	236	1	—	—	—	—	—	—	—	
B44	Other dis. of early infancy & immaturity unqualified	F	159	158	1	—	—	—	—	—	—	—	
		M	1053	1010	40	2	1	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	F	803	768	34	1	—	—	—	—	—	—	
		M	1054	6	5	3	—	1	4	19	90	926	
B46 (Rem.)	All other diseases (Remainder 001-795)	F	1772	3	6	1	—	—	4	6	95	1657	
		M	3270	16	116	66	71	91	369	1070	810	661	
BE47	Motor vehicle accidents	F	4387	13	68	60	49	71	462	1308	1168	1188	
		M	1137	—	1	73	103	183	294	245	112	126	
BE48	All other accidents	F	457	—	—	35	42	43	61	96	90	90	
		M	1960	43	108	75	127	146	378	432	260	391	
BE49	Suicide and self-inflicted injury	F	1712	31	81	71	34	29	99	192	273	902	
		M	1108	—	—	—	5	31	254	477	219	122	
BE50	Homicide and operations of war	F	682	—	—	—	—	17	154	341	126	44	
		M	73	4	—	2	3	4	15	34	10	1	
BN47	Fractures, head injuries and internal injuries	F	36	2	—	6	4	3	11	7	1	2	
		M	2260	3	4	83	139	255	554	523	292	407	
BN48	Burns	F	1463	3	—	48	44	56	92	193	261	766	
		M	97	1	1	10	6	4	15	20	16	24	
BN49	Effects of poisons	F	193	—	—	21	19	4	6	20	35	88	
		M	883	—	1	17	7	35	180	379	148	116	
BN50	All other injuries	F	786	—	1	14	8	19	162	318	136	128	
		M	1038	43	103	40	86	70	192	266	145	93	
		F	445	30	80	29	9	13	65	105	58	56	

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Areas outside the Conurbations										
					Age							
					All Ages	0-4 weeks	4 wks. -1 yr.	Years				
					1-	5-	15-	25-	45-	65-	75 & over	
	ALL CAUSES	{ M 175425 F 165136	4703 3249	2693 1976	1435 1202	1238 742	2115 1368	8834 7069	43438 29843	49578 42491	61391 77196	
B1	Tuberculosis of respiratory system	{ M 4349 F 2381	—	5 7	32 16	14 14	176 334	1180 1093	2105 625	693 209	144 83	
B2	Tuberculosis, other forms	{ M 580 F 504	—	27 14	129 113	68 67	70 68	126 84	107 103	38 38	15 17	
B3	Syphilis and its sequelæ	{ M 707 F 250	3 3	4 3	1 —	— 1	6 3	42 14	322 100	232 80	97 46	
B4	Typhoid fever	{ M 2 F 3	—	—	—	—	—	1 1	1 1	—	—	
B5	Cholera	{ M — F —	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M 29 F 18	1 —	3 2	3 3	2 —	—	2 1	11 4	1 4	6 4	
B7	Scarlet fever and streptococcal sore throat	{ M 19 F 27	—	—	1 4	1 2	2 4	7 1	5 9	1 3	2 4	
B8	Diphtheria	{ M 8 F 8	—	1 —	1 1	3 4	—	1 1	1 1	1 1	—	
B9	Whooping cough	{ M 143 F 166	1 2	91 97	46 64	5 2	— 1	—	—	—	—	
B10	Meningococcal infections	{ M 94 F 78	2 2	28 22	36 27	8 5	7 4	4 4	6 12	2 2	1 —	
B11	Plague	{ M — F —	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 84 F 55	—	3 2	12 9	16 12	15 9	32 22	6 1	—	—	
B13	Smallpox	{ M 3 F 7	—	—	—	—	1 1	—	2 2	—	—	
B14	Measles	{ M 104 F 89	—	27 30	54 38	14 9	4 1	3 5	1 1	1 1	— 4	
B15	Typhus and other rickettsial diseases	{ M — F —	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M 4 F —	—	—	—	—	1 —	—	3 —	—	—	
B17	All other diseases classified as infective and parasitic	{ M 404 F 325	— 4	25 7	28 18	32 17	20 16	63 67	128 102	58 47	50 47	
B18	Malignant neoplasm of stomach (151)	{ M 5146 F 3907	—	—	—	—	3 3	190 135	1877 933	1846 1371	1230 1464	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 5931 F 1158	—	—	1 2	1 1	4 3	339 88	3459 484	1710 377	417 202	
	Malignant neoplasm of breast (170)	{ M 31 F 4855	—	—	—	—	—	3 514	11 2156	10 1212	7 971	
	Malignant neoplasm of uterus (171-174)	{ M — F 2616	—	—	—	—	3 3	254 1244	— —	681 —	434 —	
	Leukæmia and aleukæmia (204)	{ M 609 F 545	—	8 8	45 49	54 39	50 29	104 96	176 175	127 112	45 37	
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M 15051 F 12022	3 —	12 5	62 52	86 44	114 79	788 733	4272 3856	5130 3680	4584 3573	
B19	Benign and unspecified neoplasms	{ M 553 F 603	4 3	5 5	19 11	22 16	19 24	83 102	245 244	88 101	68 97	
B20	Diabetes mellitus	{ M 796 F 1521	—	—	1 3	8 11	7 22	52 56	191 341	266 583	271 505	
B21	Anæmias	{ M 420 F 750	—	3 —	2 3	5 11	10 3	12 32	78 150	150 254	160 297	
B22	Vascular lesions affecting central nervous system	{ M 19001 F 25234	1 —	8 2	3 5	7 12	27 12	293 289	3424 4186	6442 7693	8796 13035	
B23	Nonmeningococcal meningitis	{ M 140 F 101	9 20	43 22	11 15	7 12	9 2	17 9	29 13	14 5	1 3	
B24	Rheumatic fever	{ M 109 F 136	—	—	4 4	23 29	20 26	23 25	31 40	7 7	1 4	
B25	Chronic rheumatic heart disease	{ M 2509 F 3881	—	1 —	—	19 24	63 76	426 561	891 1356	624 1021	485 843	

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Areas outside the Conurbations—continued										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	Years				
								25-	45-	65-	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M 22768	—	—	2	1	4	573	7686	8338	6164	
		F 13169	—	—	—	—	4	109	2442	5105	5509	
		M 24203	—	—	—	2	10	138	2206	6281	15566	
		F 31311	—	1	1	3	8	106	1859	6581	22752	
B27	Other diseases of heart	M 2142	—	3	3	7	19	100	481	677	852	
		F 2324	—	1	3	5	19	75	451	681	1089	
B28	Hypertension with heart disease	M 4614	—	—	—	1	1	56	1007	1700	1848	
		F 5062	—	—	—	1	2	55	874	1698	2432	
B29	Hypertension without mention of heart	M 1152	—	—	—	—	6	57	269	348	472	
		F 1140	—	—	—	—	3	40	226	333	538	
B46 (Pt.)	Other circulatory diseases (450-468)	M 4893	1	1	1	2	2	72	573	1328	2913	
		F 5008	—	1	2	4	10	67	440	1095	3389	
B30	Influenza	M 4879	4	55	19	10	40	143	1212	1499	1897	
		F 5433	3	27	28	11	27	154	786	1577	2820	
B31	Pneumonia	M 6654	—	888	166	53	53	247	1405	1674	2168	
		F 6186	—	678	181	35	31	206	797	1321	2937	
B32	Bronchitis	M 12214	10	137	50	8	8	167	3450	4027	4357	
		F 7688	7	107	42	6	11	99	1025	2057	4334	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M 2340	9	35	31	22	18	154	1005	638	428	
		F 1073	10	28	19	23	21	98	242	214	418	
B33	Ulcer of stomach and duodenum	M 2446	1	1	—	1	13	220	1049	742	419	
		F 773	2	—	—	2	2	36	210	248	273	
B34	Appendicitis	M 438	—	1	28	46	28	54	128	100	53	
		F 308	—	—	22	28	16	33	96	62	51	
B35	Intestinal obstruction and hernia	M 958	30	58	21	12	5	42	219	256	315	
		F 959	19	34	11	5	5	38	224	258	365	
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M 793	3	286	49	8	9	41	134	129	134	
		F 851	—	179	30	6	15	69	137	176	239	
B37	Cirrhosis of liver	M 384	—	4	5	3	—	35	169	118	50	
		F 298	—	1	1	—	2	23	140	95	36	
B38	Nephritis and nephrosis	M 2193	—	8	15	26	71	280	649	547	597	
		F 2166	—	8	12	28	58	229	583	599	649	
B39	Hyperplasia of prostate	M 3086	—	—	—	—	—	2	195	941	1948	
B40	Complications of pregnancy, childbirth & puerperium	F 353	—	—	—	—	68	268	15	—	2	
B41	Congenital malformations	M 1470	594	367	88	70	50	108	136	33	24	
		F 1351	559	295	89	39	42	112	153	43	19	
B42	Birth injuries, postnatal asphyxia & atelectasis	M 1610	1557	51	2	—	—	—	—	—	—	
		F 1012	975	37	—	—	—	—	—	—	—	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M 35	35	—	—	—	—	—	—	—	—	
		F 24	24	—	—	—	—	—	—	—	—	
		M 372	369	3	—	—	—	—	—	—	—	
		F 240	238	2	—	—	—	—	—	—	—	
B44	Other dis. of early infancy & immaturity unqualified	M 2023	1940	80	2	1	—	—	—	—	—	
		F 1355	1305	49	1	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M 2695	15	14	2	2	6	12	38	194	2412	
		F 4196	6	8	4	—	3	9	17	208	3941	
B46 (Rem.)	All other diseases (Remainder 001-795)	M 6068	41	179	132	110	163	581	1878	1608	1376	
		F 7194	28	130	109	81	137	677	2076	1925	2031	
BE47	Motor vehicle accidents	M 2259	—	—	126	219	490	623	417	205	179	
		F 657	—	—	81	69	77	78	149	100	103	
BE48	All other accidents	M 4030	63	220	198	233	404	917	940	384	671	
		F 2762	37	161	124	61	45	95	264	439	1536	
BE49	Suicide and self-inflicted injury	M 1723	—	—	—	3	76	384	750	344	166	
		F 956	—	—	—	—	26	193	489	189	59	
BE50	Homicide and operations of war	M 157	7	7	4	3	11	37	60	26	2	
		F 47	2	1	4	3	11	9	10	4	3	
BN47	Fractures, head injuries and internal injuries	M 4663	3	13	144	288	716	1252	1085	482	680	
		F 2393	2	6	96	81	100	111	253	389	1355	
BN48	Burns	M 209	—	5	42	11	10	50	30	14	47	
		F 292	—	8	48	23	8	10	37	53	105	
BN49	Effects of poisons	M 1010	—	4	26	10	39	231	426	176	98	
		F 878	—	3	16	3	21	156	397	161	121	
BN50	All other injuries	M 2287	67	205	116	149	216	428	626	287	193	
		F 859	37	145	49	26	30	98	225	129	120	

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Urban areas with populations of 100,000 and over									
			Age									
			All Ages	0-4 weeks	4 wks.-1 yr.	1-5	5-15	15-25	25-45	45-65	65-75	75 & over
	ALL CAUSES	{ M F	38556 36079	1086 713	644 463	295 262	264 168	385 331	2064 1745	10696 6866	11230 9634	11892 15897
B1	Tuberculosis of respiratory system	{ M F	1211 662	— —	— 2	8 2	3 4	40 101	338 304	592 171	185 54	45 24
B2	Tuberculosis, other forms	{ M F	128 111	— —	6 4	32 26	15 17	17 13	28 18	19 24	9 7	2 2
B3	Syphilis and its sequelæ	{ M F	219 72	— —	— —	— —	— —	2 —	7 —	119 32	67 27	24 11
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	4 4	— —	— 1	1 1	— —	— —	— —	2 2	— —	1 —
B7	Scarlet fever and streptococcal sore throat	{ M F	4 4	— —	— —	— 1	— —	— 1	2 —	2 —	— —	— —
B8	Diphtheria	{ M F	2 4	— —	1 —	— —	— 2	— —	1 1	— —	1 —	— —
B9	Whooping cough	{ M F	33 31	— —	22 21	9 9	2 —	— 1	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	24 18	1 —	9 8	10 6	2 —	1 2	1 1	— 1	— —	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	15 10	— —	1 —	2 1	3 1	1 2	8 6	— —	— —	— —
B13	Smallpox	{ M F	3 6	— —	— —	— —	— —	1 —	— 3	2 2	— —	— —
B14	Measles	{ M F	26 15	— —	10 4	11 8	4 3	— —	1 —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	80 84	— 1	8 2	3 6	2 4	3 3	18 15	24 30	13 12	9 11
B18	Malignant neoplasm of stomach (151)	{ M F	1140 866	— —	— —	— —	— —	1 3	41 27	458 217	385 312	255 307
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	1646 273	— —	— —	— —	1 —	2 2	98 21	954 112	490 106	101 32
	Malignant neoplasm of breast (170)	{ M F	7 1025	— —	— —	— —	— —	— 1	1 127	3 444	2 280	1 174
	Malignant neoplasm of uterus (171-174)	{ M F	555 —	— —	— —	— —	— —	— —	48 270	270 146	146 —	90 —
	Leukemia and aleukemia (204)	{ M F	118 118	— —	2 9	8 9	8 7	5 7	24 24	36 35	28 27	7 7
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M F	3352 2728	— —	3 2	14 14	25 15	22 14	185 201	1033 918	1122 832	948 732
	Benign and unspecified neoplasms	{ M F	111 123	1 —	2 —	2 2	3 3	5 2	15 16	56 56	17 29	10 15
	Diabetes mellitus	{ M F	163 329	— —	— —	— —	— 1	4 3	17 13	38 77	52 136	52 99
	Anemias	{ M F	86 157	— —	1 —	— 1	1 2	5 1	4 6	17 24	31 51	27 72
	Vascular lesions affecting central nervous system	{ M F	3864 5171	— —	1 2	— 2	— 2	5 2	75 70	795 909	1363 1669	1624 2517
B23	Nonmeningococcal meningitis	{ M F	28 26	2 8	9 7	2 2	2 1	4 —	1 2	5 4	3 1	— 1
B24	Rheumatic fever	{ M F	29 31	— —	— —	2 1	9 6	4 7	6 7	4 9	4 1	— —
B25	Chronic rheumatic heart disease	{ M F	530 916	— —	1 —	— —	3 9	17 14	103 154	214 339	112 227	80 173

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Urban areas with populations of 100,000 and over—continued.										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							
					1-	5-	15-	25-	45-	65-	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	4930	—	—	—	1	2	142	1821	1780	1184
		F	2849	—	—	—	—	—	22	536	1144	1147
		M	4708	—	—	—	1	1	30	504	1376	2796
		F	6463	—	—	1	—	27	408	1395	4631	
B27	Other diseases of heart	M	441	—	—	—	2	5	24	109	141	160
B28	Hypertension with heart disease	F	455	—	—	—	—	7	20	104	124	199
		M	1142	—	1	—	1	—	14	265	415	446
		F	1298	—	—	—	—	8	237	446	607	
B29	Hypertension without mention of heart	M	260	—	—	—	—	—	14	59	83	104
B46 (Pt.)	Other circulatory diseases (450-468)	F	260	—	—	—	—	—	11	55	72	121
		M	1088	—	1	—	1	18	138	321	609	
		F	1219	—	—	1	1	18	103	262	834	
B30	Influenza	M	981	—	5	2	—	8	39	290	298	339
B31	Pneumonia	F	1103	1	4	5	2	7	40	193	333	518
		M	1733	—	232	34	13	5	74	424	442	509
		F	1634	—	183	44	7	7	51	231	359	752
B32	Bronchitis	M	3252	3	28	9	1	47	1021	1138	1003	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	1046	1	20	6	1	3	27	287	573	1048
		M	506	2	10	5	5	4	31	228	130	91
		F	214	2	7	2	3	5	22	51	40	82
B33	Ulcer of stomach and duodenum	M	560	—	—	—	—	2	45	235	178	100
B34	Appendicitis	F	177	1	—	—	—	—	12	43	64	57
		M	84	—	—	6	11	4	8	24	18	13
		F	62	—	—	2	9	1	8	21	11	10
B35	Intestinal obstruction and hernia	M	199	6	11	2	2	4	45	55	67	
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	F	210	3	5	2	—	—	10	49	59	80
		M	172	—	68	8	1	1	8	33	26	27
		F	212	—	53	6	1	6	16	34	42	54
B37	Cirrhosis of liver	M	99	—	1	1	1	—	9	49	27	11
		F	69	—	—	1	—	—	9	29	23	7
B38	Nephritis and nephrosis	M	465	—	2	2	7	21	78	140	109	106
		F	434	—	4	6	15	50	120	125	114	
B39	Hyperplasia of prostate	M	623	—	—	—	—	—	—	55	196	372
B40	Complications of pregnancy, childbirth & puerperium	F	82	—	—	—	—	14	65	2	—	1
B41	Congenital malformations	M	293	119	80	20	9	8	18	27	6	6
		F	319	122	60	26	10	14	27	38	19	3
B42	Birth injuries, postnatal asphyxia & atelectasis	M	382	369	13	—	—	—	—	—	—	—
		F	218	208	10	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	6	6	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
B43	Other infections of newborn (763, 765-768)	M	117	115	2	—	—	—	—	—	—	—
		F	64	64	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	458	439	18	1	—	—	—	—	—	—
		F	291	284	7	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	329	2	4	1	1	3	7	25	285	
		F	608	1	3	2	—	2	1	27	572	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1326	10	55	34	21	38	141	405	353	269
		F	1499	6	38	24	19	28	145	428	402	409
BE47	Motor vehicle accidents	M	403	—	—	32	35	67	112	75	49	33
BE48	All other accidents	F	152	—	—	22	13	22	10	31	21	33
		M	757	11	35	32	60	59	128	182	96	154
		F	615	9	22	24	14	8	31	55	117	335
BE49	Suicide and self-inflicted injury	M	376	—	—	—	1	15	96	167	75	22
BE50	Homicide and operations of war	F	254	—	—	—	7	45	130	57	15	
		M	42	—	2	2	1	1	7	19	10	—
		F	11	—	—	—	4	3	2	1	—	1
BN47	Fractures, head injuries and internal injuries	M	861	—	2	34	55	100	196	204	118	152
BN48	Burns	F	544	1	2	24	16	25	22	57	92	305
		M	47	—	—	10	2	—	11	12	2	10
		F	70	—	—	11	6	2	2	8	17	24
BN49	Effects of poisons	M	278	—	2	5	3	9	67	114	50	28
BN50	All other injuries	F	273	—	1	4	—	5	50	114	61	38
		M	392	11	33	17	37	33	69	113	60	19
		F	145	8	19	7	5	9	15	39	26	17

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Urban Areas with populations of 50,000 and under 100,000										
			Age										
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	Years				
									25-	45-	65-	75 & over	
	ALL CAUSES	{ M F	21662 21597	594 361	336 255	167 154	139 87	206 195	1126 893	5741 3909	6198 5544	7155 10199	
B1	Tuberculosis of respiratory system	{ M F	608 297	— —	— —	6 3	1 2	22 47	151 126	315 79	100 29	13 11	
B2	Tuberculosis, other forms	{ M F	82 60	— —	6 —	19 12	8 10	12 10	16 9	18 11	3 4	— 4	
B3	Syphilis and its sequelæ	{ M F	103 38	1 1	1 —	— —	— —	— 1	9 2	43 13	28 11	21 10	
B4	Typhoid fever	{ M F	— 1	— —	— —	— —	— —	— —	— —	— —	1 —	— —	
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B6	Dysentery, all forms	{ M F	5 2	— —	1 —	— —	— —	— —	— —	2 —	— —	2 2	
B7	Scarlet fever and streptococcal sore throat	{ M F	2 9	— —	— —	2 1	1 1	1 —	2 —	3 —	1 —	1 —	
B8	Diphtheria	{ M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B9	Whooping cough	{ M F	9 19	— 1	7 10	2 7	— 1	— —	— —	— —	— —	— —	
B10	Meningococcal infections	{ M F	8 11	— —	1 3	4 7	1 —	— —	1 —	1 1	— —	— —	
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B12	Acute poliomyelitis	{ M F	11 4	— —	— —	2 —	1 1	3 1	3 2	2 —	— —	— —	
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B14	Measles	{ M F	11 10	— —	3 2	7 5	— 2	— —	1 —	— —	— —	— 1	
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B16	Malaria	{ M F	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	
B17	All other diseases classified as infective and parasitic	{ M F	33 40	— —	2 1	2 2	3 1	1 2	7 8	9 10	4 5	5 11	
B18	Malignant neoplasm of stomach (151)	{ M F	605 470	— —	— —	— —	— —	— —	30 23	232 116	217 155	126 176	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	806 154	— —	— —	— —	— —	1 —	46 18	503 61	207 52	50 22	
	Malignant neoplasm of breast (170)	{ M F	1 672	— —	— —	— —	— —	— —	— 63	1 322	— 155	— 132	
	Malignant neoplasm of uterus (171-174)	{ M F	360 —	— —	— —	— —	— —	— —	36 —	166 —	91 —	67 —	
	Leukæmia and aleukæmia (204)	{ M F	66 73	— —	— 1	4 11	2 5	6 1	15 12	21 20	10 15	8 8	
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M F	1795 1615	— —	1 —	10 7	5 5	11 13	111 90	509 511	614 484	534 505	
	Benign and unspecified neoplasms	{ M F	58 85	1 —	1 2	2 1	4 2	2 4	7 13	27 26	9 20	5 17	
	Diabetes mellitus	{ M F	88 181	— —	— —	— —	1 2	— 4	4 6	20 41	40 59	23 69	
	Anæmias	{ M F	48 117	— —	— —	1 —	1 2	— —	2 5	12 24	17 42	16 43	
	Vascular lesions affecting central nervous system	{ M F	2352 3345	— —	1 1	1 2	— 2	4 4	33 38	450 496	811 1014	1052 1788	
B23	Nonmeningococcal meningitis	{ M F	11 —	1 —	3 4	1 —	2 —	1 —	1 —	2 —	— —	— —	
B24	Rheumatic fever	{ M F	11 14	— —	— —	1 —	3 1	2 3	3 3	2 5	— 1	— 1	
B25	Chronic rheumatic heart disease	{ M F	300 541	— —	— —	— —	4 3	7 15	55 72	116 183	69 148	49 120	

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Urban Areas with populations of 50,000 and under 100,000—contd.										
			All Ages	0-4 weeks	4 wks. -1 yr.	Age							
						1-	5-	15-	25-	45-	65-	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	3046	—	—	—	—	1	78	1073	1108	786	
		F	1810	—	—	—	—	2	19	320	690	779	
		M	2893	—	—	—	1	—	16	288	797	1791	
		F	4118	—	—	—	—	1	17	255	833	3012	
B27	Other diseases of heart	M	249	—	—	—	1	4	16	53	77	98	
B28	Hypertension with heart disease	F	318	—	—	—	1	4	5	64	94	150	
		M	538	—	—	—	—	—	7	126	212	193	
B29	Hypertension without mention of heart	F	598	—	—	—	—	1	5	105	199	288	
		M	150	—	—	—	—	3	10	35	45	57	
B46 (Pt.)	Other circulatory diseases (450-468)	F	143	—	—	—	—	—	4	35	35	69	
		M	529	—	—	1	—	—	8	70	157	293	
		F	590	—	—	—	—	4	13	54	122	397	
B30	Influenza	M	563	—	9	2	1	5	13	146	177	210	
B31	Pneumonia	F	689	—	1	3	1	4	19	110	208	343	
		M	868	—	119	17	8	8	33	179	214	290	
		F	879	—	86	26	3	2	26	105	194	437	
B32	Bronchitis	M	1583	—	20	4	—	3	23	479	525	529	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	1026	1	14	10	—	1	17	139	287	557	
		M	272	1	3	4	3	3	23	120	73	42	
		F	136	—	2	2	5	3	15	37	21	51	
B33	Ulcer of stomach and duodenum	M	340	—	—	—	—	1	23	167	106	43	
B34	Appendicitis	F	110	—	—	—	—	1	2	28	33	46	
		M	49	—	—	3	5	6	5	11	12	7	
B35	Intestinal obstruction and hernia	F	37	—	—	4	2	1	3	9	7	11	
		M	136	5	11	5	2	—	5	34	36	38	
B36	Gastritis, enteritis, and diarrhea except diarrhea of newborn	F	130	3	8	2	—	—	2	33	41	41	
		M	96	—	36	8	—	2	2	16	20	12	
		F	101	—	19	3	—	1	6	18	21	33	
B37	Cirrhosis of liver	M	46	—	—	—	1	—	5	21	12	7	
B38	Nephritis and nephrosis	F	42	—	1	—	—	1	3	17	14	6	
		M	236	—	1	1	1	4	40	69	67	53	
B39	Hyperplasia of prostate	M	244	—	1	2	4	4	27	67	68	71	
B40	Complications of pregnancy, childbirth & puerperium	F	368	—	—	—	—	—	19	109	240	—	
B41	Congenital malformations	M	42	—	—	—	—	10	29	3	—	—	
		F	185	73	50	12	5	6	13	20	5	1	
B42	Birth injuries, postnatal asphyxia & atelectasis	F	174	62	44	8	2	8	18	28	2	2	
		M	185	183	2	—	—	—	—	—	—	—	
B43	Diarrhea of newborn (764) Other infections of newborn (763, 765-768)	F	126	122	4	—	—	—	—	—	—	—	
		M	7	7	—	—	—	—	—	—	—	—	
		F	2	2	—	—	—	—	—	—	—	—	
		M	47	47	—	—	—	—	—	—	—	—	
B44	Other dis. of early infancy & immaturity unqualified	F	19	18	1	—	—	—	—	—	—	—	
		M	274	260	13	—	1	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	F	152	144	8	—	—	—	—	—	—	—	
		M	278	5	2	1	—	—	1	3	26	240	
B46 (Rem.)	All other diseases (Remainder 001-795)	F	415	1	—	—	—	1	—	—	32	381	
		M	743	4	18	14	15	11	78	255	184	164	
BE47	Motor vehicle accidents	F	938	2	16	7	9	21	89	266	246	282	
BE48	All other accidents	M	221	—	—	13	29	32	61	40	19	27	
		F	82	—	—	11	7	6	9	20	15	14	
BE49	Suicide and self-inflicted injury	M	490	4	24	19	29	35	112	121	44	102	
		F	409	3	26	14	10	11	13	38	66	228	
BE50	Homicide and operations of war	M	230	—	—	—	1	10	51	99	42	27	
BN47	Fractures, head injuries and internal injuries	F	133	—	—	—	—	—	24	68	28	13	
		M	24	2	1	1	1	1	4	12	1	1	
BN48	Burns	F	5	—	—	1	1	—	1	1	—	—	
		M	520	1	2	15	35	51	132	139	46	99	
BN49	Effects of poisons	F	331	—	2	13	6	10	10	32	59	199	
		M	15	—	1	7	—	2	1	—	—	4	
BN50	All other injuries	F	42	—	—	6	3	2	2	6	10	13	
		M	162	—	—	2	1	7	41	65	24	22	
BN50	All other injuries	F	148	—	—	—	—	2	21	68	30	26	
		M	268	5	22	9	24	18	54	68	36	32	
		F	108	3	24	7	8	3	14	21	11	17	

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Urban Areas with populations under 50,000											
					Age								
					All Ages	0-4 weeks	4 wks. -1 yr.	Years					
					1-	5-	15-	25-	45-	65-	75 & over		
	ALL CAUSES	{ M 63015 F 59962	1617 1172	922 692	490 422	405 255	642 460	3000 2502	15755 10909	18188 15504	21996 28046		
B1	Tuberculosis of respiratory system	{ M 1516 F 840	—	2	14	6	59	388	751	250	46		
B2	Tuberculosis, other forms	{ M 199 F 188	—	11	42	24	25	397	215	72	28		
				8	45	24	24	42	35	13	7		
B3	Syphilis and its sequelæ	{ M 231 F 78	—	2	1	—	1	14	89	88	36		
B4	Typhoid fever	{ M 2 F —	2	2	—	—	—	5	30	24	15		
				—	—	—	—	1	1	—	—		
B5	Cholera	{ M — F —	—	—	—	—	—	—	—	—	—		
B6	Dysentery, all forms	{ M 14 F 7	1	1	1	1	—	2	4	1	3		
				1	2	—	—	—	1	2	1		
B7	Scarlet fever and streptococcal sore throat	{ M 7 F 11	—	—	1	1	1	2	2	—	—		
B8	Diphtheria	{ M 3 F 3	—	—	—	1	2	—	4	2	1		
				—	1	2	—	—	1	1	—		
B9	Whooping cough	{ M 47 F 60	—	27	19	1	—	—	—	—	—		
B10	Meningococcal infections	{ M 34 F 27	1	9	13	3	3	1	4	1	—		
			1	6	9	4	2	1	4	—	—		
B11	Plague	{ M — F —	—	—	—	—	—	—	—	—	—		
B12	Acute poliomyelitis	{ M 25 F 22	—	1	3	6	6	8	1	—	—		
				1	7	7	1	6	—	—	—		
B13	Smallpox	{ M — F —	—	—	—	—	—	—	—	—	—		
B14	Measles	{ M 32 F 35	—	7	16	6	2	—	1	—	—		
				10	16	3	1	5	—	—	—		
B15	Typhus and other rickettsial diseases	{ M — F —	—	—	—	—	—	—	—	—	—		
B16	Malaria	{ M — F —	—	—	—	—	—	—	1	—	—		
				—	—	—	—	—	—	—	—		
B17	All other diseases classified as infective and parasitic	{ M 149 F 118	1	9	13	16	9	16	47	20	19		
				1	5	5	5	28	37	19	17		
	Malignant neoplasm of stomach (151)	{ M 1905 F 1439	—	—	—	—	2	75	702	677	449		
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 2066 F 426	—	1	1	—	—	47	341	513	538		
				—	—	—	2	117	1230	575	142		
				—	—	—	—	26	183	129	86		
B18	Malignant neoplasm of breast (170)	{ M 11 F 1744	—	—	—	—	—	—	4	4	3		
	Malignant neoplasm of uterus (171-174)	{ M — F 1002	—	—	—	—	2	164	761	435	382		
				—	—	—	—	103	486	257	156		
	Leukæmia and aleukæmia (204)	{ M 223 F 178	—	3	20	24	21	42	51	49	13		
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M 5293 F 4240	2	5	17	27	31	256	1477	1856	1622		
				—	15	8	31	240	1368	1330	1248		
B19	Benign and unspecified neoplasms	{ M 206 F 219	—	—	7	5	8	35	93	30	28		
			2	2	5	7	9	44	86	28	36		
B20	Diabetes mellitus	{ M 278 F 562	—	—	—	2	1	15	69	91	100		
				—	1	5	8	19	125	220	184		
B21	Anæmias	{ M 141 F 275	—	1	1	1	1	2	24	52	59		
				—	—	3	—	15	64	105	88		
B22	Vascular lesions affecting central nervous system	{ M 7082 F 9376	—	3	1	3	9	112	1261	2467	3226		
B23	Nonmeningococcal meningitis	{ M 46 F 34	—	16	4	3	2	6	10	4	1		
			7	5	9	3	—	4	3	2	1		
B24	Rheumatic fever	{ M 37 F 51	—	—	1	6	6	12	11	1	—		
B25	Chronic rheumatic heart disease	{ M 878 F 1352	—	—	2	13	9	9	13	3	2		
				—	—	4	26	162	318	220	148		
				—	—	10	26	209	487	335	285		

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Urban Areas with populations under 50,000—continued										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							
					1-	5-	15-	25-	45-	65-	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	8370	—	—	1	—	1	214	2839	3090	2225
		F	4740	—	—	—	—	26	882	1872	1960	
		M	8835	—	—	—	—	3	54	815	2304	5659
		F	11622	—	1	—	1	3	39	689	2482	8407
B27	Other diseases of heart	M	797	—	2	3	2	32	196	257	303	
B28	Hypertension with heart disease	F	842	—	3	—	4	36	157	244	396	
		M	1685	—	—	2	1	22	350	640	672	
B29	Hypertension without mention of heart	F	1823	—	—	—	—	19	321	619	864	
		M	387	—	—	—	—	20	95	117	155	
B46 (Pt.)	Other circulatory diseases (450-468)	F	402	—	—	—	2	16	81	128	175	
		M	1699	1	—	—	1	24	204	462	1007	
		F	1715	—	1	3	1	20	149	405	1135	
B30	Influenza	M	1804	2	19	8	12	44	465	580	673	
B31	Pneumonia	F	1979	1	14	14	6	49	285	563	1043	
		M	2149	—	291	62	15	22	75	469	561	654
		F	1999	—	226	58	12	76	258	409	947	
B32	Bronchitis	M	4411	6	51	16	4	63	1282	1483	1506	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	2725	2	48	16	3	35	396	735	1486	
		M	858	3	8	15	10	56	383	237	140	
		F	384	1	9	4	4	36	100	81	139	
B33	Ulcer of stomach and duodenum	M	924	—	1	—	3	90	400	272	158	
B34	Appendicitis	F	252	—	—	—	1	10	69	77	94	
		M	153	—	1	13	13	6	20	48	37	15
		F	103	—	—	10	6	7	11	33	22	14
B35	Intestinal obstruction and hernia	M	345	14	19	9	2	21	78	91	108	
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	F	358	9	13	3	1	16	89	97	128	
		M	268	3	108	12	5	8	41	44	44	
		F	321	—	59	14	2	33	55	74	81	
B37	Cirrhosis of liver	M	136	—	2	3	1	11	60	39	20	
B38	Nephritis and nephrosis	F	101	—	—	—	—	8	48	32	13	
		M	793	—	2	5	8	21	97	247	198	215
B39	Hyperplasia of prostate	F	849	—	5	3	10	21	94	240	247	
B40	Complications of pregnancy, childbirth & puerperium	M	1115	—	—	—	—	2	73	358	682	
B41	Congenital malformations	F	112	—	—	—	22	85	4	—	1	
B42	Birth injuries, postnatal asphyxia & atelectasis	M	537	222	129	29	25	37	52	14	7	
		F	465	199	111	26	12	9	32	53	8	
B43	Diarrhoea of newborn (764)	M	540	521	18	1	—	—	—	—	—	
		F	362	349	13	—	—	—	—	—	—	
		M	11	11	—	—	—	—	—	—	—	
B44	Other infections of newborn (763, 765-768)	F	14	14	—	—	—	—	—	—	—	
		M	102	102	—	—	—	—	—	—	—	
		F	80	80	—	—	—	—	—	—	—	
B45	Other dis. of early infancy & immaturity unqualified	M	709	682	27	—	—	—	—	—	—	
		F	502	485	17	—	—	—	—	—	—	
B46 (Rem.)	Senility without mention of psychosis, ill-defined and unknown causes	M	1098	4	4	—	1	3	15	84	984	
		F	1718	2	4	—	—	5	9	91	1607	
BE47	All other diseases (Remainder 001-795)	M	2162	14	52	42	37	179	695	584	504	
		F	2621	8	41	35	50	240	787	699	729	
BE48	Motor vehicle accidents	M	696	—	—	33	75	192	130	65	65	
BE49	All other accidents	F	218	—	—	23	26	28	43	38	36	
		M	1326	28	88	65	63	100	293	337	217	
		F	996	7	55	44	18	27	107	153	573	
BE50	Suicide and self-inflicted injury	M	629	—	—	1	23	121	278	126	80	
BN47	Homicide and operations of war	F	355	—	—	—	12	74	181	69	19	
		M	50	1	3	1	4	14	16	10	1	
		F	17	1	1	3	4	5	1	1	1	
BN48	Fractures, head injuries and internal injuries	M	1474	—	7	38	94	188	403	358	228	
BN49	Burns	F	848	—	2	32	32	29	35	158	494	
		M	60	—	2	7	4	1	8	142	17	
		F	111	—	4	16	7	2	5	19	46	
BN50	Effects of poisons	M	376	—	—	14	3	74	165	68	37	
BN50	All other injuries	F	321	—	1	7	1	60	150	51	41	
		M	791	29	82	39	39	126	233	103	81	
		F	306	8	49	15	5	29	92	49	48	

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Rural Areas										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							
1-	5-				15-	25-	45-	65-	75 & over			
	ALL CAUSES	M F	52192 47498	1406 1003	791 566	483 364	430 232	882 382	2644 1929	11246 8159	13962 11809	20348 23054
B1	Tuberculosis of respiratory system	M F	1014 582	— —	3 7	4 3	4 6	55 69	303 266	447 160	158 54	40 20
B2	Tuberculosis, other forms	M F	171 145	— —	4 2	36 30	21 16	16 21	40 31	35 29	13 11	6 5
B3	Syphilis and its sequelæ	M F	154 62	2 —	1 1	— —	— 1	3 2	12 5	71 25	49 18	16 10
B4	Typhoid fever	M F	— 2	— —	— —	— —	— —	— —	— 1	— 1	— —	— —
B5	Cholera	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	M F	6 5	— —	1 —	1 —	1 —	— —	— 1	3 1	— 2	1 —
B7	Scarlet fever and streptococcal sore throat	M F	6 3	— —	— —	— —	— 1	1 —	1 —	1 —	1 —	2 2
B8	Diphtheria	M F	1 1	— —	— —	— —	1 —	— —	— —	— —	— —	— 1
B9	Whooping cough	M F	54 56	1 —	35 33	16 23	2 —	— —	— —	— —	— —	— —
B10	Meningococcal infections	M F	28 22	1 1	9 5	9 5	2 1	3 —	1 2	1 6	1 2	1 —
B11	Plague	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	M F	33 19	— —	1 1	5 1	6 3	5 5	13 8	3 1	— —	— —
B13	Smallpox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	M F	35 29	— —	7 14	20 9	4 1	2 —	1 —	— 1	1 1	— 3
B15	Typhus and other rickettsial diseases	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
B17	All other diseases classified as infective and parasitic	M F	142 83	— 2	6 3	10 5	11 7	7 6	22 16	48 25	21 11	17 8
B18	Malignant neoplasm of stomach (151)	M F	1496 1132	— —	— —	— 1	— —	— —	44 38	485 259	567 391	400 443
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	M F	1413 305	— —	— —	1 1	— 1	— —	78 23	772 128	438 90	124 62
	Malignant neoplasm of breast (170)	M F	12 1414	— —	— —	— —	— —	— —	2 160	3 629	4 342	3 283
	Malignant neoplasm of uterus (171-174)	M F	699 —	— —	— —	— —	— —	2 —	67 —	322 —	187 —	121 —
	Leukæmia and aleukæmia (204)	M F	202 176	— —	3 5	13 13	20 11	18 11	23 27	68 62	40 35	12 17
	Other malign. & lymphatic neoplasms (Rem. 140-205)	M F	4611 3439	1 —	3 3	21 16	29 16	50 21	236 202	1253 1059	1538 1034	1480 1088
	Benign and unspecified neoplasms	M F	178 176	2 1	2 1	8 3	10 4	4 9	26 29	69 76	32 24	25 29
	Diabetes mellitus	M F	267 449	— —	— —	1 2	5 3	2 7	16 18	64 98	83 168	96 153
	Anæmias	M F	145 201	— —	1 —	1 1	2 4	4 2	4 6	25 38	50 56	58 94
	B22	Vascular lesions affecting central nervous system	M F	5703 7342	1 —	3 1	1 —	3 5	9 3	73 76	918 1207	1801 2179
B23	Nonmeningococcal meningitis	M F	55 30	6 4	15 6	14 3	2 6	3 1	7 2	12 5	6 2	— 1
B24	Rheumatic fever	M F	32 40	— —	— 1	— 1	5 9	8 7	2 6	14 13	2 2	1 1
B25	Chronic rheumatic heart disease	M F	801 1072	— —	— —	— —	8 2	13 21	106 126	243 347	223 311	208 265

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Rural Areas—continued									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	6422	—	—	1	—	—	139	1953	2360	1969
		F	3770	—	—	—	—	2	42	704	1399	1623
		M	7767	—	—	—	—	6	38	599	1804	5320
		F	9108	—	—	—	2	3	23	507	1871	6702
B27	Other diseases of heart	M	655	—	1	1	1	8	28	123	202	291
B28	Hypertension with heart disease	F	709	—	1	—	1	4	14	126	219	344
		M	1249	—	—	—	—	—	13	266	433	537
B29	Hypertension without mention of heart	F	1343	—	—	—	1	1	23	211	434	673
		M	355	—	—	—	—	3	13	80	103	156
B46 (Pt.)	Other circulatory diseases (450-468)	F	335	—	—	—	—	—	9	55	98	173
		M	1577	—	—	—	2	—	22	161	388	1004
		F	1484	—	—	1	—	4	16	134	306	1023
B30	Influenza	M	1531	2	22	7	8	15	47	311	444	675
B31	Pneumonia	F	1662	1	8	6	4	10	46	198	473	916
		M	1904	—	246	53	17	18	65	333	457	715
		F	1674	—	183	53	13	9	53	203	359	801
B32	Bronchitis	M	2968	1	38	21	2	4	34	668	881	1319
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	1971	3	25	10	2	3	20	203	462	1243
		M	704	3	14	7	4	5	44	274	198	155
		F	339	7	10	11	11	3	25	54	72	146
B33	Ulcer of stomach and duodenum	M	622	1	—	—	1	7	62	247	186	118
B34	Appendicitis	F	234	1	—	—	1	—	12	70	74	76
		M	152	—	—	6	17	12	21	45	33	18
B35	Intestinal obstruction and hernia	F	106	—	—	6	11	7	11	33	22	16
		M	278	5	17	5	1	—	12	62	74	102
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	F	261	4	8	4	2	3	10	53	61	116
		M	257	—	74	21	2	3	23	44	39	51
		F	217	—	48	7	3	5	14	30	39	71
B37	Cirrhosis of liver	M	103	—	1	1	—	—	10	39	40	12
B38	Nephritis and nephrosis	F	86	—	—	—	—	1	3	46	26	10
		M	699	—	3	7	10	25	65	193	173	223
B39	Hyperplasia of prostate	F	639	—	2	3	8	18	58	167	166	217
B40	Complications of pregnancy, childbirth & puerperium	M	980	—	—	—	—	—	—	48	278	654
B41	Congenital malformations	F	117	—	—	—	—	22	89	6	—	—
		M	455	180	108	27	31	14	40	37	8	10
B42	Birth injuries, postnatal asphyxia & atelectasis	F	393	176	80	29	15	11	35	34	7	6
		M	503	484	18	1	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	F	306	296	10	—	—	—	—	—	—	—
		M	11	11	—	—	—	—	—	—	—	—
		F	6	6	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	106	105	1	—	—	—	—	—	—	—
		F	77	76	1	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	582	559	22	1	—	—	—	—	—	—
B46 (Rem.)	All other diseases (Remainder 001-795)	F	410	392	17	1	—	—	—	—	—	—
		M	990	4	4	—	—	2	5	13	59	903
BE47	Motor vehicle accidents	F	1455	2	1	2	—	2	2	7	58	1381
BE48	All other accidents	M	1837	13	54	42	37	59	183	523	487	439
		F	2136	12	35	43	21	38	203	595	578	611
BE49	Suicide and self-inflicted injury	M	939	—	—	48	80	255	258	172	72	54
BE50	Homicide and operations of war	F	205	—	—	25	23	25	31	55	26	20
		M	1457	20	73	82	81	210	384	300	109	198
		F	742	18	58	42	19	14	24	64	103	400
BN47	Fractures, head injuries and internal injuries	M	488	—	—	—	—	28	116	206	101	37
BN48	Burns	F	214	—	—	—	—	7	50	110	35	12
		M	41	4	1	1	—	5	12	13	5	—
BN49	Effects of poisons	F	14	1	—	—	1	3	5	2	1	1
		M	1808	2	2	57	104	377	521	384	160	201
BN50	All other injuries	F	670	1	—	27	27	36	44	82	96	357
		M	87	—	2	18	5	7	21	13	5	16
		F	69	—	4	15	7	2	1	11	7	22
		M	194	—	2	5	3	8	49	82	34	11
		F	136	—	1	5	1	4	25	65	19	16
		M	836	22	68	51	49	106	179	212	88	61
		F	300	18	53	20	8	7	40	73	43	38

TABLE 20.—Causes of Death by Sex, at Different Periods of Life, 1951, classified in accordance with the Abridged List (see statement below).

London and Metropolitan Boroughs, County Boroughs. Aggregates of other Urban and of Rural Districts in each Administrative County.

Note :— See Table 19 for England and Wales, Standard Regions, Conurbations and National Density Aggregates. For individual administrative areas not separately shown in this table, figures (All Ages only) can be obtained on request from the General Register Office.

See Explanatory notes on page vi.

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar General in consultation with the Ministry of Health, and its relation to the detailed International Classification.

<i>No.</i>	<i>Registrar General's Abridged List.</i>	<i>Corresponding number in the Detailed International Classification</i>
1.	Tuberculosis, respiratory	001-008.
2.	Tuberculosis, other	010-019.
3.	Syphilitic disease	020-029.
4.	Diphtheria	055.
5.	Whooping cough	056.
6.	Meningococcal infections	057.
7.	Acute poliomyelitis	080.
8.	Measles	085.
9.	Other infective and parasitic diseases	030-054, 058-074, 081-084, 086-138.
10.	Malignant neoplasm, stomach	151.
11.	Malignant neoplasm, lung, bronchus	162, 163.
12.	Malignant neoplasm, breast	170.
13.	Malignant neoplasm, uterus	171-174.
14.	Other malignant and lymphatic neoplasms	140-150, 152-161, 164, 165, 175-203, 205.
15.	Leukæmia, aleukæmia	204.
16.	Diabetes	260.
17.	Vascular lesions of nervous system	330-334.
18.	Coronary disease, angina	420.
19.	Hypertension with heart disease	440-443.
20.	Other heart disease	410-416, 421-434.
21.	Other circulatory disease	444-468.
22.	Influenza	480-483.
23.	Pneumonia	490-493, 763.
24.	Bronchitis	500-502.
25.	Other diseases of respiratory system	470-475, 510-527.
26.	Ulcer of stomach and duodenum	540, 541.
27.	Gastritis, enteritis and diarrhœa	543, 571, 572, 764.
28.	Nephritis and nephrosis	590-594.
29.	Hyperplasia of prostate	610.
30.	Pregnancy, childbirth, abortion	640-689.
31.	Congenital malformations	750-759.
32.	Other defined and ill-defined diseases	210-254, 270-326, 340-402, 530-539, 542, 544-570, 573-587, 600-609, 611-637, 690-749, 760-762, 765-795.
33.	Motor vehicle accidents	E810-835.
34.	All other accidents	E800-802, 840-962.
35.	Suicide	E963, 970-979.
36.	Homicide and operations of war	E964, 965, 980-999.

TABLE 20—continued—London.

Causes of Death (See first page of Table)		ADMINISTRATIVE COUNTY											CITY OF LONDON										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes		M F	21754 20584	525 382	235 191	146 129	126 76	152 134	1190 954	6157 3823	6554 5225	6669 9670	45 23	3		1			2 1	24 9	11 8	4 5	
1	Tuberculosis	M F	826 328		2 1	1 2	3 3	19 34	177 137	395 99	177 33	55 19	3						3				
2	Tuberculosis other	M F	66 59		1	9	6 9	7 7	22 8	15 13	5 4	1 9											
3	Syphilitic disease	M F	152 73	1					5	65	55	26											
4	Diphtheria	M F	1 1				1		5	27	25	16											
5	Whooping cough	M F	12 9		6 3	6 6																	
6	Meningococcal infections	M F	13 12		8 3	3 6		1	1	1													
7	Acute poliomyelitis	M F	1 1					1															
8	Measles	M F	14 11		4 3	9 4	3		1		1												
9	Other infective, etc., diseases	M F	60 46	1	1	3	3	3	13	22	7	7	1										
10	Malignant neoplasm: stomach	M F	609 492					2	29	239	210	131	1						1				
11	lung, bronchus	M F	1284 253					2	63	696	401	122	3						1	2			
12	breast	M F	7 714					1	17	91	87	57											
13	uterus	M F	279						79	300	181	154	3						3				
14	Other malignant and lymphatic neoplasms	M F	2086 1732		2 1	10 7	3 9	8	130	608	744	581	5						4		1		
15	Leukæmia, aleukæmia	M F	87 96		2 1	5 7	12 5	1	19	18	22	8					1		2				
16	Diabetes	M F	97 213				1	2	7	23	36	28											
17	Vascular lesions of nervous system	M F	1618 2492				1	1	25	331	588	671	4						2	1	1		
18	Coronary disease, angina	M F	2857 1757						101	1025	1026	705	5										
19	Hypertension with heart disease	M F	775 845						13	299	639	806	1						1	3	1		
20	Other heart disease	M F	2718 4039			1		9	85	364	747	1512	3										
21	Other circulatory disease	M F	722 836		1 1		1	1	107	381	796	2747	8						2	3	3	1	
22	Influenza	M F	356 453	1	4 3	1		1	6	104	125	114	1										
23	Pneumonia	M F	1103 1091	32 26	68 58	19 21	4 1	3	34	231	309	405	3		1				1	1	1		
24	Bronchitis	M F	2372 1461		24 2	4 7	2 3		44	680	847	771	4										
25	Other diseases of respiratory system	M F	246 150	1	1 1	3 1	5 2	1	15	107	71	42							2	2			
26	Ulcer of stomach and duodenum	M F	465 166	1				1	29	184	152	98	1										
27	Gastritis, enteritis and diarrhoea	M F	83 113	5 1	22 12	2 5		1	4 6	34 25	61 30	66 33											
28	Nephritis and nephrosis	M F	197 210				4 5	4	32	73	45	39											
29	Hyperplasia of prostate	M	340		1	1		7	24	62	49	61											
30	Pregnancy, childbirth, abortion	F	42					4	36	1		201											
31	Congenital malformations	M F	198 186	67 45	44 44	17 10	9 4	6	15	29	8	3											
32	Other defined and illdefined dis.	M F	1503 1776	403 295	31 29	29 15	25 16	16	104 138	333 332	257 345	305 585	7 1	2					3	2	1		
33	Motor vehicle accidents (incl.	M F	198 84		1	12 4	19 6	29 5	48 6	38 19	22 19	29 25	1									1	
34	All other accidents	M F	405 407	13 9	13 14	12 16	28 5	26 4	74 30	84 43	60 69	95 217	4	1					1	1	1		
35	Suicide	M F	273 149				1	12 5	70 36	111 74	42 21	37 13											
36	Homicide, operations of war	M F	10 8					1 2	5 2	2 1	2 2												

TABLE 20—continued—London—Metropolitan Borough.

Causes of Death (See first page of Table)		THE INNER AND MIDDLE TEMPLES										BATTERSEA											
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F										719 737	21 11	12 8	4 5	2 1			42 37	180 139	221 189	233 34		
1 Tuberculosis respiratory	M F										34 12						3 1	7 8	14 1	6 2			
2 Tuberculosis other	M F										1 3							1 1					
3 Syphilitic disease	M F										5 2								3	1			
4 Diphtheria	M F																						
5 Whooping cough	M F										1 3		1 2										
6 Meningococcal infections	M F													1									
7 Acute poliomyelitis	M F														1								
8 Measles	M F										1			1									
9 Other infective, etc., diseases	M F										3 2			1		1 1		1 1					
10 Malignant neoplasm: stomach	M F										21 16							10 6	5 5				
11 lung, bronchus	M F										45 8							3 3	18 1	18 4			
12 breast	M F										1 26							3 1	10 8	8 8			
13 uterus	M F										18												
14 Other malignant and lympatic neoplasms	M F										63 54			1				1 4	15 14	31 17			
15 Leukæmia, aleukæmia	M F										4 2							1 1	1 1				
16 Diabetes	M F										1 13								5 12	4 20			
17 Vascular lesions of nervous system	M F										56 100							1 1	16 26	20 26			
18 Coronary disease, angina	M F										91 27							6 1	35 7	26 23			
19 Hypertension with heart disease	M F										24 21							7 3	8 6				
20 Other heart disease	M F										87 157					1	5 7	8 21	22 29	4 10			
21 Other circulatory disease	M F										29 28							1 2	4 3	7 5			
22 Influenza	M F										16 20					1		7 5	5 3				
23 Pneumonia	M F										30 36		4 5				1 1	5 6	13 8				
24 Bronchitis	M F										74 65							2 12	16 21	29 21			
25 Other diseases of respiratory system	M F										13 5				1		1	4 1	5 1				
26 Ulcer of stomach and duodenum	M F										10 7								2 3				
27 Gastritis, enteritis and diarrhoea	M F										1 2		1				1 1						
28 Nephritis and nephrosis	M F										4 9					1		1 4	1 4				
29 Hyperplasia of prostate	M										9								2				
30 Pregnancy, childbirth, abortion	F																						
31 Congenital malformations	M F										12 5		5 1	4 1			1	1 4	2 10				
32 Other defined and illdefined dis.	M F										51 51	15 10	1	1 1		1 2		4 2	10 11	8 9			
33 Motor vehicle accidents	M F										1 4								1 6				
34 All other accidents	M F										17 14	1		2				3 5	3 1				
35 Suicide	M F										8 3							4 2	2 1	2 2			
36 Homicide, operations of war	M F																						

TABLE 20—continued—Metropolitan Boroughs.

Causes of Death (See first page of Table)		BERMONDSEY												BETHNAL GREEN											
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over				
All Causes	M F	420 331	13 7	4 3	3 —	3 2	2 5	31 17	120 60	130 103	114 134	422 363	7 4	6 5	3 1	2 2	2 2	21 18	124 75	143 86	114 170				
1 Tuberculosis	M F	17 6	— —	— —	— —	— —	— —	6 3	8 2	2 —	1 1	4 4	— —	— —	— —	— —	— —	2 1	1 —	1 —	1 —				
2 Tuberculosis	M F	3 —	— —	— —	— —	— —	— —	2 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —				
3 Syphilitic disease	M F	3 —	— —	— —	— —	— —	— —	— —	2 —	1 —	— —	4 2	— —	— —	— —	— —	— —	— —	1 —	1 —	2 —				
4 Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —				
5 Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —				
6 Meningococcal infections	M F	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —				
7 Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —				
8 Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —				
9 Other infective, etc., diseases	M F	2 —	— —	1 —	— —	— —	— —	— —	— —	1 —	— —	4 1	— —	— —	— —	— —	— —	1 —	1 —	1 —	1 —				
10 Malignant neoplasm: stomach	M F	16 9	— —	— —	— —	— —	— —	1 —	4 2	8 —	3 2	11 15	— —	— —	— —	— —	2 —	3 5	2 5	4 5					
lung, bronchus	M F	19 5	— —	— —	— —	— —	— —	— —	11 —	8 —	— —	29 3	— —	— —	— —	— —	— —	14 1	11 —	3 —					
breast	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —					
uterus	M F	15 2	— —	— —	— —	— —	— —	3 —	7 1	5 —	— —	12 2	— —	— —	— —	— —	2 —	6 —	3 1	1 —					
Other malignant and lymphatic neoplasms	M F	44 34	— —	— —	— —	— —	— —	4 2	19 8	14 15	7 8	41 29	— —	— —	1 —	— —	1 —	10 7	21 10	8 12					
Leukæmia, aleukæmia	M F	2 —	— —	— —	— —	— —	— —	1 —	1 —	1 —	— —	2 —	— —	— —	— —	— —	— —	1 —	1 —	2 —					
Diabetes	M F	2 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	3 6	— —	— —	— —	— —	— —	1 —	2 —	— —					
Vascular lesions of nervous system	M F	26 49	— —	— —	— —	— —	— —	— —	5 8	9 13	12 27	27 34	— —	— —	— —	— —	— —	4 11	10 8	12 16					
Coronary disease, angina	M F	50 20	— —	— —	— —	— —	— —	4 1	15 5	20 5	11 9	45 29	— —	— —	— —	— —	2 1	20 6	15 9	8 13					
Hypertension with heart disease	M F	15 13	— —	— —	— —	— —	— —	— —	3 2	4 4	8 7	12 17	— —	— —	— —	— —	— —	3 5	5 8	— —					
Other heart disease	M F	55 63	— —	— —	— —	— —	— —	1 5	11 6	14 22	24 32	50 64	— —	— —	— —	— —	1 4	4 5	16 14	25 42					
Other circulatory disease	M F	9 15	— —	— —	— —	— —	— —	3 1	2 4	2 5	6 6	13 17	— —	— —	— —	— —	1 1	4 5	3 5	5 11					
Influenza	M F	7 —	— —	— —	— —	— —	— —	— —	3 3	3 4	1 —	7 2	— —	1 —	— —	— —	— —	3 1	3 —	— —					
Pneumonia	M F	28 23	2 —	2 1	1 —	— —	— —	— —	6 2	10 6	7 13	20 22	— —	— —	— —	— —	1 1	5 6	10 4	4 9					
Bronchitis	M F	55 20	— —	— —	— —	— —	— —	1 —	17 9	21 11	16 43	67 11	— —	— —	— —	— —	— —	23 7	26 10	17 25					
Other diseases of respiratory system	M F	3 2	— —	— —	— —	— —	— —	— —	1 —	2 1	— —	3 2	— —	— —	— —	— —	— —	2 —	1 —	1 —					
Ulcer of stomach and duodenum	M F	3 —	— —	— —	— —	— —	— —	— —	1 —	1 —	1 —	12 2	— —	— —	— —	— —	— —	1 —	8 —	1 —					
Gastritis, enteritis and diarrhoea	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —					
Nephritis and nephrosis	M F	5 —	— —	— —	— —	— —	— —	2 1	1 —	2 —	— —	4 5	— —	— —	— —	— —	— —	3 2	1 —	— —					
Hyperplasia of prostate	M F	4 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	11 3	— —	— —	— —	— —	— —	— —	5 —	6 —					
Pregnancy, childbirth, abortion	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —					
Congenital malformations	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3 5	— —	— —	— —	— —	— —	1 2	— —	— —					
Other defined and illdefined dis.	M F	35 27	11 7	— —	2 —	2 1	2 —	— —	6 8	4 2	8 7	29 32	— —	— —	— —	— —	— —	2 3	7 7	3 4					
Motor vehicle accidents	M F	4 —	— —	— —	— —	— —	— —	— —	— —	2 —	1 —	6 2	— —	— —	— —	— —	— —	— —	2 —	— —					
All other accidents	M F	10 1	— —	1 —	— —	— —	— —	— —	2 —	2 —	— —	4 2	— —	— —	— —	— —	— —	2 —	1 —	2 —					
Suicide	M F	3 —	— —	— —	— —	— —	— —	— —	1 —	2 —	— —	8 2	— —	— —	— —	— —	— —	— —	— —	— —					
Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —					

TABLE 20—continued—Metropolitan Boroughs.

Causes of Death (See first page of Table)		CAMBERWELL													CHELSEA												
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over						
All Causes		M F	1239 1185	29 24	16 7	5 10	11 2	7 12	64 52	318 193	363 339	426 546	359 325	9 4	2 4	3 4	4 1	5	18 16	80 51	85 76	153 169					
1	Tuberculosis	M F	34 22	— —	— —	— —	— —	1 4	5 8	17 6	6 4	5 —	13 2	— —	— —	— —	— —	— —	6 1	4 —	1 —	2 1					
2	Tuberculosis respiratory other	M F	4 5	— —	— —	— —	2 1	— —	1 1	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —					
3	Syphilitic disease	M F	10 2	— —	— —	— —	— —	— —	— —	2 1	4 1	4 —	1 3	— —	— —	— —	— —	— —	— —	1 1	— —	— —					
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —					
5	Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —					
6	Meningococcal infections	M F	1 2	— —	— —	1 1	— —	— —	— —	— —	— —	— —	2 —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —					
7	Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —					
8	Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —					
9	Other infective, etc., diseases	M F	4 2	— —	— —	— —	1 —	— —	— —	1 2	— —	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —					
10	Malignant neoplasm: stomach	M F	31 32	— —	— —	— —	— —	— —	2 1	12 8	10 13	7 10	8 7	— —	— —	— —	— —	— —	1 2	6 2	1 1	4 —					
11	lung, bronchus	M F	71 12	— —	— —	— —	— —	1 —	2 —	38 4	24 6	7 1	16 —	— —	— —	— —	— —	— —	— —	9 —	4 —	3 —					
12	breast	M F	1 24	— —	— —	— —	— —	— —	— —	1 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —					
13	uterus	M F	12 —	— —	— —	— —	— —	— —	2 —	3 —	1 —	6 —	5 —	— —	— —	— —	— —	— —	— —	— —	— —	— —					
14	Other malignant and lymphatic neoplasms	M F	107 90	— —	— —	— —	— —	1 2	9 7	34 29	34 33	29 19	42 28	— —	1 —	— —	— —	— —	3 2	17 9	10 8	12 —					
15	Leukæmia, aleukæmia	M F	8 2	— —	— —	1 —	1 —	— —	1 —	1 —	3 —	1 —	1 2	— —	— —	1 —	— —	— —	— —	— —	— —	— —					
16	Diabetes	M F	6 13	— —	— —	— —	— —	— —	2 1	1 3	2 5	1 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —					
17	Vascular lesions of nervous system	M F	82 140	— —	— —	— —	— —	— —	16 2	32 26	34 50	29 62	19 44	— —	— —	— —	— —	— —	1 1	4 14	3 28	16 —					
18	Coronary disease, angina	M F	122 78	— —	— —	— —	— —	— —	3 10	39 37	47 31	33 29	51 29	— —	— —	— —	— —	— —	1 1	14 2	24 5	12 16					
19	Hypertension with heart disease	M F	61 63	— —	— —	— —	— —	— —	1 13	13 9	21 21	26 33	15 12	— —	— —	— —	— —	— —	1 2	2 2	5 2	8 —					
20	Other heart disease	M F	207 276	— —	— —	— —	— —	1 8	1 28	29 51	57 189	119 59	58 59	— —	— —	— —	— —	— —	1 4	2 5	4 16	51 34					
21	Other circulatory disease	M F	35 56	— —	— —	— —	— —	— —	6 2	10 18	19 36	11 12	11 —	— —	— —	— —	— —	— —	1 3	2 4	8 —	16 —					
22	Influenza	M F	25 28	1 —	— —	— —	— —	— —	7 1	9 9	9 15	8 6	9 —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —					
23	Pneumonia	M F	46 52	— —	5 3	— 1	— —	— —	13 2	9 9	18 13	24 18	18 —	— —	1 —	1 —	— —	— —	1 3	3 3	6 10	16 —					
24	Bronchitis	M F	157 93	— 1	2 —	— —	— —	— —	3 1	32 13	57 28	63 50	18 17	— —	— —	— —	— —	— —	— —	2 1	9 3	13 —					
25	Other diseases of respiratory system	M F	12 7	— —	— —	— —	— —	— —	1 1	6 1	— —	1 4	3 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —					
26	Ulcer of stomach and duodenum	M F	21 13	— —	— —	— —	— —	— —	1 4	13 2	5 6	2 3	6 3	— —	— —	— —	— —	— —	1 —	— —	3 2	— —					
27	Gastritis, enteritis and diarrhœa	M F	4 8	1 —	1 —	— —	— —	— —	— —	2 3	2 —	2 —	5 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —					
28	Nephritis and nephrosis	M F	14 6	— —	— —	— —	1 —	— —	— —	5 4	6 1	2 —	5 6	— —	— —	— —	— —	1 —	— —	1 2	1 1	— —					
29	Hyperplasia of prostate	M F	24 3	— —	— —	— —	— —	1 —	— —	2 —	— —	15 —	7 —	— —	— —	— —	— —	— —	— —	— —	— —	— —					
30	Pregnancy, childbirth, abortion	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —					
31	Congenital malformations	M F	18 11	4 3	7 2	1 —	2 —	2 1	1 —	— —	2 —	1 —	6 3	— —	— —	1 —	— —	— —	— —	2 1	1 —	1 —					
32	Other defined and illdefined dis.	M F	82 109	22 20	1 —	2 —	2 1	11 11	14 14	11 22	19 40	33 29	33 —	9 3	1 —	— —	1 —	2 —	2 5	8 —	6 2	— —					
33	Motor vehicle accidents	M F	13 1	— —	— —	— —	— —	1 —	4 —	6 —	— —	2 —	3 6	— —	— —	— —	1 —	— —	— —	1 —	1 —	— —					
34	All other accidents	M F	22 18	1 —	— —	— —	2 —	1 —	7 —	4 1	3 4	4 9	6 10	— —	— —	1 —	1 —	— —	— —	— —	— —	— —					
35	Suicide	M F	13 3	— —	— —	— —	— —	— —	5 1	2 —	3 —	3 —	5 —	— —	— —	— —	— —	— —	— —	— —	— —	— —					
36	Homicide, operations of war	M F	3 1	— —	— —	— —	— —	— —	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —					

TABLE 20—continued—Metropolitan Boroughs.

Causes of Death (See first page of Table)		DEPTFORD											FINSBURY										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes		M F	532 441	14 6	4 4	— 5	2 2	2 2	32 20	146 89	176 123	156 190	296 213	7 3	3 1	6 1	1 2	— 3	17 9	79 42	94 54	89 98	
1	Tuberculosis	M F	32 15	— —	— —	— —	— —	— 2	5 4	22 8	3 —	2 —	13 6	— —	— —	— —	— —	2 3	3 3	5 1	3 —	2 —	
2	Tuberculosis other	M F	1 3	— —	— —	— 1	— —	— —	1 1	— —	— 1	— —	2 —	— —	— —	— —	— —	— —	— 1	— 1	— —	— —	
3	Syphilitic disease	M F	4 1	— —	— —	— —	— —	— —	— —	— —	3 —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
5	Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
6	Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
7	Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
8	Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
9	Other infective, etc., diseases	M F	2 1	— —	— —	— —	— —	— —	— —	1 1	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
10	Malignant neoplasm: stomach	M F	13 10	— —	— —	— —	— —	— —	2 4	11 —	— 6	— 5	— —	— —	— —	— —	— —	— —	3 2	2 2	4 1	— —	
	lung, bronchus	M F	29 —	— —	— —	— —	— —	1 —	21 —	5 —	2 —	18 3	— —	— —	— —	— —	— —	1 —	10 3	5 —	2 —	— —	
	breast	M F	15 —	— —	— —	— —	— —	— —	4 —	6 —	4 —	5 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	uterus	M F	7 —	— —	— —	— —	— —	— —	4 —	— —	3 —	2 —	— —	— —	— —	— —	— —	2 —	4 —	1 —	— —	— —	
	Other malignant and lymphatic neoplasms	M F	44 33	— —	— —	— —	— —	6 —	9 15	19 13	10 5	29 21	— —	— —	— —	— —	— —	3 —	9 3	12 8	5 9	— —	
	Leukæmia, leukæmia	M F	1 3	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	Diabetes	M F	2 7	— —	— —	— —	— —	— —	1 1	1 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	Vascular lesions of nervous system	M F	35 47	— —	— —	— —	— —	3 1	6 8	18 17	7 21	20 26	— —	— —	— —	— —	— —	1 1	2 5	7 8	10 12	— —	
	Coronary disease, angina	M F	61 34	— —	— —	— —	— —	1 —	21 5	25 19	14 10	39 19	— —	— —	— —	— —	— —	1 —	14 3	12 7	12 9	— —	
	Hypertension with heart disease	M F	23 25	— —	— —	— —	— —	— —	5 3	7 10	12 12	11 8	— —	— —	— —	— —	— —	— —	1 2	7 4	3 2	— —	
	Other heart disease	M F	71 113	— —	— —	— —	— —	1 —	2 6	8 12	25 21	35 74	35 31	— —	— —	— —	— —	— —	9 4	10 5	16 20	— —	
	Other circulatory disease	M F	29 19	— —	— —	— —	— —	— —	7 3	10 5	12 10	6 14	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	Influenza	M F	10 6	— —	— —	— —	— —	— —	3 1	3 2	4 3	5 2	— —	— —	— —	— —	— —	— —	1 1	1 1	3 —	— —	
	Pneumonia	M F	33 13	— —	— —	— —	— —	— —	1 7	7 1	9 5	15 6	19 16	— —	— —	— —	— —	— —	2 3	3 3	4 12	— —	
	Bronchitis	M F	53 28	— —	— —	— —	— —	— —	12 4	22 8	18 15	37 16	— —	— —	— —	— —	— —	— —	8 2	15 3	14 10	— —	
	Other diseases of respiratory system	M F	3 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	Ulcer of stomach and duodenum	M F	16 —	— —	— —	— —	— —	— —	7 —	4 —	5 —	4 —	— —	— —	— —	— —	— —	— —	2 —	2 —	— —	— —	
	Gastritis, enteritis and diarrhoea	M F	4 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	Nephritis and nephrosis	M F	2 3	— —	— —	— —	— —	— —	1 2	1 —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	Hyperplasia of prostate	M F	9 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	Pregnancy, childbirth, abortion	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	Congenital malformations	M F	4 3	2 —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	Other defined and illdefined dis.	M F	35 37	12 5	2 —	— —	— —	2 6	11 7	3 3	6 15	20 19	6 3	— —	— —	— —	— —	— —	1 3	7 7	2 5	— —	
	Motor vehicle accidents	M F	4 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	All other accidents	M F	8 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	Suicide	M F	4 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

TABLE 20—continued—Metropolitan Boroughs.

Causes of Death (See first page of Table)		FULHAM											GREENWICH										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes		M F	773 807	19 16	4 7	5 6	4 3	8 4	53 44	214 153	250 198	216 376	520 482	9 10	4 6	5 2	6 4	8 5	32 26	153 105	166 121	166 121	
1	Tuberculosis respiratory	M F	29 15	— —	— —	— —	— —	3 5	16 7	4 1	1 2	24 7	— —	— —	— —	— —	— —	1 1	4 3	10 1	8 1		
2	Tuberculosis other	M F	4 1	— —	— —	— —	2 1	— —	— —	1 —	— —	1 1	2 2	— —	— —	1 —	1 —	— —	— —	1 1	— —		
3	Syphilitic disease	M F	6 4	— —	— —	— —	— —	— —	1 1	2 1	4 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
5	Whooping cough	M F	— 2	— —	— —	2 —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —		
6	Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
7	Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
8	Measles	M F	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
9	Other infective, etc., diseases	M F	2 1	— —	— —	— —	— —	— —	1 7	1 3	— —	3 1	— —	— —	— —	— —	— —	1 —	— —	3 —	— —		
10	Malignant neoplasm: stomach	M F	21 6	— —	— —	— —	— —	3 —	7 1	10 3	1 2	16 9	— —	— —	— —	— —	— —	— —	5 3	7 3	— —		
11	lung, bronchus	M F	45 7	— —	— —	— —	— —	— —	3 28	11 3	3 —	43 8	— —	— —	— —	— —	— —	1 —	24 5	15 1	— —		
12	breast	M F	— 30	— —	— —	— —	— —	— —	3 10	10 5	13 1	14 2	— —	— —	— —	— —	— —	1 —	9 5	2 5	— —		
13	uterus	M F	— 9	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
14	Other malignant and lymphatic neoplasms	M F	71 74	— —	— —	— —	1 —	4 7	17 33	27 20	22 14	51 46	— —	— —	1 —	— —	— —	5 3	13 17	24 10	— —		
15	Leukæmia, aleukæmia	M F	3 3	— —	— —	1 —	— —	— —	2 2	1 —	— —	4 3	— —	— —	— —	— —	— —	1 1	— —	— —	— —		
16	Diabetes	M F	3 9	— —	— —	— —	1 —	1 1	4 1	1 —	3 —	1 5	— —	— —	— —	— —	1 —	— —	— —	— —	— —		
17	Vascular lesions of nervous system	M F	69 84	— —	— —	— —	— —	— —	13 2	28 12	27 18	36 52	— —	— —	— —	— —	1 —	— —	10 8	11 15	— —		
18	Coronary disease, angina	M F	81 73	— —	— —	— —	— —	4 27	32 10	18 8	57 11	— —	— —	— —	— —	— —	— —	4 —	22 17	17 7	— —		
19	Hypertension with heart disease	M F	34 30	— —	— —	— —	— —	1 —	8 4	14 12	11 14	17 21	— —	— —	— —	— —	— —	2 2	3 2	7 11	— —		
20	Other heart disease	M F	94 151	— —	— —	— —	— —	2 4	16 9	30 27	46 12	61 92	— —	— —	— —	— —	— —	3 5	6 13	22 26	— —		
21	Other circulatory disease	M F	25 38	— —	— —	— —	— —	— —	5 8	8 23	12 29	28 29	— —	— —	— —	— —	— —	— —	7 4	5 6	— —		
22	Influenza	M F	13 17	— —	— —	1 —	— —	1 5	3 5	5 6	6 13	— —	— —	— —	— —	— —	— —	— —	5 1	1 5	— —		
23	Pneumonia	M F	39 50	1 2	3 —	2 —	— —	4 8	8 6	12 13	14 23	22 18	— —	2 —	1 —	— —	— —	— —	5 3	7 2	— —		
24	Bronchitis	M F	89 55	— —	— —	— —	— —	4 1	24 6	30 18	31 30	49 34	— —	— —	— —	— —	— —	— —	17 1	21 7	— —		
25	Other diseases of respiratory system	M F	7 3	— —	— —	1 —	— —	— —	5 2	1 —	— —	4 —	— —	— —	— —	1 —	— —	— —	2 4	— —	— —		
26	Ulcer of stomach and duodenum	M F	15 7	— —	— —	— —	— —	3 7	7 1	5 2	— 4	11 5	— —	— —	— —	— —	— —	— —	3 1	5 —	— —		
27	Gastritis, enteritis and diarrhoea	M F	2 6	— —	2 —	— —	— —	— —	— —	— 2	— 4	— 5	— —	— —	1 —	— —	— —	1 2	2 2	— —	— —		
28	Nephritis and nephrosis	M F	6 8	— —	1 —	— —	— —	— —	2 1	1 4	1 5	5 3	— —	— —	— —	— —	— —	1 —	1 2	2 1	— —		
29	Hyperplasia of prostate	M F	13 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
30	Pregnancy, childbirth, abortion	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
31	Congenital malformations	M F	5 9	3 3	1 —	— —	— —	— —	— —	1 7	— 16	— 13	5 33	2 8	1 1	1 —	— —	— —	— —	— —	— —		
32	Other defined and illdefined dis.	M F	65 88	15 11	3 —	2 1	1 2	1 3	9 10	11 11	17 16	31 33	42 42	— —	— —	— —	— —	— —	4 7	6 6	— —		
33	Motor vehicle accidents	M F	5 3	— —	— —	1 —	— —	— —	2 2	1 1	— —	7 3	— —	— —	— —	— —	— —	— —	2 1	1 —	— —		
34	All other accidents	M F	11 17	— —	— —	— —	— —	1 3	1 3	5 3	— 2	4 9	11 8	— —	1 —	— —	— —	— —	3 2	1 1	— —		
35	Suicide	M F	15 5	— —	— —	— —	— —	— —	3 2	9 3	2 —	1 5	— —	— —	— —	— —	— —	— —	1 1	— —	— —		
36	Homicide, operations of war	M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Metropolitan Boroughs.

Causes of Death (See first page of Table)		HACKNEY											HAMMERSMITH										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes		M F	1082 1050	30 22	10 12	10 3	6 6	8 6	73 52	289 211	345 276	311 462	795 702	15 9	5 12	5 4	4 5	7 1	40 35	239 137	262 161	218 338	
1	Tuberculosis	M F	39 17	— —	— —	— —	— —	2 —	12 8	17 5	6 3	2 1	32 9	— —	— —	— —	— —	— —	— —	— —	— —		
2	Tuberculosis	M F	9 4	— —	— —	1 1	— 1	— 1	— 3	4 1	— —	— —	1 2	— —	— —	— —	1 —	1 1	4 4	15 1	11 —	1 1	
3	Syphilitic disease	M F	6 4	— —	— —	— —	— —	— —	— —	3 1	3 1	— 2	6 7	— —	— —	— —	— —	— —	— —	1 1	3 3	2 2	
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
5	Whooping cough	M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
6	Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	2 1	— —	1 1	— —	— —	— —	— —		
7	Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
8	Measles	M F	2 —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
9	Other infective, etc., diseases	M F	1 3	— —	— —	— —	— —	— —	— 1	— —	— —	— 2	1 1	— —	— —	— —	— —	— —	— —	1 1	— —		
10	Malignant neoplasm: stomach	M F	26 44	— —	— —	— —	— —	— —	1 2	7 3	14 12	3 16	23 19	— —	— —	— —	— —	— —	13 6	4 8	6 4		
1	lung, bronchus	M F	66 13	— —	— —	— —	— —	— —	7 1	31 4	20 4	8 4	48 8	— —	— —	— —	— —	1 1	33 3	11 3	3 1		
2	breast	M F	33 13	— —	— —	— —	— —	— —	1 2	14 8	10 3	8 —	16 12	— —	— —	— —	— —	4 1	6 7	— 2	6 2		
3	uterus	M F	97 86	— —	— —	1 1	1 —	— —	5 5	29 31	33 23	28 24	76 52	— —	— —	— —	— 2	3 3	16 18	30 12	27 17		
4	Other malignant and lymphatic neoplasms	M F	5 5	— —	1 —	— —	— —	— —	2 1	1 1	— 1	1 3	3 4	— —	— —	— 2	— —	1 1	2 —	— —	2 —		
5	Leukemia, aleukemia	M F	5 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
6	Diabetes	M F	5 15	— —	— —	— —	— —	— —	— —	1 3	3 9	1 3	1 4	— —	— —	— —	— —	— —	— —	— —	— —		
7	Vascular lesions of nervous system	M F	75 113	— —	— —	— —	— —	— —	— 2	11 23	32 35	32 53	72 85	— —	— —	— —	— —	— 2	17 17	29 16	23 50		
8	Coronary disease, angina	M F	159 91	— —	— —	— —	— —	6 —	56 14	60 38	37 39	94 43	— —	— —	— —	— —	— —	3 —	45 8	34 16	12 9		
9	Hypertension with heart disease	M F	37 66	— —	— —	— —	— —	— —	10 12	12 15	21 34	26 —	— —	— —	— —	— —	— —	— —	5 5	9 6	7 15		
10	Other heart disease	M F	104 188	— —	— —	— —	— —	6 5	13 23	38 33	47 126	99 141	— —	— —	— —	— —	— —	3 —	7 14	31 34	58 93		
1	Other circulatory disease	M F	30 21	— —	— —	— —	1 —	— —	5 2	6 4	8 11	15 26	16 —	— —	— —	— —	— —	— —	4 4	5 5	9 17		
2	Influenza	M F	18 16	— —	— —	— —	— —	— —	— —	5 8	8 5	9 7	— —	— —	— —	— —	— —	— —	2 4	4 2	3 13		
3	Pneumonia	M F	64 50	4 2	2 4	— —	— —	— —	2 1	9 5	25 29	48 41	— —	1 3	— —	— —	— —	— —	11 4	16 11	18 15		
4	Bronchitis	M F	151 94	— —	2 1	1 —	— —	— —	2 1	47 11	47 18	52 62	98 71	— —	1 2	— —	— —	— —	4 2	33 5	32 20	28 41	
5	Other diseases of respiratory system	M F	7 8	— —	— —	— —	— —	— —	1 1	2 3	3 2	4 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —		
6	Ulcer of stomach and duodenum	M F	16 13	— 1	— —	— —	— —	2 —	5 2	3 7	6 3	20 —	— —	— —	— —	— —	— —	— —	2 5	3 10	3 3		
7	Gastritis, enteritis and diarrhoea	M F	4 6	— —	— —	1 1	— —	— —	1 1	1 4	— —	— —	3 4	— —	— 1	— —	— —	— —	— —	— —	— —		
8	Nephritis and nephrosis	M F	15 12	— —	— —	— —	— —	— —	4 2	4 3	2 2	5 8	12 8	— —	— —	— —	— —	— —	— —	— —	— —		
9	Hyperplasia of prostate	M F	17 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
10	Pregnancy, childbirth, abortion	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
1	Congenital malformations	M F	14 15	4 3	3 4	— —	— —	— —	2 3	3 3	1 2	1 3	10 10	— —	2 3	— —	— —	— —	— —	— —	— —		
2	Other defined and illdefined dis.	M F	80 86	22 15	— —	2 1	— 1	— —	7 7	12 19	16 21	22 19	40 60	11 6	— —	— —	— —	— —	— —	— —	— —		
3	Motor vehicle accidents	M F	8 6	— —	— —	1 —	— —	1 —	3 2	1 3	1 1	2 1	9 1	— —	— —	— —	— —	— —	— —	— —	— —		
4	All other accidents	M F	16 17	— 1	2 2	1 —	3 —	2 —	3 2	3 1	3 6	11 5	11 15	— —	— —	— —	— —	— —	— —	— —	— —		
5	Suicide	M F	9 9	— —	— —	— —	— —	2 —	1 2	5 6	— —	— 1	12 5	— —	— —	— —	— —	— —	— —	— —	— —		
6	Homicide, operations of war	M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Metropolitan Boroughs.

Causes of Death (See first page of Table)		HAMPSTEAD											HOLBORN										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes		M F	478 650	14 16	4 4	4 1	1 4	4 5	29 36	126 129	165 145	131 310	172 132	6 2	1 1	1 1	1 1	3 3	63 32	50 27	4 6		
1	Tuberculosis	M F	18 7	— —	— —	— —	— 1	— 1	4 1	7 5	2 2	12 4	— 1	— —	— —	— 1	— —	— —	10 2	1 —	— —		
2	Tuberculosis other	M F	2 2	— —	— —	1 —	— —	— —	— 1	— 1	— 1	— 1	— —	— —	— —	1 —	— —	— —	— —	— —	— —		
3	Syphilitic disease	M F	2 3	— —	— —	— —	— —	— —	— —	1 1	1 1	— 1	— —	— —	— —	— —	— —	— —	— —	1 —	— —		
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
5	Whooping cough	M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
6	Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
7	Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
8	Measles	M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
9	Other infective, etc., diseases	M F	2 1	— —	— —	— —	1 —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	4 1	3 1	— —		
10	Malignant neoplasm: stomach	M F	15 10	— —	— —	— —	— —	— 2	— 3	3 3	8 2	4 3	7 3	— —	— —	— —	— —	— —	— —	— —	— —		
11	lung, bronchus	M F	30 9	— —	— —	— —	— —	— 2	13 4	11 2	4 3	9 3	— —	— —	— —	— —	— —	— —	— —	— —	— —		
12	breast	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
13	uterus	M F	— 8	— —	— —	— —	— —	— —	6 2	15 4	3 2	9 3	— —	— —	— —	— —	— —	— —	— —	— —	— —		
14	Other malignant and lymphatic neoplasms	M F	56 54	— —	— —	1 —	— 1	— 2	15 19	25 10	13 22	19 7	— —	— —	— —	— —	— —	— —	5 3	8 1	— —		
15	Leukæmia, aleukæmia	M F	2 4	— —	— —	— —	— —	— 1	1 2	1 1	— —	3 —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —		
16	Diabetes	M F	6 10	— —	— —	— —	— —	2 1	1 3	2 6	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
17	Vascular lesions of nervous system	M F	38 97	— —	— —	— —	— —	— 1	4 15	15 33	19 48	6 24	— —	— —	— —	— —	— —	— —	3 3	2 8	1 —		
18	Coronary disease, angina	M F	80 66	— —	— —	— —	— —	2 3	27 12	32 23	19 28	28 14	— —	— —	— —	— —	— —	— —	12 3	9 1	— —		
19	Hypertension with heart disease	M F	23 20	— —	— —	— —	— —	— 1	6 5	8 2	8 13	3 7	— —	— —	— —	— —	— —	— —	1 1	4 4	— —		
20	Other heart disease	M F	26 105	— —	— —	— —	— —	— 3	5 13	11 14	10 75	17 19	— —	— —	— —	— —	— —	— —	2 1	7 1	— —		
21	Other circulatory disease	M F	18 30	— —	— —	— —	— —	— 1	3 2	4 9	11 18	6 2	— —	— —	— —	— —	— —	— —	— —	— —	— —		
22	Influenza	M F	5 10	— —	— —	— —	— —	— —	2 5	2 —	1 5	4 3	— —	— —	— —	— —	— —	— —	1 1	1 1	— —		
23	Pneumonia	M F	28 29	2 4	1 1	— —	— —	— —	2 1	4 3	8 17	6 5	— —	— —	— —	— —	— —	— —	1 1	1 1	— —		
24	Bronchitis	M F	29 35	— —	— —	— —	— —	— —	1 5	7 7	14 23	7 13	22 13	— —	— —	— —	— —	— —	7 3	7 1	— —		
25	Other diseases of respiratory system	M F	7 9	— —	— —	— 1	— —	— 1	— 1	3 1	7 5	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —		
26	Ulcer of stomach and duodenum	M F	11 5	— —	— —	— —	— —	— —	— —	6 3	3 2	4 —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
27	Gastritis, enteritis and diarrhoea	M F	4 4	— —	1 1	— —	— —	— —	2 —	1 —	— 1	— 2	— 1	— —	— —	— —	— —	— —	— —	— —	— —		
28	Nephritis and nephrosis	M F	3 6	— —	— —	— —	— —	— —	— —	3 3	— 2	4 1	— —	— —	— —	— —	— —	— —	1 —	— —	— —		
29	Hyperplasia of prostate	M	7	—	—	—	—	—	1	2	5	2	—	—	—	—	—	—	—	—	—		
30	Pregnancy, childbirth, abortion	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
31	Congenital malformations	M F	6 6	3 1	1 —	— —	— 1	— —	— —	2 1	— 1	— 1	1 —	1 —	— —	— —	— —	— —	— —	— —	— —		
32	Other defined and illdefined dis.	M F	33 56	8 10	1 1	— 1	— 1	2 —	2 6	4 9	8 10	8 15	9 11	4 2	1 —	— —	— —	— —	4 4	— —	— —		
33	Motor vehicle accidents	M F	5 7	— —	— —	— —	— —	1 —	— —	1 —	— —	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
34	All other accidents	M F	1 19	— 1	— —	— —	— —	— —	2 4	1 1	3 4	— 9	9 —	1 —	— —	— —	— —	— —	— —	2 —	— —		
35	Suicide	M F	13 10	— —	— —	— —	— —	1 —	3 3	7 4	— 2	2 1	3 —	— —	— —	— —	— —	— —	— —	— —	— —		
36	Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Metropolitan Boroughs.

Causes of Death (See first page of Table)		ISLINGTON											KENSINGTON										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	1581 1550	56 19	16 19	9 15	8 3	9 6	76 59	436 248	466 395	505 786	877 1043	19 27	15 4	6 4	4 2	7 5	53 53	272 182	233 231	268 535		
Tuberculosis respiratory	M F	48 21	— —	1 —	— —	— —	— —	7 2	25 9	8 1	6 2	18 12	— —	— —	— —	— —	1 —	7 6	6 4	2 1	2 1		
Tuberculosis other	M F	5 2	— —	— —	1 1	— —	1 —	2 —	1 —	— —	— —	3 3	— —	— —	— —	— —	1 —	1 —	2 —	— —	1 —		
Syphilitic disease	M F	6 7	— —	— —	— —	— —	— —	— —	4 4	2 1	— 2	8 2	— —	— —	— —	— —	— —	5 —	— —	— —	3 2		
Diphtheria	M F	7 1	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Meningococcal infections	M F	— 2	— —	— 1	— 1	— —	— —	— —	— —	— —	— —	1 2	— 1	— —	1 1	— —	— —	1 —	— —	— —	— —		
Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Measles	M F	2 1	— —	1 —	1 1	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —		
Other infective, etc., diseases	M F	6 1	— —	— —	— —	— —	— —	2 —	4 —	1 —	— —	3 2	— —	— —	— —	— —	— —	1 2	2 —	— —	— —		
Malignant neoplasm: stomach	M F	48 40	— —	— —	— —	— —	— —	3 —	18 10	17 11	10 19	25 21	— —	— —	— —	— —	— —	1 —	10 9	9 12	5 —		
Lung, bronchus	M F	104 23	— —	— —	— —	— —	— —	7 3	50 9	34 7	13 4	57 13	— —	— —	— —	— —	— —	2 —	36 5	15 4	4 3		
breast	M F	36 26	— —	— —	— —	— —	— —	3 3	15 13	14 5	4 5	52 15	— —	— —	— —	— —	7 1	19 7	12 1	14 6	— —		
uterus	M F	181 140	— —	— —	1 —	— —	1 —	7 10	46 40	65 37	61 51	72 92	— —	— —	— —	1 1	6 6	31 31	19 28	27 26	— —		
Leukæmia, aleukæmia	M F	4 6	— —	— —	1 —	1 —	— —	— —	— 3	— 1	2 2	3 3	— —	— —	1 —	— —	1 —	1 —	— —	— —	— —		
Diabetes	M F	5 11	— —	— —	— —	— —	— —	— —	— 1	2 3	3 6	3 10	— —	— —	— —	— —	— —	— 1	1 4	2 4	— —		
Vascular lesions of nervous system	M F	132 175	— —	— —	— —	— —	— —	1 2	24 21	37 44	70 108	63 116	— —	— —	— —	— —	1 2	1 17	11 38	21 59	29 —		
Coronary disease, angina	M F	198 141	— —	— —	— —	— —	— —	8 —	62 21	70 40	58 80	138 106	— —	— —	— —	— —	— —	4 14	59 33	50 59	25 —		
Hypertension with heart disease	M F	76 93	— —	— —	— —	— —	— —	— —	12 13	30 28	34 52	21 29	— —	— —	— —	— —	— —	8 6	7 19	6 —	— —		
Other heart disease	M F	173 305	— —	— —	— —	— —	— —	5 10	28 32	40 55	100 208	103 187	— —	— —	— —	— —	5 10	15 24	27 50	56 147	— —		
Other circulatory disease	M F	39 72	— —	— —	— —	— —	— —	— 1	5 7	18 23	16 41	29 43	— —	— —	— —	— —	1 1	2 2	9 11	5 29	12 —		
Influenza	M F	20 30	— —	2 —	— —	— —	— —	— 2	6 1	6 7	6 20	18 23	— —	— —	— —	— —	— —	4 2	7 4	7 17	— —		
Pneumonia	M F	89 76	9 2	5 4	— 2	— —	— —	4 —	19 5	24 20	28 43	39 59	1 3	4 1	2 1	1 —	— —	— 8	8 9	4 37	19 —		
Bronchitis	M F	168 134	— —	3 5	— 1	— —	— —	2 1	58 11	61 43	44 73	78 51	— —	1 1	— —	— —	— —	2 7	28 19	23 24	24 —		
Other diseases of respiratory system	M F	17 7	— —	— —	1 —	— —	— —	— 1	6 11	5 4	4 1	9 7	— —	— —	— —	— —	— —	— 2	2 5	3 —	— —		
Ulcer of stomach and duodenum	M F	33 11	— —	— —	— —	— —	— —	2 —	9 1	14 3	8 7	22 9	— —	— —	— —	— —	— —	2 3	11 3	8 1	5 —		
Gastritis, enteritis and diarrhoea	M F	7 5	— —	— —	— —	— —	— —	— —	2 —	3 3	2 6	6 —	— —	1 —	— —	— —	— —	4 1	— —	1 —	— —		
Nephritis and nephrosis	M F	14 6	— —	— —	— —	— —	1 —	2 2	7 1	2 2	2 15	7 15	— —	— —	— —	— —	— 1	4 1	3 5	— 7	— —		
Hyperplasia of prostate	M	13	—	—	—	—	—	—	—	5	8	14	—	—	—	—	—	—	—	—	—		
Pregnancy, childbirth, abortion.	F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	3	—	—	—	—		
Congenital malformations	M F	8 12	4 4	1 6	1 —	— —	— —	— 2	— 32	— 11	— 21	11 86	2 16	3 6	— 2	— 1	— 2	2 3	3 16	1 20	— 26		
Other defined and illdefined dis.	M F	116 110	41 13	2 1	1 5	— —	2 —	5 10	32 16	11 28	37 37	86 108	21 21	6 1	2 —	1 —	2 —	3 17	16 20	26 39	39 —		
Motor vehicle accidents	M F	18 8	— —	1 —	1 —	— —	1 2	8 3	3 1	1 4	2 7	6 6	— —	— —	— —	1 —	— —	3 2	1 2	1 7	— 2		
All other accidents	M F	26 35	— —	— 2	1 4	— 1	— —	3 1	5 3	4 7	1 17	28 29	— —	1 —	— —	1 —	2 3	5 9	7 3	6 14	— —		
Suicide	M F	23 12	— —	— —	— —	— —	1 —	6 8	8 7	— 3	1 —	10 13	— —	— —	— —	— —	1 —	4 5	4 4	1 1	3 —		
Homicide, operations of war	M F	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —		

TABLE 20—continued—Metropolitan Boroughs.

Causes of Death (See first page of Table)		LAMBETH											LEWISHAM										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes		M F	1515 1432	33 29	20 14	9 8	13 6	8 8	98 64	442 237	430 370	462 696	1278 1264	31 28	14 13	9 10	6 7	4 8	67 59	366 232	385 272		
1	Tuberculosis respiratory	M F	76 20	— —	— —	— —	— —	— 1	26 9	37 5	10 4	3 1	42 18	— —	— —	— —	— —	— 1	16 9	16 6	6 1		
2	Tuberculosis other	M F	3 4	— —	— —	— —	1 —	— 2	1 1	1 —	— —	— —	3 5	— —	1 —	— —	1 —	1 —	— —	1 —	— —		
3	Syphilitic disease	M F	9 6	— —	— —	— —	— —	— —	1 1	4 2	2 2	2 1	7 3	— —	— —	— —	— —	— —	— —	1 3	— —		
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
5	Whooping cough	M F	2 1	— —	1 1	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —		
6	Meningococcal infections	M F	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —		
7	Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
8	Measles	M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	1 —	1 —	— —	— —	— —	— —		
9	Other infective, etc., diseases	M F	4 4	— —	— —	1 —	— —	1 —	— —	4 —	1 —	2 4	— —	— —	— —	— —	— —	1 —	— —	2 —	— —		
10	Malignant neoplasm: stomach	M F	53 33	— —	— —	— —	— —	— —	3 1	17 7	21 12	30 13	122 20	— —	— —	— —	— —	1 5	1 5	7 6	— —		
11	lung, bronchus	M F	97 18	— —	— —	— —	— —	— —	5 2	55 8	29 2	8 6	67 11	— —	— —	— —	— —	— —	3 3	34 6	24 —		
12	breast	M F	1 59	— —	— —	— —	— —	— —	— 6	— 20	— 18	— 5	2 46	— —	— —	— —	— —	— 5	— 15	— 11	— —		
13	uterus	M F	16 —	— —	— —	— —	— —	— —	2 7	7 —	2 —	5 14	— —	— —	— —	— —	— —	— 2	— 7	— —	— —		
14	Other malignant and lymphatic neoplasms	M F	139 107	— —	— —	1 —	— 1	— —	9 6	47 36	46 28	36 36	145 122	— —	1 —	— —	— —	10 10	40 38	57 27	— —		
15	Leukæmia, aleukæmia	M F	4 8	— —	— —	1 —	— —	1 —	— 2	1 —	3 3	10 3	— —	— —	2 —	— —	1 1	2 1	1 —	— —	— —		
16	Diabetes	M F	3 11	— —	— —	— —	— —	— —	— —	1 7	2 4	7 12	— —	— —	— —	— —	— —	1 —	3 4	2 3	— —		
17	Vascular lesions of nervous system	M F	117 160	— —	— —	— —	— —	— —	2 2	20 25	45 57	50 76	98 173	— —	— —	— —	— —	3 5	16 36	38 47	— —		
18	Coronary disease, angina	M F	168 126	— —	— —	— —	— —	— —	6 —	57 21	64 51	41 54	176 112	— —	— —	— —	— —	— —	4 1	68 19	56 36		
19	Hypertension with heart disease	M F	53 50	— —	— —	— —	— —	— —	— —	15 7	18 19	20 24	35 38	— —	— —	— —	— —	2 1	5 5	17 8	— —		
20	Other heart disease	M F	203 311	— —	— —	— —	— —	— 1	9 8	25 24	46 55	123 223	174 281	— —	— —	— —	— —	— 4	22 21	49 49	— —		
21	Other circulatory disease	M F	49 56	— —	— —	— —	— —	— 2	2 8	11 10	28 36	39 39	— —	1 —	— —	1 —	— —	1 1	8 6	5 7	— —		
22	Influenza	M F	23 37	— —	— —	— —	— —	— —	— 4	6 15	10 12	7 28	19 28	— —	— —	— —	— —	— —	6 3	7 6	— —		
23	Pneumonia	M F	89 83	— 2	9 3	2 —	— —	— 2	22 2	24 20	30 49	48 64	— —	1 1	5 8	3 2	— —	— 2	3 2	12 12	— —		
24	Bronchitis	M F	164 107	— —	2 2	— 1	— —	— —	4 10	55 27	57 65	46 61	152 161	— —	1 —	— —	— —	— 2	48 13	56 13	— —		
25	Other diseases of respiratory system	M F	20 9	— —	1 —	— —	— —	— 1	3 2	7 2	6 4	3 12	— —	— —	1 —	— —	— —	— 1	7 1	2 3	— —		
26	Ulcer of stomach and duodenum	M F	38 12	— —	— —	— —	— —	— 1	19 1	8 3	11 7	23 8	— —	— —	— —	— —	— —	— —	11 5	9 3	— —		
27	Gastritis, enteritis and diarrhœa	M F	4 3	— —	1 —	— 1	— —	— —	2 1	1 —	— —	4 5	— —	1 —	— —	— —	— —	— —	— 2	— —	— —		
28	Nephritis and nephrosis	M F	10 14	— —	— —	— —	— —	— —	4 4	2 5	2 2	3 3	12 12	— —	— —	— —	1 —	— —	3 3	6 4	2 8		
29	Hyperplasia of prostate	M	21	—	—	—	—	—	—	2	5	14	24	—	—	—	—	—	—	—	—		
30	Pregnancy, childbirth, abortion.	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	1	—	—	—		
31	Congenital malformations	M F	5 10	3 3	2 4	— —	— —	— 1	— —	— 1	— —	— 1	9 9	6 4	1 —	— —	— —	— 1	1 2	1 20	— 18		
32	Other defined and illdefined dis.	M F	107 120	29 23	3 1	3 1	7 3	2 1	8 6	27 26	12 27	16 32	90 128	23 22	2 3	— —	1 —	2 6	20 33	18 23	— —		
33	Motor vehicle accidents	M F	13 9	— —	— —	— 1	3 1	— —	4 1	2 5	3 1	15 3	— —	— —	— —	1 —	2 —	2 —	3 1	3 1	— —		
34	All other accidents	M F	19 29	1 1	1 2	— 1	— —	— —	3 3	5 —	1 3	4 19	20 21	1 —	1 —	— —	— —	4 1	6 2	4 2	— —		
35	Suicide	M F	19 6	— —	— —	— —	— —	3 —	6 1	4 3	3 1	13 8	— —	— —	— —	— —	— —	1 4	1 3	8 1	— —		
36	Homicide, operations of war	M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Metropolitan Boroughs.

Causes of Death (See first page of Table)		PADDINGTON											POPLAR										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	755 764	26 14	13 8	8 3	4 2	5 8	52 45	248 146	198 207	201 331	506 430	12 10	10 8	4 6	4 3	6 3	24 25	166 77	143 114	137 184		
1 Tuberculosis	M F	31 24	— —	— 1	— 1	— 1	— 3	— 10	— 14	— 5	— 9	— 22	— 5	— —	— —	— —	— 2	— 2	— 11	— 7	— —		
2 Tuberculosis other	M F	2 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— 3	— 2	— —	— —	— —	— 1	— 2	— —	— —	— —		
3 Syphilitic disease	M F	7 5	— —	— —	— —	— —	— —	— —	— 3	— 3	— 1	— 4	— —	— —	— —	— —	— —	— —	— 3	— —	— 1		
4 Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— 3	— 2	— —	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —		
5 Whooping cough	M F	2 —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
6 Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —		
7 Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
8 Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —		
9 Other infective, etc., diseases	M F	1 2	— —	— —	— —	1 —	— —	— —	— 1	— —	— —	— 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —		
10 Malignant neoplasm: stomach	M F	21 16	— —	— —	— —	— —	— —	3 —	12 5	3 6	3 5	13 13	— —	— —	— —	— —	— —	— 10	— 3	2 6	1 4		
lung, bronchus	M F	41 8	— —	— —	— —	— —	— —	— 2	26 4	8 2	5 —	31 5	— —	— —	— —	— —	— —	— 1	21 2	6 3	3 2		
breast	M F	— 34	— —	— —	— —	— —	— —	— 4	— 18	— 6	— 6	— 12	— —	— —	— —	— —	— —	— 3	— 5	— —	— 4		
uterus	M F	— 10	— —	— —	— —	— —	— —	— —	— 2	— 5	— 3	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —		
Other malignant and lymphatic neoplasms	M F	70 64	— —	1 —	1 —	— —	— —	4 7	32 11	18 23	14 23	48 33	— —	— —	1 —	1 —	— 3	15 13	15 10	13 7	7 —		
Leukæmia, aleukæmia	M F	5 3	— —	— —	— —	— —	— —	2 1	— 1	— —	— 1	2 3	— —	— —	— —	— 1	— —	— 1	— 1	— 2	— —		
Diabetes	M F	3 6	— —	— —	— —	— —	— —	— 2	— 1	— 3	— 2	— 4	— —	— —	— —	— —	— —	— 1	— 1	— 2	— —		
Vascular lesions of nervous system	M F	44 106	— —	— —	— —	— —	— —	— 2	10 17	13 32	21 55	42 43	— —	— —	— —	— —	— 1	— 6	17 13	19 22	— —		
Coronary disease, angina	M F	119 62	— —	— —	— —	— —	— —	5 2	49 13	42 27	23 20	52 38	— —	— —	— —	— —	— 2	22 8	19 12	9 18	— —		
Hypertension with heart disease	M F	33 31	— —	— —	— —	— —	— —	— 2	8 4	17 8	14 19	— 16	— —	— —	— —	— —	— 3	7 5	4 8	3 —	— —		
Other heart disease	M F	68 104	— —	— —	1 —	— —	— —	3 1	13 11	14 17	37 73	61 97	— —	— —	— —	— —	— 4	13 9	18 20	26 61	— —		
Other circulatory disease	M F	23 33	— —	— —	— —	— —	— —	— 2	5 3	8 10	8 20	25 24	— —	— —	— —	— 1	— 6	3 5	7 5	15 14	— —		
Influenza	M F	10 15	— —	1 —	— —	— —	— —	— —	2 3	2 7	— 5	6 4	— —	— —	— —	— —	— —	— 1	2 1	3 2	— —		
Pneumonia	M F	37 40	3 1	2 4	1 —	— —	— —	1 1	2 5	10 12	18 17	18 27	— 2	— 3	1 1	— —	— —	— 5	7 2	4 12	— —		
Bronchitis	M F	67 47	— —	— 1	— —	— —	— —	6 8	17 13	23 22	21 32	71 88	— —	— 2	— 1	— —	— —	— 1	21 22	25 17	22 11		
Other diseases of respiratory system	M F	13 7	— —	— —	— —	1 —	— —	— 2	6 1	2 3	4 3	8 3	— —	— —	— —	— —	— 1	— 6	— 2	1 1	— —		
Ulcer of stomach and duodenum	M F	15 5	— —	— —	— —	— —	— —	2 1	5 1	6 —	2 2	8 4	— —	— —	— —	— —	— —	— 6	1 1	1 3	— —		
Gastritis, enteritis and diarrhœa	M F	2 —	— —	1 —	— —	— —	— —	— 1	— —	— 1	— —	— 2	— —	— 1	— —	— —	— —	— 1	— 1	— 1	— —		
Nephritis and nephrosis	M F	10 8	— —	— —	— —	— —	— —	— 1	7 1	1 —	1 2	5 4	— —	— —	— —	— 1	— 2	— 1	— 1	— —	— —		
Hyperplasia of prostate	M	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Pregnancy, childbirth, abortion	M F	— 3	— —	— —	— —	— —	— 1	— 2	— —	— —	— —	— —	— 2	— —	— —	— —	— 1	— 1	— —	— —	— —		
Congenital malformations	M F	7 12	1 2	2 2	1 1	— —	— —	— 1	— 4	— —	— —	— 7	— —	— 1	— —	— —	— —	— 1	— —	— —	— —		
Other defined and illdefined dis.	M F	71 77	20 9	4 —	1 1	— —	— —	— 3	18 12	9 18	16 34	31 35	9 7	3 —	— —	— 1	— 1	2 3	7 6	5 9	5 8		
Motor vehicle accidents	M F	7 4	— —	— —	— —	— —	— 2	— —	— 2	— —	— —	— 2	— —	— —	— —	— —	— —	— —	— 1	— —	— —		
All other accidents	M F	16 25	2 2	1 —	1 —	2 —	3 —	3 4	2 3	1 4	1 10	13 8	1 —	1 —	1 —	1 —	1 —	4 1	2 1	1 1	1 4		
Suicide	M F	17 8	— —	— —	— —	— —	— —	— 5	— 10	— 6	— 1	— 2	— 5	— 3	— —	— —	— —	— —	— 2	— 2	— 1		
Homicide, operations of war	M F	1 2	— —	— —	— —	— —	— —	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Metropolitan Boroughs.

Causes of Death (See first page of Table)		ST. MARYLEBONE												ST. PANCRAS																		
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	
All Causes	M	540	8	1	4	3	3	18	168	173	162	979	17	16	8	3	2	51	301	293	288											
	F	509	7	2	2	—	3	19	109	141	226	824	15	8	—	—	—	9	166	213	365											
1 Tuberculosis	M	23	—	—	1	—	1	5	15	3	2	51	—	—	—	—	—	8	20	20	—											
2 Tuberculosis	F	7	—	—	—	—	—	—	—	—	1	16	—	—	—	—	—	6	4	2	—											
other	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	1	—	—											
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—											
3 Syphilitic disease	M	6	—	—	—	—	—	—	2	4	—	9	—	—	—	—	—	1	6	2	—											
	F	1	—	—	—	—	—	—	—	1	—	8	—	—	—	—	—	—	3	3	—											
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
4 Diphtheria	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—											
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
6 Meningococcal	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
infections	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
7 Acute poliomyelitis	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—											
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
8 Measles	M	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
	F	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—											
9 Other infective, etc.,	M	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	—	—	1	—	—											
diseases	F	1	—	—	—	—	—	—	4	7	—	2	—	—	—	—	—	—	8	2	—											
10 Malignant neoplasm:	M	11	—	—	—	—	—	—	—	—	—	23	—	—	—	—	—	—	—	—	—											
stomach	F	9	—	—	—	—	—	—	1	4	3	19	—	—	—	—	—	—	3	8	—											
11 lung, bronchus	M	21	—	—	—	—	—	2	11	7	1	78	—	—	—	—	—	3	44	22	—											
	F	8	—	—	—	—	—	—	2	2	4	17	—	—	—	—	—	1	7	9	—											
12 breast	M	21	—	—	—	—	—	2	9	6	4	26	—	—	—	—	—	—	17	4	—											
	F	8	—	—	—	—	—	5	2	1	9	9	—	—	—	—	—	1	3	2	—											
13 uterus	M	56	—	—	—	—	1	3	20	17	15	93	—	—	—	—	—	1	5	30	32											
14 Other malignant and	F	47	—	—	—	—	—	4	14	21	8	73	—	—	—	—	—	8	27	19	—											
lymphatic neoplasms	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
15 Leukæmia,	F	5	—	—	1	—	—	—	2	2	—	5	—	—	—	—	—	2	1	2	—											
aleukæmia	M	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
16 Diabetes	F	10	—	—	—	—	—	1	11	5	3	6	—	—	—	—	—	—	1	3	—											
17 Vascular lesions of	M	55	—	—	—	—	—	—	19	20	24	69	—	—	—	—	—	—	16	27	2											
nervous system	F	76	—	—	—	—	—	—	19	21	36	85	—	—	—	—	—	1	8	30	4											
18 Coronary disease,	M	90	—	—	—	—	—	1	37	31	21	153	—	—	—	—	—	—	60	41	4											
angina	F	47	—	—	—	—	—	—	20	21	21	93	—	—	—	—	—	4	16	25	5											
19 Hypertension with	M	21	—	—	—	—	—	1	5	7	8	29	—	—	—	—	—	—	8	11	1											
heart disease	F	24	—	—	—	—	—	—	6	4	14	39	—	—	—	—	—	—	5	9	2											
20 Other heart disease	M	76	—	—	—	—	—	—	14	20	42	93	—	—	—	—	—	—	4	18	28											
	F	73	—	—	—	—	—	1	5	15	52	126	—	—	—	—	—	—	21	26	7											
21 Other circulatory	M	13	—	—	—	—	—	—	4	5	4	34	—	—	—	—	—	—	6	8	2											
disease	F	16	—	—	—	—	—	—	2	4	10	27	—	—	—	—	—	2	4	3	1											
22 Influenza	M	5	—	—	—	—	—	1	2	2	—	5	—	—	—	—	—	—	1	2	—											
	F	12	—	—	—	—	—	—	7	4	7	22	—	—	—	—	—	—	1	6	7											
23 Pneumonia	M	27	—	—	—	—	—	—	4	5	13	62	—	—	—	—	—	—	3	8	16											
	F	20	—	2	—	—	—	—	4	5	11	58	—	—	—	—	—	—	1	3	17											
24 Bronchitis	M	44	—	—	—	—	—	—	8	19	17	98	—	—	—	—	—	—	2	27	36											
	F	28	—	2	—	—	—	—	1	8	17	60	—	—	—	—	—	—	1	14	15											
25 Other diseases of	M	6	—	—	—	—	—	—	2	2	3	11	—	—	—	—	—	—	5	4	1											
respiratory system	F	8	—	—	—	—	—	—	1	2	4	6	—	—	—	—	—	—	1	—	—											
26 Ulcer of stomach	M	16	—	1	—	—	—	—	6	6	3	28	—	—	—	—	—	—	4	11	10											
and duodenum	F	5	—	—	—	—	—	—	2	1	2	6	—	—	—	—	—	—	1	4	2											
27 Gastritis, enteritis	M	3	—	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	—	—	—											
and diarrhoea	F	4	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	—	—	—											
28 Nephritis and	M	3	—	—	—	—	—	—	2	—	1	7	—	—	—	—	—	—	1	1	2											
nephrosis	F	6	—	—	—	—	—	—	1	2	3	7	—	—	—	—	—	—	1	1	2											
29 Hyperplasia of prostate	M	8	—	—	—	—	—	—	—	5	2	13	—	—	—	—	—	—	2	2	—											
30 Pregnancy, childbirth,	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—											
abortion	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
31 Congenital	F	2	—	—	—	—	—	—	—	—	—	11	—	—	—	—	—	—	1	—	—											
malformations	M	1	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	3	1	—											
32 Other defined and	F	24	—	—	—	—	—	—	4	9	6	50	—	—	—	—	—	—	3	11	13											
illdefined dis.	M	37	—	3	—	—	—	1	3	10	8	9	—	—	—	—	—	2	5	13	12											
33 Motor vehicle	M	6	—	—	—	1	1	1	—	2	1																					

TABLE 20—continued—Metropolitan Boroughs.

Causes of Death (See first page of Table)		SHOREDITCH											SOUTHWARK										
		All Ages	0-4 weeks	4 weeks - 1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks - 1 year	1-	5-	15-	25-	45-	65-	75 and over		
	All Causes	M F	326 276	4 2	3 4	2 2	4 2	— 2	15 12	86 45	110 91	102 116	722 602	14 13	5 1	8 8	6 3	4 6	32 23	189 108	234 139	230 301	
1	Tuberculosis respiratory	M F	11 5	— —	— —	— —	— —	— —	4 2	3 3	2 2	2 2	27 5	— —	— —	— —	— —	1 3	1 2	15 8	2 2		
2	Tuberculosis other	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	4 3	— —	— —	1 1	2 2	— —	— —	— —	— —		
3	Syphilitic disease	M F	2 3	— —	— —	— —	— —	— —	1 1	1 1	1 1	— —	7 2	— —	— —	— —	— —	— —	1 4	2 1	— —		
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
5	Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
6	Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —		
7	Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
8	Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
9	Other infective, etc., diseases	M F	3 1	— —	— —	— —	— —	2 —	1 1	— —	— —	— —	2 —	— —	— —	— —	— —	1 —	1 —	— —	— —		
10	Malignant neoplasm: stomach	M F	14 6	— —	— —	— —	— —	— —	3 2	8 4	— —	3 4	24 20	— —	— —	— —	— —	1 6	8 5	9 9	6 9		
11	lung, bronchus	M F	17 4	— —	— —	— —	— —	— —	1 1	7 8	1 2	1 1	40 9	— —	— —	— —	— —	5 2	23 4	10 2	2 2		
12	breast	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
13	uterus	M F	11 5	— —	— —	— —	— —	— —	1 2	4 2	3 2	3 1	12 6	— —	— —	— —	— —	1 1	6 3	5 1	— —		
14	Other malignant and lymphatic neoplasms	M F	31 19	— —	— —	1 —	— —	— —	8 1	13 9	9 4	63 62	— —	— —	— —	— —	— —	4 3	14 17	24 16	21 25		
15	Leukæmia, aleukæmia	M F	2 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —		
16	Diabetes	M F	2 1	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	1 10	— —	— —	— —	— —	1 5	— 3	— 2	— —		
17	Vascular lesions of nervous system	M F	27 33	— —	— —	— —	— —	— —	8 6	12 13	7 13	50 72	— —	— —	— —	— —	— —	1 1	10 13	19 23	20 35		
18	Coronary disease, angina	M F	33 14	— —	— —	— —	— —	— —	3 1	8 14	8 6	66 32	— —	— —	— —	— —	— —	18 6	29 13	19 13	— —		
19	Hypertension with heart disease	M F	8 13	— —	— —	— —	— —	— —	4 —	4 9	4 9	30 26	— —	— —	— —	— —	— —	6 6	12 8	12 12	— —		
20	Other heart disease	M F	38 63	— —	— —	— —	— —	2 2	2 6	7 17	27 38	106 129	— —	— —	— —	— —	— —	1 3	16 9	36 24	53 93		
21	Other circulatory disease	M F	13 12	— —	— —	— —	— —	— —	1 1	3 2	8 8	17 29	— —	— —	— —	— —	— —	2 5	3 8	3 12	— 16		
22	Influenza	M F	9 11	— —	— —	— —	— —	— —	2 7	4 7	3 4	15 16	— —	— —	— —	— —	— —	— —	4 3	8 5	3 8		
23	Pneumonia	M F	15 15	— 1	— —	— —	— —	— —	4 1	7 1	4 1	54 35	— —	2 —	3 1	— —	— —	— —	8 15	7 26	— 22		
24	Bronchitis	M F	55 20	— 1	— —	— —	— —	— —	20 2	16 9	18 8	108 48	— —	— —	1 1	— —	— —	1 1	35 7	38 7	33 31		
25	Other diseases of respiratory system	M F	2 2	— —	— —	— —	— —	— —	1 1	— —	1 —	6 2	— —	— —	— —	— —	— —	1 1	3 3	2 2	— —		
26	Ulcer of stomach and duodenum	M F	9 4	— —	— —	— —	— —	1 —	1 1	6 2	1 1	15 2	— —	— —	— —	— —	— —	1 —	8 4	2 2	— —		
27	Gastritis, enteritis and diarrhoea	M F	— 2	— —	1 —	— —	— —	— —	— —	— —	— —	— —	5 —	— —	1 —	— —	— —	— —	2 2	— —	— —		
28	Nephritis and nephrosis	M F	5 1	— —	— —	— —	— —	1 1	1 —	3 —	— —	6 7	— —	— —	— —	1 —	— —	1 1	3 2	— 3	1 —		
29	Hyperplasia of prostate	M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	7 3	— —	— —	— —	— —	— —	— —	— —	— —		
30	Pregnancy, childbirth, abortion	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
31	Congenital malformations	M F	3 5	1 —	1 —	— —	— —	— —	1 —	— —	3 —	— —	7 4	4 —	— —	1 —	— —	— —	2 —	1 —	— —		
32	Other defined and ill-defined dis.	M F	20 18	3 1	1 —	— —	— —	— —	7 3	4 3	5 —	35 54	9 13	1 —	1 2	1 —	2 —	3 3	6 9	5 19	6 —		
33	Motor vehicle accidents	M F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	6 1	— —	— —	1 —	— —	— —	— —	— —	— —		
34	All other accidents	M F	5 2	— —	— 1	— —	— —	— —	1 —	— —	1 —	— —	17 6	— —	— —	— —	— —	1 1	4 4	1 1	5 4		
35	Suicide	M F	1 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	8 1	— —	— —	— —	— —	1 1	3 1	— —	2 —		
36	Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Metropolitan Boroughs.

Causes of Death (See first page of Table)		STEPNEY											STOKE NEWINGTON										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes		M F	776 588	15 12	8 4	3 3	— 1	6 5	43 29	204 128	255 172	242 234	296 315	8 13	3 2	2 4	— —	4 2	16 10	86 52	77 97	96 135	
1	Tuberculosis respiratory	M F	32 14	— —	— —	— —	— —	— 2	5 5	10 6	15 1	2 —	7 8	— —	— —	— —	— —	1 4	4 1	2 2	— —		
2	Tuberculosis other	M F	3 —	— —	— —	— —	— —	— —	1 —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
3	Syphilitic disease	M F	8 2	— —	— —	— —	— —	— —	— 1	2 —	4 1	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
5	Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
6	Meningococcal infections	M F	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
7	Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
8	Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
9	Other infective, etc., diseases	M F	2 2	1 —	— —	— —	— —	— —	2 3	1 11	— 4	— 6	2 8	— —	— —	1 —	— —	— —	1 3	— 2	— 3		
10	Malignant neoplasm: stomach	M F	24 14	— —	— —	— —	— —	— —	2 3	3 3	7 7	3 3	13 —	— —	— —	— —	— —	1 2	— 7	— 3	— 3		
11	lung, bronchus	M F	44 8	— —	— —	— —	— —	1 —	2 —	20 3	14 3	7 2	16 6	— —	— —	— —	— —	1 —	11 3	4 1	2 —		
12	breast	M F	— 14	— —	— —	— —	— —	— —	— 3	— 4	— 4	— 3	— 7	— —	— —	— —	— —	— 3	— 3	— 1	— —		
13	uterus	M F	— 6	— —	— —	— —	— —	— —	— 1	— 1	— 2	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —		
14	Other malignant and lymphatic neoplasms	M F	64 54	— —	— —	1 —	— 1	— 1	3 13	17 17	25 22	18 22	23 27	— —	— —	— —	— —	2 1	7 13	8 7	6 —		
15	Leukæmia, aleukæmia	M F	1 3	— —	— —	— —	— —	— —	1 —	— 1	— 2	— —	2 —	— —	— —	— —	— —	1 1	— —	— —	— —		
16	Diabetes	M F	7 9	— —	— —	— —	— —	— —	— 1	1 10	3 15	3 23	1 15	— —	— —	— —	— —	— —	— 2	7 4	— 6		
17	Vascular lesions of nervous system	M F	49 55	— —	— —	— —	— —	— —	1 16	10 16	15 17	23 22	15 34	— —	— —	— —	— —	— —	2 14	4 18	— —		
18	Coronary disease, angina	M F	104 83	— —	— —	— —	— —	— —	6 22	28 32	48 29	47 26	— —	— —	— —	— —	— —	1 6	17 10	8 7	17 10		
19	Hypertension with heart disease	M F	32 33	— —	— —	— —	— —	— —	— 14	— 11	7 10	18 14	— —	— —	— —	— —	— —	— 3	4 4	— 3	— 4		
20	Other heart disease	M F	104 109	— —	— —	— —	— —	1 2	2 3	11 14	38 28	52 43	39 51	— —	— —	— —	— —	2 1	6 4	9 13	22 33		
21	Other circulatory disease	M F	23 19	— —	— —	— —	— —	— 1	1 4	5 4	4 10	13 9	— —	— —	— —	— —	— —	1 3	4 4	— —	— —		
22	Influenza	M F	9 6	— —	— —	— —	— —	— —	1 1	2 1	3 3	3 5	5 5	— —	— —	— —	— —	— —	— 2	1 3	— —		
23	Pneumonia	M F	46 34	2 —	3 1	1 1	— —	— —	2 —	13 4	10 11	15 17	16 30	— 2	2 —	— —	1 —	1 —	— 6	3 8	3 17		
24	Bronchitis	M F	87 41	— —	2 —	— —	— —	— —	— 3	22 6	30 5	30 30	33 24	— —	1 —	— —	— —	1 1	11 6	8 1	17 13		
25	Other diseases of respiratory system	M F	9 2	— —	— —	— —	— —	— —	— 1	— 5	4 4	— 1	3 4	— —	— —	— —	— —	— —	— 1	2 2	— —		
26	Ulcer of stomach and duodenum	M F	20 7	— —	— —	— —	— —	1 —	2 —	7 3	3 4	7 —	10 2	— —	— —	— —	— —	— —	3 —	3 —	— —		
27	Gastritis, enteritis and diarrhoea	M F	2 4	— —	1 2	— —	— —	— —	— 1	— 1	— 1	— —	3 —	— —	1 —	1 —	— —	— —	1 —	— —	— —		
28	Nephritis and nephrosis	M F	2 3	— —	— —	— —	— —	— —	1 1	2 2	— —	1 6	4 11	— —	— —	— —	— —	1 —	2 1	— 1	— —		
29	Hyperplasia of prostate	M F	19 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
30	Pregnancy, childbirth, abortion	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
31	Congenital malformations	M F	2 5	— 1	1 1	1 —	— —	— —	— —	— 3	— 17	— 9	— 7	6 23	— 8	— —	— —	— —	— 3	1 4	— 3		
32	Other defined and illdefined dis.	M F	47 45	10 10	1 —	— —	— —	— —	3 7	17 11	9 9	8 8	23 27	— —	— —	2 —	— —	3 3	3 3	3 3	— —		
33	Motor vehicle accidents	M F	6 2	— —	— —	— —	— —	1 —	1 1	3 4	— 5	1 6	5 4	— —	— —	— —	1 —	— 1	2 1	2 —	— —		
34	All other accidents	M F	19 9	1 —	— —	1 —	— —	1 —	1 —	4 1	5 3	6 5	4 3	— —	— —	— —	1 —	— —	1 —	1 —	— —		
35	Suicide	M F	10 4	— —	— —	— —	— —	— —	4 1	1 2	3 1	2 —	2 4	— —	— —	— —	— —	— —	1 2	2 —	— —		
36	Homicide, operations of war	M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Metropolitan Boroughs.

Causes of Death (See first page of Table)		WANDSWORTH											WESTMINSTER										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65- 75	75 and over		
All Causes	M F	2115 2157	49 23	18 16	7 9	14 7	12 12	91 88	542 388	628 507	754 1107	624 563	15 16	6 5	3 3	3 1	12 1	49 26	204 137	185 144	147 230		
Tuberculosis respiratory	M F	66 29	— —	1 —	— —	— —	— —	14 3	34 11	12 12	4 2	30 5	— —	— —	— —	— —	— —	3 2	18 2	8 1	1 —		
Tuberculosis other	M F	3 9	— —	— —	— —	— 1	— 3	1 1	1 1	— 2	— —	2 —	— —	— —	— —	— —	— —	2 2	— —	— —	— —		
Syphilitic disease	M F	19 3	1 —	— —	— —	— —	— —	1 —	6 1	9 2	2 —	5 —	— —	— —	— —	— —	— —	— —	4 —	1 —	— —		
Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Whooping cough	M F	2 —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	1 1	— —	— —	— —	— —	1 —	— —	— —		
Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Measles	M F	2 2	— —	— —	1 —	2 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Other infective, etc., diseases	M F	3 5	— —	— —	— —	— —	— —	1 —	— 2	— —	2 —	3 4	— —	— —	— —	— —	— —	1 —	— 3	2 —	— —		
Malignant neoplasm: stomach	M F	64 52	— —	— —	— —	— —	— —	— 5	20 15	20 19	24 13	10 15	— —	1 —	— —	— —	— —	1 5	6 7	2 —	1 3		
lung, bronchus	M F	108 27	— —	— —	— —	— —	— —	6 —	51 7	42 9	9 8	37 5	— —	— —	— —	— —	1 —	1 —	20 2	13 3	2 —		
breast	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
uterus	M F	77 34	— —	— —	— —	— —	— —	7 3	35 17	22 9	13 5	32 11	— —	— —	— —	— —	— —	5 1	13 6	9 1	5 3		
Other malignant and lymphatic neoplasms	M F	197 155	— —	— —	1 —	2 —	8 —	55 51	66 41	67 57	69 53	— —	— —	— —	1 —	3 —	14 6	20 15	18 11	13 11	— —		
Leukæmia, aleukæmia	M F	11 9	— —	1 —	1 —	2 —	— —	2 3	4 4	— —	1 2	6 4	— —	— —	— —	— —	1 —	1 —	2 2	2 1	— —		
Diabetes	M F	15 17	— —	— —	— —	— —	— —	2 —	2 5	8 5	3 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Vascular lesions of nervous system	M F	171 295	— —	— —	1 —	— —	— —	2 3	45 50	57 76	67 165	43 60	— —	— —	— —	— —	— —	1 15	3 14	1 20	10 31		
Coronary disease, angina	M F	283 153	— —	— —	— —	— —	— —	9 1	101 25	92 59	81 68	111 59	— —	— —	— —	— —	— —	5 34	44 14	28 16	29 29		
Hypertension with heart disease	M F	59 76	— —	— —	— —	— —	— —	1 2	10 17	24 19	24 38	20 16	— —	— —	— —	— —	— —	8 1	6 7	6 8	— —		
Other heart disease	M F	297 491	— —	— —	— —	— —	— —	5 3	31 40	67 88	194 360	59 80	— —	— —	— —	2 —	10 1	19 22	28 50	— 9	— —		
Other circulatory disease	M F	97 108	— —	— —	— —	— —	— —	1 2	14 22	22 71	— —	— —	— —	— —	— —	— —	— —	3 5	— —	— —	— —		
Influenza	M F	56 66	— —	— —	— —	— —	— —	2 —	16 11	22 15	16 37	12 12	— —	— —	— —	— —	— —	4 2	3 3	5 5	— —		
Pneumonia	M F	75 87	1 —	3 —	— —	1 —	— —	3 —	18 8	22 20	26 55	35 33	— —	1 2	— —	— —	1 —	9 5	8 7	13 18	— —		
Bronchitis	M F	222 153	— —	1 —	— —	2 —	— —	1 —	52 20	80 30	86 96	44 28	— —	1 —	— —	— —	1 —	12 6	20 4	10 1	— —		
Other diseases of respiratory system	M F	24 12	— —	— —	— —	— —	— —	3 —	10 5	6 5	5 7	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Ulcer of stomach and duodenum	M F	44 10	— —	— —	— —	— —	— —	2 1	12 2	17 3	13 4	15 6	— —	— —	— —	— —	— —	1 —	5 1	4 2	— —		
Gastritis, enteritis and diarrhoea	M F	10 16	— —	— —	— —	— —	— —	1 2	2 4	1 4	2 5	4 3	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Nephritis and nephrosis	M F	20 32	— —	— —	— —	1 —	— —	2 4	6 8	5 6	6 13	4 13	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Hyperplasia of prostate	M	38	—	—	—	—	—	2	15	21	21	8	—	—	—	—	—	—	—	—	—		
Pregnancy, childbirth, abortion	F	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—		
Congenital malformations	M F	24 21	10 2	3 5	2 —	2 —	1 —	2 —	4 4	— 6	— 1	7 5	— —	— —	1 —	1 —	— —	2 —	3 1	— —	— —		
Other defined and illdefined dis.	M F	135 156	36 20	3 1	2 —	1 2	2 —	7 15	25 31	30 35	29 61	41 64	14 9	— —	— —	— —	— —	5 15	11 7	7 15	4 18		
Motor vehicle accidents	M F	23 5	— —	— —	— —	4 —	4 —	5 —	4 —	1 —	5 —	5 —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
All other accidents	M F	30 36	— —	1 2	— —	1 —	2 —	7 3	4 2	4 6	11 20	17 11	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Suicide	M F	17 18	— —	— —	— —	— —	— —	3 4	8 9	3 —	3 —	16 4	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Metropolitan Borough.

County Borough.

Causes of Death (See first page of Table)		WOOLWICH											BARNSELY										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes		M F	1012 826	22 20	12 9	9 5	3 4	10 4	48 32	292 143	283 226	333 383	499 386	17 5	13 8	4 3	1 3	4 7	28 25	115 79	149 93		
1	Tuberculosis respiratory	M F	38 13	— —	— —	— —	— —	1 1	10 6	18 4	8 2	1 2	9 9	— —	— —	— —	— —	3 5	4 1	4 1			
2	Tuberculosis other	M F	3 3	— —	— —	1 2	1 —	— —	— —	— —	— —	— —	2 1	— —	1 —	— —	1 —	— —	— —	— —			
3	Syphilitic disease	M F	7 1	— —	— —	— —	— —	— —	— —	4 1	1 —	2 —	4 —	— —	— —	— —	— —	— —	3 —	— —			
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
5	Whooping cough	M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	2 —	— —	1 —	1 —	— —	— —	— —	— —			
6	Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
7	Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —			
8	Measles	M F	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
9	Other infective, etc., diseases	M F	— 2	— —	— —	— —	— —	1 1	— 1	— 13	— 5	— 5	1 13	— —	— —	— —	— —	— —	1 —	— —			
10	Malignant neoplasm: stomach	M F	24 16	— —	— —	— —	— —	— —	— —	3 3	7 7	6 6	9 9	— —	— —	— —	— —	2 —	5 2	5 5			
11	lung, bronchus	M F	55 12	— —	— —	— —	— —	— —	— —	32 6	18 1	5 5	14 2	— —	— —	— —	— —	— —	6 1	6 1			
12	breast	M F	1 31	— —	— —	— —	— —	— —	— 3	— 13	— 7	— 8	— 10	— —	— —	— —	— —	— —	5 5	2 1			
13	uterus	M F	14 —	— —	— —	— —	— —	— —	1 —	6 —	4 —	3 —	6 —	— —	— —	— —	— —	— —	— —	— —			
14	Other malignant and lymphatic neoplasms	M F	90 73	— —	— —	— —	1 —	— —	6 4	30 24	32 26	22 18	35 20	— —	— —	1 —	— —	1 —	12 9	11 5			
15	Leukæmia, aleukæmia	M F	3 6	— —	— —	— —	1 1	— —	— —	— 2	3 1	— 1	— 2	— —	— —	1 —	— —	— —	— —	— —			
16	Diabetes	M F	8 7	— —	— —	— —	— —	— —	— —	1 2	2 2	5 5	2 3	— —	— —	— —	— —	— —	1 1	— —			
17	Vascular lesions of nervous system	M F	73 114	— —	— —	— —	— —	— —	3 4	21 23	25 28	24 59	46 54	— —	— —	— —	— —	1 1	7 9	15 15			
18	Coronary disease, angina	M F	156 69	— —	— —	— —	— —	— —	— 2	51 7	55 26	46 34	51 25	— —	— —	— —	— —	1 —	15 5	24 13			
19	Hypertension with heart disease	M F	27 18	— —	— —	— —	— —	— —	1 —	9 3	8 4	9 11	6 6	— —	— —	— —	— —	— —	1 3	2 2			
20	Other heart disease	M F	157 165	— —	— —	— —	— —	1 —	6 5	18 10	41 47	91 101	120 134	— —	— —	— —	— —	7 8	19 20	37 27			
21	Other circulatory disease	M F	41 20	— —	— —	— —	— —	— —	— 2	12 10	10 6	19 13	21 13	— —	— —	1 —	1 —	8 —	20 1	27 2			
22	Influenza	M F	9 14	— —	— —	— —	— —	— —	— —	3 2	2 6	4 16	9 10	— —	— —	— —	— —	— —	1 3	5 3			
23	Pneumonia	M F	48 55	1 2	5 1	2 —	— —	— —	— 1	12 8	14 12	14 31	20 9	3 1	6 2	1 —	— —	3 1	1 2	4 2			
24	Bronchitis	M F	78 43	— —	— —	1 —	— —	— —	— 2	19 2	23 16	33 25	43 15	— —	1 —	— —	— —	1 —	15 4	15 5			
25	Other diseases of respiratory system	M F	14 11	— —	— —	— —	1 —	— —	— 1	6 5	1 3	6 3	— —	— —	— —	— —	— —	2 —	3 1	— —			
26	Ulcer of stomach and duodenum	M F	23 12	— —	— —	— —	— —	— —	1 —	10 2	6 5	6 5	4 2	— —	— —	— —	— —	— —	3 —	1 —			
27	Gastritis, enteritis and diarrhoea	M F	9 3	— —	5 —	— —	— —	— —	— —	— 3	— —	— —	— —	1 —	2 —	— —	— —	— —	— —	— —			
28	Nephritis and nephrosis	M F	7 7	— —	— —	— —	— —	— —	— —	3 4	2 1	2 2	3 5	— —	— —	— —	— —	1 1	2 2	— —			
29	Hyperplasia of prostate	M F	22 1	— —	— —	— —	— —	— —	— 1	— —	9 —	13 —	6 —	— —	— —	— —	— —	— —	— —	— —			
30	Pregnancy, childbirth, abortion	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
31	Congenital malformations	M F	6 7	— —	1 4	2 —	— —	— —	— —	1 1	— —	— —	3 3	1 —	1 —	— —	— —	— —	— —	— —			
32	Other defined and illdefined dis.	M F	75 85	18 15	— 1	1 2	— —	2 1	5 1	17 12	8 15	24 37	49 31	11 4	1 2	1 —	— —	3 2	7 3	6 5			
33	Motor vehicle accidents	M F	12 —	— —	— —	— —	2 —	5 —	2 —	— —	— —	1 —	6 —	— —	— —	1 —	1 —	— —	1 —	1 —			
34	All other accidents	M F	18 19	— —	— 1	— —	— —	1 —	3 1	5 1	1 4	6 11	13 7	— —	1 3	— —	— —	1 —	4 1	— —			
35	Suicide	M F	6 4	— —	— —	— —	— —	— —	1 —	2 3	— —	1 —	7 1	— —	— —	— —	— —	— —	1 —	2 —			
36	Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		BARROW-IN-FURNESS											BATH										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	531 415	16 8	9 4	3 4	6 1	2 3	39 25	159 76	127 127	170 167	470 639	14 6	4 —	5 2	1 4	2 4	16 14	126 91	142 143	160 375		
Tuberculosis respiratory	M F	16 8	— —	— —	— —	— —	— —	6 5	7 2	3 —	— —	10 4	— —	— —	— —	— —	— —	6 1	4 —	— —			
Tuberculosis other	M F	2 2	— —	1 —	— —	1 1	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 1	— —	1 —	— —			
Syphilitic disease	M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	1 —	1 —			
Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
Acute poliomyelitis	M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
Other infective, etc., diseases	M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 3	— —	— —	— —	— —	1 —	— —	— —	1 1			
Malignant neoplasm: stomach	M F	15 5	— —	— —	— —	— —	— —	1 —	4 1	6 1	4 3	7 7	— —	— —	2 —	— —	— —	4 1	2 1	1 5			
lung, bronchus	M F	15 2	— —	— —	— —	— —	— —	4 —	10 —	1 —	— —	19 2	— —	— —	— —	— —	— —	11 1	8 —	— —			
breast	M F	13 —	— —	— —	— —	— —	— —	1 —	6 —	4 —	2 —	20 —	— —	— —	— —	— —	— —	15 —	— —	4 —			
uterus	M F	4 —	— —	— —	— —	— —	— —	1 —	2 —	1 —	— —	6 —	— —	— —	— —	— —	— —	2 —	2 —	— —			
Other malignant and lymphatic neoplasms	M F	51 30	— —	— —	1 —	— —	2 —	14 12	15 9	19 7	43 50	— —	— —	— —	— —	1 —	3 3	10 12	18 13	11 22			
Leukæmia, aleukæmia	M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	2 5	— —	— —	— —	— —	— —	2 1	3 —	— —			
Diabetes	M F	2 3	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
Vascular lesions of nervous system	M F	55 62	— —	— —	— —	— —	— —	1 2	17 10	18 23	19 27	52 112	— —	— —	— —	1 —	— —	15 13	17 32	20 66			
Coronary disease, angina	M F	66 25	— —	— —	— —	— —	— —	2 —	30 9	16 11	18 3	53 44	— —	— —	— —	— —	1 —	20 8	16 17	16 19			
Hypertension with heart disease	M F	10 5	— —	— —	— —	— —	— —	— —	4 —	4 —	2 3	12 22	— —	— —	— —	— —	— —	3 4	3 7	6 11			
Other heart disease	M F	94 120	— —	— —	1 —	— —	2 1	10 3	21 10	60 41	88 65	— —	— —	— —	— —	— —	— —	6 10	27 30	55 146			
Other circulatory disease	M F	19 10	— —	— —	— —	— —	— —	1 —	5 —	5 —	8 20	18 —	— —	— —	— —	— —	— —	6 3	4 12	7 —			
Influenza	M F	11 12	— —	— —	— —	— —	— —	— —	4 —	3 7	8 18	— —	— —	— —	— —	— —	— —	1 2	3 13	4 9			
Pneumonia	M F	26 23	— —	2 2	1 1	— —	2 2	8 6	5 4	7 8	18 34	— —	1 1	1 —	— —	— —	2 4	5 10	9 4	25 —			
Bronchitis	M F	32 27	— —	— 1	— —	— —	— —	— —	10 2	9 8	13 16	22 19	— —	3 —	— —	— —	— —	7 2	7 5	5 9			
Other diseases of respiratory system	M F	7 3	— —	— 1	— —	— —	— —	— —	3 —	3 —	— 2	9 2	— —	— —	— —	— —	— —	2 1	7 4	2 1			
Ulcer of stomach and duodenum	M F	17 —	— —	— —	— —	— —	— —	— —	9 —	7 —	1 —	10 2	— —	— —	— —	— —	— —	6 —	3 —	1 2			
Gastritis, enteritis and diarrhoea	M F	1 3	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
Nephritis and nephrosis	M F	3 4	— —	— —	— —	— —	— —	— —	1 2	1 2	1 —	9 6	— —	— —	— —	— —	— —	2 1	3 1	2 2			
Hyperplasia of prostate	M F	7 2	— —	— —	— —	— —	— —	— —	2 —	— —	1 —	10 1	— —	— —	— —	— —	— —	1 —	— —	— —			
Pregnancy, childbirth, abortion	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
Congenital malformations	M F	4 4	3 2	— —	— —	— —	— —	1 —	1 —	— —	— —	2 —	2 —	— —	— —	— —	— —	— —	— —	— —			
Other defined and illdefined dis.	M F	47 36	13 6	5 —	— —	1 —	— —	5 3	7 10	9 7	7 —	35 53	11 5	— —	— —	1 —	2 —	6 12	6 11	11 21			
Motor vehicle accidents	M F	4 1	— —	— —	1 1	— —	— —	2 —	— —	1 —	— —	5 —	— —	— —	— —	— —	— —	2 —	1 —	1 —			
All other accidents	M F	18 9	— —	1 —	— —	2 —	— —	5 —	7 2	— —	2 1	9 12	— —	— —	3 —	— —	— —	2 —	3 —	1 9			
Suicide	M F	6 1	— —	— —	— —	— —	— —	2 —	3 —	1 —	— —	11 4	— —	— —	— —	— —	— —	1 —	8 —	2 2			
Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		BIRKENHEAD													BIRMINGHAM												
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over						
All Causes	M	1014	41	33	8	5	12	66	289	295	265	6568	202	103	55	54	73	415	1936	1860	18						
	F	916	17	15	11	4	5	42	178	238	406	6197	146	96	55	37	54	315	1246	1594	26						
1 Tuberculosis	M	46	—	—	—	—	—	—	13	19	11	1	259	—	—	—	—	72	133	32							
respiratory	F	18	—	—	—	1	2	1	9	5	1	116	—	2	1	1	14	46	39	11							
2 Tuberculosis	M	4	—	—	2	—	—	—	1	1	—	25	—	1	8	2	3	7	3	3							
other	F	4	—	—	3	—	—	—	—	—	—	27	—	1	8	4	7	3	3	1							
3 Syphilitic disease	M	5	—	—	—	—	—	1	2	1	1	27	—	1	—	—	—	2	8	12							
	F	1	—	—	—	—	—	—	—	—	—	14	—	—	—	—	1	8	3	—							
4 Diphtheria	M	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—							
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
5 Whooping cough	M	1	—	1	—	—	—	—	—	—	—	4	—	2	1	1	—	—	—	—							
	F	—	—	—	—	—	—	—	—	—	—	6	—	3	2	—	—	—	—	—							
6 Meningococcal	M	3	—	3	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—	—							
infections	F	3	—	—	—	—	1	—	—	—	—	6	—	2	2	—	—	1	1	1							
7 Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—							
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—							
8 Measles	M	—	—	—	—	—	—	—	—	—	—	6	—	3	2	1	—	—	—	—							
	F	—	—	—	—	—	—	—	—	—	—	4	—	3	1	—	—	—	—	—							
9 Other infective, etc.,	M	4	—	2	—	—	—	1	2	1	—	14	—	3	3	1	—	4	2	5							
diseases	F	4	1	—	1	—	—	—	13	10	5	17	—	2	—	3	—	3	6	1							
10 Malignant neoplasm:	M	28	—	—	—	—	—	—	7	10	6	164	—	—	—	—	—	9	65	61							
stomach	F	25	—	—	—	—	—	2	—	10	—	144	—	—	—	—	7	43	47	—							
11 lung, bronchus	M	44	—	—	—	—	—	3	25	14	2	355	—	—	—	—	—	37	187	106							
	F	5	—	—	—	—	—	2	2	—	—	40	—	—	—	—	—	7	18	10							
12 breast	M	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	3	—	1							
	F	16	—	—	—	—	—	—	7	5	4	188	—	—	—	—	1	20	86	52							
13 uterus	M	13	—	—	—	—	—	—	8	5	—	88	—	—	—	—	—	11	41	24							
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
14 Other malignant and	M	74	—	—	—	—	1	4	28	18	23	578	—	1	2	5	2	43	185	185							
lymphatic neoplasms	F	62	—	—	—	—	2	18	15	26	26	462	—	—	—	1	29	143	152	—							
15 Leukæmia,	M	3	—	—	1	—	1	—	1	1	1	25	—	—	5	3	2	2	8	6							
aleukæmia	F	4	—	—	—	1	—	—	—	—	—	15	—	—	1	2	1	5	2	2							
16 Diabetes	M	1	—	—	—	—	—	—	—	—	—	31	—	—	—	—	1	3	7	12							
	F	6	—	—	—	—	—	—	3	—	—	67	—	—	—	—	1	1	10	31							
17 Vascular lesions of	M	78	—	—	—	—	—	1	19	32	26	634	—	—	—	—	1	10	151	221							
nervous system	F	113	—	—	—	—	—	23	40	50	880	—	—	—	—	1	15	161	276	—							
18 Coronary disease,	M	146	—	—	—	—	—	3	62	56	25	759	—	—	—	—	—	28	292	267							
angina	F	62	—	—	—	—	—	12	24	26	448	—	—	—	—	—	—	4	86	176							
19 Hypertension with	M	28	—	—	—	—	—	2	7	12	7	224	—	—	—	—	—	4	53	82							
heart disease	F	40	—	—	—	—	—	8	17	15	260	—	—	—	—	—	2	52	85	—							
20 Other heart disease	M	157	—	—	—	1	—	6	16	57	77	859	1	—	—	2	4	29	136	217							
	F	239	—	—	—	—	—	9	26	55	149	1319	—	—	—	4	39	164	282	—							
21 Other circulatory	M	23	—	—	—	—	—	1	6	5	11	172	—	—	—	—	—	7	33	50							
disease	F	15	—	—	—	—	—	1	1	3	10	190	—	—	—	2	8	22	50	—							
22 Influenza	M	35	—	2	—	—	—	2	8	9	14	130	—	—	—	—	2	7	48	33							
	F	57	—	—	—	—	—	3	7	16	31	162	—	1	—	1	1	2	32	53							
23 Pneumonia	M	63	5	13	2	—	—	7	14	12	10	359	20	34	4	1	11	87	100	—							
	F	50	3	7	—	—	—	2	13	7	18	305	17	28	6	2	7	48	63	—							
24 Bronchitis	M	88	—	—	—	—	—	—	30	30	28	672	—	11	—	1	16	215	230	—							
	F	44	—	—	1	—	—	1	6	14	22	394	1	8	3	—	5	56	94	—							
25 Other diseases of	M	16	—	—	—	—	—	—	1	2	7	71	—	1	1	—	2	6	31	19							
respiratory system	F	9	—	1	—	—	—	1	1	—	6	48	—	1	3	1	1	2	7	13							
26 Ulcer of stomach	M	13	—	—	—	—	—	2	5	5	1	142	—	—	—	—	2	16	60	47							
and duodenum	F	5	—	—	—	—	—	2	2	2	—	40	—	—	—	—	3	14	9	—							
27 Gastritis, enteritis	M	6	—	2	—	—	—	1	1	—	—	36	—	11	3	1	—	5	6	4							
and diarrhoea	F	2	—	1	—	—	—	—	1	—	—	46	1	15	2	—	3	9	5	—							
28 Nephritis and	M	9	—	—	—	—	1	—	2	5	1	58	—	—	3	2	1	13	17	15							
nephrosis	F	17	—	—	—	—	2	—	3	4	6	62	—	1	1	3	11	17	17	25							
29 Hyperplasia of prostate	M	9	—	—	—	—	—	—	—	1	—	81	—	—	—	—	—	6	—	—							
30 Pregnancy, childbirth,	F	3	—	—	—	—	—	3	—	—	—	13	—	—	—	1	11	1	—	—							
abortion																											
31 Congenital	M	6	2	3	—	—	—	1	—	—	—	66	25	14	4	1	6	5	9	2							
malformations	F	8	2	3	2	—	—	—	1	—	—	58	26	8	5	1	2	4	8	8							
32 Other defined and	M	75	34	6	1	1	4	4	11	5	9	520	149	15	13	9	11	20	118	86							
illdefined dis.	F	71	11	1	2	—	4	4	16	14	23	585	101	10	9	9	35	130	106	—							
33 Motor vehicle	M	11	—	—	1	1	1	4	2	2	—	101	—	—	3	11	14	29	20	14							
accidents	F	2	—	—	1	1	—	—	1	5	—	38	—	—	5	2	4	10	6	5							
34 All other accidents	M	29	—	1	1	2	2	6	5	7	—	109	5	3	3	10	14	20	14	11							
	F	14	—	2	1	1	—	—	—	2	8	92	—	10	3	3	4	8	11	—							
35 Suicide	M	8	—	—	—	—	—	2	4	2	—	72	—	—	—	—	1	15	34	16							
	F	2	—	—	—	—	—	1	—	—	—	57	—	—	—	—	1	15	26	13							
36 Homicide, operations	M	1	—	—	—	—	—	—	—	—	—	7	2	—	—	—	—	—	2	1							
of war	F	1	—	—	—	—	—	—	1	—	—	4	—	—	1	2	—	—	—	—							

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		BLACKBURN											BLACKPOOL										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	860 943	12 17	9 9	8 3	8 4	7 5	42 44	222 187	280 290	272 384	1319 1363	29 11	11 6	10 3	5 2	8 2	38 37	394 283	412 414	412 605		
1 Tuberculosis respiratory	M F	27 12	— —	— —	1 —	— —	1 —	3 6	16 3	6 2	— 1	30 15	— —	— —	— —	— —	— —	1 3	19 8	5 2	2 —		
2 Tuberculosis other	M F	3 2	— —	— —	— —	1 —	— —	1 1	— 1	— —	— —	— 3	— —	— —	1 —	— —	— —	— 1	— —	— —	— —		
3 Syphilitic disease	M F	5 3	— —	— —	— —	— —	— —	2 —	1 2	1 1	1 —	6 3	— —	— —	— —	— —	— —	— —	4 2	2 1	— —		
4 Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
5 Whooping cough	M F	1 1	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
6 Meningococcal infections	M F	— 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —		
7 Acute poliomyelitis	M F	— 1	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —		
8 Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
9 Other infective, etc., diseases	M F	2 1	— —	— —	1 —	— —	— —	— —	1 1	— —	— —	— 3	— —	— —	— —	— —	— —	— —	2 1	1 —	— —		
0 Malignant neoplasm: stomach	M F	25 22	— —	— —	— —	— —	— —	— 1	9 9	8 8	8 4	26 41	— —	— —	— —	— —	— —	11 9	9 16	6 15	— —		
1 lung, bronchus	M F	26 5	— —	— —	— —	— —	— —	2 2	15 8	3 3	1 —	50 11	— —	— —	— —	— —	— —	3 1	32 5	13 3	2 2		
2 breast	M F	28 17	— —	— —	— —	— —	— —	4 3	6 7	10 4	8 3	31 21	— —	— —	— —	— —	— —	17 5	10 12	4 4	— —		
3 uterus	M F	72 61	— —	— —	1 2	2 2	2 2	20 23	23 18	24 11	94 101	101 2	— —	— —	— —	— —	— —	3 5	37 45	31 29	23 22		
4 Other malignant and lymphatic neoplasms	M F	1 3	— —	— —	— 1	— —	— —	— 1	— 2	— —	— —	— 4	— —	— —	1 —	— —	— —	1 3	— —	— —	— —		
5 Leukæmia, aleukæmia	M F	3 10	— —	— —	— —	— —	— —	— 1	1 3	1 3	1 3	11 6	— —	— —	— —	— —	1 —	2 1	5 2	3 3	— —		
6 Diabetes	M F	86 128	— —	— —	— —	— —	— —	2 2	18 26	32 46	34 54	154 207	— —	— —	— —	— —	— —	1 2	31 37	67 80	55 88		
7 Vascular lesions of nervous system	M F	110 59	— —	— —	— —	— —	— —	4 1	34 17	47 28	25 13	191 136	— —	— —	— —	— —	1 5	73 27	69 63	43 46	— —		
8 Coronary disease, angina	M F	24 35	— —	— —	— —	— —	— —	— 5	4 11	9 17	16 20	— —	— —	— —	— —	— —	— —	6 8	9 3	1 9	— —		
9 Hypertension with heart disease	M F	121 225	— —	— —	— —	— —	1 3	17 32	36 57	67 133	235 346	— —	— —	— —	— —	— —	1 3	40 37	73 88	118 215	— —		
0 Other circulatory disease	M F	24 31	— —	— —	— —	— —	— —	1 10	9 21	14 21	29 28	— —	— —	— —	— —	— —	— —	7 5	8 8	12 15	— —		
1 Influenza	M F	29 45	— —	— —	— —	— —	— —	8 7	13 15	8 23	68 76	— —	— —	— —	— —	— —	— —	4 12	20 27	23 35	— —		
2 Pneumonia	M F	56 37	2 1	1 4	1 2	1 1	— —	6 2	14 8	17 13	30 45	— —	1 2	3 3	1 1	— —	— —	2 3	8 8	10 14	7 14		
3 Bronchitis	M F	81 59	— —	— —	— —	— —	— —	2 2	25 6	33 23	21 28	128 59	— —	— —	— —	— —	— —	1 9	37 20	43 30	47 30		
4 Other diseases of respiratory system	M F	15 4	1 —	— —	— —	— —	— —	1 1	7 1	— —	2 2	8 4	— —	— —	— —	— —	— —	5 1	2 3	2 1	— —		
5 Ulcer of stomach and duodenum	M F	7 5	— —	— —	— —	— —	— —	1 —	— —	4 5	2 —	18 5	— —	— —	— —	— —	— —	2 6	8 2	2 1	— —		
6 Gastritis, enteritis and diarrhœa	M F	1 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	5 5	— —	1 —	— —	— —	— —	3 3	1 1	— —	— —		
7 Nephritis and nephrosis	M F	9 16	— —	— —	— —	— —	2 3	2 4	3 5	2 2	26 20	— —	— —	— —	1 —	1 —	2 —	5 8	8 6	9 5	— —		
8 Hyperplasia of prostate	M F	11 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	22 2	— —	— —	— —	— —	— —	1 5	8 9	6 8	— —		
9 Pregnancy, childbirth, abortion	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
0 Congenital malformations	M F	4 6	2 2	2 2	— —	— —	— —	— —	2 —	— —	— —	10 6	3 3	5 —	2 —	— —	— —	— —	— —	— —	— —		
1 Other defined and illdefined dis.	M F	73 95	7 14	3 2	2 1	1 —	2 1	19 18	15 17	23 42	119 138	22 6	2 2	2 —	1 —	2 2	3 2	23 27	20 14	44 84	— —		
2 Motor vehicle accidents	M F	5 1	— —	— —	1 1	1 —	2 —	— —	— —	— —	— —	9 3	— —	— —	1 —	1 —	2 —	2 1	1 1	1 7	— —		
3 All other accidents	M F	19 15	— —	1 —	— —	1 1	1 —	3 1	5 6	7 6	17 16	3 —	— —	— —	1 —	1 —	1 —	3 1	1 4	7 10	— —		
4 Suicide	M F	15 11	— —	— —	— —	— —	— —	5 2	6 4	3 5	1 —	7 9	— —	— —	— —	— —	— —	— —	— —	— —	— —		
5 Homicide, operations of war	M F	5 —	— —	1 —	1 —	— —	— —	3 —	— —	— —	— —	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—County Boroughs

Causes of Death (See first page of Table)		BOLTON												BOOTLE											
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over				
All Causes		M F	1311 1373	32 25	24 21	13 4	7 2	6 9	52 62	360 264	398 383	419 603	465 436	25 13	11 13	6 5	7 1	2 3	37 36	145 86	136 115	96 164			
1	Tuberculosis respiratory	M F	28 17	—	—	—	—	—	7 8	16 2	4 3	1 —	22 15	—	—	—	—	8 10	9 3	5 1	—				
2	Tuberculosis other	M F	4 2	—	—	1 —	—	1 —	—	1 —	—	—	3 1	—	—	—	1 —	1 —	—	—	—				
3	Syphilitic disease	M F	5 3	—	—	—	—	—	—	4 —	1 2	1 —	1 —	—	—	—	—	1 —	—	—	—				
4	Diphtheria	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
5	Whooping cough	M F	—	—	—	—	—	—	—	—	—	—	2 2	—	—	—	—	—	—	—	—				
6	Meningococcal infections	M F	—	—	—	—	—	—	—	—	—	—	2 1	—	1 —	—	—	—	1 —	—	—				
7	Acute poliomyelitis	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
8	Measles	M F	1 2	—	—	1 2	—	—	—	—	—	—	1 —	—	1 —	—	—	—	—	—	—				
9	Other infective, etc., diseases	M F	1 3	—	—	—	—	—	—	12 8	1 —	—	1 —	—	—	—	—	1 —	—	—	—				
10	Malignant neoplasm: stomach	M F	35 46	—	—	—	—	—	1 —	12 8	12 15	10 23	17 7	—	—	—	—	2 —	5 1	7 4	—				
11	lung, bronchus	M F	42 7	—	—	—	—	—	3 —	27 3	8 4	4 —	27 4	—	—	—	—	4 —	14 3	5 1	—				
12	breast	M F	31 —	—	—	—	—	—	3 —	13 —	5 —	10 —	19 —	—	—	—	—	5 —	10 —	2 —	3 —				
13	uterus	M F	21 —	—	—	—	—	—	4 —	11 —	3 —	3 —	7 —	—	—	—	—	1 —	—	—	—				
14	Other malignant and lymphatic neoplasms	M F	96 84	—	—	2 —	—	1 —	4 5	29 36	27 24	25 —	15 24	—	1 —	—	—	1 —	7 —	8 9	2 —				
15	Leukemia, aleukemia	M F	1 —	—	—	—	—	—	—	1 —	—	—	1 —	—	—	—	1 —	—	—	—	—				
16	Diabetes	M F	3 16	—	—	—	—	—	1 —	5 —	2 —	1 —	3 —	—	—	—	—	—	—	—	2 —				
17	Vascular lesions of nervous system	M F	123 201	—	—	—	—	1 —	2 4	29 33	43 63	48 101	36 46	—	—	—	—	2 —	7 9	15 19	—				
18	Coronary disease, angina	M F	200 106	—	—	—	—	—	6 1	77 21	73 49	44 35	51 22	—	—	—	1 —	2 —	26 3	16 9	—				
19	Hypertension with heart disease	M F	40 34	—	—	—	—	—	1 —	11 11	15 13	13 10	8 15	—	—	—	—	2 —	3 —	9 5	—				
20	Other heart disease	M F	223 334	—	—	—	—	1 —	12 —	28 27	65 88	129 206	67 85	—	—	—	—	1 —	11 1	25 1	—				
21	Other circulatory disease	M F	43 47	—	—	—	—	—	6 4	9 11	8 23	28 32	5 4	—	—	—	—	1 —	1 —	1 —	—				
22	Influenza	M F	50 71	—	3 —	—	—	—	3 —	10 12	11 22	11 39	18 31	—	—	—	—	2 —	6 5	7 13	—				
23	Pneumonia	M F	49 60	—	5 10	3 1	2 —	—	2 —	12 11	22 15	13 18	35 35	—	6 2	1 —	—	2 —	8 6	10 8	—				
24	Bronchitis	M F	130 108	—	3 —	—	—	—	1 —	39 28	53 34	34 55	65 32	—	1 —	—	—	1 —	23 9	27 1	—				
25	Other diseases of respiratory system	M F	12 12	—	1 —	—	—	—	4 —	6 —	2 —	6 —	3 —	—	—	—	1 —	—	1 —	1 —	—				
26	Ulcer of stomach and duodenum	M F	23 5	—	—	—	—	—	2 —	10 3	4 1	7 1	5 2	—	—	—	—	1 —	1 —	2 —	—				
27	Gastritis, enteritis and diarrhoea	M F	4 5	—	3 1	1 —	—	—	—	—	2 —	1 —	5 —	—	2 —	1 —	—	—	—	1 —	—				
28	Nephritis and nephrosis	M F	25 18	—	—	—	—	1 —	3 —	8 7	6 4	8 3	10 3	—	—	—	—	1 —	2 —	3 —	—				
29	Hyperplasia of prostate	M F	16 5	—	—	—	—	1 —	3 —	2 —	8 —	6 —	3 —	—	—	—	—	1 —	—	—	—				
30	Pregnancy, childbirth, abortion	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
31	Congenital malformations	M F	13 6	3 6	3 —	3 —	1 —	1 —	1 —	1 —	—	—	6 9	2 4	—	1 —	1 —	—	1 —	—	—				
32	Other defined and illdefined dis.	M F	95 111	29 14	4 8	1 —	1 2	3 1	4 11	19 28	13 18	21 29	44 42	21 7	1 —	2 —	—	—	10 8	4 6	—				
33	Motor vehicle accidents	M F	12 3	—	—	2 —	1 —	—	1 —	3 —	1 —	4 —	1 —	—	—	—	—	1 —	—	—	—				
34	All other accidents	M F	23 10	—	2 —	—	—	—	5 —	3 —	4 —	8 —	17 10	2 2	1 —	1 —	3 —	4 —	4 —	1 —	—				
35	Suicide	M F	14 4	—	—	—	—	—	3 —	6 —	4 —	2 —	7 —	—	—	—	—	—	—	—	—				
36	Homicide, operations of war	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		BOURNEMOUTH											BRADFORD																		
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over
All Causes	M	1038	14	10	5	5	9	33	227	301	434	2161	65	63	18	9	20	99	634	583	670										
	F	1257	8	6	1	5	10	31	186	313	697	2294	38	42	15	8	13	89	429	661	999										
Tuberculosis	M	25	—	—	—	—	1	8	12	2	2	54	—	1	—	—	2	14	25	10	2										
respiratory	F	12	—	—	—	—	—	4	3	1	3	32	—	—	1	—	6	12	7	3	2										
Tuberculosis	M	1	—	—	—	—	—	—	1	—	—	13	—	—	2	3	4	3	1	1	—										
other	F	1	—	—	—	—	—	—	1	—	—	6	—	—	—	—	—	—	—	—	—										
Syphilitic disease	M	10	—	—	—	—	—	—	2	2	6	8	—	—	—	—	—	—	5	1	2										
Diphtheria	F	1	—	—	—	—	—	—	—	1	—	10	—	—	—	—	1	1	7	—	1										
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—										
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	3	—	—	2	—	—	—	1	—	—										
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
Meningococcal	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
infections	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—										
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
Measles	M	2	—	1	1	—	—	—	—	—	—	4	—	1	3	—	—	—	—	—	—										
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—										
Other infective, etc.,	M	5	—	—	—	—	1	—	1	1	2	2	—	2	—	—	—	—	—	—	—										
diseases	F	2	—	—	—	—	—	—	1	1	—	7	—	1	1	—	—	—	2	2	1										
Malignant neoplasm:	M	36	—	—	—	—	—	1	12	13	10	60	—	—	—	—	—	4	31	15	10										
stomach	F	23	—	—	—	—	—	—	6	4	13	49	—	—	—	—	—	3	9	16	21										
lung, bronchus	M	41	—	—	—	—	—	1	18	15	7	88	—	—	—	—	—	4	55	21	8										
	F	10	—	—	—	—	—	—	6	2	—	18	—	—	—	—	—	3	7	4	4										
breast	M	43	—	—	—	—	—	1	15	18	9	3	—	—	—	—	—	—	—	—	—										
	F	11	—	—	—	—	—	2	3	1	5	62	—	—	—	—	—	3	25	17	17										
uterus	F	—	—	—	—	—	—	—	—	—	—	44	—	—	—	—	—	2	21	14	7										
Other malignant and	M	78	—	—	—	2	2	16	28	28	182	—	—	—	—	2	8	57	63	52	—										
lymphatic neoplasms	F	110	—	—	—	2	10	31	33	34	152	—	—	—	2	1	7	48	62	32	—										
Leukæmia,	M	4	—	—	—	—	—	1	2	2	11	—	—	—	—	—	—	2	5	3	—										
aleukæmia	F	7	—	—	—	—	2	2	2	1	7	—	—	—	—	—	1	4	2	—	—										
Diabetes	M	6	—	—	—	—	—	—	2	4	10	—	—	—	—	2	—	1	2	4	1										
	F	12	—	—	—	—	1	3	3	5	23	—	—	—	—	—	—	—	—	—	—										
Vascular lesions of	M	130	—	—	—	—	2	20	36	71	229	—	—	—	—	—	—	2	53	72	102										
nervous system	F	206	—	—	—	—	1	2	23	46	135	341	—	—	—	—	—	5	64	120	152										
Coronary disease,	M	157	—	—	—	—	—	2	47	50	58	301	—	—	—	—	—	8	114	104	75										
angina	F	116	—	—	—	—	—	1	12	40	63	241	—	—	—	—	—	2	44	103	92										
Hypertension with	M	20	—	—	—	—	—	—	5	5	10	55	—	—	—	—	—	—	23	16	16										
heart disease	F	38	—	—	—	—	—	—	4	12	22	78	—	—	—	—	—	—	13	33	32										
Other heart disease	M	160	—	—	—	—	—	—	18	41	101	334	—	—	—	2	6	47	87	192	—										
	F	290	—	—	—	—	—	2	16	60	212	542	—	—	—	1	17	35	134	354	—										
Other circulatory	M	34	—	—	—	—	—	—	4	9	21	57	—	—	—	—	—	1	12	13	31										
disease	F	44	—	—	—	—	—	—	6	12	26	63	—	—	—	—	—	3	9	12	39										
Influenza	M	17	—	—	—	—	1	4	4	8	40	—	2	1	—	—	1	7	13	16	—										
	F	21	—	—	—	1	1	3	6	10	54	—	—	—	—	—	—	15	18	21	—										
Pneumonia	M	37	2	1	2	—	—	—	3	10	19	119	7	25	2	1	6	29	13	36	—										
	F	63	2	2	—	—	—	1	7	14	37	100	3	16	1	1	1	17	19	42	—										
Bronchitis	M	65	—	—	—	—	—	—	18	24	23	209	—	3	—	1	—	4	77	49	—										
	F	50	—	—	—	—	—	—	10	9	31	130	—	3	—	—	—	1	26	42	58										
Other diseases of	M	12	—	—	—	—	—	—	2	4	6	17	—	1	—	—	—	—	2	7	7										
respiratory system	F	5	—	—	—	—	—	—	1	—	4	14	—	—	—	—	1	2	3	1	7										
Ulcer of stomach	M	20	—	—	—	—	—	1	7	8	4	33	—	—	—	—	—	4	17	9	3										
and duodenum	F	7	—	—	—	—	—	—	1	3	3	7	—	—	—	—	—	—	—	—	—										
Gastritis, enteritis	M	7	1	1	—	—	—	1	1	1	2	15	—	8	—	1	—	3	2	—	1										
and diarrhea	F	6	—	—	—	—	1	—	1	2	1	18	—	8	—	—	—	2	4	4	—										
Nephritis and	M	16	—	—	—	—	—	1	3	9	3	20	—	—	—	—	—	4	6	5	5										
nephrosis	F	11	—	—	—	—	—	—	2	6	3	28	—	—	—	—	—	3	12	2	11										
Hyperplasia of prostate	M	29	—	—	—	—	—	—	1	8	20	18	—	—	—	—	—	—	1	7	10										
Pregnancy, childbirth,	M	1	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—										
abortion	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—										
Congenital	M	10	3	3	1	—	—	1	1	2	—	15	7	5	1	—	2	—	—	—	—										
malformations	F	8	—	—	—	—	—	1	2	—	—	17	—	6	—	—	—	1	—	—	—										
Other defined and	M	84	7	4	1	1	5	23	19	24	176	51	10	5	—	4	12	39	24	31	—										
illdefined dis.	F	109	3	2	1	1	3	18	29	51	163	27	6	4	2	—	14	29	27	54	—										
Motor vehicle	M	6	—	—	—	—	2	1	1	1	1	20	—	—	1	1	1	2	7	4	4										
accidents	F	14	—	—	—	—	2	1	2	1	1																				

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		BRIGHTON													BRISTOL												
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over						
All Causes	M F	1116 1247	22 17	20 10	6 7	5 5	9 6	40 47	283 217	338 298	393 640	2783 2840	53 39	27 21	26 17	19 11	24 29	137 135	722 508	835 690	94 139						
1 Tuberculosis respiratory	M F	17 12	—	—	—	—	1 1	3 4	10 3	3 3	1	83 67	—	—	—	1 1	3 1	24 28	43 20	9 6	—						
2 Tuberculosis other	M F	3 1	—	—	1	—	1	—	1	—	—	4	1	2	1	1	1	2	3	1	—						
3 Syphilitic disease	M F	2 1	—	—	—	—	—	—	2	—	—	16 4	—	—	—	—	—	—	7 1	4 2	—						
4 Diphtheria	M F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—						
5 Whooping cough	M F	—	—	—	—	—	—	—	—	—	—	1 1	1	—	—	—	—	—	—	—	—						
6 Meningococcal infections	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
7 Acute poliomyelitis	M F	1	—	—	—	—	—	1	—	—	—	2 2	1	—	—	1	1	1	—	—	—						
8 Measles	M F	2	—	1	—	1	—	—	—	—	—	3	—	—	3	—	—	—	—	—	—						
9 Other infective, etc., diseases	M F	6 11	—	1	—	—	1 2	3 3	3 12	1 11	—	8 16	—	1	—	—	—	1	2	3	—						
10 Malignant neoplasm: stomach	M F	34 35	—	—	—	—	—	2	4	12	17	97 57	—	—	—	—	—	1	14	22	—						
11 lung, bronchus	M F	61 4	—	—	—	—	—	1	38 2	18 1	4	144 22	—	—	—	—	—	9	78 9	47 9	—						
12 breast	M F	1 42	—	—	—	—	—	7	20	7	8	1 96	—	—	—	—	14	45	23	5	—						
13 uterus	M F	24	—	—	—	—	1	1	11	6	5	29	—	—	—	—	6	15	5	—	—						
14 Other malignant and lymphatic neoplasms	M F	114 94	—	—	—	1	—	4 3	39 31	45 28	26 31	247 191	—	4	—	1	12	64	57	2	—						
15 Leukæmia, aleukæmia	M F	2 7	—	—	—	—	—	2	1	3	1	11	—	—	—	—	6	3	1	—	—						
16 Diabetes	M F	5 7	—	—	—	—	—	1	—	3 4	1 3	10 30	—	—	—	—	—	1	2	3	—						
17 Vascular lesions of nervous system	M F	102 177	—	1	—	—	—	18 2	36 31	46 50	247 94	247 435	—	—	—	—	5	47	84	134	—						
18 Coronary disease, angina	M F	138 81	—	—	—	—	—	2	38 15	58 29	40 17	333 202	—	—	—	—	7	106	128	—	—						
19 Hypertension with heart disease	M F	35 48	—	—	—	—	—	7	14 6	24 18	130 124	—	1	—	—	—	1	28	75	—	—						
20 Other heart disease	M F	213 318	—	—	—	—	—	1	25 15	56 62	131 238	406 620	—	—	—	—	5	11	48	102	—						
21 Other circulatory disease	M F	31 37	—	—	—	—	1	6	4 9	10 21	17 142	117 —	—	—	—	—	3	23	32	—	—						
22 Influenza	M F	10 20	—	—	—	—	1	1 5	2 6	1 8	5 8	84 100	—	1	—	—	—	25	27	—	—						
23 Pneumonia	M F	51 65	1	5	1	—	—	2 1	11 6	13 13	19 43	109 166	2	17	3	3	—	7	31	34	—						
24 Bronchitis	M F	81 60	—	1	2	—	—	26 13	26 12	27 33	192 130	—	1	2	—	—	1	54	69	—	—						
25 Other diseases of respiratory system	M F	3 5	—	—	—	—	—	2 1	2 3	1 3	—	55 19	—	—	—	—	1	3	25	19	—						
26 Ulcer of stomach and duodenum	M F	15 7	—	—	—	—	—	2 3	7 1	4 3	6 3	41 8	—	—	—	—	3	14	15	—	—						
27 Gastritis, enteritis and diarrhoea	M F	6 9	—	4	1	—	—	1 3	1 3	1 3	—	13 19	1	3	1	—	1	6	3	—	—						
28 Nephritis and Nephrosis	M F	15 16	—	—	—	—	—	1 2	3 3	6 7	7 8	22 29	—	—	1	—	—	2	9	3	—						
29 Hyperplasia of prostate	M	22	—	—	—	—	1	2	3	7	12	55	—	—	—	—	2	5	—	—	—						
30 Pregnancy, childbirth, abortion	F	3	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—						
31 Congenital malformations	M F	4 9	—	2	1	—	1	—	2	1	—	19 33	7	1	3	—	1	3	2	1	—						
32 Other defined and illdefined dis.	M F	100 110	21 12	6 4	2 2	2	—	9 6	20 22	20 18	20 45	176 194	44 25	3	1	4	5	13	31	36	—						
33 Motor vehicle accidents	M F	7 2	—	—	—	1	2	—	1	1	2	22 13	—	—	1	3	2	8	3	4	—						
34 All other accidents	M F	16 26	—	1	1	—	—	4 2	3 5	1 2	6 14	58 —	—	1	3	—	1	8	9	7	—						
35 Suicide	M F	15 15	—	—	—	—	2	3 4	5 5	3 3	—	28 10	—	—	—	—	—	10	9	6	—						
36 Homicide, operations of war	M F	—	—	—	—	—	—	—	—	—	—	3 1	—	—	—	—	—	—	—	—	—						

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		BURNLEY													BURTON UPON TRENT												
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over						
All Causes	M F	705 745	15 6	13 7	1 13	5 6	4 6	41 26	200 175	196 211	230 295	363 309	12 7	3 3	4 6	2 2	5 —	12 12	103 43	106 81	116 155						
1 Tuberculosis	M F	19 11	—	—	—	—	—	6 6	10 2	2 1	—	10 3	—	—	—	—	1 2	5 2	1 1	1 —							
2 Tuberculosis	M F	2 3	—	—	1 1	1 1	1 1	—	1 —	—	—	1 —	—	—	1 —	—	—	—	—	—							
3 Syphilitic disease	M F	2 2	—	—	—	—	—	—	2 1	1 —	—	1 —	—	—	—	—	—	1 —	—	—							
4 Diphtheria	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
5 Whooping cough	M F	1 —	—	1 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
6 Meningococcal infections	M F	— 1	—	—	1 —	—	—	—	—	—	—	1 1	—	—	1 —	—	1 —	—	—	—							
7 Acute poliomyelitis	M F	— 1	—	—	—	—	—	1 —	—	—	—	—	—	—	—	—	—	—	—	—							
8 Measles	M F	1 —	—	—	1 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
9 Other infective, etc., diseases	M F	2 2	—	—	—	1 —	—	—	1 —	—	—	1 7	—	—	—	—	—	—	—	—							
10 Malignant neoplasm: stomach	M F	19 17	—	—	—	—	—	—	6 1	6 6	7 9	7 2	—	—	—	—	—	3 1	1 1	1 3							
11 lung, bronchus	M F	24 5	—	—	—	—	—	3 —	15 4	4 1	2 1	9 1	—	—	—	—	—	8 1	—	1 —							
12 breast	M F	17 —	—	—	—	—	—	1 —	11 —	3 —	2 —	8 —	—	—	—	—	—	5 —	1 —	2 —							
13 uterus	M F	11 —	—	—	—	—	—	—	6 —	2 —	3 —	5 —	—	—	—	—	—	3 —	2 —	—							
14 Other malignant and lymphatic neoplasms	M F	46 54	—	—	1 —	1 —	—	5 2	12 19	15 12	12 19	35 15	—	—	—	—	1 —	9 2	11 4	14 9							
15 Leukæmia, aleukæmia	M F	1 —	—	—	—	—	—	—	1 —	—	—	2 —	—	—	1 —	—	—	2 —	—	—							
16 Diabetes	M F	— 7	—	—	—	—	—	—	2 —	4 —	1 —	1 2	—	—	—	—	—	1 —	—	—							
17 Vascular lesions of nervous system	M F	57 108	—	—	—	—	—	3 1	7 25	21 43	26 38	41 51	—	—	—	—	—	11 5	12 16	18 29							
18 Coronary disease, angina	M F	117 57	—	—	—	—	—	5 —	42 19	49 21	21 17	30 20	—	—	—	—	—	13 3	11 8	6 2							
19 Hypertension with heart disease	M F	21 20	—	—	—	—	—	—	12 8	9 4	10 6	—	—	—	—	—	1 —	2 —	5 2	2 2							
20 Other heart disease	M F	134 196	—	—	—	—	—	5 2	22 30	31 45	76 118	66 111	—	—	—	1 —	2 —	11 4	26 23	26 45							
Other circulatory disease	M F	10 18	—	—	—	—	—	1 —	3 3	4 6	3 8	11 15	—	—	—	—	—	3 1	5 3	3 10							
21 Influenza	M F	23 43	—	—	—	—	—	1 4	6 21	8 17	8 17	7 11	—	—	—	—	—	2 1	3 3	2 7							
22 Pneumonia	M F	34 30	1 —	7 4	1 2	—	—	1 3	9 6	4 5	12 10	17 12	—	—	2 2	1 2	—	2 1	7 3	4 2							
23 Bronchitis	M F	68 38	—	—	1 —	—	—	2 —	27 8	19 14	22 13	32 13	1 —	—	—	—	—	10 3	8 2	13 8							
24 Other diseases of respiratory system	M F	10 4	—	—	—	1 —	—	2 1	5 1	2 —	1 —	3 3	—	—	—	—	—	1 —	3 —	1 —							
25 Ulcer of stomach and duodenum	M F	10 1	—	—	—	—	—	1 —	9 —	—	—	7 —	—	—	—	—	—	—	—	—							
26 Gastritis, enteritis and diarrhœa,	M F	— 2	—	—	—	—	—	—	—	1 1	—	2 1	—	—	—	—	—	1 —	—	—							
27 Nephritis and nephrosis	M F	10 5	—	—	—	1 —	—	1 —	3 1	3 2	2 3	5 3	—	—	—	—	—	3 —	—	—							
28 Hyperplasia of prostate	M F	12 —	—	—	—	—	—	2 —	2 —	2 —	8 —	7 2	—	—	—	—	2 —	1 —	6 —	—							
29 Pregnancy, childbirth, abortion.	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
30 Congenital malformations	M F	8 4	6 2	1 1	—	—	—	1 —	—	1 —	—	6 4	5 3	—	—	—	1 —	—	—	—							
31 Other defined and illdefined dis.	M F	45 59	8 4	4 2	—	1 —	1 1	3 10	10 20	6 13	19 10	48 41	6 4	—	2 —	1 —	1 2	13 6	9 8	14 23							
32 Motor vehicle accidents	M F	4 6	—	—	—	—	—	2 2	1 2	1 1	1 1	3 —	—	—	1 —	—	1 —	—	—	—							
33 All other accidents	M F	15 18	—	—	2 —	1 2	—	2 1	5 2	1 1	5 10	8 5	—	1 —	—	—	—	2 —	1 —	3 5							
34 Suicide	M F	11 3	—	—	—	—	1 —	1 —	2 2	5 —	2 —	2 —	—	—	—	—	—	2 —	—	—							
35 Homicide, operations of war	M F	— —	—	—	—	—	—	—	—	—	—	2 —	—	—	1 —	—	—	1 —	—	—							

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		BURY										CANTERBURY									
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over
All Causes	M F	447 476	9 8	6 8	2 3	1 1	1 4	17 23	153 93	137 149	121 187	148 165	4 5	—	5	1	3 1	7 3	33 30	35 39	6 8
1 Tuberculosis respiratory	M F	3 5	—	—	—	—	—	1	3	—	—	5 2	—	—	—	—	—	2	2	1	—
2 Tuberculosis other	M F	1 1	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
3 Syphilitic disease	M F	4 2	1	—	—	—	—	1	1	2	—	1	—	—	—	—	—	—	—	—	—
4 Diphtheria	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
6 Meningococcal infections	M F	1 —	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Acute poliomyelitis	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Measles	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Other infective, etc., diseases	M F	1 2	—	1	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
10 Malignant neoplasm: stomach	M F	13 9	—	—	—	—	—	1	5	6	1	5 1	—	—	—	—	—	—	2	1	—
11 lung, bronchus	M F	16 5	—	—	—	—	1	—	10	5	—	6 2	—	—	—	—	—	—	5	—	—
12 breast	M F	—	—	—	—	—	—	4	2	—	—	—	—	—	—	—	—	—	—	—	—
13 uterus	M F	9 7	—	—	—	—	—	—	3	3	1	4 2	—	—	—	—	—	—	2	1	—
14 Other malignant and lymphatic neoplasms	M F	33 31	—	—	—	—	—	4	15	7	9	10 17	—	—	—	—	—	1	4	7	—
15 Leukæmia, aleukæmia	M F	2 3	—	—	—	1	1	—	1	—	2	1	—	—	—	—	—	—	1	—	—
16 Diabetes	M F	1 8	—	—	—	—	—	—	2	5	—	1 1	—	—	—	—	—	—	1	—	—
17 Vascular lesions of nervous system	M F	45 55	—	—	—	—	—	2	13 12	20 21	14 20	14 28	—	—	—	—	—	—	3 4	—	—
18 Coronary disease, angina	M F	65 29	—	—	—	—	—	1	33 8	19 9	12 11	16 14	—	—	—	—	—	—	3 3	7 5	—
19 Hypertension with heart disease	M F	19 17	—	—	—	—	—	1	6 8	8 5	7 3	3	—	—	—	—	1	—	—	1	—
20 Other heart disease	M F	75 128	—	—	1	—	—	3	18 13	21 33	34 79	26 30	—	—	—	—	—	1	4	1	—
21 Other circulatory disease	M F	16 18	—	—	—	—	—	1	2 1	5 6	8 11	9 9	—	—	—	—	—	—	—	—	—
22 Influenza	M F	19 18	—	1	—	—	—	—	8 4	6 8	4 6	9 17	—	—	—	—	—	—	2	5	—
23 Pneumonia	M F	18 13	2 2	3	1	—	—	2	4 1	2 5	4 5	7 3	1	—	1	—	—	—	—	—	—
24 Bronchitis	M F	49 35	—	—	—	—	—	—	14 7	22 10	13 17	8 9	—	—	—	—	—	—	—	—	—
25 Other diseases of respiratory system	M F	4 4	—	1	—	—	—	—	2 2	—	3	—	2	—	—	—	—	—	—	—	—
26 Ulcer of stomach and duodenum	M F	3 1	—	—	—	—	—	—	2 1	1	—	4 2	—	—	—	—	—	—	3	1	—
27 Gastritis, enteritis and diarrhoea	M F	1 2	—	—	—	—	—	1	1 1	—	1	1 1	—	—	—	1	—	—	—	—	—
28 Nephritis and nephrosis	M F	4 8	—	—	—	—	—	1	2 3	1 5	—	2 2	—	—	—	—	—	—	—	—	—
29 Hyperplasia of prostate	M F	7 1	—	—	—	—	—	—	1 —	—	—	3 1	—	—	—	—	—	—	—	—	—
30 Pregnancy, childbirth, abortion	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Congenital malformations	M F	1 3	—	1	2	—	—	—	—	—	—	2 2	—	—	—	—	—	—	—	—	—
32 Other defined and illdefined dis.	M F	27 46	6 5	2	1	—	—	2	7 6	8 12	4 17	11 9	3 4	—	—	1	—	—	3	1	—
33 Motor vehicle accidents	M F	2 2	—	—	—	—	—	1	1 1	—	—	—	—	—	—	—	—	—	—	—	—
34 All other accidents	M F	9 11	—	1	—	1	2	—	3 3	1 2	—	3 2	—	—	—	—	—	—	—	—	—
35 Suicide	M F	7 2	—	—	—	—	—	—	4 2	1	—	1 1	—	—	—	—	—	—	—	—	—
36 Homicide, operations of war	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		CARLISLE											CHESTER										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M	447	12	8	4	5	6	20	146	99	147	336	13	6	3	—	3	23	91	81	116		
	F	479	4	6	1	5	4	17	107	122	213	310	10	4	—	1	1	12	67	77	138		
Tuberculosis respiratory	M	17	—	—	1	—	2	5	8	1	—	11	—	—	1	—	—	2	6	2	—		
Tuberculosis other	F	6	—	—	—	—	1	1	4	—	—	6	—	—	—	—	—	4	1	—	—		
	M	1	—	—	1	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Syphilitic disease	M	4	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Meningococcal infections	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other infective, etc., diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Malignant neoplasm: stomach	M	18	—	—	—	—	—	1	12	5	—	14	—	—	—	—	—	9	2	3	—		
	F	10	—	—	—	—	—	—	4	5	1	11	—	—	—	—	—	5	4	2	—		
lung, bronchus	M	20	—	—	—	—	—	—	17	2	1	12	—	—	—	—	2	7	3	—	—		
	F	3	—	—	—	—	—	—	2	1	—	4	—	—	—	—	1	1	—	2	—		
breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	—	2	3	3	1	15	—	—	—	—	1	6	5	3	—		
uterus	M	9	—	—	—	—	—	—	9	—	—	7	—	—	—	—	—	5	—	2	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other malignant and lymphatic neoplasms	M	34	—	—	—	—	—	1	13	11	10	27	—	—	—	—	—	1	8	7	11		
	F	24	—	—	—	—	—	—	12	4	7	22	—	—	—	—	—	1	9	7	5		
Leukæmia, aleukæmia	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Diabetes	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1		
	F	2	—	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	—	—	—		
Vascular lesions of nervous system	M	55	—	—	—	—	—	1	10	14	30	40	—	—	—	—	3	9	16	12	—		
	F	87	—	—	—	—	—	—	18	27	42	36	—	—	—	—	—	7	14	15	—		
Coronary disease, angina	M	48	—	—	—	—	—	—	26	14	8	41	—	—	—	—	—	13	14	12	—		
	F	47	—	—	—	—	—	—	12	12	23	27	—	—	—	—	—	9	9	—	—		
Hypertension with heart disease	M	8	—	—	—	—	—	—	2	5	1	7	—	—	—	—	—	3	—	4	—		
	F	6	—	—	—	—	—	—	2	3	1	12	—	—	—	—	—	1	4	7	—		
Other heart disease	M	107	—	—	—	—	2	13	26	66	44	—	—	—	—	—	1	6	8	29	—		
	F	162	—	—	—	—	1	5	18	37	101	66	—	—	—	—	1	5	12	48	—		
Other circulatory disease	M	18	—	—	—	—	—	—	2	7	9	12	—	—	—	—	—	—	2	10	—		
	F	15	—	—	—	—	—	—	2	4	9	12	—	—	—	—	—	—	2	10	—		
Influenza	M	5	—	—	—	—	—	—	2	3	3	10	—	—	—	—	—	4	1	5	—		
	F	10	—	1	—	—	—	—	2	3	4	11	—	—	—	—	—	1	2	2	6		
Pneumonia	M	12	2	3	2	1	—	—	2	3	2	13	—	4	—	—	—	3	1	3	—		
	F	16	—	2	—	—	—	—	2	3	9	13	2	1	—	—	—	1	5	4	—		
Bronchitis	M	24	—	—	—	—	—	—	14	4	6	36	—	—	—	—	—	10	16	10	—		
	F	15	—	1	—	—	—	—	8	6	17	3	—	—	—	—	—	3	5	8	—		
Other diseases of respiratory system	M	3	—	—	—	—	—	—	1	1	1	1	—	1	—	—	—	—	2	1	—		
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Ulcer of stomach and duodenum	M	8	—	—	—	—	—	2	6	—	—	9	—	—	—	—	—	2	6	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Gastritis, enteritis and diarrhoea	M	3	—	1	—	—	—	1	—	1	—	1	—	1	—	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—	—		
Nephritis and nephrosis	M	5	—	—	—	—	—	1	2	2	—	2	—	—	—	—	—	—	—	—	1		
	F	6	—	—	—	—	—	1	2	2	1	2	—	—	—	—	—	1	1	2	—		
Hyperplasia of prostate	M	5	—	—	—	—	—	—	1	2	2	8	—	—	—	—	—	1	1	2	5		
Pregnancy, childbirth, abortion	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Congenital malformations	M	4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	6	1	2	—	—	—	2	1	—	—	3	2	—	—	—	—	—	—	—	—		
Other defined and illdefined dis.	M	30	10	—	—	2	1	3	8	1	5	27	13	—	—	—	—	3	3	3	5		
	F	28	3	—	—	1	1	4	10	3	6	30	6	—	—	—	—	1	6	5	12		
Motor vehicle accidents	M	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	—	—	1		
	F	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
All other accidents	M	11	—	—	—	2	—	—	4	—	—	1	—	—	—	—	—	2	1	—	2		
	F	6	—	—	—	—	—	—	2	3	1	7	—	2	—	—	—	—	—	—	5		
Suicide	M	4	—	—	—	—	1	3	—	—	—	8	—	—	—	—	2	2	—	1	1		
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—		
Homicide, operations of war	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		COVENTRY											CROYDON										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes		M F	1516 1169	64 52	21 17	21 13	13 6	12 14	119 74	471 224	428 330	367 439	1432 1542	23 24	8 14	15 12	5 8	12 9	67 60	358 274	445 394		
1	Tuberculosis respiratory	M F	56 19	— —	— —	— —	— —	— 4	19 12	27 6	8 1	2 —	37 15	— —	— —	— —	1 —	1 7	8 5	18 2	8 2		
2	Tuberculosis other	M F	10 —	— —	— —	3 —	— —	— —	— —	— —	— —	— —	7 5	— —	1 —	1 —	2 2	1 2	1 —	1 —	—		
3	Syphilitic disease	M F	13 —	— —	— —	— —	— —	— —	2 —	6 —	5 —	— —	9 5	— —	— —	— —	— —	1 —	2 —	3 —	—		
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—		
5	Whooping cough]	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 2	— —	1 —	— —	— —	— —	— —	— —	—		
6	Meningococcal infections	M F	2 1	— —	1 —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	—		
7	Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	1 —	1 —	— —	—		
8	Measles	M F	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	1 —	— —	— —	— —	— —	— —	—		
9	Other infective, etc., diseases	M F	2 3	— —	1 —	— —	— —	— —	1 2	— 8	— 8	— 13	2 34	— —	— —	— —	— —	— —	1 10	1 16	— 15		
10	Malignant neoplasm: stomach	M F	31 29	— —	— —	— —	— —	— —	2 1	8 6	8 10	13 12	34 36	— —	— —	— —	— —	2 —	7 —	27 15	—		
11	lung, bronchus	M F	56 12	— —	— —	— —	— —	— —	6 1	36 5	12 5	2 —	72 11	— —	— —	— —	— —	4 1	39 5	21 2	—		
12	breast	M F	31 17	— —	— —	— —	— —	— —	5 3	14 8	4 5	8 1	53 23	— —	— —	— —	— —	8 2	20 12	17 8	—		
13	uterus	M F	146 84	— —	— —	2 1	1 —	— —	12 7	52 37	50 23	29 14	124 125	— —	— —	— —	1 —	7 9	30 40	50 25	—		
14	Other malignant and lymphatic neoplasms	M F	2 3	— —	— —	— —	— —	— —	1 —	2 —	— —	— —	9 —	— —	1 —	1 —	— —	2 1	1 —	4 —	—		
15	Leukæmia, aleukæmia	M F	7 9	— —	— —	— —	— —	— —	1 6	3 45	3 58	7 50	— 129	— —	— —	— —	— —	— —	— —	— —	—		
16	Diabetes	M F	159 172	— —	— —	— —	— —	— —	1 31	53 53	87 —	216 —	— —	— —	— —	— —	— —	1 3	28 33	40 71	—		
17	Vascular lesions of nervous system	M F	199 99	— —	— —	— —	— —	— —	9 1	76 17	69 46	45 35	213 133	— —	— —	— —	— —	5 —	63 32	82 48	—		
18	Coronary disease, angina	M F	40 49	— —	— —	— —	— —	— —	1 —	11 11	14 22	14 16	57 45	— —	— —	— —	— —	13 —	20 8	— —	—		
19	Hypertension with heart disease	M F	224 234	— —	— —	— —	1 —	2 1	8 7	44 28	69 52	100 146	263 403	— —	— —	— —	— —	2 1	5 1	27 26	70 84		
20	Other heart disease	M F	28 36	— —	— —	— —	— —	— —	2 1	6 8	9 8	11 19	49 72	— —	— —	— —	— —	1 14	9 19	14 —	—		
21	Other circulatory disease	M F	46 29	— —	— —	1 —	— —	1 —	3 2	17 8	7 12	33 29	— —	— —	1 —	— —	— —	2 8	11 6	— —	—		
22	Influenza	M F	77 65	7 3	6 9	3 —	— —	— —	5 2	16 7	23 20	17 18	55 61	3 2	3 7	2 —	— —	1 2	11 2	20 13	—		
23	Pneumonia	M F	92 61	— —	— —	1 —	— —	— —	2 1	29 6	28 18	33 35	114 82	— —	1 —	— —	— —	1 2	33 13	39 23	—		
24	Bronchitis	M F	19 7	— —	— —	— —	— —	— —	2 1	10 4	5 —	2 —	11 7	— —	— —	— —	— —	2 2	4 3	— —	—		
25	Other diseases of respiratory system	M F	16 4	— —	— —	— —	— —	— —	2 1	8 1	6 —	2 —	33 6	— —	— —	— —	— —	— —	14 2	10 —	—		
26	Ulcer of stomach and duodenum	M F	5 —	— —	2 1	— —	— —	— —	— —	— —	— —	— —	3 10	— —	2 —	— —	— —	— —	— —	— —	—		
27	Gastritis, enteritis and diarrhoea	M F	21 17	— —	— —	2 —	1 —	1 —	7 2	11 7	3 —	1 —	14 16	— —	— —	— —	— —	4 4	5 3	5 —	—		
28	Nephritis and nephrosis	M F	16 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	21 3	— —	— —	— —	— —	— —	— —	— —	—		
29	Hyperplasia of prostate	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—		
30	Pregnancy, childbirth, abortion	M F	11 15	5 2	4 2	— —	1 —	— —	— —	— —	— —	— —	11 13	3 1	1 2	1 —	1 —	1 3	3 4	1 —	—		
31	Congenital malformations	M F	153 110	51 42	2 2	5 —	3 —	3 —	9 5	37 13	22 25	21 20	82 108	17 21	2 2	2 —	3 —	6 7	24 27	19 18	—		
32	Other defined and ildefined dis.	M F	28 11	— —	— —	2 —	3 —	3 —	7 2	5 2	8 —	— —	9 4	— —	— —	— —	— —	— —	— —	— —	—		
33	Motor vehicle accidents	M F	36 28	— —	— —	— —	— —	— —	2 —	11 5	2 —	6 13	18 26	— —	— —	— —	— —	— —	— —	— —	—		
34	All other accidents	M F	18 16	— —	— —	— —	— —	— —	5 5	7 3	2 —	1 —	17 15	— —	— —	— —	— —	— —	— —	— —	—		
35	Suicide	M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—		
36	Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—		

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		DARLINGTON											DERBY										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	557 494	14 6	5 12	4 3	5 2	7 3	34 25	165 91	148 132	175 220	1003 863	23 16	16 11	9 12	3 4	10 5	55 40	280 151	275 227	332 397		
Tuberculosis respiratory	M F	17 11	— —	— —	— —	— —	1 2	5 3	9 4	2 2	— —	35 14	— —	— —	— —	1 3	4 5	7 3	16 3	6 1	2 1		
Tuberculosis other	M F	7 1	— —	— —	2 —	1 —	1 —	1 —	1 —	1 —	— —	1 2	— —	— —	1 —	— —	— —	— —	1 —	— —	— —		
Syphilitic disease	M F	1 1	— —	— —	— —	— —	— —	— —	1 —	— —	— —	9 4	— —	— —	— —	— —	— —	— —	6 3	3 1	— —		
Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Meningococcal infections	M F	— 2	— —	— 1	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —		
Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Other infective, etc., diseases	M F	2 1	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— 3	— —	— —	— —	— —	— —	— —	2 9	1 5	— —		
Malignant neoplasm: stomach	M F	20 16	— —	— —	— —	— —	— —	2 —	5 7	9 3	4 6	24 19	— —	— —	— —	— —	— —	1 5	2 5	1 8	5 —		
lung, bronchus	M F	18 3	— —	— —	— —	— —	— —	3 —	11 1	4 1	— —	32 5	— —	— —	— —	— —	1 —	20 2	9 3	2 —	— —		
breast	M F	— 19	— —	— —	— —	— —	— —	— —	— 1	— 9	— 5	— 4	— 21	— —	— —	— —	— —	2 6	10 5	3 4	— —		
uterus	M F	— 10	— —	— —	— —	— —	— —	— —	— 4	— 1	— 3	— 2	— 13	— —	— —	— —	— —	— 4	— —	— —	— —		
Other malignant and lymphatic neoplasms	M F	40 24	— —	— —	— —	2 —	2 —	10 3	12 11	14 7	75 33	71 5	— —	2 3	— —	1 —	8 6	22 16	23 23	19 23	23 19		
Leukæmia, aleukæmia	M F	2 —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	3 3	— —	— —	— —	— —	— —	2 2	1 1	1 —	— —		
Diabetes	M F	3 7	— —	— —	— —	— —	— —	— —	2 2	— 2	1 3	5 8	— —	— —	— —	— —	1 —	— 1	2 6	2 1	— —		
Vascular lesions of nervous system	M F	73 87	— —	— —	— —	— —	— —	— 1	14 8	26 28	33 50	102 128	— —	— —	— —	— —	3 5	14 29	35 42	50 57	— —		
Coronary disease, angina	M F	103 55	— —	— —	— —	— —	— —	3 4	42 10	37 23	21 18	128 74	— —	— —	— —	— —	5 —	44 10	44 14	35 10	— —		
Hypertension with heart disease	M F	13 11	— —	— —	— —	— —	— —	— —	5 4	3 7	5 —	34 40	— —	— —	— —	— —	— —	10 4	14 10	26 26	— —		
Other heart disease	M F	58 73	— —	— —	— —	— —	— —	1 1	13 6	14 17	30 49	144 141	— —	— —	1 —	— —	6 5	28 15	41 35	68 85	— —		
Other circulatory disease	M F	14 15	— —	— —	— —	— —	— 1	— —	2 1	1 6	10 4	46 57	— —	— —	— —	— —	— 1	8 7	11 9	27 40	— —		
Influenza	M F	8 11	— —	1 —	— —	— —	— 1	1 —	1 3	2 2	3 5	24 33	— —	— —	— —	— —	— —	3 7	7 3	11 6	— —		
Pneumonia	M F	11 20	2 —	1 7	— —	— —	— —	— —	4 1	1 5	3 7	66 52	4 —	7 7	3 4	— —	— —	3 2	20 4	11 9	18 26		
Bronchitis	M F	43 37	— —	— —	— —	— —	1 —	— —	16 7	15 9	11 21	72 36	— —	1 —	— —	— —	— —	2 1	23 6	21 8	25 21		
Other diseases of respiratory system	M F	6 —	— —	— —	— —	— —	— —	— 1	— 1	— 2	— 2	— 9	— —	— —	— —	— —	— —	— 1	9 3	4 3	— —		
Ulcer of stomach and duodenum	M F	9 2	— —	— —	— —	— —	— —	1 —	5 1	2 —	1 —	27 5	— —	— —	— —	— —	— —	14 3	7 1	6 1	— —		
Gastritis, enteritis and diarrhoea	M F	4 —	— —	2 —	— —	— —	— —	— —	— —	2 —	— —	4 2	— —	1 —	— —	— —	— —	— —	— 1	1 —	2 —		
Nephritis and nephrosis	M F	11 5	— —	— —	— —	— —	— —	4 1	4 —	— —	3 —	12 6	— —	— —	— —	1 —	2 1	5 2	3 7	1 —	— —		
Hyperplasia of prostate	M	15	—	—	—	—	—	—	—	3	12	18	—	—	—	—	—	—	—	—	—		
Pregnancy, childbirth, abortion.	F	4	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	1	2	7	10		
Congenital malformations	M F	4 3	3 —	1 2	— —	— —	— —	— —	1 —	— —	— —	5 11	2 5	2 1	— —	— —	1 —	— —	— —	— —	— —		
Other defined and illdefined dis.	M F	59 58	9 6	— —	1 2	1 —	1 —	5 2	13 10	9 10	20 26	87 84	16 11	3 1	3 —	— —	1 8	5 15	15 12	29 34	— —		
Motor vehicle accidents	M F	5 2	— —	— —	— —	1 —	— —	1 —	3 1	— —	— —	5 2	— —	— —	— —	1 —	1 —	— —	1 —	1 —	— —		
All other accidents	M F	11 10	— —	— 2	1 —	1 —	— —	2 —	3 2	1 —	3 6	13 16	1 —	1 —	— —	1 —	1 —	3 1	3 2	3 11	— —		
Suicide	M F	4 —	— —	— —	— —	— —	— —	1 —	1 —	2 —	— —	14 3	— —	— —	— —	— —	— —	5 1	6 2	2 —	1 —		
Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		DEWSBURY											DONCASTER																
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-
All Causes	M	374	11	8	1	1	4	17	104	115	113	564	9	12	3	—	14	28	178	151									
	F	391	7	8	1	2	4	14	69	118	168	417	13	7	3	2	4	29	86	119									
1 Tuberculosis	M	10	—	—	—	—	—	3	5	2	—	17	—	—	—	—	1	4	11	1									
respiratory	F	7	—	—	—	—	3	3	1	—	—	6	—	—	—	—	—	4	2	—									
2 Tuberculosis	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—									
other	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—									
3 Syphilitic disease	M	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	1									
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—									
4 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
5 Whooping cough	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
	F	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
6 Meningococcal	M	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—									
infections	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—									
7 Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—									
8 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
9 Other infective, etc.,	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—									
diseases	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
10 Malignant neoplasm:	M	6	—	—	—	—	—	—	3	2	1	20	—	—	—	—	—	2	13	3									
stomach	F	8	—	—	—	—	1	—	2	4	1	11	—	—	—	—	—	—	3	6									
11 lung, bronchus	M	10	—	—	—	—	—	—	6	3	1	23	—	—	—	—	—	2	14	6									
	F	2	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	—	—									
12 breast	M	10	—	—	—	—	—	—	—	—	—	14	—	—	—	—	—	2	6	5									
	F	6	—	—	—	—	—	—	4	1	2	9	—	—	—	—	—	1	7	1									
13 uterus	M	30	—	—	—	—	—	1	9	11	9	45	—	—	1	—	1	4	15	12									
Other malignant and	F	34	—	—	—	—	—	1	14	6	13	31	—	—	2	2	—	3	10	11									
lymphatic neoplasms	M	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—									
15 Leukæmia,	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
aleukæmia	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
16 Diabetes	M	2	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	—	2									
	F	44	—	—	—	—	—	—	5	23	—	3	—	—	—	—	—	—	1	2									
17 Vascular lesions of	M	69	—	—	—	—	—	2	5	21	41	59	—	1	—	—	—	—	11	19									
nervous system	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
18 Coronary disease,	M	50	—	—	—	—	—	3	20	16	11	72	—	—	—	—	2	26	28										
angina	F	34	—	—	—	—	—	—	9	17	8	29	—	—	—	—	—	3	17	10									
19 Hypertension with	M	11	—	—	—	—	—	—	1	6	4	19	—	—	—	—	—	2	2	7									
heart disease	F	14	—	—	—	—	—	—	3	7	4	20	—	—	—	—	—	1	1	1									
20 Other heart disease	M	68	—	—	—	—	—	3	10	19	36	71	—	—	—	—	—	1	12	23									
	F	76	—	—	—	—	—	2	12	25	37	74	—	—	—	—	—	4	10	18									
21 Other circulatory	M	12	—	—	—	—	—	1	3	3	5	28	—	—	—	—	—	3	4	6									
disease	F	12	—	—	—	—	—	—	2	3	7	20	—	—	—	—	—	2	2	5									
22 Influenza	M	9	—	—	—	—	—	—	2	3	4	22	—	—	—	—	1	—	10	6									
	F	10	—	—	—	—	—	—	1	8	1	15	—	—	—	—	—	3	3	2									
23 Pneumonia	M	18	1	1	—	—	—	—	4	3	9	19	1	—	—	—	—	—	4	3									
	F	21	2	4	1	—	—	—	—	2	12	11	—	2	—	—	—	—	—	5									
24 Bronchitis	M	34	—	—	—	—	1	1	13	13	6	60	—	—	—	—	2	19	17										
	F	26	—	—	—	—	—	—	4	8	14	22	—	—	—	1	—	1	2	8									
25 Other diseases of	M	3	—	—	—	—	—	—	1	1	—	8	—	—	—	—	—	—	2	3									
respiratory system	F	2	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	1	—	1									
26 Ulcer of stomach	M	7	—	—	—	—	—	—	4	2	1	9	—	—	—	—	—	—	6	2									
and duodenum	F	4	—	—	—	—	—	—	—	3	—	2	—	—	—	—	—	—	1	—									
27 Gastritis, enteritis	M	4	1	3	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1									
and diarrhœa	F	2	1	1	—	—	—	—	—	—	—	3	—	1	—	—	—	—	—	1									
28 Nephritis and	M	4	—	—	—	—	—	—	1	2	1	6	—	—	—	—	1	—	3	2									
nephrosis	F	9	—	—	—	—	—	—	—	4	4	6	—	—	—	—	—	—	2	2									
29 Hyperplasia of prostate	M	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	1	2									
30 Pregnancy, childbirth,	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—									
abortion	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
31 Congenital	M	1	—	1	—	—	—	—	—	—	—	5	—	4	—	—	—	—	1	—									
malformations	F	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—									
32 Other defined and	M	30	9	1	—	1	2	2	7	5	5	35	1	—	—	—	1	6	10	7									
illdefined dis.	F	29	3	—	—	—	—	—	4	3	16	54	12	2	1	—	—	—	12	8									
33 Motor vehicle	M	2	—	—	—	—	1	—	1	—	—	3	—	—	—	—	—	2	1	2									
accidents	F	9	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—									
34 All other accidents	M	4	—	1	—	1	—	—	4	—	2	20	—	—	—	—	—	4	3	5									
	F	9	—	—	—	—	—	—	—	1	3	9	—	—	—	—	—	—	—	1									
35 Suicide	M	5	—	—	—	—																							

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		DUDLEY											EASTBOURNE										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	404 324	8 5	8 4	4 3	3 6	8 8	22 22	113 77	122 63	116 136	406 501	3 2	— 1	2 1	2 1	1 3	10 12	75 69	126 114	187 298		
Tuberculosis respiratory	M F	15 10	— —	— —	— —	1 —	1 5	6 2	7 3	— —	— —	11 12	— —	— —	— —	— —	— —	2 4	4 4	5 2	— —		
Tuberculosis other	M F	3 5	— —	1 1	1 —	— 3	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —		
Syphilitic disease	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —		
Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Other infective, etc., diseases	M F	1 2	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —		
Malignant neoplasm: stomach	M F	19 7	— —	— —	— —	— —	— —	— —	1 1	6 4	10 1	2 2	11 —	— —	— —	— —	— —	1 —	4 —	2 2	1 4		
lung, bronchus	M F	11 2	— —	— —	— —	— —	— —	— —	1 —	6 1	4 —	15 5	— —	— —	— —	— —	— —	9 3	5 1	1 1	— —		
breast	M F	7 6	— —	— —	— —	— —	— —	— —	1 1	4 4	2 1	17 10	— —	— —	— —	— —	— —	1 5	9 3	6 1	1 1		
uterus	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Other malignant and lymphatic neoplasms	M F	30 25	— —	— —	— —	— —	1 —	1 3	11 9	13 6	5 6	34 34	— —	— —	— —	1 —	— —	1 11	5 11	15 11	12 12		
Leukæmia, aleukæmia	M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Diabetes	M F	2 2	— —	— —	— —	— —	— —	— —	— —	2 —	— —	3 3	— —	— —	— —	— —	— —	— —	1 —	1 —	1 —		
Vascular lesions of nervous system	M F	36 38	— —	1 —	— —	— —	— —	— —	2 9	11 9	13 19	75 118	— —	— —	— —	— —	— —	1 7	8 26	18 49	49 84		
Coronary disease, angina	M F	30 16	— —	— —	— —	— —	— —	— —	11 2	14 2	5 12	55 45	— —	— —	— —	— —	— —	9 7	26 16	20 21	— —		
Hypertension with heart disease	M F	7 10	— —	— —	— —	— —	— —	— —	— —	2 3	4 6	11 11	— —	— —	— —	— —	— —	3 3	3 3	5 8	— —		
Other heart disease	M F	59 72	— —	— —	— —	— —	— —	1 2	2 10	23 10	33 50	82 147	— —	— —	— —	— —	— —	7 6	27 22	48 118	— —		
Other circulatory disease	M F	10 7	— —	— —	— —	— —	— —	— —	4 2	4 2	4 3	15 14	— —	— —	— —	— —	— —	2 1	4 3	9 9	— —		
Influenza	M F	15 17	— —	1 —	— —	— —	1 —	— 2	5 2	5 8	2 4	3 4	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Pneumonia	M F	14 9	1 —	1 1	1 —	— —	— —	— —	9 2	1 —	4 —	14 10	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Bronchitis	M F	61 26	— —	2 1	— —	— —	— —	— —	22 8	21 7	15 10	11 —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Other diseases of respiratory system	M F	5 3	— —	— —	— —	— —	— —	— —	1 3	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Ulcer of stomach and duodenum	M F	4 1	— —	— —	— —	— —	— —	— —	1 —	3 —	— —	8 —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Gastritis, enteritis and diarrhoea	M F	1 1	— —	1 1	— —	— —	— —	— —	— —	— —	— —	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Nephritis and nephrosis	M F	6 7	— —	— —	— —	— —	1 —	2 1	1 2	3 —	1 —	3 6	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Hyperplasia of prostate	M F	4 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Pregnancy, childbirth, abortion	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Congenital malformations	M F	5 2	2 1	— —	1 —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Other defined and illdefined dis.	M F	41 35	4 4	1 —	— —	1 —	2 —	1 4	5 5	6 1	21 20	26 32	2 —	— —	1 —	— —	— —	— —	— —	— —	— —		
Motor vehicle accidents	M F	3 4	— —	— —	— —	— —	2 —	1 —	— —	— —	— —	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
All other accidents	M F	14 3	1 —	— —	— —	— —	1 —	2 —	4 —	2 —	3 3	6 8	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Suicide	M F	7 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		EAST HAM											EXETER										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes	M F	758 675	7 17	3 5	3 6	5 1	2 7	39 37	212 128	221 192	266 282	531 529	13 11	7 2	2 1	2 —	4 2	34 21	142 84	141 130			
1 Tuberculosis	M F	13 16	— —	— —	— —	— —	— 2	1 7	9 4	3 1	— 2	9 5	— —	— —	— —	— —	— —	2 3	6 1	1 —			
2 Tuberculosis	M F	3 4	— —	— —	1 3	— —	— 1	1 —	1 —	— —	— —	2 3	— —	— —	— —	— —	— —	1 2	1 —	— —			
3 Syphilitic disease	M F	8 2	— —	— —	— —	— —	— —	— 1	3 —	3 —	2 1	3 —	— —	— —	— —	— —	— —	— —	1 —	— —			
4 Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
5 Whooping cough	M F	— 1	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
6 Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —			
7 Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
8 Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
9 Other infective, etc., diseases	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —	1 —	— —			
10 Malignant neoplasm: stomach	M F	36 22	— —	— —	— —	— —	— —	4 —	18 5	8 9	6 8	13 15	— —	— —	— —	— —	2 —	3 4	4 4	— —			
11 lung, bronchus	M F	41 9	— —	— —	— —	— —	— —	1 —	19 6	16 2	5 —	17 4	— —	— —	— —	— —	2 —	9 2	6 1	— —			
12 breast	M F	— 21	— —	— —	— —	— —	— —	— 4	— 8	— 5	— 4	— 21	— —	— —	— —	— —	— —	— —	1 6	10 —			
13 uterus	M F	— 16	— —	— —	— —	— —	— —	— —	8 6	— 2	— —	— 8	— —	— —	— —	— —	— —	— —	3 3	— —			
14 Other malignant and lymphatic neoplasms	M F	73 53	— —	— —	— —	2 —	1 2	4 3	19 17	20 21	27 10	60 39	— —	— —	— —	— —	6 4	19 11	22 8	— —			
15 Leukæmia, aleukæmia	M F	6 6	— —	1 —	— —	— —	— —	3 —	1 3	— 2	1 —	1 1	— —	— —	— —	— —	— —	1 1	— —	— —			
16 Diabetes	M F	2 10	— —	— —	— —	— —	— —	— 1	1 2	1 5	— 2	2 3	— —	— —	— —	— —	— —	— —	1 1	— —			
17 Vascular lesions of nervous system	M F	62 78	— —	— —	— —	— —	— —	1 1	14 10	22 25	25 42	63 79	— —	— —	— —	— —	1 —	2 16	16 21	— —			
18 Coronary disease, angina	M F	112 42	— —	— —	— —	— —	— —	1 —	44 5	44 19	23 17	70 45	— —	— —	— —	— —	3 —	20 23	17 8	— —			
19 Hypertension with heart disease	M F	19 52	— —	— —	— —	— —	— —	1 —	4 6	7 26	7 20	14 22	— —	— —	— —	— —	— —	3 6	5 7	— —			
20 Other heart disease	M F	96 137	— —	— —	— —	1 —	— —	3 4	15 20	18 33	59 80	96 119	— —	— —	— —	— —	— —	2 10	14 18	29 34			
21 Other circulatory disease	M F	23 30	— —	— —	— —	— —	— —	— —	5 4	8 8	10 18	15 19	— —	— —	— —	— —	1 —	3 1	4 6	— —			
22 Influenza	M F	19 8	— —	— —	— —	— —	— —	1 —	3 —	6 1	9 7	11 18	— —	— —	— —	— —	— —	3 4	4 3	— —			
23 Pneumonia	M F	43 28	— —	2 1	— —	— —	— —	1 —	9 4	13 7	18 16	17 15	— 1	2 —	— —	— —	1 —	2 3	3 5	— —			
24 Bronchitis	M F	78 44	— —	— —	— —	— —	— —	— 5	20 6	27 12	26 3	25 22	— —	— —	1 —	— —	— —	7 3	10 4	— —			
25 Other diseases of respiratory system	M F	10 1	— —	— —	— —	— —	— —	— 1	3 —	2 1	3 —	5 6	— —	— —	— —	— —	— —	1 1	3 1	— —			
26 Ulcer of stomach and duodenum	M F	19 2	— —	— —	— —	— —	— —	— 1	7 —	8 —	3 2	13 3	— —	— —	— —	— —	— —	1 —	8 2	2 —			
27 Gastritis, enteritis and diarrhoea	M F	1 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —			
28 Nephritis and nephrosis	M F	5 5	— —	— —	— —	— —	— —	— 1	3 4	1 —	— —	9 3	— —	— —	— —	— —	— —	1 —	4 1	3 —			
29 Hyperplasia of prostate	M F	15 1	— —	— —	— —	— —	— —	— —	— —	3 —	12 —	17 —	— —	— —	— —	— —	— —	— —	2 —	5 —			
30 Pregnancy, childbirth, abortion	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
31 Congenital malformations	M F	4 10	— 6	1 1	— —	— —	— —	1 —	2 1	— —	— —	3 5	— 2	1 —	— —	— —	— —	1 1	1 7	— —			
32 Other defined and ildefined dis.	M F	42 59	7 11	— 1	— 1	2 —	— —	3 6	6 11	7 7	17 22	41 54	13 8	3 —	— —	— —	1 —	1 2	7 10	7 10			
33 Motor vehicle accidents	M F	5 6	— —	— —	— —	— —	1 1	— 1	1 —	— —	2 2	6 11	— —	— —	1 —	— —	— —	3 1	1 —	— —			
34 All other accidents	M F	18 7	— —	— —	— —	— —	— —	3 1	4 —	2 —	9 4	11 13	— —	1 —	— —	— —	— —	6 2	2 2	— —			
35 Suicide	M F	4 4	— —	— —	— —	— —	— —	— —	1 3	— —	2 —	4 2	— —	— —	— —	— —	— —	— —	1 —	— —			
36 Homicide, operations of war	M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		GATESHEAD											GLOUCESTER										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M	802	29	19	6	6	8	51	235	200	248	443	16	6	4	5	7	29	132	106	138		
	F	718	25	23	11	3	12	41	167	173	263	374	12	7	4	2	5	19	75	68	182		
Tuberculosis	M	29	—	—	—	—	3	8	15	3	—	22	—	—	—	—	3	7	8	3	1		
respiratory	F	18	—	—	1	—	6	7	4	—	—	4	—	—	—	—	1	3	—	—	—		
Tuberculosis	M	4	—	1	—	—	—	2	1	—	—	6	—	—	—	—	—	1	—	—	—		
other	F	7	—	—	2	—	2	1	—	1	1	—	—	—	1	2	1	1	—	—	—		
Syphilitic disease	M	5	—	—	—	—	—	—	4	1	—	2	—	—	—	—	1	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Meningococcal	M	1	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—		
infections	F	4	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Acute poliomyelitis	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other infective, etc.,	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—		
diseases	F	3	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—		
Malignant neoplasm:	M	19	—	—	—	—	—	1	8	7	3	13	—	—	—	—	—	1	5	6	1		
stomach	F	23	—	—	—	—	—	—	10	5	8	11	—	—	—	—	—	2	3	4	2		
lung, bronchus	M	23	—	—	—	—	—	—	14	8	1	18	—	—	—	—	—	13	5	—	—		
	F	8	—	—	—	—	—	—	6	—	—	2	—	—	—	—	—	1	1	—	—		
breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	18	—	—	—	—	—	4	10	1	3	6	—	—	—	—	2	1	2	1	—		
uterus	M	13	—	—	—	—	—	—	10	2	1	8	—	—	—	—	—	4	1	3	—		
Other malignant and	M	66	—	—	1	—	—	3	22	16	24	40	—	—	1	—	—	15	12	12	—		
lymphatic neoplasms	F	36	—	—	1	—	—	3	15	8	9	20	—	—	—	—	—	1	8	3	8		
Leukæmia,	M	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
aleukæmia	F	4	—	—	—	2	—	—	1	1	—	4	—	—	1	—	—	1	1	—	1		
Diabetes	M	4	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—		
	F	8	—	—	—	—	—	—	3	—	5	3	—	—	—	—	—	—	—	—	3		
Vascular lesions of	M	93	—	—	—	—	—	1	24	25	43	50	—	—	—	1	—	—	14	14	21		
nervous system	F	99	—	1	—	—	—	2	24	28	44	55	—	—	—	—	1	—	14	10	30		
Coronary disease,	M	104	—	—	—	—	—	5	38	38	23	47	—	—	—	—	2	21	12	12	10		
angina	F	65	—	—	—	—	—	1	11	31	22	20	—	—	—	—	—	4	6	10	—		
Hypertension with	M	18	—	—	—	—	—	—	5	9	3	14	—	—	—	—	—	1	8	5	—		
heart disease	F	22	—	—	—	—	—	—	6	9	7	11	—	—	—	—	—	1	7	3	—		
Other heart disease	M	123	—	—	—	—	1	3	23	33	63	74	—	—	—	1	1	2	12	20	38		
	F	144	—	—	—	—	—	8	23	40	73	84	—	—	—	—	1	10	15	58	—		
Other circulatory	M	33	—	—	—	—	—	2	11	18	8	—	—	—	—	—	—	1	1	6	—		
disease	F	30	—	—	—	—	—	5	11	14	20	—	—	—	—	—	1	4	2	13	—		
Influenza	M	21	—	—	—	—	—	1	7	3	10	6	—	—	—	—	—	—	1	4	1		
	F	30	—	—	—	—	—	—	5	8	15	13	—	—	—	—	—	—	4	2	7		
Pneumonia	M	46	2	11	—	—	—	1	12	8	12	18	—	3	—	1	—	1	9	2	1		
	F	18	2	3	1	—	—	1	3	2	6	20	—	3	2	—	—	1	2	2	10		
Bronchitis	M	59	—	1	1	—	—	—	28	18	11	31	—	—	—	—	—	1	8	9	13		
	F	32	—	—	—	—	—	—	7	7	17	15	—	—	—	—	—	2	2	11	—		
Other diseases of	M	6	—	—	—	—	—	1	2	1	2	7	—	—	—	—	—	1	5	—	—		
respiratory system	F	7	1	—	1	—	—	1	1	—	3	5	—	—	—	2	—	—	1	1	1		
Ulcer of stomach	M	12	—	—	—	—	—	—	1	7	2	8	—	—	—	—	—	1	5	2	—		
and duodenum	F	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	1	1	—		
Gastritis, enteritis	M	3	1	2	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	2	—		
and diarrhoea	F	4	—	3	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	1		
Nephritis and	M	3	—	—	—	—	1	—	2	—	—	6	—	—	—	—	1	1	2	1	3		
nephrosis	F	6	—	—	—	—	—	2	—	3	—	7	—	—	—	—	—	—	—	—	—		
Hyperplasia of prostate	M	13	—	—	—	—	—	—	1	2	10	7	—	—	—	—	—	—	—	1	6		
Pregnancy, childbirth,	F	3	—	—	—	—	1	2	—	—	—	1	—	—	—	—	—	—	—	—	—		
abortion																							
Congenital	M	12	7	2	1	—	—	2	—	—	—	7	4	—	—	—	—	1	2	—	—		
malformations	F	13	5	4	1	—	1	1	1	—	—	5	1	3	1	—	—	—	—	—	—		
Other defined and	M	64	19	1	—	—	1	7	10	9	17	43	12	1	—	—	—	6	6	3	15		
illdefined dis.	F	84	16	7	—	2	—	5	17	14	23	40	10	—	—	—	1	5	6	4	14		
Motor vehicle	M	13	—	—	1	1	2	3	3	3	—	3	—	—	—	—	—	1	—	1	1		
accidents	F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—		
All other accidents	M	16	—	—	—	4	—	5	3	—	4	6	—	1	1	1	—	1	—	—	—		
	F	12	—	—	—	—	—	1	1	1	9	7	—	1	—	1	—	1	2	—	2		
Suicide	M	7	—	—	—	—	—	1	3	2	1	2	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	6	—	—	—	—	—	1	2	2	1		
Homicide, operations	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
of war	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		GREAT YARMOUTH											GRIMSBY										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes		M F	364 403	10 4	5 3	2 1	2 2	— 5	15 13	87 68	112 100	131 207	577 552	18 21	11 10	4 4	4 4	4 7	42 21	162 112	171 118	1 2	
1	Tuberculosis	M F	9 6	— —	— —	— —	— —	— 2	3 2	5 2	1 —	— —	34 12	— —	— —	— —	— —	1 1	11 7	16 1	5 2		
2	Tuberculosis other	M F	1 2	— —	— —	— —	1 —	— —	— 1	— —	— 1	— —	4 4	— —	— —	2 —	1 —	2 —	1 1	— —	— —		
3	Syphilitic disease	M F	3 1	— —	— —	— —	— —	— —	— —	1 —	1 —	1 1	5 3	1 —	— —	— —	— —	1 —	1 2	2 —	— —		
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —		
5	Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
6	Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
7	Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
8	Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
9	Other infective, etc., diseases	M F	— 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —	1 1	— —	— —	— —	1 —	— —	— —	— —	— —		
10	Malignant neoplasm: stomach	M F	9 10	— —	— —	— —	— —	— —	3 6	3 1	3 2	10 9	— —	— —	— —	— —	— —	— —	5 4	4 4	— —		
11	lung, bronchus	M F	12 3	— —	— —	— —	— —	— —	1 7	7 3	4 —	— —	24 4	— —	— —	— —	— —	— —	13 3	9 3	— —		
12	breast	M F	20 7	— —	— —	— —	— —	— —	7 3	8 1	5 3	11 7	— —	— —	— —	— —	— —	— —	7 3	3 2	— —		
13	uterus	M F	22 32	— —	— —	— —	— —	— 1	8 2	6 5	7 15	54 40	— —	— —	— —	— —	— —	— —	17 13	18 12	— —		
14	Other malignant and lymphatic neoplasms	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
15	Leukæmia, aleukæmia	M F	3 1	— —	— —	— —	— —	— —	— —	2 —	1 —	1 6	— —	— —	— —	— —	— —	— —	— —	— —	— —		
16	Diabetes	M F	35 61	— —	— —	— —	— —	— —	7 9	11 21	17 31	61 79	— —	— —	— —	— —	— —	— —	2 16	9 20	26 20		
17	Vascular lesions of nervous system	M F	65 44	— —	— —	— —	— —	— —	1 6	20 12	31 26	13 43	— —	— —	— —	— —	— —	— —	1 10	5 18	— —		
18	Coronary disease, angina	M F	8 7	— —	— —	— —	— —	— —	3 3	4 1	1 3	17 20	— —	— —	— —	— —	— —	— —	— —	— —	— —		
19	Hypertension with heart disease	M F	64 84	— —	— —	— —	— —	— —	5 5	20 18	38 61	63 98	— —	— —	— —	— —	— —	— —	3 12	13 15	25 15		
20	Other heart disease	M F	11 17	— —	— —	— —	— —	— —	2 2	4 4	11 11	40 40	— —	— —	— —	— —	— —	— —	— —	— —	— —		
21	Other circulatory disease	M F	8 13	— —	— —	— —	— —	— —	1 4	2 6	1 5	4 8	11 8	— —	— —	— —	— —	— —	— —	— —	— —		
22	Influenza	M F	16 6	— —	— —	— —	— —	— —	4 1	6 1	5 1	19 24	— —	— —	— —	— —	— —	— —	— —	— —	— —		
23	Pneumonia	M F	29 25	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
24	Bronchitis	M F	5 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
25	Other diseases of respiratory system	M F	4 1	— —	— —	— —	— —	— —	1 1	2 —	1 —	— —	8 3	— —	— —	— —	— —	— —	— —	— —	— —		
26	Ulcer of stomach and duodenum	M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
27	Gastritis, enteritis and diarrhoea	M F	4 7	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
28	Nephritis and nephrosis	M F	10 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
29	Hyperplasia of prostate	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
30	Pregnancy, childbirth, abortion	M F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
31	Congenital malformations	M F	30 35	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
32	Other defined and illdefined dis.	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
33	Motor vehicle accidents	M F	11 12	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
34	All other accidents	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
35	Suicide	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
36	Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		HALIFAX											HASTINGS										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M	733	18	10	5	1	10	44	179	239	227	468	6	5	4	—	1	12	97	144	199		
	F	745	9	6	5	3	3	28	146	209	336	707	5	2	—	—	2	19	80	188	411		
Tuberculosis	M	20	—	—	—	—	—	7	7	5	1	14	—	—	—	—	—	2	7	5	—		
respiratory	F	7	—	—	—	—	—	4	1	2	—	3	—	—	—	—	—	—	—	—	—		
Tuberculosis	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
other	F	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Syphilitic disease	M	5	—	—	—	—	—	—	3	1	1	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Meningococcal	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
infections	F	2	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other infective, etc.,	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—		
diseases	F	3	—	—	—	—	—	1	—	—	—	4	—	—	—	—	—	—	1	—	—		
Malignant neoplasm;	M	20	—	—	—	—	—	1	5	9	5	11	—	—	—	—	—	—	2	6	3		
stomach	F	18	—	—	—	—	—	—	5	7	6	14	—	—	—	—	—	—	4	6	4		
lung, bronchus	M	20	—	—	—	—	—	2	11	6	1	20	—	—	—	—	—	—	10	8	2		
	F	4	—	—	—	—	—	1	2	—	1	4	—	—	—	—	1	—	3	—	—		
breast	M	25	—	—	—	—	—	1	15	5	4	18	—	—	—	—	—	—	2	8	1		
uterus	F	8	—	—	—	—	—	2	5	—	1	9	—	—	—	—	—	—	4	4	7		
Other malignant and	M	56	—	—	—	—	1	5	14	24	12	40	—	—	—	—	—	3	10	12	15		
lymphatic neoplasms	F	60	—	1	—	—	1	—	14	21	23	48	—	—	—	—	—	1	10	20	17		
Leukæmia,	M	3	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—		
aleukæmia	F	2	—	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	2		
Diabetes	M	3	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—		
	F	11	—	—	—	—	—	—	3	5	3	7	—	—	—	—	—	—	—	—	—		
Vascular lesions of	M	94	—	—	—	—	—	2	19	31	42	50	—	—	—	—	—	—	2	23	5		
nervous system	F	137	—	—	—	—	—	2	19	45	71	103	—	—	—	—	—	1	11	33	58		
Coronary disease,	M	105	—	—	—	—	—	5	40	41	19	69	—	—	—	—	—	—	22	26	21		
angina	F	60	—	—	—	—	—	1	10	32	17	49	—	—	—	—	—	—	11	16	22		
Hypertension with	M	28	—	—	—	—	—	—	2	10	16	9	—	—	—	—	—	—	3	6	—		
heart disease	F	29	—	—	—	—	—	—	5	12	12	27	—	—	—	—	—	—	1	2	18		
Other heart disease	M	97	—	—	—	—	—	2	14	29	52	107	—	—	—	—	—	—	2	9	72		
	F	149	—	—	—	—	—	3	19	32	95	243	—	—	—	—	—	2	12	46	183		
Other circulatory	M	34	—	—	—	—	—	1	7	9	17	11	—	—	—	—	—	—	2	3	6		
disease	F	38	—	—	—	—	—	—	4	8	26	21	—	—	—	—	—	—	8	13	—		
Influenza	M	6	—	—	—	—	—	—	2	2	2	11	—	—	—	—	—	—	—	5	6		
	F	12	—	—	—	—	—	1	1	3	7	26	—	—	—	—	—	1	2	9	14		
Pneumonia	M	28	3	3	—	—	—	1	6	9	6	22	—	1	1	—	—	—	5	4	10		
	F	24	—	3	—	—	—	—	6	2	13	19	—	—	—	—	—	1	2	6	9		
Bronchitis	M	67	—	1	1	—	—	6	15	29	15	22	—	—	—	—	—	—	4	5	13		
	F	41	—	—	—	—	—	—	6	16	19	28	—	—	—	—	—	—	1	5	22		
Other diseases of	M	14	—	—	—	—	—	1	9	2	2	5	—	—	—	—	—	1	1	2	1		
respiratory system	F	2	—	—	—	—	—	—	—	1	1	3	—	—	—	—	1	—	1	1	1		
Ulcer of stomach	M	8	—	—	—	—	—	1	4	2	1	7	—	—	—	—	—	—	2	5	—		
and duodenum	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	1	1		
Gastritis, enteritis	M	1	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—	—	1	—	—		
and diarrhœa	F	3	—	—	—	—	—	—	2	—	1	7	—	—	2	—	—	—	1	—	4		
Nephritis and	M	16	—	—	—	—	—	2	3	5	6	2	—	—	—	—	—	—	—	2	—		
nephrosis	F	20	—	—	—	—	1	3	8	4	4	3	—	—	—	—	—	—	2	—	1		
Hyperplasia of prostate	M	19	—	—	—	—	—	—	—	5	14	9	—	—	—	—	—	—	3	—	6		
Pregnancy, childbirth,	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—		
abortion																							
Congenital	M	6	1	2	1	—	—	1	—	1	—	6	—	2	1	—	—	1	2	—	—		
malformations	F	4	3	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—		
Other defined and	M	66	14	3	2	—	5	6	10	14	12	38	5	2	—	—	—	1	12	7	11		
illdefined dis.	F	53	6	3	3	1	—	2	14	9	18	52	5	—	—	—	1	2	7	16	21		
Motor vehicle	M	5	—	—	—	—	3	—	1	—	1	—	—	—	—	—	—	—	—	—	—		
accidents	F	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	1		
All other accidents	M	5	—	—	—	—	1	—	2	1	—	3	—	—	—	—	—	—	1	—	2		
	F	19	—	1	1	1	—	2	—	3	11	6	—	—	—	—	—	1	3	—	2		
Suicide	M	4	—	—	—	1	—	—	2	1	—	5	—	—	—	—	—	—	2	1	1		
	F	7	—	—	—	—	—	—	3	—	—	4	—	—	—	—	—	—	—	—	—		
Homicide, operations	M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
of war	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		HUDDERSFIELD												IPSWICH											
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-					
All Causes		M F	930 994	21 8	9 8	8 4	9 1	4 5	39 35	266 213	303 317	271 403	646 626	24 8	15 6	7 4	6 4	7 4	19 20	148 100	194 161				
1	Tuberculosis	M F	7 10	— —	— —	— —	— —	— —	3 4	2 3	2 2	— 1	11 3	— —	— —	— —	— —	2 2	2 1	5 1	9 2				
2	Tuberculosis respiratory	M F	5 4	— —	— —	1 1	— 1	— —	— 1	— 1	— 1	— —	— 2	— —	— —	1 —	— 1	— —	— —	— 1	— —				
3	Tuberculosis other	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —				
3	Syphilitic disease	M F	5 7	— —	— —	— —	— —	— —	— —	4 6	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —				
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —				
5	Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —				
6	Meningococcal infections	M F	— 1	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —				
7	Acute poliomyelitis	M F	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— —	1 —	— —	— —	— —				
8	Measles	M F	2 —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —				
9	Other infective, etc., diseases	M F	2 3	— —	— —	— 1	— —	1 —	— —	— —	— —	1 2	1 1	— —	— —	— —	— —	— —	— 1	— 5	— 6				
10	Malignant neoplasm: stomach	M F	24 29	— —	— —	— —	— —	— —	1 —	7 8	13 11	3 10	16 13	— —	— —	— —	— —	— —	— —	— 4	6 3				
11	lung, bronchus	M F	25 6	— —	— —	— —	— —	— —	— —	18 3	7 1	26 5	— —	— —	— —	— —	— —	— —	1 —	16 2	8 2				
12	breast	M F	1 36	— —	— —	— —	— —	— —	— 3	— 15	— 15	— 3	— 26	— —	— —	— —	— —	— —	— 2	— 14	— 6				
13	uterus	M F	10 —	— —	— —	— —	— —	— —	— 2	— 5	— 2	— 1	— 11	— —	— —	— —	— —	— —	— —	— 5	— 4				
14	Other malignant and lymphatic neoplasms	M F	81 58	1 —	— —	— —	— 1	3 1	24 21	34 19	18 15	67 59	— —	— —	— —	— —	— 1	2 3	17 14	18 24					
15	Leukemia, aleukemia	M F	3 2	— —	— —	— 1	— —	— —	— 1	— 2	— —	— —	3 —	— —	— —	— —	— 2	— —	— —	— 1	— —				
16	Diabetes	M F	3 9	— —	— —	— —	— —	— —	— —	1 5	1 —	2 5	— —	— —	— —	— —	— —	— —	— 1	— 2	— 1				
17	Vascular lesions of nervous system	M F	97 169	— —	— —	1 —	— —	— —	25 36	36 76	35 56	68 76	— —	— —	— —	— —	— —	— 2	7 10	28 23					
18	Coronary disease, angina	M F	131 72	— —	— —	— —	— —	2 —	50 12	55 30	24 30	90 51	— —	— —	— —	— —	— —	— 1	34 6	32 15					
19	Hypertension with heart disease	M F	19 17	— —	— —	— —	— 1	— —	7 4	8 4	8 23	27 23	— —	— —	— —	— —	— —	— 1	5 1	11 5					
20	Other heart disease	M F	193 243	— —	— —	— —	1 —	3 6	37 39	75 67	77 130	95 132	— —	— —	— —	— —	— —	— 3	9 7	23 20					
21	Other circulatory disease	M F	18 25	— —	— —	— —	— —	— 1	6 1	4 8	7 17	19 18	— —	— —	— —	— —	— —	— 1	2 1	7 6					
22	Influenza	M F	13 17	— —	— —	— —	— —	— —	6 3	4 6	3 8	25 37	— —	— —	— —	— —	— 1	— —	5 4	9 8					
23	Pneumonia	M F	14 22	— —	2 —	1 —	— —	— —	6 2	3 6	3 10	22 41	— 2	2 2	2 2	— 1	— —	— 1	5 5	7 15					
24	Bronchitis	M F	72 58	— —	— —	— —	— —	— —	1 10	21 25	28 23	22 34	41 34	— —	— —	1 —	— —	— —	10 4	15 8					
25	Other diseases of respiratory system	M F	6 2	— —	1 —	— —	— —	— —	3 1	1 —	— 1	7 4	— —	— —	— —	— —	— —	— 1	4 3	— —					
26	Ulcer of stomach and duodenum	M F	22 5	— —	— —	— —	— —	3 —	8 —	9 3	2 —	8 4	— —	— —	— —	— —	— —	— —	1 —	4 —					
27	Gastritis, enteritis and diarrhoea	M F	2 3	1 —	1 1	— —	— —	— —	— 1	— —	— 1	10 5	— —	4 2	1 —	— —	— —	— 1	1 1	— —					
28	Nephritis and nephrosis	M F	21 16	— —	— —	— —	1 —	— —	3 5	9 4	5 3	4 9	2 7	— —	— —	— —	— —	— 1	— 3	— —					
29	Hyperplasia of prostate	M	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
30	Pregnancy, childbirth, abortion	F	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—					
31	Congenital malformations	M F	7 4	1 —	2 —	2 —	— —	— —	1 1	1 2	— —	— —	15 5	5 —	3 —	— —	2 —	— —	— 1	— 2	— 1				
32	Other defined and ildefined dis.	M F	105 145	17 7	2 5	— 2	3 —	— —	3 4	16 25	15 25	49 77	54 37	19 6	4 1	2 —	1 —	1 —	9 7	10 12					
33	Motor vehicle accidents	M F	10 3	— —	— —	1 1	1 —	1 —	4 1	2 1	— 1	1 2	6 7	— —	— —	1 —	— —	— —	— 1	— 3	— 4				
34	All other accidents	M F	12 11	1 —	— —	— —	— —	— —	3 1	4 —	— 3	2 7	— 14	— —	— —	— —	— —	— —	— 1	— 1	— 4				
35	Suicide	M F	17 5	— —	— —	— —	— —	— 1	4 1	8 —	2 —	3 1	13 4	— —	— —	— —	— —	— —	3 1	5 1	4 —				
36	Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —				

TABLE 20—continued—County Boroughs.

Causes of Death (see first page of Table)		KINGSTON UPON HULL											LEEDS										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M	1902	85	72	18	10	23	119	557	520	498	3525	85	64	22	27	29	188	1080	1065	965		
	F	1685	50	51	14	10	16	106	325	447	666	3276	56	43	22	17	24	139	680	899	1396		
Tuberculosis	M	62	—	—	1	1	2	17	29	9	3	120	—	—	1	—	2	27	60	21	9		
respiratory	F	31	—	—	—	—	3	13	11	3	1	52	—	—	—	—	2	25	9	11	—		
Tuberculosis	M	3	—	—	1	—	1	1	—	—	—	9	—	1	—	2	4	25	4	—	—		
other	F	7	—	—	1	1	1	3	1	—	—	11	—	—	2	1	1	2	—	—	—		
Syphilitic disease	M	12	—	—	—	—	—	1	7	2	2	15	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	—	—	4	—	—	12	—	—	—	—	—	2	7	5	—		
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	6	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Whooping cough	M	5	—	4	—	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—		
	F	3	—	3	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—		
Meningococcal	M	1	—	—	1	—	—	—	—	—	—	3	—	1	2	—	—	1	—	—	—		
infections	F	2	—	1	—	—	1	—	—	—	—	2	—	—	1	—	—	—	—	—	—		
Acute poliomyelitis	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	M	1	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—		
Other infective, etc.,	M	6	—	1	—	—	—	4	—	1	—	3	—	—	—	—	2	—	—	—	—		
diseases	F	5	—	—	—	—	—	1	—	—	—	5	—	—	—	—	—	2	—	—	—		
Malignant neoplasm:	M	54	—	—	—	—	—	2	27	21	4	100	—	—	1	—	—	4	45	37	14		
stomach	F	42	—	—	—	—	—	—	9	16	17	92	—	—	—	—	—	3	15	44	30		
Lung, bronchus	M	89	—	—	—	—	—	10	53	24	2	150	—	—	—	—	—	8	84	43	15		
	F	19	—	—	—	—	—	2	9	7	1	26	—	—	—	—	—	4	17	3	2		
Breast	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—		
	F	38	—	—	—	—	—	11	14	9	4	104	—	—	—	—	15	61	9	19	—		
Uterus	M	37	—	—	—	—	—	3	22	8	4	40	—	—	—	—	3	24	6	—	—		
Other malignant and	M	167	—	—	—	2	1	10	61	54	39	299	—	—	1	4	1	9	101	120	63		
lymphatic neoplasms	F	131	—	—	—	1	6	37	44	42	227	—	—	—	2	2	13	90	75	44	—		
Leukaemia,	M	7	—	—	—	—	—	4	1	1	1	11	—	—	—	—	1	4	3	—	—		
leukaemia	F	4	—	—	—	—	2	1	1	—	—	7	—	—	1	1	2	3	—	—	—		
Diabetes	M	10	—	—	—	—	—	—	4	2	4	12	—	—	—	—	—	2	3	6	—		
	F	15	—	—	—	—	—	1	2	4	4	26	—	—	—	—	—	6	13	5	—		
Vascular lesions of	M	159	—	—	—	—	—	4	21	71	63	427	—	—	—	—	1	6	89	138	194		
nervous system	F	221	—	—	—	—	—	3	45	66	107	592	—	—	—	—	1	5	75	178	333		
Coronary disease,	M	208	—	—	—	—	10	77	77	44	491	—	—	—	—	1	19	201	180	90	—		
angina	F	130	—	—	—	—	—	29	59	42	298	—	—	—	—	—	1	56	127	114	—		
Hypertension with	M	44	—	—	—	—	1	13	15	15	87	—	—	—	—	—	—	24	36	27	—		
heart disease	F	60	—	—	—	—	—	6	22	32	113	—	—	—	—	—	1	28	41	43	—		
Other heart disease	M	269	—	—	—	1	5	33	82	148	425	—	—	—	—	1	19	69	134	201	—		
	F	361	—	—	1	—	6	35	81	238	579	—	—	—	—	2	18	75	120	364	—		
Other circulatory	M	54	—	—	—	—	—	5	16	33	82	—	—	—	—	—	1	11	25	45	—		
disease	F	57	—	—	1	—	2	8	13	33	122	—	—	—	—	1	2	14	34	71	—		
Influenza	M	36	—	—	—	—	5	17	8	6	68	—	2	—	—	—	1	3	23	20	19		
	F	20	—	—	1	—	2	3	4	10	83	—	—	—	—	—	1	4	12	24	42		
Pneumonia	M	143	8	37	3	1	10	38	23	23	202	8	21	4	—	—	1	11	52	46	59		
	F	95	5	20	5	1	7	12	21	24	200	4	22	3	—	—	1	4	28	51	87		
Bronchitis	M	173	—	2	1	—	1	73	45	49	397	—	3	—	—	—	7	139	143	105	—		
	F	91	—	1	—	—	2	18	24	46	214	—	1	1	—	—	3	34	71	104	—		
Other diseases of	M	10	—	—	1	—	1	3	2	2	61	—	—	—	—	—	—	4	23	19	—		
respiratory system	F	17	—	1	—	—	1	2	3	9	19	—	2	1	—	—	2	8	2	7	—		
Ulcer of stomach	M	31	—	—	—	—	1	19	7	4	57	—	—	—	—	—	6	29	13	9	—		
and duodenum	F	9	—	—	—	—	—	3	1	4	18	—	—	—	—	—	3	6	3	6	—		
Gastritis, enteritis	M	17	1	11	—	—	—	3	—	2	13	—	6	1	—	—	—	—	—	4	—		
and diarrhoea	F	20	—	9	1	—	—	2	1	3	4	10	—	2	—	—	—	2	2	4	—		
Nephritis and	M	32	—	—	—	—	4	4	14	7	3	32	—	—	—	2	—	8	8	9	—		
nephrosis	F	30	—	—	—	—	—	7	7	13	3	41	—	—	—	—	1	4	15	10	—		
Hyperplasia of prostate	M	35	—	—	—	—	—	3	11	21	40	—	—	—	—	—	—	3	3	14	—		
pregnancy, childbirth,	F	10	—	—	—	—	2	7	1	—	—	5	—	—	—	—	2	3	—	—	—		
abortion.																							
Congenital	M	9	6	3	—	—	—	—	—	—	—	27	9	8	3	—	1	3	2	1	—		
malformations	F	17	4	7	2	—	—	3	—	1	—	15	7	1	1	3	4	—	2	—	—		
Other defined and	M	174	69	11	—	1	5	31	26	22	226	65	11	3	6	4	16	47	31	43	—		
undefined dis.	F	147	41	7	—	2	3	13	26	33	22	262	43	8	3	2	12	75	50	67	—		
Motor vehicle	M	23	—	—	4	—	3	7	4	4	1	32	—	—	1	4	7	6	7	5	2		
accidents	F	19	—	—	2	—	4	1	2	—	1	18	—	—	2	3	2	3	5	1	—		
All other accidents	M	34	1	1	5	3	2	7	9	1	5	78	3	8	1	8	4	13	22	6	13		
	F	32	—	2	1	1	—	2	3	6	17	51	—	4	3	—	2	1	9	28	—		
Suicide	M	31	—	—	—	1	—	8	8	11	2	39	—	—	—	—	1	12	15	6	5		
	F	17	—	—	—	—	—	3	11	3	—	25	—	—	—	—	1	4	12	6	—		
Homicide, operations	M	2	—	—	—	—	—	1	—	—	—	15	—	—	—	—	—	1	2	8	—		
of war	F	1	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—		

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		LEICESTER											LINCOLN										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes		M F	1750 1780	46 26	22 22	14 7	15 3	15 11	91 103	453 342	498 453	596 813	439 403	12 8	2 5	2 1	4 1	6 2	23 16	99 65	147 129		
1	Tuberculosis respiratory	M F	68 32	—	—	—	—	4	18 17	38 7	6 4	2	16 6	—	—	—	—	1 3	3 1	7 1	6 —		
2	Tuberculosis other	M F	4 3	—	—	2 1	—	—	1	1	1	—	1	—	—	—	—	1	—	—	—		
3	Syphilitic disease	M F	6 2	—	—	—	—	—	—	2	3	1	2 1	—	—	—	—	—	1	—	—		
4	Diphtheria	M F	1 —	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—		
5	Whooping cough	M F	1 1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6	Meningococcal infections	M F	2 —	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
7	Acute poliomyelitis	M F	1 —	—	—	—	1	—	—	—	—	2 1	—	—	—	—	1	1	—	—	—		
8	Measles	M F	2 —	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9	Other infective, etc., diseases	M F	7 5	—	1 1	—	—	—	1 2	1 1	3 1	1	1 14	—	1	—	—	—	5	2	—		
10	Malignant neoplasm: stomach	M F	44 46	—	—	—	—	—	2 3	16 16	17 14	9 13	14 7	—	—	—	—	—	1	5	2		
11	lung, bronchus	M F	74 9	—	—	—	—	—	4	44	21	5	14 2	—	—	—	—	1	6	5	2		
12	breast	M F	48 32	—	—	—	—	—	6	22	10	10	18 12	—	—	—	—	2	10	5	5		
13	uterus	M F	32 —	—	—	—	—	7	16	6	3	12	—	—	—	—	—	—	—	—	—		
14	Other malignant and lymphatic neoplasms	M F	161 156	—	—	—	2	1 1	10 5	37 57	51 38	61 50	43 39	—	—	—	—	2 2	9 16	20 12	—		
15	Leukæmia, aleukæmia	M F	5 4	—	—	1 1	1 1	1 1	1 1	1 1	—	—	—	—	—	—	—	1 1	1 2	—	—		
16	Diabetes	M F	12 10	—	—	—	—	—	2	4	4	4	3 3	—	—	—	—	—	1	2	—		
17	Vascular lesions of nervous system	M F	195 248	—	—	1	—	—	4 3	34 41	68 79	89 124	39 54	—	—	—	—	2 2	4 8	20 20	—		
18	Coronary disease, angina	M F	203 154	—	—	—	—	—	6 1	78 19	70 59	49 75	55 36	—	—	—	—	1 5	21 20	15 7	—		
19	Hypertension with heart disease	M F	51 85	—	—	—	—	—	1 3	13 15	15 31	22 39	19 9	—	—	—	—	—	5	7	—		
20	Other heart disease	M F	265 390	—	—	—	—	10 1	29 13	78 45	148 80	70 251	105 21	—	—	—	—	1 2	8 2	21 9	—		
21	Other circulatory disease	M F	56 37	—	—	—	—	1 —	2 2	9 9	35 25	7 3	—	—	—	—	—	1 2	1 3	4 —	—		
22	Influenza	M F	52 65	—	—	—	—	—	3 4	10 11	10 20	35 30	7 3	—	—	—	1	—	1	4	—		
23	Pneumonia	M F	71 71	5	2	2	1	—	1	22	16	23	17	1	1	—	1	2	5	—	—		
24	Bronchitis	M F	136 115	1	4	—	—	—	2	38	52	40	28 19	—	—	—	—	—	8	10	—		
25	Other diseases of respiratory system	M F	13 11	—	—	—	—	—	2	13	24	74	1 6	—	—	—	—	—	—	—	—		
26	Ulcer of stomach and duodenum	M F	34 8	—	—	—	—	—	1	14	16	3	6 6	—	—	—	—	—	1 1	—	—		
27	Gastritis, enteritis and diarrhoea	M F	8 13	—	2 3	—	—	—	1	1	2	2	3	—	1	—	—	—	—	—	—		
28	Nephritis and nephrosis	M F	30 18	—	—	—	1	1	5	6	9	8	6 4	—	—	—	—	—	2 3	—	—		
29	Hyperplasia of prostate	M F	30 4	—	—	—	—	—	4	2	4	24	3 1	—	—	—	—	—	1	—	—		
30	Pregnancy, childbirth, abortion.	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
31	Congenital malformations	M F	17 7	7 3	2 2	1 1	—	—	—	2	—	—	1 1	—	—	—	—	1	—	—	—		
32	Other defined and illdefined dis.	M F	141 156	32 23	5 5	4 1	4 1	1 3	5 14	34 29	22 32	44 48	43 42	10 7	2	—	1	—	4 3	8 7	—		
33	Motor vehicle accidents	M F	21 6	—	—	—	1 1	5	3	6	2	4	4	—	—	1	—	3	—	—	—		
34	All other accidents	M F	22 28	1	2 3	—	4	1	3 1	6 2	1 6	2	12 4	—	—	1	—	—	3	3	—		
35	Suicide	M F	18 14	—	—	—	—	1	8 7	5 5	2 1	2 1	3 1	—	—	—	—	—	1 1	2	—		
36	Homicide, operations of war	M F	1 —	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		LIVERPOOL											MANCHESTER										
		All Ages	0-4 weeks	4 weeks - 1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks - 1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	5472 5256	199 122	118 115	78 61	29 32	76 70	366 327	1631 1622	1566 1439	1409 2068	4827 4849	139 112	111 77	39 25	20 18	40 62	317 291	1520 1048	1410 1380	1231 1836		
Tuberculosis respiratory	M F	247 157	— —	— —	— —	— —	14 29	71 86	119 22	39 11	4 2	200 118	— —	2 —	— —	— —	7 18	46 63	108 26	27 11	10 —		
Tuberculosis other	M F	21 22	— —	1 1	3 7	2 4	1 3	2 3	4 4	3 1	— —	1 21	— —	— 1	— 3	— 3	— 2	5 6	4 3	— 2	— —		
Syphilitic disease	M F	33 10	— —	— —	— —	— —	— —	1 —	17 5	10 3	5 2	16 11	— 1	— —	— —	— —	— —	4 1	8 4	3 3	— 2		
Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Whooping cough	M F	9 9	— —	6 6	3 3	— —	— —	— —	— —	— —	— —	2 1	— —	2 —	— —	— —	— —	— —	— —	— —	— —		
Meningococcal infections	M F	8 4	— —	3 1	4 2	— —	— —	— —	— —	— —	1 —	4 1	— —	— —	1 2	— —	— —	1 —	— —	— —	— —		
Acute poliomyelitis	M F	2 4	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	1 1	— —	— —	1 —	— —	— —	1 —	— —	— —	— —		
Measles	M F	2 3	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Other infective, etc., diseases	M F	17 14	— —	— 2	3 —	— —	1 1	4 3	7 6	1 2	1 —	9 15	— —	— 3	1 —	— —	— —	2 3	2 2	3 5	1 21		
Malignant neoplasm: stomach	M F	146 137	— —	— —	— —	— —	— 1	9 6	70 39	43 50	24 41	138 124	— —	— —	— —	— —	— —	10 2	54 47	53 47	21 28		
lung, bronchus	M F	282 40	— —	— —	— —	— —	2 —	17 1	150 19	94 12	19 8	284 45	— —	— —	— —	— —	— —	17 1	162 17	83 20	22 7		
breast	M F	2 120	— —	— —	— —	— —	— —	— 12	— 55	— 27	— 26	— 136	— —	— —	— —	— —	— —	— 12	— 67	— 29	— 28		
uterus	M F	69 —	— —	— —	— —	— —	— —	4 39	14 14	12 —	55 —	— —	— —	— —	— —	— —	9 20	14 110	14 93	12 75			
Other malignant and lymphatic neoplasms	M F	412 340	— —	— —	2 1	2 1	3 3	30 31	158 105	123 116	94 83	355 334	— —	1 —	3 1	2 1	27 28	118 131	110 98	75 73			
Leukæmia, aleukæmia	M F	15 17	— —	— —	1 2	1 1	1 —	— 3	9 6	1 3	2 2	16 19	— —	— —	2 1	1 2	3 5	6 3	4 1	2 2			
Diabetes	M F	16 34	— —	— —	— 1	— —	1 —	7 1	6 16	2 12	21 42	— —	— —	— —	— —	— —	4 1	7 11	6 21	4 7			
Vascular lesions of nervous system	M F	480 612	— —	— —	— —	— —	1 1	8 9	92 124	177 213	202 265	466 676	— —	— 1	— —	— —	1 10	12 139	111 225	177 300			
Coronary disease, angina	M F	614 361	— —	— —	— —	— —	2 —	27 3	255 78	221 108	109 285	474 285	— —	— —	— —	— —	— —	22 5	196 82	175 119	81 79		
Hypertension with heart disease	M F	197 184	— —	— —	— —	— —	— —	5 3	53 33	73 55	66 91	142 171	— —	— —	— —	— —	— 4	39 26	63 66	40 75			
Other heart disease	M F	757 1093	— —	— 1	1 1	3 3	6 7	33 54	108 124	229 260	380 643	680 1014	— —	— —	— —	— —	6 13	31 52	133 139	192 272	318 538		
Other circulatory disease	M F	89 110	— —	— —	— —	— —	— —	3 4	26 25	28 30	31 51	160 179	— 1	— —	1 —	— —	— 1	6 4	28 21	46 47	78 105		
Influenza	M F	262 302	1 —	1 —	2 —	— —	— 3	11 10	86 56	89 97	71 136	120 137	— —	3 —	1 —	— —	— —	6 6	38 25	42 55	29 51		
Pneumonia	M F	381 409	25 13	44 50	11 10	— 1	— 2	7 13	86 52	100 93	108 175	211 218	11 6	30 25	8 6	— 1	— —	7 8	60 41	53 58	42 73		
Bronchitis	M F	523 376	— —	9 5	— —	— 1	— —	13 8	192 60	177 123	132 179	599 413	1 2	6 6	2 —	— —	— —	6 1	222 68	218 133	144 203		
Other diseases of respiratory system	M F	73 37	— —	2 1	1 —	— —	— —	8 4	29 14	21 10	12 7	56 34	— —	— 1	— —	— —	2 6	6 7	18 15	15 4	203 16		
Ulcer of stomach and duodenum	M F	74 33	— —	— —	— —	— —	2 —	10 3	37 11	17 7	8 12	59 22	— —	— —	— —	— —	— —	10 1	27 14	8 3	11 —		
Gastritis, enteritis and diarrhoea	M F	24 41	— —	15 17	1 1	— —	— —	1 2	2 8	2 7	3 5	31 29	— 2	— 10	— —	— —	1 —	1 6	4 5	3 5	— 6		
Nephritis and nephrosis	M F	46 39	— —	— 1	1 —	— —	4 3	10 7	12 12	11 9	8 6	37 44	— —	— 1	— 1	— —	2 3	8 3	13 19	6 8	8 8		
Hyperplasia of prostate pregnancy, childbirth, abortion	M F	51 10	— —	— —	— —	— —	— 2	— 8	— —	— —	— —	— 19	— —	— —	— —	— —	— 5	— 14	— —	— —	— —		
Congenital malformations	M F	66 60	31 20	18 15	6 6	1 1	1 5	4 8	5 4	— —	— —	37 36	12 12	15 11	1 3	2 1	— —	3 4	3 3	— 1	— —		
Other defined and ill-defined dis.	M F	412 477	141 89	11 10	8 3	9 11	12 8	41 24	58 92	54 84	78 156	433 550	114 85	17 11	6 6	3 2	36 4	83 111	69 109	99 189			
Motor vehicle accidents	M F	53 23	— —	— —	14 4	7 1	7 2	10 2	11 5	3 4	1 18	52 18	— —	— —	4 1	2 4	5 1	12 2	17 3	5 4	7 11		
All other accidents	M F	109 84	1 —	6 3	9 11	7 5	13 3	22 5	22 8	15 9	14 40	90 47	1 3	11 6	4 3	6 2	6 3	19 1	23 5	9 9	11 15		
Suicide	M F	46 23	— —	— —	— —	— —	2 —	17 7	14 8	10 7	3 1	53 28	— —	— —	— —	— —	— —	1 12	8 13	4 4	2 2		
Homicide, operations of war	M F	3 2	— —	— —	— —	— —	— —	2 1	— 1	— —	— —	5 5	— —	— —	— —	— —	— —	1 2	1 3	— —	— —		

TABLE 20—continued—County Boroughs

Causes of Death (See first page of Table)		MIDDLESBROUGH											NEWCASTLE UPON TYNE										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes		M F	936 787	43 18	25 23	16 6	11 11	12 9	62 54	314 177	247 196	206 293	2099 1801	61 39	33 33	18 11	12 8	25 24	130 90	603 360	622 499		
1	Tuberculosis	M F	35 25	—	—	1	—	1	9	20	3	1	69 41	—	—	—	—	3	16	38	10		
2	Tuberculosis	M F	7 4	—	—	3	2	1	—	1	—	—	8 6	—	1	2	—	12	20	6	1		
	other	M F	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	2	1	1			
3	Syphilitic disease	M F	6 2	—	—	—	—	—	1	3	2	—	13 4	—	—	—	—	—	1	8	3		
4	Diphtheria	M F	— 1	—	—	—	1	—	—	—	—	—	1 1	—	—	1	—	—	—	—	—		
5	Whooping cough	M F	— 1	—	1	—	—	—	—	—	—	—	3 3	—	3	—	—	—	—	—	—		
6	Meningococcal infections	M F	4 —	—	3	1	—	—	—	—	—	—	3 3	—	1	—	—	1	—	1	—		
7	Acute poliomyelitis	M F	— —	—	—	—	—	—	—	—	—	—	1 1	—	—	1	—	—	—	—	—		
8	Measles	M F	1 2	—	1	1	1	—	—	—	—	—	1 —	—	1	—	—	—	—	—	—		
9	Other infective, etc., diseases	M F	1 1	—	1	—	—	—	—	—	—	1	2 6	—	—	—	—	1	1	1	—		
10	Malignant neoplasm: stomach	M F	28 13	—	—	—	—	—	4	12	3	9	61 49	—	—	1	—	2	2	3	26		
		M F	— —	—	—	—	—	—	1	5	4	3	—	—	—	—	—	—	13	17	18		
11	lung, bronchus	M F	41 9	—	—	—	—	—	5	22	12	2	85 18	—	—	—	—	6	52	23	6		
12	breast	M F	12 9	—	—	—	—	—	2	6	3	1	43 31	—	—	—	—	8	18	7	6		
13	uterus	M F	— —	—	—	—	—	—	1	7	1	—	—	—	—	—	2	14	10	—	—		
14	Other malignant and lymphatic neoplasms	M F	76 57	—	—	—	1	1	7	26	26	15	171 127	—	—	—	—	4	8	52	56		
15	Leukæmia, aleukæmia	M F	4 4	—	—	—	2	—	1	1	2	—	10 8	—	—	2	1	1	3	2	2		
16	Diabetes	M F	2 14	—	—	—	—	—	—	1	—	1	4 27	—	—	—	—	1	2	7	8		
17	Vascular lesions of nervous system	M F	95 113	—	—	—	—	—	2	27	35	31	260 293	—	—	—	1	4	53	102	—		
		M F	— —	—	—	—	—	—	3	22	39	49	—	—	—	—	1	1	55	86	—		
18	Coronary disease, angina	M F	117 62	—	—	—	—	—	3	43	43	28	334 156	—	—	—	—	14	136	120	—		
19	Hypertension with heart disease	M F	16 27	—	—	—	—	—	1	4	5	6	78 75	—	—	—	—	—	23	35	—		
		M F	— —	—	—	—	—	—	—	9	12	6	—	—	—	—	—	—	11	33	—		
20	Other heart disease	M F	119 179	—	—	—	—	1	4	31	34	49	233 332	—	—	—	—	8	35	64	—		
21	Other circulatory disease	M F	22 44	—	—	—	—	—	10	22	36	111	87 61	—	—	1	2	11	42	72	—		
		M F	— —	—	—	—	—	—	2	4	6	10	—	—	—	—	2	10	32	15	—		
22	Influenza	M F	23 12	—	—	—	—	—	9	7	7	45 51	1 1	1	—	—	—	5	4	9	—		
23	Pneumonia	M F	59 42	2 1	12 13	2 2	—	—	1	17	14	11	95 76	3 4	12 13	3	1	8	21	22	—		
		M F	— —	—	—	—	—	—	1	7	9	9	—	—	—	—	—	7	7	—	—		
24	Bronchitis	M F	92 35	—	—	—	—	—	1	46	30	15	161 90	—	3	—	1	5	54	54	—		
25	Other diseases of respiratory system	M F	13 2	—	—	1	—	1	1	4	7	3	14 6	—	4	—	—	2	12	21	—		
		M F	— —	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	7	—	—		
26	Ulcer of stomach and duodenum	M F	5 3	—	—	—	—	—	1	2	1	1	33 8	—	—	—	3	5	10	10	—		
27	Gastritis, enteritis and diarrhoea	M F	7 3	1	3	—	—	—	—	1	2	—	9	—	3	—	—	1	2	—	—		
28	Nephritis and nephrosis	M F	8 11	—	—	—	—	—	2	2	2	2	16 27	—	—	—	1	4	4	6	—		
29	Hyperplasia of prostate	M F	10 2	—	—	—	—	—	3	5	—	5	32 1	—	—	—	—	1	1	10	—		
30	Pregnancy, childbirth, abortion	M F	— —	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—		
31	Congenital malformations	M F	10 10	5 3	1 4	1 1	1	—	—	2	—	—	14 14	6 7	1 3	—	1	2	1	3	—		
32	Other defined and ildefined dis.	M F	81 73	34 14	3	1	3	2	6	16	9	7	172 183	51 25	6 3	3	1	1	10	36	30		
		M F	— —	—	—	—	—	—	1	13	10	22	—	—	—	—	—	4	4	—	—		
33	Motor vehicle accidents	M F	19 6	—	—	6	1	2	6	2	2	—	20 9	—	—	5	2	5	5	3	—		
34	All other accidents	M F	25 7	1	3	—	2	4	4	7	1	3	35 29	—	2	1	2	13	4	3	—		
		M F	— —	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
35	Suicide	M F	9 2	—	—	—	—	—	2	6	1	—	27 14	—	—	—	—	—	5	13	7		
36	Homicide, operations of war	M F	1 —	—	—	—	—	—	—	—	—	—	3 2	—	—	—	—	—	—	3	—		

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		NORTHAMPTON											NORWICH										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	712 702	15 16	9 5	6 6	5 1	5 4	37 18	191 129	209 184	235 339	780 797	20 12	13 7	6 8	6 1	10 6	25 25	162 126	233 216	305 396		
Tuberculosis respiratory	M F	25 6	— —	— —	— —	— —	— —	1 3	5 1	11 2	5 —	3 —	20 11	— —	1 —	— —	— —	5 4	5 3	7 1	2 1		
Tuberculosis other	M F	1 4	— —	— —	1 2	— 1	— —	— —	— —	— 1	— —	— 5	— —	— 1	2 1	1 —	— —	— —	— 1	— 1	— —		
Syphilitic disease	M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	3 2	— —	— —	— —	— —	— —	— —	1 —	1 —	— —		
Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Whooping cough	M F	2 1	— —	1 1	1 —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —		
Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 2	1 1	— —	1 1	— —	— 1	— —	— —	— —	— —		
Acute poliomyelitis	M F	2 —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Other infective, etc., diseases	M F	— 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	3 —	— —	— —	— —	— —	1 —	— —	1 —	— —	1 —		
Malignant neoplasm: stomach	M F	16 14	— —	— —	— —	— —	— —	— —	6 1	5 3	5 5	22 24	— —	— —	— —	— —	— —	1 6	7 9	6 9	8 9		
lung, bronchus	M F	30 7	— —	— —	— —	— —	— —	2 1	15 3	11 2	2 2	22 7	— —	— —	— —	— —	— —	2 5	6 —	2 2	— —		
breast	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
uterus	M F	22 8	— —	— —	— —	— —	— —	1 3	8 3	8 2	5 3	16 8	— —	— —	— —	— —	— —	1 8	6 6	1 2	— —		
Other malignant and lymphatic neoplasms	M F	65 54	— —	— —	— —	1 —	— —	— —	25 21	19 16	19 17	72 65	— —	1 —	— —	2 1	1 3	19 21	24 21	25 20	— —		
Leukæmia, aleukæmia	M F	2 2	— —	— —	1 —	— —	— —	— —	— 1	— —	— —	— 3	— —	1 —	— —	— —	— —	1 1	1 2	— —	— —		
Diabetes	M F	3 3	— —	— —	— —	— —	— —	1 1	1 1	— —	1 1	1 4	— —	— —	— —	— —	— —	— —	1 3	— 1	— —		
Vascular lesions of nervous system	M F	93 116	— —	— —	— —	1 —	— —	— —	13 1	36 20	43 31	72 64	— 122	— —	— —	1 —	— —	1 19	14 34	22 68	35 —		
Coronary disease, angina	M F	105 65	— —	— —	— —	— —	— —	3 30	30 17	39 12	33 36	101 64	— —	— —	— —	1 —	— —	3 8	29 22	37 34	31 —		
Hypertension with heart disease	M F	35 43	— —	— —	— —	— —	— —	— —	8 6	11 13	16 24	— 25	— —	— —	— —	— —	— —	1 5	7 9	6 11	— —		
Other heart disease	M F	108 164	— —	— —	— —	— —	— —	6 3	15 14	32 42	55 105	136 158	— —	— —	— —	1 —	2 4	14 16	40 36	79 102	— —		
Other circulatory disease	M F	12 20	— —	— —	— —	— —	— —	— —	2 3	5 7	5 10	23 23	— —	— —	— —	— —	— —	5 1	6 4	12 18	— —		
Influenza	M F	12 14	— —	— —	— —	— —	— —	1 3	2 7	6 4	3 38	39 38	— —	— —	— —	— —	1 1	6 6	15 12	17 19	— —		
Pneumonia	M F	23 24	2 1	4 1	— —	— —	— —	3 3	7 7	1 9	6 30	30 35	— 3	3 3	1 2	— —	— —	2 5	5 7	7 17	— —		
Bronchitis	M F	68 31	— 1	— —	— —	— —	— —	1 —	20 —	21 10	26 2	52 40	— —	— —	— —	— —	— —	14 7	15 1	23 —	— —		
Other diseases of respiratory system	M F	4 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 10	— —	— —	— —	— —	— —	— 3	— 4	— 1	— 2		
Ulcer of stomach and duodenum	M F	12 4	— —	— —	— —	— —	— —	1 1	9 1	1 1	— 2	12 4	— —	— —	— —	— —	— —	2 —	4 —	4 1	— —		
Gastritis, enteritis and diarrhoea	M F	3 1	— —	1 —	— —	— —	— —	— —	— —	— —	— 1	— 5	— —	— 1	— —	— —	— —	— —	— 1	— 1	— 2		
Nephritis and nephrosis	M F	6 9	— —	— —	— —	— —	1 1	3 2	2 2	1 4	8 7	— —	— —	— —	— —	— —	1 —	1 —	4 2	2 —	— —		
Hyperplasia of prostate	M F	8 2	— —	— —	— —	— —	— 2	— —	— —	3 —	5 —	19 1	— —	— —	— —	— —	— —	— 1	— 6	12 —	— —		
Pregnancy, childbirth, abortion.	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Congenital malformations	M F	6 7	3 3	2 3	1 —	— —	— —	— —	— —	— —	— —	3 2	— —	1 2	— —	— —	1 —	— —	— —	— —	— —		
Other defined and illdefined dis.	M F	44 60	10 11	1 —	1 —	2 —	2 3	12 3	8 8	9 —	28 —	88 —	— —	— —	— —	2 —	— —	3 11	5 17	33 14	— 51		
Motor vehicle accidents	M F	7 2	— —	— —	1 —	— —	2 —	2 —	1 1	1 1	— —	5 3	— —	— —	— —	— —	2 —	2 —	1 1	— —	— —		
All other accidents	M F	10 7	— —	— —	— 1	— —	— —	3 2	4 1	1 2	2 —	10 12	— —	— —	1 1	— —	2 —	2 1	2 4	1 5	— —		
Suicide	M F	9 9	— —	— —	— —	— —	— —	2 1	5 6	2 —	— —	11 10	— —	— —	— —	— —	— —	1 1	8 3	2 5	— —		
Homicide, operations of war	M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		NOTTINGHAM													OLDHAM														
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-									
All Causes		M F	1872 1801	64 43	34 29	14 16	16 5	19 15	91 89	547 322	521 473	566 809	901 897	33 13	16 17	7 4	6 5	3 8	46 37	263 199	285 282								
1	Tuberculosis respiratory	M F	52 33	—	—	—	—	1 7	15 13	22 8	10 5	4 1	26 6	—	—	1	—	1	7 2	14 —	4 1								
2	Tuberculosis other	M F	7 4	—	—	1 2	—	1 2	—	—	—	—	1 4	—	—	—	1	1	1	—	—								
3	Syphilitic disease	M F	14 6	—	—	—	—	—	—	10 4	3 1	—	—	—	—	—	—	—	—	2 1	—								
4	Diphtheria	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
5	Whooping cough	M F	3 4	—	2 2	1 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
6	Meningococcal infections	M F	1 2	—	—	1 1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—								
7	Acute poliomyelitis	M F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—								
8	Measles	M F	2 2	—	1 1	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—								
9	Other infective, etc., diseases	M F	4 5	—	—	1	—	—	2 1	1	—	1	2 5	—	—	—	—	—	1	1	2						1	1	1
10	Malignant neoplasm: stomach	M F	55 39	—	—	—	—	—	2 2	28 9	19 17	6 11	29 22	—	—	—	—	1	2	14 3	7 11						2	1	2
11	Lung, bronchus	M F	84 11	—	—	—	—	—	2 1	52 3	26 7	4	21 4	—	—	—	—	1	16 2	4 1	—						1	2	1
12	breast	M F	1 63	—	—	—	—	—	1 12	1 25	—	9	—	—	—	—	—	2	5 12	—	—						5	2	—
13	uterus	M F	32	—	—	—	—	—	2 13	11	6	—	15	—	—	—	—	—	—	—	—						—	—	—
14	Other malignant and lymphatic neoplasms	M F	180 127	—	1 1	1 1	1 3	3 12	54 41	53 37	54 31	59 55	—	1	2	—	—	3 14	17 20	24 2	—						1	1	1
15	Leukæmia, aleukæmia	M F	8 5	—	—	1 1	1	1	3 1	3 1	—	—	3	—	—	—	1	—	—	—	—						—	—	—
16	Diabetes	M F	4 16	—	—	—	—	—	1 9	1 40	2 62	2 77	1	—	—	—	—	—	—	—	—						3	—	—
17	Vascular lesions of nervous system	M F	173 244	—	—	—	—	—	4 39	62 83	62 118	77 126	—	—	—	—	—	1	2	19 30	31 36						—	—	—
18	Coronary disease, angina	M F	219 139	—	—	—	—	—	2 1	92 23	74 60	51 55	91 41	—	—	—	—	—	2 1	40 12	30 17						—	—	—
19	Hypertension with heart disease	M F	63 73	—	—	—	—	—	1 1	22 11	29 25	32 36	26	—	—	—	—	1	8 9	—	—						—	—	—
20	Other heart disease	M F	269 346	—	—	—	—	1	6 5	39 41	74 66	149 234	149 213	—	—	—	—	10 9	23 26	45 75	—						—	—	—
21	Other circulatory disease	M F	54 72	—	—	—	—	—	2 1	9 8	16 18	27 45	40 37	—	—	—	—	6 8	12 14	—	—						—	—	—
22	Influenza	M F	38 60	—	—	—	—	—	15 10	6 14	17 35	22 25	—	—	—	—	—	—	7 13	—	—						—	—	—
23	Pneumonia	M F	112 95	9	19	2	—	1	4 1	22 8	28 16	30 50	47 37	3	7	8	2	1	2 1	11 8	4 —						—	—	—
24	Bronchitis	M F	214 149	—	2 1	1	—	—	3 2	74 47	73 70	128 107	—	2	1	—	—	3 2	48 25	53 33	—						—	—	—
25	Other diseases of respiratory system	M F	15 6	—	—	—	—	1	1 2	6 4	2 3	1 3	2	—	—	—	—	1	—	—	—						—	—	—
26	Ulcer of stomach and duodenum	M F	15 3	—	—	—	—	1	—	6 2	7 5	1 4	9 3	—	—	—	—	—	—	—	—						3	2	—
27	Gastritis, enteritis and diarrhoea	M F	3 15	—	1	1	—	—	—	3 5	5 6	9	—	—	2	4	—	—	1	3	—						—	—	—
28	Nephritis and nephrosis	M F	22 20	—	—	—	—	1	6 3	9 4	2 7	5 6	9 —	—	—	—	—	1 2	3 1	—	—						1	3	1
29	Hyperplasia of prostate	M	17	—	—	—	—	—	—	4	5	8	16	—	—	—	—	—	—	—	—						—	—	—
30	Pregnancy, childbirth, abortion.	M F	3	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—	—	—	—						—	—	—
31	Congenital malformations	M F	19 15	8 9	3 2	1 1	3	—	2 3	2 3	—	—	10 1	5 1	2	1	—	—	1 6	1 17	—						1	1	1
32	Other defined and ildefined dis.	M F	147 165	46 33	4 5	2 2	5 2	1 2	5 14	29 31	20 26	35 50	72 88	24 12	2	—	—	2	6 19	17 19	—						—	—	—
33	Motor vehicle accidents	M F	24 10	—	—	1 2	3	3	6 2	4 3	5 1	2 2	11 3	—	—	1	5	—	1	3	—						—	—	—
34	All other accidents	M F	30 23	1	—	3	—	3	6 1	9 —	2 5	12 16	5 22	—	—	2	—	2	1	4	—						—	—	—
35	Suicide	M F	21 1	—	—	—	—	—	4	13	3	1	17 8	—	—	—	—	1	3	5	—						—	—	—
36	Homicide, operations of war	M F	1 3	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—						—	—	—

TABLE 20—continued—County Boroughs

Causes of Death (See first page of Table)		OXFORD											PLYMOUTH										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M	555	12	3	4	4	5	31	156	159	181	1405	48	31	16	6	21	86	366	380	443		
	F	557	10	4	6	3	5	15	95	128	291	1266	29	13	13	3	12	62	210	340	584		
Tuberculosis	M	18	—	—	—	—	—	2	10	5	1	53	—	—	—	—	3	25	18	7	—		
respiratory	M	6	—	—	—	—	—	—	4	—	—	37	—	—	—	—	6	19	8	4	—		
Tuberculosis	M	3	—	—	—	—	1	1	—	—	—	5	—	1	—	—	2	1	—	—	—		
other	F	2	—	—	1	—	—	—	1	—	1	5	—	—	2	—	—	—	2	—	—		
Syphilitic disease	M	3	—	—	—	—	—	—	1	—	2	7	—	—	—	—	—	—	3	4	—		
Diphtheria	M	2	—	—	—	—	—	—	—	2	—	8	—	—	—	—	1	5	1	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Meningococcal infections	M	1	—	—	—	—	—	—	1	—	—	2	—	1	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—		
Other infective, etc., diseases	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	1	—	—	—	—		
	F	1	—	—	—	—	—	—	—	5	—	3	—	—	—	—	—	2	1	—	—		
Malignant neoplasm: stomach	M	12	—	—	—	—	—	—	4	—	3	48	—	—	—	—	1	22	13	12	—		
	F	13	—	—	—	—	—	1	1	3	8	30	—	—	—	—	1	6	9	14	—		
lung, bronchus	M	37	—	—	—	—	—	1	26	7	3	39	—	—	—	1	4	26	7	1	—		
	F	7	—	—	—	—	—	—	6	—	—	10	—	—	—	—	1	5	3	—	—		
breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	19	—	—	—	—	—	11	7	1	26	—	—	—	—	—	4	12	7	3	—		
uterus	M	5	—	—	—	—	—	1	3	1	17	—	—	—	—	—	1	10	4	2	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other malignant and lymphatic neoplasms	M	72	—	—	—	—	—	7	25	17	112	—	—	—	—	2	9	33	41	26	—		
	F	46	—	—	—	—	—	4	12	9	21	98	—	—	1	—	8	27	35	27	—		
Leukæmia, aleukæmia	M	5	—	—	1	—	—	1	—	2	1	5	—	—	2	—	1	1	1	—	—		
	F	2	—	—	—	1	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—		
Diabetes	M	3	—	—	—	—	—	—	2	1	10	—	—	—	—	—	2	3	2	3	—		
	F	3	—	—	—	—	—	—	1	2	15	—	—	—	—	—	—	3	7	—	—		
Vascular lesions of nervous system	M	54	—	—	—	—	—	2	10	19	23	160	—	—	—	1	3	38	46	72	—		
	F	86	—	—	—	—	—	1	9	27	49	195	—	—	—	—	5	34	60	96	—		
Coronary disease, angina	M	94	—	—	—	—	—	2	20	43	29	184	—	—	—	—	2	76	63	43	—		
	F	84	—	—	—	—	—	—	14	26	44	100	—	—	—	—	—	18	36	46	—		
Hypertension with heart disease	M	12	—	—	—	—	—	6	5	1	52	—	—	—	—	—	13	19	20	—	—		
	F	17	—	—	—	—	—	2	4	11	47	—	—	—	—	—	1	10	15	21	—		
Other heart disease	M	64	—	—	—	—	—	3	11	9	41	210	—	—	—	—	4	25	64	117	—		
	F	86	—	—	—	—	—	1	7	17	61	312	—	—	—	—	5	23	82	202	—		
Other circulatory disease	M	17	—	—	—	—	—	4	5	8	26	—	—	—	—	—	2	7	7	10	—		
	F	14	—	—	—	—	—	1	3	10	27	—	—	—	—	—	3	6	18	—	—		
Influenza	M	11	—	—	—	—	—	2	3	6	14	—	—	1	—	—	1	2	6	4	—		
	F	6	—	—	—	—	—	1	2	6	24	—	—	—	—	—	2	3	7	12	—		
Pneumonia	M	18	1	1	—	—	—	3	3	10	66	—	—	—	—	—	1	12	17	17	—		
	F	35	2	3	2	—	—	3	4	21	59	—	6	13	8	—	1	9	8	29	—		
Bronchitis	M	29	—	—	—	—	—	9	8	12	89	—	—	—	—	—	4	23	29	33	—		
	F	22	—	—	—	—	—	4	7	11	58	—	—	—	—	—	1	2	15	40	—		
Other diseases of respiratory system	M	14	—	—	1	—	—	2	4	4	18	—	—	1	—	—	—	6	3	8	—		
	F	7	—	—	—	—	—	3	3	4	9	—	—	—	—	—	—	1	4	4	—		
Ulcer of stomach and duodenum	M	4	—	—	—	—	—	3	—	1	20	—	—	—	—	—	2	10	6	2	—		
	F	5	—	—	—	—	—	2	1	2	5	—	—	—	—	—	—	3	—	2	—		
Gastritis, enteritis and diarrhoea	M	5	—	2	1	—	—	1	—	1	8	—	—	5	—	—	—	2	1	—	—		
	F	1	—	—	—	—	—	—	—	1	10	—	—	2	—	—	1	2	1	4	—		
Nephritis and nephrosis	M	4	—	—	—	—	—	1	—	2	1	28	—	—	—	1	1	8	9	9	—		
	F	10	—	—	—	—	—	2	3	2	3	16	—	—	1	1	1	1	5	6	—		
Hyperplasia of prostate gland	M	10	—	—	—	—	—	—	—	4	6	29	—	—	—	—	1	6	22	—	—		
Pregnancy, childbirth, abortion.	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—		
Congenital malformations	M	5	3	—	1	—	—	—	—	—	1	11	—	5	2	—	1	—	—	—	—		
	F	5	1	1	—	3	—	—	—	—	7	13	—	1	—	—	—	2	—	—	—		
Other defined and ill-defined dis.	M	36	8	—	1	1	5	8	6	7	136	40	1	1	3	3	6	28	28	32	—		
	F	51	7	—	1	2	2	5	7	25	112	22	2	3	—	—	7	12	15	45	—		
Motor vehicle accidents	M	6	—	—	—	1	1	3	—	1	19	—	—	2	2	3	6	4	1	1	—		
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	1	1	1	—	—		
All other accidents	M	13	—	—	2	3	—	2	4	2	35	—	1	4	—	3	5	6	6	10	—		
	F	14	—	—	1	—	—	2	3	8	14	—	—	1	1	1	—	4	6	6	—		
Suicide	M	4	—	—	—	—	—	2	2	—	12	—	—	—	—	2	4	3	2	1	—		
	F	3	—	—	—	—	—	1	1	—	8	—	—	—	—	—	1	5	—	—	—		
Homicide, operations of war	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		PORTSMOUTH										PRESTON									
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	
All Causes	M F	1517 1385	40 25	34 10	9 8	13 6	19 17	73 75	406 250	437 366	486 628	915 901	28 15	13 12	6 8	2 2	11 8	65 43	286 201	231 263	
1 Tuberculosis respiratory	M F	39 21	— —	— —	1 —	— —	2 7	10 6	19 6	7 1	— —	24 17	— —	— —	— —	— —	— 5	12 5	10 4	— —	
2 Tuberculosis other	M F	5 1	— —	— —	1 —	1 —	— —	— —	2 —	1 —	— —	4 1	— —	— —	1 —	— —	— —	— —	— —	— —	
3 Syphilitic disease	M F	6 —	— —	— —	— —	— —	— —	— —	2 —	2 —	2 —	7 2	— —	— —	— —	— —	— —	— —	4 2	— —	
4 Diphtheria	M F	— 1	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
5 Whooping cough	M F	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	
6 Meningococcal infections	M F	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	
7 Acute poliomyelitis	M F	— 1	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
8 Measles	M F	2 —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— 1	— —	1 —	— —	— —	— —	— —	— —	— —	
9 Other infective, etc., diseases	M F	4 4	— —	— —	— —	2 —	— —	1 2	1 17	— 1	— —	3 4	— —	— —	— —	— —	— —	2 3	— 14	— 3	
10 Malignant neoplasm: stomach	M F	47 25	— —	— —	— —	— —	1 —	2 2	17 5	17 6	11 11	27 13	— —	— —	— —	— —	— —	3 1	14 3	— —	
11 lung, bronchus	M F	66 11	— —	— —	— —	— —	— —	3 5	34 5	20 1	9 3	33 4	— —	— —	— —	— —	— —	4 —	22 2	— —	
12 breast	M F	1 48	— —	— —	— —	— —	— —	— 4	— 20	1 19	— 5	— 24	— 12	— —	— —	— —	— —	2 5	11 5	— —	
13 uterus	M F	— 23	— —	— —	— —	— —	— —	— —	— 8	— 5	— 6	— 12	— —	— —	— —	— —	— —	— —	— —	— —	
14 Other malignant and lymphatic neoplasms	M F	145 134	— —	— —	2 —	1 —	2 —	16 1	44 42	46 31	45 31	62 55	— —	— —	— —	— —	— —	1 9	19 21	— —	
15 Leukæmia, aleukæmia	M F	4 6	— —	— —	— —	— —	— —	2 —	3 3	1 —	— —	2 4	— —	— —	— —	— —	— —	2 1	— 1	— —	
16 Diabetes	M F	8 12	— —	— —	— —	— —	1 —	1 —	1 5	2 —	3 2	3 4	— —	— —	— —	— —	— —	— —	— 2	— —	
17 Vascular lesions of nervous system	M F	144 169	— —	— —	— —	— —	— —	3 3	31 34	51 54	59 78	110 136	— —	— —	— —	— —	— —	— —	31 25	— —	
18 Coronary disease, angina	M F	170 85	— —	— —	— —	— —	— —	6 1	62 9	61 43	41 32	145 75	— —	— —	— —	— —	— —	10 1	55 21	— —	
19 Hypertension with heart disease	M F	44 43	— —	— —	— —	— —	— —	— —	10 11	17 15	17 17	38 33	— —	— —	— —	— —	— —	1 —	13 6	— —	
20 Other heart disease	M F	249 344	— —	— —	— —	— —	1 —	5 7	41 77	76 70	126 239	131 205	— —	— —	— —	1 —	1 —	3 5	27 28	— —	
21 Other circulatory disease	M F	48 52	— —	— —	— —	— —	— —	2 —	9 14	17 20	20 27	20 22	— —	— —	— —	— —	— —	— 2	3 3	— —	
22 Influenza	M F	19 16	— —	— —	— —	— —	— —	— 2	6 3	5 5	8 6	32 44	— —	— —	— 1	— —	— —	2 —	10 12	— —	
23 Pneumonia	M F	83 53	5 4	14 2	1 3	— 1	1 —	2 2	11 4	19 9	30 28	30 39	1 3	6 5	— —	— —	— —	1 3	2 4	— —	
24 Bronchitis	M F	129 74	— —	1 —	— —	— —	— —	2 2	35 7	42 26	50 40	68 64	1 10	— 3	— —	— —	— —	1 1	26 10	— —	
25 Other diseases of respiratory system	M F	13 6	— —	1 —	— —	1 —	— —	— 2	2 1	4 2	3 3	9 2	— —	1 —	— —	— —	— —	1 3	3 1	— —	
26 Ulcer of stomach and duodenum	M F	26 5	— —	— —	— —	— —	— —	— —	17 1	5 3	4 1	10 12	— —	— —	— —	— —	— —	2 1	2 5	— —	
27 Gastritis, enteritis and diarrhoea	M F	17 13	— —	8 2	— —	1 —	— —	1 4	3 2	— 3	4 2	4 5	— —	2 —	1 —	— —	— —	— 1	— —	— —	
28 Nephritis and nephrosis	M F	24 11	— —	— —	— —	2 —	— —	6 —	5 —	6 4	5 3	16 21	— —	1 —	1 —	— —	— —	2 —	3 10	— —	
29 Hyperplasia of prostate	M	14	—	—	—	—	—	—	3	4	7	8	—	—	—	—	—	—	—	—	
30 Pregnancy, childbirth, abortion.	M F	— 3	— —	— —	— —	— —	— —	— 3	— —	— —	— —	— 3	— —	— —	— —	— —	— —	— 3	— —	— —	
31 Congenital malformations	M F	6 13	1 7	1 —	— 1	— —	1 2	2 2	1 5	— 29	— 24	— 35	7 81	1 24	1 2	— —	1 —	— 6	1 16	— 17	
32 Other defined and illdefined dis.	M F	139 165	34 14	6 3	3 1	2 2	1 2	5 9	34 25	24 35	35 75	74 74	24 9	2 1	2 1	— —	1 —	6 1	16 17	— —	
33 Motor vehicle accidents	M F	10 3	— —	— —	— —	— —	2 2	3 7	4 5	1 6	— 1	9 22	— 1	— —	2 1	— —	— —	— 4	3 6	— 1	
34 All other accidents	M F	33 29	— —	3 1	— —	3 —	— 3	— 1	6 3	1 4	— 17	— 9	— —	— —	— —	— —	— —	— —	— —	— —	
35 Suicide	M F	18 11	— —	— —	— —	— —	1 —	5 —	6 5	6 3	— 2	8 6	— —	— —	— —	— —	— —	— —	— 3	— 2	
36 Homicide, operations of war	M F	3 2	— —	— —	— —	— —	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		READING											ROCHDALE										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M	712	18	11	4	6	9	30	173	192	269	717	21	12	6	3	2	36	202	209	226		
	F	690	15	8	1	2	7	24	123	171	339	740	25	11	4	—	7	21	168	219	285		
Tuberculosis	M	23	—	—	—	—	—	1	6	11	4	14	—	—	—	—	—	7	6	1	—		
respiratory	F	11	—	—	—	—	—	1	6	4	—	9	—	—	—	—	2	1	4	1	—		
Tuberculosis	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	1	—	—		
other	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—	—		
Syphilitic disease	M	6	—	—	—	—	—	—	4	2	—	1	—	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—	—		
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Whooping Cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Meningococcal infections	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—		
Other infective, etc., diseases	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Malignant neoplasm: stomach	M	16	—	—	—	—	—	—	7	3	6	26	—	—	—	—	—	1	5	14	6		
	F	13	—	—	—	—	—	—	1	5	7	21	—	—	—	—	—	—	6	10	5		
lung, bronchus	M	24	—	—	—	—	—	2	14	5	3	27	—	—	—	—	—	3	17	7	—		
	F	2	—	—	—	—	—	—	—	1	—	5	—	—	—	—	—	2	2	—	1		
breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	15	—	—	—	—	—	1	6	4	4	18	—	—	—	—	—	3	10	2	3		
uterus	M	—	—	—	—	—	—	—	4	2	—	10	—	—	—	—	—	2	6	2	—		
	F	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other malignant and lymphatic neoplasms	M	58	—	—	—	1	—	1	18	13	25	57	—	—	—	—	—	17	19	21	—		
	F	50	—	—	—	1	—	3	18	14	14	46	—	—	—	—	2	18	14	12	—		
Leukæmia, aleukæmia	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—		
Diabetes	M	2	—	—	—	—	—	—	—	1	1	3	—	—	—	—	—	1	1	—	1		
	F	5	—	—	—	—	—	—	1	3	1	10	—	—	—	—	—	6	1	—	3		
Vascular lesions of nervous system	M	79	—	—	—	—	—	2	15	29	33	76	—	—	—	—	—	14	32	30	—		
	F	106	—	—	—	—	—	2	17	33	54	120	—	—	—	—	—	1	26	45	48		
Coronary disease, angina	M	106	—	—	—	—	—	3	36	40	27	96	—	—	—	—	—	1	37	40	18		
	F	45	—	—	—	—	—	—	9	12	24	59	—	—	—	—	—	1	14	24	20		
Hypertension with heart disease	M	14	—	—	—	—	—	—	3	5	6	30	—	—	—	—	—	10	9	11	—		
	F	14	—	—	—	—	—	—	2	4	8	31	—	—	—	—	—	5	11	15	—		
Other heart disease	M	135	—	1	—	—	—	2	19	37	76	120	—	—	—	—	—	5	27	31	57		
	F	190	—	—	—	—	—	2	23	40	125	163	—	—	—	—	—	2	24	52	85		
Other circulatory disease	M	29	—	—	—	—	—	1	3	7	18	30	—	—	—	—	—	7	8	15	—		
	F	35	—	—	—	—	—	1	4	11	19	43	—	—	—	—	—	5	9	29	—		
Influenza	M	9	—	—	—	—	—	2	2	1	4	25	—	1	—	—	—	1	8	6	9		
	F	10	—	—	—	—	—	—	1	4	5	12	—	—	—	—	—	—	1	7	4		
Pneumonia	M	44	4	5	1	—	—	2	8	6	18	30	1	5	—	—	—	2	5	7	10		
	F	47	2	5	—	—	—	1	10	7	22	27	—	6	2	—	1	2	6	5	5		
Bronchitis	M	53	—	—	—	—	—	—	10	20	23	56	—	—	—	—	—	2	19	17	18		
	F	29	—	—	—	—	—	1	2	5	21	36	—	2	—	—	—	1	8	9	16		
Other diseases of respiratory system	M	6	—	—	—	—	—	—	3	1	2	5	—	—	—	—	—	1	2	—	—		
	F	2	—	—	—	—	—	—	1	—	1	3	—	—	—	—	—	—	—	2	—		
Ulcer of stomach and duodenum	M	14	—	—	—	—	—	1	5	4	4	7	—	—	—	—	—	1	4	1	1		
	F	3	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—	—	—	—		
Gastritis, enteritis and diarrhoea	M	1	—	1	—	—	—	—	—	—	—	5	—	2	—	—	—	—	1	—	—		
	F	4	—	2	—	—	—	1	—	1	—	2	—	1	—	—	—	—	1	—	—		
Nephritis and nephrosis	M	2	—	—	—	—	—	—	2	—	—	9	—	—	—	—	—	2	3	2	2		
	F	6	—	—	—	—	—	1	1	3	1	8	—	—	—	—	—	1	—	2	5		
Hyperplasia of prostate	M	13	—	—	—	—	—	—	1	—	2	10	—	—	—	—	—	—	1	5	2		
Pregnancy, childbirth, abortion	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—		
Congenital malformations	M	5	1	2	1	1	—	—	—	—	—	5	2	1	—	—	—	1	—	—	—		
	F	6	5	—	—	—	—	—	—	1	—	9	2	2	—	—	—	1	3	—	1		
Other defined and ildefined dis.	M	41	13	1	—	—	—	2	6	10	9	68	18	3	—	—	—	4	14	8	20		
	F	72	8	1	—	1	2	2	12	17	29	81	23	—	1	—	1	1	14	14	27		
Motor vehicle accidents	M	10	—	—	1	—	3	2	2	1	1	5	—	—	1	1	1	—	—	—	2		
	F	2	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	1	—	—	—		
All other accidents	M	20	—	1	1	4	—	3	3	1	2	7	—	—	—	—	—	1	1	3	—		
	F	5	—	—	—	—	3	—	1	1	3	8	—	—	—	—	—	—	1	3	4		
Suicide	M	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	8	—	—	—	—	—	2	4	2	—	8	—	—	—	—	—	1	4	3	—		
Homicide, operations of war	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		ROTHERHAM											ST. HELENS										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes		M F	584 389	18 9	10 3	8 1	5 5	4 3	34 10	144 92	169 127	192 139	852 594	25 12	20 14	8 10	8 7	11 15	50 41	240 141	251 174		
1	Tuberculosis	M F	21 3	— —	— —	1 —	— —	— 2	5 —	10 1	3 —	2 —	21 12	— —	— —	— —	— 1	5 1	4 5	10 1	— —		
2	Tuberculosis respiratory other	M F	2 —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	4 4	— —	1 —	2 —	— —	— —	— —	— —	— —		
3	Syphilitic disease	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
5	Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
6	Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —	— —	— —		
7	Acute poliomyelitis	M F	2 —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
8	Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —		
9	Other infective, etc., diseases	M F	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	3 2	— —	— —	1 —	— —	— —	1 —	2 1	— —		
10	Malignant neoplasm: stomach	M F	15 12	— —	— —	— —	— —	— —	1 1	7 4	4 4	3 3	21 9	— —	— —	— —	— —	2 1	7 4	13 4	— —		
11	Lung, bronchus	M F	22 2	— —	— —	— —	— —	— —	3 —	10 —	6 —	3 —	29 6	— —	— —	— —	— —	— —	14 5	1 —	— —		
12	breast	M F	11 —	— —	— —	— —	— —	— —	— —	5 —	4 —	1 —	13 13	— —	— —	— —	— —	2 1	8 8	— —	— —		
13	uterus	M F	9 —	— —	— —	— —	— —	— —	— —	4 —	2 —	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
14	Other malignant and lymphatic neoplasms	M F	53 29	— —	— —	— —	1 —	4 —	15 13	18 11	15 4	63 44	— —	— —	— —	— —	2 —	3 4	24 13	2 1	— —		
15	Leukæmia, aleukæmia	M F	1 2	— —	— —	1 —	— —	— —	— —	— —	1 —	— —	2 1	— —	— —	1 —	— —	— —	— —	— —	— —		
16	Diabetes	M F	5 4	— —	— —	— —	— —	— —	— —	— —	3 1	2 3	4 7	— —	— —	— —	— —	1 —	— —	1 3	— —		
17	Vascular lesions of nervous system	M F	58 49	— —	— —	— —	— —	— —	— 2	7 11	23 15	28 21	73 63	— —	— —	— —	— —	1 —	1 16	15 2	— —		
18	Coronary disease, angina	M F	69 32	— —	— —	— —	— —	6 —	28 1	19 6	16 —	87 39	— —	— —	— —	— —	— —	6 1	44 12	— 2	— —		
19	Hypertension with heart disease	M F	7 10	— —	— —	— —	— —	— —	— —	5 1	2 5	17 17	— —	— —	— —	— —	— —	— —	— 5	— —	— —		
20	Other heart disease	M F	69 79	— —	— —	— —	— —	4 —	10 16	24 20	31 43	120 120	— —	— —	— —	1 —	1 —	4 10	19 18	3 3	— —		
21	Other circulatory disease	M F	25 15	— —	— —	1 —	— —	— —	2 1	9 4	13 10	24 22	— —	— —	— —	— —	1 —	2 2	2 4	— —	— —		
22	Influenza	M F	12 10	— —	— —	— —	— —	1 —	3 7	3 —	5 3	79 53	— —	— —	1 —	1 —	— —	2 —	3 11	27 2	— —		
23	Pneumonia	M F	21 18	2 —	2 3	— 1	— —	— —	4 1	4 7	9 4	40 27	— —	1 —	5 4	1 —	1 —	— —	10 8	— —	— —		
24	Bronchitis	M F	81 24	— —	2 —	— —	— —	— —	23 3	25 2	31 13	91 37	— —	— —	— —	1 —	— —	— —	28 1	3 7	— —		
25	Other diseases of respiratory system	M F	4 4	— —	— —	— —	1 —	— —	2 2	— —	— —	2 3	— —	— —	— —	— —	— —	1 1	5 5	— —	— —		
26	Ulcer of stomach and duodenum	M F	3 1	— —	— —	— —	— —	— —	— —	3 —	— —	— —	13 2	— —	— —	— —	— —	— —	— —	6 —	— —		
27	Gastritis, enteritis and diarrhoea	M F	3 1	— —	1 —	— —	— —	— —	— —	1 —	1 —	6 8	— —	— —	5 6	1 —	— —	— —	— —	2 —	— —		
28	Nephritis and nephrosis	M F	10 3	— —	— —	— —	— —	— —	2 2	2 —	4 1	5 —	— —	— —	— —	— —	— —	— —	— —	1 3	— —		
29	Hyperplasia of prostate	M F	9 —	— —	— —	— —	— —	— —	— —	— —	6 —	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
30	Pregnancy, childbirth, abortion	M F	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	2 —	— —	— —		
31	Congenital malformations	M F	7 2	4 2	2 —	— —	1 —	— —	— —	— —	— —	— —	8 8	5 3	2 —	— —	— —	— —	1 —	2 —	— —		
32	Other defined and ildefined dis.	M F	60 55	12 7	3 —	1 —	1 —	2 —	3 2	8 11	19 15	75 19	19 9	5 —	2 1	1 —	3 1	8 4	12 11	1 —	— —		
33	Motor vehicle accidents	M F	4 1	— —	— —	2 1	— —	— —	— —	— —	— —	2 —	9 —	— —	— —	— —	2 —	1 —	3 —	2 —	— —		
34	All other accidents	M F	15 8	— —	— —	2 1	— —	1 —	3 —	3 —	3 —	3 —	28 14	— —	2 1	2 —	3 —	— —	2 —	5 —	— —		
35	Suicide	M F	6 3	— —	— —	— —	— —	— —	1 4	— 2	— 1	1 —	7 3	— —	— —	— —	— —	— —	3 1	3 1	— —		
36	Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		SALFORD											SHEFFIELD										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	1335 1162	41 28	19 19	14 5	13 6	10 10	106 71	446 227	374 350	312 446	3484 3151	73 64	47 35	16 18	16 18	29 30	202 146	941 627	1108 942	1052 1271		
Tuberculosis	M F	55 27	— —	— —	— —	— —	1 2	17 14	30 8	7 3	— —	99 54	— —	— 1	— —	— 1	— 7	27 32	45 10	23 2	4 1		
Tuberculosis	M F	4 4	— —	— —	1 —	1 2	— 1	2 —	— —	— —	— 1	10 13	— —	— —	3 1	— —	— 3	1 4	1 3	1 1	— 1		
Syphilitic disease	M F	5 2	— —	— —	— —	— —	— —	2 1	3 —	— —	— —	16 5	— —	— —	— —	— —	— —	— —	11 4	5 —	— —		
Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Whooping cough	M F	— 2	— —	— 1	— 1	— —	— —	— —	— —	— —	— —	1 2	— —	1 2	— —	— —	— —	— —	— —	— —	— —		
Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —		
Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3 —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —		
Measles	M F	2 —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	1 3	— —	1 —	1 2	— —	— —	— —	— —	— —	— —		
Other infective, etc., diseases	M F	5 2	— —	— 1	1 —	1 —	— —	— —	2 —	1 —	— —	11 7	— —	— —	1 —	— —	— —	3 2	3 4	3 1	1 —		
Malignant neoplasm: stomach	M F	46 33	— —	— —	— —	— —	— —	4 13	23 11	11 8	9 —	101 81	— —	— —	— —	— —	— 1	4 3	39 25	34 35	24 17		
lung, bronchus	M F	61 12	— —	— —	— —	— —	— —	9 3	29 4	19 3	4 2	152 23	— —	— —	— —	— —	— —	15 3	80 8	47 9	10 3		
breast	M F	1 33	— —	— —	— —	— —	— —	— 4	1 10	— 15	— 4	— 103	— —	— —	— —	— —	— 13	— 45	— 28	— 17			
uterus	M F	10 —	— —	— —	— —	— —	— —	1 6	— 2	— 1	— —	43 —	— —	— —	— —	— —	— 3	— 22	— 11	— —	— 7		
Other malignant and lymphatic neoplasms	M F	113 83	— —	— —	— 1	— 1	10 6	33 24	43 33	25 19	308 231	— —	— 1	2 2	3 1	1 1	25 11	98 70	94 78	85 67			
Leukæmia, aleukæmia	M F	4 —	— —	— —	— —	— —	— —	2 —	2 —	— —	— —	16 9	— —	— —	1 2	1 —	1 1	7 4	4 2	— —	— —		
Diabetes	M F	6 10	— —	— —	— —	— —	— —	— 1	2 4	3 3	1 3	14 30	— —	— —	— —	— —	— —	— 1	2 6	7 13	5 10		
Vascular lesions of nervous system	M F	114 161	— —	— —	— 1	— —	— —	4 2	36 36	34 50	39 73	377 468	— —	— —	— —	— —	1 4	10 90	81 185	145 189	— —		
Coronary disease, angina	M F	145 82	— —	— —	— —	— —	— —	9 1	62 19	50 31	24 31	443 248	— —	— —	— —	— —	— —	9 3	166 48	161 102	107 95		
Hypertension with heart disease	M F	51 53	— —	— —	— —	— —	— —	— —	17 13	19 18	15 22	87 96	— —	— —	— —	— —	— —	1 24	15 37	34 35	— —		
Other heart disease	M F	148 236	— —	— —	— —	— 1	10 13	33 26	32 66	72 130	534 639	— —	— —	— —	— 3	2 1	22 25	79 83	168 172	263 355			
Other circulatory disease	M F	39 33	— —	— —	— —	— 1	— 1	4 5	13 14	66 22	228 313	— —	— —	— —	— 1	— 4	1 19	6 4	28 63	84 227	— —		
Influenza	M F	27 22	— —	— —	— —	— —	— —	1 3	13 10	6 3	59 69	— —	— —	2 —	— —	— —	— 3	16 4	22 8	17 25	— —		
Pneumonia	M F	47 43	— 1	4 6	3 1	— —	1 2	19 11	8 13	10 10	146 113	— —	1 1	15 7	1 —	— 2	— —	7 1	48 28	49 31	25 42		
Bronchitis	M F	206 108	— —	— 1	— —	— —	— —	8 3	84 12	71 5	43 53	315 179	— —	4 1	— 2	— —	— —	8 34	110 52	119 90	74 6		
Other diseases of respiratory system	M F	17 3	— —	— —	— 1	— —	— —	4 2	5 —	6 —	— 1	41 17	— —	3 1	1 1	— 2	— 1	6 4	19 1	5 4	6 —		
Ulcer of stomach and duodenum	M F	21 11	— —	— —	— —	— —	— —	— —	8 2	13 2	— —	48 18	— —	— —	— —	— —	— —	6 2	13 4	15 7	14 5		
Gastritis, enteritis and diarrhoea	M F	15 15	— 1	6 5	2 1	— —	— 1	— 2	— 1	— 3	— 1	11 15	— —	— 1	2 4	1 —	— —	— —	— 1	— 3	— 5		
Nephritis and nephrosis	M F	16 11	— —	— —	— —	— 1	1 2	2 5	3 4	5 4	4 2	23 24	— —	— —	— —	— —	— 1	8 3	6 6	3 2	5 8		
Hyperplasia of prostate	M	15	—	—	—	—	—	—	1	5	9	43	—	—	—	—	—	2	20	21	—		
Pregnancy, childbirth, abortion	F	4	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—		
Congenital malformations	M F	12 18	7 9	3 2	— —	1 —	— —	1 4	— 1	— —	— —	21 24	10 5	7 7	1 1	— 1	1 3	1 1	1 3	— 3	— —		
Other defined and illdefined dis.	M F	118 132	32 16	2 1	3 1	2 1	1 3	7 8	23 23	20 28	28 51	186 227	61 52	10 5	3 2	3 3	7 12	32 55	32 53	26 39	— —		
Motor vehicle accidents	M F	10 3	— —	— —	1 1	— —	— —	1 6	4 1	2 1	1 1	35 16	— —	— —	— —	3 2	7 1	9 10	4 5	7 5	5 1		
All other accidents	M F	28 13	1 —	3 —	— 1	6 —	— 1	6 1	6 2	1 3	3 5	67 57	— 4	3 3	1 2	5 —	5 2	10 6	19 17	13 22	11 —		
Suicide	M F	8 2	— —	— —	— —	— —	— 1	— 2	— 3	— 1	— 1	28 16	— —	— —	— —	— —	— —	1 7	— 11	— 7	— 2		
Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5 —	— —	— —	— —	— —	— 1	— 1	— 2	— 1	— —		

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		SMETHWICK											SOUTHAMPTON										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes		M F	500 458	12 6	10 3	4 —	6 2	6 1	22 18	157 102	138 135	145 191	1122 1008	30 23	11 12	10 5	10 8	9 3	42 49	308 164	352 235		
1	Tuberculosis respiratory	M F	28 9	— —	— —	— —	1 —	— —	6 5	18 4	2 —	1 —	43 21	— —	— —	— —	— —	— —	10 14	26 5	6 2		
2	Tuberculosis other	M F	3 —	— —	— —	1 —	— —	— —	1 —	— —	— —	1 —	7 1	— —	— —	5 —	— —	1 —	— —	— —	1 —		
3	Syphilitic disease	M F	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	10 1	— —	— —	— —	— —	— —	— —	5 1	— —		
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
5	Whooping cough	M F	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	1 1	— —	— —	— —	— —	— —	— —		
6	Meningococcal infections	M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	1 1	— —	1 1	— —	— —	— —	— —	— —	— —		
7	Acute poliomyelitis	M F	2 —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
8	Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
9	Other infective, etc., diseases	M F	1 2	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	2 2	— —	— —	— —	— —	— —	— —	2 —	— —		
10	Malignant neoplasm: stomach	M F	15 12	— —	— —	— —	— —	— —	— —	9 3	3 6	3 3	34 31	— —	— —	— —	— —	1 —	14 5	1 11	12 —		
11	lung, bronchus	M F	29 7	— —	— —	— —	— —	— —	1 —	17 4	9 2	2 1	55 5	— —	— —	— —	— —	— —	30 2	20 3	— —		
12	breast	M F	11 —	— —	— —	— —	— —	— —	— —	6 —	3 —	2 —	21 —	— —	— —	— —	— —	2 —	8 —	7 —	— —		
13	uterus	M F	9 —	— —	— —	— —	— —	— —	— —	4 —	5 —	— —	18 —	— —	— —	— —	— —	— —	11 —	5 —	— —		
14	Other malignant and lymphatic neoplasms	M F	41 38	— —	— —	— —	— —	— —	1 —	18 14	13 12	9 11	122 79	— —	— —	— —	1 —	— —	1 21	37 22	46 —		
15	Leukæmia, leukæmia	M F	2 2	— —	— —	— —	1 —	— —	— —	1 2	— —	— —	6 5	— —	— —	1 —	2 —	— —	2 1	2 —	1 —		
16	Diabetes	M F	2 4	— —	— —	— —	— —	— —	1 1	— —	1 —	— —	3 13	— —	— —	— —	— —	— —	— —	1 3	1 4		
17	Vascular lesions of nervous system	M F	51 67	— —	— —	— —	— —	— —	— —	12 14	21 26	18 27	98 138	— —	— —	— —	— —	1 3	25 21	28 42	— —		
18	Coronary disease, angina	M F	66 36	— —	— —	— —	— —	— —	— —	30 8	17 11	19 17	152 85	— —	— —	— —	— —	— —	4 14	51 36	67 —		
19	Hypertension with heart disease	M F	14 23	— —	— —	— —	— —	— —	— —	2 6	5 8	7 9	22 26	— —	— —	— —	— —	— —	2 3	8 —	— —		
20	Other heart disease	M F	66 101	— —	— —	— —	— —	— —	1 3	14 10	18 25	33 63	192 272	— —	— —	— —	— —	1 6	3 31	26 61	61 —		
21	Other circulatory disease	M F	13 13	— —	— —	— —	— —	— —	— —	2 2	5 3	6 7	37 28	— —	— —	— —	— —	— —	2 3	8 —	12 —		
22	Influenza	M F	9 16	— —	— —	— —	— —	— —	1 1	2 5	2 4	2 8	17 29	— —	— —	— —	— —	— —	— —	5 5	— —		
23	Pneumonia	M F	31 15	2 1	4 2	— —	— —	— —	3 3	3 10	9 9	43 42	6 3	2 5	1 —	3 —	— —	— —	7 2	12 —	— —		
24	Bronchitis	M F	44 24	— —	1 1	1 —	— —	— —	— —	12 3	14 8	15 12	90 47	— —	1 —	— —	— —	— —	1 4	21 14	39 —		
25	Other diseases of respiratory system	M F	4 1	— —	— —	— —	— —	— —	— —	— —	2 —	— —	6 5	— —	— —	1 —	— —	— —	— —	4 —	— —		
26	Ulcer of stomach and duodenum	M F	10 4	— —	— —	— —	— —	— —	— —	1 —	5 1	4 2	10 10	— —	— —	— —	— —	— —	— —	4 1	— —		
27	Gastritis, enteritis and diarrhoea	M F	2 2	— —	— —	— —	— —	— —	— —	1 —	1 —	1 —	5 —	— —	1 —	— —	— —	— —	1 —	1 —	— —		
28	Nephritis and nephrosis	M F	2 4	— —	— —	— —	— —	2 —	— —	— —	— —	— —	17 17	— —	— —	— —	— —	3 —	1 —	4 7	— —		
29	Hyperplasia of prostate	M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	18 3	— —	— —	— —	— —	— —	— —	— —	— —		
30	Pregnancy, childbirth, abortion	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	2 —	— —	— —		
31	Congenital malformations	M F	2 1	— —	1 —	— —	— —	— —	— —	— —	— —	— —	8 3	— —	1 —	— —	— —	— —	1 —	1 —	— —		
32	Other defined and illdefined dis.	M F	45 48	9 5	2 —	1 —	1 —	2 1	1 3	6 9	7 12	16 17	95 73	23 18	3 —	1 —	3 —	4 —	24 10	10 —	— —		
33	Motor vehicle accidents	M F	4 1	— —	— —	— —	— —	1 —	1 —	1 —	1 —	— —	13 3	— —	— —	— —	1 —	— —	5 2	6 2	— —		
34	All other accidents	M F	7 4	— —	— —	— —	1 —	1 —	2 —	1 —	2 —	1 —	15 17	— —	— —	1 —	1 —	2 —	4 —	2 —	— —		
35	Suicide	M F	2 4	— —	— —	— —	— —	— —	— —	— —	1 —	— —	4 5	— —	— —	— —	— —	— —	1 —	1 —	— —		
36	Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		SOUTHEND-ON-SEA											SOUTHPORT										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	1027 1146	22 15	7 9	2 10	4 5	7 6	36 32	254 186	320 266	375 617	737 876	15 7	7 7	3 1	3 1	5 4	20 18	202 144	218 227	264 467		
Tuberculosis	M F	24 15	— —	1 —	— —	— —	1 —	9 —	2 —	5 —	4 2	19 3	— —	— —	— —	— —	1 —	1 —	4 —	11 —	2 —		
Tuberculosis respiratory	M F	1 3	— —	— —	1 —	— —	1 —	— —	1 —	— —	— —	4 1	— —	1 —	— —	1 —	— —	— —	— —	— —	— —		
Tuberculosis other	M F	6 —	— —	— —	— —	— —	— —	— —	3 —	2 —	1 —	3 —	— —	— —	— —	— —	1 —	1 —	1 —	— —			
Syphilitic disease	M F	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
Meningococcal infections	M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	a —	— —			
Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —			
Other infective, etc., diseases	M F	3 2	— —	— —	— —	— —	— —	— —	3 2	— —	— —	1 4	— —	— —	— —	— —	— —	— —	— —	1 1			
Malignant neoplasm: stomach	M F	32 24	— —	— —	— —	— —	— —	— —	12 2	9 6	11 16	18 17	— —	— —	— —	— —	— —	1 5	8 5	7 5	2 7		
lung, bronchus	M F	70 14	— —	— —	— —	— —	— —	3 1	41 4	20 7	6 2	38 6	— —	— —	— —	— —	— —	2 2	24 3	11 1	4 1		
breast	M F	39 14	— —	— —	— —	— —	— —	2 1	19 6	11 2	7 5	27 10	— —	— —	— —	— —	— —	1 2	16 8	6 3	4 1		
uterus	M F	88 101	— —	— —	— —	1 —	— —	5 1	25 32	25 27	32 35	48 68	— —	— —	— —	— —	— —	— —	14 21	15 19	14 25		
Other malignant and lymphatic neoplasms	M F	2 6	— —	— —	— —	— —	— —	1 —	1 —	2 —	2 —	3 —	— —	— —	— —	— —	— —	— —	— —	— —			
Leukæmia, aleukæmia	M F	4 7	— —	— —	— —	— —	— —	1 —	— —	1 —	2 —	4 12	— —	— —	— —	— —	— —	— —	— —	— —			
Diabetes	M F	104 163	— —	— —	— —	— —	— —	— —	24 3	33 19	47 48	84 93	— —	— —	— —	— —	— —	1 48	26 65	25 89	38 89		
Vascular lesions of nervous system	M F	167 113	— —	— —	— —	— —	— —	3 —	51 21	68 36	45 56	136 100	— —	— —	— —	— —	— —	— —	4 11	50 33	35 56		
Coronary disease, angina	M F	36 52	— —	— —	— —	— —	— —	— —	6 3	12 15	18 23	— —	— —	— —	— —	— —	— —	— —	— —	— —			
Hypertension with heart disease	M F	128 240	— —	— —	— —	— —	— —	1 —	13 21	39 38	75 180	112 190	— —	— —	— —	— —	— —	— —	4 19	11 31	69 136		
Other circulatory disease	M F	33 34	— —	— —	— —	— —	— —	— —	4 2	16 9	13 19	23 32	— —	— —	— —	— —	— —	— —	— —	— —			
Influenza	M F	15 23	— —	— —	— —	— —	— —	— —	3 5	3 6	9 12	25 50	— —	— —	— —	— —	— —	— —	7 5	6 17	12 28		
Pneumonia	M F	63 92	1 5	1 3	— —	1 —	— —	— —	5 5	17 17	38 59	50 25	3 1	2 2	— —	— —	— —	— —	— —	— —			
Bronchitis	M F	55 42	— —	1 1	— —	— —	— —	1 1	17 5	20 13	16 21	54 42	— —	— —	— —	— —	— —	— —	13 4	20 10	21 27		
Other diseases of respiratory system	M F	17 8	— —	— —	— —	— —	— —	— —	7 1	7 2	7 5	13 2	— —	— —	— —	— —	— —	— —	— —	— —			
Ulcer of stomach and duodenum	M F	17 5	— —	— —	— —	— —	— —	— —	3 1	7 1	7 3	13 3	— —	— —	— —	— —	— —	— —	— —	— —			
Gastritis, enteritis and diarrhoea	M F	2 —	— —	— —	— —	— —	— —	— —	1 —	1 —	1 —	4 —	— —	2 —	— —	— —	— —	— —	— —	— —			
Nephritis and nephrosis	M F	3 7	— —	— —	— —	1 —	— —	— —	— —	— —	— —	6 3	— —	— —	— —	— —	— —	— —	— —	— —			
Hyperplasia of prostate	M F	24 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	15 —	— —	— —	— —	— —	— —	— —	— —	— —			
Pregnancy, childbirth, abortion.	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
Congenital malformations	M F	12 11	6 2	1 2	1 —	— —	— —	1 —	2 2	1 —	2 —	6 —	1 3	1 2	— —	— —	— —	— —	— —	— —			
Other defined and illdefined dis.	M F	75 89	15 8	1 1	3 —	2 —	1 —	2 —	8 12	17 19	23 16	56 37	11 55	3 2	— —	— —	— —	— —	— —	— —			
Motor vehicle accidents	M F	11 6	— —	— —	— —	1 —	2 —	4 —	2 1	2 —	1 —	3 2	— —	— —	— —	— —	— —	— —	— —	— —			
All other accidents	M F	24 25	— —	2 —	— —	— —	5 —	1 2	4 1	6 4	2 18	5 14	— —	— —	— —	— —	— —	— —	— —	— —			
Suicide	M F	10 8	— —	— —	— —	— —	— —	1 —	4 6	3 1	2 —	12 5	— —	— —	— —	— —	— —	— —	— —	— —			
Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		SOUTH SHIELDS												STOCKPORT																
		All Ages	0-4 weeks	4 weeks - 1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks - 1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks - 1 year	1-	5-	15-	25-	45-	65-
All Causes	M	757	27	14	5	4	12	51	233	210	201	1003	29	17	5	9	4	44	292	303										
	F	620	21	16	5	3	10	28	128	168	241	1060	25	14	4	2	8	49	178	316										
1 Tuberculosis respiratory	M	26	—	—	—	—	2	7	17	—	—	22	—	—	—	—	—	5	12	5										
2 Tuberculosis other	F	11	—	—	—	—	—	7	7	—	1	18	—	—	—	—	2	12	4	—										
	M	1	—	—	—	—	—	1	1	—	—	6	—	—	—	2	—	2	—	—										
	F	4	—	—	2	—	1	1	—	—	—	4	—	1	—	1	—	2	—	—										
3 Syphilitic disease	M	6	—	—	—	—	—	—	3	2	1	2	—	—	—	—	—	1	1	—										
4 Diphtheria	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	1	1	—										
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
6 Meningococcal infections	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—										
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
7 Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
8 Measles	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
	M	2	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—										
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
9 Other infective, etc., diseases	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—										
10 Malignant neoplasm: stomach	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
	M	26	—	—	—	—	—	4	10	9	3	23	—	—	—	—	—	—	10	10										
	F	27	—	—	—	—	—	8	12	7	31	—	—	—	—	—	—	5	16	—										
11 lung, bronchus	M	42	—	—	—	—	—	3	25	10	4	41	—	—	—	—	—	1	26	10										
12 breast	F	10	—	—	—	—	—	—	5	—	—	8	—	—	—	—	—	—	3	4										
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
	F	9	—	—	—	—	—	1	2	3	34	—	—	—	—	—	—	1	17	11										
13 uterus	M	12	—	—	—	—	—	1	7	3	1	18	—	—	—	—	—	1	7	5										
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
14 Other malignant and lymphatic neoplasms	M	63	—	—	—	—	—	4	23	20	16	82	—	—	—	—	6	28	27	—										
15 Leukæmia, aleukæmia	F	45	—	—	—	—	—	4	19	8	14	72	—	—	—	1	3	23	23	—										
	M	2	—	—	1	1	—	—	—	—	—	2	—	—	—	—	—	—	1	1										
	F	1	—	—	—	—	—	—	1	—	—	7	—	—	—	—	—	—	—	—										
16 Diabetes	M	3	—	—	—	—	—	—	2	—	1	3	—	—	—	—	—	—	—	—										
17 Vascular lesions of nervous system	F	5	—	—	—	—	—	—	3	2	4	—	—	—	—	—	—	—	—	—										
	M	82	—	—	—	—	1	—	17	30	34	102	—	—	—	—	—	—	24	36										
	F	80	—	—	—	—	—	1	16	31	32	147	—	—	—	—	—	4	22	55										
18 Coronary disease, angina	M	93	—	—	—	—	—	2	40	33	18	126	—	—	—	—	—	4	49	51										
19 Hypertension with heart disease	F	50	—	—	—	—	—	—	11	20	19	50	—	—	—	—	—	—	12	20										
	M	22	—	—	—	—	—	—	5	9	8	22	—	—	—	—	—	1	7	9										
	F	23	—	—	—	—	—	—	3	9	11	19	—	—	—	—	—	—	4	7										
20 Other heart disease	M	86	—	—	—	—	—	2	10	26	48	149	—	—	—	—	—	1	3	20										
21 Other circulatory disease	F	94	—	—	—	—	—	2	18	27	45	268	—	—	—	—	—	9	18	74										
	M	35	—	—	—	—	—	—	5	10	20	54	—	—	—	—	—	1	6	17										
	F	29	—	—	—	—	—	—	3	6	20	79	—	—	—	—	—	—	4	26										
22 Influenza	M	12	—	—	1	—	1	2	3	2	3	21	—	—	—	—	—	—	—	6										
23 Pneumonia	F	22	—	—	1	—	1	1	3	12	4	23	—	—	—	—	—	2	4	7										
	M	34	1	3	—	—	—	—	9	9	12	38	—	—	—	—	—	1	9	8										
	F	25	1	6	—	—	—	—	1	3	4	27	2	8	1	—	—	—	3	11										
24 Bronchitis	M	79	1	3	—	—	1	2	27	29	16	114	—	—	—	—	—	3	34	35										
25 Other diseases of respiratory system	F	43	—	1	—	—	1	1	5	9	26	77	—	—	—	—	—	2	13	22										
	M	6	—	—	—	—	—	2	3	—	1	17	—	—	—	—	—	—	6	7										
	F	7	—	1	—	1	—	—	1	2	2	7	—	—	—	—	1	1	2	—										
26 Ulcer of stomach and duodenum	M	14	—	—	—	—	1	5	5	2	1	14	—	—	—	—	—	—	7	6										
27 Gastritis, enteritis and diarrhoea	F	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	—	—										
	M	3	—	1	—	—	—	1	—	—	—	5	1	—	—	—	—	—	—	—										
	F	2	—	1	—	—	—	—	1	—	—	3	—	—	—	—	—	—	—	—										
28 Nephritis and nephrosis	M	4	—	—	—	—	—	1	3	—	—	9	—	—	—	—	—	2	2	4										
29 Hyperplasia of prostate	F	5	—	—	—	—	—	—	4	1	—	12	—	—	—	—	—	1	5	4										
30 Pregnancy, childbirth, abortion.	M	9	—	—	—	—	—	—	1	5	3	8	—	—	—	—	—	—	—	3										
	F	3	—	—	—	—	2	1	—	—	—	3	—	—	—	—	1	1	—	—										
31 Congenital malformations	M	5	1	1	—	1	—	—	1	—	—	13	4	—	—	—	1	1	3	—										
32 Other defined and illdefined dis.	F	5	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—										
	M	65	24	3	1	—	1	5	10	11	10	93	22	1	1	2	1	3	27	12										
	F	88	15	5	—	—	1	4	11	11	41	106	23	1	1	1	6	19	19	19										
33 Motor vehicle accidents	M	7	—	—	—	1	1	3	1	—	—	10	—	—	—	—	—	2	3	1										
34 All other accidents	F	3	—	—	—	1	1	—	—	—	—	6	—	—	—	—	—	—	—	—										
	M	20	—	1	1	1	2	7	7	—	1	16	—	—	—	—	—	5	2	3										
	F	7	1	—	1	—																								

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		STOKE ON TRENT											SUNDERLAND																												
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over										
All Causes	M	1843	55	35	10	13	15	117	569	564	465	1178	50	31	9	15	11	94	306	316	346	F	1674	34	20	12	11	21	112	353	503	608	1064	26	14	5	18	60	200	284	431
Tuberculosis	M	79	—	—	2	—	2	19	44	11	1	55	—	—	—	—	—	22	23	7	3	F	43	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
respiratory	M	43	—	—	—	—	6	15	16	5	1	29	—	—	—	—	—	7	13	5	2	F	7	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tuberculosis	M	7	—	—	—	—	1	1	2	—	—	27	—	—	—	—	—	—	—	—	—	F	7	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
other	F	7	—	—	—	—	—	—	1	—	—	5	—	2	2	1	—	—	—	—	—	F	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Syphilitic disease	M	7	—	—	—	—	—	—	—	5	2	6	—	—	—	—	—	—	1	3	1	1	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping cough	M	1	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	F	4	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Meningococcal	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
infections	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Acute poliomyelitis	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other infective, etc.,	M	5	—	2	—	—	—	—	2	—	1	5	—	2	1	—	—	1	1	—	—	F	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
diseases	M	4	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	F	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Malignant neoplasm:	M	66	—	—	—	—	—	3	30	22	11	47	—	—	—	—	—	2	19	16	1	F	40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
stomach	M	73	—	—	—	—	1	2	39	29	2	62	—	—	—	—	—	5	33	22	2	F	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
lung, bronchus	M	73	—	—	—	—	—	2	39	29	2	62	—	—	—	—	—	—	—	—	—	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
breast	M	1	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	—	—	—	—	F	37	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
uterus	M	30	—	—	—	—	—	6	13	12	6	25	—	—	—	—	—	3	10	11	1	F	30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other malignant and	M	162	—	—	—	1	—	11	53	64	33	97	—	—	—	1	1	8	24	38	25	F	124	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
lymphatic neoplasms	M	4	—	—	—	—	—	15	39	45	25	70	—	—	—	—	—	7	20	24	18	F	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Leukæmia,	M	5	—	—	—	—	—	2	2	1	—	5	—	—	—	—	—	—	—	—	—	F	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
aleukæmia	M	5	—	—	—	—	—	2	1	—	—	5	—	—	—	—	—	—	—	—	—	F	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes	M	5	—	—	—	—	—	1	2	2	—	4	—	—	—	—	—	—	1	1	1	F	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Vascular lesions of	M	157	—	—	—	1	—	5	42	61	49	129	—	—	—	—	—	—	20	36	72	F	211	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
nervous system	M	179	—	—	—	—	—	7	70	63	39	146	—	—	—	—	—	—	—	—	—	F	103	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Coronary disease,	M	103	—	—	—	—	—	3	26	42	32	113	—	—	—	—	—	5	47	56	37	F	70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
angina	M	74	—	—	—	—	—	3	16	27	24	23	—	—	—	—	—	1	18	45	49	F	74	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hypertension with	M	74	—	—	—	—	—	15	32	27	17	17	—	—	—	—	—	—	—	—	—	F	74	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
heart disease	M	270	—	—	—	1	1	11	49	75	133	116	—	—	—	—	—	5	22	27	62	F	354	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other circulatory	M	60	—	—	—	—	—	2	11	24	23	43	—	—	—	—	—	—	—	—	—	F	60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
disease	M	60	—	—	—	—	—	2	15	16	27	62	—	—	—	—	—	3	5	8	46	F	60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	M	56	—	—	—	—	1	16	17	21	19	19	—	1	—	—	—	1	6	5	6	F	85	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	M	78	11	7	3	—	—	4	12	36	32	28	—	1	—	—	—	—	2	5	20	F	52	5	9	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	M	186	—	—	—	—	—	3	70	72	41	95	1	5	—	—	—	4	33	26	26	F	115	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of	M	50	—	—	—	—	—	1	24	17	7	11	—	1	—	—	—	1	3	2	3	F	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
respiratory system	M	26	—	—	—	—	—	4	12	8	2	21	—	—	—	—	—	6	10	3	2	F	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulcer of stomach	M	6	—	—	—	—	—	3	3	2	1	4	—	—	—	—	—	2	1	1	1	F	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
and duodenum	M	8	—	—	—	—	—	1	1	3	1	5	—	—	—	—	—	1	1	1	1	F	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis, enteritis	M	4	—	—	—	—	—	1	1	—	—	5	—	—	—	—	—	—	—	—	—	F	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
and diarrhoea	M	20	—	—	—	—	—	2	4	6	4	3	11	—	—	—	—	—	—	—	—	F	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis and	M	20	—	—	—	—	—	2	5	6	5	17	—	—	—	—	—	3	3	6	4	F	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
nephrosis	M	29	—	—	—	—	—	—	5	11	13	35	—	—	—	—	—	—	—	—	—	F	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hyperplasia of prostate	M	29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pregnancy, childbirth,	M	4	—	—	—	—	—	4	—	—	—	2	—	—	—	—	—	2	—	—	—	F	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
abortion	M	16	7	7	1	—	—	—	1	—	—	8	—	—	—	—	—	—	—	—	—	F</																			

TABLE 20—continued—County Boroughs

Causes of Death (See first page of Table)		TYNEMOUTH												WAKEFIELD															
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-									
All Causes		M F	445 380	19 13	12 10	4 4	6 3	1 6	27 21	109 82	125 101	142 140	406 338	9 6	7 8	4 2	2 —	3 1	20 13	117 70	120 98								
1	Tuberculosis respiratory	M F	14 8	— —	— —	1 —	— —	— —	— 4	8 5	2 1	— —	10 6	— —	— —	— —	— —	— —	2 4	6 2	2 —								
2	Tuberculosis other	M F	1 5	— —	— —	— 2	1 —	2 —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —								
3	Syphilitic disease	M F	6 2	— —	— —	— —	— —	— —	— —	3 2	3 —	— —	1 2	— —	— —	— —	— —	— —	— —	1 —	— —								
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —								
5	Whooping cough	M F	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —								
6	Meningococcal infections	M F	1 2	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —								
7	Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —								
8	Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —								
9	Other infective, etc., diseases	M F	1 2	— —	— —	— —	— —	— —	1 —	— —	— 2	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —								
10	Malignant neoplasm: stomach	M F	11 8	— —	— —	— —	— —	— —	1 —	5 5	4 2	1 1	14 11	— —	— —	— —	— —	1 —	3 3	6 5	— —								
11	lung, bronchus	M F	20 2	— —	— —	— —	— —	— —	1 —	11 2	7 —	1 —	20 1	— —	— —	— —	— —	— —	2 1	11 1	4 —								
12	breast	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —								
13	uterus	M F	6 7	— —	— —	— —	— —	— —	1 —	3 5	2 —	— —	6 5	— —	— —	— —	— —	— —	1 —	3 —	4 2								
14	Other malignant and lymphatic neoplasms	M F	27 23	— —	— —	— —	— —	— —	1 4	3 3	15 10	8 6	23 23	— —	— —	— —	— —	2 2	7 7	10 6	— —								
15	Leukæmia, aleukæmia	M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —								
16	Diabetes	M F	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —								
17	Vascular lesions of nervous system	M F	56 60	— —	— —	— —	— —	— —	1 —	13 14	20 20	22 26	52 45	— —	— —	— —	— —	— —	— —	— —	— —								
18	Coronary disease, angina	M F	64 46	— —	— —	— —	— —	— —	2 —	30 16	15 14	17 16	62 29	— —	— —	— —	— —	1 —	30 9	19 11	— —								
19	Hypertension with heart disease	M F	11 21	— —	— —	— —	— —	— —	— —	3 2	4 12	4 7	2 4	— —	— —	— —	— —	— —	— —	— —	— —								
20	Other heart disease	M F	90 82	— —	— —	— —	— —	— —	1 2	10 10	23 16	56 53	62 95	— —	— —	— —	— —	— —	10 12	20 25	— —								
21	Other circulatory disease	M F	8 14	— —	— —	— —	— —	— —	— —	4 3	4 3	3 8	10 11	— —	— —	— —	— —	— —	3 4	— —	— —								
22	Influenza	M F	6 9	— —	1 —	— —	— —	— —	1 —	1 2	3 3	2 7	7 —	— —	1 —	— —	— —	— —	3 1	1 —	— —								
23	Pneumonia	M F	23 13	3 1	4 5	— 1	— —	— —	2 1	1 2	7 —	6 2	15 7	— —	1 —	2 —	— —	— —	2 4	1 —	— —								
24	Bronchitis	M F	20 15	— —	— —	— —	— —	— —	— —	6 5	9 2	4 7	50 23	— —	— —	— —	— —	— —	13 5	18 5	— —								
25	Other diseases of respiratory system	M F	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —								
26	Ulcer of stomach and duodenum	M F	10 1	— —	— —	— —	— —	— —	— —	5 —	3 —	1 6	6 —	— —	— —	— —	— —	— —	2 —	2 —	— —								
27	Gastritis, enteritis and diarrhœa	M F	2 1	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	3 3	— —	2 —	— —	— —	— —	1 —	— —	— —								
28	Nephritis and nephrosis	M F	4 5	— —	1 —	— —	— —	— —	— —	1 —	2 3	— —	4 6	— —	— —	— —	— —	1 —	1 —	1 —	— —								
29	Hyperplasia of prostate	M F	4 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —								
30	Pregnancy, childbirth, abortion	M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —								
31	Congenital malformations	M F	2 1	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	1 3	— —	— —	1 —	— —	— —	— —	— —	— —								
32	Other defined and illdefined dis.	M F	34 38	15 11	2 2	— —	2 —	— —	2 5	3 5	3 7	7 36	30 36	8 5	1 2	— —	— —	2 1	8 7	2 —	— —								
33	Motor vehicle accidents	M F	8 1	— —	— —	1 —	3 —	— —	2 —	1 —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —								
34	All other accidents	M F	12 5	— —	1 —	1 —	1 —	— —	2 —	2 —	1 2	4 2	16 7	— —	— —	2 —	1 —	— —	5 —	5 —	— —								
35	Suicide	M F	4 1	— —	— —	— —	— —	— —	2 —	1 —	1 —	— —	4 1	— —	— —	— —	— —	— —	— —	— —	— —								
36	Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —								

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		WALLASEY											WALSALL										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M	729	19	11	4	4	9	33	204	228	217	805	32	13	15	5	8	40	229	256	207		
	F	783	16	9	5	3	5	35	132	196	382	675	19	11	8	9	9	40	138	177	264		
Tuberculosis	M	22	—	—	—	—	1	4	12	5	—	42	—	—	—	—	—	15	18	9	—		
respiratory	F	11	—	—	—	—	—	8	1	2	—	20	—	—	—	—	3	11	2	3	1		
Tuberculosis	M	2	—	—	1	—	—	1	—	—	—	2	—	1	—	—	—	—	—	—	—		
other	F	2	—	—	—	—	1	1	—	—	—	2	—	—	1	1	—	—	—	—	—		
Syphilitic disease	M	2	—	—	—	—	—	—	2	—	—	5	—	—	—	—	—	—	2	2	1		
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—		
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Meningococcal	M	2	—	—	—	1	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—		
infections	F	2	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—		
Other infective, etc.,	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1		
diseases	F	2	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
Malignant neoplasm:	M	14	—	—	—	—	—	—	2	6	6	14	—	—	—	—	—	—	7	7	—		
stomach	F	18	—	—	—	—	—	—	3	7	8	9	—	—	—	—	—	—	3	2	4		
lung, bronchus	M	25	—	—	—	—	—	—	11	10	4	25	—	—	—	—	—	1	15	8	1		
	F	4	—	—	—	—	—	—	1	3	—	6	—	—	—	—	—	3	2	—	—		
breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
uterus	M	26	—	—	—	—	—	2	11	7	6	19	—	—	—	—	—	2	9	4	4		
	F	8	—	—	—	—	—	2	4	2	10	10	—	—	—	—	—	2	2	1	5		
Other malignant and	M	71	—	—	1	—	—	5	21	21	23	69	—	—	1	—	1	1	19	25	22		
lymphatic neoplasms	F	47	—	—	—	1	—	3	17	14	12	41	—	—	1	1	1	4	16	9	10		
Leukæmia,	M	2	—	—	—	1	—	—	—	—	1	4	—	—	1	—	1	1	1	—	—		
aleukæmia	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—		
Diabetes	M	2	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	2	—		
	F	5	—	—	—	—	—	—	2	2	1	6	—	—	—	—	—	1	1	2	2		
Vascular lesions of	M	69	—	—	—	—	1	2	17	25	24	61	—	—	—	—	—	1	24	17	20		
nervous system	F	96	—	1	—	—	—	22	24	49	66	—	—	—	—	1	1	11	26	27	—		
Coronary disease,	M	84	—	—	—	—	—	1	30	37	16	65	—	—	—	—	—	—	24	27	14		
angina	F	66	—	—	—	—	—	1	7	25	33	34	—	—	—	—	—	—	7	18	9		
Hypertension with	M	12	—	—	—	—	—	1	4	4	3	28	—	—	—	—	—	1	4	12	11		
heart disease	F	21	—	—	—	—	—	—	4	7	10	34	—	—	—	—	—	7	11	16	—		
Other heart disease	M	106	—	—	—	—	2	—	17	29	58	113	—	—	1	—	1	3	17	42	49		
	F	179	—	—	—	—	—	7	16	33	123	149	—	—	—	2	1	2	19	36	89		
Other circulatory	M	12	—	—	—	—	—	1	1	6	4	20	—	—	—	—	—	—	5	7	7		
disease	F	30	—	—	—	—	—	6	6	18	24	—	—	—	—	—	2	2	6	14	—		
Influenza	M	64	—	2	—	—	—	—	27	20	15	59	—	1	3	—	—	3	22	17	13		
	F	83	—	2	—	—	—	2	8	24	47	63	—	2	1	—	—	5	17	15	22		
Pneumonia	M	42	—	—	1	—	—	1	8	12	16	39	—	5	—	—	—	2	9	9	13		
	F	36	1	2	2	—	—	4	4	7	16	29	1	3	2	1	1	2	4	7	9		
Bronchitis	M	61	—	—	—	—	—	3	17	25	16	85	—	—	—	—	—	—	27	43	15		
	F	36	—	—	—	—	—	1	9	6	20	32	—	—	—	—	—	1	3	12	16		
Other diseases of	M	11	—	—	—	—	—	1	4	4	2	9	—	—	—	—	—	—	2	4	3		
respiratory system	F	5	—	—	—	—	—	—	1	2	2	2	—	—	—	1	—	—	—	—	—		
Ulcer of stomach	M	7	—	—	—	—	—	—	2	3	2	12	—	—	—	—	—	1	7	2	2		
and duodenum	F	2	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	1	3	1		
Gastritis, enteritis	M	5	—	—	—	—	—	1	1	1	2	9	—	2	—	—	—	1	1	1	2		
and diarrhoea	F	3	—	—	—	—	1	—	1	—	1	5	—	1	—	—	—	—	—	—	—		
Nephritis and	M	5	—	—	—	—	—	1	1	1	2	18	—	1	2	—	—	—	—	—	—		
nephrosis	F	9	—	—	1	—	—	1	2	1	4	6	—	—	—	—	1	2	4	5	3		
Hyperplasia of prostate	M	8	—	—	—	—	—	—	—	—	4	15	—	—	—	—	—	—	1	2	12		
Pregnancy, childbirth,	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	1	—	—		
abortion.																							
Congenital	M	10	4	3	—	—	—	1	2	—	—	11	3	3	2	1	—	—	1	1	—		
malformations	F	2	1	1	—	—	—	—	—	—	—	8	4	1	—	1	—	1	1	—	—		
Other defined and	M	61	13	1	—	1	—	4	17	11	13	61	26	3	2	1	—	1	6	9	16		
illdefined dis.	F	73	14	2	—	3	—	2	13	13	26	74	14	—	1	1	—	1	16	16	22		
Motor vehicle	M	10	—	—	1	—	2	3	4	—	—	5	—	—	—	—	2	1	2	—	—		
accidents	F	1	—	—	1	—	—	—	—	—	—	6	—	—	—	1	—	—	3	1	1		
All other accidents	M	17	—	2	—	1	1	2	3	2	6	16	—	—	1	2	3	3	7	—	—		
	F	10	—	1	—	—	1	1	—	4	3	11	—	1	2	1	—	2	—	—	5		
Suicide	M	2	—	—	—	—	1	—	1	—	—	10	—	—	—	—	—	—	3	3	2		
	F	3	—	—	—	—	—	—	—	—	1	9	—	—	—	—	—	—	6	1	—		
Homicide, operations	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—		
of war	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		WARRINGTON											WEST BROMWICH										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	All Ages	0-4 weeks	4 weeks -1 year
All Causes	M	524	28	11	3	6	5	31	174	134	132	566	14	10	6	5	7	42	173	144			
	F	444	8	6	7	4	4	36	94	129	156	483	9	12	3	2	9	31	104	126			
1 Tuberculosis	M	13	—	—	—	—	—	3	6	3	—	25	—	—	1	—	—	13	9	—			
respiratory	F	9	—	—	—	—	—	5	2	—	—	14	—	—	—	—	2	7	4	—			
2 Tuberculosis	M	5	—	1	1	—	—	3	1	—	—	3	—	—	—	—	—	1	2	—			
other	F	5	—	—	2	1	—	1	—	—	—	3	—	—	2	—	1	—	—	—			
3 Syphilitic disease	M	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	2	1		
4 Diphtheria	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
6 Meningococcal	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
infections	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
7 Acute poliomyelitis	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
8 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
9 Other infective, etc.,	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
diseases	M	1	—	—	—	—	—	1	—	—	—	2	—	—	1	—	—	—	1	—			
10 Malignant neoplasm:	F	23	—	—	—	—	—	2	12	4	5	15	—	—	—	—	—	—	7	5			
stomach	M	21	—	—	—	—	—	4	5	6	6	14	—	—	—	—	—	2	4	3			
11 lung, bronchus	F	21	—	—	—	—	—	1	16	4	—	31	—	—	—	—	—	3	23	4			
12 breast	M	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—			
13 uterus	F	12	—	—	—	—	—	—	8	2	2	13	—	—	—	—	—	1	8	1			
14 Other malignant and	F	11	—	—	—	—	—	—	5	5	1	5	—	—	—	—	—	2	2	1			
lymphatic neoplasms	M	43	—	—	—	—	—	1	15	16	11	59	—	—	—	—	—	1	2	18	12		
15 Leukæmia,	F	28	—	—	—	1	—	1	10	9	7	27	—	—	—	—	—	1	4	11	8		
aleukæmia	M	2	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	1	—			
16 Diabetes	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—			
17 Vascular lesions of	M	7	—	—	—	—	—	—	3	3	1	7	—	—	—	—	—	—	—	—			
nervous system	F	41	—	—	—	—	—	1	15	13	12	45	—	—	—	—	—	1	11	12			
18 Coronary disease,	M	55	—	—	—	—	—	1	7	24	23	58	—	—	—	—	—	17	17	—			
angina	F	61	—	—	—	—	—	—	27	16	16	40	—	—	—	—	—	2	12	16			
19 Hypertension with	M	24	—	—	—	—	—	2	6	11	7	21	—	—	—	—	—	5	7	—			
heart disease	F	19	—	—	—	—	—	1	5	5	8	21	—	—	—	—	—	8	6	—			
20 Other heart disease	M	14	—	—	—	—	—	—	1	7	6	29	—	—	—	—	—	1	8	11			
21 Other circulatory	F	65	—	—	—	—	1	4	11	17	32	64	—	—	—	—	—	4	16	16			
disease	M	75	—	—	—	—	1	1	13	17	40	100	—	—	—	—	1	5	13	30			
22 Influenza	F	18	—	—	—	—	—	1	5	10	14	14	—	—	—	—	—	3	5	—			
23 Pneumonia	M	21	—	—	—	—	—	—	4	4	17	17	—	—	—	—	—	3	3	—			
24 Bronchitis	F	20	—	1	—	—	—	—	12	4	3	19	—	1	1	—	—	2	4	7			
25 Other diseases of	M	16	—	—	—	—	—	2	2	4	8	20	—	—	—	—	—	—	6	8			
respiratory system	F	24	4	1	1	—	—	2	5	8	4	25	1	5	—	—	—	1	7	4			
26 Ulcer of stomach	M	23	—	1	—	—	—	—	8	6	7	19	—	6	—	1	—	—	1	5			
and duodenum	F	43	—	—	—	—	—	1	6	16	19	22	—	—	—	—	—	—	—	—			
27 Gastritis, enteritis	M	2	—	—	—	—	—	1	1	2	1	9	—	—	—	—	—	1	4	2			
and diarrhoea	F	4	—	1	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—			
28 Nephritis and	M	10	—	—	—	—	—	1	3	5	1	7	—	—	—	—	—	—	2	3			
nephrosis	F	2	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	1			
29 Hyperplasia of prostate	M	4	—	—	—	—	—	—	2	1	3	8	—	—	—	—	—	—	—	—			
30 Pregnancy, childbirth,	F	4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—			
abortion.	M	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—			
31 Congenital	F	3	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—			
malformations	M	4	2	1	1	—	—	—	—	—	—	2	3	1	—	—	—	2	1	—			
32 Other defined and	F	3	3	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—			
ildefined dis.	M	45	22	1	—	1	—	2	9	6	4	62	10	2	2	1	1	5	7	9			
33 Motor vehicle	F	41	5	—	1	—	1	8	9	11	6	75	8	2	—	—	—	1	5	11			
accidents	M	8	—	—	—	1	2	—	3	1	1	5	—	—	1	1	1	1	—	—			
34 All other accidents	F	3	—	—	1	—	—	1	4	3	2	3	—	—	—	—	2	1	—	—			
35 Suicide	M	14	—	—	—	2	—	3	1	—	1	13	—	—	2	—	—	2	—	—			
36 Homicide, operations	F	8	—	1	1	1	—	1	1	2	1	10	—	1	—	1	—	1	—	—			
of war	M	4	—	—	—	—	—	1	1	1	1	14	—	—	—	—	—	5	5	3			
	F	2	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	1	2	—			

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		WEST HAM											WEST HARTLEPOOL										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	1062 933	25 18	15 16	11 13	5 3	15 8	67 60	296 188	323 258	305 369	500 420	17 5	15 12	11 9	3 3	8 9	30 21	132 90	150 98	134 173		
Tuberculosis respiratory	M F	29 21	—	—	—	—	1	6 7	12 9	10 3	1	13 11	—	—	1	—	2 3	3 3	6 5	1	—		
Tuberculosis other	M F	3 5	—	—	2	—	—	1	1	1	—	2	—	—	—	2	—	—	—	—	—		
Syphilitic disease	M F	9 2	—	—	—	—	—	—	2	6	1	3 2	—	—	—	—	—	1	—	1	1		
Diphtheria	M F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—		
Whooping cough	M F	1 3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Meningococcal infections	M F	1 1	—	1	2	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—		
Acute poliomyelitis	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	M F	2 —	—	—	1	—	—	—	1	—	—	—	2	—	1	—	—	—	—	—	—		
Other infective, etc., diseases	M F	1 —	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—		
Malignant neoplasm: stomach	M F	39 24	—	—	—	—	—	3 1	16 9	13 9	7 5	9 6	—	—	—	—	—	5 1	3 3	1 2	—		
lung, bronchus	M F	65 16	—	—	—	—	—	3 2	38 1	23 9	1 4	14 4	—	—	—	—	—	10 1	3 —	—	—		
breast	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6 2	1 1	1 1	—		
uterus	M F	32 15	—	—	—	—	—	4 5	14 5	8 3	7 3	8 5	—	—	—	—	1	2	1	1	—		
Other malignant and lymphatic neoplasms	M F	103 66	1	—	2	1	2	6 4	32 22	27 21	32 19	39 37	—	—	1	—	5 2	11 13	14 12	8 9	—		
Leukæmia, aleukæmia	M F	3 6	—	—	1	1	—	—	2	1	1	2	—	—	1	—	—	1	—	—	—		
Diabetes	M F	4 9	—	—	—	—	—	1 3	1 5	2 1	—	2 2	—	—	—	—	1	2	1	—	—		
Vascular lesions of nervous system	M F	85 99	—	—	—	—	1	1 21	18 40	34 31	31 38	52 49	—	—	—	—	—	8 5	20 12	24 31	—		
Coronary disease, angina	M F	109 46	—	—	—	—	—	5 —	35 27	42 13	27 6	67 26	—	—	—	—	—	26 6	27 10	13 10	—		
Hypertension with heart disease	M F	45 45	—	—	—	—	—	—	7 11	18 14	20 19	14 10	—	—	—	—	2	7 4	3 2	2 4	—		
Other heart disease	M F	138 227	—	—	—	1	—	5 4	19 17	37 25	76 49	67 95	—	—	—	1	2	6 12	18 20	39 59	—		
Other circulatory disease	M F	19 28	—	—	1	—	—	—	5 4	5 9	8 14	14 14	—	—	—	—	—	3 3	8 8	—	—		
Influenza	M F	18 19	—	1	—	—	—	2 2	4 2	4 5	7 8	20 21	—	—	—	—	1	6 5	6 8	5 5	—		
Pneumonia	M F	70 58	2 1	5 7	1 1	—	—	2 1	15 5	20 14	25 27	26 26	—	7 6	1 3	—	—	8 3	7 5	3 8	—		
Bronchitis	M F	121 68	—	2	—	—	—	3 10	37 19	39 37	40 31	38 31	—	2	—	—	—	13 7	11 10	11 12	—		
Other diseases of respiratory system	M F	17 9	—	—	—	—	1	4 3	6 3	6 2	7 4	7 7	—	—	1	—	—	3 1	—	—	4		
Ulcer of stomach and duodenum	M F	20 4	—	—	—	—	—	2 2	8 1	9 1	1 2	10 2	—	—	—	—	2	4	4	—	—		
Gastritis, enteritis and diarrhoea	M F	3 6	—	1	—	—	—	1 2	1 2	1 1	1 1	—	—	—	—	—	—	—	1	—	—		
Nephritis and nephrosis	M F	7 6	—	—	—	2	1	1 2	3 2	2 1	—	7 2	—	—	—	—	1	2	4	—	—		
Hyperplasia of prostate	M	16	—	—	—	—	—	1	1	5	10	7	—	—	—	—	—	1	3	—	4		
Pregnancy, childbirth, abortion.	F	2	—	—	—	—	2	—	—	—	—	1	—	—	—	1	—	—	—	—	—		
Congenital malformations	M F	11 13	3 4	2	2	—	1	—	2 4	—	1 1	2 2	—	1	1	—	—	—	—	—	—		
Other defined and illdefined dis.	M F	80 87	19 13	2 2	2 1	2	1	10 11	20 12	12 11	12 27	44 43	17 5	3 5	1	—	—	5 6	11 7	7 10	—		
Motor vehicle accidents	M F	14 2	—	—	—	1	3	6 1	2 1	—	2 3	8 3	—	—	1 1	1	—	3 7	1 6	1 2	1 3		
All other accidents	M F	21 9	—	1 2	1 1	—	3	6 1	4 2	3 2	—	24 7	—	1 1	—	—	3	7	6	2	6		
Suicide	M F	10 3	—	—	—	—	—	2 1	6 1	2 1	—	6 3	—	—	—	—	—	1 1	3 1	1 1	1		
Homicide, operations of war	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		WIGAN											WOLVERHAMPTON										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes		M F	654 570	11 11	20 16	3 8	3 1	12 14	40 35	205 130	202 153	158 202	1007 909	39 27	24 22	6 6	6 4	12 9	73 61	275 181	276 226	294 373	
1	Tuberculosis respiratory	M F	23 12	— —	— —	— —	— 1	— 2	6 4	12 1	2 —	1 —	53 25	— —	— —	— —	— —	2 3	18 16	22 15	8 1	3 —	
2	Tuberculosis other	M F	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —	2 2	— —	— 1	— —	— —	— 1	— —	— —	— —	— —	
3	Syphilitic disease	M F	2 —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	5 4	— —	— —	— —	— —	— —	— —	2 2	1 —	— —	
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
5	Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
6	Meningococcal infections	M F	3 —	— —	2 —	1 —	— —	— —	— —	— —	— —	— —	3 1	— —	2 —	1 —	— —	1 —	— —	— —	— —	— —	
7	Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
8	Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 1	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	
9	Other infective, etc., diseases	M F	— 3	— —	— —	1 —	— —	— —	— 1	— —	— —	— 1	3 2	— —	— —	— —	— —	2 —	1 —	— —	— —	— —	
10	Malignant neoplasm: stomach	M F	20 9	— —	— —	— —	— —	— —	— 1	11 3	6 4	3 1	32 27	— —	— —	— —	— —	— —	1 7	15 10	10 11	— —	
11	lung, bronchus	M F	17 2	— —	— —	— —	— —	— 1	— —	13 —	3 1	— —	31 7	— —	— —	— —	— —	— —	1 1	21 4	6 2	— —	
12	breast	M F	— —	— —	— —	— —	— —	— —	— 6	— 12	— 2	— 2	— 15	— 9	— —	— —	— —	— —	— 2	— 8	— 2	— —	
13	uterus	M F	— 4	— —	— —	— —	— —	— —	— —	— 3	— 1	— —	— 9	— —	— —	— —	— —	— —	— 1	— 5	— 2	— —	
14	Other malignant and lymphatic neoplasms	M F	28 53	— —	— —	— —	— —	— 1	— 1	13 20	9 10	4 22	77 57	— —	— —	2 —	— 1	6 4	31 18	18 15	1 1	— —	
15	Leukæmia, aleukæmia	M F	— 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— 5	— —	— —	— 1	— 2	— 3	— —	— —	— —	— —	
16	Diabetes	M F	3 4	— —	— —	— —	— —	— —	— —	— 1	2 2	1 1	5 4	— —	— —	— —	— —	— —	— —	— 3	— 1	— —	
17	Vascular lesions of nervous system	M F	68 63	— —	— —	— —	— —	— 1	— 1	10 13	38 23	20 25	96 130	— —	— —	— —	— —	— 1	2 30	17 43	37 45	— —	
18	Coronary disease, angina	M F	92 33	— —	— —	— —	— —	— 8	— 37	— 10	— 13	— 9	81 39	— —	— —	— —	— —	— —	5 1	31 8	25 19	2 1	
19	Hypertension with heart disease	M F	9 10	— —	— —	— —	— —	— —	— 6	— 2	— 3	— 2	36 27	— —	— —	— —	— —	— 2	9 7	13 10	— —	— —	
20	Other heart disease	M F	94 119	— —	— —	— —	— —	— 1	— 5	— 20	— 30	— 38	157 207	— —	— —	— —	— —	— —	6 29	29 45	45 11	7 —	
21	Other circulatory disease	M F	15 12	— —	— —	— —	— —	— —	— 1	— 2	— 9	— 10	— 27	— 10	— —	— —	— —	— —	— 1	— 5	— —	— —	
22	Influenza	M F	41 46	— —	3 —	— —	— —	— 1	— 2	14 13	14 13	8 9	40 31	— —	— —	— —	— —	— —	2 1	11 9	14 10	1 —	
23	Pneumonia	M F	29 20	2 1	3 6	— —	— —	— —	— 4	— 4	— 3	— 7	46 29	— —	— 1	— 4	— —	— —	— 3	20 9	9 —	— —	
24	Bronchitis	M F	80 38	— —	2 3	— 2	— —	— —	— 1	34 10	25 14	18 8	97 70	— —	— 2	— —	— —	— —	— 2	26 6	37 20	3 4	
25	Other diseases of respiratory system	M F	14 2	— —	1 —	— —	— —	— 1	— 1	— —	— —	— —	— 12	— —	— 1	— —	— —	— 1	— —	— 2	— 1	— —	
26	Ulcer of stomach and duodenum	M F	16 1	— —	— —	— —	— —	— —	— 2	— 9	— 3	— 2	19 6	— —	— —	— —	— —	— —	— 4	6 1	9 4	— —	
27	Gastritis, enteritis and diarrhoea	M F	5 1	— —	5 —	— —	— —	— —	— —	— —	— —	— —	— 1	12 14	— —	7 —	— —	— —	— —	— 1	— —	— —	
28	Nephritis and nephrosis	M F	3 8	— —	— —	— —	— —	— —	— 1	— 4	— 2	— 1	10 3	— —	— —	— —	— —	— —	— 2	5 2	2 —	— —	
29	Hyperplasia of prostate	M	11	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	3	7	—	—	
30	Pregnancy, childbirth, abortion.	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	
31	Congenital malformations	M F	3 6	— —	2 2	— —	— —	— 1	— —	— —	— —	— —	6 5	— —	— 3	— 2	— —	— —	— 1	— 2	— —	— —	
32	Other defined and illdefined dis.	M F	55 83	9 7	4 1	— —	— —	— 2	— 5	8 16	9 16	17 39	107 133	33 22	7 3	— —	— —	— 1	7 17	11 17	18 6	— —	
33	Motor vehicle accidents	M F	7 3	— —	— —	2 1	— —	— 1	— 3	— 1	— 1	— 2	15 1	— —	— —	— —	— —	— —	— 2	6 4	— —	— —	
34	All other accidents	M F	16 9	— —	— 2	— 2	— —	— —	— 4	— 1	— 1	— 2	6 22	— —	— 3	— —	— —	— —	— 2	1 3	— 6	— —	
35	Suicide	M F	3 1	— —	— —	— —	— —	— —	— 1	— 1	— —	— 1	12 8	— —	— —	— —	— —	— 1	— 4	— 3	— 2	— —	
36	Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		WORCESTER											YORK										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	407 397	8 4	5 8	3 7	—	9 2	25 19	108 68	108 94	141 195	656 630	16 16	4 4	2 4	3 1	9 10	46 26	168 126	182 158	226 285		
1 Tuberculosis	M F	11 6	— —	— —	— —	— —	1 3	3 3	6 3	1 —	— —	9 10	— —	— —	— —	— —	— —	5 4	2 4	1 —	1 —		
2 Tuberculosis other	M F	2 —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —		
3 Syphilitic disease	M F	3 1	— —	— —	— —	— —	— —	— —	2 1	1 —	— —	5 1	— —	— —	— —	— —	— —	— —	3 —	2 —	— —		
4 Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Whooping cough	M F	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— 1	1 —	— —	— —	— —	— —	— —	— —		
5 Meningococcal infections	M F	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	— —		
Other infective, etc., diseases	M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	1 2	— —	— —	— —	— —	— —	— 2	1 —	— —	— —		
6 Malignant neoplasm: stomach	M F	7 9	— —	— —	— —	— —	— —	— 1	— 2	5 3	2 3	24 18	— —	— —	— —	— —	— —	2 2	8 6	13 5	1 7		
lung, bronchus	M F	14 2	— —	— —	— —	— —	— 2	— 10	— 10	— 2	1 —	20 4	— —	— —	— —	— —	— 4	10 4	3 —	2 —	— —		
breast	M F	— 13	— —	— —	— —	— —	— —	— 1	— 6	— 1	— 5	— 21	— —	— —	— —	— —	— 2	— 11	— 5	— 3	— 3		
uterus	M F	— 5	— —	— —	— —	— —	— —	— —	— 3	— 2	— —	— 12	— —	— —	— —	— —	— 1	— 5	— 3	— 3	— —		
Other malignant and lymphatic neoplasms	M F	33 26	— —	— —	— —	— —	— —	1 3	9 8	12 7	11 8	53 52	— —	— —	— —	1 —	— —	2 4	15 22	18 16	17 10		
Leukæmia, aleukæmia	M F	3 1	— —	— —	— —	— —	— 1	— 1	— 1	— —	— 1	— 4	— —	— —	— —	1 —	— —	— —	2 —	1 —	— —		
Diabetes	M F	1 4	— —	— —	— —	— —	— —	— —	— 1	— 3	— —	5 7	— —	— —	— —	— —	— —	— 3	1 4	1 3	— —		
Vascular lesions of nervous system	M F	56 59	— —	1 —	— —	— —	— 3	14 2	19 8	19 18	19 31	64 106	— —	— —	— —	— —	— 2	14 23	15 31	33 50	— —		
Coronary disease, angina	M F	48 31	— —	— —	— —	— —	— —	— 19	— 7	18 14	11 10	113 65	— —	— —	— —	— —	— 2	41 13	38 27	32 25	— —		
Hypertension with heart disease	M F	11 10	— —	— —	— —	— —	— —	— 3	— 3	2 2	6 6	14 17	— —	— —	— —	— —	— 3	6 6	5 2	9 9	— —		
Other heart disease	M F	66 79	— —	— —	— —	— —	— 1	— 8	— 13	— 17	— 52	97 135	— —	— —	— —	— 3	— 2	4 8	22 26	57 96	— —		
Other circulatory disease	M F	7 8	— —	— —	— —	— —	— —	— 2	— 1	— 1	— 6	29 21	— —	— —	— —	— —	— 1	4 4	9 6	15 15	— —		
Influenza	M F	10 24	— —	— —	— —	— —	— 1	— 2	— 2	— 5	— 8	13 18	— —	— —	— —	— 1	— 1	— 1	5 7	5 8	— —		
Pneumonia	M F	24 30	— 1	2 —	1 2	— —	— —	— 1	4 3	7 5	9 19	33 23	2 2	3 —	1 —	— —	— 4	1 3	7 3	11 11	— —		
Bronchitis	M F	27 29	— —	— 1	— 1	— —	— —	— 8	— 6	14 4	5 17	47 25	— —	— —	— —	— —	— —	— 2	9 8	19 15	— —		
Other diseases of respiratory system	M F	3 —	— —	— —	— —	— —	— —	— 2	— 1	— —	— —	4 3	— —	— —	— —	— 1	— —	— 1	— —	1 —	— —		
Ulcer of stomach and duodenum	M F	6 2	— —	— —	— —	— 1	— —	— 2	— 1	— 1	— —	20 4	— —	— —	— —	— —	— 3	10 4	4 3	3 1	— —		
Gastritis, enteritis and diarrhœa	M F	— 4	— 1	— 2	— —	— —	— —	— 1	— —	— —	— —	— 2	— —	— —	— —	— —	— —	— —	— 1	— 1	— —		
Nephritis and nephrosis	M F	7 7	— —	— —	1 —	— —	— 2	— 2	— 1	— 3	1 3	11 4	— —	— —	— —	— —	— 2	— 5	— 2	4 —	1 —		
Hyperplasia of prostate	M	10	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—		
Pregnancy, childbirth, abortion	F	2	—	—	—	—	2	—	—	—	—	2	—	—	—	1	1	—	4	10	—		
Congenital malformations	M F	3 3	— —	1 3	— —	— —	1 —	— —	— —	1 —	— —	5 6	4 2	1 —	— —	— —	— 2	— 1	— 6	— 10	— 9		
Other defined and illdefined dis.	M F	32 42	8 2	1 1	2 —	— —	1 2	3 3	7 6	1 10	11 16	39 59	10 11	2 —	2 —	— —	— 1	— 11	4 9	5 22	— —		
Motor vehicle accidents	M F	5 —	— —	— —	— —	— 1	2 2	2 —	— —	— —	— —	7 —	— —	— —	— —	— 1	— 2	1 2	— 2	— 2	— 6		
All other accidents	M F	9 7	— —	— —	— —	— —	2 —	2 —	— —	— —	— 4	13 9	— 1	— —	— 1	— —	— —	— 2	— 2	— 2	— 3		
Suicide	M F	8 —	— —	— —	— —	— 1	3 2	3 —	1 —	— —	— —	5 3	— —	— —	— —	— —	— 2	— 3	— 1	— —	— —		
Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 4	— —	— —	— —	— —	— 2	— 1	— 1	— —	— —		

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		CARDIFF											MERTHYR TYDFIL																		
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over
All Causes	M	1684	48	33	5	7	25	100	499	470	497	513	13	12	2	5	3	26	137	170											
	F	1498	34	25	13	8	19	87	314	366	632	400	9	8	1	1	7	24	96	93											
1 Tuberculosis respiratory	M	62	—	—	—	—	4	21	32	5	—	12	—	—	—	—	—	3	6	3											
	F	43	—	—	2	—	3	23	11	1	3	10	—	—	—	—	—	1	6	1											
2 Tuberculosis other	M	4	—	—	1	—	1	1	—	—	—	3	—	—	—	—	—	—	—	—											
	F	8	—	—	1	2	1	2	1	1	—	4	—	—	—	—	1	—	3	—											
3 Syphilitic disease	M	18	—	—	—	—	—	—	12	5	1	1	—	—	—	—	—	—	1	—											
	F	6	—	—	—	—	—	—	3	3	—	1	—	—	—	—	—	—	—	—											
4 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
5 Whooping cough	M	3	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
	F	3	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
6 Meningococcal infections	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—											
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
7 Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
8 Measles	M	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—											
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
9 Other infective, etc., diseases	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—											
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
10 Malignant neoplasm: stomach	M	47	—	—	—	—	—	1	19	16	11	20	—	—	—	—	—	—	8	8											
	F	40	—	—	—	—	1	—	12	10	17	10	—	—	—	—	—	1	3	3											
11 lung, bronchus	M	61	—	—	—	—	—	1	37	20	3	9	—	—	—	—	—	1	7	1											
	F	18	—	—	—	—	—	—	6	7	5	—	—	—	—	—	—	—	—	—											
12 breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
	F	36	—	—	—	—	—	2	14	15	5	6	—	—	—	—	—	—	4	2											
13 uterus	M	27	—	—	—	—	—	1	14	9	3	5	—	—	—	—	—	—	—	—											
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
14 Other malignant and lymphatic neoplasms	M	148	—	1	—	1	1	9	42	50	44	32	—	—	—	—	—	1	10	12											
	F	122	—	—	—	—	—	9	47	36	30	29	—	—	—	—	—	2	14	8											
15 Leukemia, aleukæmia	M	6	—	—	—	—	1	—	2	3	—	1	—	—	—	—	—	—	—	—											
	F	3	—	—	—	—	—	1	1	—	1	1	—	—	—	1	—	—	—	—											
16 Diabetes	M	7	—	—	—	—	1	2	1	2	1	2	—	—	—	—	—	1	1	—											
	F	17	—	—	—	—	—	2	2	8	5	7	—	—	—	—	—	—	2	2											
17 Vascular lesions of nervous system	M	181	—	—	—	—	—	3	36	66	76	65	—	—	—	—	—	—	11	28											
	F	200	—	—	—	—	—	2	41	59	98	63	—	—	—	—	3	9	22	—											
18 Coronary disease, angina	M	261	—	—	—	—	—	6	115	81	59	53	—	—	—	—	—	3	26	19											
	F	127	—	—	—	—	—	1	28	56	42	24	—	—	—	—	—	8	8	3											
19 Hypertension with heart disease	M	74	—	—	—	—	—	1	18	24	31	7	—	—	—	—	—	—	—	—											
	F	68	—	—	—	—	—	16	19	33	6	6	—	—	—	—	—	—	2	1											
20 Other heart disease	M	177	—	—	—	—	1	11	28	49	88	105	—	—	—	—	—	2	4	18											
	F	238	—	—	—	—	2	8	23	52	152	103	—	—	—	—	—	5	16	23											
21 Other circulatory disease	M	61	—	—	—	—	—	3	5	7	19	32	—	—	—	—	—	—	2	4											
	F	70	—	—	—	—	—	2	5	10	53	11	—	—	—	—	—	1	1	1											
22 Influenza	M	42	—	—	—	—	2	2	14	11	13	18	—	—	2	—	—	1	2	5											
	F	27	—	—	—	—	—	1	3	10	13	8	—	—	—	—	—	—	—	—											
23 Pneumonia	M	74	12	13	2	1	1	3	12	9	23	18	—	—	—	—	—	1	4	7											
	F	84	5	12	2	1	1	7	11	45	12	12	—	—	3	—	—	3	4	7											
24 Bronchitis	M	156	—	2	—	2	—	4	56	53	55	—	—	—	—	—	—	1	9	26											
	F	80	—	1	1	—	—	1	18	19	40	28	—	—	—	—	—	—	5	6											
25 Other diseases of respiratory system	M	20	—	—	—	—	1	1	8	6	4	16	—	—	—	—	—	—	11	5											
	F	12	—	2	—	—	—	3	3	1	3	—	—	—	—	—	—	—	—	—											
26 Ulcer of stomach and duodenum	M	22	—	—	—	—	—	1	10	8	3	4	—	—	—	—	—	—	4	—											
	F	7	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—											
27 Gastritis, enteritis and diarrhea	M	2	—	1	—	—	—	—	—	—	1	4	—	—	2	—	—	—	1	1											
	F	13	—	2	—	1	—	—	4	3	3	4	—	—	—	—	—	—	1	1											
28 Nephritis and nephrosis	M	29	—	—	—	1	3	6	7	4	8	6	—	—	—	—	—	1	2	1											
	F	11	—	—	—	—	—	3	3	1	4	9	—	—	—	—	—	—	4	1											
29 Hyperplasia of prostate	M	24	—	—	—	—	—	—	3	6	15	5	—	—	—	—	—	—	—	—											
30 Pregnancy, childbirth, abortion.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
	F	7	—	—	—	—	1	6	—	—	—	3	—	—	—	—	—	3	—	—											
31 Congenital malformations	M	15	8	4	—	2	—	1	1	1	—	4	1	—	—	—	—	—	—	—											
	F	16	7	1	1	—	2	1	1	1	—	1	—	—	—	—	—	—	—	—											
32 Other defined and illdefined dis.	M	128	28	8	1	1	1	10	31	22	26	46	11	2	—	—	1	3	11	8											
	F	171	21	3	3	—	5	17	35	25	62	42	9	2	—	—	1	2	11	7											
33 Motor vehicle accidents	M	17	—	—	1																										

TABLE 20—continued—County Boroughs.

Causes of Death (See first page of Table)		NEWPORT (MON.)											SWANSEA										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	688 601	25 9	11 13	5 4	6 6	10 6	44 26	192 146	194 148	201 243	1125 965	29 16	16 16	8 7	12 6	10 9	61 51	360 172	326 295	303 393		
Tuberculosis respiratory	M F	27 13	— —	— —	1 —	— —	1 1	5 4	15 6	4 2	1 —	42 17	— —	— —	— —	1 —	3 1	15 10	19 3	4 2	1 —		
Tuberculosis other	M F	1 3	— —	— —	— —	1 1	1 —	— —	— —	1 —	— —	5 9	— —	2 —	— 4	— 2	— —	— —	— —	— —	— —		
Syphilitic disease	M F	6 1	— —	— —	— —	— —	— —	— —	3 1	2 —	1 —	8 3	— —	— —	— —	— —	— —	— —	5 —	3 3	— —		
Diphtheria	M F	— 1	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Whooping cough	M F	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	2 1	— —	2 1	— —	— —	— —	— —	— —	— —	— —		
Meningococcal infections	M F	— 1	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Measles	M F	1 1	— —	— —	— —	1 1	— —	— —	— —	— —	— —	3 —	— —	1 —	1 —	1 —	— —	— —	— —	— —	— —		
Other infective, etc., diseases	M F	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— 1	— —	— —	— —	— —	— —		
Malignant neoplasm: stomach	M F	16 10	— —	— —	— —	— —	— —	— 2	9 5	4 2	3 1	37 29	— —	— —	— —	— —	— —	1 1	11 5	17 14	8 9		
lung, bronchus	M F	26 6	— —	— —	— —	— —	— —	— —	20 4	3 2	3 —	70 6	— —	— —	— —	— —	— —	2 2	45 1	20 3	3 —		
breast	M F	— 17	— —	— —	— —	— —	— —	— —	— 11	— 5	— 1	— 27	— —	— —	— —	— —	— 3	— 8	— 7	— 9	— 1		
uterus	M F	— 12	— —	— —	— —	— —	— —	— —	— 7	— 2	— 3	— 18	— —	— —	— —	— —	— 1	— 12	— 4	— 1	— —		
Other malignant and lymphatic neoplasms	M F	47 46	— —	— —	2 1	1 1	— —	8 3	9 20	18 9	9 12	103 66	— —	— —	— —	— —	— —	3 4	34 25	41 21	25 16		
Leukæmia, aleukæmia	M F	3 3	— —	— —	— 1	— —	— 1	— 2	— 1	— —	— —	4 2	— —	— —	— 1	— 2	— —	— 1	— —	— —	— 1		
Diabetes	M F	5 5	— —	— —	— —	— —	— —	— —	— —	3 4	2 1	2 13	— —	— —	— —	— —	— —	— —	— 6	1 4	1 3		
Vascular lesions of nervous system	M F	66 96	— —	— —	— —	— —	— —	2 2	13 17	26 28	25 49	103 144	— —	— —	— —	— —	— —	1 3	26 21	30 55	46 65		
Coronary disease, angina	M F	88 38	— —	— —	— —	— —	— —	4 —	36 11	32 15	16 12	145 72	— —	— —	— —	— —	— —	7 2	60 10	54 34	24 26		
Hypertension with heart disease	M F	19 23	— —	— —	— —	— —	— —	— —	4 5	9 5	6 13	33 37	— —	— —	— —	— —	— —	1 7	12 15	9 11	11 —		
Other heart disease	M F	123 145	— —	— —	— —	— —	1 2	2 2	22 25	39 34	59 82	131 194	— —	— —	— —	2 1	2 1	3 12	18 21	41 40	65 119		
Other circulatory disease	M F	17 13	— —	— —	— —	— —	— —	— —	6 2	2 4	9 7	30 25	— —	— —	— —	— —	— —	— 3	5 8	6 14	— —		
Influenza	M F	15 17	— —	— —	— —	— —	— —	— —	7 1	3 4	5 8	37 50	— —	— —	— —	— —	— —	— 1	12 14	15 11	19 5		
Pneumonia	M F	23 13	3 —	5 4	— 1	— —	— —	— 2	2 1	4 2	8 3	43 41	3 2	7 7	— 1	— —	1 1	1 3	14 4	11 11	5 13		
Bronchitis	M F	62 34	— —	1 1	— —	— —	— —	3 —	17 11	20 15	21 2	112 56	— —	— 1	— —	— —	— —	2 2	38 6	37 22	35 26		
Other diseases of respiratory system	M F	9 1	— —	— —	— —	1 —	— —	— —	5 7	— 1	— 1	16 5	— —	— —	— —	— —	— 1	— 2	7 2	5 —	2 2		
Ulcer of stomach and duodenum	M F	11 3	— —	— —	— —	— —	— —	3 1	4 —	2 2	2 —	12 3	— —	— —	— —	— —	— —	— —	7 1	5 1	— 1		
Gastritis, enteritis and diarrhoea	M F	1 5	— —	1 2	— —	— —	— —	— —	— 1	— 1	— 1	7 —	— —	— 2	1 —	— —	— —	— 1	— —	— 1	— 3		
Nephritis and nephrosis	M F	8 12	— —	— —	— —	— —	1 —	3 2	3 4	1 2	— 4	18 18	— —	— —	— —	— —	— —	3 5	8 10	6 3	1 13		
Hyperplasia of prostate	M	9	—	—	—	—	—	—	—	2	7	21	—	—	—	—	—	1	7	—	—		
Pregnancy, childbirth, abortion	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—		
Congenital malformations	M F	2 4	2 1	— 3	— —	— —	— —	— —	— —	— —	— —	9 9	— 3	2 —	— —	— —	— —	— —	— 1	— 3	— —		
Other defined and ildefined dis.	M F	67 55	20 8	2 1	— —	3 1	— 1	4 3	8 8	13 13	17 20	86 83	21 11	3 —	— —	2 1	2 1	5 3	17 19	19 19	18 35		
Motor vehicle accidents	M F	10 2	— —	— —	1 —	— —	3 —	2 —	1 —	1 —	2 —	8 1	— —	— —	1 —	2 —	— —	— —	— —	— —	— —		
All other accidents	M F	18 14	— —	1 1	1 —	— —	2 —	2 1	6 4	3 —	3 —	31 19	— —	1 2	2 —	1 —	1 —	11 —	8 —	3 5	4 10		
Suicide	M F	6 4	— —	— —	— —	— —	1 —	3 1	1 2	1 —	— 1	11 8	— —	— —	— —	— —	— —	— 1	— 2	7 5	1 —		
Homicide, operations of war	M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Administrative County of Bedford.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes	M F	1178 1115	32 30	25 8	10 12	7 3	12 6	69 53	331 218	304 277	388 508	553 500	14 14	5 1	2 3	1 5	6 4	26 19	124 75	147 121			
1 Tuberculosis respiratory	M F	33 12	— —	— —	— —	— —	— 2	5 5	24 2	4 1	— 2	5 7	— —	— —	— —	— —	— —	— 4	3 1	— —			
2 Tuberculosis other	M F	7 3	— —	— —	3 2	1 —	— —	— —	2 1	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —			
3 Syphilitic disease	M F	6 3	— —	— —	— —	— —	— 1	— —	5 —	1 1	— 1	1 1	— —	— —	— —	— —	— —	— —	— —	— —			
4 Diphtheria	M F	— —	— —	— —	— —	— —	— 1	— —	— —	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —			
5 Whooping cough	M F	5 —	— —	3 —	2 —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —			
6 Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
7 Acute poliomyelitis	M F	1 1	— —	— —	— —	1 —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
8 Measles	M F	— 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
9 Other infective, etc., diseases	M F	3 5	— —	— —	— 1	— —	— —	1 3	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
10 Malignant neoplasm: stomach	M F	23 22	— —	— —	— —	— —	— —	3 1	9 5	7 8	4 8	25 10	— —	— —	— —	— —	— —	2 3	6 10	— —			
11 lung, bronchus	M F	62 13	— —	— —	— —	— 1	2 2	38 6	18 2	3 3	22 3	— —	— —	— —	— —	— —	— —	2 —	14 —	— —			
12 breast	M F	— 39	— —	— —	— —	— —	— —	8 13	18 6	8 7	5 —	21 10	— —	— —	— —	— —	— —	— 5	— 5	— —			
13 uterus	M F	— 26	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
14 Other malignant and lymphatic neoplasms	M F	110 75	— —	— —	— 1	1 —	— 6	5 20	43 27	35 20	26 20	49 36	— —	— —	— —	— —	2 1	16 11	13 9	— —			
15 Leukæmia, aleukæmia	M F	3 4	— —	— —	1 —	— 1	— 1	— —	— 1	— 1	— —	3 7	— —	1 —	— 2	— 1	— —	— 1	— —	— —			
16 Diabetes	M F	4 15	— —	— —	— —	— —	— —	2 2	— 5	— 6	2 —	6 3	— —	— —	— —	— —	— —	— —	2 —	— —			
17 Vascular lesions of nervous system	M F	118 172	— —	— —	— —	— —	— —	3 39	17 34	34 52	64 81	55 65	— —	— —	— —	— —	— —	13 9	15 2	— —			
18 Coronary disease, angina	M F	162 82	— —	— —	— —	— —	— —	8 —	54 18	56 23	44 39	70 37	— —	— —	— —	— —	— —	1 —	18 10	27 1			
19 Hypertension with heart disease	M F	26 30	— —	— —	— —	— —	— —	2 6	11 11	12 13	13 13	12 15	— —	— —	— —	— —	— —	3 1	— —	— —			
20 Other heart disease	M F	186 230	— —	— —	— —	— —	— —	6 7	30 23	47 51	103 149	119 119	— —	— —	— —	— —	2 1	21 8	2 30	— —			
21 Other circulatory disease	M F	32 37	— —	— —	— —	— —	— —	10 6	8 7	14 24	14 24	17 26	— —	— —	— —	— —	— —	3 3	— —	— —			
22 Influenza	M F	25 23	— —	— —	— —	2 —	1 1	3 3	8 6	11 13	— —	11 10	— —	— —	— —	1 —	— —	2 —	1 —	— —			
23 Pneumonia	M F	64 43	4 2	10 3	— —	1 —	2 2	14 7	13 10	21 18	18 18	18 19	— —	1 —	— —	— 1	— —	1 2	— —	— —			
24 Bronchitis	M F	72 55	— —	1 1	— —	— —	2 1	23 6	19 16	26 31	— —	34 20	— —	— 1	— —	— —	— —	— —	3 2	— —			
25 Other diseases of respiratory system	M F	9 4	— —	— —	— —	— —	— —	1 5	— —	— 3	— 3	2 1	— —	— —	— —	— —	— —	— —	1 —	— —			
26 Ulcer of stomach and duodenum	M F	16 9	— —	— —	— —	— —	— —	1 —	6 4	6 5	— —	6 3	— —	— —	— —	— —	— —	1 4	— 1	— —			
27 Gastritis, enteritis and diarrhœa	M F	6 8	— 1	2 —	1 —	— —	— —	1 1	1 1	1 4	— —	3 3	— —	1 —	— —	— —	— —	— 1	— 2	— —			
28 Nephritis and nephrosis	M F	13 10	— —	— —	— —	— —	1 —	4 3	3 4	1 2	4 —	3 3	— —	— —	— —	— —	— —	— —	— —	— —			
29 Hyperplasia of prostate	M	18	—	—	—	—	—	—	3	5	10	11	—	—	—	—	—	—	—	—			
30 Pregnancy, childbirth, abortion	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—			
31 Congenital malformations	M F	15 14	7 4	3 4	— 3	1 —	— 3	1 25	2 22	1 31	— —	4 50	2 12	1 —	1 —	— —	— —	1 3	1 7	— —			
32 Other defined and ildefined dis.	M F	110 135	21 23	3 —	1 2	1 —	3 1	3 5	25 24	22 20	31 62	50 61	— —	— —	1 —	2 —	1 —	2 7	3 7	— —			
33 Motor vehicle accidents	M F	15 5	— —	— —	1 —	2 —	3 1	5 1	4 3	1 —	2 —	9 2	— —	— —	— —	1 —	1 —	5 —	2 —	— —			
34 All other accidents	M F	17 24	— —	3 —	— 2	— —	2 —	6 1	3 3	2 6	1 12	9 12	— —	1 —	— —	— —	2 —	2 —	3 —	— —			
35 Suicide	M F	17 13	— —	— —	— —	— —	— —	6 5	8 6	2 —	1 —	6 —	— —	— —	— —	— —	1 —	3 —	1 —	— —			
36 Homicide, operations of war	M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			

TABLE 20—continued—Administrative County of Berks.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	643 665	15 15	6 9	2 4	2 5	2 4	25 20	157 102	172 157	262 349	1097 1059	26 27	19 10	11 5	6 4	20 4	56 43	214 167	290 222	455 577		
Tuberculosis respiratory	M F	13 10	—	—	—	—	1	4	4	4	—	18 18	—	—	—	—	2	4	7	4	1		
Tuberculosis other	M F	1 3	—	—	—	—	—	—	6	3	1	4 2	—	—	1	1	2	1	—	—	1		
Syphilitic disease	M F	3 —	—	—	—	—	—	—	—	2	—	5 1	—	—	—	—	—	1	2	2	—		
Diphtheria	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Whooping cough	M F	— 1	—	1	—	—	—	—	—	—	—	2 2	—	2	—	—	—	—	—	—	—		
Meningococcal infections	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Acute poliomyelitis	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other infective, etc., diseases	M F	1 2	—	—	—	—	—	—	1	1	1	1 6	—	—	—	—	—	1	1	1	—		
Malignant neoplasm: stomach	M F	19 15	—	—	—	—	—	—	6 5	6 5	7 5	35 20	—	—	—	—	—	2 4	11 4	13 4	9 12		
lung, bronchus	M F	21 6	—	—	—	—	—	—	10 2	10 1	1 3	41 11	—	—	—	—	—	2 1	22 5	9 1	8 4		
breast	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
uterus	M F	25 20	—	—	—	—	—	1	11 9	9 5	4 6	38 13	—	—	—	—	—	3 1	12 6	12 2	11 4		
Other malignant and lymphatic neoplasms	M F	72 49	—	—	—	1	—	2	23 10	23 19	24 19	108 72	—	1	1	—	1	7 6	20 14	42 23	37 25		
Leukæmia, aleukæmia	M F	2 5	—	—	1	—	—	1	—	—	1	4 3	—	—	1	—	1	1 1	—	—	1		
Diabetes	M F	3 2	—	—	—	—	—	—	1	—	2	4 9	—	—	—	—	—	1	1	1	2		
Vascular lesions of nervous system	M F	61 105	—	—	—	—	—	2	11 13	17 25	31 66	124 172	—	—	—	—	—	1 2	16 36	44 40	62 94		
Coronary disease, angina	M F	86 57	—	—	—	—	—	4	29 10	23 16	30 31	133 101	—	—	—	—	—	1	41 16	44 34	47 51		
Hypertension with heart disease	M F	20 26	—	—	—	—	—	2	5 4	6 7	7 15	25 34	—	—	—	—	—	5 4	9 9	11 21			
Other heart disease	M F	91 101	—	—	—	—	—	2	15 6	20 24	54 69	156 193	—	—	—	—	1	19 18	35 29	101 145			
Other circulatory disease	M F	30 38	—	—	—	—	—	—	5 6	2 8	23 23	45 51	—	—	—	—	—	2 1	13 11	25 39			
Influenza	M F	28 21	1	—	—	—	—	—	7 2	9 5	11 13	23 29	—	—	—	—	—	1	4 8	7 7	11 14		
Pneumonia	M F	19 37	—	1	1	—	—	—	3 2	6 11	8 21	43 43	—	10 3	1	—	—	5 1	7 5	18 30			
Bronchitis	M F	42 19	—	—	—	—	—	—	11 1	13 17	18 43	78 43	—	—	—	—	1	18 9	15 9	44 33			
Other diseases of respiratory system	M F	7 4	—	—	—	—	—	—	2 2	4 2	1 10	17 10	—	—	—	—	—	1 1	4 9	8 9			
Ulcer of stomach and duodenum	M F	13 5	—	—	—	—	—	1	4 1	3 1	5 3	13 4	—	—	—	—	1	3 3	6 —	—	—		
Gastritis, enteritis and diarrhœa	M F	6 3	—	2	—	—	—	—	—	2	2	4 3	—	1	1	—	—	—	—	2 1	—		
Nephritis and nephrosis	M F	3 5	—	—	—	—	—	1	1 2	1 1	—	10 13	—	—	1	—	2	2 3	2 3	2 5	2		
Hyperplasia of prostate	M F	14 —	—	—	—	—	—	—	1	1	3	10	—	—	—	—	—	1	4	19	—		
Pregnancy, childbirth, abortion.	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—		
Congenital malformations	M F	4 6	3 1	1 1	—	1	—	—	—	—	—	6 10	3 5	1 3	—	—	—	—	—	—	—		
Other defined and illdefined dis.	M F	65 78	11 14	1 3	—	2	—	3	9 8	17 9	22 41	113 133	21 19	3 1	—	3	1	9 20	15 23	21 5	40 60		
Motor vehicle accidents	M F	5 5	—	—	—	—	1	1	1 4	1 1	—	21 5	—	—	—	1	4	9 2	5 —	1 1	1 8		
All other accidents	M F	8 12	—	1 2	—	—	—	—	1	—	3	6	—	2	5	—	—	1	1	1	7		
Suicide	M F	6 4	—	—	—	—	—	2	2	1	1	11 5	—	—	—	—	3	2 2	3 3	2 —	1		
Homicide, operations of war	M F	— 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—		

TABLE 20—continued—Administrative County of Bucks.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes		M F	1027 973	26 31	11 10	3 5	5 3	7 3	68 48	244 193	303 246	360 434	1122 1094	21 27	11 8	11 8	8 4	13 6	52 42	236 168	277 252		
1	Tuberculosis	M F	22 10	— —	— —	— —	— —	1 1	8 3	9 4	4 2	— —	14 10	— —	— —	— —	— —	— 1	2 3	4 2	6 3		
2	Tuberculosis	M F	3 3	— —	— 1	— 1	— —	— —	— 1	— 1	— 1	— —	6 4	— —	— —	1 1	— 1	— 1	2 1	2 1	— —		
3	Syphilitic disease	M F	5 1	— —	— —	— —	— —	— —	— —	1 —	1 1	3 —	6 2	— —	— —	— —	— —	— —	1 —	1 2	— —		
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
5	Whooping cough	M F	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— 1	1 1	— —	1 —	— —	— —	— —	— —	— —	— —		
6	Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
7	Acute poliomyelitis	M F	1 —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	1 —	1 —	— —	— —		
8	Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —		
9	Other infective, etc., diseases	M F	3 1	— —	— —	— —	— —	— —	— —	2 —	— 1	1 6	4 6	— —	— —	— —	1 —	— —	1 —	1 4	1 1		
10	Malignant neoplasm: stomach	M F	40 26	— —	— —	— —	— —	— —	2 1	11 7	19 7	8 11	21 23	— —	— —	— —	— —	— 1	6 6	10 5	— —		
11	lung, bronchus	M F	61 14	— —	— —	— —	— —	— —	3 2	37 8	18 2	3 2	38 6	— —	— —	— —	— —	1 —	21 4	11 —	— —		
12	breast	M F	40 26	— —	— —	— —	— —	— —	4 5	18 16	10 3	8 2	26 22	— —	— —	— —	— 1	3 2	9 12	7 4	— —		
13	uterus	M F	84 83	— —	— —	2 —	— —	7 13	20 30	31 19	24 20	123 91	— —	— —	3 —	— —	2 6	6 21	23 1	29 2	— —		
14	Other malignant and lymphatic neoplasms	M F	7 3	— —	— —	1 —	— —	4 2	— —	2 1	2 —	5 4	— —	— —	— 1	1 —	— —	— 1	1 —	— —	— —		
15	Leukæmia, aleukæmia	M F	3 10	— —	— —	— —	— —	— —	2 —	— 6	1 2	5 2	— 134	— —	— —	— —	1 1	— —	1 4	— 4	— —		
16	Diabetes	M F	91 171	— —	— —	— —	— —	— —	2 1	16 30	28 53	45 87	134 163	— —	— —	— —	— —	— 3	24 25	37 37	— —		
17	Vascular lesions of nervous system	M F	138 60	— —	— —	— —	— —	5 1	37 8	54 27	42 24	149 102	— —	— —	— —	— —	— —	4 17	49 42	8 10	— —		
18	Coronary disease, angina	M F	33 37	— —	— —	— —	— —	— —	— 5	13 16	9 16	17 39	23 33	— —	— —	— —	— —	1 6	9 15	10 —	— —		
19	Hypertension with heart disease	M F	132 179	— —	— —	1 —	— —	6 5	12 13	35 41	78 120	172 204	— —	— —	— —	— —	— —	2 3	19 14	34 37	— —		
20	Other heart disease	M F	28 26	— —	— —	— —	— —	2 —	1 8	8 15	17 43	43 —	— —	— —	— —	— —	— —	1 3	4 11	5 —	— —		
21	Other circulatory disease	M F	23 31	1 —	— —	— —	— —	— —	5 2	7 6	10 23	28 18	— —	— —	— —	1 —	— —	— —	3 2	9 4	— —		
22	Influenza	M F	56 39	4 —	5 1	— —	1 —	— —	— 1	17 4	23 7	52 26	— 60	1 —	3 1	— —	— —	1 1	7 4	15 14	— —		
23	Pneumonia	M F	92 34	— —	— —	— 1	— —	2 —	29 5	23 4	38 3	53 11	— —	2 —	— —	— —	1 —	11 3	8 4	— 1	— —		
24	Bronchitis	M F	7 5	— —	— —	— —	— —	— —	— 1	— 1	— 3	— 4	9 —	— —	— —	— —	— —	1 1	1 1	— —	— —		
25	Other diseases of respiratory system	M F	11 4	— —	— —	— —	— —	1 —	7 1	2 2	1 1	15 5	— —	— —	— —	— —	— —	1 —	4 1	4 —	— —		
26	Ulcer of stomach and duodenum	M F	5 8	— —	2 1	— —	— —	— —	— 1	2 1	— 3	— 2	— 6	— —	2 1	1 —	— —	— —	1 1	— 2	— —		
27	Gastritis, enteritis and diarrhoea	M F	12 19	— —	1 —	— —	— —	1 2	2 2	2 5	5 9	8 13	— —	— —	1 —	— —	1 —	1 —	1 5	— 9	— —		
28	Nephritis and nephrosis	M F	21 1	— —	— —	— —	— —	— 1	— —	— —	— —	— 14	28 2	— —	— —	— —	1 —	1 —	— —	— —	— —		
29	Hyperplasia of prostate	M F	8 10	5 6	1 2	— —	— —	— —	— 2	— 20	— 15	— 33	11 93	2 20	1 2	2 1	— —	1 6	1 21	— 12	— 20		
30	Pregnancy, childbirth, abortion.	M F	90 104	15 25	2 3	— —	2 2	1 3	7 21	20 33	25 15	93 130	18 20	2 2	1 1	— —	1 —	8 6	21 19	12 20	— —		
31	Congenital malformations	M F	18 2	— —	— —	— —	1 —	7 —	4 1	5 —	1 —	20 5	— —	— —	— —	2 —	4 —	7 1	4 2	1 8	— —		
32	Other defined and illdefined dis.	M F	15 14	1 —	1 1	2 —	— —	2 —	4 —	1 2	4 10	29 31	— —	— 2	2 —	3 —	6 2	1 1	2 —	3 6	— —		
33	Motor vehicle accidents	M F	17 11	— —	— —	— —	— —	6 1	6 7	1 3	— —	4 —	10 4	— —	— —	— —	— —	2 —	6 1	1 —	— —		
34	All other accidents	M F	1 —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— 2	— —	— —	— —	— —	— —	— —	— —	— —		
35	Suicide	M F	11 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
36	Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Administrative County of Cambridge.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	451 484	8 9	4 2	2 3	4 1	9 1	19 15	118 86	118 126	169 241	576 537	15 8	6 3	4 1	3 3	8 2	36 21	111 78	145 132	248 289		
Tuberculosis respiratory	M F	8 6	—	—	—	—	1	2 2	5 3	1	—	12 1	—	—	—	—	1	3	5 1	3	—		
Tuberculosis other	M F	3 1	—	—	—	1	—	2 1	—	—	—	2	—	—	—	—	—	1	1	—	—		
Syphilitic disease	M F	1	—	—	—	—	—	—	—	1	—	2 1	—	—	—	—	—	—	1	1	—		
Diphtheria	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—		
Whooping cough	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Meningococcal infections	M F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—		
Acute poliomyelitis	M F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	M F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other infective, etc., diseases	M F	2	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	1	—	—	—		
Malignant neoplasm: stomach	M F	7 11	—	—	—	—	—	1 1	3 1	1 3	2 6	12 9	—	—	—	—	—	—	3 3	5 3	4 3		
lung, bronchus	M F	21	—	—	—	—	—	—	14	5	2	25 6	—	—	—	—	—	2	17 3	8 1	—		
breast	M F	15	—	—	—	—	—	1	8	4	2	21	—	—	—	—	—	3	8	4	6		
uterus	M F	7	—	—	—	—	—	—	3	3	1	5	—	—	—	—	—	1	1	—	3		
Other malignant and lymphatic neoplasms	M F	43 45	—	—	1	—	—	3 3	15 14	10 15	15 22	59 54	—	—	—	2	1	5 2	18 14	20 22	15 22		
Leukæmia, aleukæmia	M F	3 1	—	—	—	—	—	—	1 1	1	1	2	—	—	—	—	—	1	1	—	—		
Diabetes	M F	2 2	—	—	—	—	—	1	—	—	1	4 7	—	—	—	—	—	—	2	1 1	1 6		
Vascular lesions of nervous system	M F	56 84	—	—	—	—	1	1 1	4 9	21 24	29 50	68 87	—	—	—	—	1	5 12	14 25	48 50	—		
Coronary disease, angina	M F	70 51	—	—	—	—	—	1	25 11	28 18	16 22	74 40	—	—	—	—	5	15 7	26 14	28 19	—		
Hypertension with heart disease	M F	10 14	—	—	—	—	—	—	4 3	3 3	3 8	9 12	—	—	—	—	—	3 1	3 3	3 8	—		
Other heart disease	M F	39 82	—	—	—	—	—	1 1	1 2	7 22	30 50	114 128	—	1	—	—	—	4 10	11 31	25 85	73 85		
Other circulatory disease	M F	14 18	—	—	—	—	—	1 1	2 3	4 4	7 10	25 16	—	—	—	—	—	3 1	9 4	13 11	—		
Influenza	M F	29 27	—	—	—	—	—	—	4 7	9 16	16 32	25 32	—	1	1	—	—	—	4 1	6 9	13 21		
Pneumonia	M F	16 18	1	1	—	—	—	1 1	3 3	3 14	7 11	11 11	2	1	1	—	—	—	1 3	1 1	6 6		
Bronchitis	M F	40 16	—	—	—	—	—	1	11	12	16	23	—	—	1	—	—	—	2 7	7 7	13 8		
Other diseases of respiratory system	M F	6 3	—	1	—	—	—	—	2 1	2 1	2 2	6 4	—	1	—	—	—	1	2	—	—		
Ulcer of stomach and duodenum	M F	7 5	—	—	—	—	—	—	3 1	2 2	2 2	3 2	—	—	—	—	—	—	1 1	1 1	1 1		
Gastritis, enteritis and diarrhoea	M F	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—	—	—	1	—	—		
Nephritis and nephrosis	M F	3 5	—	—	—	—	—	1	—	1 3	1 4	8 4	—	—	—	—	—	—	4 1	4	—		
Hyperplasia of prostate	M F	8	—	—	—	—	—	—	—	4	4	5	—	—	—	—	—	1	—	—	3		
Pregnancy, childbirth, abortion.	M F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—		
Congenital malformations	M F	4 5	2	—	1	1	—	1	1	—	—	2 4	2	—	—	—	—	—	—	—	—		
Other defined and illdefined dis.	M F	29 49	5 8	1	—	2	1	—	7 10	4 9	9 21	47 56	11 5	3 1	1	1	1	5 5	6 10	20 28	—		
Motor vehicle accidents	M F	7 1	—	—	—	—	3	—	4	—	—	11	—	—	—	2	3	3	1	—	2		
All other accidents	M F	12 15	—	2	—	—	1	1	3	—	5	19 10	—	—	—	—	2	12 1	2 1	2	1 7		
Suicide	M F	8 3	—	—	—	—	—	1	6	—	1	7	—	—	—	—	—	—	2	3	2		
Homicide, operations of war	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

TABLE 20—continued—Administrative County of Chester.

Causes of Death (See first page of Table)		Aggregate of Urban Districts										Aggregate of Rural Districts									
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	
All Causes		M F	4219 4259	108 71	56 35	27 23	26 16	41 32	178 170	1231 805	1210 1185	1342 1922	1216 1074	47 29	23 9	15 9	10 5	14 7	69 38	261 165	314 281
1	Tuberculosis	M F	84 38	— —	— —	— 1	— —	3 3	19 18	47 31	15 3	— 2	20 7	— —	— —	— —	— —	9 1	5 4	5 —	—
2	Tuberculosis	M F	14 10	— —	1 —	3 3	1 2	1 1	1 —	3 4	3 —	1 —	4 4	— —	— —	1 1	1 2	1 1	1 —	— —	—
3	Syphilitic disease	M F	15 5	— —	— —	— —	— —	— —	2 —	6 3	7 —	— 2	— 1	— —	— —	— —	— —	— —	— —	— —	1
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
5	Whooping cough	M F	2 3	— 1	1 2	1 —	— —	— —	— —	— —	— —	— —	1 3	— 1	— —	— —	— —	— —	— —	— —	—
6	Meningococcal infections	M F	2 3	— —	2 1	— 1	— —	— —	— —	— 1	— —	— —	1 1	— —	1 —	1 —	— —	— —	— —	— —	—
7	Acute poliomyelitis	M F	5 1	— —	— —	— —	1 1	2 —	1 —	1 —	— —	— —	2 —	— —	— —	— —	1 —	1 —	— —	— —	—
8	Measles	M F	4 1	— —	1 —	2 —	1 1	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	—
9	Other infective, etc., diseases	M F	13 13	— —	— —	1 —	1 1	2 2	6 4	3 4	— 1	2 1	— —	— —	— —	— —	— —	1 1	1 —	— —	—
10	Malignant neoplasm: stomach	M F	128 118	— —	— —	— —	— —	6 3	48 38	47 37	27 40	26 29	— —	— —	— —	— —	— —	— —	9 4	10 13	—
11	lung, bronchus	M F	158 22	— —	— —	— —	— —	6 —	111 7	31 13	10 2	39 3	— —	— —	— —	— —	— —	4 —	25 —	9 2	—
12	breast	M F	1 128	— —	— —	— —	— —	— 9	— 53	— 38	— 28	— 32	— 14	— —	— —	— —	— —	— 3	— 11	— 12	—
13	uterus	M F	52 52	— —	— —	— —	— —	6 6	25 13	13 8	— —	— —	— —	— —	— —	— —	— —	— —	7 7	26 25	39 25
14	Other malignant and lymphatic neoplasms	M F	356 306	— —	— —	2 1	1 3	2 13	16 112	115 105	101 72	110 63	— 7	— —	2 —	2 —	3 —	7 2	26 18	39 25	—
15	Leukæmia, aleukæmia	M F	13 15	— —	— 1	— —	— 1	— —	1 8	4 4	3 1	7 3	— —	— —	1 —	— —	2 —	— —	2 1	— —	—
16	Diabetes	M F	13 39	— —	— —	— —	— —	2 2	3 1	5 9	3 13	8 9	— —	— —	— —	1 —	— —	1 —	1 2	1 6	—
17	Vascular lesions of nervous system	M F	481 723	— —	— —	1 —	— 1	2 10	73 126	178 240	227 346	133 169	— —	— —	— —	— —	— 1	1 22	26 44	44 —	—
18	Coronary disease, angina	M F	631 340	— —	— —	— —	— 1	18 7	272 69	208 113	133 150	162 87	— —	— —	— —	— —	— —	4 1	55 20	60 28	—
19	Hypertension with heart disease	M F	85 122	— —	— —	— —	— —	2 2	14 22	37 46	32 52	33 23	— —	— —	— —	— —	— —	1 5	5 9	10 9	—
20	Other heart disease	M F	679 966	— —	1 —	— —	— —	3 25	17 106	193 228	353 605	213 280	— —	— —	— —	— —	— —	5 1	20 23	49 67	—
21	Other circulatory disease	M F	123 154	— —	— —	1 —	— —	2 1	26 13	23 32	72 107	41 38	— —	— —	— —	— —	— —	2 1	4 2	14 11	—
22	Influenza	M F	142 148	1 —	3 2	2 —	— —	1 1	1 7	45 24	40 54	49 60	43 53	— —	2 —	1 —	— —	— —	8 7	9 4	—
23	Pneumonia	M F	167 130	11 5	24 10	3 7	1 —	5 1	40 19	48 30	34 52	53 38	6 4	5 3	— 2	— —	1 1	3 4	11 7	7 6	—
24	Bronchitis	M F	311 212	— —	1 2	1 —	— —	1 4	114 32	100 78	91 95	50 39	— —	1 —	1 —	— —	— —	1 1	20 4	12 3	—
25	Other diseases of respiratory system	M F	41 26	— —	— —	1 —	— 1	— 1	25 6	12 6	3 12	11 8	— —	1 —	— —	— 2	— —	— —	4 3	3 4	—
26	Ulcer of stomach and duodenum	M F	46 13	— —	— —	— —	— —	4 2	25 3	14 3	3 5	15 3	— —	— —	— —	— —	— —	— 1	8 —	3 2	—
27	Gastritis, enteritis and diarrhœa	M F	19 14	3 —	4 2	— —	1 —	— 2	3 2	3 2	3 6	3 5	1 —	1 —	— —	— —	— 1	— —	1 —	— —	—
28	Nephritis and nephrosis	M F	43 51	— —	— —	— —	— —	5 3	20 11	13 17	7 17	23 17	— —	— —	— —	— —	1 —	1 2	4 2	9 5	—
29	Hyperplasia of prostate	M F	60 10	— —	— —	— —	— 2	— 6	6 —	26 —	28 —	17 3	— —	— —	— —	— —	— —	— 2	— 1	— —	—
30	Pregnancy, childbirth, abortion.	M F	39 26	15 13	11 9	3 —	2 —	1 3	2 7	3 1	1 —	12 10	5 4	3 —	1 3	— —	1 —	2 5	— 15	— 25	—
31	Congenital malformations	M F	401 468	76 52	2 4	3 4	6 7	4 8	30 71	71 80	65 80	144 216	115 127	32 21	4 2	2 1	1 —	15 5	22 17	17 25	—
32	Other defined and ildefined dis.	M F	41 63	— 2	— 5	3 3	5 5	8 11	10 11	7 13	2 6	6 12	18 40	— 2	— 6	2 1	1 3	6 9	1 7	3 1	—
33	Motor vehicle accidents	M F	41 13	— —	— —	3 1	5 2	8 —	10 2	7 3	2 3	6 2	18 6	— —	— —	2 2	1 1	2 —	1 —	3 1	—
34	All other accidents	M F	63 55	2 —	5 2	3 3	5 —	11 1	11 2	13 10	6 11	7 26	4 12	2 —	6 2	2 1	3 —	2 —	1 —	— —	—
35	Suicide	M F	36 32	— —	— —	— —	— —	1 —	6 5	17 14	9 10	4 2	12 6	— —	— —	— —	— —	6 4	4 2	1 —	—
36	Homicide, operations of war	M F	3 2	— —	— —	— 1	— —	— —	1 1	2 —	— —	— —	1 —	— —	— —	— —	— —	— 1	— —	— —	—

TABLE 20—continued—Administrative County of Cornwall.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks
All Causes	M	1285	42	18	11	9	10	43	317	334	501	1102	23	15	11	7	11	41	225	305	464	1102	23
	F	1394	26	7	9	4	8	51	231	327	731	1114	16	16	4	4	9	34	184	257	590	1114	16
Tuberculosis	M	30	—	—	—	—	—	9	13	7	1	20	—	—	—	1	1	7	9	1	1	20	—
respiratory	F	23	—	—	2	—	2	8	7	—	—	12	—	—	—	—	—	5	4	2	—	12	—
Tuberculosis	M	4	—	—	—	—	1	—	—	—	1	5	—	—	—	—	—	2	3	—	—	5	—
other	F	3	—	—	2	—	—	1	—	—	—	4	—	—	1	—	—	2	1	—	—	4	—
Syphilitic disease	M	7	—	—	—	—	—	1	2	4	—	5	—	—	—	—	—	—	3	2	—	5	—
	F	3	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	1	—	—	1	—
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	2	—
	F	1	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—
Meningococcal	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—
infections	F	2	—	1	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—
Acute poliomyelitis	M	2	—	1	—	—	—	1	—	—	—	2	—	—	—	1	—	1	—	—	—	2	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—
Measles	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	2	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	1	—
Other infective, etc.,	M	5	—	—	2	—	—	1	1	—	1	5	—	—	1	1	—	—	2	—	1	5	—
diseases	F	3	—	—	—	—	—	—	2	1	—	2	—	—	—	—	—	—	1	—	—	1	—
Malignant neoplasm:	M	47	—	—	—	—	—	1	16	14	16	42	—	—	—	—	1	—	17	14	11	42	—
stomach	F	40	—	—	—	—	—	—	8	12	20	27	—	—	—	—	—	—	8	8	11	27	—
lung, bronchus	M	32	—	—	—	—	—	1	23	5	3	26	—	—	—	—	—	—	15	8	3	26	—
	F	12	—	—	—	—	—	—	4	6	2	5	—	—	—	—	—	—	2	2	1	5	—
breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	36	—	—	—	—	—	7	15	9	5	33	—	—	—	—	—	3	16	7	—	33	—
uterus	F	20	—	—	—	—	—	1	10	6	3	12	—	—	—	—	—	2	7	1	2	12	—
Other malignant and	M	114	—	—	1	—	2	38	33	40	99	—	—	—	1	2	—	3	27	34	32	—	—
lymphatic neoplasms	F	103	—	—	—	—	9	36	29	29	78	—	—	—	—	—	1	4	24	23	26	—	—
Leukæmia,	M	3	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—
aleukæmia	F	8	—	—	—	—	2	4	2	—	—	2	—	—	—	—	—	—	1	1	—	—	—
Diabetes	M	11	—	—	—	—	—	3	5	3	11	—	—	—	—	—	—	—	1	5	5	—	—
	F	16	—	—	—	—	2	3	6	5	10	—	—	—	—	—	—	—	4	3	3	—	—
Vascular lesions of	M	140	—	—	—	—	—	23	33	84	98	—	—	—	—	—	—	—	15	30	52	—	—
nervous system	F	211	—	—	—	—	1	27	61	122	172	—	—	1	—	—	—	1	30	55	86	—	—
Coronary disease,	M	181	—	—	—	—	—	1	53	75	52	134	—	—	—	—	—	2	35	53	44	—	—
angina	F	99	—	—	—	—	—	17	35	47	78	—	—	—	—	—	—	—	11	30	37	—	—
Hypertension with	M	35	—	—	—	—	—	5	9	21	26	—	—	—	—	—	—	—	4	12	10	—	—
heart disease	F	50	—	—	—	—	2	7	12	29	41	—	—	—	—	—	—	1	5	15	20	—	—
Other heart disease	M	239	—	—	—	—	1	50	50	138	243	—	—	—	—	—	—	2	30	55	156	—	—
	F	377	—	—	—	—	4	35	65	272	308	—	—	—	—	—	—	2	27	53	226	—	—
Other circulatory	M	33	—	—	—	—	—	8	12	13	32	—	—	—	—	—	—	—	6	9	17	—	—
disease	F	37	—	—	—	—	—	6	10	21	32	—	—	—	—	—	—	2	7	23	—	—	—
Influenza	M	21	—	1	—	—	3	1	3	5	8	29	—	—	—	—	—	1	6	6	14	—	—
	F	37	—	—	—	—	—	4	11	22	32	—	—	1	—	—	—	1	5	9	16	—	—
Pneumonia	M	39	2	2	2	—	2	12	7	12	36	—	—	4	—	—	—	1	7	9	13	—	—
	F	41	4	1	1	—	1	6	8	20	43	—	1	6	1	—	—	1	5	4	25	—	—
Bronchitis	M	53	—	—	—	—	—	14	20	19	56	—	—	—	2	—	—	1	5	16	32	—	—
	F	35	—	—	—	—	—	1	4	10	20	—	—	—	—	—	—	2	5	26	—	—	—
Other diseases of	M	16	—	—	—	—	—	1	4	5	6	—	—	—	—	—	—	—	3	9	1	—	—
respiratory system	F	11	—	—	—	—	1	1	3	5	11	—	1	1	—	—	1	1	2	5	—	—	—
Ulcer of stomach	M	13	—	—	—	—	—	1	4	6	2	3	—	—	—	—	—	—	2	1	—	—	—
and duodenum	F	7	—	—	—	—	—	1	2	—	4	3	—	—	—	—	—	—	1	1	—	—	—
Gastritis, enteritis	M	8	—	6	—	—	—	—	—	1	—	5	—	—	—	—	—	—	—	2	—	—	—
and diarrhoea	F	8	1	—	—	—	—	1	1	4	1	2	—	1	—	—	—	—	—	—	1	—	—
Nephritis and	M	25	—	—	—	—	—	3	6	4	12	15	—	—	—	—	—	1	3	8	3	—	—
nephrosis	F	11	—	1	—	—	—	—	2	1	7	18	—	—	—	—	—	1	4	5	6	—	—
Hyperplasia of prostate	M	25	—	—	—	—	—	—	10	15	24	—	—	—	1	—	—	—	1	6	17	—	—
Pregnancy, childbirth,	F	2	—	—	—	—	—	2	—	—	4	—	—	—	—	—	2	2	—	—	—	—	—
abortion.																							
Congenital	M	9	5	3	—	—	1	—	—	—	—	3	—	—	—	—	—	—	—	1	—	—	—
malformations	F	5	3	—	—	—	1	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—
Other defined and	M	138	33	2	1	1	8	23	22	47	113	—	—	—	—	—	—	—	22	17	43	—	—
illdefined dis.	F	151	18	3	2	3	4	17	25	79	118	—	—	3	—	—	—	1	6	17	20	59	—
Motor vehicle	M	7	—	—	—	2	—	1	2	1	1	11	—	—	—	—	—	2	4	2	1	—	—
accidents	F	3	—	—	1	—	2	—	—	—	—	3	—	—	—	—	—	—	2	1	5	—	—
All other accidents	M	40	2	3	4	3	3	4	12	3	6	30	—	4	2	—	—	3	10	2	4	—	—
	F	26	—	—	—	—	1	2	4	4	15	12	—	—	—	1	—	—	3	—	8	—	—
Suicide	M	7	—	—	—	—	1	2	2	2	7	—	—	—	—	—	—	1	1	4	1	—	—
	F	12	—	—	—	—	—	1	7	3	1	6	—	—	—	—	—	—	1	3	—	—	—
Homicide, operations	M	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
of war	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—continued—Administrative County of Cumberland.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes		M F	570 568	18 9	10 11	6 12	3 3	6 16	31 40	159 123	155 121	182 233	898 791	32 16	18 10	12 15	5 1	14 7	48 30	214 141	223 232		
1	Tuberculosis respiratory	M F	20 23	— —	1 —	1 —	— —	1 8	7 14	4 1	6 —	— —	30 7	— —	— —	1 —	— —	4 7	1 2	13 3	5 1		
2	Tuberculosis other	M F	3 3	— —	— —	2 1	— 1	— —	— —	— 1	— —	— —	— 5	— —	— —	— 2	— —	— 1	— 1	— 1	— —		
3	Syphilitic disease	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	7 1	— —	— —	— —	— —	— —	— —	— 5	— —		
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
5	Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
6	Meningococcal infections	M F	3 1	— —	2 —	1 1	— —	— —	— —	— —	— —	— —	1 1	— —	— —	1 1	— —	— —	— —	— —	— —		
7	Acute poliomyelitis	M F	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	— —	— —		
8	Measles	M F	1 2	— —	1 —	2 —	— —	— —	— —	— —	— —	— —	1 3	— —	1 1	— 1	— —	— —	— —	— —	— —		
9	Other infective, etc., diseases	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	1 —	— —	— —	1 —	— —		
10	Malignant neoplasm: stomach	M F	24 9	— —	— —	— —	— —	— —	4 1	11 2	6 2	6 4	26 22	— —	— —	— —	— —	— —	— 1	8 4	11 11		
11	lung, bronchus	M F	16 5	— —	— —	— —	— —	— —	2 —	9 4	2 3	16 2	— —	— —	— —	— —	— —	— —	2 —	11 —	2 —		
12	breast	M F	— 19	— —	— —	— —	— —	— —	— 5	— 9	— 3	— 2	— 22	— —	— —	— —	— —	— —	— 4	— 10	— 5		
13	uterus	M F	— 12	— —	— —	— —	— —	— —	— 3	— 7	— 1	— 1	— 10	— —	— —	— —	— —	— —	— 1	— 2	— 6		
14	Other malignant and lymphatic neoplasms	M F	42 29	— —	— —	1 —	— —	— —	2 2	21 10	12 7	7 9	64 52	— —	— —	— —	1 —	— —	4 3	19 16	21 22		
15	Leukæmia, aleukæmia	M F	2 2	— —	— —	— 1	1 1	— —	— —	— —	1 —	— —	— 2	— —	— —	— —	— —	— —	— —	— 2	— —		
16	Diabetes	M F	3 10	— —	— —	— —	— —	— —	— —	1 4	— 3	2 2	4 2	— —	— —	— —	— —	1 —	— —	— —	2 —		
17	Vascular lesions of nervous system	M F	73 89	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
18	Coronary disease, angina	M F	83 44	— —	— —	— —	— —	— —	3 —	30 11	27 12	23 21	105 68	— —	— —	— —	— —	— —	4 2	51 12	23 33		
19	Hypertension with heart disease	M F	15 14	— —	— —	— —	— —	— —	— 1	8 3	6 3	15 18	— —	— —	— —	— —	— —	— —	— 3	8 5	— —		
20	Other heart disease	M F	94 129	— —	— —	— —	— —	1 —	2 3	17 17	23 37	51 72	163 194	— —	— —	— —	— —	— 2	4 25	24 50	35 50		
21	Other circulatory disease	M F	9 22	— —	— —	— —	— —	— —	— 1	— 3	— 4	— 14	23 29	— —	— —	— —	— —	— —	— 2	— 4	— 7		
22	Influenza	M F	8 16	— —	— —	— —	— —	— —	— —	2 4	1 6	5 3	33 26	— —	— —	1 —	— —	— —	1 2	11 5	10 9		
23	Pneumonia	M F	15 19	2 1	2 8	— 2	— —	— 1	— 2	— 1	6 —	2 3	30 22	— 4	— 8	— 3	— —	— —	— 1	2 4	5 2		
24	Bronchitis	M F	38 23	— —	— —	— —	— —	— —	1 —	13 6	16 5	8 12	41 22	— —	1 —	1 —	— —	— —	— —	11 4	11 6		
25	Other diseases of respiratory system	M F	7 2	— —	— —	— —	— —	— —	— 1	— —	— —	— 1	— 3	— —	— —	— —	— —	— —	— 2	6 1	5 1		
26	Ulcer of stomach and duodenum	M F	8 3	— —	— —	— —	— —	— —	— —	3 1	4 1	1 —	9 4	— —	— —	— —	— —	— —	3 2	2 1	3 1		
7	Gastritis, enteritis and diarrhoea	M F	7 3	1 —	2 —	1 —	— —	— —	— 2	— 1	— —	— 6	7 7	— —	3 2	1 —	— —	— —	— 1	— 1	— —		
28	Nephritis and nephrosis	M F	5 9	— —	— —	— —	— —	— —	2 1	1 2	2 3	— 2	16 8	— —	— —	— —	— —	1 —	2 6	3 —	4 5		
29	Hyperplasia of prostate	M	8	—	—	—	—	—	—	—	—	—	12	—	—	—	—	—	—	—	—		
30	Pregnancy, childbirth, abortion.	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
31	Congenital malformations	M F	4 2	2 —	1 —	— —	— —	— —	— 1	— 4	— 11	— 7	9 22	4 106	2 21	— 3	— 3	— —	— 5	— 10	— 14		
32	Other defined and illdefined dis.	M F	57 64	13 8	— 2	— 1	— —	— 4	— 3	— 13	— 8	— 25	— 110	— —	— —	— —	— —	— —	— —	— —	— —		
33	Motor vehicle accidents	M F	6 1	— —	— —	1 —	— —	2 —	2 —	— —	— —	1 —	12 1	— —	— —	— —	— —	3 —	3 —	3 —	— —		
34	All other accidents	M F	15 9	— —	1 —	— —	2 1	2 —	— —	6 1	— —	2 5	23 14	— —	1 —	— —	1 —	— —	6 2	7 1	2 4		
35	Suicide	M F	4 3	— —	— —	— —	— —	— —	1 —	1 2	1 —	— 1	6 3	— —	— —	— —	— —	— —	— —	— —	— —		
36	Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Administrative County of Derby.

Causes of Death (See first page of Table)		Aggregate of Urban Districts										Aggregate of Rural Districts									
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over
All Causes	M	2297	55	37	17	20	29	94	553	734	758	1900	48	28	16	18	23	110	469	511	677
	F	2105	41	36	16	8	24	100	387	588	905	1707	40	16	13	7	18	81	337	431	764
Tuberculosis	M	44	—	—	—	—	2	7	23	10	2	32	—	—	1	—	2	9	17	3	—
respiratory	F	25	—	—	—	—	5	11	8	1	—	18	—	—	—	—	3	8	3	2	—
Tuberculosis	M	1	—	—	—	—	—	—	—	—	—	6	—	—	2	—	—	2	1	—	—
other	F	12	—	—	1	—	2	2	5	2	—	4	—	—	—	1	—	2	1	—	—
Syphilitic disease	M	9	—	—	1	—	—	—	1	5	1	4	—	—	—	—	—	—	3	1	—
	F	4	—	—	—	—	—	—	1	2	1	2	—	—	—	—	—	1	1	—	—
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
Meningococcal	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
infections	F	2	—	—	1	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—
Acute poliomyelitis	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	1	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other infective, etc.,	M	4	—	1	—	1	—	—	2	—	—	6	—	—	—	—	—	—	3	2	1
diseases	F	6	—	—	—	—	—	2	2	2	—	2	—	—	—	—	—	2	—	—	—
Malignant neoplasm:	M	70	—	—	—	—	—	2	25	25	18	52	—	—	—	—	—	3	20	15	14
stomach	F	50	—	—	—	—	—	2	9	21	18	46	—	—	—	—	—	8	18	18	12
lung, bronchus	M	74	—	—	—	—	—	3	43	18	10	57	—	—	—	—	—	5	30	18	4
	F	13	—	—	—	—	—	2	8	3	—	13	—	—	—	—	—	1	5	5	2
breast	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	66	—	—	—	—	—	8	28	14	16	44	—	—	—	—	—	4	22	10	8
uterus	F	41	—	—	—	—	—	5	19	12	5	24	—	—	—	—	—	2	11	7	4
Other malignant and	M	192	—	—	1	1	1	8	44	88	49	154	—	1	—	—	—	5	46	50	52
lymphatic neoplasms	F	145	—	—	2	—	—	9	43	49	42	138	—	—	—	—	2	12	44	38	42
Leukæmia,	M	11	—	—	5	1	—	1	2	2	—	8	—	—	—	—	—	3	1	2	—
aleukæmia	F	4	—	—	1	—	—	1	1	—	1	7	—	—	—	—	—	3	2	1	1
Diabetes	M	5	—	—	—	1	—	—	2	2	—	13	—	—	—	—	—	1	3	4	5
	F	18	—	—	—	1	—	1	1	7	8	23	—	—	—	—	—	—	7	8	8
Vascular lesions of	M	297	—	—	—	—	—	5	49	110	133	197	—	—	—	—	1	4	42	72	81
nervous system	F	322	—	—	—	—	—	4	57	86	175	240	—	—	—	1	—	5	46	66	122
Coronary disease,	M	318	—	—	—	—	—	6	104	122	86	218	—	—	—	—	—	2	78	87	51
angina	F	166	—	—	—	—	—	—	36	67	63	133	—	—	—	—	—	—	25	57	51
Hypertension with	M	47	—	—	—	—	—	—	10	21	16	38	—	—	—	—	—	2	9	9	18
heart disease	F	64	—	—	—	—	—	—	10	28	26	42	—	—	—	—	—	1	11	10	20
Other heart disease	M	346	—	1	—	—	3	8	41	113	180	335	—	—	—	1	—	12	43	87	192
	F	455	—	—	—	2	1	13	48	125	266	386	—	—	—	1	4	8	43	95	235
Other circulatory	M	75	—	—	—	—	—	1	6	24	44	81	—	—	—	—	—	13	22	46	—
disease	F	87	—	—	—	—	—	3	7	25	52	71	—	—	—	—	—	2	12	11	46
Influenza	M	65	—	—	—	—	—	1	24	21	19	54	—	—	—	—	—	—	12	16	26
	F	60	—	1	—	—	—	—	13	18	28	59	—	—	—	—	—	2	7	14	36
Pneumonia	M	86	5	10	—	—	3	2	19	19	26	70	5	10	3	—	—	1	14	16	20
	F	78	2	12	3	—	1	3	5	19	33	64	2	6	4	—	—	4	10	19	19
Bronchitis	M	174	—	5	1	—	—	1	39	70	58	138	—	2	—	—	—	4	29	42	61
	F	105	—	2	—	—	—	—	13	33	57	79	—	2	—	2	—	—	11	24	40
Other diseases of	M	28	—	—	1	—	—	2	8	8	9	21	1	—	—	—	—	2	12	4	2
respiratory system	F	14	—	—	—	—	1	2	3	4	4	7	—	—	—	1	—	2	1	1	2
Ulcer of stomach	M	30	—	—	—	—	—	2	18	9	1	27	—	—	—	—	—	3	12	8	4
and duodenum	F	10	—	—	—	—	—	2	4	—	4	12	—	—	—	—	—	—	4	1	7
Gastritis, enteritis	M	12	1	6	1	1	—	—	1	1	1	10	1	4	1	—	—	—	2	1	1
and diarrhæa	F	10	—	4	1	—	—	—	2	2	1	8	—	2	—	—	—	3	3	2	1
Nephritis and	M	31	—	—	—	—	—	3	10	10	8	22	—	—	—	—	1	3	10	4	4
nephrosis	F	42	—	—	—	—	2	3	13	12	12	22	—	—	—	—	—	3	10	6	3
Hyperplasia of prostate	M	38	—	—	—	—	—	3	12	23	28	—	—	—	—	—	—	—	1	8	19
Pregnancy, childbirth,	F	5	—	—	—	—	2	3	—	—	—	6	—	—	—	—	2	2	2	—	—
abortion																					
Congenital	M	22	6	4	3	1	3	1	3	1	—	23	3	7	3	2	2	5	—	1	—
malformations	F	17	5	5	2	—	—	2	1	1	—	15	4	3	1	1	2	1	2	—	—
Other defined and	M	197	43	3	2	3	4	8	36	37	61	206	37	4	1	7	1	11	42	35	68
undefined dis.	F	225	34	7	2	2	8	17	40	44	71	199	34	2	4	2	4	6	33	31	83
Motor vehicle	M	29	—	—	—	4	6	10	6	3	—	34	—	—	4	4	8	15	2	1	—
accidents	F	8	—	—	1	2	1	1	2	2	1	6	—	—	—	—	—	—	2	—	3
All other accidents	M	59	—	5	3	2	5	13	16	4	11	44	1	—	1	3	5	16	13	1	—
	F	36	—	3	1	—	—	2	4	6	20	20	—	—	—	—	—	—	1	3	16
Suicide	M	26	—	—	—	—	1	7	13	3	2	21	—	—	—	—	—	5	11	—	3
	F	11	—	—	—	—	—	2	6	3	—	13	—	—	—	—	—	2	9	2	—
Homicide, operations	M	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
of war	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—continued—Administrative County of Devon.

Causes of Death (See first page of Table)		Aggregate of Urban Districts										Aggregate of Rural Districts									
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	
All Causes		M F	2185 2323	37 30	15 17	12 7	5 8	17 14	68 54	472 341	666 550	893 1302	1702 1647	41 25	12 14	13 9	11 6	23 12	86 53	352 254	441 406
1	Tuberculosis	M F	45 27	— —	— —	— —	— —	1 —	11 8	22 13	9 3	2 3	34 25	— —	— —	— —	— —	2 1	12 11	12 6	6 3
2	Tuberculosis	M F	5 4	— —	— —	— —	— —	1 —	2 —	3 —	— —	— —	5 3	— —	— —	— —	— —	2 2	1 —	— —	3 3
3	Syphilitic disease	M F	10 1	— —	— —	— —	— —	— —	— —	4 1	3 —	3 —	5 4	— —	1 —	— —	— —	— —	— —	2 —	— —
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
5	Whooping cough	M F	1 3	— —	1 3	— —	— —	— —	— —	— —	— —	— —	6 2	1 —	3 —	2 —	— —	— —	— —	— —	— —
6	Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —
7	Acute poliomyelitis	M F	1 2	— —	— —	1 —	— —	— —	— —	— —	— —	— —	3 —	— —	— —	— —	2 —	1 —	— —	— —	— —
8	Measles	M F	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
9	Other infective, etc., diseases	M F	4 5	— —	— —	— —	1 —	— —	1 —	2 —	— —	— —	3 2	— —	— —	— —	1 —	— —	— —	1 —	— —
10	Malignant neoplasm: stomach	M F	62 50	— —	— —	— —	— —	— —	3 —	20 7	27 18	12 25	50 24	— —	— —	— —	— —	— —	2 1	13 3	20 6
11	lung, bronchus	M F	57 14	— —	— —	— —	— —	— —	4 —	28 9	21 2	4 2	31 10	— —	— —	— —	— —	— —	1 —	14 3	13 4
12	breast	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
13	uterus	M F	51 25	— —	— —	— —	— —	— —	4 1	23 7	14 8	10 9	54 19	— —	— —	— —	— —	— —	8 1	22 9	12 5
14	Other malignant and lymphatic neoplasms	M F	203 165	— —	— —	— —	2 —	1 —	6 —	44 51	83 65	69 126	166 176	— —	— —	1 —	1 —	3 —	10 6	46 5	50 2
15	Leukæmia, aleukæmia	M F	7 4	— —	— —	1 —	1 —	— —	2 —	2 —	2 —	— —	5 —	— —	— —	1 —	— —	— —	5 1	2 —	— —
16	Diabetes	M F	8 22	— —	— —	— —	— —	— —	— —	4 9	3 10	1 10	8 10	— —	— —	— —	— —	— —	— —	2 2	1 6
17	Vascular lesions of nervous system	M F	245 379	— —	— —	1 —	— —	— —	2 —	42 47	84 88	116 242	185 271	— —	— —	— —	— —	1 —	29 38	63 69	— —
18	Coronary disease, angina	M F	311 198	— —	— —	— —	— —	— —	2 —	88 29	121 68	100 100	247 120	— —	— —	— —	— —	— —	11 7	69 19	78 40
19	Hypertension with heart disease	M F	55 67	— —	— —	— —	— —	— —	1 —	9 2	22 20	23 38	36 37	— —	— —	— —	— —	— —	7 6	10 11	— —
20	Other heart disease	M F	406 605	— —	— —	— —	— —	— —	5 —	41 46	96 114	264 444	292 426	— —	— —	— —	1 —	3 2	31 34	51 100	— —
21	Other circulatory disease	M F	82 110	— —	— —	— —	— —	— —	2 1	9 8	19 21	52 80	51 61	— —	— —	— —	— —	1 2	6 6	14 15	— —
22	Influenza	M F	53 86	— —	1 —	— —	— —	— —	2 —	12 9	15 21	23 55	39 57	— —	— —	— —	— —	— —	1 8	11 15	— —
23	Pneumonia	M F	77 63	2 1	4 1	— —	— —	— —	2 6	19 9	12 12	36 33	51 69	4 5	1 5	2 3	1 —	3 1	5 5	13 13	— —
24	Bronchitis	M F	134 71	— —	— —	— —	— —	— —	— —	28 6	52 19	54 45	86 59	— —	— —	1 —	1 —	— —	2 1	11 8	21 18
25	Other diseases of respiratory system	M F	19 11	— —	— —	— —	— —	— —	2 1	6 4	8 4	3 10	26 9	— —	— —	— —	— —	2 1	10 5	— —	— —
26	Ulcer of stomach and duodenum	M F	27 9	— —	— —	— —	— —	— —	1 —	11 4	10 4	4 2	25 11	— —	— —	— —	— —	— —	1 1	11 3	7 3
27	Gastritis, enteritis and diarrhæa	M F	4 12	— —	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 1	— —	— —	— —	1 1	3 1	— —
28	Nephritis and nephrosis	M F	44 43	— —	— —	— —	— —	2 —	1 —	9 10	16 13	17 16	23 23	— —	— —	— —	— —	3 1	4 8	9 2	— —
29	Hyperplasia of prostate	M	46	—	—	—	—	—	—	—	12	33	46	—	—	—	—	—	—	—	—
30	Pregnancy, childbirth, abortion	F	3	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—
31	Congenital malformations	M F	15 19	5 7	5 8	3 —	— —	— —	— —	1 2	— —	— —	13 9	5 3	2 2	— —	2 —	— —	— —	— —	— —
32	Other defined and illdefined dis.	M F	183 220	30 20	11 2	2 —	2 —	5 —	8 10	36 42	36 48	68 91	177 161	33 13	2 2	2 —	2 —	3 5	10 34	27 24	— —
33	Motor vehicle accidents	M F	18 8	— —	— —	— —	1 —	5 —	4 1	6 1	3 3	1 4	24 6	— —	— —	1 —	2 —	6 5	7 6	7 1	— —
34	All other accidents	M F	37 38	— —	1 1	3 —	2 —	— —	5 —	10 5	8 5	3 21	28 26	— —	2 —	2 —	1 —	5 1	6 2	5 2	— —
35	Suicide	M F	19 12	— —	— —	— —	— —	— —	2 —	9 4	6 —	2 —	24 4	— —	— —	— —	— —	— —	6 3	8 —	— —
36	Homicide, operations of war	M F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 2	— —	— —	— —	— —	— —	— —	— —	— —

TABLE 20—Administrative County of Dorset.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M	1184	35	14	6	3	20	40	265	331	470	729	13	8	5	9	12	21	144	205	312		
	F	1302	23	6	2	2	8	43	224	334	656	663	9	8	4	4	5	17	98	159	359		
Tuberculosis ¹	M	24	—	—	1	—	2	5	11	3	2	11	—	—	—	—	—	3	5	3	—		
respiratory	F	10	—	—	—	—	—	7	2	1	—	2	—	—	—	—	—	—	—	—	—		
Tuberculosis	M	4	—	—	1	—	2	1	1	—	—	—	—	—	—	—	—	—	—	2	—		
other	F	6	—	—	1	—	1	2	1	—	1	—	—	—	—	—	—	—	—	—	—		
Syphilitic disease	M	7	—	—	—	—	—	1	1	4	2	1	—	—	—	—	—	—	—	—	1		
	F	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Whooping cough	M	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Meningococcal	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—		
infections	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—		
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—		
Other infective, etc.,	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—		
diseases	F	2	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—		
Malignant neoplasm:	M	24	—	—	—	—	1	—	3	9	11	24	—	—	1	—	1	—	3	19	2		
stomach	F	23	—	—	—	—	—	—	4	6	13	9	—	—	—	—	—	—	5	5	4		
lung, bronchus	M	36	—	—	—	—	—	2	20	10	4	22	—	—	—	—	—	2	10	7	3		
	F	7	—	—	—	—	—	—	3	4	—	6	—	—	—	—	—	3	1	1	2		
breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	45	—	—	—	—	—	4	18	15	8	22	—	—	—	—	—	1	8	7	6		
uterus	M	22	—	—	—	—	—	1	13	5	3	7	—	—	—	—	—	1	3	1	2		
Other malignant and	M	104	—	—	1	—	1	2	33	37	30	63	—	—	—	—	—	5	18	12	28		
lymphatic neoplasms	F	92	—	—	—	—	—	2	32	29	29	47	—	—	—	—	1	2	15	11	18		
Leukæmia,	M	7	—	—	—	1	—	2	1	—	1	3	—	—	—	—	—	2	1	2	—		
aleukæmia	F	6	—	—	—	—	2	—	1	2	1	4	—	1	1	—	1	—	—	—	—		
Diabetes	M	5	—	—	—	—	—	—	—	3	2	5	—	—	—	—	—	1	3	—	1		
	F	12	—	—	—	—	—	—	1	3	7	5	—	—	—	—	—	—	—	2	2		
Vascular lesions of	M	119	—	—	—	1	—	2	22	42	53	89	—	—	—	—	—	2	9	33	44		
nervous system	F	229	—	—	—	—	—	1	36	78	114	93	—	—	—	1	—	1	15	24	52		
Coronary disease,	M	194	—	—	—	—	—	2	64	56	72	99	—	—	—	—	—	—	34	31	34		
angina	F	136	—	—	—	—	—	1	23	50	62	59	—	—	—	—	—	—	7	23	29		
Hypertension with	M	30	—	—	—	—	—	—	5	17	8	12	—	—	—	—	—	—	2	5	5		
heart disease	F	27	—	—	—	—	—	—	5	4	18	19	—	—	—	—	—	—	3	2	14		
Other heart disease	M	201	—	—	—	—	1	2	24	53	121	138	—	—	—	—	—	—	13	31	94		
	F	296	—	—	—	—	1	4	25	66	200	185	—	—	—	—	—	—	13	45	126		
Other circulatory	M	59	—	—	—	—	—	1	7	16	35	29	—	—	—	—	—	—	5	6	18		
disease	F	59	—	—	—	—	—	1	9	12	37	28	—	—	—	—	—	1	4	4	23		
Influenza	M	25	—	1	—	—	—	—	4	10	10	22	—	—	—	—	—	—	4	7	11		
	F	24	—	—	—	—	—	—	2	5	17	24	—	—	—	—	—	1	2	8	13		
Pneumonia	M	46	—	4	—	1	1	1	4	11	24	29	—	1	1	—	—	—	2	7	16		
	F	53	1	2	1	—	—	—	6	12	31	34	—	4	—	—	—	—	5	6	19		
Bronchitis	M	56	—	—	—	—	—	—	19	17	20	22	—	—	—	1	—	—	5	7	9		
	F	44	—	—	—	—	—	—	2	7	35	23	—	—	—	—	—	—	4	1	18		
Other diseases of	M	14	—	—	—	—	—	—	4	5	4	7	—	—	—	—	—	—	3	1	3		
respiratory system	F	16	—	—	—	—	—	1	2	4	9	5	—	—	—	—	—	2	—	—	2		
Ulcer of stomach	M	12	—	—	—	—	—	—	3	2	3	12	—	—	—	—	—	2	4	3	3		
and duodenum	F	9	—	—	—	—	—	—	1	3	1	4	—	—	—	—	—	—	—	—	—		
Gastritis, enteritis	M	7	—	1	—	—	1	—	1	2	1	—	—	—	—	—	—	—	—	—	—		
and diarrhoea	F	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	2		
Nephritis and	M	13	—	—	—	—	—	1	5	1	6	8	—	—	1	—	1	—	1	3	2		
nephrosis	F	16	—	—	—	—	—	2	1	2	11	13	—	—	—	—	—	—	3	6	3		
Hyperplasia of prostate	M	36	—	—	—	—	—	—	1	6	29	17	—	—	—	—	—	1	—	5	12		
Pregnancy, childbirth,	F	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—		
abortion																							
Congenital	M	8	—	—	—	—	1	1	—	—	—	7	—	1	—	1	2	—	—	1	—		
malformations	F	14	5	2	1	—	—	—	6	—	—	7	1	2	1	—	—	—	2	—	—		
Other defined and	M	100	29	3	1	1	1	6	16	19	24	65	10	3	1	2	3	4	8	14	20		
illdefined dis.	F	113	17	—	—	1	4	7	19	20	45	49	7	—	1	1	1	3	8	7	21		
Motor vehicle	M	8	—	—	—	—	2	3	1	1	2	15	—	—	—	—	—	—	4	4	2		
accidents	F	5	—	—	—	—	—	2	1	2	3	3	—	—	—	—	—	1	1	—	1		
All other accidents	M	26	—	2	—	—	3	6	10	2	3	15	1	2	—	—	—	—	5	2	4		
	F	17	—	1	1	—	—	—	3	2	10	6	1	1	—	—	—	—	1	1	2		
Suicide	M	14	—	—	—	—	2	1	6	2	3	10	—	—	—	—	—	—	4	3	2		
	F	6	—	—	—	—	—	1	4	1	—	6	—	—	—	—	—	—	4	2	—		
Homicide, operations	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
of war	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

TABLE 20—continued—Administrative County of Durham.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes		M F	4181 3511	153 107	104 96	39 31	29 20	48 42	286 198	1157 739	1165 992	1200 1286	1957 1450	71 53	60 26	16 13	18 9	43 27	152 83	536 325	490 418		
1	Tuberculosis respiratory	M F	136 81	— —	— —	2 7	— 1	10 15	38 34	71 22	12 8	3 1	40 37	— —	— —	— —	2 2	2 11	10 16	24 7	2 2		
2	Tuberculosis other	M F	23 18	— —	2 1	7 4	2 3	3 3	4 2	4 2	1 2	1 1	7 9	— —	— —	2 2	2 2	1 2	4 1	— —	— —		
3	Syphilitic disease	M F	19 3	— —	— —	— —	— —	1 —	2 —	10 1	6 1	— 1	7 —	— —	— —	— —	— —	— —	— —	6 —	— —		
4	Diphtheria	M F	1 —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
5	Whooping cough	M F	2 5	— —	2 3	2 1	— —	— —	— —	— —	— —	— —	1 1	— —	1 —	— —	— —	— —	— —	— —	— —		
6	Meningococcal infections	M F	5 4	— —	1 2	2 1	1 —	— —	1 —	1 —	— —	— —	2 —	— —	1 —	— —	— —	— —	— —	— —	— —		
7	Acute poliomyelitis	M F	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
8	Measles	M F	2 —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	1 3	— —	1 3	— —	— —	— —	— —	— —	— —		
9	Other infective, etc., diseases	M F	13 5	— —	3 —	— 2	2 —	— 1	3 —	3 —	2 1	— 1	3 1	— —	1 —	— —	1 —	1 —	— —	— —	— —		
10	Malignant neoplasm: stomach	M F	141 91	— —	— —	— —	— —	— —	4 6	62 25	50 35	25 25	71 45	— —	— —	— —	— —	— —	31 9	21 22	— —		
11	lung, bronchus	M F	130 30	— —	— —	— —	— —	— —	7 3	84 12	35 14	4 1	44 3	— —	— —	— —	— —	— —	5 1	28 7	1 —		
12	breast	M F	2 97	— —	— —	— —	— —	— —	— 11	— 50	— 15	— 21	— 39	— —	— —	— —	— —	— —	— 5	— 21	— 9		
13	uterus	M F	74 —	— —	— —	— —	— —	— 10	— 43	— 9	— 12	— 27	— —	— —	— —	— —	— —	1 4	12 6	— —	— —		
14	Other malignant and lymphatic neoplasms	M F	299 214	— —	1 —	1 —	1 2	15 16	89 88	112 58	78 1	168 88	— —	— —	— —	— —	2 11	12 29	44 27	67 27	— —		
15	Leukæmia, aleukæmia	M F	13 9	— —	— —	1 2	2 —	1 3	— 4	— 1	— 1	11 4	— —	— —	— —	3 —	— —	1 3	5 —	1 —	— —		
16	Diabetes	M F	15 32	— —	— —	— —	— —	2 1	5 11	6 16	2 3	8 14	— —	— —	— —	— —	— —	— —	4 6	4 7	— —		
17	Vascular lesions of nervous system	M F	494 543	— —	— —	— —	— —	1 1	12 6	89 95	172 193	220 248	241 228	— —	— —	— —	1 1	— 3	5 40	43 86	73 —		
18	Coronary disease, angina	M F	596 315	— —	— —	— —	— —	— —	21 2	242 81	215 156	118 76	214 123	— —	— —	— —	— —	8 3	85 43	70 53	— —		
19	Hypertension with heart disease	M F	137 101	— —	— —	— —	— —	— —	2 1	37 17	53 43	46 41	46 50	— —	— —	— —	— —	1 1	11 16	17 17	— —		
20	Other heart disease	M F	538 672	— —	— —	— —	3 5	31 26	76 91	149 173	279 374	290 301	— —	— —	— —	— —	4 4	11 12	47 57	83 78	— —		
21	Other circulatory disease	M F	150 120	— —	— —	— —	— 1	5 1	19 12	35 28	91 78	70 51	— —	— —	— —	— —	— —	— —	— 4	— 14	— —		
22	Influenza	M F	124 110	— —	6 3	1 —	— —	3 5	39 17	33 43	42 42	45 46	— —	— —	3 —	— —	— —	3 2	15 9	13 18	— —		
23	Pneumonia	M F	174 150	12 5	41 35	4 4	— 1	2 5	8 5	33 17	37 25	90 58	5 52	25 2	5 9	1 2	1 2	5 5	18 14	14 11	— —		
24	Bronchitis	M F	289 185	1 —	4 15	3 —	1 —	7 5	93 28	103 61	77 76	100 66	— —	3 5	1 —	— —	— —	1 1	29 7	37 24	— —		
25	Other diseases of respiratory system	M F	48 23	1 —	2 1	3 1	1 —	— 3	6 9	22 4	8 4	26 14	— —	— 1	— —	— —	— —	1 5	17 —	— —	— —		
26	Ulcer of stomach and duodenum	M F	58 16	— —	— —	— —	— —	10 1	26 5	17 6	4 3	27 3	— —	— —	— —	— —	— —	7 —	9 1	9 1	— —		
27	Gastritis, enteritis and diarrhoea	M F	16 29	— 1	— 10	— 1	— —	— 5	— 6	— 3	— 4	— 2	— 4	— 1	— 1	— —	— —	— —	— 1	— 1	— —		
28	Nephritis and nephrosis	M F	44 50	— —	— —	— —	1 4	1 —	8 6	10 14	13 16	11 9	26 14	— —	— —	1 —	1 —	6 2	6 4	9 5	— —		
29	Hyperplasia of prostate	M F	55 12	— —	— —	— —	— 2	— 9	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— 3	— —	— —		
30	Pregnancy, childbirth, abortion.	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
31	Congenital malformations	M F	37 38	21 15	10 11	1 1	2 —	— 4	— 2	3 3	1 1	18 20	9 15	4 2	— —	— —	1 —	1 3	3 12	— 37	— 20		
32	Other defined and illdefined dis.	M F	405 392	114 86	14 13	7 4	7 6	32 26	67 69	63 68	97 118	183 166	57 34	11 2	3 2	3 —	5 3	10 12	32 37	29 20	— —		
33	Motor vehicle accidents	M F	38 7	— —	— —	5 3	6 1	5 —	7 1	7 2	4 3	28 6	— —	— —	— —	4 2	1 1	5 21	7 45	3 55	6 3		
34	All other accidents	M F	124 65	2 —	10 2	3 4	6 —	9 1	43 3	30 7	8 9	13 39	139 29	3 1	2 3	21 —	45 —	55 3	3 8	— —	— —		
35	Suicide	M F	51 17	— —	— —	— —	— —	13 2	26 8	7 2	5 —	11 2	— —	— —	— —	— —	— —	5 1	3 1	3 —	— —		
36	Homicide, operations of war	M F	3 1	— —	— —	— —	— —	— —	1 —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Administrative County of Ely, Isle of.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	333 298	6 7	4 4	1 2	3 1	5 1	18 13	73 59	100 70	123 141	214 182	6 8	4 2	1 1	2 —	4 —	14 11	42 26	53 48	88 86		
Tuberculosis	M F	3 3	— —	— —	— —	— —	— —	— 2	1 1	2 —	— —	1 1	— —	— —	— —	— —	— —	1 —	— —	— —	— —		
Tuberculosis other	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	1 —	— —	— —	— 1	— —	— —	— —		
Syphilitic disease	M F	3 —	— —	— —	— —	— —	— —	— —	2 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— 1	— —	— —		
Whooping cough	M F	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —		
Meningococcal infections	M F	— 1	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Other infective, etc., diseases	M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 2	— —	— —	— —	— —	— 1	— 2	— —	— —	— —		
Malignant neoplasm: stomach	M F	5 13	— —	— —	— —	— —	— —	1 —	2 4	2 4	— 5	8 4	— —	— —	— —	— —	— —	— —	2 1	2 1	4 2		
Lung, bronchus	M F	9 1	— —	— —	— —	— —	— —	— —	7 1	2 —	— —	6 2	— —	— —	— —	— —	— —	— —	5 1	1 —	— —		
breast	M F	— 5	— —	— —	— —	— —	— —	— 1	— 2	— 2	— —	— 8	— —	— —	— —	— —	— —	— 2	4 1	2 3	— 1		
uterus	M F	— 10	— —	— —	— —	— —	— —	— 1	— 6	— 3	— —	— 5	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Other malignant and lymphatic neoplasms	M F	36 29	— —	— —	— —	— —	1 2	2 2	5 7	12 10	17 9	31 19	— —	1 —	— —	1 —	2 3	10 6	4 4	11 7	— —		
Leukæmia, aleukæmia	M F	1 —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	2 —	— —	— —	— —	— —	— 1	— 1	1 —	— —	— —		
Diabetes	M F	3 2	— —	— —	— —	1 —	— —	— —	— —	2 2	— —	3 4	— —	— —	— —	— —	— —	1 —	— 2	— 2	2 2		
Vascular lesions of nervous system	M F	42 39	— —	— —	— —	— —	1 —	— —	11 4	12 15	18 20	27 29	— —	— —	— —	— —	— 1	2 2	12 10	12 17	— —		
Coronary disease, angina	M F	42 26	— —	— —	— —	— —	— —	— —	11 6	22 10	9 10	21 10	— —	— —	— —	— —	— —	5 1	10 5	6 4	— —		
Hypertension with heart disease	M F	13 11	— —	— —	— —	— —	— —	— —	3 1	3 2	7 8	5 6	— —	— —	— —	— —	— —	1 1	1 3	3 5	— —		
Other heart disease	M F	66 78	— —	— —	— —	— —	2 1	8 8	16 13	40 56	39 34	— —	— —	— —	— —	— —	— —	3 1	9 5	27 28	— —		
Other circulatory disease	M F	6 6	— —	— —	— —	— —	— —	— —	— 1	— 5	— 3	6 3	— —	— —	— —	— —	— 1	— —	2 2	3 —	— —		
Influenza	M F	3 5	— —	— —	— —	— —	— —	1 2	1 1	2 3	2 4	2 4	— —	— —	— —	— —	— —	1 4	1 2	1 3	— —		
Pneumonia	M F	12 5	— —	1 —	— —	1 —	1 —	— —	3 3	5 5	15 7	15 7	— —	3 3	— —	— —	— —	4 1	2 2	5 5	— —		
Bronchitis	M F	15 7	— —	— —	— —	— —	— —	— —	4 —	8 2	3 5	6 3	— —	— —	— —	— —	— —	— —	2 1	4 1	— —		
Other diseases of respiratory system	M F	5 3	— —	— 1	— —	— —	— —	1 —	4 1	— —	1 —	3 1	— —	— —	— —	— —	— 1	— 2	— 1	— —	— —		
Ulcer of stomach and duodenum	M F	3 1	— —	— —	— —	— —	— —	— —	1 1	2 —	— —	3 —	— —	— —	— —	— —	— —	— 3	— —	— —	— —		
Gastritis, enteritis and diarrhoea	M F	— 2	— —	1 —	— —	— —	— —	— 1	— —	— —	— —	2 1	— —	— —	— —	— —	— 1	— 1	— —	— —	— —		
Nephritis and nephrosis	M F	8 4	— —	— —	— —	— —	— —	1 —	1 1	3 2	3 4	4 5	— —	— —	— —	— —	1 —	— —	1 —	2 4	— —		
Hyperplasia of prostate	M F	7 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —		
Pregnancy, childbirth, abortion																							
Congenital malformations	M F	7 7	2 4	2 1	1 —	— —	— —	1 1	1 1	— —	— —	2 1	1 —	— —	— —	— —	1 —	— —	— —	— —	— —		
Other defined and illdefined dis.	M F	28 29	4 3	— —	— 1	— —	1 —	2 2	7 7	5 3	9 14	18 23	4 —	1 —	— —	— —	— —	3 2	1 3	2 5	7 7		
Motor vehicle accidents	M F	4 1	— —	— —	— 1	— —	2 —	2 —	— —	— —	— —	4 1	— —	— —	— —	— —	— —	— —	2 1	— —	— —		
All other accidents	M F	6 4	— —	1 —	— —	1 —	— —	3 1	— 1	— —	— 2	3 4	— —	— —	— —	— —	— —	2 1	— —	— 1	— 2		
Suicide	M F	5 4	— —	— —	— —	— —	— —	2 2	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —		
Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Administrative County of Essex.

Causes of Death (See first page of Table)		Aggregate of Urban Districts										Aggregate of Rural Districts									
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	
All Causes		M F	7456 6754	181 125	86 57	69 50	54 32	71 65	400 323	2064 1337	2050 1675	2485 3090	1448 1366	25 18	9 6	17 6	9 8	24 11	51 39	275 222	381 340
1	Tuberculosis respiratory	M F	213 99	— 1	1 —	1 —	— —	— —	4 46	109 24	41 11	10 5	13 11	— —	— —	— —	— —	3 2	8 6	2 2	
2	Tuberculosis other	M F	26 22	— —	— 1	8 6	2 —	3 3	5 8	3 6	1 1	1 —	5 4	— —	— —	1 —	— —	3 1	— 1	— —	
3	Syphilitic disease	M F	45 18	— —	— —	— —	— —	— —	2 1	14 6	19 6	10 5	5 2	— —	— —	— —	— —	— —	3 —	— —	
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
5	Whooping cough	M F	3 6	— —	2 1	1 3	— 1	— 1	— —	— —	— —	— —	1 1	— —	— 1	1 —	— —	— —	— —	— —	
6	Meningococcal infections	M F	7 5	1 —	2 2	3 1	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	
7	Acute poliomyelitis	M F	4 1	— —	— —	1 —	— —	1 1	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
8	Measles	M F	6 3	— —	1 1	4 2	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
9	Other infective, etc., diseases	M F	15 19	— 1	1 —	1 3	— —	3 1	2 5	4 2	1 4	3 4	4 5	— —	1 —	— —	— 2	1 —	1 2	— —	
10	Malignant neoplasm: stomach	M F	234 184	— —	— —	— —	— —	1 1	12 10	100 45	73 59	48 69	55 28	— —	— —	— —	— —	1 1	22 3	19 7	
11	lung, bronchus	M F	376 71	— —	— —	— —	— —	1 —	19 6	216 29	118 20	22 16	42 14	— —	— —	— —	— —	4 1	22 8	7 4	
12	breast	M F	2 230	— —	— —	— —	— —	— —	— 31	1 102	1 50	— 47	— 41	— —	— —	— —	— —	1 13	— 14	— 10	
13	uterus	M F	97 —	— —	— —	— —	— —	— —	8 53	18 —	18 —	24 —	— —	— —	— —	— —	— —	1 10	— —	— —	
14	Other malignant and lymphatic neoplasms	M F	705 582	— —	— —	2 3	4 2	5 5	49 30	205 217	215 176	225 149	140 102	— —	1 —	1 —	2 —	5 1	35 26	40 36	
15	Leukæmia, aleukæmia	M F	40 22	— —	— —	4 6	5 1	1 —	3 30	13 4	7 5	4 3	7 7	— —	1 —	— —	1 2	3 2	2 1	— —	
16	Diabetes	M F	32 57	— —	— —	— —	1 —	1 3	2 4	9 15	13 16	6 19	4 16	— —	— —	— —	— 1	— —	— —	3 2	
17	Vascular lesions of nervous system	M F	686 962	— —	— —	— —	— —	— 1	6 8	138 163	206 292	335 498	172 222	— —	— —	— —	— —	— 4	18 44	45 59	
18	Coronary disease, angina	M F	1065 574	— —	— —	— —	— —	1 —	35 4	402 109	370 222	257 239	212 100	— —	— —	— —	— —	5 —	56 19	70 35	
19	Hypertension with heart disease	M F	227 233	— —	— —	— —	— —	1 —	4 2	50 47	85 66	87 118	39 32	— —	— —	— 1	— —	10 1	12 4	— 8	
20	Other heart disease	M F	1066 1451	— —	— —	— —	1 —	3 5	22 36	136 162	256 300	648 948	244 325	— —	— —	— —	1 2	4 22	11 70	62 14	
21	Other circulatory disease	M F	199 227	— —	— —	— —	— —	— 1	10 7	44 32	59 57	85 131	45 36	— —	— —	— —	— —	5 6	14 8	— —	
22	Influenza	M F	137 115	— —	1 —	3 1	— 2	— 1	6 2	28 11	53 21	46 77	34 43	— —	— —	— —	1 —	— 2	6 8	8 13	
23	Pneumonia	M F	381 351	13 7	34 19	7 3	3 1	2 2	7 6	73 34	94 77	148 203	66 86	— 3	3 —	— —	1 1	8 1	26 3	36 12	
24	Bronchitis	M F	631 375	1 —	4 3	5 1	— 1	— —	6 9	181 43	199 101	235 217	82 67	— —	1 1	1 —	1 —	17 6	25 16	— —	
25	Other diseases of respiratory system	M F	68 41	1 —	1 2	2 1	— —	— —	4 4	30 14	18 7	11 13	11 5	— —	— —	— —	— —	5 1	5 2	— —	
26	Ulcer of stomach and duodenum	M F	124 44	— —	— —	— —	— —	— —	7 3	55 7	32 15	30 23	21 7	— —	— —	— —	— —	3 —	9 5	7 —	
27	Gastritis, enteritis and diarrhœa	M F	22 49	— 2	5 3	3 2	— —	1 2	1 7	6 8	2 9	3 16	7 3	— —	— 1	— —	— —	1 1	2 —	— —	
28	Nephritis and nephrosis	M F	74 60	— —	1 2	3 1	1 —	3 2	13 12	25 15	16 12	12 16	8 7	— —	— —	— —	1 —	— 2	1 1	3 —	
29	Hyperplasia of prostate	M	119	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30	Pregnancy, childbirth, abortion	F	11	—	—	—	—	1	10	—	—	—	2	—	—	—	—	2	—	—	
31	Congenital malformations	M F	68 60	17 12	17 10	7 5	4 1	3 3	6 8	10 10	3 6	1 5	10 9	2 3	1 1	2 2	3 —	— 2	— 1	— —	
32	Other defined and illdefined dis.	M F	598 621	146 102	9 7	8 11	15 16	7 11	38 37	135 129	94 106	146 202	120 131	19 12	2 —	1 —	3 5	19 25	26 21	— —	
33	Motor vehicle accidents	M F	85 31	— —	— —	2 3	5 6	17 5	22 6	20 4	9 7	10 8	30 8	— —	— —	2 1	11 2	7 3	3 2	— —	
34	All other accidents	M F	126 81	1 —	7 6	4 2	10 2	9 2	35 1	24 13	13 10	23 45	25 19	1 —	2 2	7 —	1 1	2 3	3 3	— —	
35	Suicide	M F	72 51	— —	— —	— —	— —	— 2	29 14	24 28	7 6	1 1	20 9	— —	— —	— —	— —	1 5	7 5	5 1	
36	Homicide, operations of war	M F	4 1	— —	— —	— —	— 1	— 1	— 1	— 2	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	

TABLE 20—continued—Administrative County of Gloucester.

Causes of Death (See first page of Table)		Aggregate of Urban Districts										Aggregate of Rural Districts									
		All Ages	0-4 weeks	4 weeks - 1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks - 1 year	1-	5-	15-	25-	45-	65-	75 and over
All Causes	M	924	25	16	7	3	6	40	230	257	340	1675	38	21	12	21	26	39	417	408	641
	F	291	22	8	7	1	9	23	170	226	525	1605	33	16	14	7	14	66	279	383	793
Tuberculosis	M	28	—	—	—	—	1	6	16	3	2	38	—	—	—	—	—	4	13	16	5
respiratory	F	12	—	—	—	—	4	4	3	1	—	20	—	—	—	—	—	10	8	—	—
Tuberculosis	M	3	—	—	1	—	—	—	1	1	—	8	—	1	—	—	—	2	1	1	—
other	F	4	—	—	1	—	2	—	—	—	—	8	—	—	3	1	—	1	2	—	2
Syphilitic disease	M	3	—	—	—	—	—	—	1	2	—	7	—	—	—	—	—	—	5	1	1
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	3	—	—
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping Cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Meningococcal infections	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other infective, etc., diseases	M	1	—	—	—	—	—	1	—	—	—	5	—	—	1	1	—	2	—	—	1
	F	5	—	—	—	—	—	—	4	—	1	4	—	—	—	—	—	1	1	—	—
Malignant neoplasm: stomach	M	27	—	—	—	—	—	1	10	12	4	42	—	—	—	—	—	16	15	11	—
	F	27	—	—	—	—	—	1	6	12	8	28	—	—	—	—	—	11	7	9	—
lung, bronchus	M	35	—	—	—	—	—	1	23	9	2	48	—	—	—	—	—	3	27	15	3
	F	3	—	—	—	—	—	—	2	1	—	8	—	—	—	—	—	4	4	—	—
breast	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	41	—	—	—	—	—	2	21	8	10	50	—	—	—	—	—	6	24	11	9
uterus	M	24	—	—	—	—	—	2	8	8	6	23	—	—	—	—	—	2	13	4	4
Other malignant and lymphatic neoplasms	M	78	—	—	2	—	1	3	20	21	31	167	—	—	—	3	2	8	51	53	50
	F	86	—	—	—	—	—	2	30	26	28	136	—	—	—	—	2	7	37	45	45
Leukæmia, aleukæmia	M	1	—	—	—	—	1	—	—	—	—	5	—	—	1	—	1	1	3	—	1
	F	3	—	—	—	—	—	—	1	2	—	5	—	—	—	—	—	2	—	—	—
Diabetes	M	2	—	—	—	—	—	—	—	1	1	9	—	—	—	—	—	1	1	2	5
	F	10	—	—	—	—	1	—	2	3	4	20	—	—	—	—	—	2	10	8	—
Vascular lesions of nervous system	M	102	—	—	1	—	—	3	22	28	48	174	—	—	—	—	—	3	34	64	73
	F	146	—	—	—	—	—	1	23	39	83	246	—	—	—	—	—	3	45	73	125
Coronary disease, angina	M	113	—	—	—	—	—	5	32	48	28	174	—	—	—	—	—	1	58	55	60
	F	58	—	—	—	—	—	8	17	32	106	32	—	—	—	—	—	3	20	43	40
Hypertension with heart disease	M	23	—	—	—	—	—	9	6	7	7	39	—	—	—	—	—	15	7	17	—
	F	29	—	—	—	—	—	1	9	8	14	42	—	—	—	—	—	8	14	20	—
Other heart disease	M	177	—	—	—	—	—	2	22	32	121	311	—	—	—	1	2	4	31	68	205
	F	261	—	—	—	—	—	1	22	53	185	400	—	—	—	—	—	9	37	83	271
Other circulatory disease	M	20	—	—	—	—	—	—	3	5	12	71	—	—	—	1	—	—	11	17	42
	F	25	—	—	—	—	—	1	3	6	15	68	—	—	—	—	—	2	6	10	50
Influenza	M	31	—	—	—	—	—	—	5	17	9	63	—	—	1	—	—	—	18	18	26
	F	37	—	—	2	—	—	—	3	6	26	57	—	—	1	—	—	1	7	9	38
Pneumonia	M	40	—	9	—	—	—	—	5	13	12	62	—	2	6	2	2	1	2	16	10
	F	38	3	3	1	—	—	—	1	10	20	45	2	4	2	2	1	2	5	12	15
Bronchitis	M	58	—	—	—	—	—	—	15	24	19	83	—	—	1	—	—	—	21	23	37
	F	32	—	—	—	—	—	—	3	6	23	56	—	—	1	—	—	—	5	8	42
Other diseases of respiratory system	M	13	—	1	—	—	—	—	7	4	1	28	—	—	—	—	—	2	15	5	6
	F	3	—	—	1	—	—	—	1	1	—	10	—	—	—	—	—	4	2	4	—
Ulcer of stomach and duodenum	M	16	—	—	—	—	—	3	2	8	3	31	—	—	—	—	—	5	14	10	2
	F	3	—	—	—	—	—	—	1	1	—	7	—	—	—	—	—	—	1	1	2
Gastritis, enteritis and diarrhoea	M	8	—	—	—	1	—	—	3	—	—	3	—	—	—	—	—	—	1	1	4
	F	7	—	1	—	—	—	2	1	1	2	8	—	1	1	—	—	—	1	4	—
Nephritis and nephrosis	M	11	—	—	—	—	—	2	4	3	2	26	—	—	—	—	1	—	13	3	9
	F	8	—	—	—	—	—	1	2	2	3	20	—	—	—	—	—	3	2	8	7
Hyperplasia of prostate	M	12	—	—	—	—	—	—	2	6	4	27	—	—	—	—	—	—	—	8	19
Pregnancy, childbirth, abortion	F	2	—	—	—	—	1	1	—	—	—	2	—	—	—	—	1	1	—	—	—
Congenital malformations	M	11	4	3	—	—	—	1	3	—	—	13	5	2	1	1	—	2	1	—	—
	F	7	4	2	—	—	—	—	1	—	—	15	5	3	2	2	—	1	—	—	1
Other defined and illdefined dis.	M	77	21	—	1	1	1	5	16	8	24	134	31	5	4	1	4	12	21	19	37
	F	98	15	2	1	—	—	3	16	12	49	170	24	2	1	2	1	11	18	32	79
Motor vehicle accidents	M	7	—	—	—	1	1	2	2	1	—	32	—	—	—	5	11	9	2	—	—
	F	3	—	—	—	—	1	1	1	—	—	1	—	—	1	1	4	7	—	—	—
All other accidents	M	14	—	2	2	—	—	2	2	5	5	56	—	—	3	—	—	15	14	4	8
	F	14	—	—	2	—	—	—	—	1	11	32	1	3	2	—	—	1	6	2	17
Suicide	M	12	—	—	—	—	—	4	4	2	2	10	—	—	—	—	—	4	4	1	1
	F	5	—	—	—	—	—	—	3	—	—	5	—	—	—	—	—	—	—	—	—
Homicide, operations of war	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—continued—Administrative County of Hereford.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes	M F	324 345	10 8	7 4	3 4	3 —	7 2	0 14	85 53	87 73	114 187	470 411	19 11	7 4	8 7	4 2	5 3	17 19	86 71	11 8			
1 Tuberculosis	M F	8 2	— —	— —	— —	— —	1 1	1 1	4 1	2 —	— —	11 8	— —	— —	— —	— —	— —	— —	7 2	— —			
2 Tuberculosis other	M F	1 3	— —	— —	1 —	— —	— 1	— —	— 1	— —	— 1	— 4	— —	— —	— 2	— —	— —	5 —	2 —	— —			
3 Syphilitic disease	M F	3 —	— —	— —	— —	— —	— —	— —	1 —	— —	2 —	2 1	— —	— —	— —	— —	— —	— —	1 —	— —			
4 Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
5 Whooping Cough	M F	1 1	— —	1 1	— —	— —	— —	— —	— —	— —	— —	2 —	— 2	— —	— —	— —	— —	— —	— —	— —			
6 Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
7 Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
8 Measles	M F	— 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
9 Other infective, etc., diseases	M F	2 1	— —	— —	— 1	1 —	— —	— —	1 —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	1 —	— —			
10 Malignant neoplasm: stomach	M F	8 8	— —	— —	— —	— —	— 1	— 1	4 2	2 2	2 3	10 9	— —	— —	— —	— —	— —	1 3	— —	— —			
11 lung, bronchus	M F	6 1	— —	— —	— —	— —	— —	— —	5 1	— —	1 —	8 2	— —	— —	— —	— —	— —	— —	3 1	— —			
12 breast	M F	— 9	— —	— —	— —	— —	— —	— 1	— 3	— 1	— 4	— 14	— 7	— —	— —	— —	— —	3 1	6 3	— —			
13 uterus	M F	— 5	— —	— —	— —	— —	— —	— 2	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
14 Other malignant and lymphatic neoplasms	M F	33 27	— —	— —	— —	— —	1 —	12 8	10 8	10 10	43 31	— —	— —	— —	— —	— —	2 2	8 11	18 9	— —			
15 Leukæmia, aleukæmia	M F	2 1	— —	— —	— —	— —	— —	1 1	— 1	— —	— —	— 2	— —	— —	1 —	1 —	— —	— —	— —	— —			
16 Diabetes	M F	— 4	— —	— —	— —	— —	— —	— —	— 1	— —	— 3	2 3	— —	— —	— —	— —	— —	— —	1 —	— —			
17 Vascular lesions of nervous system	M F	35 55	— —	— —	— —	— —	2 2	8 10	8 11	17 32	38 62	— —	— —	— —	— —	— —	— 2	9 10	7 13	— —			
18 Coronary disease, angina	M F	25 21	— —	— —	— —	— —	— —	— —	10 3	5 4	63 27	— —	— —	— —	— —	— —	— —	15 3	28 5	— —			
19 Hypertension with heart disease	M F	13 13	— —	— —	— —	— —	— —	— —	3 6	4 7	11 9	— —	— —	— —	— —	— —	— —	3 3	3 4	— —			
20 Other heart disease	M F	46 84	— —	— —	— —	— —	— —	5 6	13 21	28 55	83 97	— —	— —	— —	— —	— —	— 1	7 10	14 15	— —			
21 Other circulatory disease	M F	10 8	— —	— —	— —	— —	— 2	— —	5 1	5 7	14 13	— —	— —	— —	— —	— —	— —	4 3	1 —	— —			
22 Influenza	M F	8 8	— —	— —	— —	— —	— 2	— —	2 1	2 4	5 9	— —	— —	— —	— —	— —	— —	— —	1 5	— —			
23 Pneumonia	M F	22 17	— 1	1 1	— —	— —	— —	6 2	5 3	10 10	23 23	— 3	— 2	— 2	— —	— —	— —	7 3	3 6	— —			
24 Bronchitis	M F	22 9	— —	— —	1 —	— —	— 1	4 —	9 1	7 9	21 20	— —	— —	— —	1 —	— —	— —	5 2	2 3	— —			
25 Other diseases of respiratory system	M F	2 2	— —	— —	1 —	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— 3	— 2	— —	— —			
26 Ulcer of stomach and duodenum	M F	9 2	— —	— —	— —	— —	— —	4 1	4 1	1 —	3 5	— —	— —	— —	— —	— —	— —	3 2	— 3	— —			
27 Gastritis, enteritis and diarrhœa	M F	— 4	— —	1 —	— —	— —	— —	— —	— 2	— 1	— —	— —	— —	1 —	— —	— —	— —	— 1	— —	— —			
28 Nephritis and nephrosis	M F	6 6	— —	— —	— —	— —	— —	— 1	2 2	3 4	11 10	— —	— —	— —	— —	1 —	— —	— 1	3 3	— —			
29 Hyperplasia of prostate	M	10	—	—	—	—	—	— 1	— 3	— 6	— 22	— —	— —	— —	— —	— —	— —	— 1	— 5	— —			
30 Pregnancy, childbirth, abortion.	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—			
31 Congenital malformations	M F	7 4	4 1	3 1	— —	— —	— —	— 1	— 1	— —	— —	9 4	— 2	2 —	— —	1 —	1 —	— 2	— —	— —			
32 Other defined and illdefined dis.	M F	28 36	6 6	2 —	— —	1 —	3 —	— 7	8 5	4 17	47 36	14 6	— —	2 1	— 1	1 1	1 1	3 6	2 8	— 3			
33 Motor vehicle accidents	M F	5 2	— —	— —	1 1	— —	2 —	— 1	1 3	— 2	1 5	5 3	— —	— —	— —	— —	2 1	2 1	1 4	— 1			
34 All other accidents	M F	10 7	— —	— —	— —	— —	2 —	— 3	— 2	— 5	20 8	— —	1 —	2 1	3 —	— —	— —	— —	— —	— —			
35 Suicide	M F	2 4	— —	— —	— —	— —	1 2	— 1	— —	— —	— —	3 1	— —	— —	— —	— —	— —	— —	— —	— —			
36 Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			

TABLE 20—continued—Administrative County of Hertford.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M	2387	62	29	17	8	21	125	616	674	835	868	30	7	4	6	9	54	193	229	336		
	F	2445	47	18	19	6	11	108	443	608	1185	802	18	11	11	5	6	40	134	182	395		
Tuberculosis	M	39	—	—	—	—	—	4	8	17	8	2	19	—	—	—	—	—	—	—	—		
respiratory	F	32	—	—	1	—	—	3	18	9	2	1	15	—	1	—	1	5	6	6	1		
Tuberculosis	M	4	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—		
other	F	2	—	—	—	—	—	1	—	—	1	1	—	—	—	1	—	—	2	1	—		
Syphilitic disease	M	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Whooping cough	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—		
Meningococcal	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
infections	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other infective, etc.,	M	11	—	—	—	—	—	1	7	2	—	3	—	—	—	—	—	—	—	—	—		
diseases	F	10	—	—	—	—	—	1	5	1	—	1	—	—	—	1	—	—	—	—	2		
Malignant neoplasm:	M	87	—	—	—	—	—	—	36	29	19	25	—	—	—	—	—	2	8	8	7		
stomach	F	69	—	—	—	—	—	3	22	13	31	18	—	—	—	—	—	1	2	9	6		
lung, bronchus	M	120	—	—	—	—	—	4	74	35	7	31	—	—	—	—	—	2	13	12	4		
	F	18	—	—	—	—	—	1	8	6	3	4	—	—	—	—	—	—	—	—	—		
breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—		
	F	72	—	—	—	—	—	7	33	21	11	23	—	—	—	—	—	7	9	6	1		
uterus	F	39	—	—	—	—	—	3	18	13	5	8	—	—	—	—	—	1	4	1	2		
Other malignant and	M	201	—	—	1	2	1	15	65	61	56	59	—	—	—	—	—	5	21	20	13		
lymphatic neoplasms	F	190	—	—	2	1	—	11	65	60	50	63	—	—	1	1	1	1	24	14	21		
Leukæmia,	M	7	—	—	—	—	—	1	2	3	—	3	—	—	—	—	—	—	2	1	—		
aleukæmia	F	9	—	—	—	—	—	1	2	3	1	2	—	—	—	—	—	2	1	1	—		
Diabetes	M	18	—	—	—	—	—	2	4	8	4	2	—	—	—	—	—	1	—	—	—		
	F	20	—	—	—	—	—	2	3	9	6	13	—	—	1	—	—	—	3	6	3		
Vascular lesions of	M	242	—	—	—	—	—	6	39	90	107	97	—	—	—	—	—	1	15	33	48		
nervous system	F	375	—	—	—	—	—	9	73	105	188	104	—	—	—	—	—	2	16	26	60		
Coronary disease,	M	356	—	—	—	—	—	6	112	131	107	137	—	—	—	—	—	8	37	45	47		
angina	F	225	—	—	—	—	—	2	27	90	108	93	—	—	—	—	—	1	10	36	46		
Hypertension with	M	79	—	—	—	—	—	2	13	27	37	23	—	—	—	—	—	1	5	7	10		
heart disease	F	91	—	—	—	—	—	—	16	30	45	36	—	—	—	—	—	—	9	8	19		
Other heart disease	M	301	—	—	—	—	—	6	46	75	173	140	—	—	—	—	—	4	13	30	93		
	F	486	—	—	—	—	1	6	37	91	350	158	—	—	—	1	—	2	9	29	117		
Other circulatory	M	86	—	—	—	—	—	1	11	29	45	30	—	—	—	—	—	—	1	7	22		
disease	F	106	—	—	—	—	—	4	17	22	63	33	—	—	—	—	—	1	4	4	24		
Influenza	M	44	—	1	—	—	—	2	12	11	18	16	—	—	—	—	—	—	4	2	10		
	F	55	—	—	1	—	—	2	7	11	34	19	—	—	—	—	—	2	3	4	10		
Pneumonia	M	106	2	3	1	2	2	7	20	26	43	32	2	1	1	—	—	13	8	7	7		
	F	131	—	2	1	—	—	5	18	25	80	40	2	3	1	—	—	1	5	8	20		
Bronchitis	M	186	—	3	—	—	—	3	37	55	88	61	—	1	1	—	—	—	14	19	26		
	F	112	—	1	—	—	—	2	10	26	73	31	—	—	—	—	—	—	8	5	17		
Other diseases of	M	29	—	—	—	—	—	2	14	7	5	10	—	—	1	—	—	2	2	4	4		
respiratory system	F	19	—	—	1	—	—	1	5	3	9	6	—	—	—	—	—	1	—	1	4		
Ulcer of stomach	M	56	—	—	—	—	—	4	24	14	14	11	—	—	—	—	—	2	4	2	3		
and duodenum	F	18	—	—	—	—	—	—	4	7	7	5	—	—	—	—	—	1	1	1	2		
Gastritis, enteritis	M	9	—	3	2	—	—	1	2	—	—	9	—	1	—	—	—	—	—	—	—		
and diarrhoea	F	6	—	—	—	—	—	—	1	4	1	2	—	1	—	—	—	—	—	—	1		
Nephritis and	M	18	—	1	1	—	—	2	7	3	3	7	—	—	—	—	—	—	—	—	—		
nephrosis	F	24	—	—	—	—	1	4	6	5	8	12	—	—	—	—	—	1	3	2	7		
Hyperplasia of prostate	M	42	—	—	—	—	—	—	2	5	35	13	—	—	—	—	—	—	—	—	—		
Pregnancy, childbirth,	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	1	4	8		
abortion																							
Congenital	M	22	9	7	2	1	—	2	—	1	—	3	2	—	—	—	—	—	1	—	—		
malformations	F	18	9	3	4	—	—	2	3	—	—	9	5	4	—	—	—	—	—	—	—		
Other defined and	M	205	51	4	4	1	2	15	37	37	54	80	24	4	1	—	—	5	12	10	24		
illdefined dis.	F	227	37	4	5	1	17	33	33	44	85	75	14	2	1	1	5	10	15	30	30		
Motor vehicle	M	32	—	—	1	1	4	15	7	—	4	26	—	—	—	4	6	8	6	2	—		
accidents	F	14	—	—	2	2	—	1	7	2	—	2	—	—	—	—	—	—	—	—	—		
All other accidents	M	49	—	5	3	1	3	12	14	5	6	19	1	—	—	—	5	7	—	—	4		
	F	52	1	6	2	1	—	3	5	11	23	14	1	1	3	—	2	2	1	—	3		
Suicide	M	25	—	—	—	—	2	3	10	6	4	5	—	—	—	—	—	—	—	—	—		
	F	15	—	—	—	—	—	2	7	5	1	11	—	—	—	—	—	—	—	—	1		
Homicide, operations	M	3	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—		
of war	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1		

TABLE 20—continued—Administrative County of Huntington.

Causes of Death (See first page of Table)		Aggregate of Urban Districts										Aggregate of Rural Districts									
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	
All Causes	M	170	5	3	3	—	2	8	25	48	76	237	2	2	1	2	7	13	42	64	
	F	192	6	3	1	—	3	6	33	44	96	212	5	5	—	3	2	11	42	51	
1 Tuberculosis	M	9	—	—	—	—	—	4	2	3	—	4	—	—	—	—	—	1	3	—	
respiratory	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	1	—	
2 Tuberculosis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
other	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Syphilitic disease	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
4 Diphtheria	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6 Meningococcal	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
infections	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7 Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8 Measles	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9 Other infective, etc.,	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
diseases	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	
10 Malignant neoplasm:	F	3	—	—	—	—	—	—	1	2	—	5	—	—	—	—	—	—	1	—	
stomach	M	5	—	—	—	—	—	—	—	2	3	3	—	—	—	—	—	—	1	—	
11 lung, bronchus	F	2	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	—	—	—	
	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12 breast	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	M	7	—	—	—	—	—	—	4	1	2	12	—	—	—	—	—	—	—	—	
13 uterus	F	3	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	
14 Other malignant and	M	11	—	—	—	—	—	—	1	5	5	22	—	—	—	—	—	—	—	—	
lymphatic neoplasms	F	19	—	—	—	—	—	—	4	5	10	14	—	—	—	—	—	—	—	—	
15 Leukæmia,	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
aleukœmia	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
16 Diabetes	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	4	—	—	—	—	—	—	1	2	1	1	—	—	—	—	—	—	—	—	
17 Vascular lesions of	M	26	—	—	—	—	—	—	4	8	14	28	—	—	—	—	—	—	—	—	
nervous system	F	24	—	—	—	—	—	—	6	7	11	42	—	—	—	—	—	—	—	—	
18 Coronary disease,	M	18	—	—	—	—	—	—	—	—	—	30	—	—	—	—	—	—	—	—	
angina	F	14	—	—	—	—	—	—	3	6	5	17	—	—	—	—	—	—	—	—	
19 Hypertension with	M	2	—	—	—	—	—	—	—	—	2	6	—	—	—	—	—	—	—	—	
heart disease	F	3	—	—	—	—	—	—	2	1	—	3	—	—	—	—	—	—	—	—	
20 Other heart disease	M	30	—	—	—	—	—	—	—	9	21	40	—	—	—	—	—	—	—	—	
	F	48	—	—	—	—	—	—	5	9	34	37	—	—	—	—	—	—	—	—	
21 Other circulatory	M	7	—	—	—	—	—	—	—	1	6	8	—	—	—	—	—	—	—	—	
disease	F	4	—	—	—	—	—	—	2	—	1	8	—	—	—	—	—	—	—	—	
22 Influenza	M	5	—	—	—	—	—	—	1	1	3	9	—	—	—	—	—	—	—	—	
	F	5	—	—	—	—	—	—	1	1	1	6	—	—	—	—	—	—	—	—	
23 Pneumonia	M	2	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	—	—	—	
	F	6	1	1	—	—	—	—	—	—	1	4	—	—	—	—	—	—	—	—	
24 Bronchitis	M	8	—	—	—	—	—	—	—	—	—	12	—	—	—	—	—	—	—	—	
	F	8	—	—	—	—	—	—	1	3	4	10	—	—	—	—	—	—	—	—	
25 Other diseases of	M	2	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	
respiratory system	F	1	—	—	—	—	—	—	2	1	—	2	—	—	—	—	—	—	—	—	
26 Ulcer of stomach	M	4	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	
and duodenum	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
27 Gastritis, enteritis	M	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
and diarrhœa	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28 Nephritis and	M	3	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	
nephrosis	F	6	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	
29 Hyperplasia of prostate	M	4	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	
30 Pregnancy, childbirth,	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	
abortion	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
31 Congenital	M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
malformations	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
32 Other defined and	M	19	2	—	—	—	—	—	2	5	7	23	2	—	—	—	—	—	—	—	
illdefined dis.	F	26	3	1	1	—	—	—	1	2	3	16	3	2	—	—	—	—	—	—	
33 Motor vehicle	M	3	—	—	—	—	—	—	—	—	—	11	—	—	—	—	—	—	—	—	
accidents	F	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
34 All other accidents	M	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	—	—	
	F	3	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	
35 Suicide	M	3	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	
36 Homicide, operations	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
of war	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

TABLE 20—continued—Administrative County of Kent.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks
All Causes	M	7393	176	103	60	68	78	353	1840	2081	2634	2038	50	30	21	23	25	100	414	549	826	1774	37
	F	7207	129	68	41	36	60	328	1188	1736	3621	1774	37	14	11	10	16	60	303	407	916	1774	37
Tuberculosis	M	229	—	—	2	1	10	63	107	38	8	53	—	—	—	—	—	2	21	18	9	3	—
respiratory	F	98	—	—	—	—	13	51	18	12	4	26	—	—	—	—	—	2	8	10	4	3	—
Tuberculosis	M	29	—	2	3	3	1	7	10	—	—	—	—	—	—	—	—	2	3	1	—	—	—
other	F	22	—	3	3	2	4	5	4	1	—	7	—	—	1	—	—	2	3	1	—	—	—
Syphilitic disease	M	40	—	—	—	—	—	3	12	19	6	4	—	—	—	—	—	—	—	—	3	1	—
	F	9	—	—	—	—	—	2	2	3	2	6	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	4	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	6	—	2	4	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—	—	—	—
	F	7	1	3	3	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Meningococcal infections	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	1	—	—	1	1	—	—	—	—	—
Acute poliomyelitis	M	7	—	—	2	1	1	2	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	F	5	—	—	—	2	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	2	—	—	—	—	—	—	—	—	—	5	—	—	1	1	1	1	—	—	1	—	—
	F	4	—	1	1	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Other infective, etc., diseases	M	18	—	2	1	2	1	3	6	—	3	10	—	—	1	2	—	1	4	2	—	—	—
	F	16	—	1	1	1	2	3	6	2	—	4	—	—	—	—	—	—	1	2	—	—	—
Malignant neoplasm: stomach	M	234	—	—	—	—	—	5	74	93	62	62	—	—	—	—	—	2	18	25	17	—	—
	F	159	—	—	—	—	1	4	22	51	81	37	—	—	—	—	—	3	15	19	—	—	—
Lung, bronchus	M	321	—	—	—	—	1	15	193	89	23	75	—	—	—	—	—	6	35	24	10	—	—
	F	50	—	1	1	—	2	19	16	11	15	15	—	—	—	—	—	1	7	4	3	—	—
breast	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	242	—	—	—	—	24	98	57	63	63	63	—	—	—	—	—	4	26	18	15	—	—
uterus	M	127	—	—	—	—	1	14	52	34	26	28	—	—	—	—	—	1	18	6	3	—	—
Other malignant and lymphatic neoplasms	M	660	—	—	1	1	2	40	191	217	208	193	—	—	2	1	2	7	50	56	75	—	—
	F	568	—	—	2	—	6	43	170	174	173	132	—	—	3	3	7	41	35	45	—	—	—
eukæmia, aleukæmia	M	24	—	—	4	—	3	—	5	4	6	7	—	—	2	1	1	2	2	1	—	—	—
	F	34	—	1	4	3	—	9	10	3	1	8	—	—	2	1	3	—	2	2	—	—	—
Diabetes	M	28	—	—	—	—	1	—	7	11	9	10	—	—	—	—	—	1	1	3	4	—	—
	F	68	—	—	—	—	1	—	12	32	23	16	—	—	—	—	—	1	4	6	4	—	—
Vascular lesions of nervous system	M	760	—	—	—	—	—	13	136	254	357	232	—	—	—	—	—	2	41	78	111	—	—
	F	1086	—	—	—	1	—	10	177	308	590	271	—	—	—	—	—	39	68	164	—	—	—
Coronary disease, angina	M	970	—	—	—	—	—	26	327	344	273	208	—	—	—	—	—	3	60	73	72	—	—
	F	589	—	—	—	—	—	5	88	220	276	152	—	—	—	—	—	3	30	50	69	—	—
Hypertension with heart disease	M	219	—	—	—	—	—	3	48	85	83	67	—	—	—	—	—	14	28	25	—	—	—
	F	247	—	—	—	—	—	4	33	77	133	49	—	—	—	—	—	1	9	16	23	—	—
Other heart disease	M	1244	—	—	1	1	2	24	144	297	775	348	1	—	—	2	—	4	26	78	237	—	—
	F	1709	—	—	—	1	1	26	138	321	1222	427	—	—	—	—	—	10	34	83	298	—	—
Other circulatory disease	M	225	—	—	—	—	—	3	35	67	119	77	—	—	—	—	—	1	7	21	—	—	—
	F	259	—	—	1	—	—	7	26	54	171	77	—	—	—	—	—	1	5	13	58	—	—
Influenza	M	140	1	2	—	—	—	—	6	26	42	63	—	—	—	—	—	5	11	18	22	—	—
	F	159	—	—	—	—	—	6	21	45	85	28	—	—	—	—	—	—	1	8	—	—	—
Pneumonia	M	316	21	42	7	4	1	14	43	75	108	82	—	1	—	—	—	2	8	17	36	—	—
	F	284	12	19	8	3	2	8	43	43	145	73	8	6	1	3	—	2	7	21	36	—	—
Bronchitis	M	495	1	5	2	—	—	7	127	166	187	111	—	1	1	—	—	—	25	27	57	—	—
	F	336	—	4	3	1	3	4	38	86	197	73	—	—	—	—	—	1	4	13	54	—	—
Other diseases of respiratory system	M	89	1	1	3	3	2	2	35	24	18	25	—	—	—	1	—	1	5	11	7	—	—
	F	51	—	1	2	1	3	7	6	30	7	7	—	—	—	—	—	2	3	3	2	—	—
Ulcer of stomach and duodenum	M	128	—	—	—	—	1	4	51	35	37	28	—	—	—	—	—	1	11	11	5	—	—
	F	45	—	—	—	—	—	13	13	13	19	6	—	—	—	—	—	3	3	1	2	—	—
Gastritis, enteritis and diarrhoea	M	21	—	6	1	—	—	1	4	5	4	13	—	—	—	—	—	2	3	1	—	—	—
	F	37	—	8	3	—	—	4	5	9	8	8	—	2	1	—	—	—	1	1	4	—	—
Nephritis and nephrosis	M	75	—	—	2	—	2	7	21	21	22	24	—	—	—	—	—	—	5	6	13	—	—
	F	78	—	—	—	1	7	19	19	31	26	37	—	—	—	—	—	1	4	9	11	—	—
Hyperplasia of prostate	M	130	—	—	—	—	—	12	1	—	—	—	—	—	—	—	—	—	6	9	22	—	—
Pregnancy, childbirth, abortion	M	18	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congenital malformations	M	63	32	13	3	—	2	3	8	—	2	17	4	6	—	—	—	4	1	—	—	1	—
Other defined and ill-defined dis.	M	54	23	14	1	2	1	5	6	—	—	12	8	3	—	—	—	—	—	—	—	—	—
	F	603	117	14	10	11	7	35	149	108	152	174	35	3	5	4	1	11	30	35	48	—	—
Motor vehicle accidents	M	112	—	—	7	32	19	25	13	9	7	37	—	—	—	—	—	2	10	8	10	2	3
	F	32	—	—	—	1	1	4	9	6	1	8	—	—	—	2	1	3	3	1	5	—	—
All other accidents	M	123	3	13	7	7	16	26	19	17	15	47	2	4	2	—	—	2	10	12	5	3	—
	F	120	—	5	3	4	1	5	15	21	66	28	1	—	—	—	—	2	3	1	14	—	—
Infanticide	M	74	—	—	—	—	1	9	37	17	10	20	—	—	—	—	—	4	8	5	3	—	—
	F	37	—	—	—	—	1	12	14	7	3	4	—	—	—	—	—	—	—	1	1	—	—
Homicide, operations of war	M	6	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	F	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—continued—Administrative County of Lancashire.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes		M F	12477 12153	288 193	154 106	94 68	72 43	120 78	619 550	3553 2490	3795 3678	3782 4947	1866 1774	53 33	26 17	18 12	17 10	29 14	95 85	454 348	521 488		
1	Tuberculosis	M F	304 170	— —	— 1	— —	2 9	92 20	143 47	50 17	8 4	34 21	— —	— —	— —	— —	2 1	12 8	18 8	4 —			
2	Tuberculosis	M F	35 35	— —	1 1	10 12	5 4	2 3	9 6	1 8	1 1	6 9	— —	— —	2 2	2 2	1 1	2 2	1 1	— —			
3	Syphilitic disease	M F	36 19	— —	1 —	— —	— —	1 —	3 4	17 9	11 4	3 2	3 3	— —	— —	— —	— —	— —	3 2	— 1			
4	Diphtheria	M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
5	Whooping cough	M F	8 6	— —	4 1	4 4	— 1	— —	— —	— —	— —	— —	2 1	— —	1 1	1 1	— —	— —	— —	— —			
6	Meningococcal infections	M F	5 4	— —	2 —	— 4	— —	1 —	1 —	1 —	— —	— 2	— —	— —	— —	— —	— —	1 1	— —	— —			
7	Acute poliomyelitis	M F	6 2	— —	— —	1 —	2 1	1 —	2 1	— —	— —	— —	2 —	— —	— —	1 —	— —	1 —	— —	— —			
8	Measles	M F	11 3	— —	3 —	6 1	2 2	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —			
9	Other infective, etc., diseases	M F	28 30	— 1	3 3	4 1	2 2	3 1	4 7	8 6	1 4	2 5	4 4	— —	— 1	— —	1 —	— —	1 3	2 15			
10	Malignant neoplasm: stomach	M F	374 312	— —	— —	— —	— —	1 1	11 9	148 95	145 117	69 90	48 44	— —	— —	— —	— —	— —	1 13	18 21			
11	lung, bronchus	M F	428 72	— —	— —	— —	— —	— —	23 8	267 36	109 18	29 10	55 13	— —	— —	— —	— —	3 7	29 18				
12	breast	M F	4 —	— —	— —	— —	— —	— —	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
13	uterus	M F	279 160	— —	— —	— —	— —	1 —	31 14	122 71	79 48	46 27	58 28	— —	— —	— —	— —	6 2	26 13	14 5			
14	Other malignant and lymphatic neoplasms	M F	978 808	1 —	1 —	2 2	7 2	9 1	52 47	293 280	333 265	280 211	140 113	— —	— —	— —	4 9	43 34	35 43				
15	Leukæmia, aleukæmia	M F	32 31	— —	— —	2 —	3 1	3 1	6 4	8 16	9 7	1 2	5 6	— —	1 —	1 —	2 2	1 3	3 1				
16	Diabetes	M F	58 126	— —	— —	— 1	— 1	— 2	5 6	17 24	17 61	19 31	15 16	— —	— —	1 —	1 —	1 —	3 6	5 6			
17	Vascular lesions of nervous system	M F	1378 1855	— —	1 —	1 1	1 2	3 2	27 25	273 352	524 671	549 803	175 252	— —	— —	— —	— —	2 4	30 60	61 83			
18	Coronary disease, angina	M F	1678 819	— —	— —	— —	— —	— —	46 7	697 193	609 375	326 244	268 149	— —	— —	— —	— —	8 1	94 4	102 19			
19	Hypertension with heart disease	M F	328 386	— —	— —	— —	— —	— —	3 7	79 138	108 144	47 161	43 —	— —	— —	— —	— —	1 4	8 6	9 9			
20	Other heart disease	M F	2136 2894	— —	— —	1 1	2 1	9 7	65 88	306 359	661 754	1092 1684	348 447	— —	— —	— —	— —	14 10	44 43	84 109			
21	Other circulatory disease	M F	407 400	1 —	— —	— —	— 1	— 1	12 4	70 55	120 119	203 220	65 44	— —	— —	— —	2 2	1 7	6 12	12 12			
22	Influenza	M F	437 573	— —	4 4	3 —	1 2	2 —	17 16	135 92	141 205	134 254	69 102	— —	1 —	— —	1 —	2 11	28 22	22 28			
23	Pneumonia	M F	445 398	23 18	37 44	15 10	2 1	4 1	15 20	120 53	125 115	104 136	71 56	1 —	11 8	1 2	1 —	1 1	2 7	20 20			
24	Bronchitis	M F	1135 841	— 1	13 8	3 6	— 2	— 1	24 7	381 156	391 278	323 383	112 67	— —	— —	— —	— —	1 2	37 11	38 12			
25	Other diseases of respiratory system	M F	147 56	— —	3 1	4 —	1 1	3 3	10 6	61 16	35 7	30 22	24 13	— —	— —	— —	1 —	1 2	15 5	3 3			
26	Ulcer of stomach and duodenum	M F	156 40	— —	— —	— —	— —	— —	14 2	76 12	46 12	20 13	18 8	— —	— —	— —	— —	1 —	8 7	2 2			
27	Gastritis, enteritis and diarrhoea	M F	56 45	2 —	19 9	2 3	1 —	1 —	4 4	10 8	8 9	12 12	— —	— 1	— 1	2 —	— —	3 1	1 2	3 3			
28	Nephritis and nephrosis	M F	177 184	— —	2 —	— —	1 3	5 4	24 23	67 62	45 57	33 35	29 32	— —	— —	1 —	— —	7 5	7 9	10 12			
29	Hyperplasia of prostate	M	150	—	—	—	—	—	—	5	50	95	—	—	—	—	—	—	—	—			
30	Pregnancy, childbirth, abortion.	F	20	—	—	—	—	5	14	1	—	—	—	—	—	—	—	—	—	—			
31	Congenital malformations	M F	101 57	41 19	21 14	5 3	4 1	5 2	11 7	13 9	1 2	— —	19 14	13 6	1 2	1 —	1 —	2 —	— 2	— 1			
32	Other defined and illdefined dis.	M F	975 1232	217 150	29 11	13 7	13 8	17 14	55 85	206 266	156 251	269 440	173 182	36 25	6 2	3 3	4 1	9 10	40 31	27 42			
33	Motor vehicle accidents	M F	123 45	— —	— —	9 2	10 3	17 6	30 6	21 8	14 9	22 11	30 7	— —	— —	3 2	10 2	2 1	6 5	— 1			
34	All other accidents	M F	197 177	2 3	10 9	9 10	11 4	16 1	35 5	56 19	19 32	39 94	36 21	2 —	1 1	4 —	5 2	6 2	3 3	— —			
35	Suicide	M F	124 72	— —	— —	— —	1 —	6 2	16 10	58 36	30 18	13 6	15 6	— —	— —	— —	— —	4 3	8 3	3 —			
36	Homicide, operations of war	M F	19 2	1 —	— —	— —	— —	1 —	3 1	9 9	5 —	— —	4 —	1 —	— —	— —	— —	— —	2 1	— —			

TABLE 20—continued—Administrative County of Leicester.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	903 821	24 17	17 14	12 8	2 5	10 10	57 47	259 143	245 194	277 383	1040 967	26 16	13 16	14 8	11 1	7 6	61 40	242 164	298 267	368 449		
Tuberculosis	M F	32 17	— —	— —	1 —	— —	— 2	8 10	18 3	4 2	— —	22 15	— —	— —	— 1	— —	1 1	8 8	9 5	3 —	1 —		
respiratory	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Tuberculosis	M F	3 —	— —	— —	1 —	— —	— 1	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —		
other	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Syphilitic disease	M F	4 2	— —	— —	— —	— —	— —	1 —	— —	2 1	1 —	3 1	— —	— —	— —	— —	— —	— —	3 —	— —	— —		
Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Meningococcal	M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	2 1	— —	2 —	— —	1 —	— —	— —	— —	— —	— —		
infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Other infective, etc.,	M F	2 1	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	4 1	— —	1 —	— —	1 —	— —	— —	1 —	— —	1 —		
diseases	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Malignant neoplasm:	M F	27 20	— —	— —	— —	1 —	— —	3 —	8 6	12 6	4 8	25 24	— —	— —	— —	— —	— —	1 3	11 3	9 12	4 9		
stomach	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Lung, bronchus	M F	37 8	— —	— —	— —	— —	— —	6 —	19 5	11 1	1 2	27 10	— —	— —	— —	— —	— —	1 3	13 3	12 5	1 —		
breast	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
uterus	M F	30 14	— —	— —	— —	— —	— —	4 7	11 5	9 5	6 2	34 10	— —	— —	— —	— —	— —	6 4	13 6	12 —	3 —		
Other malignant and	M F	87 59	— —	— —	2 —	1 —	— 2	5 4	32 23	28 14	18 16	81 67	— —	— —	1 —	— —	6 2	23 25	22 23	29 17	— —		
lymphatic neoplasms	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
leukæmia,	M F	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
leukæmia	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Diabetes	M F	3 9	— —	— —	— —	— —	— —	— —	1 3	1 1	1 5	6 10	— —	— —	— —	— —	2 3	1 3	— 3	— 4	3 —		
Vascular lesions of	M F	104 133	— —	— —	— —	— —	1 —	3 6	25 15	40 43	35 69	98 145	— —	— —	— —	— —	2 2	20 24	39 49	37 70	— —		
nervous system	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Coronary disease,	M F	100 54	— —	— —	— —	— —	— —	9 —	30 6	39 26	22 88	136 16	— —	— —	— —	— —	4 16	46 31	41 41	45 45	— —		
angina	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Hypertension with	M F	31 38	— —	— —	— —	— —	— —	1 —	5 7	13 15	12 16	49 49	— —	— —	— —	— —	1 8	6 21	21 19	21 21	— —		
heart disease	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Other heart disease	M F	131 162	— —	1 —	— —	— —	1 —	2 4	20 13	31 34	76 110	169 217	— —	— —	— —	— —	4 3	21 23	46 40	98 150	— —		
Other circulatory	M F	46 37	— —	— —	— —	— —	— —	— —	10 4	6 4	30 29	56 54	— —	— —	— —	— —	1 1	11 3	16 12	28 38	— —		
disease	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Influenza	M F	22 26	— —	— —	— —	— —	— —	— —	5 7	7 10	35 37	— —	— —	— —	— —	— —	8 13	14 13	13 16	— —	— —		
Pneumonia	M F	30 16	1 2	7 2	1 1	— —	1 —	— —	10 1	6 3	4 7	29 29	2 3	3 3	1 4	— —	1 1	9 5	17 8	8 13	— —		
Bronchitis	M F	60 31	— —	2 —	— —	— —	— —	1 —	24 4	19 11	14 14	64 26	— —	2 —	1 —	— —	3 —	16 1	22 10	20 15	— —		
Other diseases of	M F	15 3	— —	1 —	— —	— —	— —	2 1	6 —	2 —	4 7	11 7	— —	1 1	1 —	— —	— —	5 1	1 3	3 4	— —		
respiratory system	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Ulcer of stomach	M F	17 4	— —	— —	— —	— —	— —	— —	12 2	3 1	2 —	11 6	— —	— —	— —	— —	— —	1 1	2 4	5 3	1 —		
and duodenum	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Astritis, enteritis	M F	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
and diarrhœa	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Nephritis and	M F	12 18	— —	— —	— —	— —	— —	4 2	3 3	— 4	5 8	17 14	— —	1 —	— —	— —	2 —	5 4	2 2	7 6	— —		
nephrosis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Hyperplasia of prostate	M F	13 4	— —	— —	— —	— —	— —	— —	2 3	7 —	4 —	19 1	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Pregnancy, childbirth,	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
abortion	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Congenital	M F	6 13	2 2	2 3	2 —	— —	— —	— —	— —	— —	— —	12 7	5 4	2 1	1 —	— —	2 —	2 1	— —	— —	— —		
malformations	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Other defined and	M F	85 90	19 13	4 4	1 3	1 2	— 2	6 6	18 14	9 4	27 42	103 79	19 8	3 4	— —	3 1	11 4	13 13	19 32	24 34	— —		
illdefined dis.	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Motor vehicle	M F	9 6	— —	— —	3 1	— 1	2 1	2 1	1 2	— 2	— 3	11 4	— —	— —	1 1	1 4	2 2	2 5	— 1	— 4	1 6		
accidents	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
All other accidents	M F	20 15	2 —	— —	2 —	— —	3 —	— —	— —	— —	— —	17 12	— —	— —	2 —	4 —	1 5	1 3	— 1	— 6	— —		
Suicide	M F	5 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	8 4	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Homicide, operations	M F	— —	— —	— —	— —	— —	— —</																

TABLE 20—continued—Administrative County of Lincoln (Parts of Holland).

Causes of Death (See first page of Table)		Aggregate of Urban Districts										Aggregate of Rural Districts									
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-		
All Causes		M F	243 227	12 6	3 3	2 2	— 1	1 3	11 11	52 40	77 62	85 99	393 310	9 5	5 6	4 1	6 2	10 2	22 11	8 5	
1	Tuberculosis	M F	5 6	— 1	— —	— —	— —	— —	4 3	1 1	— 2	— —	10 3	— —	— —	— —	— —	3 1	3 1	— —	
2	Tuberculosis other	M F	1 2	— —	— —	— —	— —	1 1	— 1	— 1	— —	— —	1 2	— —	— —	— —	— —	— —	1 2	— —	
3	Syphilitic disease	M F	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
5	Whooping cough	M F	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	
6	Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	
7	Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
8	Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
9	Other infective, etc., diseases	M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	
10	Malignant neoplasm: stomach	M F	7 6	— —	— —	— —	— —	— —	— 1	— 2	4 2	2 1	18 7	— —	— —	— —	— —	— 2	— —	— —	
11	lung, bronchus	M F	6 1	— —	— —	— —	— —	— —	— —	4 —	2 1	— —	6 —	— —	— —	— —	— —	— —	— —	— —	
12	breast	M F	— 7	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
13	uterus	M F	— 7	— —	— —	— —	— —	— —	— 1	— 3	— —	— 3	— 8	— —	— —	— —	— —	— 1	— —	— —	
14	Other malignant and lymphatic neoplasms	M F	18 11	— —	— —	— —	— —	— —	— 6	— 7	— 3	5 4	35 14	— —	— —	— —	— 3	5 1	6 4	— —	
15	Leukæmia, aleukæmia	M F	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— 3	— —	— —	— —	— 1	— —	— —	— —	
16	Diabetes	M F	2 2	— —	— —	— —	— —	— —	— 1	— 1	— —	— —	3 3	— —	— —	— —	— —	— —	— —	— —	
17	Vascular lesions of nervous system	M F	24 24	— —	— —	— —	— —	— —	— 5	— 13	— 6	— 9	40 50	— —	— —	— —	— —	— 1	— 1	— 1	
18	Coronary disease, angina	M F	23 15	— —	— —	— —	— —	— —	— 2	— 7	— 8	— 6	36 18	— —	— —	— —	— —	— 1	— 3	— 4	
19	Hypertension with heart disease	M F	2 7	— —	— —	— —	— —	— —	— —	— 1	— 3	— 4	13 7	— —	— —	— —	— —	— —	— —	— —	
20	Other heart disease	M F	42 40	— —	— 1	— —	— —	— —	— 10	— 14	— 15	— 16	60 71	— —	— —	— —	— 1	— 1	— 8	— 9	
21	Other circulatory disease	M F	18 12	— —	— —	— —	— —	— —	— 1	— 8	— 15	— 2	23 12	— —	— —	— —	— —	— —	— 4	— —	
22	Influenza	M F	3 2	— —	— —	— —	— —	— —	— —	— 3	— 1	— 1	12 7	— —	— 1	— —	— —	— 1	— 2	— —	
23	Pneumonia	M F	10 3	— —	— 2	— —	— —	— —	— 1	— 2	— 3	— 2	11 12	— —	— 3	— 1	— —	— 1	— 1	— —	
24	Bronchitis	M F	8 10	— —	— —	— —	— —	— —	— —	— 1	— 4	— 5	24 14	— —	— —	— —	— —	— —	— 4	— 2	
25	Other diseases of respiratory system	M F	3 —	— —	— —	— —	— —	— —	— —	— 3	— —	— —	3 —	— —	— —	— —	— —	— 1	— 1	— —	
26	Ulcer of stomach and duodenum	M F	7 1	— —	— —	— —	— —	— —	— 1	— 3	— 1	— —	11 1	— —	— —	— —	— —	— —	— 9	— 1	
27	Gastritis, enteritis and diarrhoea	M F	— 3	— —	— —	— —	— —	— —	— —	— —	— 1	— 2	— 1	— —	— —	— —	— —	— —	— —	— —	
28	Nephritis and nephrosis	M F	2 2	— —	— —	— —	— —	— —	— —	— 1	— 1	— 3	3 —	— —	— —	— —	— —	— —	— 2	— 1	
29	Hyperplasia of prostate	M	10	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	
30	Pregnancy, childbirth, abortion	F	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
31	Congenital malformations	M F	3 5	3 3	— 2	— —	— —	— —	— —	— —	— —	— —	2 2	— —	— —	— —	— —	— —	— —	— —	
32	Other defined and illdefined dis.	M F	36 50	8 3	— —	— 1	— —	— —	— 1	— 2	— 5	— 19	50 60	9 4	— 1	— —	— —	— 1	— 3	— 5	
33	Motor vehicle accidents	M F	4 2	— —	— —	— 1	— —	— —	— —	— —	— 2	— 1	— 6	— —	— —	— —	— —	— —	— —	— —	
34	All other accidents	M F	4 2	— —	— —	— 1	— —	— —	— 1	— 1	— —	— 1	— 6	— —	— —	— —	— —	— —	— —	— —	
35	Suicide	M F	3 4	— —	— —	— —	— —	— —	— —	— 2	— 1	— 1	4 2	— —	— —	— —	— —	— —	— —	— —	
36	Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

TABLE 20—continued—Administrative County of Lincoln (Parts of Kesteven).

Causes of Death (first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
Causes	M	277	5	2	2	4	2	11	76	76	99	462	16	12	3	4	19	25	74	112	197		
	F	293	5	4	4	1	4	12	53	70	140	398	10	7	5	2	4	21	58	95	196		
erculosis	M	9	—	—	—	—	—	3	4	1	1	5	—	—	—	—	1	3	1	—	—		
spiratory	F	4	—	—	—	—	1	2	—	—	—	5	—	—	—	—	—	—	—	—			
erculosis	M	2	—	—	1	—	—	—	1	—	—	3	—	—	—	—	—	—	—	—			
her	F	1	—	—	—	—	1	—	—	—	—	2	—	1	1	1	—	3	—	1			
hilitic disease	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—			
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
nteria	M	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
oping cough	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
ingococcal	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
fections	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
e poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
les	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
r infective, etc.,	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
ases	F	1	—	—	—	—	—	1	2	1	3	9	—	—	—	—	—	—	—	—			
ignant neoplasm:	M	6	—	—	—	—	—	—	4	2	1	8	—	—	—	—	—	1	3	5			
mach	F	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
ng, bronchus	M	12	—	—	—	—	1	1	8	1	1	7	—	—	—	—	—	5	1	1			
	F	4	—	—	—	—	—	—	4	—	—	1	—	—	—	—	—	1	—	—			
ast	M	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	7	—	—	—	—	—	—	4	1	2	8	—	—	—	—	—	4	2	2			
rus	M	—	—	—	—	—	—	—	2	3	2	5	—	—	—	—	2	—	—	1			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
r malignant and	M	20	—	—	—	—	—	1	8	6	5	40	—	—	—	—	2	7	21	10			
aphatic neoplasms	F	17	—	—	—	—	2	5	6	6	4	25	—	—	—	1	1	5	12	6			
emia,	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—			
ukemia	F	3	—	—	—	—	—	1	1	1	—	1	—	—	—	—	1	—	1	—			
etes	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—			
	F	3	—	—	—	—	—	—	—	1	2	2	—	—	—	—	—	—	1	—			
lar lesions of	M	27	—	—	—	—	—	3	9	14	60	—	—	—	—	1	1	13	11	35			
vous system	F	52	—	—	—	—	1	7	12	32	77	—	—	—	—	2	12	26	37	—			
ary disease,	M	37	—	—	—	—	—	—	10	14	13	49	—	—	—	—	—	1	17	14			
ina	F	20	—	—	—	—	—	—	5	11	4	27	—	—	—	—	—	5	9	13			
tension with	M	4	—	—	—	—	—	—	—	3	1	19	—	—	—	—	—	1	5	13			
rt disease	F	4	—	—	—	—	—	—	1	1	2	22	—	—	—	—	2	2	6	12			
heart disease	M	59	—	—	—	—	—	2	11	18	28	85	—	—	—	—	—	10	21	54			
	F	63	—	—	—	—	—	2	3	15	43	97	—	1	—	—	—	1	7	16			
irculatory	M	12	—	—	—	—	—	—	1	4	7	13	—	—	—	—	—	2	3	8			
ase	F	16	—	—	—	—	—	—	1	1	14	9	—	—	—	—	—	2	3	4			
aza	M	3	—	—	—	—	—	—	2	—	1	11	—	—	—	—	—	—	6	4			
	F	4	—	—	—	—	—	—	1	2	2	8	—	—	—	—	—	—	2	1			
monia	M	7	—	—	—	—	1	—	2	4	1	21	—	5	—	—	—	2	4	8			
	F	12	—	1	1	—	1	—	3	2	4	9	—	2	—	—	1	—	2	2			
hitis	M	25	—	—	—	—	—	—	8	8	9	29	—	1	—	—	—	5	6	17			
	F	18	—	—	—	—	—	—	3	5	10	18	—	—	—	—	—	—	6	12			
diseases of	M	4	—	—	—	—	—	—	1	—	2	4	—	—	—	—	—	1	3	3			
iratory system	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—			
of stomach	M	5	—	—	—	—	—	—	2	3	—	3	—	—	—	—	—	1	1	—			
duodenum	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—			
is, enteritis	M	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—			
diarrhea	F	4	—	2	1	—	—	—	—	—	1	2	—	2	—	—	—	—	—	—			
itis and	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	2	—	1			
rosis	F	3	—	—	—	—	—	—	1	1	1	6	—	—	—	—	—	—	4	—			
lasia of prostate	M	4	—	—	—	—	—	—	—	—	4	9	—	—	—	—	—	—	3	6			
ncy, childbirth,	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—			
tion																							
ital	M	1	1	—	—	—	—	—	—	—	—	5	4	1	—	—	—	—	—	—			
ormations	F	3	2	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—			
efined and	M	18	4	—	1	—	—	2	6	2	3	40	11	—	—	—	1	3	6	16			
ined dis.	F	31	3	1	1	—	—	3	5	6	12	48	7	—	1	1	1	6	7	3			
ehicle	M	3	—	—	—	1	—	—	—	—	1	13	—	—	—	—	—	4	4	1			
ents	F	1	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—	—	—	—			
er accidents	M	9	—	1	1	—	—	—	2	—	4	25	—	2	1	—	3	11	6	1			
	F	4	—	—	—	—	—	—	—	1	3	2	—	1	—	—	—	—	—	—			
	M	5	—	—	—	—	—	—	4	—	1	4	—	—	—	—	—	1	2	—			
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	—	—			
de, operations	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
er	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			

TABLE 20—continued—Administrative County of Lincoln (Parts of Lindsey).

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes	M F	919 854	27 21	16 18	11 4	6 4	10 7	42 50	232 154	258 232	317 364	989 859	34 22	14 17	9 7	6 2	19 7	57 35	176 147	2 2			
1 Tuberculosis respiratory	M F	15 11	— —	— —	— —	1 —	— 2	6 4	5 3	2 2	1 —	10 10	— —	— —	— —	— —	— —	1 6	6 4	— —			
2 Tuberculosis other	M F	3 4	— —	1 —	1 —	— —	— 1	— —	— —	— 2	— 1	— 2	— —	— —	1 —	— —	— —	1 —	— —	— —			
3 Syphilitic disease	M F	7 1	— —	1 —	— —	— —	— —	— —	4 —	2 1	— —	3 —	— —	— —	— —	— —	1 —	— —	2 —	— —			
4 Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
5 Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
6 Meningococcal infections	M F	1 —	— —	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
7 Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —			
8 Measles	M F	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
9 Other infective, etc., diseases	M F	3 3	— —	1 —	— —	— —	— —	1 —	— 1	— 2	1 —	3 2	— —	— —	1 —	— —	— —	— —	2 —	— —			
10 Malignant neoplasm: stomach	M F	22 10	— —	— —	— —	— —	— —	— —	9 3	8 4	5 3	22 19	— —	— —	— —	— —	1 —	4 5	— —	— —			
11 lung, bronchus	M F	31 5	— —	— —	— —	— —	— —	3 —	19 2	7 3	2 —	15 7	— —	— —	— —	— —	— —	10 3	— —	— —			
12 breast	M F	1 29	— —	— —	— —	— —	— —	— 6	— 10	— 8	— 5	— 15	— —	— —	— —	— —	— 3	— 5	— —	— —			
13 uterus	M F	18 —	— —	— —	— —	— —	— —	5 —	9 —	4 —	— —	13 —	— —	— —	— —	— —	— —	1 5	— —	— —			
14 Other malignant and lymphatic neoplasms	M F	70 62	— —	— —	1 —	1 —	1 —	2 5	24 25	20 21	21 10	86 69	— —	1 —	— —	— —	— —	6 3	20 23	— —			
15 Leukemia, aleukemia	M F	3 2	— —	— —	— —	— —	1 —	1 —	1 —	1 —	— —	2 —	— —	— —	— —	— —	— —	— —	3 2	— —			
16 Diabetes	M F	7 10	— —	— —	— —	— —	— —	— 1	2 —	4 6	1 2	6 14	— —	— —	— —	— —	— —	— —	2 4	— —			
17 Vascular lesions of nervous system	M F	114 130	— —	— —	— —	— —	— —	— 2	15 23	43 34	56 71	117 132	— —	— —	— —	— —	— —	1 —	18 17	— —			
18 Coronary disease, angina	M F	129 66	— —	— —	— —	— —	— —	5 1	40 7	45 40	39 18	113 55	— —	— —	— —	— —	— —	4 —	26 4	— —			
19 Hypertension with heart disease	M F	28 34	— —	— —	— —	— —	— —	— 1	9 7	9 10	10 16	29 17	— —	— —	— —	— —	— —	— —	4 1	— —			
20 Other heart disease	M F	137 153	— —	— —	— —	1 —	— —	2 3	22 14	40 40	72 96	170 210	— —	— —	— —	1 —	1 —	1 5	19 34	— —			
21 Other circulatory disease	M F	25 23	— —	— —	— —	— —	— —	— —	2 1	8 4	15 18	42 24	— —	— —	— —	— —	— —	1 3	— —	— —			
22 Influenza	M F	16 17	— —	1 1	— —	— —	1 —	— —	6 2	4 4	4 9	23 29	— —	— —	— —	— —	— —	— 1	2 2	— —			
23 Pneumonia	M F	26 30	— —	3 4	2 1	— 2	— —	2 1	7 1	6 5	6 14	27 37	2 2	— —	6 8	2 1	— —	— —	5 5	— —			
24 Bronchitis	M F	65 46	— —	1 2	1 —	— —	— —	— 2	17 8	24 11	22 21	60 39	— —	— —	1 —	— —	— —	1 —	10 3	— —			
25 Other diseases of respiratory system	M F	9 7	— —	— —	— —	— —	— —	— —	1 3	2 2	6 2	12 8	— —	— —	— —	— —	— —	1 2	3 2	— —			
26 Ulcer of stomach and duodenum	M F	16 5	— —	— —	— —	— —	— —	— —	2 3	6 2	4 —	7 1	— —	— —	— —	— —	1 —	— —	2 —	— —			
27 Gastritis, enteritis and diarrhoea	M F	5 4	— —	1 1	— —	— —	— —	— —	— 1	— —	3 1	2 3	— —	1 —	— —	— —	— —	— —	1 —	— —			
28 Nephritis and nephrosis	M F	17 18	— —	— 1	— —	— 1	— —	— 4	2 —	6 2	4 3	5 13	— —	— —	1 —	— —	— —	— 1	4 5	— —			
29 Hyperplasia of prostate	M F	16 2	— —	— —	— —	— —	— —	— —	— 2	— —	— —	30 5	— —	— —	— —	— —	— —	2 2	1 —	— —			
30 Pregnancy, childbirth, abortion	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
31 Congenital malformations	M F	10 10	4 6	2 2	— —	1 —	1 —	— 2	— 3	— 19	— 20	9 27	5 109	2 13	2 2	— —	1 —	1 3	1 17	— —			
32 Other defined and illdefined dis.	M F	93 125	21 12	4 4	2 1	2 1	— 1	— 6	3 21	15 20	27 59	109 100	25 13	2 —	1 —	1 —	2 3	5 16	17 —	— —			
33 Motor vehicle accidents	M F	10 2	— —	— —	— —	— —	2 —	3 1	3 8	1 —	1 —	18 1	— —	— —	— —	1 —	5 —	6 —	1 —	— —			
34 All other accidents	M F	28 16	1 —	1 1	3 —	— —	3 —	8 —	1 —	2 —	2 11	49 18	1 2	2 3	3 —	2 —	6 1	24 —	6 2	— —			
35 Suicide	M F	11 8	— —	— —	— —	— —	1 —	2 2	4 3	4 —	— 1	9 3	— —	— —	— —	— —	1 —	4 2	4 1	— —			
36 Homicide, operations of war	M F	— 1	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			

TABLE 20—continued—Administrative County of Middlesex.

Causes of Death (See first page of Table)		Aggregate of Urban Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	
All Causes		M F	12028 12066	312 213	103 91	66 55	52 60	128 87	642 599	3554 2315	3402 2981	3769 5665
1	Tuberculosis respiratory	M F	330 197	— —	1 —	4 —	— —	17 82	160 57	54 17	12 8	
2	Tuberculosis other	M F	22 31	— —	— 1	3 6	2 3	19 2	97 4	51 5	14 3	57 2
3	Syphilitic disease	M F	58 23	— —	— —	— —	— —	— —	1 —	24 6	20 6	1 11
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
5	Whooping cough	M F	9 6	— —	4 5	5 1	— —	— —	— —	— —	— —	— —
6	Meningococcal infections	M F	3 4	— —	1 2	1 —	— 1	— —	1 1	— —	— —	— —
7	Acute poliomyelitis	M F	— 2	— —	— —	— —	— —	— 1	— 1	— —	— —	— —
8	Measles	M F	2 5	— —	2 1	— 2	— 2	— —	— —	— —	— —	— —
9	Other infective, etc., diseases	M F	19 20	1 —	— 2	1 2	— 1	— —	3 7	4 2	6 3	4 5
10	Malignant neoplasm: stomach	M F	317 303	— —	— —	— —	— —	— —	17 7	134 83	109 99	57 114
11	lung, bronchus	M F	693 126	— —	— —	— —	— —	— 1	44 16	402 53	191 32	56 24
12	breast	M F	3 437	— —	— —	— —	— —	— —	— 46	1 189	1 124	1 78
13	uterus	M F	184 —	— —	— —	— —	1 —	— —	12 87	87 46	46 —	38 —
14	Other malignant and lymphatic neoplasms	M F	1163 1037	— —	— —	3 3	6 6	10 5	65 74	394 363	357 304	328 282
15	Leukæmia, aleukæmia	M F	49 66	— —	— —	3 5	5 4	1 1	7 12	18 20	11 18	4 6
16	Diabetes	M F	44 110	— —	— —	1 —	— —	— 1	3 5	5 24	13 34	22 45
17	Vascular lesions of nervous system	M F	1099 1688	— —	— 1	— 2	1 1	2 2	23 24	249 302	354 480	470 876
18	Coronary disease, angina	M F	1904 1127	— —	— —	— —	— —	1 1	65 5	716 176	638 404	484 536
19	Hypertension with heart disease	M F	434 488	— —	— —	— —	— —	— —	9 7	95 70	157 166	173 245
20	Other heart disease	M F	1392 2233	— —	— —	— —	1 1	4 4	43 56	199 242	370 404	775 1526
21	Other circulatory disease	M F	412 502	— —	— —	— 1	— —	2 1	5 12	91 69	112 113	202 306
22	Influenza	M F	204 250	1 —	1 1	— —	— —	2 5	5 8	67 29	53 64	75 147
23	Pneumonia	M F	586 625	21 16	33 29	8 6	— 8	4 5	19 11	106 71	145 134	250 345
24	Bronchitis	M F	1074 684	— —	5 2	— 2	1 —	1 1	14 5	343 80	356 186	354 405
25	Other diseases of respiratory system	M F	106 81	— —	2 1	— 1	1 —	— 1	1 3	50 23	32 16	18 36
26	Ulcer of stomach and duodenum	M F	232 63	— —	— —	— —	— —	1 1	20 1	80 11	81 18	50 32
27	Gastritis, enteritis and diarrhoea	M F	45 57	2 —	10 4	— 1	— 1	— —	3 6	12 13	7 13	11 19
28	Nephritis and nephrosis	M F	112 118	— —	1 1	1 —	4 1	4 5	24 18	40 25	21 33	17 35
29	Hyperplasia of prostate	M	188	—	—	—	—	—	15	72	101	
30	Pregnancy, childbirth, abortion.	F	17	—	—	—	—	3	14	—	—	
31	Congenital malformations	M F	110 105	51 33	14 22	5 7	4 1	4 14	9 20	10 20	3 2	3 1
32	Other defined and ildefined dis.	M F	915 1064	233 159	20 11	12 6	10 20	64 8	196 211	160 195	200 381	
33	Motor vehicle accidents	M F	167 85	— —	— —	5 3	6 6	29 13	50 16	34 20	17 13	26 14
34	All other accidents	M F	246 250	3 5	9 6	5 6	10 4	17 8	45 20	68 26	42 34	47 141
35	Suicide	M F	87 75	— —	— —	— —	— —	5 2	17 14	35 38	17 14	13 7
36	Homicide, operations of war	M F	3 3	— —	— —	— —	— —	1 1	— 1	— 1	— —	1 1

TABLE 20—continued—Administrative County of Norfolk.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes		M F	523 490	5 11	9 4	7 3	8 2	3 4	13 12	117 78	143 109	218 267	1869 1757	46 39	27 22	19 17	18 10	46 12	75 62	300 268	484 388		
1	Tuberculosis	M F	11 3	— —	— —	— —	1 —	— —	— —	9 1	1 —	— —	26 16	— —	1 —	— —	— —	1 4	6 9	10 1	5 1		
2	Tuberculosis other	M F	4 —	— —	— —	— —	2 —	— —	1 —	1 —	— —	— —	4 1	— —	— —	1 —	1 —	— —	— —	2 1	— —		
3	Syphilitic disease	M F	2 —	— —	1 —	— —	— —	— —	— —	1 —	1 —	— —	7 4	— —	— —	— —	— —	— —	— —	2 1	— —		
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
5	Whooping cough	M F	2 —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	2 3	— —	1 2	1 —	— —	— —	— —	— —	— —		
6	Meningococcal infections	M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —		
7	Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3 2	— —	— —	— —	1 —	— —	1 1	— —	— —		
8	Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
9	Other infective, etc., diseases	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	9 6	— —	— —	1 —	— —	3 2	2 1	1 1	— —		
10	Malignant neoplasm: stomach	M F	17 7	— —	— —	— —	— —	— —	— —	9 3	4 2	4 2	43 40	— —	— —	— —	— —	1 1	2 8	9 11	14 11		
11	lung, bronchus	M F	12 2	— —	— —	— —	— —	— —	1 —	8 —	2 —	1 —	33 11	— —	— —	— —	— —	— —	2 5	20 4	10 —		
12	breast	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —		
13	uterus	M F	20 5	— —	— —	— —	— —	— —	1 —	9 2	5 —	5 —	52 30	— —	— —	— —	— —	— —	5 2	17 13	16 13		
14	Other malignant and lymphatic neoplasms	M F	47 43	— —	— —	— —	— —	— —	3 1	11 17	18 10	17 13	188 144	— —	— —	2 1	3 2	8 5	48 44	66 39	— —		
15	Leukæmia, aleukæmia	M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	8 —	— —	2 —	— —	1 —	2 —	2 1	— —	— —		
16	Diabetes	M F	5 3	— —	— —	— —	— —	— —	— —	— —	3 2	2 1	7 23	— —	— —	— —	— —	— —	1 3	5 4	— —		
17	Vascular lesions of nervous system	M F	67 68	— —	— —	— —	— —	— —	— —	9 10	26 19	32 39	196 210	— —	1 —	— —	1 —	1 —	1 2	21 24	64 53		
18	Coronary disease, angina	M F	70 42	— —	— —	— —	— —	— —	1 —	19 10	29 15	21 17	222 128	— —	— —	1 —	— —	— —	2 1	54 20	91 47		
19	Hypertension with heart disease	M F	5 14	— —	— —	— —	— —	— —	— —	2 3	2 8	1 8	28 50	— —	— —	— —	— —	— —	3 11	8 16	— —		
20	Other heart disease	M F	111 123	— —	— —	— —	— —	— —	— —	10 2	25 23	76 94	373 414	— —	— —	— —	— —	3 1	4 4	32 34	79 84		
21	Other circulatory disease	M F	22 23	— —	— —	— —	— —	— —	2 —	7 6	13 17	90 77	— —	— —	— —	— —	— —	3 1	8 11	23 16	— —		
22	Influenza	M F	10 15	— —	2 —	— —	— —	— —	— —	1 3	1 4	6 12	62 84	— —	1 —	— —	— —	— —	8 11	21 25	— —		
23	Pneumonia	M F	19 19	1 1	— 2	— —	1 —	1 —	— —	3 4	2 2	7 9	83 70	— —	4 9	2 5	1 1	2 2	10 13	23 13	— —		
24	Bronchitis	M F	20 12	— —	1 —	— —	— —	— —	— —	6 1	4 3	9 8	81 69	— —	1 —	— —	— —	— —	1 1	14 7	22 10		
25	Other diseases of respiratory system	M F	6 3	— —	— —	— —	— —	— —	— —	— —	1 —	2 —	11 —	— —	— —	1 —	— —	— —	1 1	4 4	— —		
26	Ulcer of stomach and duodenum	M F	5 3	— —	— —	— —	— —	— —	— —	3 2	— 1	2 —	20 8	— —	— —	— —	— —	— —	2 4	5 3	8 1		
27	Gastritis, enteritis and diarrhoea	M F	2 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	9 9	— —	1 3	5 —	— —	— —	1 2	— —	— —		
28	Nephritis and nephrosis	M F	4 3	— —	— —	— —	— —	— —	— —	2 1	1 —	1 2	20 19	— —	— —	— —	1 2	— —	2 2	6 4	1 4		
29	Hyperplasia of prostate	M F	8 —	— —	— —	— —	— —	— —	— —	1 —	1 —	6 —	38 5	— —	— —	— —	— —	— —	1 4	1 —	11 —		
30	Pregnancy, childbirth, abortion.	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
31	Congenital malformations	M F	4 2	— 1	1 —	1 —	— —	— —	— —	— —	— —	— —	11 12	— —	2 6	— 2	— 1	— —	2 5	— 18	— 20		
32	Other defined and illdefined dis	M F	45 51	3 8	— 1	2 —	2 —	1 —	1 3	8 7	9 5	19 25	173 214	38 29	4 3	4 5	2 —	5 11	4 2	20 18	— —		
33	Motor vehicle accidents	M F	7 5	— —	— —	— —	1 —	— —	— —	3 —	2 —	1 —	35 3	— —	— —	— —	— —	6 16	6 2	6 2	— —		
34	All other accidents	M F	14 13	— —	1 —	2 —	— —	— —	— —	2 —	5 —	3 —	69 23	— —	1 —	2 —	— —	3 12	19 8	8 3	— —		
35	Suicide	M F	5 1	— —	— —	— —	— —	— —	— —	1 —	3 —	— —	18 9	— —	— —	— —	— —	— —	4 1	6 3	3 —		
36	Homicide, operations of war	M F	2 1	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Administrative County of Northampton.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	826 752	16 12	10 3	7 7	4 4	9 4	42 32	199 135	227 183	312 369	790 744	22 11	13 14	3 4	8 2	6 9	38 31	161 117	187 182	352 374		
Tuberculosis respiratory	M F	24 12	— —	— —	1 —	— —	1 2	8 7	13 10	2 —	1 —	11 10	— —	— —	1 —	— —	— —	2 3	6 6	4 1	— —	2 —	
Tuberculosis other	M F	3 4	— —	— —	— 1	1 —	— 1	— 1	— 2	— —	— —	— 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —		
Syphilitic disease	M F	1 1	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —		
Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Whooping cough	M F	2 —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Meningococcal infections	M F	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —	1 —	— —	— —		
Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	1 1	— —	— —	— —	— —	— —	— —	— —		
Other infective, etc., diseases	M F	2 2	— —	1 —	1 1	— —	— —	— —	1 —	— —	— —	6 4	— —	— —	— —	— —	1 —	— —	3 —	— —	2 1		
Malignant neoplasm: stomach	M F	27 28	— —	— —	— —	— —	— —	1 3	13 7	9 8	4 10	17 15	— —	— —	1 —	— —	— —	1 —	4 3	7 5	6 6		
lung, bronchus	M F	28 9	— —	— —	— —	— —	— —	3 1	15 3	6 2	4 3	19 7	— —	— —	— —	— —	— —	10 1	5 —	9 —	— —		
breast	M F	— 19	— —	— —	— —	— —	— —	— 1	— 10	— 2	— 6	— 24	— —	— —	— —	— —	— —	— 2	— 14	— 3	— 5		
uterus	M F	— 12	— —	— —	— —	— —	— —	— 4	— 6	— 2	— —	— 12	— —	— —	— —	— —	— —	— 2	— 6	— 2	— 2		
Other malignant and lymphatic neoplasms	M F	76 60	— —	— —	1 1	1 —	6 3	16 16	28 21	24 19	74 47	— —	— —	— —	1 —	— —	4 4	14 16	29 17	26 10	— —		
Leukæmia, aleukæmia	M F	3 1	— —	— —	— 1	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— 1	— —	— —	— —		
Diabetes	M F	5 9	— —	— —	— —	— —	— —	— 1	1 6	3 2	7 —	7 7	— —	— —	— —	— —	— —	3 1	— 1	4 1	— —		
Vascular lesions of nervous system	M F	111 128	— —	— —	— —	— —	— —	1 1	26 26	33 36	51 65	106 112	— —	1 —	— —	— —	— —	1 13	17 39	31 57	57 59		
Coronary disease, angina	M F	102 70	— —	— —	— —	— —	— —	2 —	24 11	40 24	36 35	93 53	— —	— —	— —	— —	— —	6 31	13 18	21 21	35 21		
Hypertension with heart disease	M F	24 23	— —	— —	— —	— —	— —	— —	1 6	7 6	16 11	12 16	— —	— —	— —	— —	— —	2 1	5 5	5 10	— —		
Other heart disease	M F	131 162	— —	— —	— —	— —	— —	3 12	14 31	27 31	87 116	158 189	— —	— —	— —	1 2	4 2	15 19	25 40	113 126	— —		
Other circulatory disease	M F	26 15	— —	— —	— —	— —	— —	1 2	4 4	7 9	14 35	32 35	— —	— —	— —	— —	— —	1 4	4 6	11 25	16 12		
Influenza	M F	36 29	— —	— —	— —	— —	— —	1 2	12 3	7 5	16 18	23 22	— —	— —	— —	— —	— —	3 5	6 3	16 16	— —		
Pneumonia	M F	27 28	— 2	2 —	— 2	— —	1 —	2 3	8 1	8 6	6 14	33 34	— 3	2 7	— —	1 —	— —	1 2	2 4	7 15	20 20		
Bronchitis	M F	53 29	— —	2 1	1 —	— —	— —	1 3	15 6	20 19	14 36	49 44	— —	— —	— —	— —	— —	— —	9 11	17 20	23 21		
Other diseases of respiratory system	M F	6 7	— —	— —	— —	— —	— —	— 1	— 2	— 3	— 1	— 2	— —	— —	— —	— 1	— —	— —	— —	— —	— —		
Ulcer of stomach and duodenum	M F	10 3	— —	— —	— —	— —	— —	— —	4 1	4 —	2 —	6 —	— —	— —	— —	— —	— —	1 —	3 —	1 —	1 —		
Gastritis, enteritis and diarrhœa	M F	1 4	— —	— —	— —	— 1	— —	— —	1 2	— 1	— —	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Nephritis and nephrosis	M F	9 7	— —	— 1	— —	— —	— —	1 4	3 2	3 1	1 —	9 8	— —	1 —	— —	— —	— —	2 1	2 3	2 2	2 —		
Hyperplasia of prostate	M	13	—	—	—	—	—	—	1	5	7	10	—	—	—	—	1	1	1	8	—		
Pregnancy, childbirth, abortion	F	2	—	—	—	—	2	—	—	—	—	2	—	—	—	1	1	—	—	—	—		
Congenital malformations	M F	5 2	1 1	— 1	2 —	— —	1 —	1 —	— —	— —	— —	8 4	3 2	3 —	— —	1 —	— —	— —	— —	— —	— —		
Other defined and illdefined dis.	M F	63 62	15 9	1 1	— 3	— —	1 4	1 —	11 14	9 23	20 77	72 77	16 8	2 3	— 2	1 —	6 2	15 10	12 34	20 34	— —		
Motor vehicle accidents	M F	15 3	— —	— —	2 1	— —	2 —	5 1	3 1	1 —	1 —	11 17	— —	— —	1 —	1 —	1 —	3 5	4 1	1 3	— —		
All other accidents	M F	14 14	— —	1 —	— —	— —	1 1	4 —	4 2	2 11	2 —	17 15	— —	3 1	— —	3 —	— —	2 1	5 3	1 10	3 —		
Suicide	M F	8 7	— —	— —	— —	— —	— —	— 1	7 4	1 1	— —	6 5	— —	— —	— —	— —	1 3	3 1	1 —	— —	— —		
Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Administrative County of Northumberland.

Causes of Death (See first page of Table)		Aggregate of Urban Districts										Aggregate of Rural Districts									
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	
All Causes		M F	2267 1896	67 39	54 32	11 9	9 6	22 9	147 97	614 415	641 499	702 790	683 657	15 10	9 8	6 4	1 2	3 8	27 29	164 111	198 192
1	Tuberculosis	M F	65 29	— —	— —	1 —	1 —	2 2	18 17	33 8	10 2	— —	8 3	— —	— —	— —	— —	4 1	3 1	1 —	—
2	Tuberculosis	M F	7 9	— —	1 —	— —	1 1	— 1	4 4	2 —	— 1	1 1	— 1	— —	— —	— —	— —	— —	— 1	— 1	—
3	Syphilitic disease	M F	7 3	— —	— —	— —	— —	— 1	— —	5 2	1 —	— —	— 3	— —	— —	— —	— —	— —	— —	3 —	—
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
5	Whooping cough	M F	1 3	— —	1 3	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— 1	— —	— —	— —	— —	— —	—
6	Meningococcal infections	M F	2 4	— —	— 1	1 —	— —	— —	— 1	— 2	— —	— —	— 1	— —	— 1	— —	— —	— —	— —	— —	—
7	Acute poliomyelitis	M F	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
8	Measles	M F	1 1	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
9	Other infective, etc., diseases	M F	4 2	— —	1 —	— —	— —	— —	1 1	2 —	— —	— 1	1 4	— —	— —	— —	— 1	— —	— 2	— —	1 —
10	Malignant neoplasm: stomach	M F	89 58	— —	— —	— —	— —	— —	7 3	33 13	28 22	21 20	21 16	— —	— —	— —	— —	— 1	8 6	9 5	—
11	lung, bronchus	M F	70 13	— —	— —	— —	— —	— —	8 3	41 5	17 3	4 2	16 —	— —	— —	— —	— —	1 —	12 —	1 —	—
12	breast	M F	41 39	— —	— —	— —	— —	— —	2 4	17 25	15 8	7 2	14 16	— —	— —	— —	— —	3 2	8 7	3 4	—
14	Other malignant and lymphatic neoplasms	M F	165 136	— —	— —	1 —	1 —	2 —	11 7	38 48	61 43	52 36	55 47	— —	— —	— 1	— —	3 4	20 14	19 15	—
15	Leukæmia, aleukæmia	M F	7 6	— —	— —	— —	— —	— —	3 3	4 2	1 —	1 —	2 —	— —	— —	— —	1 —	1 —	— —	— —	—
16	Diabetes	M F	8 15	— —	— —	— —	— —	1 —	2 7	2 5	3 2	6 4	— —	— —	— —	— —	— —	1 —	— —	4 2	—
17	Vascular lesions of nervous system	M F	297 300	— —	1 —	— —	— —	— —	5 4	52 74	114 92	125 130	93 93	— —	— —	— —	— —	— 1	16 8	27 29	—
18	Coronary disease, angina	M F	360 178	— —	— —	— —	— —	— —	13 1	147 47	122 69	78 61	132 63	— —	— —	— —	— —	1 —	49 33	49 39	—
19	Hypertension with heart disease	M F	57 46	— —	— —	— —	— —	— —	— —	14 12	29 21	14 13	21 25	— —	— —	— —	— —	3 —	5 8	8 9	—
20	Other heart disease	M F	385 458	— —	— —	— —	— —	— —	13 11	44 46	101 110	227 291	113 147	— —	— —	— —	— —	1 —	9 14	24 41	—
21	Other circulatory disease	M F	55 42	— —	— —	— —	— —	— —	2 2	7 5	16 14	30 21	21 29	— —	— —	— —	— —	— 2	5 1	2 8	—
22	Influenza	M F	54 50	— —	— —	— —	— —	1 —	4 1	14 9	14 13	21 25	20 37	— —	— —	— —	— —	— 2	9 3	7 7	—
23	Pneumonia	M F	80 47	3 1	29 13	1 —	— —	1 —	3 2	16 5	15 9	12 16	25 19	— —	8 2	— —	— —	— 1	3 1	2 —	—
24	Bronchitis	M F	135 103	3 —	4 —	1 —	— —	— —	6 4	43 27	42 21	36 51	23 21	— —	1 —	1 —	— —	— —	5 4	4 7	—
25	Other diseases of respiratory system	M F	28 7	— —	— —	— —	— —	— 1	4 2	13 1	8 —	3 3	6 3	— —	— 1	1 —	— —	— —	— 1	— —	—
26	Ulcer of stomach and duodenum	M F	32 13	— —	— —	— —	— —	— —	4 —	18 6	5 2	5 5	11 8	— —	— —	— —	— —	— —	2 2	6 5	—
27	Gastritis, enteritis and diarrhœa	M F	12 5	— —	5 —	— —	— —	— —	— 4	4 1	2 —	1 4	2 2	— —	— —	1 —	— —	— —	1 —	1 —	—
28	Nephritis and nephrosis	M F	29 21	— —	— —	1 —	— —	1 —	5 —	8 4	9 6	5 10	11 12	— —	— —	— —	— —	— —	4 5	4 7	—
29	Hyperplasia of prostate	M F	31 5	— —	— —	— —	— —	— —	— 3	— 11	— 6	— 17	14 12	— —	— —	— —	— —	— —	— 1	— 7	—
30	Pregnancy, childbirth, abortion	M F	— —	— —	— —	— —	— —	— —	— 5	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	—
31	Congenital malformations	M F	15 18	11 9	2 5	— 2	1 —	— —	— —	1 —	— —	— —	5 4	4 —	— —	— —	1 —	— —	— —	— —	—
32	Other defined and ildefined dis.	M F	176 198	49 29	7 5	3 —	2 2	4 —	9 16	45 38	23 35	34 73	41 56	11 9	3 —	1 —	— —	— 2	6 12	10 9	—
33	Motor vehicle accidents	M F	20 5	— —	— —	1 —	3 —	5 —	4 2	3 2	2 —	2 —	10 6	— —	— —	1 —	— —	2 3	4 7	2 1	—
34	All other accidents	M F	56 29	1 —	3 2	2 1	1 2	5 1	17 14	17 4	6 3	7 15	9 15	— —	— 1	1 —	1 —	1 2	5 1	2 1	—
35	Suicide	M F	19 11	— —	— —	— —	— —	— —	5 3	8 4	2 3	4 1	8 —	— —	— —	— —	— —	— —	— —	— —	—
36	Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—

TABLE 20—continued—Administrative County of Nottingham.

Causes of Death (See first page of Table)		Aggregate of Urban Districts										Aggregate of Rural Districts									
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over
All Causes	M F	2261 2002	63 39	47 34	13 15	11 13	21 32	129 101	574 421	689 503	714 844	923 818	27 16	17 9	11 7	7 8	11 8	45 56	205 164	258 207	342 343
Tuberculosis	M F	54 36	— —	— —	— 1	— 1	— 14	— 10	— 30	— 8	— 2	— 2	— 20	— 1	— —	— —	— 1	— 3	— 9	— 6	— 3
Tuberculosis other	M F	10 6	— —	2 1	— 2	— 1	— 2	— 4	— 1	— 1	— —	— 2	— —	— —	— 1	— 1	— —	— —	— 3	— 1	— 1
Syphilitic disease	M F	9 4	— 1	— —	— —	— —	— —	— 1	— 5	— 3	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Whooping cough	M F	2 2	— —	— 1	2 1	— —	— —	— —	— —	— —	— —	4 1	— 1	2 —	2 —	— —	— —	— —	— —	— —	— —
Meningococcal infections	M F	2 —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —	1 1	— —	1 —	— —	— —	— —	— —	— —	— —	— —
Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
Measles	M F	4 2	— —	3 1	1 —	— —	— —	— —	— —	— —	— —	4 —	— —	— —	3 —	1 —	— —	— —	— —	— —	— —
Other infective, etc., diseases	M F	5 4	— —	1 —	1 —	— —	1 —	— —	2 2	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Malignant neoplasm: stomach	M F	70 38	— —	— —	— —	— —	— —	6 2	31 16	21 12	12 8	18 13	— —	1 —	— —	— —	— —	— 1	7 4	8 4	3 4
lung, bronchus	M F	62 10	— —	— —	— —	— —	— —	— 2	6 32	4 21	3 3	24 3	— —	— —	— —	— —	— —	4 8	8 12	1 1	— —
breast	M F	— 81	— —	— —	— —	— —	— —	— 6	— 36	— 18	— 21	— 28	— —	— —	— —	— —	— —	— 5	— 14	— 5	— 4
uterus	M F	— 37	— —	— —	— —	— —	— —	— 5	— 19	— 8	— 5	— 10	— —	— —	— —	— —	— —	— 3	— 4	— 1	— 2
Other malignant and lymphatic neoplasms	M F	180 127	— —	1 —	2 —	— —	15 2	54 12	73 46	34 36	34 31	64 46	— —	— —	— —	1 —	4 3	23 28	19 9	17 6	— —
Leukæmia, aleukæmia	M F	10 10	— —	— —	— 1	— —	— 1	— —	4 1	3 5	— 2	5 3	— —	— —	— —	— —	2 1	— 2	— —	— —	— —
Diabetes	M F	8 24	— —	— —	— —	— —	— —	1 2	1 7	4 8	2 7	2 4	— —	— —	— —	— —	— —	— 2	— 1	1 1	— —
Vascular lesions of nervous system	M F	250 327	— —	— —	— —	— —	— —	2 6	40 53	91 111	117 157	104 127	— —	— —	— —	— —	— —	— 2	16 27	38 40	49 58
Coronary disease, angina	M F	274 148	— —	— —	— —	— —	7 3	101 31	98 60	68 54	109 66	— —	— —	— —	— —	— —	4 —	32 17	47 27	26 22	— —
Hypertension with heart disease	M F	64 45	— —	— —	— —	— —	— —	— —	15 9	22 15	27 21	15 24	— —	— —	— —	— —	— —	— 3	1 10	5 11	9 —
Other heart disease	M F	336 407	— —	— —	— —	1 —	7 13	46 52	102 80	180 261	180 209	— —	— —	— —	— —	1 7	2 23	42 51	115 128	— —	— —
Other circulatory disease	M F	83 73	— —	— —	— —	— —	5 1	11 11	23 26	44 35	43 25	— —	— —	— —	— —	— —	— 1	5 3	12 21	26 21	— —
Influenza	M F	73 41	— —	— —	— —	— —	1 —	25 11	26 10	21 19	35 39	— —	1 —	— —	— —	— —	1 2	13 10	10 8	7 —	— —
Pneumonia	M F	92 82	6 4	20 14	2 2	— —	— 1	4 3	17 7	24 19	22 32	39 21	4 1	3 3	— —	— —	1 1	6 2	8 16	10 10	— —
Bronchitis	M F	232 112	— —	3 —	— —	1 —	— —	5 2	64 19	72 32	87 59	66 41	— —	1 —	1 —	— —	— —	21 3	24 16	21 20	— —
Other diseases of respiratory system	M F	26 10	— —	— —	— —	— —	— —	4 2	11 2	8 1	3 5	12 5	— —	— —	— —	— —	1 1	4 1	4 2	1 2	— —
Ulcer of stomach and duodenum	M F	46 10	— —	— —	— —	— —	1 —	4 —	18 3	15 2	8 5	18 6	— —	— —	— —	— —	1 1	6 3	6 2	4 —	— —
Gastritis, enteritis and diarrhoea	M F	6 6	— —	5 —	— —	— —	— —	— 3	— 1	— 1	— 1	4 4	— —	1 —	— —	— —	— —	— 1	— —	— —	— 2
Nephritis and nephrosis	M F	26 32	— —	— —	— 1	1 —	3 2	9 13	6 11	6 3	11 12	— —	— —	— —	— —	— —	— —	5 3	2 4	3 —	— —
Hyperplasia of prostate	M	33	—	—	—	—	—	2	2	14	17	16	—	—	—	—	—	—	1	15	—
Pregnancy, childbirth, abortion.	F	6	—	—	—	—	—	5	1	—	—	—	—	—	—	—	—	—	—	—	—
Congenital malformations	M F	23 22	13 7	7 7	— 1	1 —	— 1	1 3	— 3	— —	— —	9 4	— 3	5 —	— —	— —	— —	2 1	1 6	1 13	— —
Other defined and illdefined dis.	M F	174 242	44 27	4 10	2 2	1 5	1 4	4 13	34 52	34 36	50 93	74 89	22 11	2 —	2 2	1 3	6 11	13 16	10 14	18 29	— —
Motor vehicle accidents	M F	33 13	— —	— —	1 2	4 3	5 3	10 3	4 16	8 16	1 3	15 22	— —	— 1	1 2	3 2	1 9	6 2	— 2	1 1	— —
All other accidents	M F	47 33	— —	1 —	— 2	— —	— —	1 —	6 —	5 —	17 —	21 —	1 —	2 —	1 —	— —	— —	— —	— —	— —	— —
Suicide	M F	27 10	— —	— —	— —	— —	1 —	6 —	7 4	8 3	5 1	13 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
Homicide, operations of war	M F	— 2	— —	— —	— —	— —	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

TABLE 20—continued—Administrative County of Oxford.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes		M F	299 296	6 4	3 2	1 1	1 1	6 2	12 10	81 41	76 63	113 172	694 669	11 14	6 6	10 6	1 2	18 4	39 19	133 103	189 153		
1	Tuberculosis	M	6	—	—	—	—	—	—	3	—	—	12	—	—	—	—	1	5	5	—		
2	Tuberculosis other	M	4	—	—	—	—	1	2	1	—	—	3	—	—	—	2	1	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
3	Syphilitic disease	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—		
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5	Whooping cough	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
6	Meningococcal infections	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—		
7	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
8	Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—		
9	Other infective, etc., diseases	M	—	—	—	—	—	—	—	1	—	—	4	—	—	—	1	—	1	—	—		
10	Malignant neoplasm: stomach	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—		
		F	2 8	—	—	—	—	—	—	1	—	7	21 16	—	—	—	—	1	6 4	—	—	—	
11	lung, bronchus	M	18	—	—	—	—	—	—	11	5	2	12	—	—	—	—	—	2	8	—		
12	breast	M	5	—	—	—	—	—	—	2	3	—	8	—	—	—	—	—	6	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
13	uterus	M	6	—	—	—	—	—	1	4	1	—	15	—	—	—	—	1	5	—	—		
		F	3	—	—	—	—	—	2	—	1	—	10	—	—	—	—	3	1	—	—		
14	Other malignant and lymphatic neoplasms	M	31	—	—	—	1	—	9	11	10	51	—	—	1	—	—	3	14	15	—		
15	Leukæmia, aleukæmia	M	16	—	—	—	—	1	4	2	9	41	—	—	—	—	—	2	18	—	—		
		F	2 3	—	—	—	—	1	1	2	—	5 4	—	—	1	—	1	1	3	—	—	—	
16	Diabetes	M	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	1	—	—		
17	Vascular lesions of nervous system	M	4	—	—	—	—	—	—	3	1	10	—	—	—	—	—	—	—	—	—		
		F	36 55	—	—	—	1	—	5 4	12 13	19 37	90 122	—	—	—	—	—	2	15	24 33	—	—	
18	Coronary disease, angina	M	38	—	—	—	—	—	2	12	16	8	85	—	—	—	—	1	20	21	—		
19	Hypertension with heart disease	M	31	—	—	—	—	—	5	9	17	56	—	—	—	—	—	—	11	17	—		
		F	7 18	—	—	—	—	—	3 1	4 5	19 12	10	—	—	—	—	—	5	—	—	—	—	
20	Other heart disease	M	52	—	—	—	—	—	8	8	36	126	—	—	—	—	—	4	12	25	—		
21	Other circulatory disease	M	64	—	—	—	—	—	2	3	10	49	165	—	—	—	1	6	3	—	—		
		F	8 8	—	—	—	—	—	2 1	2 3	4 4	22 19	—	—	—	—	—	8 4	—	—	—	—	
22	Influenza	M	9	—	—	—	—	—	1	3	5	19	—	—	—	—	—	2	—	—	—		
23	Pneumonia	M	9	—	1	—	—	1	1	1	5	15	—	—	—	—	—	1	2	7	—		
		F	12 19	—	1	—	—	1	3 1	3 2	4 14	33 27	—	1	2	1	1	—	7 4	—	—	—	
24	Bronchitis	M	16	—	—	1	—	—	3	5	7	39	—	—	—	—	—	—	6	14	—		
25	Other diseases of respiratory system	M	8	—	—	—	—	—	—	1	7	29	—	—	—	—	—	—	3	—	—		
		F	5 2	—	—	—	—	—	5 1	—	1	4	—	—	1	—	—	—	1	—	—	—	
26	Ulcer of stomach and duodenum	M	6	—	—	—	—	—	1	2	3	17	—	—	—	—	—	—	7	—	—		
27	Gastritis, enteritis and diarrhoea	M	2	—	—	—	—	—	—	1	1	6	—	—	—	—	—	—	1	—	—		
		F	2 1	—	1	—	—	—	—	—	1	2 3	—	—	—	1	—	—	—	—	—	—	
28	Nephritis and nephrosis	M	2	—	—	—	1	—	1	—	—	9	—	—	1	—	2	1	1	—	—		
29	Hyperplasia of prostate	M	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	—	—	—	3	8	—	—	—	—	—	1	—	—	—		
30	Pregnancy, childbirth, abortion	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
31	Congenital malformations	M	5	3	—	—	1	—	1	—	—	4	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	—	—	—	5	—	1	3	—	—	1	—	—	—		
32	Other defined and illdefined dis.	M	24	3	—	—	—	1	8	6	6	44	—	7	—	—	1	5	8	16	—		
		F	21	3	1	1	—	1	7	3	5	71	—	1	—	—	—	3	14	—	—		
33	Motor vehicle accidents	M	5	—	—	—	3	2	—	—	—	22	—	—	—	—	6	10	3	2	—		
34	All other accidents	M	1	—	—	—	—	1	—	—	—	4	—	—	—	1	1	1	1	—	—		
		F	4 3	—	1	—	—	—	2	—	1	23 10	—	1	2	1	6	—	—	—	—	—	
35	Suicide	M	6	—	—	—	—	1	1	4	—	5	—	—	—	—	—	1	1	—	—		
36	Homicide, operations of war	M	3	—	—	—	—	—	—	2	1	—	4	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

TABLE 20—continued—Administrative County of Rutland.

Causes of Death (See first page of Table)		Aggregate of Urban Districts										Aggregate of Rural Districts									
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over
All Causes	M	27	—	—	—	—	—	—	7	9	11	94	6	1	5	3	5	6	13	22	33
	F	19	—	—	—	—	—	1	5	5	8	93	2	1	1	—	1	5	15	23	45
Tuberculosis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
respiratory	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
Tuberculosis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
other	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilitic disease	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Meningococcal	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
infections	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other infective, etc.,	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
diseases	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malignant neoplasm:	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	—
stomach	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—
lung, bronchus	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
uterus	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	2	—	1
Other malignant and	M	2	—	—	—	—	—	—	—	2	—	7	—	—	—	—	—	1	1	2	3
lymphatic neoplasms	F	3	—	—	—	—	—	—	1	1	1	6	—	—	—	—	—	1	1	3	2
Leukæmia,	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
leukæmia	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Vascular lesions of	M	4	—	—	—	—	—	—	—	1	1	6	—	—	—	—	—	1	2	3	1
nervous system	F	3	—	—	—	—	—	—	—	1	2	18	—	—	—	—	—	—	3	3	12
Coronary disease,	M	2	—	—	—	—	—	—	—	—	2	9	—	—	—	—	—	—	2	4	3
angina	F	1	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	4	2	—
Hypertension with	M	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	1	1	1
heart disease	F	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	1
Other heart disease	M	1	—	—	—	—	—	—	1	—	—	13	—	—	—	—	—	—	2	1	10
	F	3	—	—	—	—	—	—	—	1	2	22	—	—	—	—	—	—	2	7	12
Other circulatory	M	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	3	3
disease	F	1	—	—	—	—	—	—	—	1	—	5	—	—	—	—	—	—	—	5	—
Influenza	M	2	—	—	—	—	—	—	—	1	1	9	—	—	1	1	1	1	—	4	1
	F	3	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	1	—	—
Pneumonia	M	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	2	1
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
Bronchitis	M	2	—	—	—	—	—	—	—	2	—	9	—	—	—	—	—	—	—	3	6
	F	2	—	—	—	—	—	—	—	2	—	9	—	—	—	—	—	—	—	2	7
Other diseases of	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
respiratory system	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer of stomach	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
and duodenum	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
Gastritis, enteritis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
and diarrhoea	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis and	M	3	—	—	—	—	—	—	—	1	2	4	—	—	—	1	—	—	—	2	1
nephrosis	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
Hyperplasia of prostate	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1
Pregnancy, childbirth,	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
abortion.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congenital	M	—	—	—	—	—	—	—	—	—	—	3	—	—	2	—	—	—	—	—	—
malformations	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Other defined and	M	2	—	—	—	—	—	—	1	—	1	10	—	—	—	—	—	—	—	2	1
illdefined dis.	F	1	—	—	—	—	—	—	—	—	—	8	—	1	1	—	—	2	2	—	1
Motor vehicle	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
accidents	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All other accidents	M	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Suicide	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Homicide, operations	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
of war	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—continued—Administrative County of Peterborough, Soke of.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	
All Causes	M	317	8	2	1	—	—	20	85	97	104	62	3	—	—	—	2	4	2	12	14	25	—
	F	321	3	6	1	—	3	13	46	75	174	47	2	—	—	—	2	—	1	12	5	25	—
1 Tuberculosis	M	13	—	—	—	—	—	5	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—
respiratory	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Tuberculosis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
other	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Syphilitic disease	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Diphtheria	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Meningococcal	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
infections	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Measles	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Other infective, etc.,	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
diseases	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Malignant neoplasm:	M	9	—	—	—	—	—	—	3	4	2	1	—	—	—	—	—	—	—	1	—	—	—
stomach	F	7	—	—	—	—	—	1	—	2	4	2	—	—	—	—	—	—	—	—	—	—	—
11 lung, bronchus	M	7	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	3	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
13 uterus	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	1	—	—	—
14 Other malignant and	M	26	—	—	—	—	—	1	8	5	12	7	—	—	—	—	—	—	—	3	3	1	—
lymphatic neoplasms	F	28	—	—	—	—	—	—	3	8	7	10	2	—	—	—	—	—	—	1	—	—	—
15 Leukæmia,	M	2	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
aleukæmia	F	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
16 Diabetes	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
17 Vascular lesions of	M	42	—	—	—	—	—	2	11	15	14	5	—	—	—	—	—	—	—	—	—	—	—
nervous system	F	66	—	—	—	—	—	1	9	17	39	6	—	—	—	—	—	—	—	2	1	4	—
18 Coronary disease,	M	36	—	—	—	—	—	—	17	14	5	6	—	—	—	—	—	—	—	1	2	—	—
angina	F	28	—	—	—	—	1	—	6	9	12	7	—	—	—	—	—	—	—	2	2	—	—
19 Hypertension with	M	5	—	—	—	—	—	—	1	2	2	1	—	—	—	—	—	—	—	—	—	—	—
heart disease	F	7	—	—	—	—	—	—	—	2	5	1	—	—	—	—	—	—	—	—	—	—	—
20 Other heart disease	M	45	—	—	—	—	—	2	3	10	30	11	—	—	—	—	—	—	—	1	2	—	—
	F	60	—	—	—	—	—	2	2	7	49	5	—	—	—	—	—	—	—	2	—	—	—
21 Other circulatory	M	16	—	—	—	—	—	—	5	6	5	4	—	—	—	—	—	—	—	—	1	—	—
disease	F	8	—	—	—	—	—	—	2	1	5	2	—	—	—	—	—	—	—	—	—	—	—
22 Influenza	M	4	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	1	2	2	2	3	—	—	—	—	—	—	—	—	2	—	—
23 Pneumonia	M	11	—	1	—	—	—	—	1	2	6	2	—	—	—	—	—	—	—	1	—	—	—
	F	24	—	4	—	—	—	—	2	3	15	1	—	—	—	—	—	—	—	—	—	—	—
24 Bronchitis	M	29	—	—	—	—	—	—	4	15	10	3	—	—	—	—	—	—	—	1	1	—	—
	F	16	—	1	—	—	—	—	—	9	9	2	—	—	—	—	—	—	—	—	—	—	—
25 Other diseases of	M	3	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	2	—	—	—
respiratory system	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26 Ulcer of stomach	M	7	—	—	—	—	—	—	3	3	1	3	—	—	—	—	—	—	—	—	1	—	—
and duodenum	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Gastritis, enteritis	M	3	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
and diarrhoea	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Nephritis and	M	3	—	—	—	—	—	—	1	1	1	2	—	—	—	—	—	—	—	—	—	—	—
nephrosis	F	7	—	—	—	—	—	—	1	2	4	—	—	—	—	—	—	—	—	—	—	—	—
29 Hyperplasia of prostate	M	14	—	—	—	—	—	—	—	7	7	2	—	—	—	—	—	—	—	—	—	—	—
30 Pregnancy, childbirth,	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
abortion																							
31 Congenital	M	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
malformations	F	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32 Other defined and	M	24	—	1	—	—	—	1	10	2	4	5	—	—	—	—	—	—	—	—	2	—	—
illdefined dis.	F	25	—	—	—	—	—	—	5	8	10	9	—	—	—	—	—	—	—	1	—	—	—
33 Motor vehicle	M	3	—	—	—	—	—	2	1	—	—	5	—	—	—	—	—	—	—	—	—	—	—
accidents	F	3	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
34 All other accidents	M	6	—	—	—	—	—	1	—	2	3	1	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	1	—	—	—	—	—	—	6	1	—	—	—	—	—	—	—	—	—	—	—
35 Suicide	M	4	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—
36 Homicide, operations	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
of war	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—continued—Administrative County of Salop.

Causes of Death (See first page of Table)		Aggregate of Urban Districts										Aggregate of Rural Districts									
		All Ages	0-4 weeks	4 weeks - 1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks - 1 year	1-	5-	15-	25-	45-	65-	75 and over
All Causes	M	1035	32	19	5	5	13	35	241	295	386	945	21	20	8	6	37	55	166	232	400
	F	928	14	6	11	3	5	37	163	234	455	811	15	13	6	—	6	28	143	178	422
Tuberculosis	M	23	—	—	—	—	1	6	12	3	1	14	—	—	—	—	4	5	3	1	1
respiratory	F	8	—	—	—	—	—	6	1	1	—	8	—	—	1	—	—	4	2	1	—
Tuberculosis	M	3	—	—	—	—	—	—	2	1	—	1	—	1	—	—	—	—	—	—	—
other	F	5	—	—	1	—	1	1	1	1	—	1	—	—	—	—	—	—	1	—	—
Syphilitic disease	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Meningococcal	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
infections	F	1	—	—	1	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
Acute poliomyelitis	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
Other infective, etc.,	M	4	—	—	—	2	—	—	2	—	—	3	—	—	—	—	—	—	2	1	—
diseases	F	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Malignant neoplasm:	M	18	—	—	—	—	—	—	6	9	2	24	—	—	—	—	—	1	6	9	8
stomach	F	20	—	—	—	—	—	—	4	4	5	24	—	—	—	—	—	1	7	4	12
lung, bronchus	M	23	—	—	—	—	—	2	12	8	1	20	—	—	—	—	—	14	5	1	—
	F	5	—	—	—	—	—	1	2	2	—	3	—	—	—	—	—	1	2	—	—
breast	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	25	—	—	—	—	—	3	12	6	4	20	—	—	—	—	2	11	4	3	—
uterus	M	15	—	—	—	—	—	7	2	4	—	7	—	—	—	—	—	2	3	2	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other malignant and	M	90	—	—	1	—	5	20	31	33	76	—	—	—	—	—	1	6	19	21	29
lymphatic neoplasms	F	72	—	—	—	—	3	7	24	17	59	—	—	—	—	—	1	8	22	11	17
Leukæmia,	M	4	—	1	—	—	—	1	1	—	4	—	—	—	—	—	—	1	2	1	1
aleukæmia	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	M	3	—	—	—	—	—	—	2	1	7	—	—	—	—	—	—	—	2	3	2
	F	6	—	—	—	—	—	—	2	3	1	9	—	—	—	—	—	1	4	4	3
Vascular lesions of	M	135	—	—	1	—	2	24	51	57	116	—	—	—	—	—	2	3	13	33	65
nervous system	F	152	—	—	—	—	2	18	45	87	110	—	—	—	—	—	2	3	19	30	59
Coronary disease,	M	142	—	—	—	—	—	49	47	46	88	—	—	—	—	—	—	3	28	27	30
angina	F	75	—	—	—	—	—	11	29	35	54	—	—	—	—	—	—	10	18	24	—
Hypertension with	M	23	—	—	—	—	—	8	9	6	24	—	—	—	—	—	—	6	7	11	—
heart disease	F	36	—	—	—	—	—	5	11	20	25	—	—	—	—	—	—	4	8	13	—
Other heart disease	M	169	—	—	—	—	1	19	39	110	184	—	—	—	—	—	—	1	13	45	121
	F	229	—	—	—	—	3	26	37	163	207	—	—	—	—	—	—	2	13	48	143
Other circulatory	M	41	—	—	—	—	1	9	13	18	38	—	—	—	—	—	—	1	1	7	29
disease	F	37	—	—	—	—	1	2	12	22	32	—	—	—	1	—	—	—	1	9	21
Influenza	M	53	—	1	1	—	1	9	18	22	33	—	2	—	—	—	1	1	3	10	16
	F	45	—	—	1	—	—	6	17	20	52	—	1	—	—	—	2	1	8	12	28
Pneumonia	M	36	2	6	1	—	1	10	8	7	43	—	2	4	1	1	6	3	7	13	8
	F	26	2	2	2	—	—	7	5	8	27	—	1	5	1	—	—	3	7	10	—
Bronchitis	M	76	—	1	1	—	1	19	24	30	61	—	—	2	—	—	—	—	9	21	29
	F	31	—	—	1	—	—	4	8	18	36	—	—	1	—	—	1	1	3	30	—
Other diseases of	M	7	—	—	—	—	1	5	—	12	12	—	—	—	—	—	—	1	6	2	1
respiratory system	F	3	—	—	—	—	—	2	1	—	5	—	1	1	—	—	—	—	2	—	—
Ulcer of stomach	M	12	—	—	—	—	—	7	2	3	6	—	—	—	—	—	—	1	4	1	—
and duodenum	F	5	—	—	—	—	—	1	3	1	5	—	—	—	—	—	—	—	1	1	3
Gastritis, enteritis	M	2	—	1	—	—	—	—	1	—	3	—	—	1	—	—	—	—	—	—	—
and diarrhoea	F	6	—	—	—	—	—	2	—	4	—	—	—	—	—	—	—	1	1	1	—
Nephritis and	M	7	—	—	—	—	2	—	—	3	12	—	—	1	—	—	—	—	3	3	5
nephrosis	F	12	—	—	—	—	1	6	—	2	3	—	—	—	—	—	—	1	3	—	—
Hyperplasia of prostate	M	14	—	—	—	—	—	1	—	5	8	—	—	—	—	—	—	—	1	4	12
Pregnancy, childbirth,	M	—	—	—	—	—	—	—	—	—	17	—	—	—	—	—	1	—	—	—	—
abortion.	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congenital	M	9	2	2	—	—	2	3	—	—	—	10	4	4	1	1	—	—	—	—	—
malformations	F	7	3	3	1	—	—	—	—	—	—	5	4	—	—	—	—	1	—	—	—
Other defined and	M	100	27	5	1	1	3	3	14	15	31	84	14	2	2	—	3	5	16	18	24
illdefined dis.	F	81	9	—	—	1	—	6	17	22	26	84	9	1	1	—	—	2	19	8	44
Motor vehicle	M	8	—	—	—	—	3	1	3	—	1	19	—	—	—	1	—	9	8	1	—
accidents	F	3	—	—	1	1	—	—	—	—	1	3	—	—	—	—	—	—	2	1	—
All other accidents	M	18	1	1	—	—	2	3	3	4	4	33	1	3	2	2	10	7	3	1	4
	F	14	—	1	—	—	—	—	1	3	9	10	—	1	—	—	—	—	2	4	3
Suicide	M	7	—	—	—	—	2	1	3	1	8	—	—	—	—	—	2	1	5	—	—
	F	3	—	—	—	—	1	1	—	—	4	—	—	—	—	—	—	—	—	—	—
Homicide, operations	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
of war	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—continued—Administrative County of Somerset.

Causes of Death (See first page of Table)		Aggregate of Urban Districts													Aggregate of Rural Districts												
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over						
All Causes	M F	1582 1752	32 23	17 9	7 7	12 6	15 11	64 63	368 292	419 410	648 931	1608 1611	42 32	10 12	7 4	8 6	15 8	66 55	348 273	471 385	648 83						
1 Tuberculosis	M F	37 17	— —	— —	— —	— —	2 3	10 8	20 3	2 2	2 2	36 10	— —	— —	— —	— —	— —	1 6	11 1	18 1	5 2						
2 Tuberculosis other	M F	2 3	— —	1 1	— 1	— —	— —	— —	— 2	— —	— —	2 2	— —	1 —	— —	— —	— —	— —	1 1	— —	— —						
3 Syphilitic disease	M F	7 2	— 1	— —	— —	— —	— —	1 —	4 —	1 —	1 1	3 —	— —	— —	— —	— —	— —	— —	— —	1 —							
4 Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —							
5 Whooping cough	M F	— 2	— —	— 1	— 1	— 2	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —							
6 Meningococcal infections	M F	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	1 —	— —	— —	— —	— —	— —							
7 Acute poliomyelitis	M F	2 —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	2 —	— —	1 —	1 —	— —	— —	— —	— —	— —							
8 Measles	M F	2 1	— —	— —	1 —	1 —	— —	— 1	— —	— —	— —	1 —	— —	1 —	1 —	— —	— —	— —	— —	— —							
9 Other infective, etc., diseases	M F	7 8	— —	— —	2 —	1 1	1 —	— 4	1 17	2 14	— 8	3 61	— —	— —	— —	— —	— —	1 —	2 20	— 18							
10 Malignant neoplasm: stomach	M F	40 46	— —	— —	— —	— —	— —	— 1	17 9	14 15	8 22	61 56	— —	— —	— —	— —	— —	1 2	20 8	18 19							
11 lung, bronchus	M F	45 15	— —	— —	— —	— —	— —	4 1	26 6	11 5	4 3	42 5	— —	— —	— —	— —	— —	2 1	23 1	15 —							
12 breast	M F	— 55	— —	— —	— —	— —	— —	— 3	— 25	— 12	— 15	— 45	— —	— —	— —	— —	— —	4 1	21 11	15 10							
13 uterus	M F	— 29	— —	— —	— —	— —	— —	— 4	— 15	— 5	— 5	— 29	— —	— —	— —	— —	— —	— —	— —	— —							
14 Other malignant and lymphatic neoplasms	M F	127 114	— —	1 —	— 2	— 1	— 1	6 7	31 39	44 26	42 41	145 101	— —	— —	— —	— —	1 —	5 6	38 31	55 43							
15 Leukæmia, aleukæmia	M F	5 3	— —	— —	— 1	— 1	— —	— 2	— —	— —	— 2	5 9	— —	— —	1 —	— —	— —	1 1	3 3	3 3							
16 Diabetes	M F	5 6	— —	— —	— —	— —	— —	2 —	1 7	1 3	1 4	9 11	— —	— —	— —	— —	— —	— —	3 2	3 2							
17 Vascular lesions of nervous system	M F	177 284	— —	— —	— —	— —	— —	2 4	38 50	54 82	83 148	175 266	— —	— —	— —	1 —	— —	3 1	27 47	60 76							
18 Coronary disease, angina	M F	228 144	— —	— —	— —	— —	— —	7 18	60 42	82 84	79 126	173 126	— —	— —	— —	— —	— —	1 —	44 29	76 43							
19 Hypertension with heart disease	M F	39 46	— —	— —	— —	— —	— —	— *	12 11	21 16	23 34	36 46	— —	— —	— —	— —	— —	— —	7 11	90 13							
20 Other heart disease	M F	288 429	— —	— —	— —	— —	— —	5 37	30 90	57 296	196 296	334 361	— —	— —	— —	— —	— —	7 4	40 32	90 84							
21 Other circulatory disease	M F	61 64	— —	— —	— —	— —	— —	1 9	9 11	16 43	36 76	47 76	— —	— —	— —	— —	— —	1 8	19 19	24 18							
22 Influenza	M F	53 74	— —	— —	— 1	— —	— —	1 2	10 5	15 16	27 49	46 63	— —	— —	— 1	— —	— —	— —	6 8	14 17							
23 Pneumonia	M F	55 57	2 3	6 4	— —	— —	— 1	— 5	15 12	19 23	51 51	51 51	1 1	2 3	— —	— —	1 1	3 3	9 12	17 5							
24 Bronchitis	M F	85 63	— —	— —	— 1	— —	— —	2 1	24 13	23 42	36 33	91 79	— —	2 —	— —	— —	— —	— —	21 6	28 13							
25 Other diseases of respiratory system	M F	30 13	— —	1 —	— —	— —	— —	1 1	13 5	3 3	19 13	— —	— —	— 1	— —	— —	1 2	1 2	6 1	2 1							
26 Ulcer of stomach and duodenum	M F	15 10	— —	— —	— —	— 1	— —	1 1	6 4	5 2	3 2	20 9	1 —	— —	— —	— —	— —	1 1	6 2	6 1							
27 Gastritis, enteritis and diarrhoea	M F	4 18	— —	1 2	1 —	— 1	— —	— 2	— 4	— 3	— 6	6 7	— —	2 —	— —	— —	— —	— —	1 1	2 2							
28 Nephritis and nephrosis	M F	17 27	— —	— —	— —	— —	— —	1 3	5 8	4 7	7 9	21 24	— —	— —	— —	1 1	— —	— —	6 7	2 3							
29 Hyperplasia of prostate	M	42	—	—	—	—	—	—	1	10	31	31	—	—	—	—	—	5	1	13							
30 Pregnancy, childbirth, abortion.	F	1	—	—	—	—	1	—	—	—	—	6	—	—	—	—	—	—	—	—							
31 Congenital malformations	M F	14 11	4 7	5 1	— —	2 1	— —	— —	3 —	— 1	— 1	16 7	7 8	— —	1 1	— —	— —	2 2	2 4	— —							
32 Other defined and illdefined dis.	M F	140 159	26 12	2 —	— 2	— —	— 1	8 5	22 25	31 27	51 87	156 178	31 28	3 1	— —	2 2	12 12	32 26	26 26								
33 Motor vehicle accidents	M F	16 2	— —	— —	— 1	1 —	5 —	— —	8 1	2 —	— —	23 5	— —	— —	2 —	1 —	6 2	6 2	4 9	2 1							
34 All other accidents	M F	23 31	— —	— —	— —	3 —	4 2	5 1	6 3	3 5	2 20	32 20	— —	3 1	1 —	— —	— —	— —	— —	— —							
35 Suicide	M F	13 18	— —	— —	— —	— —	— 2	5 4	5 8	3 3	— —	17 6	— —	— —	— —	— —	— —	— —	9 3	3 1							
36 Homicide, operations of war	M F	1 —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —							

TABLE 20—continued—Administrative County of Southampton.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	2029 2013	50 43	43 11	20 15	14 8	32 9	84 82	479 322	588 518	719 1005	1629 1462	55 34	25 15	16 14	14 8	22 17	82 48	343 233	426 326	646 767		
Tuberculosis respiratory	M F	48 27	—	—	2	—	2	7	28	8	3	32	—	—	—	—	—	12	15	4	1		
Tuberculosis other	M F	4 1	—	—	2	—	—	2	1	—	—	7	—	—	2	—	1	1	3	1	—		
Syphilitic disease	M F	14 5	—	—	—	—	—	—	5	8	1	8	—	—	—	—	—	—	3	2	—		
Diphtheria	M F	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—	—	1	—		
Whooping cough	M F	5 1	—	4	1	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—		
Meningococcal infections	M F	3	—	—	3	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—		
Acute poliomyelitis	M F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—		
Measles	M F	1 1	—	—	1	—	1	—	—	—	—	1 1	—	—	1	—	—	1	—	—	—		
Other infective, etc., diseases	M F	5 3	—	—	—	—	1	—	1	2	2	7	—	—	1	2	—	3	1	—	—		
Malignant neoplasm: stomach	M F	56 36	—	—	—	—	—	1	21	21	13	29	—	—	—	—	1	11	12	5	—		
lung, bronchus	M F	66 10	—	—	—	—	—	3	35	21	7	55	—	—	—	—	—	32	15	8	—		
breast	M F	1 67	—	—	—	—	—	7	28	15	17	51	—	—	—	—	4	23	12	12	—		
uterus	M F	35	—	—	—	—	—	3	12	15	5	23	—	—	—	—	9	8	6	—	—		
Other malignant and lymphatic neoplasms	M F	180 166	—	—	1	—	3	7	46	67	57	155	—	—	—	1	2	7	36	49	60		
Leukemia, aleukemia	M F	4 5	—	—	—	—	—	1	3	2	—	14	—	1	1	1	1	5	4	1	—		
Diabetes	M F	13 14	—	—	—	—	—	1	2	4	7	11	—	—	—	—	1	1	3	6	—		
Vascular lesions of nervous system	M F	237 317	—	—	—	—	1	4	43	75	114	148	—	—	—	2	—	30	42	74	—		
Coronary disease, angina	M F	306 191	—	—	1	—	—	5	103	111	86	206	—	—	—	—	—	48	81	72	—		
Hypertension with heart disease	M F	63 71	—	—	—	—	—	2	15	27	19	30	—	—	—	—	—	5	13	12	—		
Other heart disease	M F	324 449	—	—	—	—	—	7	32	85	200	330	—	—	1	—	4	34	83	208	—		
Other circulatory disease	M F	73 70	—	—	—	—	—	4	8	26	35	66	—	—	—	—	1	7	21	37	—		
Influenza	M F	48 49	—	1	—	—	1	1	15	10	20	31	1	1	—	—	2	5	9	14	—		
Pneumonia	M F	75 77	4 5	16 5	5 3	2	—	1	11	14	23	53	7	11	1	—	2	10	16	19	—		
Bronchitis	M F	101 65	—	1	—	1	—	1	32	29	37	81	—	—	—	—	1	28	20	32	—		
Other diseases of respiratory system	M F	18 15	—	1	—	—	—	1	7	6	2	16	—	—	1	—	—	1	4	5	—		
Ulcer of stomach and duodenum	M F	34 17	—	—	—	—	—	5	11	10	8	28	—	—	—	—	—	3	11	10	—		
Gastritis, enteritis and diarrhoea	M F	12 12	—	3 2	—	—	—	—	4	4	9	6	—	—	—	—	—	—	2	1	—		
Nephritis and nephrosis	M F	16 23	—	—	—	1	—	3	4	5	3	28	—	—	—	1	1	4	8	6	—		
Hyperplasia of prostate gland	M F	27 6	—	—	—	—	—	2	6	7	20	25	—	—	—	—	—	3	2	20	—		
Pregnancy, childbirth, abortion	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Congenital malformations	M F	16 19	6 12	6 2	1 2	1	—	—	—	1	—	10	4	4	—	—	1	1	—	—	—		
Other defined and ill-defined dis.	M F	178 199	39 25	8 1	4 2	2	2	5	35	38	45	155	42	4	6	3	1	8	24	18	49		
Motor vehicle accidents	M F	39 4	—	—	—	5	13	11	6	2	2	37	—	—	1	3	10	12	6	2	7		
All other accidents	M F	37 40	1 —	3 —	—	2	4	10	6	3	8	27	—	—	1	1	4	3	4	3	—		
Suicide	M F	23 18	—	—	—	—	1	4	7	7	4	13	—	—	—	—	—	6	5	2	—		
Homicide, operations of war	M F	3 —	—	—	—	—	1	—	2	—	—	2	—	—	—	—	—	1	3	2	—		

TABLE 20—continued—Administrative County of Stafford.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes		M F	3907 3411	142 80	85 55	39 34	34 30	50 44	257 198	1112 724	1070 888	1118 1358	1232 1069	36 34	33 16	9 9	19 8	22 7	67 61	275 181	321 270	4 4	
1	Tuberculosis	M F	150 87	— —	— 1	2 1	— —	7 18	48 40	79 23	14 3	— 1	18 9	— —	— —	— —	— —	1 1	8 6	7 2	2 2		
2	Tuberculosis	M F	15 19	— —	1 1	2 7	1 4	— 2	4 1	3 2	4 1	— 1	3 6	— —	— —	1 1	1 1	2 1	— —	— 2			
3	Syphilitic disease	M F	6 4	— —	1 1	— —	— —	— 1	1 1	1 3	2 —	— 1	3 —	— —	— —	— —	— —	1 1	1 —	— —			
4	Diphtheria	M F	3 5	— —	— —	— 1	1 4	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
5	Whooping cough	M F	8 6	— —	5 4	3 1	— —	— —	— 1	— —	— —	— —	3 5	— —	3 4	— 1	— —	— —	— —	— —			
6	Meningococcal infections	M F	1 5	— —	1 1	— —	2 —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
7	Acute poliomyelitis	M F	1 2	— —	— —	1 —	2 —	— —	— —	— —	— —	— —	2 1	— —	— —	— —	1 —	1 —	— —	— —			
8	Measles	M F	3 5	— —	— 3	2 1	1 —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —			
9	Other infective, etc., diseases	M F	3 10	— —	1 3	— 1	— —	2 —	2 5	1 23	1 27	1 21	1 31	— —	— —	— —	— —	— —	1 11	— 10			
10	Malignant neoplasm: stomach	M F	112 76	— —	— —	— —	— —	1 5	11 50	53 23	31 27	19 21	31 30	— —	— —	— —	— —	1 1	— —	— —			
11	lung, bronchus	M F	129 26	— —	— —	— —	— —	14 5	81 10	23 6	27 5	7 9	44 9	— —	— —	— —	— —	5 1	28 4	8 3			
12	breast	M F	1 103	— —	— —	— —	— —	— —	— 13	1 54	1 20	— 16	— 33	— —	— —	— —	— —	— 5	— 12	— 9			
13	uterus	M F	45 —	— —	— —	— —	— —	— 8	18 13	— 54	— 20	— 16	— 33	— —	— —	— —	— —	— 5	— 12	— 9			
14	Other malignant and lymphatic neoplasms	M F	267 261	— —	— —	1 2	2 2	19 17	83 110	91 66	73 63	120 72	— —	— —	— —	2 —	— —	2 2	31 18	49 25			
15	Leukæmia, aleukæmia	M F	11 16	— —	— 1	— 1	— —	— 1	— 8	— 3	— 1	— 1	— —	— —	1 —	— —	— —	— —	— —	— —			
16	Diabetes	M F	16 42	— —	— —	— —	1 —	— 1	— 9	2 16	7 15	5 11	— —	— —	— —	— —	— —	— 2	1 3	2 5			
17	Vascular lesions of nervous system	M F	381 424	— —	— —	— —	2 1	11 7	93 75	131 138	144 203	107 157	— —	— —	— —	— —	— —	4 4	19 32	37 42			
18	Coronary disease, angina	M F	386 208	— —	— —	— —	— —	12 2	149 45	143 103	82 58	125 74	— —	— —	— —	— —	— —	4 1	41 18	45 24			
19	Hypertension with heart disease	M F	109 121	— —	— —	— —	— —	2 2	24 44	51 —	22 —	— —	— —	— —	— —	— —	— —	— 2	7 6	— —			
20	Other heart disease	M F	675 766	— —	— —	— —	1 8	5 34	25 98	112 30	301 45	233 207	— —	— —	— —	1 —	1 —	3 3	16 15	60 51			
21	Other circulatory disease	M F	94 83	— —	— —	— —	— 1	— 1	4 15	15 19	30 47	45 31	— —	— —	— —	— —	1 —	1 —	8 2	13 6			
22	Influenza	M F	160 131	— —	4 —	2 1	1 —	2 3	4 20	50 47	44 60	53 36	— —	— —	— —	1 —	1 —	3 3	8 8	9 22			
23	Pneumonia	M F	144 108	11 27	4 14	3 4	— 1	1 6	38 30	30 28	28 39	32 32	— —	2 2	9 4	— 2	— 1	3 4	8 7	— —			
24	Bronchitis	M F	360 181	1 2	3 2	1 1	— —	2 1	7 1	132 33	113 55	101 88	74 55	— —	3 —	1 —	— —	1 1	18 7	16 12			
25	Other diseases of respiratory system	M F	61 23	— 1	— 1	3 —	— —	— —	5 3	25 8	17 3	10 8	14 9	— —	— —	— —	— —	1 1	3 2	5 3			
26	Ulcer of stomach and duodenum	M F	56 15	— —	— —	— —	— —	— —	4 1	29 6	17 5	6 8	9 8	— —	— —	— —	— —	— 2	5 2	— 5			
27	Gastritis, enteritis and diarrhoea	M F	16 28	— 2	6 8	1 2	— 1	— —	1 8	5 5	2 2	16 10	— 1	7 4	— —	— —	— —	1 1	— —	— —			
28	Nephritis and nephrosis	M F	47 43	— —	— —	1 —	1 —	2 2	10 7	19 16	8 12	6 18	21 24	— —	— —	— —	— —	1 2	9 6	6 4			
29	Hyperplasia of prostate	M F	53 8	— —	— —	— —	— —	— 1	— 7	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
30	Pregnancy, childbirth, abortion	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
31	Congenital malformations	M F	41 32	18 13	10 8	4 2	— 1	3 1	4 1	1 5	— —	1 —	13 9	4 7	3 1	1 —	1 —	2 1	1 —	— —			
32	Other defined and ildefined dis.	M F	439 446	110 59	14 6	9 4	7 5	10 4	20 17	60 72	51 78	158 209	147 168	30 23	5 2	3 3	4 4	6 12	25 20	20 22			
33	Motor vehicle accidents	M F	46 14	— —	— —	4 2	10 3	5 4	14 3	8 2	4 1	1 —	27 5	— —	— —	— —	6 —	6 2	8 5	5 1			
34	All other accidents	M F	83 46	2 1	11 3	1 4	5 1	5 —	21 2	17 6	13 5	8 24	27 13	— —	2 —	2 —	3 —	2 —	8 2	1 4			
35	Suicide	M F	29 22	— —	— —	— —	— —	— 1	8 7	12 9	6 5	3 —	7 9	— —	— —	— —	— —	2 1	— 6	— 4			
36	Homicide, operations of war	M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			

TABLE 20—continued—Administrative County of Suffolk East.

Causes of Death (See first page of Table)		Aggregate of Urban Districts										Aggregate of Rural Districts									
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over
All Causes	M	676	7	10	—	3	3	28	133	215	277	778	25	5	5	8	9	31	149	200	346
	F	682	11	10	7	2	5	20	100	153	374	737	18	9	4	1	4	21	129	171	380
Tuberculosis	M	13	—	—	—	—	—	3	6	4	—	12	—	—	—	—	—	7	3	2	—
respiratory	F	9	—	—	—	—	—	3	4	2	—	12	—	—	—	—	—	1	6	4	—
Tuberculosis	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
other	F	1	—	—	1	—	—	—	—	—	—	3	—	—	—	—	1	—	—	—	—
Syphilitic disease	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	2	—	—
	F	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	1	—
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—
Meningococcal	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
infections	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Acute poliomyelitis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Other infective, etc.,	M	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—	—	—	1	1	—
diseases	F	3	—	—	—	—	—	—	3	—	—	2	—	—	—	—	—	1	—	1	—
Malignant neoplasm:	M	16	—	—	—	—	—	1	6	5	4	14	—	—	—	—	—	—	2	4	8
stomach	F	10	—	—	—	—	—	—	1	2	7	18	—	—	—	—	—	—	5	3	10
lung, bronchus	M	22	—	—	—	—	—	1	13	7	1	20	—	—	—	—	—	—	14	4	2
	F	6	—	—	—	—	—	—	4	1	—	6	—	—	—	—	—	—	3	1	2
breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	20	—	—	—	—	—	2	5	6	7	16	—	—	—	—	—	1	8	3	4
uterus	M	9	—	—	—	—	—	2	4	3	—	6	—	—	—	—	—	—	4	1	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other malignant and	M	75	—	—	—	—	—	4	17	25	29	81	—	—	—	1	—	5	19	23	33
lymphatic neoplasms	F	37	—	—	—	—	—	2	13	11	11	45	—	—	—	—	—	1	25	5	12
Leukæmia,	M	4	—	—	—	—	—	1	2	—	1	3	—	—	—	—	—	—	1	1	1
leukæmia	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	—	—
Diabetes	M	2	—	—	—	—	—	—	1	1	—	6	—	—	—	—	—	1	3	—	2
	F	10	—	—	—	—	—	1	1	5	3	10	—	—	—	—	—	1	4	2	3
Vascular lesions of	M	62	—	—	—	—	—	—	8	30	24	86	—	—	—	—	—	2	8	22	54
nervous system	F	100	—	—	—	—	—	14	24	62	112	—	—	—	—	—	—	1	11	36	64
Coronary disease,	M	103	—	—	—	—	—	1	15	51	36	100	—	—	—	—	—	2	25	37	36
angina	F	56	—	—	—	—	—	—	5	24	27	65	—	—	—	—	—	—	6	28	31
Hypertension with	M	34	—	—	—	—	—	1	6	10	17	18	—	—	—	—	—	—	4	7	7
heart disease	F	27	—	—	—	—	—	—	3	12	12	19	—	—	—	—	—	—	2	7	10
Other heart disease	M	119	—	—	—	—	—	1	6	31	81	169	—	—	—	—	—	1	8	47	113
	F	172	—	—	—	—	—	9	24	139	187	—	—	—	—	—	—	2	12	34	139
Other circulatory	M	27	—	—	—	—	—	2	8	17	25	—	—	—	—	—	—	—	2	11	12
disease	F	24	—	—	—	—	—	3	8	13	21	—	—	—	—	—	—	—	7	3	11
Influenza	M	17	—	—	—	—	—	1	6	5	5	26	—	—	1	—	—	—	5	6	14
	F	28	—	—	—	—	—	—	1	6	20	32	—	—	1	—	—	—	1	13	14
Pneumonia	M	15	—	—	—	—	—	—	8	3	4	22	1	1	—	—	—	—	5	7	7
	F	20	—	1	1	—	—	2	6	3	7	26	1	3	1	—	—	1	3	5	12
Bronchitis	M	42	—	—	—	—	—	—	11	12	19	45	—	—	—	—	—	—	11	11	23
	F	30	—	1	—	—	—	1	2	7	19	34	—	1	—	—	—	—	3	9	21
Other diseases of	M	2	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	1	1	3
respiratory system	F	5	—	—	—	—	—	1	—	1	3	5	1	—	—	—	—	—	1	2	1
Ulcer of stomach	M	12	—	1	—	—	—	1	8	2	—	3	—	—	—	—	—	—	2	—	1
and duodenum	F	3	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	1	—	—
Gastritis, enteritis	M	8	—	6	—	—	—	—	—	2	—	4	—	—	—	—	—	1	1	—	—
and diarrhoea	F	9	1	5	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—
Nephritis and	M	12	—	—	—	—	1	—	3	5	3	3	—	—	—	—	1	—	—	—	1
nephrosis	F	10	—	1	—	—	—	2	3	4	—	6	—	—	—	—	—	—	3	1	2
Hyperplasia of prostate	M	15	—	—	—	—	—	—	—	4	11	13	—	—	—	—	—	—	—	4	9
Pregnancy, childbirth,	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
abortion																					
Congenital	M	3	—	—	—	—	1	2	—	—	—	7	1	3	1	—	—	—	2	—	—
malformations	F	3	—	—	1	—	1	—	—	—	—	6	2	2	—	—	—	—	—	—	—
Other defined and	M	49	7	2	—	1	1	6	8	7	17	61	23	1	—	2	—	5	11	8	11
illdefined dis.	F	60	9	—	—	1	3	3	15	4	25	72	14	1	1	1	—	2	16	11	26
Motor vehicle	M	3	—	—	—	—	—	—	—	1	2	14	—	—	—	1	3	2	4	1	3
accidents	F	2	—	—	1	—	—	—	—	—	—	4	—	—	—	—	—	3	1	—	—
All other accidents	M	12	—	1	—	1	—	3	1	—	6	15	—	—	—	1	3	3	4	1	3
	F	17	—	1	1	—	—	—	—	2	13	15	—	—	—	—	—	1	—	—	13
Suicide	M	5	—	—	—	—	—	1	4	—	—	15	—	—	—	—	1	1	9	2	2
	F	5	—	—	—	—	—	—	3	1	—	4	—	—	—	—	—	—	3	1	—
Homicide, operations	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
of war	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

TABLE 20—continued—Administrative County of Suffolk West.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes		M F	283 300	5 6	5 4	4 3	3 1	5	15 12	57 49	87 71	102 154	506 506	8 11	7 7	2 3	6 1	14 13	20 84	85 111			
1	Tuberculosis	M F	2 6						1 3	1		2	9 6					2 1	4 3	2 1			
2	Tuberculosis other	M F	1 1			1 1							1 1					1					
3	Syphilitic disease	M F	2 2							1 1	1 1		1 1						1				
4	Diphtheria	M F																					
5	Whooping cough	M F	2 1		1 1		1																
6	Meningococcal infections	M F																					
7	Acute poliomyelitis	M F							1														
8	Measles	M F																					
9	Other infective, etc., diseases	M F	2 3						1 1	1 1			2				1		1				
10	Malignant neoplasm: stomach	M F	4 5						1 2	1 2	1 2	1 1	15 11						4 1	5 1			
11	lung, bronchus	M F	8 4							3 4	5		5 2						2	2			
12	breast	M F								4	4	5	10 6						8 3	1 2			
13	uterus	M F	13 4						1 2		1												
14	Other malignant and lymphatic neoplasms	M F	25 27						2 2	6 9	10 9	7 7	41 40						9 10	10 14			
15	Leukæmia, aleukæmia	M F	2			1			1				2				1	1					
16	Diabetes	M F	1 2									1 2	2 7							1 2			
17	Vascular lesions of nervous system	M F	24 38					1		7 3	7 14	9 21	50 74						3 13	5 16			
18	Coronary disease, angina	M F	37 22						2	10 8	19 13	6 40	49 40					1 1	10 5	17 11			
19	Hypertension with heart disease	M F	7 5							3 1	3 4	1 14	17 14					1 2	3 6				
20	Other heart disease	M F	57 61				1			2 3	16 11	38 46	109 134				1	3	7 8	25 23			
21	Other circulatory disease	M F	8 8						1 4	1 2	5 4	5 12	10 12						3 4	2 1			
22	Influenza	M F	8 8						1 1	2 1	1 3	4 7	23 16						4 3	6 4			
23	Pneumonia	M F	15 18	1	2				1 1	1 2	3 2	7 13	30 24	1 1	3 1	1		1	6 2	5 8			
24	Bronchitis	M F	16 12							2 3	7 3	7 9	22 19						5 3	2 3			
25	Other diseases of respiratory system	M F	3 2						1		1		1 5			1		1 1	1 3				
26	Ulcer of stomach and duodenum	M F	3 3							2 1	1		9 5					1 1	5 4				
27	Gastritis, enteritis and diarrhœa	M F										2	3		1 2				1 1				
28	Nephritis and nephrosis	M F	6 3						1	2 1	1	2 5	6 4					1		1 2			
29	Hyperplasia of prostate	M	8							1	3	4	7					2		2			
30	Pregnancy, childbirth, abortion	F											2										
31	Congenital malformations	M F		2		1	1						3 6		2			1 2					
32	Other defined and illdefined dis.	M F	27 34	4 4	2 1					5 6	7 7	8 15	59 50	7 7	1 2		2	2 10	11 16				
33	Motor vehicle accidents	M F	8			1	1	4	2				9 1			1	3	2 4	1 2				
34	All other accidents	M F	3 6		1	1			1		1	3	17 9		2	1							
35	Suicide	M F	4 5						1	3 4			6 2						3 1	1 1			
36	Homicide, operations of war	M F											1										

TABLE 20—continued—Administrative County of Surrey.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M	6509	143	43	47	49	70	306	1713	1872	2266	847	23	11	6	5	10	39	185	242	326		
	F	6926	115	38	41	43	27	269	1212	1602	3579	829	10	4	5	5	4	20	135	207	439		
Tuberculosis	M	164	—	—	—	1	6	48	70	31	8	17	—	—	—	—	—	8	5	4	—		
respiratory	F	74	—	—	—	—	5	35	22	8	4	5	—	—	—	—	1	1	3	—			
Tuberculosis	M	18	—	—	1	6	2	4	2	2	1	—	—	—	—	—	—	—	—	—	—		
other	F	17	—	1	—	3	2	3	5	3	—	2	—	—	—	—	1	—	1	—			
Syphilitic disease	M	41	—	—	—	—	1	1	15	17	7	5	—	—	—	—	1	1	1	2	—		
	F	22	—	—	—	—	—	2	5	10	5	—	—	—	—	—	—	—	—	—	—		
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Meningococcal	M	2	—	1	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—		
infections	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	M	2	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—		
Acute poliomyelitis	M	2	—	—	1	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—		
	F	3	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	M	5	—	—	4	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—		
	F	8	—	1	3	1	—	2	—	1	—	3	—	1	2	—	—	—	—	—	—		
Other infective, etc.,	M	14	—	—	3	—	1	2	4	3	1	1	—	—	—	—	—	—	—	1	—		
diseases	F	12	—	—	1	1	1	2	2	4	1	1	—	1	—	—	—	—	—	—	—		
Malignant neoplasm:	M	168	—	—	—	—	—	6	55	65	42	11	—	—	—	—	—	3	5	3	—		
stomach	F	160	—	—	—	—	—	6	38	45	71	16	—	—	—	—	—	2	10	4	—		
Lung, bronchus	M	320	—	—	—	—	—	15	190	84	31	43	—	—	—	—	2	18	18	5	—		
	F	67	—	—	—	—	—	5	22	20	20	8	—	—	—	1	—	3	4	—	—		
breast	M	4	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—	—		
	F	258	—	—	—	—	—	23	115	56	64	37	—	—	—	—	3	17	9	8	—		
uterus	F	105	—	—	—	—	—	11	42	26	26	9	—	—	—	—	1	4	2	2	—		
Other malignant and	M	604	—	2	5	7	5	46	168	182	189	78	1	1	—	—	2	3	25	17	29		
lymphatic neoplasms	F	583	—	1	6	2	25	181	180	188	68	—	—	1	—	—	7	23	15	22	—		
Leukæmia,	M	30	—	—	2	3	2	3	8	7	5	2	—	1	—	—	—	—	1	—	—		
aleukæmia	F	26	—	—	1	2	2	5	9	4	3	2	—	—	—	—	—	1	—	1	—		
Diabetes	M	29	—	—	1	—	—	2	4	9	13	5	—	—	—	—	—	3	—	2	—		
	F	41	—	—	—	—	—	2	10	11	18	3	—	—	—	—	—	1	—	—	—		
Vascular lesions of	M	677	—	—	—	—	1	8	154	209	305	94	—	—	—	—	1	16	34	43	—		
nervous system	F	1034	—	—	—	—	—	7	156	268	603	148	—	—	—	—	—	25	40	83	—		
Coronary disease,	M	998	—	—	—	—	2	28	344	346	278	120	—	—	—	—	5	34	43	38	—		
angina	F	682	—	—	—	—	—	5	83	251	343	88	—	—	—	—	—	7	33	48	—		
Hypertension with	M	200	—	—	—	—	—	1	42	72	85	37	—	—	—	—	—	7	18	12	—		
heart disease	F	234	—	—	—	—	—	2	32	65	135	35	—	—	—	—	—	3	9	23	—		
Other heart disease	M	899	—	—	—	—	3	13	107	253	523	123	—	—	—	—	1	12	29	81	—		
	F	1339	—	1	—	—	—	15	123	232	968	180	—	—	—	—	—	15	28	137	—		
Other circulatory	M	282	—	—	—	—	—	5	61	80	136	29	—	—	—	—	—	1	4	8	16		
disease	F	341	—	—	—	—	1	6	46	77	211	30	—	—	—	—	—	4	10	16	—		
Influenza	M	140	—	—	—	—	1	8	36	42	53	24	—	—	—	—	1	1	6	4	12		
	F	176	—	—	—	2	1	10	28	34	101	17	—	—	—	—	—	7	9	—	—		
Pneumonia	M	253	8	12	8	1	1	6	39	70	108	44	—	2	1	1	—	7	13	20	—		
	F	338	4	10	12	2	—	9	32	73	196	27	—	1	—	1	—	6	4	15	—		
Bronchitis	M	427	1	6	2	3	—	2	130	134	149	50	—	—	—	—	1	7	22	20	—		
	F	256	—	1	1	1	—	4	33	55	161	24	—	—	—	—	—	3	4	20	—		
Other diseases of	M	71	—	—	1	1	1	5	23	22	18	9	—	—	—	—	—	3	3	3	—		
respiratory system	F	44	—	—	1	2	—	4	12	6	19	9	—	—	—	—	—	1	4	4	—		
Ulcer of stomach	M	105	—	—	—	—	—	7	36	39	23	12	—	—	—	—	1	7	4	—	—		
and duodenum	F	42	—	—	—	—	—	1	8	13	20	4	—	—	—	—	—	2	1	—	—		
Gastritis, enteritis	M	24	—	2	—	—	—	1	5	5	11	3	—	1	1	—	—	—	—	—	—		
and diarrhoea	F	30	1	1	1	—	—	—	4	5	18	1	—	—	—	—	—	—	—	1	—		
Nephritis and	M	76	—	—	—	1	2	5	21	26	21	8	—	—	—	—	—	5	2	1	—		
nephrosis	F	70	—	—	—	2	1	9	21	17	20	4	—	—	—	—	—	—	3	8	—		
Hyperplasia of prostate	M	120	—	—	—	—	—	1	7	30	82	12	—	—	—	—	—	1	3	—	—		
Pregnancy, childbirth,	F	8	—	—	—	—	1	7	—	—	—	1	—	—	—	—	—	—	—	—	—		
abortion																							
Congenital	M	74	22	12	2	4	6	9	14	4	1	9	2	5	—	1	—	1	—	—	—		
malformations	F	83	23	15	1	3	—	8	20	3	10	5	—	—	—	—	—	2	1	—	—		
Other defined and	M	501	107	7	8	6	10	28	101	96	138	76	20	—	1	1	6	15	5	28	—		
illdefined dis.	F	668	87	2	7	12	6	32	113	104	305	79	8	—	—	2	3	11	16	37	—		
Motor vehicle	M	84	—	—	2	7	16	24	21	9	5	12	—	—	—	—	5	1	3	—	2		
accidents	F	38	—	—	2	6	2	8	6	8	6	4	—	—	—	—	—	—	3	1	—		
All other accidents	M	100	5	2	7	6	9	15	20	18	18	14	—	1	—	1	3	2	3	—	—		
	F	114	—	3	4	2	4	6	16	16	63	8	—	—	3	—	—	—	—	—	—		
Suicide	M	75	—	—	—	1	—	12	33	16	13	6	—	—	—	—	—	2	1	3	—		
	F	48	—	—	—	—	1	13	27	7	1	9	—	—	—	—	—	3	5	—	—		
Homicide, operations	M	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
of war	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

TABLE 20—continued—Administrative County of Sussex East.

Causes of Death (See first page of Table)		Aggregate of Urban Districts										Aggregate of Rural Districts									
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over
All Causes	M	1166	19	11	8	1	6	35	257	335	49	1034	15	9	7	12	14	36	201	288	4
	F	1601	13	9	6	3	9	42	262	364	89	1094	14	12	4	5	4	39	163	296	5
1 Tuberculosis respiratory	M	14	—	—	—	—	—	7	5	1	1	15	—	—	—	—	—	—	7	3	—
	F	14	—	—	—	—	—	5	6	2	1	8	—	—	—	—	—	2	3	3	—
2 Tuberculosis other	M	2	—	—	—	—	—	—	1	1	—	4	—	—	2	—	—	1	—	—	—
	F	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Syphilitic disease	M	5	—	—	—	—	—	—	2	1	—	2	—	—	—	—	—	—	1	1	—
	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
6 Meningococcal infections	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
7 Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Other infective, etc., diseases	M	3	—	—	—	—	—	—	1	1	1	5	—	—	—	—	—	2	1	2	—
	F	4	—	—	1	—	—	—	1	2	2	2	—	—	—	—	—	1	1	—	—
10 Malignant neoplasm: stomach	M	34	—	—	—	—	—	—	8	14	12	33	—	—	—	—	—	1	8	14	—
	F	30	—	—	—	—	—	—	5	12	13	20	—	—	—	—	—	—	4	7	—
11 lung, bronchus	M	56	—	—	—	—	—	—	37	16	3	23	—	—	—	—	—	1	14	6	—
	F	16	—	—	—	—	—	—	7	7	3	12	—	—	—	—	—	—	6	—	—
12 breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	65	—	—	—	—	—	3	30	19	13	32	—	—	—	—	—	2	17	6	—
13 uterus	M	26	—	—	—	—	—	1	14	6	5	17	—	—	—	—	—	2	4	6	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Other malignant and lymphatic neoplasms	M	116	—	—	—	—	2	2	24	43	4	101	—	—	—	—	2	1	28	41	2
	F	131	—	—	—	—	8	8	30	27	50	86	—	—	—	—	5	18	28	3	—
15 Leukæmia, aleukæmia	M	4	—	—	1	—	—	—	2	1	—	5	—	—	1	2	—	1	1	—	—
	F	7	—	—	1	—	—	—	2	4	—	9	—	—	1	1	—	5	1	—	—
16 Diabetes	M	8	—	—	—	—	—	—	1	3	4	4	—	—	—	—	—	—	1	1	—
	F	9	—	—	—	—	—	—	2	4	3	13	—	—	—	—	—	1	3	4	—
17 Vascular lesions of nervous system	M	146	—	—	—	—	—	—	31	40	72	134	—	—	—	—	—	1	19	44	7
	F	255	—	—	—	1	—	3	34	54	163	198	—	—	—	—	—	3	31	71	9
18 Coronary disease, angina	M	172	—	—	—	—	—	1	50	66	52	142	—	—	—	—	—	1	34	53	5
	F	143	—	—	—	—	—	1	20	47	72	105	—	—	—	—	—	—	12	41	5
19 Hypertension with heart disease	M	50	—	—	—	—	—	—	10	21	19	26	—	—	—	—	—	1	6	8	1
	F	48	—	—	—	—	—	—	5	10	33	27	—	—	—	—	—	—	2	6	1
20 Other heart disease	M	214	—	—	—	—	—	1	19	47	147	213	—	—	—	—	—	1	21	48	14
	F	418	—	—	—	—	—	5	21	73	315	265	—	—	—	1	—	5	14	53	19
21 Other circulatory disease	M	38	—	—	—	—	—	1	1	4	6	22	—	—	—	—	—	1	5	9	2
	F	46	—	—	—	—	—	2	4	12	28	43	—	—	—	—	—	5	15	2	—
22 Influenza	M	17	—	—	—	—	—	—	3	5	9	18	—	—	—	—	—	1	1	7	—
	F	35	—	—	—	—	—	—	6	8	18	16	—	—	—	—	—	—	1	4	1
23 Pneumonia	M	32	2	3	—	1	1	—	4	6	15	38	—	1	—	2	—	1	5	8	—
	F	53	2	1	1	—	—	—	5	13	31	36	1	5	1	—	—	4	7	1	—
24 Bronchitis	M	41	—	—	—	—	—	1	11	13	16	38	—	—	1	—	—	1	6	10	2
	F	56	—	2	—	—	—	1	8	11	34	23	—	—	—	—	—	1	2	2	—
25 Other diseases of respiratory system	M	10	—	—	—	—	—	1	5	2	7	12	—	1	—	—	—	1	3	—	—
	F	5	—	—	—	1	1	—	3	—	—	—	—	—	—	—	—	2	4	—	—
26 Ulcer of stomach and duodenum	M	15	—	—	—	—	—	2	5	6	2	17	—	—	—	—	—	2	5	5	—
	F	13	—	—	—	—	—	—	5	1	7	4	—	—	—	—	—	—	1	—	—
27 Gastritis, enteritis and diarrhoea	M	10	—	4	—	—	—	1	2	2	1	5	—	—	1	—	—	—	—	—	—
	F	7	—	—	—	—	—	—	2	4	1	4	—	1	—	—	—	1	—	—	—
28 Nephritis and nephrosis	M	18	—	—	—	—	—	1	5	7	5	10	—	—	—	—	—	2	3	1	—
	F	14	—	—	—	—	—	2	2	3	7	12	—	—	—	—	—	—	4	—	—
29 Hyperplasia of prostate	M	18	—	—	—	—	—	—	—	7	11	19	—	—	—	—	—	1	7	1	—
30 Pregnancy, childbirth, abortion	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
31 Congenital malformations	M	8	3	2	—	—	—	—	3	—	—	7	4	—	—	—	1	—	1	—	—
	F	11	3	2	—	—	—	1	4	—	1	9	1	1	—	—	2	—	4	—	—
32 Other defined and illdefined dis.	M	92	13	1	6	1	1	3	14	23	30	77	11	5	—	3	4	7	12	11	2
	F	151	8	2	1	—	2	6	29	39	64	104	12	4	—	2	12	18	21	33	—
33 Motor vehicle accidents	M	11	—	—	—	—	—	2	1	—	6	15	—	—	—	—	—	2	7	1	—
	F	5	—	—	—	—	—	1	—	1	3	1	—	—	—	—	—	1	—	—	—
34 All other accidents	M	17	1	1	1	—	1	6	3	1	2	25	—	1	1	1	5	4	3	3	—
	F	18	—	2	—	—	—	3	1	2	10	20	—	1	—	—	—	—	1	1	—
35 Suicide	M	14	—	—	—	—	1	4	3	1	5	11	—	—	—	—	1	—	7	2	—
	F	16	—	—	—	—	—	1	10	1	—	5	—	—	—	—	—	—	4	1	—
36 Homicide, operations of war	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—continued—Administrative County of Sussex West.

Causes of Death (See first page of Table)		Aggregate of Urban Districts												Aggregate of Rural Districts											
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over				
All Causes	M	1241	21	10	7	6	4	35	239	393	526	969	27	8	6	5	14	38	185	276	410				
	F	1522	10	7	5	6	7	28	225	382	552	922	11	6	5	3	2	30	168	223	474				
1 Tuberculosis respiratory	M	21		1			1	4	12	2	1	24					1	10	4	8	1				
2 Tuberculosis other	F	15						3	7	3	2	6						1	3	1	1				
	M	4						1	1	1		2			1										
	F	4			1	1	1					2						1	1						
3 Syphilitic disease	M	6							2	3	1	9		1					4	3	1				
4 Diphtheria	F	3							1		2	1								1					
	M																								
	F																								
5 Whooping cough	M											2		1	1										
	F	1			1							3		2											
6 Meningococcal infections	M																1								
	F											1													
7 Acute poliomyelitis	M											2				1	1								
8 Measles	F	1																							
	M	1		1					1																
	F																								
9 Other infective, etc., diseases	M	4					1	1	1		1	3						1	1	1					
	F	3							1		2	2			1										
0 Malignant neoplasm: stomach	M	33							10	16	7	23							5	7	11				
	F	34							12	6	16	27							8	9	10				
1 lung, bronchus	M	52							5	24	14	9	4					1	18	24	6				
	F	20							1	8	7	49	12						5	3	4				
2 breast	M								3	16	15	22	37					2	22	6	7				
	F	56																							
3 uterus	M	26							1	9	8	8	18					3	8		7				
	F																								
4 Other malignant and lymphatic neoplasms	M	130						6	29	57	38	85						2	21	32	30				
	F	127						3	36	45	43	88						6	28	27	27				
5 Leukæmia, aleukæmia	M	3							1		2	1							1						
	F	6			1	1			2	2		8				1		1	4	1	1				
6 Diabetes	M	7							1	3	3	1							2	1					
	F	7					1		1	3	2	6						1	2	1					
7 Vascular lesions of nervous system	M	118							21	35	62	96							10	27	58				
	F	232							32	66	134	149						2	21	42	84				
8 Coronary disease, angina	M	191						4	41	83	63	136							31	56	49				
	F	149							14	62	73	75				1			6	26	38				
9 Hypertension with heart disease	M	32							5	9	18	25							10	7	12				
	F	41					1		2	7	31	34							3	13	18				
0 Other heart disease	M	229						11	62	156	192							4	20	48	120				
	F	386						3	25	68	289	202						1	12	35	154				
1 Other circulatory disease	M	39							7	14	18	27							5	5	17				
	F	48						1	6	8	33	37						1	7	11	18				
2 Influenza	M	24							3	9	12	26							4	7	15				
	F	29							4	10	15	12							1	1	10				
3 Pneumonia	M	38		4	1				4	12	17	32		2		1		2	7	5	15				
	F	56		2	1	1		1	5	8	38	43				1		2	3	12	22				
4 Bronchitis	M	73			2				17	26	28	51				1			11	15	24				
	F	56		1					6	16	33	27							4		23				
5 Other diseases of respiratory system	M	16				1		1	11	1	2	12						1	4	4	3				
	F	8							2	3	3	5				1			2	1	1				
6 Ulcer of stomach and duodenum	M	19							5	10	4	10							6	2	2				
	F	12								5	7	9							4	3	2				
7 Gastritis, enteritis and diarrhoea	M	5							1	2	1	6				1			1	2	2				
	F	7	1					1		4	1	7		1					1	2	3				
8 Nephritis and nephrosis	M	15						1	2	4	8	9					1				6				
	F	12					1	1	2	5	3	10						2	2	4	8				
9 Hyperplasia of prostate	M	30							1		6	23						1		3					
0 Pregnancy, childbirth, abortion	F	1										1													
1 Congenital malformations	M	6	4	1				1				9	4	2	1				1	1					
	F	6	2	1			2	1				3						1	1						
2 Other defined and illdefined dis.	M	101	16	2	2	2		6	12	16	45	82	23	2			3	5	14	12	20				
	F	134	7				1	6	25	25	70	82	9					4	13	14	24				
3 Motor vehicle accidents	M	4					2		1		1	15				1	4	2	6	2					
	F	3			1	1					1	3					1	4	1	1					
4 All other accidents	M	23	1	2	2			4	7	3	4	22			2	1		6	4	1	4				
	F	30		2					5	4	19	9		1			1		2	2	5				
5 Suicide	M	14							6	5	3	6							1	2	2				
	F	8					1	1	3	2	1	4						1	1	1					
6 Homicide, operations of war	M	3							3			1													
	F	1						1																	

TABLE 20—continued—Administrative County of Warwick.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes		M F	1833 1822	57 40	18 19	19 13	13 6	22 10	93 80	458 329	542 466	611 859	1003 851	35 24	19 7	8 9	8 7	24 4	53 33	218 151	272 222	366 394	
1	Tuberculosis	M F	50 23	— —	— —	2 —	— —	3 2	11 10	23 8	11 3	— —	18 12	— —	— —	— —	— —	2 4	5 5	9 6	3 —	— —	
2	Tuberculosis	M F	5 6	— —	— —	2 —	1 —	— —	3 1	— —	— 2	— —	7 5	— —	1 —	2 —	— —	2 2	— —	1 —	1 2	— —	
3	Syphilitic disease	M F	11 2	— —	— —	— —	— —	— —	— —	6 —	3 —	2 —	3 —	1 —	— —	— —	— —	— —	— —	2 —	— —		
4	Diphtheria	M F	1 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	2 1	— —	— —	— —	1 —	— —	— —	— —	— —		
5	Whooping cough	M F	1 3	— —	— —	1 —	— —	— —	— —	— —	— —	— —	1 3	— —	1 2	— —	— —	— —	— —	— —	— —		
6	Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	1 —	— —	— —	— —	— —	— —	— —		
7	Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
8	Measles	M F	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —		
9	Other infective, etc., diseases	M F	4 6	— —	— —	— —	— 1	— 2	1 1	1 2	— —	2 —	1 1	— —	— —	— —	— —	— 1	— —	1 —	— —		
10	Malignant neoplasm: stomach	M F	47 37	— —	— —	— —	— —	— —	3 3	18 12	13 10	13 12	24 18	— —	— —	— —	— —	— 1	7 6	12 2	5 9		
11	lung, bronchus	M F	70 14	— —	— —	— —	— —	— —	5 3	35 7	25 4	5 —	23 5	— —	— —	— —	— —	3 1	13 2	5 1	2 1		
12	breast	M F	55 18	— —	— —	— —	— —	— —	5 2	21 7	20 6	9 3	26 10	— —	— —	— —	— —	5 5	10 4	4 1	7 —		
13	uterus	M F	166 150	— —	— —	— 1	— —	12 8	50 45	61 46	42 50	105 53	— —	— —	2 1	— —	2 —	8 2	26 17	34 19	33 14		
14	Other malignant and lymphatic neoplasms	M F	10 8	— —	— —	— 2	— —	— —	1 1	2 3	— —	— —	5 3	— —	— 1	— —	— —	2 1	1 —	1 —	— —		
15	Leukæmia, aleukæmia	M F	9 18	— —	— —	— —	— —	— —	1 2	2 5	3 5	3 6	1 7	— —	— —	— —	— —	— —	— —	1 5	— 1		
16	Diabetes	M F	218 295	— —	— —	— —	— —	— —	3 5	42 47	68 82	105 161	90 126	— —	— —	— —	— —	3 1	18 21	23 39	46 65		
17	Vascular lesions of nervous system	M F	239 155	— —	— —	— —	— —	— —	3 1	79 60	86 59	71 69	132 69	— —	— —	— —	— —	2 2	45 17	51 23	34 33		
18	Coronary disease, angina	M F	56 53	— —	— —	— —	— —	— —	— —	7 8	29 23	20 22	18 28	— —	— —	— —	— —	1 2	2 5	6 7	9 16		
19	Hypertension with heart disease	M F	244 396	— —	— —	1 —	1 —	6 8	30 35	69 84	137 269	146 184	— —	— —	— —	— —	— 1	5 3	17 19	35 43	89 118		
20	Other circulatory disease	M F	54 65	— —	— 1	— —	— —	— 1	8 4	15 13	29 46	36 33	— —	— —	— —	— —	— —	1 2	4 9	9 22	22 —		
21	Influenza	M F	48 64	— —	— —	— —	— —	— 1	13 6	19 14	14 41	48 26	— —	1 —	— —	— —	1 —	1 —	9 2	15 10	21 14		
22	Pneumonia	M F	92 70	1 —	7 9	— —	— —	— 1	16 12	28 10	39 37	50 48	— 4	6 2	— —	— —	— —	1 1	12 4	14 16	13 23		
23	Bronchitis	M F	109 87	— —	1 —	— —	— —	— 2	32 12	35 29	39 44	52 29	— —	— —	— —	— —	— —	— —	3 2	26 6	23 21		
24	Other diseases of respiratory system	M F	27 19	— —	— —	1 —	1 —	— 1	3 3	13 6	5 6	4 3	18 6	— —	1 —	— —	— 1	— —	1 1	8 2	3 2		
25	Ulcer of stomach and duodenum	M F	38 7	— —	— —	— —	— —	— 1	4 —	11 —	17 4	6 4	14 —	— —	— —	— —	— —	2 —	5 2	5 1	5 —		
26	Gastritis, enteritis and diarrhoea	M F	7 5	— —	1 1	— —	— —	— —	— 1	2 2	2 1	1 3	— 4	2 —	— —	— —	— —	— —	— 2	— 1	— —		
27	Nephritis and nephrosis	M F	13 15	— —	— —	— 1	— —	— —	2 4	5 6	2 2	13 9	— —	— —	— —	— —	2 —	1 —	5 5	1 2	4 2		
28	Hyperplasia of prostate	M F	32 2	— —	— —	— —	— —	— 1	— 1	2 —	6 —	24 —	27 2	— —	— —	— —	— —	— 2	— —	2 —	25 —		
29	Pregnancy, childbirth, abortion	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
30	Congenital malformations	M F	21 12	12 7	2 2	1 —	— —	— —	3 2	1 1	1 —	1 —	6 6	2 4	3 1	— —	— —	— —	1 —	— —	— —		
31	Other defined and ildefined dis.	M F	161 173	44 32	3 2	7 2	3 3	3 13	30 37	28 25	36 58	91 104	27 18	2 —	1 1	4 3	1 —	2 5	14 23	20 34	26 36		
32	Motor vehicle accidents	M F	36 9	— —	— —	2 —	4 2	7 —	10 1	8 1	4 4	1 1	24 4	— —	— —	— —	1 2	8 5	10 4	2 1	2 —		
33	All other accidents	M F	40 37	— —	4 2	1 —	— —	— —	9 2	8 7	3 —	12 25	26 14	1 —	1 1	— —	5 2	4 1	7 1	5 3	— 5		
34	Suicide	M F	20 17	— —	— —	— —	— —	— —	— 1	13 9	3 2	3 2	12 7	— —	— —	— —	— —	— —	3 1	7 2	2 —		
35	Homicide, operations of war	M F	3 1	— —	— —	— —	— —	— —	— 2	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Administrative County of Westmorland.

Causes of Death (See first page of Table)		Aggregate of Urban District											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M	235	6	2	1	—	—	6	63	73	84	230	11	2	2	3	3	12	48	63	86		
	F	215	5	—	1	1	1	5	43	51	108	240	6	—	1	1	1	8	43	60	120		
1 Tuberculosis	M	5	—	—	1	—	—	—	3	1	—	1	—	—	—	—	—	1	—	—	—		
respiratory	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—		
2 Tuberculosis	M	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	—	—	—		
other	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—		
3 Syphilitic disease	M	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—	—		
4 Diphtheria	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Meningococcal	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
infections	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Acute poliomyelitis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Other infective, etc.,	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—		
diseases	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—	—		
10 Malignant neoplasm:	M	4	—	—	—	—	—	—	1	1	2	7	—	—	—	—	—	—	1	3	2		
stomach	F	5	—	—	—	—	—	—	—	—	5	7	—	—	—	—	—	—	—	—	—		
11 lung, bronchus	M	10	—	—	—	—	—	—	7	2	1	5	—	—	—	—	—	1	3	1	—		
12 breast	F	4	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—		
13 uterus	M	7	—	—	—	—	—	1	3	2	1	9	—	—	—	—	—	4	2	3	—		
	F	2	—	—	—	—	—	—	2	—	—	4	—	—	—	—	1	—	2	1	—		
14 Other malignant and	M	22	—	—	—	—	—	—	5	7	10	20	—	—	—	—	—	1	5	8	6		
lymphatic neoplasms	F	12	—	—	—	—	—	—	5	6	1	14	—	—	—	—	1	1	5	6	—		
15 Leukæmia,	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
aleukæmia	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
16 Diabetes	M	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—		
	F	3	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	1	—	—	—		
17 Vascular lesions of	M	22	—	—	—	—	—	—	—	5	17	29	—	—	—	—	—	—	3	12	14		
nervous system	F	33	—	—	—	—	—	—	9	13	11	52	—	—	—	—	—	7	13	32	—		
18 Coronary disease,	M	39	—	—	—	—	—	—	14	12	13	27	—	—	—	—	—	1	6	11	9		
angina	F	25	—	—	—	—	—	—	7	9	8	24	—	—	—	—	—	—	8	8	8		
19 Hypertension with	M	3	—	—	—	—	—	—	1	2	5	—	—	—	—	—	—	4	—	1	—		
heart disease	F	9	—	—	—	—	—	—	1	4	4	9	—	—	—	—	—	2	3	1	3		
20 Other heart disease	M	23	—	—	—	—	—	—	2	11	10	34	—	—	—	—	—	1	5	5	23		
	F	50	—	—	—	—	—	—	1	8	35	50	—	—	—	—	—	1	2	8	39		
21 Other circulatory	M	9	—	—	—	—	—	—	2	2	2	12	—	—	—	—	—	—	2	4	6		
disease	F	4	—	—	—	—	—	—	2	2	2	7	—	—	—	—	—	1	1	2	3		
22 Influenza	M	11	—	—	—	—	—	—	—	6	5	12	—	—	—	—	—	1	2	—	9		
	F	6	—	—	—	—	—	—	—	6	9	9	—	—	—	—	—	—	3	6	—		
23 Pneumonia	M	7	—	1	—	—	—	—	2	—	4	4	—	—	—	—	—	—	3	1	—		
	F	2	—	—	—	—	—	—	—	—	2	5	—	—	—	—	—	2	1	2	—		
24 Bronchitis	M	16	—	—	—	—	—	—	6	6	4	11	—	—	—	—	—	1	1	3	5		
	F	11	—	—	—	—	—	—	2	2	7	13	—	—	—	—	—	—	2	2	9		
25 Other diseases of	M	6	—	—	—	—	—	—	4	2	2	2	—	—	—	—	—	—	1	1	—		
respiratory system	F	2	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	1	—	—		
26 Ulcer of stomach	M	4	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—		
and duodenum	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
27 Gastritis, enteritis	M	3	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—		
and diarrhoea	F	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—		
28 Nephritis and	M	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
nephrosis	F	3	—	—	—	—	—	—	2	1	1	2	—	—	—	—	—	—	1	2	—		
29 Hyperplasia of prostate	M	3	—	—	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—		
30 Pregnancy, childbirth,	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
abortion.	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
31 Congenital	M	3	1	—	—	—	—	—	1	1	—	3	—	1	—	—	—	—	2	—	—		
malformations	F	4	3	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	—		
32 Other defined and	M	24	5	—	—	—	—	—	6	6	7	32	—	1	—	—	—	1	7	6	5		
illdefined dis.	F	24	2	—	—	—	—	—	2	4	4	12	—	5	—	—	—	—	7	4	5		
33 Motor vehicle	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	2	1	—		
accidents	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
34 All other accidents	M	5	—	—	—	—	—	—	3	—	1	9	—	—	—	—	—	1	2	1	1		
	F	7	—	—	1	—	—	—	—	—	6	1	—	—	—	—	—	—	1	—	—		
35 Suicide	M	6	—	—	—	—	—	—	4	2	—	2	—	—	—	—	—	1	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
36 Homicide, operations	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
of war	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

TABLE 20—continued—Administrative County of Wight, Isle of.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	535 567	5 14	3 3		2	5 2	14 26	130 68	157 134	219 320	131 158	3 1	1 1	1	1	3	2	22 21	42 41	6 8		
1 Tuberculosis	M F	13 4						2	8 1	2	1 1	2						1	1				
2 Tuberculosis	M F	1				1																	
other	M F																						
3 Syphilitic disease	M F	1							1														
4 Diphtheria	M F																						
5 Whooping cough	M F																						
6 Meningococcal	M F																						
infections	M F																						
7 Acute poliomyelitis	M F	1					1					1				1							
8 Measles	M F																						
9 Other infective, etc.,	M F	1 1		1					1														
diseases	M F	1 1		1																			
10 Malignant neoplasm:	M F	13 8						4 1	7 1	2 3	3 3	3 2						1	1				
stomach	M F	13 8						1	1	3	3	2							1	1			
11 lung, bronchus	M F	22 3							18 2	3 1	1	2						1	1				
12 breast	M F	22 3						3	8 2	8 1	3	5 4						3 1	2 1				
13 uterus	M F	22 3																					
14 Other malignant and	M F	54 40					1	12 5	14 13	27 18	10 9						1	3 3	3 1	4 4			
lymphatic neoplasms	M F	54 40					1	12 5	14 13	27 18	10 9						1	3 3	3 1	4 4			
15 Leukæmia,	M F	2 3				1		1	1	1	1	1						1					
aleukæmia	M F	2 3				1		1	1	1	1	1											
16 Diabetes	M F											1 2											
17 Vascular lesions of	M F	54 91						1 2	9 12	24 24	20 53	16 23					1		1 2	4 10			
nervous system	M F	54 91						1 2	9 12	24 24	20 53	16 23					1		1 2	4 10			
18 Coronary disease,	M F	66 39						1	20 4	27 11	18 24	31 9						8 2	15 2	8 4			
angina	M F	66 39						1	20 4	27 11	18 24	31 9						8 2	15 2	8 4			
19 Hypertension with	M F	23 27						1	2	11 7	10 18								3	3			
heart disease	M F	23 27						1	2	11 7	10 18								3	3			
20 Other heart disease	M F	111 176						1 5	7 9	30 32	73 130	30 33						2 1	8 9	20 23			
21 Other circulatory	M F	14 10							2 1	5 1	7 8	3 6						1 1		2 4			
disease	M F	14 10							2 1	5 1	7 8	3 6						1 1		2 4			
22 Influenza	M F	10 17						1 1	1 2	4 7	4 7	3 11						1 1	4 4	2 6			
23 Pneumonia	M F	10 14	1					1 1	2 6	1 5	5 7	7 7						2 2	4 2	4 2			
24 Bronchitis	M F	26 24						1 4	6 5	6 5	13 15	4 6								8 8			
25 Other diseases of	M F	10 3							4 1	2 1	2 1	2 4						1 1	3 3	2 3			
respiratory system	M F	10 3							4 1	2 1	2 1	2 4						1 1	3 3	2 3			
26 Ulcer of stomach	M F	7 2							3 1	2 1	2 1	1								1			
and duodenum	M F	7 2							3 1	2 1	2 1	1								1			
27 Gastritis, enteritis	M F	2 3		1					1 1	1 1	1 1	2			1					1			
and diarrhoea	M F	2 3		1					1 1	1 1	1 1	2			1					1			
28 Nephritis and	M F	10 3					1	1	6 2	1 1	1 1	3 3							1 2	2 2			
nephrosis	M F	10 3					1	1	6 2	1 1	1 1	3 3							1 2	2 2			
29 Hyperplasia of prostate	M F	15 3						3	4	2	9	5						1 1	2 2	2 2			
30 Pregnancy, childbirth,	M F																						
abortion	M F																						
31 Congenital	M F	1 2		1 1								1 1		1 1									
malformations	M F	1 2		1 1								1 1		1 1									
32 Other defined and	M F	53 62	4 11	1 1			1 5	2 9	10 9	12 10	23 26	9 17	3 1			1 1		3 3	3 9				
illdefined dis.	M F	53 62	4 11	1 1			1 5	2 9	10 9	12 10	23 26	9 17	3 1			1 1		3 3	3 9				
33 Motor vehicle	M F	2 1					1 1		1														
accidents	M F	2 1					1 1		1														
34 All other accidents	M F	9 6							5 1	3 1	1 3							1		3			
35 Suicide	M F	4					1	1	2														
36 Homicide, operations	M F																						
of war	M F																						

TABLE 20—continued—Administrative County of Wilts.

Causes of Death (first page of Table)		Aggregate of Urban Districts										Aggregate of Rural Districts									
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over
Total Causes	M	1148	40	10	4	8	14	52	286	340	394	1039	21	14	8	6	42	51	209	270	418
	F	1149	20	5	9	5	12	39	218	273	568	992	17	14	10	4	9	33	161	229	515
Tuberculosis	M	27	—	—	—	1	1	5	14	4	2	19	—	—	—	—	2	7	9	1	—
respiratory	F	17	—	—	—	—	4	8	5	—	—	5	—	—	—	1	—	3	1	—	—
Tuberculosis	M	2	—	1	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—
other	F	2	—	1	—	—	—	—	—	—	1	4	—	—	—	—	1	2	1	—	—
Phyllophthiric disease	M	5	—	—	—	—	—	—	1	4	—	3	—	—	—	—	—	—	—	2	1
	F	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—	1	—	—	1	—
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	1	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	3	—	2	—	—	—	—	—	—	—
Meningococcal infections	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
Other infective, etc., diseases	M	3	—	—	—	—	—	1	1	—	1	8	—	—	1	—	1	—	3	3	—
	F	2	—	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	1	1	—
Malignant neoplasm: stomach	M	35	—	—	—	—	—	3	15	9	8	29	—	—	—	—	—	1	9	12	7
	F	19	—	—	—	—	—	2	6	7	4	18	—	—	—	—	—	—	4	3	11
Lung, bronchus	M	32	—	—	—	—	—	—	24	8	—	30	—	—	—	—	—	—	19	7	4
	F	11	—	—	—	—	—	1	4	3	3	7	—	—	—	—	—	—	3	1	3
Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	32	—	—	—	—	—	3	17	7	5	22	—	—	—	—	—	—	10	8	4
Uterus	M	—	—	—	—	—	—	—	4	4	2	9	—	—	—	—	—	1	6	2	—
	F	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other malignant and lymphatic neoplasms	M	103	—	—	—	—	—	5	26	46	26	83	—	—	1	1	5	3	24	26	23
	F	86	—	—	—	—	1	2	31	32	20	92	—	—	1	1	1	4	31	28	28
Leukemia, aleukemia	M	2	—	—	—	—	2	—	—	—	—	7	—	—	—	—	—	—	2	1	1
	F	1	—	—	—	—	—	—	—	1	—	3	—	1	—	—	—	—	2	—	—
Diabetes	M	3	—	—	—	—	—	—	2	—	—	8	—	—	—	—	—	1	—	3	4
	F	15	—	—	—	—	—	—	2	5	8	5	—	—	—	—	—	—	1	2	1
Vascular lesions of nervous system	M	131	—	—	—	—	—	1	31	46	53	113	—	—	—	—	1	—	21	26	65
	F	188	—	—	—	—	—	3	28	58	99	177	—	—	—	—	—	2	27	46	102
Coronary disease, angina	M	144	—	—	—	—	—	4	40	52	48	135	—	—	—	—	—	—	3	40	47
	F	77	—	—	—	—	—	—	18	21	38	89	—	—	—	—	—	—	17	34	38
Hypertension with heart disease	M	33	—	—	—	—	—	—	10	11	12	17	—	—	—	—	—	—	3	4	10
	F	45	—	—	—	—	—	2	11	11	21	24	—	—	—	—	—	1	2	6	15
Other heart disease	M	173	—	—	—	—	—	4	24	38	107	166	—	—	—	—	—	2	13	46	104
	F	258	—	—	—	—	1	4	23	49	179	203	—	—	—	—	1	2	17	44	139
Other circulatory disease	M	39	—	—	—	—	—	2	9	14	14	45	—	—	—	—	—	2	6	9	28
	F	47	—	—	—	—	—	1	5	11	30	53	—	—	—	—	—	1	3	4	45
Influenza	M	26	—	—	—	—	—	—	8	9	9	27	—	—	—	—	—	1	—	3	8
	F	30	—	—	—	—	—	—	3	7	18	27	—	—	—	—	—	—	4	4	19
Pneumonia	M	53	2	5	1	—	—	2	3	6	15	19	—	1	6	2	—	—	2	10	17
	F	57	—	3	—	—	1	—	8	14	31	42	1	7	1	—	—	2	2	11	16
Bronchitis	M	75	—	—	—	—	—	—	20	28	27	52	—	1	—	—	—	—	7	14	30
	F	43	—	1	—	—	—	1	4	10	27	35	—	—	—	—	—	—	2	4	20
Other diseases of respiratory system	M	14	—	—	—	—	—	1	7	5	1	14	—	—	1	—	—	—	1	4	5
	F	7	—	—	—	—	—	1	2	2	2	6	—	1	—	—	—	—	1	2	2
Ulcer of stomach and duodenum	M	24	—	—	—	—	—	—	9	8	7	14	—	—	—	—	—	—	2	6	4
	F	4	—	—	—	—	—	—	1	2	1	4	—	—	—	—	—	—	—	2	2
Gastritis, enteritis and diarrhea	M	5	2	1	—	—	—	—	1	1	—	7	—	—	—	—	—	—	1	2	4
	F	3	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	1	—	1
Nephritis and nephrosis	M	9	—	—	—	—	—	—	2	2	3	8	—	—	—	—	—	—	1	1	5
	F	13	—	—	—	—	—	1	4	5	3	10	—	—	—	—	—	1	1	1	6
Hyperplasia of prostate	M	21	—	—	—	—	—	—	2	13	6	20	—	—	—	—	—	—	3	10	7
Pregnancy, childbirth, abortion	F	3	—	—	—	—	1	2	—	—	—	3	—	—	—	—	—	—	—	—	—
Congenital malformations	M	7	3	—	—	1	—	—	2	1	—	7	2	2	—	—	—	—	1	2	—
	F	8	3	—	2	—	—	—	3	3	—	9	4	1	—	—	—	—	1	1	—
Other defined and ill-defined dis.	M	117	32	2	1	4	—	3	14	20	41	89	18	2	—	1	2	1	12	18	30
	F	136	17	—	1	—	—	6	23	23	65	109	12	—	3	—	1	2	5	16	54
Motor vehicle accidents	M	24	—	—	—	2	5	8	2	2	5	33	—	—	—	—	23	5	3	1	1
	F	3	—	—	—	—	—	—	2	—	—	4	—	—	—	—	—	—	—	—	—
All other accidents	M	20	1	—	1	—	3	3	7	1	4	26	—	2	—	2	4	11	3	1	2
	F	18	—	—	2	3	—	1	6	—	6	13	—	2	—	2	1	—	—	—	8
Suicide	M	19	—	—	—	—	1	6	8	4	—	9	—	—	—	—	—	1	3	4	—
	F	9	—	—	—	—	—	1	7	—	1	6	—	—	—	—	—	—	1	2	—
Homicide, operations of war	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—continued—Administrative County of Worcester.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes		M F	1713 1651	45 42	22 15	17 14	12 9	14 10	95 64	436 305	517 445	555 747	730 721	21 12	15 10	5 8	2 4	24 7	31 34	148 113	191 169		
1	Tuberculosis respiratory	M F	46 17	—	—	—	—	—	19 19	7 7	1 1	13 11	—	—	—	—	—	1 3	4 5	5 1	2 1		
2	Tuberculosis other	M F	4 7	—	—	1 2	1 2	—	1 2	—	1 1	3 4	—	—	—	—	—	1 2	3 1	5 1	1 1		
3	Syphilitic disease	M F	6 1	—	—	—	—	—	—	4 —	1 —	1 —	1 —	—	—	—	—	—	—	—	—		
4	Diphtheria	M F	1 2	—	—	—	1 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5	Whooping cough	M F	2 2	—	1 1	1 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6	Meningococcal infections	M F	2 3	—	1 2	1 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7	Acute poliomyelitis	M F	— 1	—	—	1 —	—	—	—	—	—	1 —	—	—	—	—	—	—	—	1 —	—		
8	Measles	M F	— 1	—	—	—	1 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9	Other infective, etc., diseases	M F	2 3	—	—	—	—	—	—	2 1	1 —	—	1 1	—	—	—	—	—	1 1	—	—		
10	Malignant neoplasm: stomach	M F	52 41	—	—	—	—	—	2 2	20 11	16 17	14 11	24 21	—	—	—	—	—	1 1	8 4	10 8		
11	lung, bronchus	M F	68 11	—	—	—	—	—	5 5	44 3	18 1	20 6	—	—	—	—	—	—	14 1	5 1	—		
12	breast	M F	— 55	—	—	—	—	—	7 —	22 16	3 2	10 3	26 12	—	—	—	—	—	4 3	15 6	3 2		
13	uterus	M F	37 —	—	—	—	—	—	5 —	18 —	11 —	3 —	12 —	—	—	—	—	—	—	—	—		
14	Other malignant and lymphatic neoplasms	M F	164 113	—	—	1 1	1 —	4 —	7 7	49 35	47 36	56 33	47 57	—	—	—	1 —	2 1	16 13	23 23	—		
15	Leukæmia, aleukæmia	M F	6 10	—	—	2 1	1 1	—	—	2 4	1 3	1 2	—	—	—	1 —	—	—	1 —	—	—		
16	Diabetes	M F	9 13	—	—	—	—	—	2 2	1 4	5 7	1 1	2 1	—	—	—	—	—	—	—	—		
17	Vascular lesions of nervous system	M F	204 227	—	—	—	—	—	5 4	45 37	76 62	78 124	85 93	—	1 —	—	—	1 —	11 18	23 26	—		
18	Coronary disease, angina	M F	180 90	—	—	—	—	—	4 —	64 17	67 37	45 36	73 57	—	—	—	—	1 3	24 7	28 16	—		
19	Hypertension with heart disease	M F	46 53	—	—	—	—	—	2 —	11 15	19 19	14 19	15 16	—	—	—	—	—	1 4	10 7	—		
20	Other heart disease	M F	291 380	—	—	—	—	—	12 5	42 40	82 105	155 228	131 144	—	—	—	—	1 1	13 10	37 36	—		
21	Other circulatory disease	M F	49 60	—	—	1 —	1 —	—	2 1	7 13	12 17	28 30	20 18	—	—	—	—	5 1	3 4	—	—		
22	Influenza	M F	54 64	—	1 1	2 —	—	1 —	2 1	10 20	24 31	14 44	23 44	—	—	—	—	7 6	12 16	—	—		
23	Pneumonia	M F	67 56	3 4	11 4	4 1	1 —	—	5 9	10 10	14 19	19 27	39 27	1 —	5 4	1 —	—	2 2	7 1	10 4	—		
24	Bronchitis	M F	130 96	—	—	—	—	—	1 2	42 11	50 34	37 46	29 51	—	—	—	—	1 1	5 4	5 11	—		
25	Other diseases of respiratory system	M F	24 13	—	1 —	—	—	—	2 2	11 11	7 2	4 8	6 7	—	—	—	—	—	2 1	—	—		
26	Ulcer of stomach and duodenum	M F	32 7	—	—	—	—	—	2 —	15 2	10 3	5 2	13 3	—	—	—	—	1 1	6 2	5 2	—		
27	Gastritis, enteritis and diarrhoea	M F	3 7	1 —	—	1 —	—	—	—	1 —	1 —	1 —	4 —	—	3 —	—	—	—	2 1	—	—		
28	Nephritis and nephrosis	M F	25 21	—	—	—	—	—	4 —	10 6	7 5	4 7	6 8	—	—	—	1 —	1 —	—	3 2	—		
29	Hyperplasia of prostate	M F	19 3	—	—	—	—	1 —	2 —	6 5	9 10	8 15	2 —	—	—	—	—	—	—	4 —	—		
30	Pregnancy, childbirth, abortion	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
31	Congenital malformations	M F	12 20	3 9	2 1	—	1 —	1 —	1 7	3 15	—	1 2	8 89	5 14	1 2	—	—	—	1 13	—	—		
32	Other defined and illdefined dis.	M F	159 196	37 29	2 1	3 1	1 1	2 6	7 26	32 29	60 102	89 83	14 10	2 4	—	—	—	1 3	2 14	15 8	—		
33	Motor vehicle accidents	M F	21 6	—	—	—	3 —	4 —	2 —	2 1	4 3	3 28	—	—	—	—	—	12 1	6 2	2 3	—		
34	All other accidents	M F	23 29	1 —	3 3	2 1	3 —	1 —	3 3	3 4	5 4	2 14	19 13	1 —	3 —	3 —	—	1 1	5 —	3 —	—		
35	Suicide	M F	11 10	—	—	—	—	—	3 —	5 6	3 1	10 2	—	—	—	—	—	1 —	2 1	3 1	—		
36	Homicide, operations of war	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1 —	1 —	—	—		

TABLE 20—continued—Administrative County of Yorks. (East Riding).

Causes of Death (see first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	700 739	17 12	8 8	3 5	3 2	3 5	32 28	163 138	203 190	268 351	648 559	14 10	10 8	7 7	4 4	22 9	24 29	137 89	177 143	253 260		
Tuberculosis	M F	16 10	— —	— —	— —	— —	— —	3 5	6 3	6 3	1 —	10 3	— —	— —	— —	— —	1 1	— —	9 —	— —	— —		
respiratory	M F	10 3	— —	— —	— —	— —	— —	— —	1 3	— —	— —	3 1	— —	— —	— —	— —	— —	2 1	— —	— —	— —		
Tuberculosis other	M F	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— —	— —	1 1	— —	— —	— —		
Syphilitic disease	M F	7 1	— —	1 —	— —	— —	— —	— —	— —	5 —	— —	2 1	2 1	— —	— —	— —	— —	— —	1 1	1 1	— —		
Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —		
Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —		
Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Measles	M F	1 1	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Other infective, etc., diseases	M F	3 1	— —	— —	— —	— —	— —	1 —	1 —	1 —	— —	2 —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —		
Malignant neoplasm: stomach	M F	8 12	— —	— —	— —	— —	— —	1 —	3 3	3 7	— 2	24 14	— —	— —	— —	— —	— —	2 2	4 5	12 7	6 7		
lung, bronchus	M F	29 11	— —	— —	— —	— —	— —	— —	17 3	12 5	— 1	23 4	— —	— —	— —	— —	— —	1 1	13 1	6 1	3 1		
breast	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
uterus	M F	20 9	— —	— —	— —	— —	— —	2 1	6 5	6 1	6 2	15 7	— —	— —	— —	— —	— —	3 4	5 3	3 3	4 —		
Other malignant and lymphatic neoplasms	M F	65 69	— —	— —	1 —	— —	— —	3 7	21 28	19 13	22 20	52 50	— —	— —	1 —	1 —	2 1	4 12	16 14	16 14	18 16		
Leukæmia, aleukæmia	M F	4 1	— —	— —	— —	— —	1 —	— —	— —	— —	2 —	1 5	— —	— —	— —	— —	— —	1 1	2 2	— —	— —		
Diabetes	M F	2 11	— —	— —	— —	— —	— —	— —	— 5	— 4	2 2	1 6	— —	— —	— —	— —	— —	— 1	— 2	1 2	— 2		
Vascular lesions of nervous system	M F	89 128	— —	— —	— —	— —	— —	— —	16 23	31 30	42 75	87 86	— —	— —	— —	— —	— —	2 4	13 8	28 31	44 43		
Coronary disease, angina	M F	116 83	— —	— —	— —	— —	— —	3 35	35 32	41 38	37 38	87 46	— —	— —	— —	— —	— —	— 2	26 12	41 8	19 24		
Hypertension with heart disease	M F	14 18	— —	— —	— —	— —	— —	— 1	4 3	5 7	5 7	11 25	— —	— —	— —	— —	— 1	— —	2 3	3 13	6 10		
Other heart disease	M F	115 169	— —	— —	— —	— —	— —	3 1	14 13	33 41	65 110	102 111	— —	— —	— —	1 —	— —	2 3	13 9	25 31	61 68		
Other circulatory disease	M F	31 21	— —	— —	— —	— —	— —	— —	1 2	11 3	19 16	29 43	— —	— —	— —	— —	— —	— 1	— 6	3 36	26 36		
Influenza	M F	7 17	— —	— —	— —	— —	— —	— —	4 1	1 6	2 9	10 15	— —	— —	— —	— —	— —	— —	6 1	— 4	— 10		
Pneumonia	M F	19 19	— —	4 1	2 —	— —	— —	2 —	2 1	2 5	7 9	29 15	— —	2 3	3 3	— —	— —	1 3	4 3	11 5	5 4		
Bronchitis	M F	28 23	— —	— —	— —	— —	— —	— —	8 4	9 9	11 10	37 21	— —	— 1	— —	— —	— —	1 3	4 7	11 10	21 10		
Other diseases of respiratory system	M F	5 3	— —	— —	— —	— —	— —	— —	— 2	— —	— —	2 —	— —	— —	1 —	— —	— —	— 1	— —	— —	— —		
Ulcer of stomach and duodenum	M F	11 5	— —	— —	— —	— —	— —	3 —	3 —	4 —	1 —	6 8	— —	— —	— —	— —	— —	1 1	2 —	2 —	1 —		
Gastritis, enteritis and diarrhoea	M F	2 —	— —	1 —	1 —	— —	— —	— —	— —	— —	1 —	4 —	— —	— 2	— —	1 —	— —	— —	— —	— 1	— —		
Nephritis and nephrosis	M F	6 13	— —	— —	— —	— —	— —	1 1	1 5	— 2	5 4	13 9	— —	— —	— —	— —	1 —	1 3	4 2	1 3	6 —		
Hyperplasia of prostate	M F	20 —	— —	— —	— —	— —	— —	— —	1 —	— —	8 —	11 —	12 —	— —	— —	— —	— —	— —	— —	— —	— —		
Pregnancy, childbirth, abortion	M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —		
Congenital malformations	M F	6 3	2 3	1 —	— —	— —	— —	2 —	— —	— —	— —	8 8	3 8	2 2	— —	2 —	— —	— —	1 —	— —	— —		
Other defined and ildefined dis.	M F	65 70	13 7	1 2	1 2	2 —	1 —	5 3	8 13	8 13	26 30	48 53	9 5	1 1	1 1	— —	4 2	12 17	5 5	1 1	18 19		
Motor vehicle accidents	M F	6 —	— —	— —	— —	— —	1 —	2 —	3 —	— —	— —	10 5	— —	— —	— —	1 —	3 —	2 —	1 3	1 3	1 4		
All other accidents	M F	3 16	— —	— 2	— 1	— —	— —	— 1	2 2	— 1	— 9	22 6	— —	— —	— —	— —	8 —	3 —	3 —	3 1	4 5		
Suicide	M F	15 5	— —	— —	— —	1 —	1 —	2 —	5 5	3 —	3 —	8 1	— —	— —	— —	— —	2 —	1 —	1 1	3 —	1 —		
Homicide, operations of war	M F	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Administrative County of Yorks. (North Riding).

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-				
All Causes	M	1465	54	29	12	8	9	75	365	434	479	1071	24	15	13	7	35	66	212				
	F	1340	25	26	7	4	11	53	234	371	609	910	22	11	7	5	7	28	155				
1 Tuberculosis	M	20	—	—	—	—	1	6	11	2	—	24	—	—	—	—	—	8	11				
2 Tuberculosis	F	18	—	—	—	—	5	5	5	3	—	8	—	—	—	—	1	6	—				
other	M	6	—	1	2	—	1	1	1	—	—	5	—	—	—	—	2	—	—				
	F	3	—	—	—	1	—	1	1	—	—	2	—	—	1	1	—	—	1				
3 Syphilitic disease	M	7	—	—	—	—	—	—	2	4	1	3	—	—	—	—	—	—	—				
	F	2	—	—	—	—	—	—	1	—	1	3	—	—	—	—	—	—	—				
4 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
5 Whooping cough	M	2	—	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—				
	F	3	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
6 Meningococcal infections	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—				
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—				
7 Acute poliomyelitis	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	2	—				
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—				
8 Measles	M	1	—	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—				
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—				
9 Other infective, etc., diseases	M	4	—	—	1	—	—	—	3	—	—	5	—	1	1	—	—	—	2				
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
10 Malignant neoplasm: stomach	M	40	—	—	—	—	—	—	7	15	18	32	—	—	—	—	—	2	6				
	F	27	—	—	—	—	—	1	6	11	9	12	—	—	—	—	—	—	—				
11 lung, bronchus	M	50	—	—	—	—	—	1	38	9	2	19	—	—	—	—	—	1	12				
	F	5	—	—	—	—	—	—	3	1	—	6	—	—	—	—	—	—	3				
12 breast	M	41	—	—	—	—	—	4	19	7	11	25	—	—	—	—	—	2	9				
	F	20	—	—	—	—	—	3	8	5	4	10	—	—	—	—	—	1	6				
14 Other malignant and lymphatic neoplasms	M	124	—	—	—	—	—	8	29	48	39	77	—	—	—	—	—	—	—				
	F	92	—	—	1	1	—	6	29	29	26	58	—	—	—	—	—	1	25				
15 Leukæmia, aleukæmia	M	1	—	—	—	—	—	1	1	—	—	3	—	—	—	—	—	1	19				
	F	3	—	—	—	—	1	1	1	—	—	1	—	—	—	—	—	2	2				
16 Diabetes	M	8	—	—	—	—	1	1	3	—	3	3	—	—	—	—	—	—	—				
	F	12	—	—	—	—	—	—	6	2	4	—	—	—	—	—	—	—	—				
17 Vascular lesions of nervous system	M	159	—	—	—	1	—	4	26	53	75	135	—	—	—	—	—	1	4				
	F	212	—	—	—	—	—	2	32	65	113	173	—	—	—	—	—	1	23				
18 Coronary disease, angina	M	208	—	—	—	—	—	7	72	90	39	150	—	—	—	—	—	—	—				
	F	126	—	—	—	—	—	1	21	53	51	76	—	—	—	—	—	—	—				
19 Hypertension with heart disease	M	29	—	—	—	—	—	1	8	13	7	18	—	—	—	—	—	—	—				
	F	33	—	—	—	—	—	—	7	16	10	21	—	—	—	—	—	—	—				
20 Other heart disease	M	265	—	—	—	—	—	4	27	80	154	189	—	—	—	—	—	—	—				
	F	371	—	—	—	—	1	4	36	85	245	213	—	—	—	—	—	—	—				
21 Other circulatory disease	M	34	—	—	—	—	—	1	3	12	18	45	—	—	—	—	—	—	—				
	F	43	—	—	—	—	—	1	7	9	26	50	—	—	—	—	—	—	—				
22 Influenza	M	47	—	—	—	—	1	2	13	11	20	26	—	1	—	—	—	—	—				
	F	44	—	—	—	—	—	—	8	15	20	36	—	—	—	—	—	—	—				
23 Pneumonia	M	47	4	8	2	—	—	3	13	7	10	22	—	4	—	—	—	—	—				
	F	37	3	10	1	—	—	1	6	6	10	18	3	4	1	—	—	—	—				
24 Bronchitis	M	92	—	2	1	—	—	2	25	31	31	42	—	—	1	—	—	—	—				
	F	56	—	1	—	—	—	3	10	17	25	34	—	—	—	—	—	—	—				
25 Other diseases of respiratory system	M	15	1	1	1	—	—	1	7	1	2	10	—	—	—	—	—	—	—				
	F	11	—	—	—	—	—	2	2	3	4	4	—	1	—	—	—	—	—				
26 Ulcer of stomach and duodenum	M	29	—	—	—	—	—	1	16	7	5	11	—	—	—	—	—	—	—				
	F	4	—	—	—	—	—	—	1	3	4	—	—	—	—	—	—	—	—				
27 Gastritis, enteritis and diarrhoea	M	8	2	2	1	—	—	—	—	1	2	4	—	2	—	—	—	—	—				
	F	8	2	3	—	—	—	—	2	1	—	3	—	—	—	—	—	—	—				
28 Nephritis and nephrosis	M	19	—	—	—	—	—	1	6	7	5	16	—	—	—	—	—	—	—				
	F	22	—	—	—	—	1	4	2	7	8	16	—	—	—	—	—	—	—				
29 Hyperplasia of prostate	M	40	—	—	—	—	—	—	4	16	20	25	—	—	—	—	—	—	—				
30 Pregnancy, childbirth, abortion	F	6	—	—	—	—	1	4	1	—	—	6	—	—	—	—	—	—	—				
31 Congenital malformations	M	17	7	6	—	1	—	2	—	1	—	6	3	—	—	—	—	—	—				
	F	6	2	2	1	—	—	1	—	—	—	4	—	—	—	—	—	—	—				
32 Other defined and illdefined dis.	M	125	38	1	1	2	2	10	30	19	23	100	19	4	2	1	2	18	2				
	F	111	17	4	2	1	1	9	21	26	29	88	15	—	—	—	—	19	1				
33 Motor vehicle accidents	M	9	—	—	2	1	—	2	1	1	1	17	—	—	—	—	—	—	—				
	F	2	—	—	—	—	—	—	1	1	—	7	—	—	—	—	—	—	—				
34 All other accidents	M	39	2	5	1	2	3	11	10	1	4	64	—	—	—	—	—	—	—				
	F	20	1	4	—	1	—	2	2	1	11	21	1	5	—	—	—	—	—				
35 Suicide	M	18	—	—	—	—	—	5	8	5	—	10	—	—	—	—	—	—	—				
	F	2	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—				
36 Homicide, operations of war	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				

TABLE 20—continued—Administrative County of Yorks. (West Riding).

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65	75 and over		
All Causes	M	8033	198	129	68	64	82	418	2045	2402	2627	2505	99	57	32	28	38	152	583	708	808		
	F	7583	127	101	57	37	61	278	1491	2160	3271	2084	49	38	18	6	25	116	402	583	847		
Tuberculosis	M	202	—	—	2	1	13	53	87	41	5	63	—	—	1	1	5	15	29	10	2		
respiratory	F	76	—	1	—	1	13	34	20	6	1	32	—	—	—	—	6	12	12	—	—		
Tuberculosis	M	18	—	—	4	5	4	1	2	1	—	17	—	—	7	3	4	1	2	2	—		
other	F	26	—	2	5	2	6	3	6	—	2	4	—	—	—	—	1	2	1	—	—		
Syphilitic disease	M	24	—	—	—	—	—	3	11	9	1	8	—	—	—	—	—	5	3	—	—		
	F	11	1	—	—	—	—	—	3	4	3	3	—	—	—	—	—	—	2	1	—		
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Whooping cough	M	5	—	1	4	—	—	—	—	—	—	4	—	2	1	1	—	—	—	—	—		
	F	10	—	5	4	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—		
Meningococcal	M	6	—	2	3	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—		
infections	F	6	1	2	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
Acute poliomyelitis	M	2	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—		
	F	5	—	—	2	—	—	3	—	—	—	2	—	—	—	—	—	—	—	—	—		
Measles	M	6	—	1	3	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—		
	F	7	—	3	3	—	—	1	—	—	—	2	—	2	—	—	—	—	—	—	—		
Other infective, etc.,	M	20	1	1	3	2	—	1	8	1	3	10	—	3	1	—	1	1	—	2	2		
diseases	F	21	—	1	—	—	1	5	5	6	3	3	—	—	—	—	2	3	29	27	9		
Malignant neoplasm:	M	234	—	—	—	—	—	10	96	68	60	68	—	—	—	—	—	3	29	27	9		
stomach	F	177	—	—	—	—	—	9	38	71	59	51	—	—	—	—	—	4	14	17	16		
Lung, bronchus	M	230	—	—	—	—	—	15	137	59	19	72	—	—	1	—	—	6	43	20	2		
	F	45	—	—	—	—	—	2	23	12	8	13	—	—	—	—	—	1	6	4	2		
breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	192	—	—	—	—	—	11	93	49	39	61	—	—	—	—	—	9	25	13	14		
uterus	F	131	—	—	—	—	—	11	63	38	19	35	—	—	—	—	—	3	17	12	3		
Other malignant and	M	631	—	1	4	3	5	39	188	213	178	224	—	—	1	2	2	21	65	82	51		
lymphatic neoplasms	F	506	—	—	2	2	30	194	159	119	130	130	—	—	—	—	2	12	47	34	35		
Leukaemia,	M	19	—	—	3	2	1	8	5	—	—	7	—	—	—	—	—	—	4	1	—		
leukaemia	F	23	—	1	2	3	—	1	9	4	3	8	—	—	1	—	—	3	3	1	—		
Diabetes	M	49	—	—	—	—	—	2	14	15	18	12	—	—	—	—	—	1	7	1	3		
	F	81	—	—	1	1	2	3	22	25	27	19	—	—	—	—	—	3	3	7	6		
Vascular lesions of	M	931	—	—	—	—	—	15	159	350	407	262	—	—	—	—	1	6	43	87	125		
nervous system	F	1226	—	1	1	1	—	12	208	410	593	310	—	—	—	—	—	3	64	95	148		
Coronary disease,	M	1161	—	—	—	—	1	34	420	448	258	307	—	—	—	—	—	4	105	126	72		
angina	F	587	—	—	—	—	—	1	120	245	221	179	—	—	—	—	—	3	29	85	62		
Hypertension with	M	182	—	—	—	—	—	4	47	74	57	53	—	—	—	—	—	1	13	16	23		
heart disease	F	229	—	—	—	—	—	2	57	88	82	47	—	—	—	—	—	—	12	18	17		
Other heart disease	M	1379	1	—	—	1	5	35	191	385	761	373	—	—	—	—	—	14	32	112	215		
	F	1836	—	—	—	5	8	45	213	461	1104	429	—	—	—	1	2	17	42	121	246		
Other circulatory	M	267	—	—	—	—	—	1	6	42	79	139	—	—	—	—	—	2	7	22	82		
disease	F	258	—	—	—	—	—	1	30	76	151	95	—	—	—	—	1	2	12	27	53		
Influenza	M	177	—	1	2	1	1	2	43	59	68	56	—	—	1	—	1	2	3	6	19		
	F	227	—	1	—	—	—	7	33	68	118	69	—	—	1	—	1	3	9	22	34		
Pneumonia	M	263	6	43	9	3	4	10	42	75	71	89	4	17	2	—	1	6	15	23	21		
	F	245	5	40	10	4	3	7	35	62	79	69	1	16	1	—	2	14	13	22	—		
Bronchitis	M	737	1	8	2	—	—	11	213	276	226	224	—	6	1	—	—	3	59	71	84		
	F	420	—	4	1	—	—	2	64	127	222	118	—	3	4	—	—	—	16	38	57		
Other diseases of	M	89	—	1	—	1	—	12	41	23	11	32	—	—	1	—	—	3	12	11	5		
respiratory system	F	57	—	3	1	—	2	2	19	13	17	13	—	—	—	1	—	3	—	5	4		
Ulcer of stomach	M	96	—	—	—	—	—	11	39	30	16	20	—	—	—	—	—	2	7	7	4		
and duodenum	F	27	—	—	—	—	—	2	9	8	8	14	—	—	—	—	—	1	4	2	6		
Gastritis, enteritis	M	46	5	20	1	1	—	—	6	7	6	21	1	5	1	—	—	5	3	3	2		
and diarrhoea	F	47	2	9	1	—	2	4	6	9	14	15	1	5	—	—	—	1	1	3	4		
Nephritis and	M	106	—	—	—	1	1	15	31	23	35	33	—	—	—	2	—	5	14	8	4		
nephrosis	F	129	—	—	—	3	3	9	33	41	40	28	—	—	—	—	—	4	10	5	7		
Hypertrophy of prostate	M	102	—	—	—	—	—	—	9	38	55	25	—	—	—	—	—	2	1	6	18		
Pregnancy, childbirth,	F	15	—	—	—	—	2	13	—	—	—	9	—	—	—	—	—	9	—	—	—		
abortion																							
Congenital	M	61	18	20	9	3	1	5	4	1	—	28	11	7	4	3	—	2	1	—	—		
malformations	F	50	19	14	6	2	1	3	4	1	—	19	11	6	2	—	—	—	—	—	—		
Other defined and	M	635	161	17	7	15	14	43	116	84	178	243	79	12	4	3	5	11	45	40	47		
ill-defined dis.	F	706	96	11	10	6	11	44	134	137	257	238	33	1	5	3	7	16	45	42	86		
Motor vehicle	M	84	—	—	—	1	10	19	23	22	7	46	—	—	4	6	10	8	9	4	5		
accidents	F	31	—	—	—	3	5	3	2	7	6	15	—	—	1	1	1	1	6	3	3		
All other accidents	M	191	5	12	10	12	8	40	40	23	41	65	2	3	3	2	6	15	21	6	7		
	F	131	3	3	4	2	1	2	14	26	76	41	2	3	3	1	—	—	11	21	—		
Suicide	M	76	—	—	—	—	—	4	17	31	12	24	—	—	—	—	1	7	11	4	1		
	F	44	—	—	—	—	1	7	29	7	12	10	—	—	—	—	—	2	7	—	—		
Homicide, operations	M	4	—	—	—	—	—	2	1	1	—	2	—	1	—	—	—	1	—	—	—		
of war	F	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—		

TABLE 20—continued—Administrative County of Anglesey.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes	M F	157 152	5 8	9 3	1	1	1 1	8 5	40 22	40 41	52 72	246 217	6 4	4 6	2 2	2	6 2	19 10	49 30	6 5			
1 Tuberculosis	M F	2 1						1 1	1 1			7 4							4 1				
2 Tuberculosis	M F											1 1						3 1	1 1				
other		1					1									1							
3 Syphilitic disease	M F F											2						1					
4 Diphtheria																							
5 Whooping cough	M F F	1		1																			
6 Meningococcal																							
infections																							
7 Acute poliomyelitis	M F F																						
8 Measles																							
9 Other infective, etc.,	M F	1						1				1											
diseases																							
10 Malignant neoplasm:	M F	5 1							1 1	3	1	13 6							8 2				
stomach																							
11 lung, bronchus	M F	5 2							3	2 1		4 2							3 1				
12 breast	M F								1	2	2	5							4				
13 uterus	M F	5 2							1	1		2						1					
14 Other malignant and	M F	14 6						1	7 2	4 3	2 1	23 20						1 1	6 4				
lymphatic neoplasms																							
15 Leukæmia,	M F																						
aleukæmia																							
16 Diabetes	M F	2 3									2 2	2 2							1				
17 Vascular lesions of	M F	22 32							4 7	7 6	11 19	31 36						1 1	5 5				
nervous system																							
18 Coronary disease,	M F	20 8						1	6 7	6 2	6 3	33 16							6 2				
angina																							
19 Hypertension with	M F	4 6							1 1	3	3 1	3 8						1					
heart disease																							
20 Other heart disease	M F	19 34							3 3	7 11	9 20	24 42					1		2 4				
21 Other circulatory	M F	3 4							1	1	3	6 8						1					
disease																							
22 Influenza	M F	4 6		1 1					2		1 4	12 16							4 1				
23 Pneumonia	M F	4 3		1 1					2	1	1	5 7		1	2			1	1				
24 Bronchitis	M F	9 13							4 3	2 2	3 8	11 12		1					3				
25 Other diseases of	M F	1					1					3						1	2				
respiratory system																							
26 Ulcer of stomach	M F	2 1								1 1	1	2 3						1	1				
and duodenum																							
27 Gastritis, enteritis	M F	4 4	1 4	2						1		1 2		1									
and diarrhoea															1								
28 Nephritis and	M F	3 2							1	1 1	1	6 6							2 1				
nephrosis																							
29 Hyperplasia of prostate	M F	6								3	3	10											
30 Pregnancy, childbirth,																							
abortion																							
31 Congenital	M F	1 2	1 2									3 1	1 1	1 1					1				
malformations																							
32 Other defined and	M F	20 13	3 1	4 1					3 2	3 2	1 1	6 6	3 4	2 2		1	1 5	3 3	1				
illdefined dis.																							
33 Motor vehicle	M F	1						1				7				2	1	2	1				
accidents																							
34 All other accidents	M F	4 2			1	1				1		7 4		1	1			3 2					
35 Suicide	M F											1						1					
36 Homicide, operations	M F																						
of war																							

TABLE 20—continued—Administrative County of Brecknock.

Causes of Death (see first page of Table)		Aggregate of Urban Districts										Aggregate of Rural Districts									
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over
All Causes	M	133	7	1	2	1	2	5	34	35	46	272	12	6	4	4	2	14	49	87	94
	F	120	1	1	1	1	3	10	26	27	50	219	3	1	2	1	4	10	45	55	98
Tuberculosis	M	2	—	—	—	—	—	1	1	—	—	5	—	—	—	—	—	1	4	—	—
respiratory	F	5	—	—	—	—	2	2	1	—	—	6	—	—	—	—	—	3	2	1	—
Tuberculosis	M	1	—	—	—	—	1	—	—	—	—	3	—	—	—	—	—	1	—	1	—
other	F	1	—	—	1	—	—	—	—	—	—	3	—	—	1	—	—	2	—	—	—
Syphilitic disease	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Meningococcal infections	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other infective, etc., diseases	M	2	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—
Falignant neoplasm: stomach	M	4	—	—	—	—	—	—	1	—	3	11	—	—	—	—	—	6	4	1	1
	F	2	—	—	—	—	—	—	—	1	1	5	—	—	—	—	—	1	1	—	3
Lung, bronchus	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	—	—	1
Uterus	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	1	3	—	—	7	—	—	—	—	1	4	1	1	1
Other malignant and lymphatic neoplasms	M	3	—	—	—	—	—	—	2	—	1	20	—	—	—	—	3	4	8	5	—
	F	8	—	—	—	—	—	—	3	4	1	17	—	—	—	—	1	10	4	2	—
Leukæmia, leukæmia	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
Diabetes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
Vascular lesions of nervous system	M	23	—	—	—	—	—	1	4	11	7	30	—	—	—	—	1	1	14	14	—
	F	21	—	—	—	—	—	1	3	9	8	36	—	—	—	—	—	5	13	18	—
Coronary disease, angina	M	20	—	—	—	—	—	—	10	6	4	21	—	—	—	—	—	5	11	5	—
	F	10	—	—	—	—	—	—	3	3	4	10	—	—	—	—	—	3	4	3	—
Hypertension with heart disease	M	3	—	—	—	—	—	—	1	—	2	8	—	—	—	—	—	2	1	—	—
	F	3	—	—	—	—	—	—	—	1	2	7	—	—	—	—	—	1	3	5	—
Other heart disease	M	27	—	—	—	—	—	1	6	6	14	43	—	—	—	—	—	6	16	21	—
	F	28	—	—	—	—	—	1	4	5	18	55	—	—	—	—	—	1	6	12	36
Other circulatory disease	M	2	—	—	—	—	—	—	—	—	1	10	—	—	—	—	—	1	3	6	—
	F	2	—	—	—	—	—	—	—	—	2	7	—	—	—	—	—	—	—	7	—
Influenza	M	7	—	—	—	—	—	—	2	3	2	8	—	—	—	—	2	1	2	3	—
	F	2	—	—	—	—	—	—	1	—	1	2	—	—	—	—	—	2	—	—	—
Pneumonia	M	2	—	1	—	—	—	—	1	—	—	15	—	5	—	—	—	1	2	1	6
	F	5	—	—	—	—	—	—	2	1	2	6	—	—	—	—	—	2	3	2	—
Bronchitis	M	12	—	—	—	—	—	—	3	2	7	23	1	—	—	—	—	1	4	8	9
	F	7	—	—	—	—	—	—	2	—	5	9	—	—	—	—	—	1	3	5	—
Other diseases of respiratory system	M	2	—	—	—	1	—	—	—	1	—	12	—	—	—	—	—	3	7	2	—
	F	1	—	—	—	—	—	—	—	1	—	4	—	1	—	—	—	1	1	1	—
Ulcer of stomach and duodenum	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis, enteritis and diarrhoea	M	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis and nephrosis	M	2	—	—	—	—	1	—	1	—	—	4	—	—	—	—	—	2	—	2	1
	F	2	—	—	—	—	—	—	1	—	1	5	—	—	—	—	1	1	2	1	—
Hyperplasia of prostate	M	4	—	—	—	—	—	—	—	1	3	5	—	—	—	—	—	1	1	3	—
Pregnancy, childbirth, abortion	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Congenital malformations	M	2	1	—	—	—	—	—	—	—	1	4	2	—	—	—	—	—	1	—	1
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other defined and ill-defined dis.	M	11	6	—	1	—	—	1	2	1	1	26	9	—	1	1	—	2	5	8	—
	F	9	1	—	—	—	1	1	1	2	3	26	2	—	—	—	—	5	5	13	—
Motor vehicle accidents	M	1	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	1	—	—	—
	F	2	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
All other accidents	M	3	—	—	—	—	—	—	—	2	—	6	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	1	—	2	2	—	—	—	—	—	1	—	—	—
Homicide	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infanticide, operations of war	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—continued—Administrative County of Caernarvon.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes		M F	562 565	13 8	11 7	3 3	2 1	3 1	30 24	127 83	175 160	198 278	458 466	8 7	16 5	2 4	5 1	5 4	18 16	114 82	13 13		
1	Tuberculosis respiratory	M F	19 6	— —	— —	1 —	— —	— 1	— 3	— 7	— 4	— 1	28 9	— —	1 —	— —	— —	2 7	4 3	10 3	—		
2	Tuberculosis other	M F	1 2	— —	— —	— 1	— —	— —	— —	1 1	— —	— —	2 1	— —	— —	— —	— —	1 —	— —	— —	—		
3	Syphilitic disease	M F	3 1	— —	1 —	— —	— —	— —	— —	1 —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	—		
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—		
5	Whooping cough	M F	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	1 1	— —	1 —	— —	— —	— —	— —	— —	—		
6	Meningococcal infections	M F	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	1 —	— —	— —	— —	— —	—		
7	Acute poliomyelitis	M F	1 1	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—		
8	Measles	M F	— 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—		
9	Other infective, etc., diseases	M F	2 3	— —	— —	— —	1 —	— —	— 1	— —	— —	1 1	1 1	— —	— —	— —	— —	— —	— —	1 1	—		
10	Malignant neoplasm: stomach	M F	31 20	— —	— —	— —	— —	2 —	13 6	9 3	7 11	18 14	— —	— —	— —	— —	— —	— —	9 3	— —	—		
11	lung, bronchus	M F	16 2	— —	— —	— —	— —	— —	2 —	7 1	6 1	11 3	— —	— —	— —	— —	— —	— —	4 1	— —	—		
12	breast	M F	16 9	— —	— —	— —	— —	— —	1 —	5 4	6 3	4 2	15 11	— —	— —	— —	— —	3 2	5 7	— —	—		
14	Other malignant and lymphatic neoplasms	M F	49 47	— —	— —	— —	1 —	— —	14 13	22 15	11 19	28 27	— —	— —	— —	— —	— —	14 8	1 —	— —	—		
15	Leukæmia, aleukæmia	M F	1 2	— —	— —	— —	— —	— —	— 2	— —	— —	2 1	— —	— —	— —	2 —	— —	— —	— —	— —	—		
16	Diabetes	M F	4 8	— —	— —	— —	— —	— —	1 1	2 3	1 4	3 1	— —	— —	— —	— —	1 —	— —	1 —	— —	—		
17	Vascular lesions of nervous system	M F	59 82	— —	— —	— —	— —	— —	10 9	26 24	23 47	48 83	— —	— —	— —	— —	— —	1 19	8 3	2 —	—		
18	Coronary disease, angina	M F	79 45	— —	— —	— —	— —	— —	1 —	18 4	35 5	25 11	42 32	— —	— —	— —	— —	1 1	19 3	1 1	—		
19	Hypertension with heart disease	M F	20 31	— —	— —	— —	— —	— —	— —	4 3	5 9	11 19	18 20	— —	— —	— —	— —	— —	5 4	— —	—		
20	Other heart disease	M F	80 117	— —	— —	— —	— —	— —	— 5	7 10	25 31	48 71	67 77	— —	— —	— —	— —	10 10	1 2	— —	—		
21	Other circulatory disease	M F	17 25	— —	— —	— —	— —	— —	2 2	2 5	3 16	12 16	16 18	— —	— —	— —	— —	1 1	— —	— —	—		
22	Influenza	M F	22 39	— —	— —	1 —	— —	— —	— 1	7 5	5 11	10 21	27 30	— —	1 —	— —	— —	2 4	5 4	1 —	—		
23	Pneumonia	M F	17 6	1 —	5 —	— —	— —	— —	2 1	2 2	6 3	1 18	18 18	— —	4 1	1 —	— —	3 3	1 —	— —	—		
24	Bronchitis	M F	50 31	1 —	— —	— —	— —	— —	1 —	15 3	15 6	18 22	31 20	— —	— —	— —	— —	1 —	7 —	10 —	—		
25	Other diseases of respiratory system	M F	11 4	— —	— —	1 —	— —	— —	— 1	— —	4 1	2 2	8 3	— —	— —	1 —	— —	— —	3 —	— —	—		
26	Ulcer of stomach and duodenum	M F	3 —	— —	— —	— —	— —	— —	2 —	1 —	— —	4 —	1 —	— —	— —	— —	— —	1 —	— —	— —	—		
27	Gastritis, enteritis and diarrhoea	M F	2 5	— —	1 2	— —	— —	— —	— 1	— —	— 2	1 2	2 2	— —	2 1	— —	— —	— —	— —	— —	—		
28	Nephritis and nephrosis	M F	8 5	— —	— —	— —	— —	— —	— 2	— —	— —	6 —	6 —	— —	— —	— —	— —	— —	2 —	2 —	—		
29	Hyperplasia of prostate	M	9	—	—	—	—	—	—	1	2	6	13	—	—	—	1	—	1	—	—		
30	Pregnancy, childbirth, abortion	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	2	—	—	—		
31	Congenital malformations	M F	1 1	— —	— —	— —	— —	— —	— 1	— —	— —	1 —	4 4	2 —	1 —	— —	— —	1 —	1 —	— —	— —		
32	Other defined and illdefined dis.	M F	40 45	11 8	4 2	— —	— —	— —	5 6	6 7	6 11	8 11	49 54	5 4	6 1	1 —	— —	2 8	9 —	— —	—		
33	Motor vehicle accidents	M F	4 1	— —	— —	— —	1 —	1 —	1 —	— —	— —	1 —	2 —	— —	— —	— —	1 —	— —	— —	— —	—		
34	All other accidents	M F	10 7	— —	— —	1 —	1 —	1 —	3 3	1 2	— —	1 3	6 4	— —	— 1	— 1	— —	2 1	2 —	1 —	—		
35	Suicide	M F	3 —	— —	— —	— —	— —	— —	— 1	— 2	— —	— —	3 —	— —	— —	— —	— —	— —	— —	— —	—		
36	Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—		

TABLE 20—continued—Administrative County of Cardigan.

Causes of Death (See first page of Table)		Aggregate of Urban Districts										Aggregate of Rural Districts									
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over
All Causes	M	152	2	—	—	1	1	4	41	45	58	315	6	6	—	3	1	20	55	77	147
	F	141	3	—	—	1	—	7	19	37	74	344	3	8	1	5	4	8	50	80	185
Tuberculosis	M	2	—	—	—	—	—	—	2	2	—	8	—	—	—	—	—	1	7	—	—
respiratory	F	3	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	2	1	—	—
Tuberculosis	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
other	F	1	—	—	—	1	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
Syphilitic disease	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Meningococcal infections	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other infective, etc., diseases	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malignant neoplasm: stomach	M	10	—	—	—	—	—	—	4	5	1	9	—	—	—	—	—	—	4	2	3
	F	4	—	—	—	—	—	—	—	2	2	13	—	—	1	—	—	—	4	—	8
lung, bronchus	M	7	—	—	—	—	—	—	6	—	1	7	—	—	—	—	—	—	1	5	1
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—
uterus	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
Other malignant and lymphatic neoplasms	M	10	—	—	—	1	1	—	—	6	2	23	—	—	—	1	—	2	4	6	10
	F	10	—	—	—	—	—	—	3	5	2	27	—	—	—	—	—	1	9	7	10
Leukæmia, aleukæmia	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diabetes	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Vascular lesions of nervous system	M	22	—	—	—	—	—	—	4	7	11	40	—	—	—	—	—	—	1	6	1
	F	29	—	—	—	—	—	—	4	9	16	55	—	—	—	—	—	2	8	10	22
Coronary disease, angina	M	20	—	—	—	—	—	—	9	8	3	22	—	—	—	—	—	—	3	11	8
	F	15	—	—	—	—	—	—	1	5	9	23	—	—	—	—	—	—	5	4	14
Hypertension with heart disease	M	2	—	—	—	—	—	—	1	1	3	3	—	—	—	—	—	—	—	—	3
	F	6	—	—	—	—	—	—	—	3	3	10	—	—	—	—	—	2	3	5	—
Other heart disease	M	34	—	—	—	—	—	—	3	7	24	80	—	—	—	—	—	—	8	18	54
	F	29	—	—	—	—	—	—	—	6	23	105	—	—	—	—	—	—	6	19	80
Other circulatory disease	M	5	—	—	—	—	—	—	2	1	2	12	—	—	—	—	—	3	2	7	—
	F	2	—	—	—	—	—	1	—	1	1	6	—	—	—	—	—	—	3	3	3
Influenza	M	3	—	—	—	—	—	—	2	—	1	8	—	—	—	—	—	1	3	2	2
	F	3	—	—	—	—	—	—	—	1	2	15	—	—	—	—	—	—	1	5	8
Pneumonia	M	3	—	—	—	—	—	—	1	1	1	9	—	—	—	—	—	2	1	4	—
	F	5	—	—	—	—	—	—	1	—	4	7	—	2	1	—	—	—	2	4	—
Bronchitis	M	10	—	—	—	—	—	—	2	3	5	16	—	—	—	—	—	—	4	5	7
	F	4	—	—	—	—	—	—	—	—	—	17	—	—	—	—	—	—	1	6	10
Other diseases of respiratory system	M	1	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	1	2	3	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—
Ulcer of stomach and duodenum	M	1	—	—	—	—	—	—	—	1	—	4	—	—	—	—	—	1	1	1	—
	F	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
Gastritis, enteritis and diarrhoea	M	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	1	—	—	—	—	—
Nephritis and nephrosis	M	3	—	—	—	—	—	—	—	1	2	13	—	—	—	—	—	—	2	4	7
	F	4	—	—	—	—	—	—	—	2	2	5	—	—	—	—	—	—	3	3	8
Hyperplasia of prostate	M	1	—	—	—	—	—	—	—	—	1	12	—	—	—	—	—	—	2	2	—
Pregnancy, childbirth, abortion	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
Congenital malformations	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Other defined and illdefined dis.	M	12	2	—	—	—	—	2	3	2	3	19	4	1	—	—	—	3	—	2	9
	F	11	3	—	—	—	—	—	3	2	3	22	3	1	—	2	1	5	2	2	6
Motor vehicle accidents	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
All other accidents	M	2	—	—	—	—	—	—	1	—	—	7	—	—	—	1	—	—	1	1	—
	F	3	—	—	—	—	—	—	—	1	2	3	—	1	—	—	—	—	—	—	—
Suicide	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Homicide, operations of war	M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—continued—Administrative County of Carmarthen.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes	M	554	5	3	7	4	6	34	164	161	170	759	14	6	13	3	8	39	193	228			
	F	489	9	5	8	1	3	34	99	123	207	625	17	1	9	6	4	27	126	159			
1 Tuberculosis	M	17	—	—	—	—	2	6	7	2	—	21	—	—	—	—	—	5	12	1			
respiratory	F	7	—	—	—	—	—	—	2	—	—	14	—	—	—	—	2	4	4	3			
2 Tuberculosis	M	6	—	—	3	2	—	—	1	—	—	4	—	—	1	1	—	1	1	—			
other	F	4	—	—	1	—	1	—	—	2	—	2	—	—	—	—	—	—	—	—			
3 Syphilitic disease	M	3	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
4 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
6 Meningococcal	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
infections	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
7 Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
8 Measles	M	2	—	—	2	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—			
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
9 Other infective, etc.,	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—			
diseases	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
10 Malignant neoplasm:	M	13	—	—	—	—	—	—	3	5	5	33	—	—	—	—	—	1	11	15			
stomach	F	17	—	—	—	—	—	1	1	6	9	27	—	—	—	—	—	—	10	9			
11 lung, bronchus	M	14	—	—	—	—	—	1	6	7	—	15	—	—	—	—	—	1	4	10			
	F	3	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	—			
12 breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	12	—	—	—	—	—	—	6	3	3	20	—	—	—	—	—	4	11	5			
13 uterus	M	7	—	—	—	—	—	—	5	1	1	11	—	—	—	—	—	2	5	4			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
14 Other malignant and	M	43	—	—	1	—	1	2	9	14	16	54	—	—	—	—	1	3	17	16			
lymphatic neoplasms	F	38	—	—	—	—	—	1	12	16	9	39	—	—	—	—	—	2	14	7			
15 Leukæmia, aleukæmia	M	2	—	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	1	2			
	F	3	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—			
16 Diabetes	M	2	—	—	—	—	—	—	—	1	1	4	—	—	—	—	—	—	3	1			
	F	2	—	—	—	—	—	—	—	1	1	8	—	—	—	—	—	—	—	—			
17 Vascular lesions of	M	58	—	—	—	—	—	1	17	23	17	90	1	—	—	—	—	—	15	31			
nervous system	F	65	—	—	—	—	—	1	16	15	33	92	—	—	—	1	—	1	23	27			
18 Coronary disease,	M	91	—	—	—	—	—	5	45	25	16	87	—	—	—	—	—	4	28	30			
angina	F	36	—	—	—	—	—	1	9	17	9	47	—	—	—	—	—	—	10	15			
19 Hypertension with	M	13	—	—	—	—	—	—	1	4	8	18	—	—	—	—	—	—	8	4			
heart disease	F	19	—	—	—	—	—	1	2	9	7	15	—	—	—	—	—	1	1	4			
20 Other heart disease	M	71	—	—	—	—	—	1	14	21	35	124	—	—	—	—	—	1	12	45			
	F	94	—	—	—	—	1	8	12	16	27	137	—	—	—	—	—	3	15	40			
21 Other circulatory	M	25	—	—	—	—	—	—	4	4	17	20	—	—	—	—	—	1	1	9			
disease	F	24	—	—	—	—	—	—	3	5	15	25	—	—	—	—	—	—	5	7			
22 Influenza	M	23	—	—	—	—	—	3	5	8	7	22	—	2	1	—	—	2	8	4			
	F	31	—	—	—	—	—	1	4	10	16	22	—	—	—	—	—	—	2	9			
23 Pneumonia	M	20	—	2	2	1	—	1	6	6	2	25	—	—	2	—	—	1	2	8			
	F	10	—	2	1	—	—	2	2	1	2	20	—	—	1	—	—	—	3	1			
24 Bronchitis	M	45	—	—	—	—	—	1	11	18	15	47	—	—	—	—	—	—	15	13			
	F	23	—	—	—	—	—	—	6	9	6	32	—	—	—	—	—	—	4	7			
25 Other diseases of	M	22	—	2	—	—	—	1	12	6	3	53	—	—	—	—	1	4	29	11			
respiratory system	F	5	—	—	—	—	—	2	1	—	2	7	—	—	2	1	1	—	—	—			
26 Ulcer of stomach	M	4	—	—	—	—	—	1	2	1	—	4	—	—	—	—	—	—	1	1			
and duodenum	F	2	—	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—	—	—			
27 Gastritis, enteritis	M	1	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—			
and diarrhoea	F	3	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—			
28 Nephritis and	M	5	—	—	—	—	—	1	4	—	—	18	—	—	—	1	1	2	4	2			
nephrosis	F	8	—	—	—	—	—	3	2	1	2	14	—	—	—	—	—	1	3	4			
29 Hyperplasia of prostate	M	10	—	—	—	—	—	—	—	2	8	16	—	—	—	—	—	—	—	6			
30 Pregnancy, childbirth,	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—			
abortion	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
31 Congenital	M	3	1	1	—	—	—	—	1	—	—	4	2	1	—	—	1	—	—	—			
malformations	F	1	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—			
32 Other defined and	M	40	4	—	1	—	—	1	8	9	17	55	10	2	3	1	1	2	10	13			
illdefined dis.	F	62	9	—	1	—	1	5	12	6	28	63	13	—	—	2	4	3	9	1			
33 Motor vehicle	M	10	—	—	—	—	3	4	1	1	1	11	—	—	2	—	—	4	3	1			
accidents	F	1	—	—	1	—	—	—	—	—	—	6	—	—	2	—	—	1	2	—			
34 All other accidents	M	9	—	—	—	—	—	4	2	2	—	17	—	—	3	—	—	3	4	3			
	F	6	—	—	1	—	—	—	—	1	4	5	—	—	1	1	—	1	—	—			
35 Suicide	M	4	—	—	—	—	—	—	3	1	—	8	—	—	—	—	1	2	5	—			
	F	3	—	—	—	—	—	1	2	—	—	2	—	—	—	—	—	—	—	—			
36 Homicide, operations	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—			
of war	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			

TABLE 20—continued—Administrative County of Denbigh.

Causes of Death <i>See first page of Table)</i>		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	567 614	11 5	8 8	2 1	3 1	7 5	20 20	122 91	178 142	216 341	687 622	13 17	16 13	7 4	3 2	9 6	30 24	170 124	186 168	253 264		
Tuberculosis respiratory	M F	9 12	—	—	—	—	—	1 5	6 3	2 —	—	6 9	—	1 —	—	—	1 5	4 —	2 —	—			
Tuberculosis other	M F	2 —	—	—	—	—	—	1 —	—	1 —	—	2 1	—	—	1 —	—	—	1 —	—	—			
Syphilitic disease	M F	— —	—	—	—	—	—	—	—	—	—	— 2	—	—	—	—	—	—	2 —	—			
Diphtheria	M F	1 —	—	—	—	—	—	—	1 —	—	—	2 —	—	—	—	—	—	—	—	—			
Whooping cough	M F	1 1	—	1 1	—	—	—	—	—	—	—	1 1	—	—	1 1	—	—	—	—	—			
Meningococcal infections	M F	— —	—	—	—	—	—	—	—	—	—	1 —	—	1 —	—	—	—	—	—	—			
Acute poliomyelitis	M F	— —	—	—	—	—	—	—	—	—	—	2 —	—	—	—	1 —	1 —	—	—	—			
Measles	M F	— —	—	1 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Other infective, etc., diseases	M F	1 3	—	—	—	—	—	1 —	—	2 —	—	3 15	—	1 —	—	—	—	1 —	1 —	—			
Malignant neoplasm: stomach	M F	20 16	—	—	—	—	—	—	5 2	10 6	5 8	15 21	—	—	—	—	1 —	8 8	3 9	3 4			
Lung, bronchus	M F	13 2	—	—	—	—	—	—	9 2	3 —	1 —	12 1	—	—	—	—	2 —	6 1	3 —	1 —			
breast	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
uterus	M F	13 9	—	—	—	—	—	4 1	5 3	1 4	3 1	14 8	—	—	—	—	1 2	9 4	3 —	1 2			
Other malignant and lymphatic neoplasms	M F	63 43	—	—	1 —	—	1 —	—	14 13	22 14	25 16	55 29	—	—	1 —	1 —	1 —	3 2	17 10	18 9	14 8		
Leukæmia, aleukæmia	M F	2 1	—	—	—	—	—	—	—	2 1	—	4 1	—	—	1 —	—	—	2 1	—	—			
Diabetes	M F	4 4	—	—	—	—	—	—	—	—	4 —	1 6	—	—	—	—	—	1 2	—	—			
Vascular lesions of nervous system	M F	77 114	—	—	—	—	—	3 2	4 21	34 24	36 67	85 101	—	—	—	1 —	1 1	12 18	27 37	46 44			
Coronary disease, angina	M F	82 45	—	—	—	—	—	5 9	25 15	24 21	28 21	92 33	—	—	—	—	1 —	34 12	34 14	23 11			
Hypertension with heart disease	M F	11 22	—	—	—	—	—	—	2 1	4 5	5 16	20 14	—	—	—	—	—	2 1	7 7	6 —			
Other heart disease	M F	89 142	—	—	—	—	—	3 1	13 5	25 34	48 102	117 143	—	—	—	1 —	3 2	15 18	28 38	70 85			
Other circulatory disease	M F	18 22	—	—	—	—	—	—	2 4	5 3	11 15	16 13	—	—	—	—	—	3 2	9 3	4 8			
Influenza	M F	22 26	—	—	—	—	—	—	4 2	5 19	13 42	41 —	—	1 —	—	—	2 —	8 3	11 10	19 29			
Pneumonia	M F	17 17	—	5 2	—	—	1 —	—	5 2	3 1	12 11	7 19	—	2 —	—	—	—	1 2	2 5	3 —			
Bronchitis	M F	31 26	—	—	—	—	—	—	9 1	11 4	11 21	60 31	—	2 —	—	—	—	17 4	16 8	25 17			
Other diseases of respiratory system	M F	5 5	—	—	—	—	—	—	4 2	1 2	20 4	—	—	2 —	—	—	3 —	9 1	6 1	—			
Ulcer of stomach and duodenum	M F	5 1	—	—	—	—	—	—	2 —	2 —	1 —	8 2	—	—	—	—	—	5 —	1 —	2 1			
Gastritis, enteritis and diarrhoea	M F	2 8	—	1 —	—	—	—	—	—	1 2	—	2 1	—	—	2 —	—	—	—	—	—			
Nephritis and nephrosis	M F	8 13	—	—	—	1 —	1 —	—	2 4	3 3	3 4	8 15	—	—	—	1 —	1 2	3 4	3 —	5 —			
Hyperplasia of prostate	M F	16 1	—	—	—	—	1 —	—	1 —	8 —	7 —	9 3	—	—	—	—	—	1 3	2 —	—			
Pregnancy, childbirth, abortion	M F	— —	—	—	—	—	—	—	—	—	—	— 3	—	—	—	—	—	—	—	—			
Congenital malformations	M F	3 3	—	1 —	1 —	1 —	—	2 —	—	—	—	7 13	4 9	2 5	1 —	—	—	—	—	—			
Other defined and illdefined dis.	M F	47 50	11 4	1 —	1 —	1 —	1 —	1 2	11 7	10 10	10 26	62 82	9 12	1 —	1 —	3 2	6 1	13 20	9 14	21 29			
Motor vehicle accidents	M F	8 2	—	—	—	1 —	1 —	2 —	2 —	2 —	—	6 1	—	—	—	—	1 —	2 —	3 —	—			
All other accidents	M F	9 7	—	2 —	—	—	—	—	3 —	1 5	3 —	19 9	—	—	1 —	1 —	1 —	4 3	6 1	2 5			
Suicide	M F	4 2	—	—	—	—	1 —	—	1 —	—	2 —	4 1	—	—	—	—	—	1 —	—	1 —			
Homicide, operations of war	M F	— —	—	—	—	—	—	—	—	—	—	— —	—	—	—	—	—	—	—	—			

TABLE 20—continued—Administrative County of Flint.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes		M F	479 515	17 6	6 5	3 2	6 1	5 7	20 16	127 85	141 147	154 246	534 412	19 6	8 11	7 6	2 4	7 3	43 19	143 77			
1	Tuberculosis	M F	14 6	— —	— —	— —	— —	— 1	2 2	10 2	2 1	— —	33 6	— —	— —	— 1	— —	1 —	13 3	17 2			
2	Tuberculosis other	M F	2 —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	4 1	— —	— —	2 1	— —	— —	1 —	— —			
3	Syphilitic disease	M F	2 1	— —	— —	— —	— —	— —	— —	1 —	1 1	— —	3 —	— —	— —	— —	— —	— —	— —	2 —			
4	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
5	Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —			
6	Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
7	Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
8	Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	1 —	— —	— —	— —	— —			
9	Other infective, etc., diseases	M F	2 5	— —	— —	— —	— —	— —	1 —	3 —	1 —	1 —	3 —	— —	— —	— —	— —	— —	— —	— —			
10	Malignant neoplasm: stomach	M F	14 18	— —	— —	— —	— —	— —	— —	— —	5 8	4 8	23 9	— —	— —	— —	— —	1 —	— —	1 8			
11	lung, bronchus	M F	23 1	— —	— —	— —	— —	— —	— —	13 —	8 —	2 —	22 3	— —	— —	— —	— —	— —	1 —	12 —			
12	breast	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
13	uterus	M F	13 7	— —	— —	— —	— —	— —	2 —	5 —	— —	6 —	18 6	— —	— —	— —	— —	3 —	9 2				
14	Other malignant and lymphatic neoplasms	M F	53 46	— —	— —	1 —	— —	— —	3 —	18 —	19 —	12 —	52 25	— —	— —	1 —	— —	4 —	15 5				
15	Leukæmia, aleukæmia	M F	4 1	— —	— —	— —	— —	— —	— —	2 —	1 —	— —	2 —	— —	— —	— —	— —	1 —	— —				
16	Diabetes	M F	3 3	— —	— —	— —	— —	— —	— —	1 —	— —	2 —	2 —	— —	— —	— —	— —	— —	— —	— —			
17	Vascular lesions of nervous system	M F	48 87	— —	— —	— —	— —	— —	— —	12 —	19 —	17 —	53 75	— —	— —	— —	— —	— —	1 —	12 18			
18	Coronary disease, angina	M F	76 36	— —	— —	— —	— —	— —	4 —	22 —	33 —	17 —	67 32	— —	— —	— —	— —	1 —	26 —				
19	Hypertension with heart disease	M F	11 18	— —	— —	— —	— —	— —	— —	2 —	1 —	8 —	16 13	— —	— —	— —	— —	1 —	5 —				
20	Other heart disease	M F	70 91	— —	— —	2 —	— —	2 —	7 —	16 —	43 —	74 —	— —	— —	— —	— —	1 —	5 —	13 —				
21	Other circulatory disease	M F	15 25	— —	— —	— —	— —	— —	— —	10 —	3 —	9 —	17 13	— —	— —	— —	— —	2 —	6 —				
22	Influenza	M F	14 29	— —	1 —	— —	— —	— —	— —	2 —	8 —	3 —	13 23	— —	— —	— —	— —	— —	2 —				
23	Pneumonia	M F	11 21	— —	2 —	— —	— —	— —	— —	1 —	6 —	2 —	17 17	— —	— —	— —	— —	1 —	3 —				
24	Bronchitis	M F	24 19	— —	— —	— —	— —	— —	— —	5 —	6 —	13 —	27 13	— —	— —	— —	— —	— —	6 —				
25	Other diseases of respiratory system	M F	6 2	— —	— —	— —	— —	— —	— —	1 —	5 —	12 —	13 3	— —	— —	— —	— —	1 —	2 —				
26	Ulcer of stomach and duodenum	M F	7 1	— —	— —	— —	— —	— —	— —	6 —	— —	1 —	7 5	— —	— —	— —	— —	2 —	2 —				
27	Gastritis, enteritis and diarrhœa	M F	3 8	— —	1 —	— —	— —	— —	— —	— —	1 —	3 —	3 —	— —	— —	— —	— —	— —	1 —				
28	Nephritis and nephrosis	M F	8 6	— —	— —	2 —	— —	— —	3 —	— —	1 —	2 —	9 7	— —	— —	— —	— —	3 —	1 —				
29	Hyperplasia of prostate	M	9	—	—	—	—	—	1	1	3	1	11	—	—	—	—	1	2				
30	Pregnancy, childbirth, abortion	F	1	—	—	—	—	—	1	1	4	—	—	—	—	—	—	—	—				
31	Congenital malformations	M F	2 1	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	9 6	5 2	3 2	— —	— —	1 —	— —				
32	Other defined and illdefined dis.	M F	43 58	15 6	— —	1 —	1 —	— —	2 —	8 —	7 —	9 —	40 35	11 2	1 3	— —	— —	5 —	1 —				
33	Motor vehicle accidents	M F	2 1	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	9 5	— —	— —	— —	1 —	4 —	1 —				
34	All other accidents	M F	12 8	1 —	1 —	— —	— —	— —	— —	3 —	4 —	2 —	11 9	— —	— —	— —	— —	3 —	2 —				
35	Suicide	M F	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —				
36	Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —				

TABLE 20—continued—Administrative County of Glamorgan.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	4365 3322	128 91	72 59	34 35	33 24	36 41	235 191	1281 725	1286 916	1260 1240	1365 1039	29 26	16 20	13 12	8 9	15 4	69 121	388 208	401 257	426 432		
Tuberculosis respiratory	M F	139 79	— —	— —	— 1	— 1	— 11	— 48	— 68	— 28	— 3	— 30	— 32	— —	— —	— —	— —	— 12	— 23	— 15	— 4		
Tuberculosis other	M F	21 16	— —	1 —	2 4	— 6	— 2	— 7	— 3	— 5	— 2	— 8	— 3	— —	— 1	— 1	— —	— 3	— —	— —	— 1		
Syphilitic disease	M F	18 3	— —	— —	— —	— —	— 1	— 1	— 7	— 5	— 4	— 5	— 2	— —	— —	— —	— —	— 2	— 1	— 2	— —		
Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Whooping cough	M F	4 8	— —	3 4	— 4	— 1	— —	— —	— —	— —	— —	— 3	— 1	— —	— 1	— —	— —	— —	— —	— —	— —		
Meningococcal infections	M F	2 —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— 2	— —	— —	— —	— —	— —	— —	— —		
Acute poliomyelitis	M F	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —		
Measles	M F	3 1	— —	1 —	2 1	— —	— —	— —	— —	— —	— —	— 1	— 4	— —	— 1	— —	— —	— —	— —	— —	— —		
Other infective, etc., diseases	M F	12 5	— —	— —	— —	2 —	— —	1 1	5 3	3 1	— 5	— 2	— —	— —	— 1	— —	— 1	— —	— —	— —	— —		
Malignant neoplasm: stomach	M F	156 107	— —	— —	— —	— —	— —	— 9	60 33	53 44	34 30	45 27	— —	— —	— —	— —	— —	— 1	14 11	20 10	11 5		
lung, bronchus	M F	115 15	— —	— —	— —	— —	— —	— 8	72 7	33 3	2 5	36 2	— —	— —	— —	— —	— —	— 1	24 1	9 —	2 1		
breast	M F	1 86	— —	— —	— —	— —	— —	— 11	— 50	— 15	— 10	— 22	— —	— —	— —	— —	— 3	— 8	— 4	— 7	— 5		
uterus	M F	56 —	— —	— —	— —	— —	— —	— 8	24 —	15 —	9 —	19 —	— —	— —	— —	— —	— —	— 1	8 8	5 5	— —		
Other malignant and lymphatic neoplasms	M F	294 208	— —	1 —	2 —	1 —	4 —	16 13	92 78	109 69	73 41	121 79	— —	— —	— 1	— 1	— —	— 6	48 26	42 20	23 25		
Leukæmia, aleukæmia	M F	13 10	— —	1 —	2 1	— 3	— —	4 2	3 2	2 1	— 1	6 5	— —	— —	— —	— —	— 1	— 2	— 3	— —	— —		
Diabetes	M F	15 41	— —	— —	— —	— 1	— 2	2 15	4 15	6 8	3 16	3 16	— —	— —	— —	— —	— —	— —	2 3	1 7	— 6		
Vascular lesions of nervous system	M F	406 422	— —	1 —	— —	— 1	— —	6 5	77 85	137 151	184 181	114 153	— —	— —	— —	— 1	— —	— 1	23 30	34 46	55 76		
Coronary disease, angina	M F	489 204	— —	— —	— —	— —	— —	— 11	201 54	183 82	94 64	173 67	— —	— —	— —	— —	— —	— 5	62 17	67 25	39 24		
Hypertension with heart disease	M F	108 84	— —	— —	— —	— —	— —	— 2	30 20	38 30	38 30	35 22	— —	— —	— —	— —	— 1	— 8	5 3	15 10	15 10		
Other heart disease	M F	656 765	— —	— —	— 1	1 1	— 6	5 22	23 122	109 212	192 401	326 196	211 —	— —	— —	— 1	— 1	6 5	29 24	62 57	112 109		
Other circulatory disease	M F	109 90	— —	— —	— —	— —	— —	— 2	15 9	32 27	61 52	47 50	— —	— —	— —	— —	— —	— 5	9 13	10 32	28 32		
Influenza	M F	148 117	— —	— —	— 2	— —	— 1	— 6	46 30	57 40	40 33	40 29	— —	— 1	— —	— —	— —	— 3	5 5	10 10	21 11		
Pneumonia	M F	172 117	7 5	21 24	7 5	2 1	— 1	— 7	60 15	47 25	23 34	47 34	— —	— 1	— 5	— 2	— —	— 2	17 9	9 3	11 11		
Bronchitis	M F	422 208	— —	7 4	1 1	— —	— 1	— 2	133 31	154 80	122 89	125 66	— —	— 1	— 1	— —	— —	— 2	39 12	46 37	36 37		
Other diseases of respiratory system	M F	196 15	— —	— —	— —	— —	— 2	— 2	99 3	69 7	19 4	65 —	— —	— 1	— —	— —	— —	— 1	28 24	11 11	— —		
Ulcer of stomach and duodenum	M F	44 6	— —	— —	— —	— —	— —	— 1	18 —	10 3	10 3	6 4	— —	— —	— —	— —	— 1	— 1	— 1	— 1	— 1		
Gastritis, enteritis and diarrhea	M F	12 12	2 —	3 4	— —	— —	— —	— 1	1 2	3 2	2 3	3 5	— —	— 1	— —	— —	— —	— 1	— —	— 1	— 2		
Nephritis and nephrosis	M F	39 45	— —	— —	1 —	1 2	— 2	2 8	19 7	7 1	1 8	18 14	— —	— —	— —	— —	— —	— 2	12 5	4 4	2 3		
Hyperplasia of prostate	M	83	—	—	—	—	—	—	9	24	50	22	—	—	—	—	—	6	1	9	12		
Pregnancy, childbirth, abortion	F	10	—	—	—	—	4	6	—	—	—	6	—	—	—	—	—	—	—	—	—		
Congenital malformations	M F	38 27	15 14	10 5	— —	2 2	— —	— 3	7 4	1 2	— —	6 11	— —	— 5	— 2	— 1	— 1	— —	— 8	— 24	— 27		
Other defined and illdefined dis.	M F	443 471	104 69	18 13	4 7	5 2	9 4	23 28	70 89	70 75	140 184	127 140	24 21	4 3	1 —	— 3	5 —	6 8	24 24	27 37	37 55		
Motor vehicle accidents	M F	28 15	— —	— —	4 5	3 2	— 2	9 —	6 48	2 13	4 21	11 45	— —	— —	— 3	— 1	— 1	— 4	1 15	2 12	5 4		
All other accidents	M F	146 63	— 2	4 5	10 4	9 1	8 —	33 2	48 8	13 10	21 31	45 12	— —	— 1	— —	— 2	— 1	— —	— 1	— 4	— 7		
Suicide	M F	30 13	— —	— —	— —	— —	— —	— 4	17 6	5 —	4 1	13 2	— —	— —	— —	— —	— —	— 1	3 2	7 —	2 —		
Homicide, operations of war	M F	3 2	— —	1 —	— —	— —	— —	— 1	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Administrative County of Merioneth.

Causes of Death (See first page of Table)		Aggregate of Urban Districts										Aggregate of Rural Districts									
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	
All Causes	M F	136 163	1 5	2 1	— —	— —	3 1	8 2	28 31	47 53	47 70	181 171	4 3	4 3	— —	1 1	3 6	5 29	5 30	5 5	
1 Tuberculosis	M F	9 1	— —	— —	— —	— —	— —	1 1	3 1	5 —	— —	7 1	— —	— —	— —	— —	— —	1 3	— —	— —	
2 Tuberculosis other	M F	1 —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	1 1	— —	— —	— —	— —	— —	1 1	— —	— —	
3 Syphilitic disease	M F	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
4 Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
5 Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	
6 Meningococcal infections	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	
7 Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
8 Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
9 Other infective, etc., diseases	M F	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
10 Malignant neoplasm: stomach	M F	8 13	— —	— —	— —	— —	— —	— —	3 —	4 9	1 4	11 8	— —	— —	— —	— —	— —	— —	1 4	5	
11 lung, bronchus	M F	4 —	— —	— —	— —	— —	— —	— —	— —	2 —	2 —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	
12 breast	M F	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
13 uterus	M F	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
14 Other malignant and lymphatic neoplasms	M F	4 12	— —	— —	— —	— —	— —	— —	2 2	1 4	1 6	15 18	— —	— —	— —	— —	— —	— —	3 4	—	
15 Leukæmia, aleukæmia	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
16 Diabetes	M F	1 2	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	
17 Vascular lesions of nervous system	M F	20 33	— —	— —	— —	— —	— —	— —	3 3	8 12	9 18	21 27	— —	— —	— —	— —	— —	— —	2 3	—	
18 Coronary disease, angina	M F	13 9	— —	— —	— —	— —	— —	— —	3 3	5 5	5 1	17 8	— —	— —	— —	— —	— —	— —	4 1	10	
19 Hypertension with heart disease	M F	4 3	— —	— —	— —	— —	— —	— —	1 —	— —	3 —	5 4	— —	— —	— —	— —	— —	— —	— —	— —	
20 Other heart disease	M F	8 28	— —	— —	— —	— —	1 —	1 7	3 8	3 13	3 5	35 42	— —	— —	— —	— —	— —	— —	2 2	11	
21 Other circulatory disease	M F	10 9	— —	— —	— —	— —	— —	— —	1 1	4 2	5 6	8 5	— —	— —	— —	— —	— —	— —	1 1	—	
22 Influenza	M F	9 11	— —	— —	— —	— —	— —	— —	4 2	2 2	3 7	8 11	— —	— —	— —	— —	— —	— —	— —	— —	
23 Pneumonia	M F	2 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	7 4	— —	3 1	— —	1 —	— —	— —	— —	— —	
24 Bronchitis	M F	6 7	— —	1 1	— —	— —	— —	— —	— —	2 2	3 4	2 4	— —	— —	— —	— —	— —	— —	— —	— —	
25 Other diseases of respiratory system	M F	6 3	— —	— —	— —	— —	— —	— —	2 3	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
26 Ulcer of stomach and duodenum	M F	1 1	— —	— —	— —	— —	— —	— —	— —	1 1	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	
27 Gastritis, enteritis and diarrhoea	M F	— 2	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
28 Nephritis and nephrosis	M F	3 3	— —	— —	— —	— —	— —	— —	— —	2 —	1 —	6 3	— —	— —	— —	— —	1 —	— —	— —	— —	
29 Hyperplasia of prostate	M F	6 —	— —	— —	— —	— —	— —	— —	— —	2 —	4 —	3 3	— —	— —	— —	— —	— —	— —	— —	— —	
30 Pregnancy, childbirth, abortion	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
31 Congenital malformations	M F	— 3	— 3	— —	— —	— —	— —	— —	— —	— —	— —	1 3	— —	— —	— —	— —	— —	— —	— —	— —	
32 Other defined and illdefined dis.	M F	9 13	1 2	1 —	— —	— —	— —	1 —	— 3	1 2	5 6	18 17	4 2	— —	— —	1 —	— —	2 1	4 1	3 —	
33 Motor vehicle accidents	M F	5 —	— —	— —	— —	2 —	2 —	— —	— —	1 —	— —	2 —	— —	— —	— —	— —	1 —	— —	— —	— —	
34 All other accidents	M F	3 3	— —	— —	— —	1 —	— —	— —	1 —	1 —	— —	1 5	— —	1 —	— —	— —	1 —	— —	— —	— —	
35 Suicide	M F	2 1	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	
36 Homicide, operations of war	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

TABLE 20—continued—Administrative County of Monmouth.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	2047 1618	64 56	41 31	21 16	16 7	22 13	104 77	534 344	574 422	671 652	314 277	14 4	9 6	4 —	4 1	5 —	12 14	72 49	79 69	115 134		
Tuberculosis respiratory	M F	57 20	— —	— —	— —	— —	2 —	16 15	24 3	13 2	2 —	4 4	— —	— —	— —	— —	— —	1 3	1 1	2 —	— —		
Tuberculosis other	M F	7 5	— —	1 —	— 2	— 1	— —	3 1	1 1	— —	— —	— 2	— —	— —	— —	— —	— 1	— 1	— —	— —	— —		
Syphilitic disease	M F	4 3	— —	— 1	— —	— —	— —	— —	1 —	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Whooping cough	M F	2 2	— —	2 1	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —		
Meningococcal infections	M F	1 1	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Measles	M F	1 6	— —	— 3	1 2	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Other infective, etc., diseases	M F	7 2	— —	— —	— —	2 —	— —	1 —	2 —	2 —	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —		
Malignant neoplasm: stomach	M F	67 56	— —	— —	— —	— —	— —	2 —	23 17	22 21	20 18	11 9	— —	— —	— —	— —	— —	4 1	4 2	3 6	— —		
lung, bronchus	M F	56 8	— —	— —	— —	— —	— —	2 —	30 38	20 4	4 —	9 1	— —	— —	— —	— —	1 —	7 1	1 —	— —	— —		
breast	M F	29 27	— —	— —	— —	— —	1 —	4 5	15 16	6 4	3 2	9 5	— —	— —	— —	— —	1 —	6 4	— 1	2 —	— —		
uterus	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Other malignant and lymphatic neoplasms	M F	132 102	1 —	— —	— —	1 1	— 3	6 4	39 38	50 31	35 25	21 27	— —	— —	1 —	— —	— —	5 6	9 9	5 9	— —		
Leukæmia, aleukæmia	M F	5 2	— —	— —	2 —	— —	— —	— 1	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Diabetes	M F	4 16	— —	— —	— —	— —	— —	— 1	1 3	1 5	2 7	1 4	— —	— —	— —	— —	— —	— —	— —	1 2	— 2		
Vascular lesions of nervous system	M F	165 212	— —	— —	— —	— —	— 1	4 2	20 39	59 75	82 95	21 43	— —	— —	— —	— —	— —	6 6	4 11	11 26	— —		
Coronary disease, angina	M F	239 106	— —	— —	— —	— —	— —	4 1	87 23	81 39	67 43	39 23	— —	— —	— —	— —	— —	17 6	13 6	9 11	— —		
Hypertension with heart disease	M F	52 39	— —	— —	— —	— —	— —	— 1	10 9	24 21	18 8	4 4	— —	— —	— —	— —	— —	2 3	— 1	2 2	— —		
Other heart disease	M F	356 409	— —	— —	— —	1 —	1 1	14 12	54 61	94 95	192 240	63 67	— —	— —	— —	— —	1 —	7 7	19 13	36 47	— —		
Other circulatory disease	M F	54 51	— —	— —	— —	— —	— —	— 1	6 7	12 11	35 33	12 5	— —	— —	— —	— —	— —	— —	4 2	8 3	— —		
Influenza	M F	64 51	— —	1 —	1 —	1 —	— —	3 2	21 15	22 16	14 17	15 14	— —	— —	— —	— —	2 —	— 1	5 4	2 6	9 9		
Pneumonia	M F	90 50	6 6	10 10	5 4	— —	— 1	2 2	23 7	27 7	17 13	8 3	— 1	4 —	— —	— —	— —	— —	1 1	2 2	— —		
Bronchitis	M F	207 96	— —	2 4	— —	— —	— —	2 1	72 21	68 25	63 45	23 11	— —	— —	— —	— —	— —	4 4	8 5	11 2	— —		
Other diseases of espiratory system	M F	57 13	— —	1 —	1 —	— —	— —	— 1	27 5	20 2	8 3	3 2	— —	— —	— —	— —	— —	1 1	1 1	— —	— —		
Ulcer of stomach and duodenum	M F	37 4	— —	— —	— —	— —	1 —	7 —	23 —	5 2	1 —	6 1	— —	— —	— —	— —	— —	4 —	1 —	1 —	— —		
Gastritis, enteritis and diarrhoea	M F	10 7	— —	3 1	— —	— —	— —	— —	— 1	— 3	6 2	2 2	— —	1 —	— —	— —	— —	— —	— —	— —	— —		
Nephritis and nephrosis	M F	21 33	— —	— —	— —	1 —	1 —	5 4	7 11	2 13	5 5	2 1	— —	— —	— —	— —	— —	— 1	— 3	1 7	— —		
Hyperplasia of prostate	M	33	—	—	—	—	—	—	3	9	21	10	—	—	—	—	—	—	—	—	—		
Pregnancy, childbirth, abortion	F	6	—	—	—	—	—	6	—	—	—	2	—	—	—	—	2	—	—	—	—		
Congenital malformations	M F	20 24	10 13	5 6	1 —	— —	— 1	3 —	— 2	1 —	— —	4 2	2 —	1 —	— —	— —	— —	1 —	— —	— —	— —		
Other defined and ildefined dis.	M F	194 203	44 35	12 5	5 3	2 3	3 1	10 9	28 39	30 32	60 76	29 29	11 4	2 1	2 —	1 —	1 —	3 5	2 6	8 10	— —		
Motor vehicle accidents	M F	21 6	— —	— —	— —	3 —	3 —	10 3	3 1	3 1	2 1	11 3	— —	— —	2 —	2 —	1 —	4 1	2 2	— —	— —		
All other accidents	M F	63 25	2 1	4 —	4 1	4 1	5 1	10 1	16 4	3 4	15 12	9 3	— —	1 —	— —	— —	1 —	2 —	1 —	3 2	— —		
Suicide	M F	20 4	— —	— —	— —	— —	1 —	1 —	11 —	5 —	2 —	4 —	— —	— —	— —	— —	— —	2 —	2 —	— —	— —		
Homicide, operations of war	M F	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Administrative County of Montgomery.

Causes of Death (See first page of Table)		Aggregate of Urban Districts										Aggregate of Rural Districts									
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-		
All Causes	M F	150 115	6 2	1 1	3 1	1 1	2 2	5 3	31 16	42 33	59 56	193 183	4 3	2 4	2 1	1 1	5 1	8 7	44 30		
1 Tuberculosis : respiratory	M F	6 2	—	—	—	—	—	2	3	1	—	6 2	—	—	—	—	—	3 1	3 1		
2 Tuberculosis other	M F	1 —	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1 —	1 —		
3 Syphilitic disease	M F	— —	—	—	—	—	—	—	—	—	—	1 —	—	—	—	—	—	—	—		
4 Diphtheria	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M F	— —	—	—	—	—	—	—	—	—	—	1 3	—	1 2	—	—	—	—	—		
6 Meningococcal infections	M F	— —	—	—	—	—	—	—	—	—	—	1 —	—	—	1 —	—	1 —	—	—		
7 Acute poliomyeli is	M F	— —	—	—	—	—	—	—	—	—	—	1 —	—	—	—	—	—	1 —	—		
8 Measles	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Other infective, etc., diseases	M F	— 1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
10 Malignant neoplasm: stomach	M F	7 6	—	—	—	—	—	—	3 2	3 3	1 1	9 6	—	—	—	—	—	—	4 2		
11 lung, bronchus	M F	2 1	—	—	—	—	—	—	1	1	—	1 1	—	—	—	—	—	—	—		
12 breast	M F	— 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2 3		
13 uterus	M F	1 —	—	—	—	—	—	—	—	1	—	3 3	—	—	—	—	—	—	—		
14 Other malignant and lymphatic neoplasms	M F	12 6	—	1	—	—	—	—	4 2	4 3	3 1	19 10	—	—	—	—	—	6 2	2 1		
15 Leukæmia, aleukæmia	M F	1 —	—	—	—	—	—	—	—	1	—	1 2	—	—	1	—	—	1 1	1 —		
16 Diabetes	M F	— —	—	—	—	—	—	—	—	—	—	1 1	—	—	—	—	—	—	—		
17 Vascular lesions of nervous system	M F	15 11	—	—	—	—	—	1	2	4 2	9 8	25 29	—	—	—	—	—	1 7	1 1		
18 Coronary disease, angina	M F	24 10	—	—	—	—	—	—	6 3	9 6	9 1	14 11	—	—	—	—	1	2 1	—		
19 Hypertension with heart disease	M F	2 1	—	—	—	—	—	—	—	1	2	4 3	—	—	—	—	1	1 1	—		
20 Other heart disease	M F	26 21	—	—	—	—	—	—	2 1	7 4	17 16	34 40	—	—	—	—	—	5 7	—		
21 Other circulatory disease	M F	6 6	—	—	—	—	—	—	—	2	4 6	8 5	—	—	—	—	1	2 —	—		
22 Influenza	M F	4 7	—	—	—	—	—	—	1 1	1 3	2 3	4 6	—	—	—	—	—	—	1		
23 Pneumonia	M F	2 5	—	1	—	—	—	1	—	1	—	6 5	—	1 1	—	—	—	—	2		
24 Bronchitis	M F	10 8	—	—	1	—	—	—	3 1	3 1	4 5	10 10	—	—	—	—	1	2 1	—		
25 Other diseases of respiratory system	M F	1 2	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	—		
26 Ulcer of stomach and duodenum	M F	2 —	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—		
27 Gastritis, enteritis and diarrhœa	M F	2 1	—	1	—	—	—	—	—	1	—	1 1	—	—	—	—	—	1 1	—		
28 Nephritis and nephrosis	M F	3 3	—	—	—	—	1	—	1	1	2	10 4	—	—	—	—	1	2	—		
29 Hyperplasia of prostate	M F	4 —	—	—	—	—	—	—	1	1	3	5 1	—	—	—	—	—	—	—		
30 Pregnancy, childbirth, abortion	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—		
31 Congenital malformations	M F	— 2	— 1	—	—	—	—	—	—	1	—	2 2	1 1	—	1	—	—	—	1		
32 Other defined and illdefined dis.	M F	14 14	6 1	—	1	1	—	1	4	—	3 8	20 28	3 1	—	1	1	2	4 1	—		
33 Motor vehicle accidents	M F	3 1	— —	—	—	1	—	1	—	1	—	4 1	—	—	—	3	—	1	—		
34 All other accidents	M F	4 2	— —	1	1	1	—	1	—	—	—	3 2	—	1	—	—	2	1	—		
35 Suicide	M F	— —	—	—	—	—	—	—	—	—	—	2 1	—	—	—	—	1	1	—		
36 Homicide, operations of war	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

TABLE 20—continued—Administrative County of Pembroke.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over		
All Causes	M F	310 291	8 5	4 2	4 3	3 2	3 6	11 12	82 62	89 77	106 122	341 296	6 14	7 4	6 1	7 2	4 4	23 15	66 43	100 83	122 130		
Tuberculosis	M F	7 5	— —	— —	— —	— —	— —	— —	3 3	2 2	1 —	8 6	— —	1 1	1 —	— —	— —	2 2	3 3	1 —	— —		
Tuberculosis respiratory	M F	5 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Tuberculosis other	M F	2 —	— —	— —	1 —	1 —	— —	— —	1 —	— —	— —	2 2	— —	— —	1 —	1 —	1 —	— —	— —	— —	— —		
Syphilitic disease	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Whooping cough	M F	2 —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Meningococcal infections	M F	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —		
Acute poliomyelitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —		
Measles	M F	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —		
Other infective, etc., diseases	M F	1 2	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 2	— —	— —	— —	— —	— —	— —	1 4	— —	— —		
Malignant neoplasm: stomach	M F	6 6	— —	— —	— —	1 —	— —	1 —	4 1	2 3	— 2	12 12	— —	— —	— —	— —	2 1	4 4	4 6	2 1	— —		
lung, bronchus	M F	10 2	— —	— —	— —	— —	— —	— —	7 1	3 —	— —	9 3	— —	— —	— —	— —	— —	6 2	2 —	1 —	— —		
breast	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
uterus	M F	6 6	— —	— —	— —	— —	— —	1 4	4 1	— —	— —	6 —	— —	— —	— —	— —	— —	1 2	2 3	— —	— —		
Other malignant and lymphatic neoplasms	M F	24 21	— —	— —	— —	— —	— —	1 3	8 4	4 9	11 4	33 30	— —	— —	— —	1 —	— —	5 10	15 11	12 6	— —		
Leukæmia, aleukæmia	M F	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Diabetes	M F	2 3	— —	— —	— —	— —	— —	— —	— —	2 1	— —	4 3	— —	— —	— —	— —	— —	— —	2 1	1 —	— —		
Vascular lesions of nervous system	M F	35 42	— —	— —	— —	— —	— —	— —	6 5	15 15	14 22	31 39	— —	— —	— —	— —	— —	5 4	7 11	19 24	— —		
Coronary disease, angina	M F	42 22	— —	— —	— —	— —	— —	1 1	17 3	18 10	6 8	35 18	— —	— —	— —	— —	— —	9 7	19 8	7 8	— —		
Hypertension with heart disease	M F	9 8	— —	— —	— —	— —	— —	— —	— —	6 3	3 8	7 8	— —	— —	— —	— —	— —	4 3	1 5	— —	— —		
Other heart disease	M F	52 52	— —	— —	— —	— —	— —	1 1	10 10	13 16	28 25	52 62	— —	— —	— —	— —	2 5	5 3	14 19	31 35	— —		
Other circulatory disease	M F	12 13	— —	— —	— —	— —	— —	— —	2 5	— 8	10 7	12 7	— —	— —	— —	— —	— —	2 2	2 5	10 5	— —		
Influenza	M F	11 8	— —	— —	— —	— —	— —	— —	3 1	5 3	3 3	8 7	— —	— —	— —	— —	1 —	2 2	4 4	3 5	— —		
Pneumonia	M F	16 12	2 —	3 1	— —	1 —	— —	1 2	4 1	5 2	5 5	12 9	— 2	2 1	— —	— —	— —	1 3	2 4	5 —	— —		
Bronchitis	M F	15 7	— —	— —	— —	— —	— —	— —	4 3	6 —	5 4	14 10	— —	— —	— —	— —	— —	1 2	4 2	8 5	— —		
Other diseases of respiratory system	M F	6 3	— —	— —	— —	— —	— —	— —	2 1	1 2	— 2	6 3	— —	— —	— —	— —	— —	2 2	2 1	— —	— —		
Ulcer of stomach and duodenum	M F	4 —	— —	— —	— —	— —	— —	— —	— —	1 —	2 —	— —	2 —	— —	— —	— —	1 —	— —	— —	— —	— —		
Gastritis, enteritis and diarrhoea	M F	1 4	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	3 2	— —	— —	1 —	— —	— —	2 —	1 —	— —	— —		
Nephritis and nephrosis	M F	6 2	— —	— —	— —	— —	— —	1 —	1 —	1 —	3 2	11 5	— —	— —	— —	— —	— —	3 1	5 4	3 7	— —		
Hyperplasia of prostate	M F	9 1	— —	— —	— —	— —	— —	— —	— —	2 —	6 —	15 —	— —	— —	— —	— —	— —	1 —	4 7	7 —	— —		
Pregnancy, childbirth, abortion	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Congenital malformations	M F	3 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	4 5	2 2	1 —	— —	— —	— —	1 4	— 8	— 7	— 10		
Other defined and illdefined dis.	M F	27 52	6 4	— —	1 —	— —	2 —	— —	6 11	5 5	9 29	34 45	4 9	— —	1 —	— —	1 2	4 4	8 8	7 21	— —		
Motor vehicle accidents	M F	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	9 1	— —	— —	— —	— —	— —	1 3	2 2	— —	— —		
All other accidents	M F	2 6	— —	— —	— —	— —	— —	— —	1 2	1 2	— 2	11 8	— —	2 —	1 1	3 —	— —	— —	— —	— 6	— —		
Suicide	M F	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	5 1	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Homicide, operations of war	M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

TABLE 20—continued—Administrative County of Radnor.

Causes of Death (See first page of Table)		Aggregate of Urban Districts											Aggregate of Rural Districts										
		All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-	75 and over	All Ages	0-4 weeks	4 weeks -1 year	1-	5-	15-	25-	45-	65-			
All Causes		M F	49 43	2	1	2	1	1	2	14	8	18	86	5	3	—	—	2	2	18	22		
									2	7	12	22	100	3	—	1	1	1	6	16	26		
1	Tuberculosis	M F	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	2	—	—		
2	Tuberculosis	M F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
3	Syphilitic disease	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4	Diphtheria	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5	Whooping cough	M F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
6	Meningococcal infections	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7	Acute poliomyelitis	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8	Measles	M F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9	Other infective, etc., diseases	M F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	1	—	1	—		
10	Malignant neoplasm: stomach	M F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	1	1		
11	lung, bronchus	M F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
12	breast	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
13	uterus	M F	3	—	—	—	—	—	1	—	1	1	3	—	—	—	—	—	3	—	—		
14	Other malignant and lymphatic neoplasms	M F	3	—	—	—	—	—	1	—	1	1	8	—	—	—	—	—	2	3	—		
15	Leukæmia, aleukæmia	M F	2	—	—	—	—	—	—	1	1	1	8	—	—	—	—	1	2	5	—		
16	Diabetes	M F	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
17	Vascular lesions of nervous system	M F	6	—	—	—	—	—	—	2	1	3	10	—	1	—	—	—	2	4	—		
18	Coronary disease, angina	M F	7	—	—	—	—	—	—	1	2	4	8	—	—	—	—	—	2	3	—		
19	Hypertension with heart disease	M F	5	—	—	—	—	—	—	1	—	4	6	—	—	—	—	—	1	2	—		
20	Other heart disease	M F	4	—	—	—	—	—	—	1	—	3	18	—	—	—	—	—	3	4	—		
21	Other circulatory disease	M F	1	—	—	—	—	—	—	—	1	4	26	—	—	—	1	—	6	—	—		
22	Influenza	M F	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	2	3	—		
23	Pneumonia	M F	2	—	—	—	—	—	—	2	—	2	2	—	—	—	—	1	—	—	—		
24	Bronchitis	M F	3	—	—	—	—	—	—	1	1	1	4	—	1	—	—	—	1	—	—		
25	Other diseases of respiratory system	M F	2	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	1	—	—		
26	Ulcer of stomach and duodenum	M F	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
27	Gastritis, enteritis and diarrhoea	M F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
28	Nephritis and nephrosis	M F	3	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—		
29	Hyperplasia of prostate	M	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	1	—		
30	Pregnancy, childbirth, abortion	M F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
31	Congenital malformations	M F	3	2	1	—	—	—	—	—	—	—	4	1	—	—	—	—	—	—	—		
32	Other defined and illdefined dis.	M F	4	—	—	1	—	—	—	1	—	2	8	1	—	—	—	1	—	1	—		
33	Motor vehicle accidents	M F	1	—	—	—	—	1	—	—	—	—	3	—	—	—	—	1	1	1	—		
34	All other accidents	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
35	Suicide	M F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
36	Homicide, operations of war	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

TABLE 21—continued. England and Wales, Standard Regions and Conurbations.

Causes of Death (See first page of Table)		England and Wales		Northern			East & West Ridings			North Western				Midland			
				Total	Tyne-side Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	S.E. Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western	North Midland	Total	West Midlands Conurbation	Remainder of
Tub. of meninges and nervous system	M	440	43	7	36	44	20	24	89	35	22	32	26	55	29		
	F	442	48	15	33	31	15	16	88	32	21	35	33	65	47		
Typhoid fever	M	5	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
Scarlet fever	M	13	1	—	1	2	1	1	2	1	1	—	1	1	1	—	—
	F	24	—	—	—	2	—	2	8	1	3	4	—	3	—	—	—
Streptococcal sore throat	M	14	2	—	2	1	1	—	5	1	2	2	1	1	—	—	—
	F	15	1	—	1	1	1	1	—	—	—	—	1	1	1	—	—
Erysipelas, septicaemia, pyaemia	M	71	5	1	4	8	4	4	16	8	4	4	5	8	5	—	—
	F	57	3	1	2	7	3	4	9	6	2	1	6	6	5	—	—
Acute infectious encephalitis	M	63	4	1	3	4	—	4	15	4	1	10	6	9	4	—	—
	F	55	8	4	4	6	4	2	12	6	2	4	8	6	3	—	—
Smallpox	M	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infectious hepatitis	M	127	4	2	2	10	1	9	17	5	6	6	12	9	3	—	—
	F	125	6	2	4	7	1	6	26	11	8	7	11	10	5	—	—
Malig. neoplasm, mouth and pharynx	M	1566	136	35	101	147	50	97	249	88	55	106	120	141	68	—	—
	F	630	33	12	21	68	27	41	126	45	26	55	44	39	16	—	—
Malig. neoplasm, oesophagus	M	1488	112	34	78	145	60	85	218	79	54	85	97	142	57	—	—
	F	852	63	17	46	57	24	33	140	48	35	57	53	70	30	—	—
Malig. neoplasm, intestine and rectum	M	7952	567	152	415	774	347	427	1212	464	240	508	576	843	406	—	—
	F	7973	455	135	320	741	345	396	1240	492	243	505	578	769	412	—	—
Malig. neoplasm, larynx	M	805	52	9	43	76	33	43	137	65	29	43	59	79	42	—	—
	F	202	16	5	11	13	6	7	36	12	8	16	19	11	7	—	—
Malig. neoplasm, cervix uteri	F	2585	226	65	161	298	139	159	405	147	86	172	207	214	102	—	—
Hodgkin's disease	M	472	29	9	20	42	13	29	74	29	13	32	43	31	16	—	—
	F	277	18	3	15	29	11	18	38	16	9	13	23	17	8	—	—
Lymphosarcoma, reticulosarcoma	M	421	26	6	20	40	15	25	40	12	11	17	32	30	18	—	—
	F	294	15	4	11	22	12	10	33	10	7	16	14	36	19	—	—
Thyrototoxicosis	M	81	3	2	1	7	1	6	15	5	2	8	3	8	3	—	—
	F	478	16	4	12	30	12	18	64	15	10	39	32	66	32	—	—
Otitis media and mastoiditis	M	248	22	5	17	47	18	29	44	17	6	21	18	28	18	—	—
	F	151	10	7	3	22	12	10	29	14	4	11	16	13	10	—	—
Rheumatic fever	M	164	16	3	13	15	4	11	31	10	11	10	12	18	2	—	—
	F	214	19	5	14	14	7	37	17	8	12	17	27	14	—	—	—
Chronic rheumatic heart disease	M	4076	304	79	225	387	161	226	650	254	106	290	279	409	190	—	—
	F	6777	502	147	355	716	345	371	1183	503	219	461	407	606	327	—	—
Hyperten. without mention of heart	M	2005	126	36	90	187	82	105	259	114	44	101	160	161	95	—	—
	F	2000	126	27	99	186	87	99	275	115	56	104	139	150	60	—	—
Appendicitis	M	679	43	11	32	41	10	31	92	34	17	41	51	74	40	—	—
	F	493	27	4	23	40	17	23	63	25	11	27	33	55	22	—	—
Intestinal obstruc. and hernia	M	1542	98	21	77	146	59	87	251	99	41	111	107	163	79	—	—
	F	1587	117	27	90	125	57	68	262	117	34	111	115	155	82	—	—
Cirrhosis of liver	M	615	45	9	36	49	23	26	82	32	22	28	46	72	35	—	—
	F	502	38	10	28	44	27	17	71	32	18	21	36	69	38	—	—
Cholelithiasis, cholecystitis	M	374	26	9	17	42	21	21	46	22	5	19	31	35	18	—	—
	F	1037	78	23	55	125	46	79	186	78	28	80	69	90	40	—	—
Maternal sepsis (not abortion)	F	69	6	1	5	7	3	4	13	8	2	3	8	8	6	—	—
Toxaemias of pregnancy and puerperium	F	168	16	7	9	14	3	11	32	14	9	9	18	11	2	—	—
Abortion	F	107	9	5	4	14	4	10	17	8	2	7	5	8	4	—	—
Birth injury	M	1254	108	28	80	141	63	78	213	83	59	71	88	139	90	—	—
	F	699	55	17	38	79	27	52	116	52	33	31	45	85	51	—	—
Post-natal asphyxia and atelectasis	M	1455	118	29	89	153	55	98	250	99	67	84	101	186	90	—	—
	F	990	54	9	45	82	34	48	167	64	43	60	94	110	53	—	—
Pneumonia of newborn	M	570	52	12	40	49	24	25	108	34	39	35	50	70	29	—	—
	F	376	29	8	21	26	12	14	70	25	19	26	22	47	25	—	—
Ophth., pemphigus, sepsis of newborn	M	39	5	2	3	5	1	4	5	2	2	1	2	9	6	—	—
	F	23	1	—	1	1	—	1	4	1	1	2	1	2	1	—	—
Haemolytic disease of newborn	M	325	24	7	17	32	13	19	43	18	11	14	17	35	19	—	—
	F	187	14	1	13	17	3	14	25	12	6	7	12	18	10	—	—
Immaturity (without other M. dis. peculiar to early infancy)	M	2265	244	71	173	215	80	135	405	128	90	187	175	249	98	—	—
	F	1622	170	49	121	156	63	93	281	119	62	100	105	162	68	—	—
Senility without psychosis	M	3535	285	57	228	307	146	161	589	224	60	305	323	497	251	—	—
	F	5833	405	113	292	459	200	259	1025	368	145	511	503	750	364	—	—
Ill-defined and unknown cause	M	214	33	4	29	9	6	3	44	18	3	23	21	19	7	—	—
	F	135	17	4	13	5	1	4	19	9	4	6	9	12	4	—	—

TABLE 21—continued. Standard Regions and Conurbations.—Density Aggregate Summary.

Causes of Death (See first page of Table)		Eastern	London & South Eastern				Southern	South Western	Wales			Conurbations	Areas outside the Conurbations	Urban Areas with Popula- tions of 100,000 and over	Urban Areas with Popula- tions of 50,000 & under 100,000	Urban Areas with Popula- tions under 50,000	Rural Areas
			Total	Greater London	Remainder of South Eastern	Total			Wales I	Wales II							
Tub. of meninges and nervous system	M	26	67	47	20	26	20	44	32	12	160	280	73	38	101	68	
Typhoid fever	F	18	74	59	15	14	26	45	38	7	189	253	56	32	90	75	
	M	—	3	3	—	—	1	—	—	—	3	2	—	—	2	—	
	F	—	4	4	—	—	2	—	—	—	4	3	—	1	—	2	
Scarlet fever	M	2	—	—	—	—	—	—	—	—	—	9	3	2	4	—	
Streptococcal sore throat	F	—	5	5	—	—	4	3	1	2	4	15	3	2	5	1	
	M	1	2	—	2	1	2	1	—	1	4	10	1	6	3	6	
	F	1	6	1	5	2	2	—	—	—	3	12	1	3	3	2	
Erysipelas, septicaemia, pyaemia	M	6	13	8	5	4	4	2	1	1	30	41	10	6	12	13	
Acute infectious encephalitis	F	4	11	9	2	4	6	1	—	1	26	31	9	4	5	13	
	M	3	8	2	6	6	6	2	1	1	12	51	10	3	17	21	
	F	2	8	5	3	2	2	1	—	1	24	31	5	2	16	8	
Smallpox	M	—	3	—	3	—	—	—	—	—	—	3	3	—	—	—	
Infectious hepatitis	F	1	6	—	6	—	—	—	—	—	—	7	6	—	—	1	
	M	11	36	24	12	2	14	12	10	2	41	86	15	3	36	32	
	F	8	29	23	6	9	10	9	4	5	50	75	22	14	23	16	
Malign. neoplasm, mouth and pharynx	M	93	368	259	109	99	121	92	65	27	555	1011	227	142	335	307	
Malign. neoplasm, oesophagus	F	46	143	106	37	33	42	56	36	20	232	398	77	58	146	117	
	M	89	379	286	93	106	88	112	79	33	570	918	213	117	320	268	
	F	57	221	163	58	42	70	79	52	27	317	535	120	67	176	172	
Malign. neoplasm, intestine and rectum	M	602	1866	1396	470	448	585	479	315	164	3005	4947	1059	590	1755	1543	
Malign. neoplasm, larynx	F	585	2086	1513	573	518	551	450	294	156	3140	4833	1052	671	1741	1369	
	M	52	219	172	47	42	47	42	29	13	350	455	130	62	148	115	
	F	17	41	28	13	12	16	21	13	8	66	136	28	19	46	43	
Malign. neoplasm, cervix uteri	F	169	592	414	178	152	149	173	126	47	953	1632	370	229	638	395	
Hodgkin's disease	M	35	123	93	30	23	37	35	25	10	173	299	68	39	110	82	
	F	18	75	57	18	15	25	19	17	2	104	173	51	16	51	55	
Lymphosarcoma, reticulosarcoma	M	25	142	120	22	38	28	20	12	8	182	239	51	32	84	72	
	F	27	97	72	25	10	20	20	17	3	124	170	45	34	56	35	
	M	5	21	18	3	4	7	8	7	1	31	50	12	5	19	14	
Thyrotoxicosis	F	28	92	52	40	32	58	60	37	23	125	353	55	42	137	119	
Otitis media and mastoiditis	M	15	43	31	12	7	14	10	7	3	95	153	48	14	50	41	
	F	8	29	25	4	10	4	10	7	3	72	79	16	6	38	19	
	M	10	31	25	6	4	11	16	16	—	55	109	29	11	37	32	
Rheumatic fever	F	14	40	27	13	11	18	17	13	4	78	136	31	14	51	40	
Chronic rheumatic heart disease	M	244	977	777	200	223	287	316	230	86	1567	2509	530	300	878	801	
	F	385	1727	1355	372	321	449	481	351	130	2896	3881	916	541	1352	1072	
	M	127	613	482	131	127	177	118	75	43	853	1152	260	150	387	355	
Hyperten. without men- tion of heart	F	114	645	515	130	118	126	121	74	47	860	1140	260	143	402	335	
Appendicitis	M	55	180	129	51	46	44	53	31	22	241	438	84	47	153	152	
	F	30	140	106	34	37	42	26	10	16	185	308	62	39	103	106	
	M	94	381	285	96	90	121	91	66	25	584	958	199	136	345	278	
Intestinal obstruc. and hernia	F	91	429	311	118	94	107	92	65	27	628	959	210	130	358	261	
Cirrhosis of liver	M	38	144	110	34	55	50	34	24	10	231	384	99	46	136	103	
	F	40	111	79	32	31	32	30	23	7	204	298	69	42	101	86	
	M	25	100	66	34	22	22	25	18	7	141	233	54	26	90	63	
Cholelithiasis, cholecystitis	F	76	226	164	62	52	64	71	53	18	379	658	144	80	264	170	
Maternal sepsis (not abortion)	F	2	12	7	5	4	7	2	2	—	27	42	7	6	15	14	
Toxaemia of pregnancy and puerperium	F	8	19	14	5	15	16	19	10	9	49	119	29	12	35	43	
Abortion	F	—	38	29	9	3	2	11	11	—	52	55	11	11	22	11	
Birth injury	M	71	239	191	48	64	99	92	70	22	514	740	167	87	252	234	
	F	40	134	110	24	37	63	45	32	13	290	409	93	45	158	113	
	M	74	314	245	69	67	98	94	69	25	585	870	215	98	288	269	
Post-natal asphyxia and atelectasis	F	81	231	184	47	60	54	57	36	21	387	603	125	81	204	193	
Pneumonia of newborn	M	29	107	82	25	39	26	40	33	7	220	350	111	44	96	99	
	F	29	75	60	15	24	26	28	19	9	149	227	60	17	77	73	
	M	3	6	4	2	2	1	1	—	1	17	22	6	3	6	7	
Ophth., pemphigus, sepsis of newborn	F	3	8	7	1	1	—	2	1	1	10	13	4	2	3	4	
Haemolytic disease of newborn	M	25	91	73	18	20	27	11	8	3	141	184	43	30	58	53	
	F	15	48	38	10	15	13	10	8	2	70	117	38	15	34	30	
	M	136	425	299	126	110	138	168	124	44	766	1499	346	196	528	429	
Immaturity (without other dis. peculiar to early infancy)	F	104	331	247	84	93	87	133	107	26	608	1014	210	110	390	304	
Senility without psychosis	M	306	412	260	152	188	300	328	239	89	998	2537	301	261	1045	930	
	F	480	837	543	294	375	481	518	342	176	1734	4099	587	411	1685	1416	
	M	8	30	18	12	11	13	26	15	11	56	158	28	17	53	60	
Ill-defined and unknown cause	F	12	28	16	12	6	7	20	10	10	38	97	21	4	33	33	

TABLE 21—continued. London, Metropolitan Boroughs.

Causes of Death (See first page of Table)	London, Administrative County	City of London.	Inner & Middle Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
Tub. of meninges and nervous system	M 23 F 28	—	—	—	1	—	2	—	—	—	3	—	2	—	—
Typhoid fever	M 1 F 3	—	—	—	—	1	2	—	1	—	—	1	3	—	—
Scarlet fever	M 1 F 2	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Streptococcal sore throat	M 1 F 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas, septicaemia, pyaemia	M 5 F 5	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Acute infectious encephalitis	M 1 F 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Smallpox	M 1 F 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infectious hepatitis	M 15 F 14	—	—	—	—	—	1	—	1	—	1	1	1	1	1
Malig. neoplasm, mouth and pharynx	M 146 F 44	2	—	3	6	2	5	5	1	3	5	6	7	8	5
Malig. neoplasm, oesophagus	M 146 F 77	—	—	1	—	—	3	1	—	—	1	1	1	2	2
Malig. neoplasm, intestine and rectum	M 609 F 648	2	—	20	9	10	37	12	16	10	20	15	33	22	17
Malig. neoplasm, larynx	M 91 F 10	—	—	18	14	18	36	10	12	7	26	20	27	21	21
Malig. neoplasm, cervix uteri	M 180 F 33	—	—	10	1	2	8	3	4	2	6	8	10	9	3
Hodgkin's disease	M 25 F 25	—	—	1	2	—	1	—	—	—	1	1	1	—	1
Lymphosarcoma, reticulosarcoma	M 52 F 34	—	—	2	—	1	3	2	—	—	2	2	3	—	—
Thyrotoxicosis	M 13 F 19	—	—	1	—	—	1	—	1	—	3	1	1	2	—
Otitis media and mastoiditis	M 15 F 15	—	—	—	1	—	2	—	1	1	1	3	1	1	1
Rheumatic fever	M 17 F 8	—	—	—	2	1	2	—	1	—	1	—	1	—	—
Chronic rheumatic heart disease	M 339 F 581	—	—	10	17	10	24	4	7	5	12	4	10	9	2
Hyperten. without mention of heart	M 219 F 208	—	—	24	13	11	38	13	14	7	12	19	23	20	15
Appendicitis	M 55 F 49	—	—	4	4	4	11	3	19	3	7	11	5	1	7
Intestinal obstruc. and hernia	M 139 F 149	—	—	3	5	4	19	1	9	5	4	7	8	3	15
Cirrhosis of liver	M 52 F 31	—	—	3	3	2	3	2	—	1	2	2	2	1	2
Cholelithiasis, cholecystitis	M 49 F 139	—	—	1	1	1	4	1	1	2	2	2	3	2	3
Maternal sepsis (not abortion)	M 149 F 68	—	—	8	2	6	8	3	3	1	4	5	10	3	5
Toxæmias of pregnancy and puerperium	M 52 F 31	—	—	1	—	—	—	—	—	—	10	8	6	—	—
Abortion	M 23 F 68	—	—	1	—	—	3	2	1	1	6	1	3	2	3
Birth injury	M 3 F 6	—	—	—	—	—	1	—	—	—	—	1	—	—	—
Post-natal asphyxia and atelectasis	M 96 F 60	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia of newborn	M 118 F 83	2	—	4	1	2	3	1	2	2	4	4	5	4	3
Ophth., pemphigus, sepsis of newborn	M 136 F 111	—	—	3	2	2	10	4	5	3	2	1	4	3	7
Hæmolytic disease of newborn	M 32 F 26	—	—	4	—	—	8	—	1	—	4	2	3	—	—
Immaturity (without other dis. peculiar to early infancy)	M 4 F 13	—	—	1	—	—	—	—	—	—	—	—	1	—	—
Senility without psychosis	M 34 F 13	—	—	3	1	—	2	—	2	1	—	—	2	—	2
Ill-defined and unknown cause	M 105 F 216	—	—	5	6	2	4	2	2	7	3	2	10	8	2
	M 9 F 10	—	—	5	4	1	3	1	1	1	3	3	7	1	—

TABLE 21—continued. Metropolitan and County Boroughs.

Causes of Death (See first page of Table)		Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.
Tub. of meninges and nervous system	M	1	3	1	1	—	1	—	—	—	—	3	—	—	1	1	1	1	1	—	3
	F	—	1	—	4	3	—	1	—	1	—	2	—	—	6	1	2	—	1	—	3
Typoid fever	M	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas, septicæmia, pyæmia	M	—	1	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	2
	F	—	—	1	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
Acute infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infectious hepatitis	M	—	2	1	2	2	—	1	1	—	—	1	—	—	2	1	2	1	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Malig. neoplasm, mouth and pharynx	M	2	13	5	4	7	1	2	9	1	2	4	9	1	13	8	7	3	6	—	8
	F	—	4	—	1	3	3	—	2	2	—	1	1	1	6	3	4	1	4	—	—
Malig. neoplasm, œsophagus	M	1	11	5	15	11	4	2	2	7	—	5	6	—	13	5	5	2	2	2	3
	F	—	6	3	5	3	3	1	4	3	1	2	7	1	3	3	4	—	2	3	5
Malig. neoplasm, intestine and rectum	M	5	56	20	47	42	19	8	13	27	9	21	16	9	51	17	26	12	18	16	24
	F	4	52	28	45	50	23	16	20	23	5	21	24	—	56	14	29	6	15	23	32
Malig. neoplasm, larynx	M	—	5	6	3	3	5	3	4	7	—	5	2	—	6	4	3	1	1	2	4
	F	—	3	1	1	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	—
Malig. neoplasm, cervix uteri	F	3	15	9	13	9	8	—	7	7	4	3	3	—	22	4	7	4	3	4	10
Hodgkin's disease	M	—	3	3	3	2	1	2	2	4	—	1	—	—	1	2	1	1	1	2	—
	F	—	3	3	—	1	—	—	1	2	—	2	—	1	1	1	—	—	—	—	—
Lymphosarcoma, reticulosarcoma	M	—	6	2	3	7	3	1	—	3	—	—	—	—	4	2	4	1	1	1	—
	F	—	1	4	3	5	—	—	1	3	1	2	—	—	—	2	—	—	—	—	1
Thyroidosis	M	—	1	—	1	1	1	1	—	—	—	—	—	—	1	—	2	—	—	—	—
	F	—	—	2	1	1	—	1	1	—	—	1	—	—	1	1	1	—	2	1	3
Otitis media and mastoiditis	M	—	1	1	1	—	—	—	—	1	—	1	1	—	2	—	1	2	1	—	1
	F	—	1	1	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic fever	M	—	—	1	1	—	1	1	—	2	—	—	—	2	—	—	1	1	—	—	1
	F	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—
Chronic rheumatic heart disease	M	—	27	21	27	16	11	11	8	13	5	17	14	6	28	6	15	9	5	8	9
	F	2	47	20	48	33	16	19	11	31	7	20	16	6	57	9	29	23	7	13	26
Hyperten. without mention of heart	M	1	15	10	12	10	9	8	3	6	3	7	6	5	27	5	13	2	2	3	6
	F	—	19	10	13	9	2	7	5	7	4	9	4	5	19	6	6	—	3	3	3
Appendicitis	M	1	3	2	6	5	1	—	1	—	—	3	2	1	6	—	1	3	2	1	1
	F	—	4	5	4	3	—	1	1	—	4	—	—	—	3	1	1	—	—	—	—
Intestinal obstruc. and hernia	M	—	17	11	8	12	5	3	1	2	2	3	5	—	13	4	8	4	1	6	6
	F	1	8	7	10	9	7	—	2	6	2	6	4	2	10	6	6	1	4	5	4
Cirrhosis of liver	M	—	2	4	5	2	5	—	1	2	2	—	5	—	4	5	3	—	1	1	2
	F	1	2	2	1	2	4	—	2	2	—	1	—	—	1	2	—	—	—	1	1
Cholelithiasis, cholecystitis	M	—	3	1	1	2	2	—	—	1	—	1	1	—	3	—	—	—	—	1	—
	F	1	8	3	6	2	3	—	1	2	1	4	2	1	11	2	1	2	—	2	2
Maternal sepsis (not abortion)	F	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Toxæmia of pregnancy and puerperium	F	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	1
Abortion	F	—	2	2	1	—	3	1	—	1	1	—	—	—	—	—	—	—	—	1	—
Birth injury	M	2	9	3	6	7	4	3	3	5	2	2	5	2	7	2	3	3	4	—	7
	F	1	3	3	6	1	1	—	1	4	—	3	—	4	1	5	4	2	1	1	2
Post-natal asphyxia and atelectasis	M	—	17	7	4	5	6	6	—	4	—	1	—	3	12	6	2	5	4	5	17
	F	—	6	4	6	4	1	4	1	4	—	4	1	2	6	2	5	1	1	—	6
Pneumonia of newborn	M	—	9	1	—	1	3	—	2	2	—	—	2	—	1	—	1	3	—	1	5
	F	—	2	3	2	1	1	2	—	—	1	—	—	2	—	2	2	1	—	1	3
Ophth., pemphigus, sepsis of newborn	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmolytic disease of newborn	M	—	3	1	3	2	1	1	—	2	1	—	1	—	4	2	—	2	1	2	—
	F	—	—	—	—	—	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—
Immaturity (without other dis. peculiar to early infancy)	M	2	12	6	11	9	7	—	—	2	—	6	4	3	12	5	6	4	4	3	8
	F	1	3	12	8	15	4	3	1	2	1	7	7	2	8	2	4	1	3	4	3
Senility without psychosis	M	—	3	13	8	8	8	2	1	1	2	—	2	2	11	11	18	2	6	2	11
	F	—	11	18	9	12	17	2	2	4	3	5	3	—	31	4	1	—	—	—	—
Ill-defined and unknown cause	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 21—continued. County Boroughs.

Causes of Death (See first page of Table)		Birmingham.	Blackburn.	Blackpool.	Bolton.	Boole.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.	Burton upon Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.
Tub. of meninges and nervous system	M	13	1	1	2	2	—	6	2	4	—	—	1	—	1	2	6	4	4	1	—
	F	20	—	—	1	1	—	2	1	1	3	1	1	—	1	—	—	2	—	1	—
Typhoid fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	M	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Streptococcal sore throat	M	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas, septicæmia, pyæmia	M	4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Acute infectious encephalitis	M	2	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	2	—
	F	1	—	1	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—
Smallpox	M	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—
Infectious hepatitis	M	1	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	1	—	—	1	—	1	2	1	1	1	—	—	—	1	2	1	—	—
Malig. neoplasm, mouth and pharynx	M	32	4	3	7	1	6	13	7	19	—	1	2	1	2	4	5	8	4	4	—
	F	12	2	2	2	1	4	4	5	9	—	—	2	2	2	2	1	—	—	1	—
Malig. neoplasm, cesophagus	M	21	7	6	7	1	4	15	6	20	4	1	2	1	5	1	5	5	1	5	—
	F	13	4	5	3	1	3	5	1	9	—	—	1	—	1	—	3	10	2	4	—
Malig. neoplasm, intestine and rectum	M	213	30	33	35	7	21	68	37	71	21	15	9	3	12	7	41	41	8	20	10
	F	122	18	35	45	11	44	59	40	59	28	8	13	7	6	10	30	43	9	28	10
Malig. neoplasm, larynx	M	19	5	2	4	2	2	2	3	9	1	2	1	—	1	—	8	3	2	5	—
	F	4	—	3	—	—	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—
Malig. neoplasm, cervix uteri	F	55	8	11	15	6	7	31	16	17	7	4	4	2	7	3	10	16	7	10	—
Hodgkin's disease	M	8	2	2	1	—	1	5	4	5	3	—	2	—	—	—	2	5	1	4	—
	F	5	1	—	1	1	1	2	—	3	2	—	—	—	1	—	4	5	1	—	—
Lymphosarcoma, reticulosarcoma	M	10	1	3	—	—	3	1	—	4	—	—	—	—	—	—	—	3	—	1	—
	F	10	—	1	1	—	—	2	4	2	2	—	—	1	—	—	1	2	1	—	—
Thyrototoxicosis	M	19	1	1	—	—	1	—	1	7	—	1	—	—	—	1	4	2	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Otitis media and mastoiditis	M	9	2	1	1	—	—	1	1	4	—	1	1	—	—	—	1	—	1	1	—
	F	5	1	—	1	—	—	—	—	1	—	—	1	—	—	—	—	2	—	—	—
Rheumatic fever	M	5	—	—	1	—	1	1	—	1	2	1	—	—	1	—	5	2	—	—	—
	F	—	—	2	—	—	—	—	—	4	—	—	—	—	—	—	2	—	—	—	—
Chronic rheumatic heart disease	M	108	5	19	12	4	13	27	10	44	16	5	6	3	4	4	31	19	14	15	5
	F	176	20	26	45	9	22	53	23	75	18	2	13	2	18	4	30	19	12	13	4
Hyperten. without mention of heart	M	43	5	3	7	2	8	20	11	24	3	—	3	—	5	5	6	2	2	7	4
	F	29	5	7	7	1	13	16	10	26	7	2	1	4	1	2	21	1	9	—	—
Appendicitis	M	16	1	4	2	1	2	1	8	4	—	—	—	—	—	1	4	5	2	1	—
	F	14	—	1	3	—	2	1	4	5	—	—	1	—	—	—	—	—	—	—	—
Intestinal obstruc. and hernia	M	36	7	11	7	3	3	14	8	10	5	4	3	1	3	—	17	6	5	11	1
	F	38	7	6	10	—	10	10	9	18	2	3	—	—	—	1	9	3	7	—	—
Cirrhosis of liver	M	18	2	2	3	1	7	2	4	10	—	2	1	2	—	—	5	—	3	1	—
	F	29	2	—	1	—	1	6	—	4	1	1	1	—	2	—	4	—	2	2	—
Cholelithiasis, cholecystitis	M	9	1	—	1	—	3	7	2	5	—	—	—	—	—	—	1	1	1	—	—
	F	25	6	—	3	1	5	8	4	7	3	1	2	1	1	—	2	3	2	2	—
Maternal sepsis (not abortion)	F	1	—	—	—	—	—	1	—	—	—	—	1	1	—	—	—	2	1	—	—
Toxæmias of pregnancy and puerperium	F	2	1	1	—	—	—	—	1	1	—	1	—	—	—	—	3	1	—	—	—
Abortion	F	2	—	—	2	—	—	1	—	1	—	1	—	—	—	—	—	—	1	—	—
Birth injury	M	52	1	1	4	8	—	17	3	15	3	1	1	—	5	4	3	3	2	4	5
	F	30	3	2	1	2	—	9	—	5	—	—	1	—	1	—	8	1	2	1	2
Post-natal asphyxia and atelectasis	M	42	2	4	11	3	2	5	5	15	3	2	—	1	2	19	10	7	2	6	3
	F	32	3	—	4	3	1	6	1	8	—	1	1	3	1	4	10	—	—	—	—
Pneumonia of newborn	M	20	2	1	—	—	2	7	1	2	1	—	2	1	2	—	7	3	2	4	1
	F	17	1	2	5	—	2	3	1	2	—	—	2	—	2	2	3	—	—	—	2
Ophth., pemphigus, sepsis of newborn	M	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Hæmolytic disease of newborn	M	9	1	1	—	—	—	3	1	6	—	—	1	—	—	1	2	4	3	—	—
	F	3	—	—	2	—	—	—	1	5	—	—	—	—	—	1	2	2	—	1	—
Immaturity (without other mdis. peculiar to early infancy)	M	37	4	14	12	7	3	22	11	6	4	3	3	2	4	6	25	9	2	3	2
	F	24	6	4	12	1	3	14	10	2	2	2	4	—	1	2	18	9	1	3	—
Senility without psychosis	M	34	8	26	10	3	10	14	7	2	11	6	1	1	1	4	7	5	19	14	5
	F	76	19	56	15	10	22	21	14	13	15	—	14	1	4	7	10	8	23	18	10
Ill-defined and unknown cause	M	—	—	—	4	—	—	1	2	3	—	—	—	—	—	—	2	—	—	—	—
	F	1	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 21—continued. County Boroughs.

Causes of Death (See first page of Table)		Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston upon Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.
Tub. of meninges and nervous system	M	—	2	—	—	—	1	2	1	3	1	—	2	2	1	4	2	—	12	14	7
Typoid fever	F	1	4	—	4	1	2	—	1	3	2	—	—	1	2	5	2	—	14	13	1
Scarlet fever	M	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Streptococcal sore throat	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas, septicæmia, pyæmia	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Acute infectious encephalitis	F	1	1	—	—	—	1	—	—	—	1	—	—	—	1	1	—	—	1	1	—
Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infectious hepatitis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malig. neoplasm, mouth and pharynx	M	1	1	3	2	5	4	2	2	5	3	3	6	8	14	8	6	31	31	6	1
Malig. neoplasm, œsophagus	F	1	1	2	2	3	3	3	3	1	2	2	2	2	9	4	1	18	8	1	—
Malig. neoplasm, intestine and rectum	M	7	2	3	4	2	6	3	3	6	3	4	4	12	13	15	3	22	14	4	3
Malig. neoplasm, larynx	F	—	—	1	1	2	1	—	—	2	2	5	1	3	9	8	1	22	14	3	—
Malig. neoplasm, cervix uteri	M	17	12	15	19	13	22	13	7	12	19	14	27	24	41	108	57	19	144	112	28
Hodgkin's disease	F	18	11	11	19	13	18	8	11	22	33	24	19	16	45	91	77	22	137	146	17
Lymphosarcoma, reticulosarcoma	M	1	—	1	—	1	—	1	2	3	1	3	2	1	11	16	3	—	19	17	2
Thyrototoxicosis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Otitis media and mastoiditis	M	6	2	2	10	4	8	6	7	7	7	4	10	9	31	30	20	9	50	41	8
Rheumatic fever	F	1	—	1	4	2	1	—	—	2	—	—	1	—	2	2	3	—	9	10	1
Chronic rheumatic heart disease	M	1	—	—	1	1	—	—	—	—	—	—	—	2	1	5	3	—	6	7	1
Hypertension without mention of heart	F	1	—	—	—	2	1	1	1	—	—	—	—	2	1	2	3	—	9	10	1
Appendicitis	M	1	—	—	4	—	1	—	—	—	1	—	—	—	4	8	4	3	6	4	1
Intestinal obstruction and hernia	F	—	1	—	1	2	1	—	—	1	1	1	1	3	6	3	2	—	4	2	—
Cirrhosis of liver	M	1	—	—	—	2	1	1	1	—	—	—	3	1	2	1	1	2	5	5	—
Cholelithiasis, cholecystitis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Maternal sepsis (not abortion)	M	8	1	5	13	8	11	4	7	5	9	3	11	13	14	59	21	6	64	86	15
Toxæmia of pregnancy and puerperium	F	11	7	5	31	9	28	6	8	5	23	18	29	15	32	101	71	8	118	152	22
Abortion	M	4	5	3	5	6	3	2	4	4	9	2	6	3	10	19	10	4	25	36	8
Birth injury	F	4	1	2	14	5	4	4	2	5	6	2	—	—	7	19	10	2	31	40	11
Post-natal asphyxia and atelectasis	M	1	1	2	3	1	2	—	—	—	1	—	1	2	1	2	3	—	9	8	—
Pneumonia of newborn	F	2	2	1	1	12	1	3	4	6	4	3	4	13	15	8	2	23	29	3	3
Ophthalmia, pemphigus, sepsis of newborn	M	3	2	6	3	3	2	2	3	2	5	5	1	9	18	8	—	21	42	5	—
Hæmolytic disease of newborn	F	—	—	2	—	1	2	1	—	—	1	—	2	1	—	9	5	1	16	9	2
Immaturity (without other dis. peculiar to early infancy)	M	—	1	1	3	1	1	1	1	2	2	2	2	2	2	10	7	3	13	14	1
Senility without psychosis	F	1	—	—	7	—	3	4	1	3	2	1	9	6	14	6	6	1	17	19	3
Ill-defined and unknown cause	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	22	4	9	2	10	8	3	11	7	54	69	2	8	15	16	11	41	64	2
	M	9	15	6	6	14	14	6	8	17	10	12	8	11	25	28	11	81	112	14	1
	F	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—	2	2	—

TABLE 21—continued. County Boroughs.

Causes of Death (See first page of Table)		Newcastle upon Tyne.	Northampton.	Norwich.	Nottingham.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.
Tub. of meninges and nervous system	M	3	—	4	2	—	—	3	3	2	—	1	1	3	2	6	1	6	—	3
Typhoid fever	F	1	3	1	2	1	2	3	1	1	—	1	—	3	3	6	—	—	1	—
Scarlet fever	M	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—
Streptococcal sore throat	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas, septicaemia, pyaemia	M	—	—	1	—	1	—	1	—	1	—	1	—	—	1	1	1	—	—	—
Acute infectious encephalitis	F	1	—	1	1	—	—	—	1	—	—	—	—	1	1	1	1	—	—	—
Smallpox	M	3	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Infectious hepatitis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malig. neoplasm, mouth and pharynx	M	11	5	2	15	2	1	11	7	10	1	3	—	5	7	25	2	11	4	6
Malig. neoplasm, oesophagus	F	3	4	2	5	2	1	2	2	2	1	4	2	3	1	8	—	11	2	3
Malig. neoplasm, intestine and rectum	M	13	2	2	12	4	7	3	15	3	3	5	2	5	7	18	4	10	6	3
Malig. neoplasm, larynx	F	6	4	3	5	1	3	7	4	3	1	3	1	1	3	6	—	6	7	3
Malig. neoplasm, cervix uteri	M	61	27	28	52	24	18	31	48	20	26	21	19	19	42	94	10	31	29	17
Hodgkin's disease	F	51	18	25	45	22	24	33	57	19	16	21	11	19	31	106	18	31	45	29
Lymphosarcoma, reticulosarcoma	M	4	1	3	9	5	3	5	7	—	1	4	2	2	4	11	2	7	2	—
Thyrototoxicosis	F	2	2	—	3	—	1	1	1	—	1	1	—	—	—	—	1	2	—	—
Otitis media and mastoiditis	M	23	2	5	23	10	2	11	18	9	4	8	8	6	8	23	4	14	8	6
Rheumatic fever	F	5	—	3	2	—	2	3	2	1	2	1	2	1	1	9	1	2	4	2
Chronic rheumatic heart disease	M	1	2	1	6	—	2	—	1	—	3	—	—	—	—	5	3	2	—	—
Hyperten. without mention of heart	F	1	1	—	2	2	1	1	—	—	2	—	—	1	—	2	1	1	1	1
Appendicitis	M	1	—	1	1	3	—	5	4	—	—	—	3	1	1	2	2	2	—	2
Intestinal obstruc. and hernia	F	1	—	1	1	—	—	—	—	—	—	—	—	—	—	3	1	1	—	—
Cirrhosis of liver	M	1	1	—	2	1	—	1	—	—	—	—	—	—	—	3	3	—	1	1
Cholelithiasis, cholecystitis	F	2	—	1	—	—	1	—	—	—	—	—	—	—	—	1	1	1	—	—
Maternal sepsis (not abortion)	M	34	13	11	18	17	6	17	19	15	13	5	11	13	18	56	2	15	6	9
Toxaemias of pregnancy and puerperium	F	40	13	28	30	30	9	26	24	28	24	15	15	15	42	80	6	22	18	25
Abortion	M	16	6	6	21	8	8	5	9	2	2	8	6	2	7	29	4	11	5	5
Birth injury	F	12	4	4	13	5	5	7	15	2	4	10	4	6	10	32	4	8	4	5
Post-natal asphyxia and atelectasis	M	3	1	1	3	2	2	3	5	3	1	3	2	—	3	6	4	4	3	1
Pneumonia of newborn	F	2	1	1	1	1	1	1	4	3	3	3	2	1	5	1	2	2	—	—
Ophth., pemphigus, sepsis of newborn	M	8	1	5	6	3	2	7	5	5	5	6	6	6	7	18	4	4	3	5
Haemolytic disease of newborn	F	12	4	3	10	6	4	6	7	3	5	6	3	1	12	15	4	7	5	4
Immaturity (without other dis. peculiar to early infancy)	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
Senility without psychosis	F	1	2	2	2	2	2	2	2	1	1	1	1	1	1	3	3	2	2	—
Ill-defined and unknown cause	M	9	3	3	7	6	—	5	5	6	1	1	3	—	7	14	1	4	2	5
	F	4	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3	4
	F	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	—
	M	4	—	3	10	1	3	6	8	2	3	3	3	2	3	4	4	4	3</	

TABLE 21—continued. County Boroughs.

Causes of Death (See first page of Table)		Stockport.	Stoke on Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon).	Swansea.	
Tab. of meninges and nervous system	M	4	3	4	—	1	1	2	2	2	1	—	—	2	1	—	—	2	—	1	4
Typhoid fever	F	2	4	4	5	—	1	2	3	3	—	2	—	1	—	—	—	—	2	7	
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Streptococcal sore throat	F	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	
Erysipelas, septicæmia, pyæmia	M	—	2	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Acute infectious encephalitis	F	—	1	—	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	
Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infectious hepatitis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Malig. neoplasm, mouth and pharynx	M	5	14	9	3	2	6	7	4	4	3	3	3	8	4	6	9	2	2	4	
Malig. neoplasm, œsophagus	F	2	3	1	3	1	2	2	2	3	3	2	2	2	—	1	1	1	4	4	
Malig. neoplasm, intestine and rectum	M	4	15	5	2	1	6	7	4	12	2	2	2	4	5	1	10	4	7	7	
Malig. neoplasm, larynx	F	5	5	5	—	—	2	5	1	3	1	2	1	2	—	3	4	4	2	5	
Malig. neoplasm, cervix uteri	M	26	60	33	12	7	23	21	12	21	30	14	7	29	13	33	37	9	16	38	
Hodgkin's disease	F	24	48	31	14	7	18	17	10	7	28	10	9	30	11	18	46	11	16	28	
Lymphosarcoma, reticulosarcoma	M	2	7	3	1	1	2	—	1	3	2	2	2	5	—	1	5	4	1	3	
Thyrototoxicosis	F	1	—	—	—	—	2	—	—	—	—	—	—	—	—	1	1	1	1	—	
Otitis media and mastoiditis	M	9	20	10	6	5	7	4	8	4	11	4	4	7	2	9	19	2	12	14	
Rheumatic fever	F	2	1	3	—	1	1	1	1	1	2	—	2	1	—	4	4	—	1	2	
Chronic rheumatic heart disease	M	1	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hyperten. without mention of heart	F	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Appendicitis	M	2	4	2	—	—	2	1	1	1	1	2	—	—	—	2	3	1	2	3	
Intestinal obstruc. and hernia	F	—	1	3	2	—	1	—	1	—	4	—	—	3	1	—	1	—	—	—	
Cirrhosis of liver	M	1	2	3	—	2	2	1	—	1	1	—	1	1	—	—	3	—	—	—	
Cholelithiasis, cholecystitis	F	1	3	—	—	—	1	—	—	1	1	—	—	—	—	1	1	—	—	—	
Maternal sepsis (not abortion)	M	1	3	4	—	2	2	—	2	5	1	1	1	3	2	2	2	1	1	—	
Toxæmia of pregnancy and puerperium	F	1	3	1	—	1	1	2	—	1	1	1	1	1	1	1	1	—	—	—	
Abortion	M	3	3	3	1	—	2	—	—	1	2	1	3	5	2	2	2	—	1	2	
Birth injury	F	4	6	6	3	1	5	3	1	9	3	5	9	8	4	3	7	4	5	3	
Post-natal asphyxia and atelectasis	M	6	8	12	2	1	5	3	4	2	9	1	7	8	2	6	12	3	6	4	
Pneumonia of newborn	F	1	4	8	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phth., pemphigus, sepsis of newborn	M	2	11	4	3	1	2	1	4	1	2	—	2	1	—	2	12	—	3	3	
Hæmolytic disease of newborn	F	5	5	1	—	—	1	—	—	1	—	—	1	1	—	2	5	—	—	—	
Immaturity (without other s. peculiar to early infancy)	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Enlity without psychosis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
l-defined and unknown cause	M	23	26	6	4	7	6	11	28	5	1	18	31	8	7	1	4	10	12	10	
	F	14	44	13	1	10	14	15	38	3	3	3	3	5	5	4	18	11	22	11	

TABLE 21—continued. Administrative Counties


Causes of Death (See first page of Table)		Bedfordshire.	Berkshire.	Buckinghamshire.	Cambridgeshire.	Cheshire.	Cornwall.	Cumberland.	Derbyshire.	Devon.	Dorset.	Durham.	Ely, Isle of.	Essex.	Gloucestershire.	Herefordshire.	Hertfordshire.	Huntingdonshire.	Kent.	Lancashire.
Tub. of meninges and nervous system	M	4	1	5	2	9	2	2	4	2	2	15	—	12	4	1	1	—	11	23
	F	2	3	3	1	8	5	4	5	4	2	15	—	11	8	4	1	—	11	27
Typhoid fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	M	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	1	3
Streptococcal sore throat	M	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	1
	F	—	1	1	—	—	—	—	—	—	—	1	—	—	1	—	1	—	2	—
Erysipelas, septicæmia, pyæmia	M	—	—	1	—	1	2	—	1	—	1	1	—	3	—	—	2	—	2	5
	F	—	1	2	—	—	—	—	—	—	—	1	—	—	2	—	3	—	2	4
Acute infectious encephalitis	M	—	—	2	—	3	1	—	1	1	1	2	—	2	1	1	1	—	4	6
	F	—	—	—	—	1	1	—	—	—	2	2	—	3	—	—	—	2	2	4
Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infectious hepatitis	M	—	—	—	—	3	2	—	—	1	—	—	1	—	—	—	—	—	6	3
	F	1	2	—	—	4	—	—	4	1	2	1	—	3	1	—	3	—	2	3
Malig. neoplasm, mouth and pharynx	M	8	10	17	9	34	19	9	25	34	15	39	5	33	16	5	12	1	60	63
	F	4	2	6	8	19	7	4	11	9	5	10	—	21	5	3	6	—	20	45
Malig. neoplasm, œsophagus	M	6	18	13	6	29	11	7	15	11	9	26	1	50	10	7	14	1	61	57
	F	3	5	8	9	16	14	8	12	13	1	2	—	18	6	3	10	2	36	43
Malig. neoplasm, intestine and rectum	M	51	49	55	36	147	82	36	120	134	49	162	31	285	77	29	92	18	248	398
	F	52	47	67	30	158	72	31	123	117	62	122	26	280	77	22	102	15	288	377
Malig. neoplasm, larynx	M	8	2	4	3	28	3	6	12	4	2	5	1	28	9	2	6	2	20	33
	F	2	—	—	1	6	5	—	1	3	3	15	—	6	2	—	5	2	7	12
Malig. neoplasm, cervix uteri	F	22	16	32	4	44	18	12	43	21	13	64	13	75	23	7	22	2	99	124
Hodgkin's disease	M	3	2	5	—	8	7	2	6	4	3	8	—	14	6	1	8	—	18	27
	F	—	1	2	—	5	1	1	4	3	3	4	—	6	6	—	4	1	3	8
Lymphosarcoma, reticulosarcoma	M	3	1	8	1	10	4	2	3	6	8	11	—	20	7	—	5	—	18	13
	F	—	—	2	1	4	3	1	1	1	2	4	2	15	3	—	3	—	10	11
Thyrototoxicosis	M	2	—	—	—	—	—	—	—	2	1	1	—	4	—	—	1	—	2	7
	F	2	1	4	2	9	12	1	10	9	4	4	2	8	5	1	1	2	22	26
Otitis media and mastoiditis	M	—	1	—	—	4	2	1	6	2	1	6	—	13	—	—	2	1	6	12
	F	1	1	5	—	3	1	—	1	—	—	3	—	4	—	1	1	—	3	14
Rheumatic fever	M	—	—	1	—	4	2	1	4	6	—	7	—	3	—	—	—	1	6	7
	F	1	2	2	—	5	4	1	1	3	3	4	1	10	1	1	3	1	7	11
Chronic rheumatic heart disease	M	28	27	28	11	80	40	23	57	35	27	97	9	129	44	10	38	5	136	205
	F	31	29	40	16	122	50	37	91	79	52	145	5	236	71	21	73	14	233	359
Hyperten. without mention of heart	M	9	11	17	11	34	15	5	23	27	23	39	4	60	11	2	40	3	79	80
	F	12	14	16	9	26	11	9	24	23	18	27	2	43	14	4	39	—	74	89
Appendicitis	M	6	6	6	3	12	4	3	18	11	4	12	1	24	9	3	13	1	26	28
	F	3	5	6	3	6	4	5	9	8	7	3	1	18	11	—	5	2	17	24
Intestinal obstruc. and hernia	M	9	13	17	7	28	13	9	24	23	10	17	2	40	19	6	18	—	63	78
	F	11	13	13	7	28	12	10	23	22	12	41	1	33	16	3	19	2	57	85
Cirrhosis of liver	M	7	7	7	3	7	2	3	6	16	3	13	1	17	5	2	4	—	25	19
	F	5	1	5	2	9	5	1	10	5	5	10	—	15	5	2	1	—	23	15
Cholelithiasis, cholecystitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	6	9	—	22	13	12	9	15	3	16	5	32	9	3	13	4	30	68
Maternal sepsis (not abortion)	F	—	—	—	—	1	2	—	3	1	—	3	—	1	3	—	1	1	4	2
Toxæmias of pregnancy and puerperium	F	—	1	2	—	7	3	1	4	2	2	6	1	2	1	—	1	—	5	5
Abortion	F	—	—	1	—	2	—	—	1	—	—	3	—	4	—	—	—	—	7	4
Birth injury	M	6	6	13	6	20	17	8	15	12	9	35	2	35	14	3	24	2	31	50
	F	4	6	8	2	10	12	5	10	8	1	22	1	19	6	3	7	1	23	30
Post-natal asphyxia and atelectasis	M	3	13	6	2	27	7	10	18	13	5	31	1	41	18	5	17	1	40	60
	F	4	10	11	8	26	2	5	21	8	6	18	4	40	16	4	10	2	33	39
Pneumonia of newborn	M	4	2	5	3	17	3	8	10	6	1	17	1	16	2	—	4	—	29	24
	F	2	2	1	—	9	5	5	4	6	1	7	3	10	5	4	2	1	12	19
Ophth., pemphigus, sepsis of newborn	M	1	—	—	—	1	—	—	—	—	—	1	3	—	—	—	—	—	2	—
	F	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	1	1	—
Hæmolytic disease of newborn	M	4	2	3	—	2	3	1	1	4	5	7	1	14	2	1	3	1	13	10
	F	5	2	3	1	3	1	1	2	1	1	6	—	5	3	—	6	—	6	6
Immaturity (without other dis. peculiar to early infancy)	M	15	9	7	6	52	22	11	44	25	16	75	2	58	14	9	20	—	57	113
	F	16	12	18	1	27	12	6	26	13	10	63	3	43	10	5	21	3	45	89
Senility without psychosis	M	31	29	24	19	141	59	60	72	61	20	96	7	94	31	11	42	14	77	172
	F	59	59	43	25	196	98	65	98	81	34	114	14	134	73	16	59	20	130	314
Ill-defined and unknown cause	M	1	5	—	—	—	2	—	1	5	1	—	16	9	3	2	3	2	7	19
	F	1	2	2	2	1	—	2	1	1	—	—	1	3	2	—	1	—	2	5

TABLE 21—continued. Administrative Counties.

Causes of Death (See first page of Table)		Lincolnshire: (Parts of Holland.)	Lincolnshire: (Parts of Kesteven.)	Lincolnshire: (Parts of Lindsey.)	Middlesex.	Norfolk.	Northamptonshire.	Northumberland.	Nottinghamshire.	Oxfordshire.	Peterborough, Soke of.	Rutland.	Shropshire.	Somerset.	Southampton.	Staffordshire.	Suffolk, East.	Suffolk, West.	Surrey.	Sussex, East.	Sussex, West.
Tub. of meninges and nervous system	M	2	3	2	9	3	1	1	5	2	—	—	2	2	6	10	—	1	9	2	2
Typoid fever	F	1	3	3	13	—	2	7	4	1	—	—	1	2	2	16	2	2	5	1	1
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Streptococcal sore throat	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas, septicæmia, pyæmia	M	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
Acute infectious encephalitis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infectious hepatitis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malig. neoplasm, mouth and pharynx	M	1	1	2	3	3	2	1	1	1	—	—	3	5	1	1	1	1	3	2	1
Malig. neoplasm, œsophagus	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malig. neoplasm, intestine and rectum	M	4	2	10	60	11	15	20	4	3	4	3	12	8	26	16	7	5	34	14	14
Malig. neoplasm, larynx	F	1	1	6	31	6	1	4	6	2	1	—	4	5	7	8	—	—	16	6	5
Malig. neoplasm, cervix uteri	M	2	6	8	61	15	5	11	14	4	1	—	20	18	20	26	14	1	34	9	8
Hodgkin's disease	F	2	2	5	42	8	5	11	6	1	—	2	6	7	7	16	2	1	19	10	7
Lymphosarcoma, reticulosarcoma	M	20	27	48	364	94	44	79	83	28	8	3	53	89	99	144	42	21	194	70	66
Thyrototoxicosis	F	14	11	60	380	69	42	65	67	22	9	3	47	85	126	143	31	34	272	82	91
Otitis media and mastoiditis	M	3	2	3	35	5	6	9	4	1	2	—	1	8	12	16	2	3	26	5	13
Rheumatic fever	F	—	—	—	10	3	3	4	1	—	—	—	—	1	3	3	1	—	5	3	—
Chronic rheumatic heart disease	M	9	5	20	107	23	13	42	36	8	2	—	19	34	36	33	8	7	67	19	25
Hyperten. without mention of heart	F	1	1	2	28	4	6	1	8	1	—	—	4	4	4	3	5	1	16	4	1
Appendicitis	M	—	—	4	27	3	1	4	6	2	1	—	2	2	3	3	1	—	10	8	2
Intestinal obstruc. and hernia	F	—	—	2	20	2	—	—	3	1	—	—	3	5	8	5	1	2	18	2	4
Cirrhosis of liver	M	—	—	1	11	—	—	—	1	—	—	—	2	5	1	1	1	1	10	4	4
Cholelithiasis, cholecystitis	F	3	2	5	16	5	4	4	1	5	1	—	8	11	7	11	5	2	9	8	7
Maternal sepsis (not abortion)	M	1	1	—	6	2	1	4	2	—	—	—	4	3	2	3	2	1	4	—	1
Toxæmias of pregnancy and puerperium	F	1	2	—	4	2	2	2	4	—	—	—	—	1	2	3	3	1	2	1	1
Abortion	M	1	1	1	4	3	1	1	1	—	—	—	1	2	2	6	—	—	2	1	1
Birth injury	F	1	1	4	7	1	2	4	4	—	—	—	—	1	2	2	4	—	4	3	2
Post-natal asphyxia and atelectasis	M	10	11	36	211	28	30	42	36	17	4	3	35	57	48	75	20	10	98	26	25
Pneumonia of newborn	F	9	8	33	371	43	39	56	59	18	6	4	45	79	71	111	20	10	166	61	44
Ophth., pemphigus, sepsis of newborn	M	3	3	10	112	17	17	26	13	2	1	—	21	25	25	6	4	3	91	22	10
Hemolytic disease of newborn	F	2	3	6	151	13	14	15	25	4	3	—	16	21	18	31	6	5	93	21	14
Immataturity (without other dis. peculiar to early infancy)	M	1	2	2	32	5	2	7	11	3	—	—	5	5	11	16	3	4	22	7	7
Senility without psychosis	F	2	4	8	42	8	5	16	14	2	1	2	6	7	5	13	1	—	18	5	4
Ill-defined and unknown cause	M	4	3	14	67	14	1	17	18	3	2	1	13	20	26	28	3	7	34	14	16
	F	4	1	12	83	10	9	12	21	4	5	—	5	16	16	34	7	9	37	26	16
	M	1	2	7	30	—	2	6	7	5	1	—	5	4	10	11	1	3	11	3	5
	F	1	4	20	3	—	7	2	2	—	—	—	4	5	10	6	3	18	1	2	5
	M	2	5	17	2	2	3	6	1	—	—	—	3	3	4	5	2	2	6	8	13
	F	3	2	8	44	10	2	11	19	4	—	—	10	7	11	17	9	3	26	8	13
	M	—	—	—	1	—	—	1	1	—	—	—	1	—	2	1	—	—	1	—	—
	F	2	—	2	4	1	2	1	4	—	—	—	—	4	7	—	1	—	—	1	—
	M	—	—	—	5	—	2	—	—	—	—	—	—	2	3	—	—	3	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	2	4	8	42	8	5	16	14	2	1	2	6	14	13	23	3	3	23	3	7
	F	2	2	1	20	5	7	2	3	1	—	3	3	15	8	14	2	3	14	1	—
	M	5	1	8	75	8	12	11	18	3	—	2	10	22	19	38	5	3	29	10	2
	F	—	2	6	48	10	5	4	8	5	1	1	4	10	12	19	9	2	28	3	2
	M	—	1	2	21	4	3	3	10	1	1	—	4	3	11	13	1	2	8	2	—
	F	—	2	3	16	5	3	1	5	2	—	—	3	4	5	6	1	1	4	3	2
	M	—	—	—	3	1	1	1	1	—	—	—	1	1	—	—	—	—	—	—	—
	F	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—
	M	1	1	2	13	4	1	4	2	—	—	—	4	4	5	6	—	—	13	1	4
	F	—	—	—	11	3	3	3	1	1	—	—	1	1	4	2	—	—	5	2	2
	M	7	6	27	81	12	10	21	22	3	5	1	16	16	36	63	19	4	49	11	22
	F	4	6	15	65	14	4	18	19	4	—	—	7	13	23	38	10	5	34	11	9
	M	38	7	40	63	59	17	27	39	9	2	1	35	73	46	189	19	16	71	21	13
	F	61	23	67	142	101	29	52	70	20	8	—	48	97	98	255	28	21	158	49	44
	M	—	1	1	3	2	3	1	1	—	—	—	1	2	1	2	—	1	5	1	1
	F	1	1	1	3	2	3	1	1	—	—	—	1	2	1	3	—	—	3	2	3

TABLE 21—continued. Administrative Counties.

Causes of Death (See first page of Table)		Warwickshire.	Westmorland.	Wight, Isle of.	Wiltshire.	Worcestershire.	Yorkshire, East Riding.	Yorkshire, North Riding.	Yorkshire, West Riding.	Anglesey.	Brecknockshire.	Caernarvonshire.	Cardiganshire.	Carmarthenshire.	Denbighshire.	Flintshire.	Glamorganshire.	Merionethshire.	Monmouthshire.	Montgomeryshire.	Pembrokeshire.
Tub. of meninges and nervous system	M	6	—	1	1	4	2	5	19	—	3	—	1	7	1	4	9	1	6	—	4
	F	4	—	—	2	5	—	3	13	—	2	2	1	4	—	1	13	—	3	—	1
Typhoid fever	M	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	M	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Streptococcal sore throat	M	—	—	—	—	—	—	2	—	—	1	—	—	—	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas, septicæmia, pyæmia	M	—	—	—	—	2	—	—	6	—	—	—	—	—	1	—	—	—	1	—	—
	F	—	—	1	1	2	—	—	3	—	—	1	—	—	—	—	—	—	—	—	—
Acute infectious encephalitis	M	1	—	—	2	—	—	1	2	—	—	—	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	4	—	—	—	—	—	1	—	—	—	—	—	—
Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infectious hepatitis	M	1	—	—	2	2	1	2	—	—	—	—	—	1	—	3	5	—	3	—	1
	F	—	—	—	1	1	—	5	—	—	—	1	—	—	—	—	—	—	—	—	—
Malig. neoplasm, mouth and pharynx	M	15	2	2	7	15	12	20	57	2	—	5	2	8	4	9	26	—	14	1	4
	F	4	—	—	2	5	3	5	2	30	2	3	1	6	5	5	15	4	6	—	—
Malig. neoplasm, œsophagus	M	15	7	3	8	6	8	14	54	4	2	6	2	8	11	5	23	1	18	1	2
	F	7	1	3	9	7	2	9	18	3	3	6	1	11	3	3	15	2	8	2	7
Malig. neoplasm, intestine and rectum	M	101	12	24	59	81	43	68	296	13	11	31	7	28	35	32	137	8	39	15	18
	F	82	9	22	64	74	43	63	269	12	11	33	14	24	27	27	111	13	47	6	18
Malig. neoplasm, larynx	M	8	1	1	5	6	2	7	22	2	—	2	3	5	2	7	1	4	—	—	—
	F	—	—	—	1	2	—	2	4	—	1	1	2	—	—	5	—	3	—	2	—
Malig. neoplasm, cervix uteri	F	17	3	2	11	25	11	22	118	4	8	11	2	11	13	9	42	1	18	3	3
Hodgkin's disease	M	5	1	1	3	3	4	4	10	1	—	2	—	1	2	3	13	—	4	1	—
	F	2	1	—	6	—	3	2	11	—	—	1	—	1	1	—	9	—	3	—	—
Lymphosarcoma, reticulosarcoma	M	2	—	—	1	2	1	4	16	—	—	1	1	3	2	2	7	—	—	—	2
	F	4	—	—	3	4	1	1	5	—	—	1	1	2	—	3	—	—	3	—	1
Thyrototoxicosis	M	2	—	—	1	2	—	—	3	—	—	—	1	—	—	—	—	—	—	—	—
	F	7	—	4	5	6	—	3	18	2	3	4	—	5	7	4	12	2	7	2	2
Otitis media and mastoiditis	M	—	—	1	1	2	2	1	17	—	—	—	1	—	—	1	4	—	—	—	1
	F	1	—	1	1	1	—	1	6	—	—	—	—	—	1	1	3	—	3	—	1
Rheumatic fever	M	1	—	—	1	1	1	1	8	—	—	—	—	1	—	—	7	—	3	—	—
	F	4	—	—	3	1	—	2	8	1	1	—	—	2	—	—	5	2	1	—	1
Chronic rheumatic heart disease	M	53	10	10	30	34	23	26	145	4	—	16	10	15	13	110	7	7	33	8	10
	F	60	14	10	41	28	34	58	290	3	9	30	11	39	31	21	147	8	49	13	11
Hyperten. without mention of heart	M	17	3	—	13	12	7	14	68	3	2	9	6	5	7	6	32	4	11	6	2
	F	18	5	3	12	9	13	17	76	2	—	12	1	13	8	12	25	4	11	2	5
Appendicitis	M	10	2	2	5	5	1	6	22	1	1	7	—	1	6	1	19	1	5	1	5
	F	9	—	—	2	3	7	1	19	—	—	3	2	1	3	2	3	—	5	2	3
Intestinal obstruc. and hernia	M	13	3	2	13	15	10	8	50	7	4	5	2	1	4	7	26	1	13	2	—
	F	22	3	3	8	14	11	10	41	2	3	3	1	2	8	3	23	3	12	2	5
Cirrhosis of liver	M	5	1	1	4	8	5	5	21	1	1	2	—	1	—	3	11	2	7	—	2
	F	9	—	—	3	6	2	6	16	—	—	2	—	4	—	3	1	2	6	—	—
Cholelithiasis, cholecystitis	M	7	—	—	2	3	2	3	16	2	2	1	—	1	—	1	6	1	5	1	—
	F	11	1	4	2	9	4	9	56	1	1	3	2	1	6	1	25	—	11	1	4
Maternal sepsis (not abortion)	F	3	—	—	1	1	1	—	3	—	—	—	—	—	—	—	1	—	1	—	—
Toxæmia of pregnancy and puerperium	F	—	—	2	3	3	1	3	3	—	—	2	2	—	3	1	1	—	3	—	1
Abortion	F	1	—	—	—	—	—	1	6	—	—	—	—	1	—	—	5	—	2	—	—
Birth injury	M	13	3	4	12	13	2	9	53	1	4	2	1	5	6	6	28	1	13	1	3
	F	7	1	2	7	5	3	5	27	1	1	4	2	—	7	6	12	—	5	—	—
Post-natal asphyxia and atelectasis	M	21	5	—	8	14	7	15	62	2	2	8	1	2	4	6	25	1	22	2	1
	F	12	1	1	3	11	5	7	27	2	—	7	2	4	6	—	18	2	7	—	—
Pneumonia of newborn	M	5	—	1	3	4	2	5	10	1	—	2	—	—	—	2	8	—	7	—	2
	F	2	—	—	1	4	2	6	6	1	1	1	—	—	2	2	5	—	6	1	2
Ophth., pemphigus, sepsis of newborn	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmolytic disease of newborn	M	4	—	1	1	3	—	2	15	—	1	—	—	—	1	1	3	—	1	—	1
	F	2	—	—	1	2	1	—	7	—	—	—	—	—	1	1	—	—	1	—	—
Immaturity (without other dis. peculiar to early infancy)	M	30	6	2	23	17	12	25	83	6	2	6	3	5	7	12	58	3	19	4	3
	F	22	3	7	13	16	4	20	58	2	2	—	3	11	4	6	48	2	19	2	7
Senility without psychosis	M	24	4	20	44	71	26	30	128	8	6	14	4	23	11	13	132	8	42	9	14
	F	43	9	23	74	104	31	31	211	5	10	31	3	46	32	29	172	11	61	19	38
Ill-defined and unknown cause	M	2	—	—	—	1	1	6	3	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	1	1	—	—	1	—	1	5	—	4	—	1	2	2



	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Poplar ...	432	437	419	369	—	—	—	—	—	—	27	—	14	14	14	14	—	14	28	31	—	0.77	—	(24)
St. Marylebone	268	394	256	394	—	—	—	—	—	13	—	—	—	—	13	—	39	22	19	—	—	1.13	—
St. Pancras ...	538	525	488	482	—	—	—	—	—	—	7	7	7	7	14	—	—	7	30	26	—	—	0.44	0.93
Shoreditch	355	379	355	—	—	—	—	—	—	—	—	—	—	—	—	—	—	30	16	—	—	—	1.67
Southwark ...	577	398	525	327	—	—	—	—	—	—	10	—	41	10	10	—	—	—	20	19	—	—	—	—
Stepney ...	562	496	501	465	—	—	—	—	—	—	—	—	10	10	10	—	—	—	27	21	—	—	—	—
Stoke Newington	309	303	303	—	20	—	—	—	—	—	—	—	—	41	—	—	—	24	30	—	—	—	—
Wandsworth	371	322	407	286	—	—	—	—	—	12	6	12	—	21	—	—	12	22	23	—	—	0.63	0.22
Westminster ...	371	370	352	350	10	10	—	—	—	—	10	10	—	30	—	—	—	—	36	34	—	—	—	0.78
Woolwich ...	389	381	356	340	—	—	—	7	—	—	—	7	7	—	7	—	—	7	24	28	—	—	—	0.43
County Boroughs	...	392	418	345	0	0	1	1	1	1	12	10	9	9	17	4	7	7	33	33	0.11	0.11	0.55	0.61
Barnsley ...	356	280	343	240	—	—	—	—	—	—	40	27	13	—	13	13	13	—	34	32	0.67	—	—	0.74
Barrow-in-Furness ...	472	421	442	361	—	—	—	—	—	—	—	—	—	—	15	15	59	15	39	36	—	—	0.81	1.93
Bath ...	156	191	130	179	—	—	13	—	—	—	—	—	—	—	—	—	—	13	24	21	—	—	1.70	—
Birkenhead ...	671	508	615	451	—	—	—	7	7	7	7	7	21	42	14	—	7	—	42	41	—	—	—	1.12
Birmingham ...	462	384	424	338	—	—	1	1	1	1	14	9	12	6	51	3	9	9	30	29	0.26	0.05	0.51	0.53
Blackburn ...	323	400	296	355	9	—	—	—	—	—	9	18	—	9	—	—	18	—	34	31	—	—	1.26	1.96
Blackpool ...	301	335	267	308	—	—	—	—	—	—	—	—	—	14	7	7	—	—	37	35	0.56	—	0.56	1.19
Bolton ...	255	306	214	270	—	—	—	6	—	—	12	—	—	—	—	—	6	18	35	41	—	—	—	0.38
Bootle ...	883	555	840	500	—	—	—	—	—	—	14	54	28	41	—	—	—	14	47	40	—	—	1.22	0.63
Bournemouth...	337	281	330	266	—	—	—	—	—	—	—	—	—	—	36	—	—	14	33	25	—	—	—	0.64
Bournemouth...
Bradford ...	370	362	313	297	—	—	—	—	—	3	31	10	14	—	14	3	14	17	37	44	—	0.21	0.99	0.41
Brighton ...	368	212	311	186	—	—	—	—	—	6	—	—	—	—	19	6	—	13	30	34	—	—	—	1.45
Bristol ...	454	371	411	340	—	—	—	5	—	—	5	5	—	—	68	9	7	7	23	20	0.14	—	0.68	0.86
Burnley ...	400	415	294	356	—	—	—	—	—	—	—	12	24	12	12	12	12	12	49	33	—	—	2.86	—
Burton upon Trent	408	286	388	266	—	—	—	—	—	—	20	—	—	41	—	—	—	—	42	32	—	—	—	1.25
Bury ...	321	171	270	137	—	—	—	17	—	—	—	17	—	—	—	—	34	—	20	37	—	1.19	1.07	—
Canterbury ...	258	270	258	236	—	—	—	—	—	—	—	34	—	—	—	—	—	—	11	19	—	2.07	—	—
Carlisle ...	454	388	351	343	—	15	—	—	—	—	—	15	—	—	15	—	—	15	40	25	—	—	—	—
Chester ...	370	399	329	357	—	—	—	—	—	—	41	—	—	—	—	—	—	—	20	41	—	—	1.22	—
Coventry ...	526	329	467	291	—	—	—	4	—	—	4	—	8	12	12	—	8	4	32	35	—	—	0.66	0.68
Croydon ...	258	256	231	208	—	—	4	4	—	—	4	12	—	—	20	8	8	8	26	19	—	0.54	0.26	0.27
Darlington ...	386	425	339	330	—	—	—	—	—	—	—	—	12	24	—	—	12	—	33	28	—	0.75	—	1.50
Derby ...	321	371	272	350	—	—	—	—	—	—	35	—	—	7	—	—	—	—	34	31	—	—	0.44	—
Dewsbury ...	282	321	282	321	—	—	—	—	—	—	—	57	38	38	38	—	—	—	24	24	—	—	2.06	—

TABLE 22—continued.

Administrative Area	Mortality per Million Population at All Ages																Infant Mortality per 1,000 related Live Births		Mortality per 1,000 Total (live and still) births							
	Tuberculosis (all forms)								Typhoid fever		Scarlet fever		Diphtheria		Whooping cough		Menin- gococcal infections		Acute poliomyelitis		Measles		Sepsis of pregnancy, childbirth and the puerperium (640-641, 681, 682, 684)	Others (642-649, 660-680, 683, 685-689)		
	(001-019)		(001-008)		(040)		(050)		(055)		(056)		(057)		(080)		(085)									
	1950	1951	1950	1951	1950	1951	1950	1951	1950	1951	1950	1951	1950	1951	1950	1951	1950	1951	1950	1951	1950	1951				
Doncaster	519	320	457	283	—	—	—	—	—	—	12	12	12	12	—	12	12	12	—	—	—	—	—	—	0.76	
Dudley	506	531	443	402	—	—	—	—	—	—	32	—	—	—	—	63	—	—	—	—	—	—	—	—	—	—
Eastbourne	241	417	207	400	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17	—	—	—	—	—	—
East Ham	295	299	271	241	—	—	—	—	—	—	16	8	—	—	—	8	—	—	—	—	—	1.37	—	—	—	—
Exeter	440	249	414	184	—	13	—	—	—	—	26	—	—	—	—	39	—	13	—	13	—	—	—	—	—	0.57
Gateshead	649	506	554	410	—	—	—	—	—	—	17	—	26	44	—	—	17	—	17	—	—	—	—	—	—	0.90
Gloucester	486	458	412	372	—	—	—	—	—	—	29	29	15	—	—	—	—	15	—	15	—	—	—	—	—	0.87
Great Yarmouth	370	352	331	294	—	—	19	—	—	—	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.34
Grimby	322	579	279	493	—	—	—	—	—	11	11	—	—	—	—	32	—	—	—	11	—	—	—	—	—	—
Halifax	293	308	243	277	—	—	—	—	—	—	10	—	20	21	—	—	—	21	—	10	—	—	—	—	—	0.62
Hastings	320	261	289	261	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Huddersfield	363	203	278	133	—	—	—	—	—	—	—	—	—	—	—	—	8	—	8	16	—	—	—	—	—	1.10
Ipswich	278	183	240	135	—	—	—	—	—	—	—	—	19	—	—	—	19	—	—	—	—	—	—	—	—	0.99
Kingston upon Hull	500	346	430	312	3	—	3	—	—	—	17	27	3	10	3	3	3	3	3	3	46	—	—	—	—	0.50
Leeds	383	382	353	342	—	—	—	2	—	—	12	8	6	10	18	—	4	6	6	31	—	—	—	—	—	0.24
Leicester	463	376	435	351	—	—	—	—	—	—	10	7	7	7	7	14	4	10	7	25	—	—	—	—	—	0.62
Lincoln	486	333	443	319	—	—	—	—	—	—	14	—	—	—	—	86	43	—	—	32	26	—	—	—	—	0.93
Liverpool	699	570	617	515	—	—	1	3	2	—	22	23	12	15	10	8	5	6	37	35	—	—	—	—	—	0.36
Manchester	650	510	583	454	1	—	—	—	1	4	27	4	7	7	7	7	3	13	1	38	35	—	—	—	—	0.62
Middlesbrough	632	484	570	409	—	—	—	—	—	7	27	7	—	—	—	27	—	—	20	36	36	—	—	—	—	0.62
Newcastle upon Tyne	706	425	621	377	—	—	—	—	—	7	24	21	17	10	14	7	3	3	33	34	—	—	—	—	—	0.76
Northampton	360	347	265	299	—	—	—	—	—	—	—	29	—	—	9	19	—	—	19	30	—	—	—	—	—	0.64
Norwich	384	333	334	258	—	—	—	—	8	—	—	8	—	—	25	8	—	8	24	27	—	—	—	—	—	0.51
Nottingham	495	313	466	277	—	—	—	3	—	—	20	23	3	10	3	3	7	13	31	33	—	—	—	—	—	0.19
Oldham	393	310	326	268	—	—	—	—	—	—	8	—	8	8	8	8	—	17	8	35	41	—	—	—	—	0.52
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Oxford	...	259	273	213	226	—	—	—	—	—	—	—	—	9	18	—	—	—	20	19	—	—	—	—
Plymouth	...	589	456	512	411	—	—	—	—	—	14	14	19	9	14	9	—	9	29	34	—	—	0-82	0-55
Portsmouth	...	396	270	362	245	—	5	—	—	4	8	4	12	4	12	4	—	8	30	30	—	0-27	0-27	0-54
Preston	...	349	390	291	347	—	—	—	—	—	8	—	—	8	17	—	—	8	32	35	—	—	—	1-00
Reading	...	363	295	337	295	—	—	—	9	—	—	—	—	—	9	—	9	—	26	29	—	0-55	—	—
Rochdale	...	469	309	424	263	—	—	—	—	—	—	—	—	—	—	—	—	34	46	54	—	—	2-11	0-77
Rotherham	...	422	318	338	294	—	12	12	—	—	—	—	12	—	—	24	—	—	49	28	—	—	—	0-68
St. Helens	...	444	375	409	302	—	—	—	—	—	18	—	9	9	9	—	—	9	38	39	0-48	—	1-43	1-59
Salford	...	529	509	501	464	—	—	—	—	—	17	11	6	—	11	—	6	11	44	34	—	0-31	—	0-94
Sheffield	...	377	345	315	300	—	—	—	—	—	16	6	6	2	10	6	4	8	28	30	—	—	0-53	0-41
Smethwick	...	595	524	569	485	—	—	—	—	—	—	13	—	13	65	26	—	—	30	26	—	—	0-82	—
Southampton	...	437	406	354	361	—	—	—	—	—	11	11	11	6	6	—	11	—	29	25	0-60	—	0-60	0-98
Southend-on-Sea	...	335	284	295	257	—	7	7	—	7	13	7	7	—	13	—	—	—	26	25	—	—	—	—
Southport	...	234	324	175	264	—	—	—	—	—	23	—	12	—	—	—	—	12	27	40	—	—	1-45	1-02
South Shields	...	594	394	530	347	—	—	—	9	—	—	—	9	19	—	9	18	19	38	40	—	—	—	—
Stockport	...	352	355	317	284	—	—	—	—	—	7	—	—	7	28	—	—	14	35	41	—	—	—	0-95
Stoke on Trent	...	522	499	479	448	—	—	4	—	—	—	18	25	7	18	11	22	4	43	33	—	—	0-41	0-68
Sunderland	...	573	540	505	473	—	—	—	6	—	6	17	17	34	34	—	11	6	45	38	—	—	0-28	0-56
Tynemouth	...	800	422	724	332	—	—	—	—	—	15	15	15	45	—	—	—	—	35	44	0-81	—	1-62	0-79
Wakefield	...	248	287	248	270	—	17	—	—	—	17	17	—	—	—	—	—	—	42	33	—	—	—	—
Wallasey	...	419	366	410	326	—	—	—	—	—	—	—	—	—	—	—	—	—	28	32	—	0-57	1-13	0-57
Walsall	...	672	580	655	545	—	—	—	—	—	—	17	9	—	17	—	9	18	29	37	—	0-48	0-47	—
Warrington	...	340	399	289	274	—	—	—	—	—	25	25	50	25	13	—	—	—	39	38	—	—	0-66	0-70
West Bromwich	...	603	516	569	447	—	—	—	6	—	11	—	—	—	—	—	—	—	30	29	—	—	1-24	0-64
West Ham	...	428	341	394	294	—	—	—	—	—	—	24	29	12	6	12	—	—	28	25	0-34	—	1-02	0-67
West Hartlepool	...	621	360	511	332	—	—	—	—	—	—	—	28	28	—	—	41	28	42	35	—	0-70	1-40	—
Wigan	...	494	428	412	416	—	—	—	—	—	—	36	24	—	24	—	—	—	43	43	—	0-73	—	—
Wolverhampton	...	537	506	450	481	—	—	12	—	—	12	19	25	6	19	—	—	19	35	40	—	—	1-06	0-35
Worcester	...	423	316	390	283	—	—	—	—	—	16	17	—	17	—	—	16	—	21	28	—	—	1-97	2-19
York	...	334	190	316	181	—	—	—	—	—	—	19	9	—	19	—	9	10	22	26	—	—	1-13	0-63
Cardiff	...	487	481	458	431	—	4	—	—	—	4	—	8	4	8	—	8	8	27	32	—	—	0-66	1-58
Merthyr Tydfil	...	825	480	710	364	—	17	—	—	—	—	17	—	—	—	—	17	—	40	42	—	—	—	0-97
Newport (Mon.)	...	438	420	438	382	—	—	—	10	—	—	10	—	10	9	—	—	19	35	32	0-52	—	1-04	0-45
Swansea	...	526	456	445	369	—	—	—	—	—	19	19	—	—	6	—	6	19	33	31	0-38	—	0-76	0-40

TABLE 22—continued.

Administrative Area		Mortality per Million Population at All Ages																Mortality per 1,000 Total (live and still) births																
		Tuberculosis (all forms)				Tuberculosis of the respiratory system		Typhoid fever		Scarlet fever		Diphtheria		Whooping cough		Menin- gococcal infections		Acute poliomyelitis		Measles		Infant Mortality per 1,000 related Live Births	Maternal Mortality not due to abortion											
		(001-019)		(001-008)		(040)		(050)		(055)		(056)		(057)		(080)		(085)		Sepsis of pregnancy, childbirth and the puerperium (640, 641, 681, 682, 684)			Others (642-649, 660-680, 685-689)		1950		1951							
1950	1951	1950	1951	1950	1951	1950	1951	1950	1951	1950	1951	1950	1951	1950	1951	1950	1951	1950	1951	1950	1951	1950	1951	1950	1951	1950	1951	1950	1951	1950	1951			
Admin. Counties		317	281	277	243	0	0	1	1	1	1	1	1	1	1	7	11	5	6	17	4	4	7	29	28	0.13	0.10	0.63	0.54					
Bedfordshire		179	213	154	179	—	—	—	—	—	—	—	—	—	—	19	19	—	—	10	6	—	3	25	27	0.60	—	0.20	0.20	—	—	0.20	0.20	
Berkshire		235	232	211	198	—	—	—	—	—	—	—	—	—	—	3	17	—	—	24	—	—	—	24	27	0.20	—	0.20	0.42	—	—	0.20	0.42	
Buckinghamshire		181	184	161	143	—	—	—	—	—	—	—	—	—	—	3	8	—	—	16	8	—	3	25	24	0.33	—	0.49	0.38	—	—	0.49	0.38	
Cambridgeshire		190	189	167	154	—	—	—	—	—	—	—	—	—	—	6	2	—	6	—	11	—	6	21	21	—	—	—	—	—	—	—	0.38	
Cheshire		238	220	201	181	—	—	—	—	1	—	—	—	—	—	7	7	10	11	16	10	6	7	30	31	0.24	0.08	0.56	0.82	—	—	0.56	0.82	
Cornwall		369	296	316	249	—	—	—	—	3	3	3	3	3	12	9	9	9	29	15	—	9	30	33	—	—	—	—	—	—	1.41	0.80		
Cumberland		537	423	468	372	—	—	5	—	—	—	—	—	9	—	5	28	23	9	—	33	—	—	35	34	0.25	—	1.01	0.27	—	—	1.01	0.27	
Derbyshire		251	207	225	173	—	—	1	—	—	—	—	—	15	6	3	6	15	6	15	6	3	4	30	29	0.27	0.28	0.98	0.65	—	—	0.98	0.65	
Devon		325	291	279	257	—	—	—	—	4	—	—	—	4	24	4	2	4	2	61	12	—	—	30	28	0.14	0.14	1.27	0.71	—	—	1.27	0.71	
Dorset		275	192	248	159	—	—	—	—	—	—	—	—	—	10	7	7	7	62	7	—	7	24	27	0.23	—	0.45	0.68	—	—	0.45	0.68		
Durham		438	390	382	326	—	—	—	—	—	—	4	1	12	10	10	10	12	11	1	1	15	7	40	42	0.06	0.19	0.48	0.62	—	—	0.48	0.62	
Ely, Isle of		215	113	181	91	—	—	—	—	—	—	—	—	11	23	—	11	—	11	—	—	—	—	28	28	—	—	—	—	—	—	—	0.67	
Essex		287	245	262	210	1	—	1	1	—	—	—	—	3	7	4	8	10	3	3	3	6	2	23	22	0.08	0.34	0.46	0.34	—	—	0.46	0.34	
Gloucestershire		289	279	257	226	—	—	2	2	2	2	2	2	—	—	9	—	—	2	21	5	2	2	28	26	0.14	0.44	0.14	0.15	—	—	0.14	0.15	
Herefordshire...		299	292	260	229	—	—	—	—	—	—	—	—	16	32	16	—	—	87	—	—	24	31	33	—	—	—	—	—	—	0.91	0.46		
Hertfordshire		229	184	196	170	—	—	—	—	—	—	—	—	2	5	5	2	2	16	—	—	3	6	21	24	0.32	0.11	0.75	0.21	—	—	0.75	0.21	
Huntingdonshire		192	244	177	244	—	—	15	—	—	—	—	—	—	14	—	14	30	—	—	14	20	26	—	—	—	0.84	0.86	0.84	—	—	0.84	0.86	
Kent		329	301	295	262	1	—	—	1	2	1	2	1	5	11	3	3	8	8	8	4	8	25	26	0.09	0.17	0.34	0.43	—	—	0.34	0.43		
Lancashire		325	301	280	259	—	—	2	1	3	0	3	0	10	8	8	6	6	5	5	3	7	32	29	0.09	0.07	0.72	0.49	—	—	0.72	0.49		
Leicestershire		282	273	250	247	—	—	—	—	—	—	—	—	3	9	12	3	23	—	—	9	—	—	27	26	0.17	0.18	0.85	0.53	—	—	0.85	0.53	
Lincolnshire, Holland		275	297	197	237	—	—	—	—	—	—	—	—	—	20	—	—	—	59	—	—	10	35	29	—	—	—	—	—	—	0.56	1.17		
" Kesteven		239	234	200	173	—	—	—	—	—	—	—	—	8	8	—	—	116	—	—	8	—	—	41	28	—	—	0.44	0.46	—	—	0.44	0.46	
" Lindsey		288	181	224	148	—	—	3	—	3	—	3	—	10	3	6	3	13	3	3	3	6	31	32	0.18	—	—	—	0.37	1.32	—	—	0.37	1.32
London		397	381	361	344	1	—	0	1	1	1	1	1	9	6	6	7	11	1	1	1	7	26	25	—	—	0.06	0.53	0.39	—	—	0.06	0.53	
Middlesex		272	256	248	232	—	—	1	—	1	—	1	—	3	7	4	3	10	1	1	4	3	22	23	0.03	0.03	0.62	0.35	—	—	0.62	0.35		

Norfolk	...	231	174	198	150	—	—	—	—	3	19	5	28	13	14	—	26	29	—	—	—	0.34	0.88
Northamptonshire	...	295	257	256	222	—	—	—	—	4	8	4	8	8	4	8	29	25	—	—	—	0.24	0.49
Northumberland	...	342	281	283	240	—	2	—	—	16	11	7	16	25	2	5	36	32	—	—	—	0.14	0.68
Nottinghamshire	...	347	269	307	231	—	—	—	—	15	15	4	7	9	2	2	35	29	0.45	—	—	0.11	0.57
Oxfordshire	...	215	160	192	138	—	—	—	—	23	11	—	11	—	6	—	22	18	—	—	—	—	—
Peterborough, Soke of	...	185	234	154	218	—	—	—	—	—	—	15	—	31	—	—	20	24	—	—	—	—	—
Rutland	...	236	92	236	92	—	—	—	—	—	92	—	—	47	—	—	27	29	—	—	—	—	—
Shropshire	...	263	215	229	181	—	—	—	—	3	14	3	14	42	10	7	24	30	—	—	—	0.21	—
Somerset	...	275	229	231	210	—	—	—	—	6	4	4	8	17	8	2	10	25	0.54	—	—	0.95	0.97
Southampton	...	274	206	239	178	—	—	—	—	14	12	3	6	11	5	5	23	35	—	—	—	0.18	0.73
Staffordshire	...	399	359	339	308	—	—	—	—	11	26	6	7	34	6	14	11	36	0.28	—	—	0.07	0.63
Suffolk, East	...	268	238	231	211	—	—	—	—	9	23	9	9	14	5	5	24	28	0.30	—	—	0.30	0.36
Suffolk, West	...	197	217	146	185	—	—	—	—	—	24	9	—	9	8	17	26	28	—	—	—	1.03	1.05
Surrey	...	268	219	231	192	1	1	—	—	4	2	6	3	10	4	7	13	22	0.05	—	—	0.48	0.33
Sussex, East	...	235	173	185	149	—	—	—	—	—	12	6	6	9	—	—	3	20	0.24	—	—	0.89	0.24
" West	...	278	245	256	208	—	—	—	—	3	19	6	3	22	6	—	6	26	0.23	—	—	0.69	0.48
Warwickshire	...	305	257	250	210	—	—	—	—	8	16	4	4	27	—	—	27	28	0.13	—	—	0.38	—
Westmorland	...	361	165	300	120	—	—	—	—	—	—	—	—	—	—	—	43	35	1.00	—	—	—	1.08
Wight, Isle of	...	287	212	255	202	—	—	—	—	—	—	—	—	42	21	—	23	25	0.77	—	—	0.77	2.33
Wiltshire	...	267	199	246	173	—	—	—	—	3	15	3	—	26	3	3	8	23	0.16	—	—	0.16	0.65
Worcestershire	...	306	260	256	216	—	—	—	—	2	10	10	7	37	5	—	2	29	0.31	—	—	0.16	0.93
Worcestershire, East Riding	...	236	207	198	183	—	—	—	—	5	5	—	5	9	—	5	9	26	0.31	—	—	0.32	0.63
" North	...	311	227	276	185	—	—	—	—	21	16	8	8	21	13	8	16	35	0.16	—	—	1.28	1.76
" West	...	296	276	254	235	1	1	—	—	13	13	9	8	14	6	6	11	35	0.15	—	—	0.12	0.59
Aagley	...	380	333	280	275	—	—	—	—	—	20	20	—	20	—	20	37	55	—	—	—	—	—
Brecknockshire	...	443	467	337	323	—	—	—	—	—	—	—	—	18	—	—	38	37	—	—	—	—	1.12
Caernarvonshire	...	638	552	598	503	—	—	—	—	8	24	8	16	16	16	—	35	43	—	—	—	2.20	1.67
Cardiganshire	...	333	424	296	332	—	—	—	—	—	37	—	—	—	—	—	35	38	—	—	—	1.36	2.64
Carmarthenshire	...	501	440	408	346	—	—	—	—	—	—	6	—	6	12	—	29	25	—	—	—	0.78	0.41
Denbighshire	...	348	241	301	211	—	—	—	—	12	23	6	6	29	12	12	6	43	0.68	—	—	0.68	1.52
Flintshire	...	400	453	372	405	—	—	—	—	7	7	7	—	21	—	14	14	27	32	—	—	1.97	0.41
Glamorganshire	...	519	448	440	382	—	—	—	—	11	20	8	4	12	3	7	12	39	0.32	—	—	0.08	0.82
Merionethshire	...	567	486	518	437	—	—	—	—	24	25	—	—	25	—	—	33	40	—	—	—	1.81	—
Monmouthshire	...	391	315	335	267	3	—	—	—	19	16	6	6	6	—	13	22	40	0.17	—	—	0.19	0.93
Montgomeryshire	...	131	395	131	351	—	—	—	—	—	88	—	22	87	22	—	—	43	30	—	—	—	1.30
Pembrokeshire	...	367	386	312	287	—	—	—	—	22	22	11	22	11	11	—	22	35	0.61	—	—	—	0.63
Radnorshire	...	294	300	196	250	—	—	—	—	49	50	—	—	—	—	49	50	33	—	—	—	—	3.51

TABLE 23.—Causes of Death by Month of Occurrence, } { England and Wales.
Jan. — Dec., 1951.

Note.—Totals for any period made up from this table will differ from the corresponding figures shown in other tables which are tabulated according to date of registration.

See Explanatory notes on page vi.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	ALL CAUSES {M	42657	31882	28075	22752	20923	18252	17901	17337	16994	19814	20389	22787
		42723	30920	26210	21792	19779	17004	16775	16276	15845	18747	18522	21084
001-138	I.—Infective and Parasitic Diseases {M	1556	1154	1215	957	928	749	739	762	711	845	841	910
		881	737	623	558	547	499	481	449	429	513	483	495
001-008	Tuberculosis of respiratory system {M	1092	798	857	648	630	507	483	527	480	596	582	654
		554	483	372	319	321	306	292	269	240	333	307	303
010	Tuberculosis of meninges & central nervous system .. {M	54	36	44	31	37	36	32	32	39	40	30	28
		37	34	40	36	47	38	52	40	34	33	27	24
011	Tuberculosis of intestines: peritoneum, and mesenteric glands. {M	13	2	8	12	7	6	5	7	3	9	5	7
		11	9	5	11	5	11	8	8	15	3	9	5
012, 013	Tuberculosis of bones and joints {M	9	8	14	13	9	8	12	6	9	13	5	9
		12	5	7	7	10	7	10	11	2	4	8	13
014-019	Tuberculosis, all other forms {M	34	26	31	30	18	21	24	15	15	26	17	25
		26	16	14	25	16	16	19	11	21	14	22	14
020-029	Syphilis and its sequelæ .. {M	175	129	126	94	108	72	82	87	80	91	97	114
		45	51	46	43	39	37	34	31	37	44	38	56
030-039	Gonococcal infection and other venereal diseases .. {M	1	—	1	1	1	—	—	—	—	—	1	—
		1	—	—	—	—	—	—	—	—	—	—	—
040	Typhoid fever {M	1	1	2	—	—	—	—	—	—	—	1	—
		—	2	1	—	2	1	—	—	1	—	—	—
041	Paratyphoid fever {M	—	—	—	—	—	1	—	—	—	—	—	—
		1	—	—	—	—	1	1	2	1	1	—	1
042	Other Salmonella infections {M	—	2	1	1	2	3	4	5	6	2	1	—
		—	—	1	3	2	—	1	1	1	—	—	1
044	Brucellosis (undulant fever) {M	—	—	—	—	—	1	—	—	—	—	—	—
		—	—	—	—	—	—	—	1	—	—	—	—
045	Bacillary dysentery .. {M	4	8	4	3	1	1	1	1	—	1	2	—
		6	4	7	3	4	1	—	—	2	1	1	1
048	Unspecified forms of dysentery .. {M	—	1	—	—	—	—	—	—	—	—	—	—
		—	—	—	1	—	1	—	—	—	—	—	—
049	Food poisoning (infection and intoxication) .. {M	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	1
050	Scarlet fever {M	4	2	—	5	—	—	—	1	—	—	1	—
		1	2	2	3	3	2	—	1	4	2	—	3
051	Streptococcal sore throat .. {M	5	—	1	1	1	—	—	1	—	—	4	—
		2	3	—	1	—	1	1	2	1	2	2	—
052	Erysipelas {M	—	3	1	1	—	—	1	—	—	1	1	1
		1	3	—	—	1	—	1	—	1	—	—	—
053, 054	Septicæmia, pyæmia, and bacterial toxæmia .. {M	10	9	1	10	3	7	5	4	3	4	4	1
		7	4	7	3	6	1	5	—	3	6	3	3
055	Diphtheria {M	1	2	2	—	—	4	—	—	—	2	1	3
		1	1	1	—	1	—	1	4	—	4	3	2
056	Whooping cough {M	39	32	34	18	27	10	9	9	14	2	9	10
		42	47	33	32	16	13	12	17	12	6	7	4
057	Meningococcal infections {M	23	16	17	10	8	15	15	5	13	9	16	13
		36	17	9	10	12	6	7	6	9	5	14	10
061	Tetanus {M	4	3	1	8	5	11	10	8	4	1	1	3
		2	3	1	2	2	2	2	3	1	1	2	4
070	Vincent's infection .. {M	—	—	—	—	—	—	—	—	—	1	—	—
		—	—	—	—	—	—	—	—	—	—	—	—
072	Leptospirosis icterohæmorrhagica (Weil's disease). {M	3	5	—	4	3	1	2	3	3	2	5	6
		—	1	—	—	1	—	—	—	1	—	—	—
080	Acute poliomyelitis .. {M	16	7	5	5	5	9	11	15	6	12	11	6
		11	8	4	3	2	9	7	9	4	12	8	4
081	Late effects of acute poliomyelitis .. {M	3	—	—	1	2	2	—	—	—	2	—	—
		7	2	1	1	—	1	—	—	1	1	—	2

TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
082	Acute infectious encephalitis .. {M F	2 6	4 4	5 7	8 1	5 8	6 5	6 3	5 2	8 8	6 5	6 3	2 4
083	Late effects of acute infectious encephalitis .. {M F	13 24	6 8	6 11	5 11	11 8	2 12	9 4	7 8	10 6	5 14	8 8	9 7
084	Smallpox {M F	2 7	—	—	—	—	—	—	—	—	—	—	—
085	Measles {M F	27 23	25 16	35 30	30 24	24 22	10 10	5 3	2 3	3 1	3 1	2 2	5 7
086	Rubella (German measles) {M F	—	—	—	—	—	—	—	—	—	1	—	—
087	Chickenpox {M F	1 —	1 —	—	—	2 —	1 —	2 —	2 —	1 2	—	1 —	1 —
088	Herpes zoster {M F	2 3	2 1	1 2	2 3	2 4	1 2	1 —	2 4	4 4	— 3	2 5	— 8
089	Mumps {M F	1 —	1 —	1 —	— —	— —	1 —	1 —	1 —	— —	— —	1 —	— —
092	Infectious hepatitis .. {M F	14 10	14 9	11 15	12 9	8 9	4 12	8 6	12 10	6 10	15 10	15 7	8 14
093	Glandular fever (infectious mononucleosis) .. {M F	—	—	—	—	—	—	1 —	—	—	1 —	—	—
096	Other diseases attributable to viruses {M F	—	1 —	2 —	1 —	—	—	2 1	1 1	—	1 —	—	—
100-108	Typhus and other rickettsial diseases {M F	—	—	—	—	—	—	—	—	—	—	—	—
110-117	Malaria {M F	—	—	—	1 —	2 —	2 —	4 —	—	1 —	—	—	—
remainder of 001-138	All other diseases classified as infective and parasitic {M F	4 4	10 4	6 5	3 5	7 3	8 2	6 6	6 3	3 7	1 5	13 4	5 4
140-239	II.—Neoplasms {M F	4128 3865	3572 3403	3760 3490	3595 3435	3668 3478	3646 3381	3813 3523	3817 3436	3639 3451	3962 3735	3853 3514	3805 3583
140-148	Malignant neoplasm of buccal cavity and pharynx {M F	167 58	103 43	136 65	129 44	127 50	128 47	121 61	133 66	131 47	143 51	117 56	132 40
150	Malignant neoplasm of œsophagus {M F	153 78	114 61	129 78	106 65	107 65	119 65	125 66	119 74	133 81	120 68	127 72	128 76
151	Malignant neoplasm of stomach {M F	751 605	674 535	676 534	647 536	633 506	647 524	666 577	710 522	680 552	693 529	654 542	687 527
152-154	Malignant neoplasm of intestine, incl. rectum .. {M F	733 747	663 665	716 677	626 637	690 650	631 622	640 692	662 619	627 634	681 708	645 642	611 646
155, 156	Malignant neoplasm of biliary passages & of liver {M F	108 98	96 97	74 103	81 124	80 101	86 118	79 114	85 115	83 100	101 121	72 107	100 99
157-159	Malignant neoplasm of pancreas, peritoneum, & unspecified digestive organs {M F	152 128	127 124	151 99	146 126	123 138	151 142	165 135	162 140	146 131	138 137	139 129	157 133
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses. {M F	6 8	11 11	8 10	13 10	11 9	12 4	7 6	12 4	12 7	14 8	12 5	6 4
161	Malignant neoplasm of larynx {M F	75 23	66 9	74 21	61 16	69 17	68 13	79 20	63 16	50 16	66 16	71 16	55 19
162-165	Malignant neoplasm of lung and bronchus, trachea, mediastinum, and of thoracic organs (sec'd'ry) {M F	983 182	861 174	860 163	907 176	892 196	913 162	930 165	945 195	912 177	1070 184	1017 177	984 186
170	Malignant neoplasm of breast {M F	3 800	4 667	7 677	4 655	6 627	3 585	3 588	1 644	6 651	10 702	4 672	9 717
171-174	Malignant neoplasm of uterus. F	353	323	339	337	355	339	354	300	332	349	338	333
175, 176	Malignant neoplasm of other and unspecified female genital organs. F	228	223	237	244	249	289	248	234	242	287	251	242
177	Malignant neoplasm of prostate. M	278	240	248	238	238	225	249	238	263	252	262	265
178, 179	Malignant neoplasm of other and unspecified male genital organs. M	25	33	35	39	20	28	31	34	33	29	31	25

TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
180	Malignant neoplasm of kidney {M F	44 39	43 40	41 28	42 29	58 34	45 30	48 36	66 32	56 36	45 36	61 37	45 42
181	Malignant neoplasm of bladder and other urinary organs. {M F	157 63	151 68	139 52	129 55	146 59	146 63	159 54	144 58	35 63	152 66	173 62	151 71
190, 191	Malignant neoplasm of skin {M F	45 46	36 33	37 34	41 42	54 28	39 28	42 29	33 29	46 28	35 46	41 34	38 39
193	Malignant neoplasm of brain and other parts of nervous system. {M F	70 51	41 31	52 39	56 34	53 47	69 38	63 54	71 31	65 37	67 46	79 43	55 45
196	Malignant neoplasm of bone (including jaw bone) {M F	37 33	26 27	40 30	31 20	50 24	39 32	39 34	44 27	33 15	25 30	32 26	42 37
201	Hodgkin's disease .. {M F	51 26	26 17	40 22	35 20	38 26	30 17	44 24	43 22	47 23	43 30	38 26	27 22
204	Leukæmia and aleukæmia {M F	74 93	61 59	83 78	76 82	78 83	75 70	106 83	86 84	91 76	89 77	73 75	91 76
Remainder of 140-205	Malignant neoplasm of all other & unspecified sites, incl. other neoplasms of lymphatic and hæmato-poietic tissues, {M F	138 122	108 106	132 120	121 104	118 139	124 114	126 108	106 142	124 126	122 155	119 127	119 142
210	Benign neoplasm of buccal cavity and pharynx .. {M F	— —	1 —	— —	— —	— —	— —	— —	1 —	— —	— 1	1 —	— —
211	Benign neoplasm of other parts of digestive system {M F	3 2	2 3	1 2	2 1	1 1	1 2	— 1	5 —	4 2	— —	4 —	5 2
212	Benign neoplasm of respiratory system .. {M F	1 —	3 —	1 —	1 2	— —	— 1	— —	1 —	— —	1 —	— —	1 1
213	Benign neoplasm of breast {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
214-217	Benign neoplasm of female genital organs. F	22	24	29	13	17	16	25	20	24	33	19	26
218	Benign neoplasm of male genital organs. M	—	—	1	—	—	—	—	—	—	—	—	—
219	Benign neoplasm of kidney and other urinary organs {M F	16 2	20 3	5 5	10 5	9 4	8 2	15 2	6 1	9 1	8 1	7 4	8 5
220-222	Benign neoplasm of skin. . {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —
223	Benign neoplasm of brain & other parts of nervous system. {M F	13 14	6 9	12 10	10 13	13 16	8 17	15 13	8 14	9 14	11 16	17 12	17 17
224-229	Benign neoplasm of all other and unspecified organs and tissues. {M F	6 8	6 10	9 9	4 7	8 7	13 5	11 7	6 6	7 6	7 8	6 5	3 10
230-239	Neoplasm of unspecified nature {M F	39 36	50 41	53 29	41 37	46 30	38 36	50 27	35 39	37 30	30 32	51 36	37 36
240-289	III.—Allergic, Endocrine System, Metabolic, and Nutritional Diseases. {M F	673 893	445 592	361 547	276 400	230 383	203 351	186 360	195 331	188 332	222 407	235 332	249 413
241	Asthma {M F	469 417	278 198	202 167	143 104	89 111	75 95	75 77	76 95	83 118	95 124	115 93	123 101
Remainder of 240-245	Other Allergic disorders .. {M F	2 1	— —	— 1	1 —	— —	1 —	2 1	— —	— 1	— 1	— —	1 —
250	Simple goitre {M F	3 5	4 1	— 3	— 2	— 2	— 1	— 3	— 1	— 3	— 3	1 1	1 1
251	Nontoxic nodular goitre .. {M F	1 5	1 2	— 5	— 5	1 1	2 1	— 3	— 3	1 3	— 2	— 1	— 3
252	Thyrototoxicosis with or without goitre .. {M F	10 55	10 56	10 41	5 44	11 39	6 45	4 40	8 36	3 27	7 31	4 25	5 35
253, 254	Other diseases of thyroid gland {M F	9 34	2 38	3 37	3 24	1 14	1 15	1 8	2 5	3 9	2 15	1 15	2 23
260	Diabetes mellitus {M F	151 335	135 251	116 244	88 202	109 183	94 168	82 201	81 158	77 145	88 198	90 166	99 220
270-277	Diseases of other endocrine glands {M F	14 20	10 25	20 32	22 11	12 24	12 9	13 18	8 12	13 20	12 23	13 15	6 16

TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
280-286	Avitaminoses, and other deficiency states. . . {M F	7 1	3 6	5 8	5 1	1 5	5 6	2 4	9 6	3 2	10 3	3 5	5 6
287	Obesity, not specified as of endocrine origin. . . {M F	4 15	3 9	1 6	3 4	1 2	2 8	1 3	2 12	1 3	3 6	4 3	3 6
288	Gout. {M F	1 —	2 —	— —	1 —	2 —	2 —	2 —	1 1	2 —	5 —	1 —	4 —
289	Other metabolic diseases. . . {M F	2 5	— 3	4 3	5 3	3 2	3 3	4 2	8 2	2 1	— 1	3 7	— 2
290-299	IV.—Diseases of the Blood and Blood-forming Organs {M F	93 198	67 142	78 141	75 115	56 109	58 104	67 101	63 115	71 100	66 100	74 102	69 118
290	Pernicious and other hyperchromic anæmias. . . {M F	50 108	31 81	40 74	38 62	27 49	21 58	31 58	20 58	31 52	33 60	29 53	27 61
291	Iron deficiency anæmias (hypochromic anæmias) {M F	4 19	1 11	2 15	4 14	3 14	3 13	6 5	6 11	5 11	2 18	4 14	1 13
292, 293	Other anæmias. {M F	20 36	18 26	17 27	14 18	15 24	14 16	13 21	21 19	23 20	18 12	18 16	21 23
294-299	Other diseases of blood and blood-forming organs. . . {M F	19 35	17 24	19 25	19 21	11 22	20 17	17 17	16 25	12 17	13 18	23 19	20 21
300-326	V.—Mental, Psychoneurotic, and Personality Disorders {M F	54 104	58 83	46 79	34 83	36 53	48 48	33 59	39 51	33 50	35 71	43 51	53 64
300-309	Psychoses. {M F	35 96	42 67	36 64	24 70	26 39	36 38	23 45	26 31	24 39	24 57	30 38	41 46
310-326	Psychoneuroses, and disorders of personality, including mental deficiency. {M F	19 8	16 16	10 15	10 13	10 14	12 10	10 14	13 20	9 11	11 14	13 13	12 18
330-398	VI.—Diseases of the Nervous System and Sense Organs {M F	3797 5113	3284 4154	3228 4263	2688 3746	2735 3410	2212 2967	2175 2943	2106 2893	2079 2782	2263 3172	2489 3215	2776 3741
330-334	Vascular lesions affecting central nervous system {M F	3434 4709	2981 3849	2894 3949	2423 3477	2479 3147	1996 2737	1967 2700	1925 2672	1877 2580	2057 2952	2245 2992	2542 3478
340	Meningitis, except meningococcal and tuberculous												
340.0	H. influenzae. {M F	4 2	7 1	1 1	1 2	1 2	2 1	— 1	1 1	3 —	1 2	2 —	4 2
340.1	Pneumococcus. {M F	23 9	14 9	15 10	16 5	4 3	5 1	8 6	5 7	2 4	10 4	4 3	10 6
340.2	Due to other specified organism. {M F	3 3	5 5	4 4	3 1	2 1	1 1	1 4	3 2	2 —	1 1	3 2	1 5
340.3	Unspecified cause. {M F	11 12	5 4	10 8	5 5	5 6	5 2	2 3	4 2	2 2	4 —	2 8	— 3
341-344	Other inflammatory diseases of central nervous system {M F	19 12	20 11	10 14	13 9	15 11	14 14	12 10	4 10	16 14	14 9	20 13	17 15
345	Multiple sclerosis. {M F	44 66	30 56	52 67	41 51	29 42	25 41	31 43	17 48	21 32	17 33	27 26	17 53
350	Paralysis agitans. {M F	96 114	75 77	83 82	47 73	47 78	57 64	45 72	45 55	54 55	51 75	49 71	61 74
351, 352	Cerebral spastic infantile paralysis, and other cerebral paralysis. {M F	26 59	38 42	43 43	26 37	24 50	22 30	19 34	25 24	15 28	18 25	23 20	22 32
353	Epilepsy. {M F	46 50	47 49	49 44	46 33	44 26	34 38	33 32	29 23	29 28	22 28	44 34	42 33
354-357	Other diseases of central nervous system. {M F	57 46	35 25	37 18	42 29	53 26	24 22	30 23	26 20	28 25	32 33	34 28	34 21
365	Erythrædema polyneuritica {M F	1 2	1 1	1 2	3 3	4 2	3 1	5 1	— 1	8 2	2 1	4 5	2 2
360-364, 366-369	Other diseases of nerves and peripheral ganglia. . . {M F	2 2	3 5	4 4	4 3	3 2	8 1	2 1	4 1	2 2	6 1	5 5	2 2
370-379	Inflammatory diseases of eye. {M F	3 2	— 1	— 1	— —	1 2	— —	2 —	— 1	1 1	— —	— —	1 —
380-389	Other diseases and conditions of eye. {M F	1 —	— 1	— 1	— 3	— 3	— 2	1 —	2 1	— —	— 5	3 1	— 1
390-398	Diseases of ear and mastoid process. {M F	27 25	23 18	25 15	15 18	24 9	16 12	17 12	16 7	19 8	22 10	24 12	21 12

TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
400-468	VII.—Diseases of the Circulatory System {M F	13543 15010	10718 11211	10120 10379	8329 8416	7554 7592	6431 6271	6156 6127	6001 5851	5917 5688	6886 6976	7219 6930	8355 8066
400-402	Rheumatic fever {M F	21 35	18 13	22 20	17 17	16 15	10 15	14 17	3 5	12 15	12 16	12 14	1 2
410-416	Chronic rheumatic heart disease {M F	567 1057	471 760	423 674	332 578	308 498	263 428	261 383	259 404	264 393	291 490	277 496	335 555
420	Arteriosclerotic heart disease, including coronary disease. {M F	4089 2649	3422 2040	3575 2051	3117 1828	2985 1694	2598 1425	2517 1428	2485 1411	2516 1312	2871 1707	3149 1709	3619 1966
421	Chronic endocarditis not specified as rheumatic .. {M F	201 153	153 123	140 107	104 75	88 76	74 65	84 69	89 64	78 68	103 64	70 84	11 7
422	Other myocardial degeneration {M F	5738 7732	4429 5836	3847 5276	2978 4032	2551 3653	2082 2891	1929 2777	1853 2573	1806 2558	2187 3056	2245 3030	2721 3566
430	Acute and sub-acute endocarditis {M F	22 11	18 14	23 13	19 14	20 22	17 14	15 13	19 7	15 8	8 10	16 18	1 9
431	Acute myocarditis not specified as rheumatic .. {M F	14 19	15 6	11 16	7 10	6 6	7 9	7 5	3 5	8 2	5 8	14 3	1 1
432	Acute pericarditis specified as non-rheumatic .. {M F	3 2	1 —	3 —	2 —	1 3	2 —	1 —	— —	— —	2 —	— —	— —
433	Functional disease of heart {M F	166 304	131 199	143 199	125 157	84 122	80 117	77 130	80 92	61 109	76 152	82 120	8 16
434	Other and unspecified diseases of heart .. {M F	260 278	205 171	185 149	154 116	151 108	109 78	105 84	115 115	120 107	122 104	122 130	150 161
440-447	Hypertensive disease {M F	1453 1604	1019 1153	980 1035	855 907	788 830	673 724	690 718	648 691	615 648	708 828	704 778	809 916
450	General arteriosclerosis {M F	873 979	701 721	638 679	513 545	462 446	416 429	362 406	354 371	356 372	398 429	425 476	47 50
451-456	Other diseases of arteries.. {M F	51 56	56 52	54 56	41 44	39 31	39 20	35 17	30 24	27 26	39 35	41 33	5 5
460-466	Diseases of veins {M F	78 126	73 119	73 99	60 88	51 87	59 54	56 74	59 78	46 71	59 75	56 90	6 8
467	Other diseases of circulatory system {M F	6 3	5 1	3 3	4 1	4 —	2 2	3 5	4 1	— 2	3 2	1 3	2 2
468	Certain diseases of lymph nodes & lymph channels {M F	1 2	1 3	— 2	— —	— 1	— —	— 1	— —	— —	2 —	1 —	— —
470-527	VIII.—Diseases of the Respiratory System {M F	13836 12662	8458 7288	4944 3431	3019 2097	2141 1411	1509 963	1226 819	1198 770	1205 779	1269 1279	2270 1439	2764 1855
470-475	Acute upper respiratory infections {M F	23 28	11 13	16 12	11 12	10 13	4 6	3 8	7 5	9 10	9 14	9 6	1 1
480-483	Influenza {M F	4133 4849	2359 2653	414 449	124 111	47 48	20 19	16 10	20 11	19 23	37 51	62 48	78 50
490	Lobar pneumonia {M F	559 414	315 247	236 171	211 140	154 108	115 73	104 56	97 64	73 64	150 97	152 107	196 122
491	Bronchopneumonia {M F	2112 2269	1416 1452	884 885	618 609	455 446	344 348	321 298	283 282	300 272	436 377	458 455	606 646
492	Primary atypical pneumonia {M F	16 13	8 8	5 4	3 3	6 3	8 2	8 2	5 3	3 3	10 7	8 5	— —
493	Pneumonia, other and unspecified {M F	165 150	115 121	92 66	78 53	61 42	37 35	38 34	32 29	30 48	48 28	41 44	63 43
500	Acute bronchitis {M F	988 1381	549 708	356 387	189 225	101 116	59 55	35 31	40 36	44 45	116 137	107 140	184 217
501	Bronchitis unqualified {M F	459 554	310 345	241 208	109 121	89 79	50 36	42 37	32 31	37 42	87 101	101 89	94 50
502	Chronic bronchitis {M F	4763 2678	2890 1552	2291 1097	1420 679	983 441	704 301	523 263	537 229	544 209	943 407	1092 437	1257 543
510	Hypertrophy of tonsils and adenoids {M F	2 4	4 1	2 1	— 2	2 4	1 3	— 3	1 2	1 2	1 1	1 1	— —
511-517	Other diseases of upper respiratory tract .. {M F	12 7	9 3	6 2	4 3	6 2	4 3	6 6	7 4	1 —	8 3	4 8	13 5
518-522	Empyema, pleurisy pneumothorax {M F	69 113	71 72	68 62	37 57	50 50	34 30	25 26	25 27	36 31	36 44	43 41	47 47

TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
523, 524	Silicosis and occupational pulmonary fibrosis .. { M F	122 1	86 2	57 —	45 —	35 —	35 1	15 —	23 —	28 —	51 —	40 —	47 —
525	Other chronic interstitial pneumonia .. { M F	41 16	22 11	20 11	17 8	12 6	9 4	11 1	8 3	11 5	15 7	9 7	12 9
526	Bronchiectasis .. { M F	241 144	174 70	142 57	81 57	73 36	49 31	49 30	50 30	33 32	68 43	91 39	92 39
527	Other diseases of lung and pleural cavity .. { M F	131 41	119 30	114 19	72 17	57 15	36 15	30 14	31 14	38 7	54 8	53 12	67 13
530-587	IX.—Diseases of the Digestive System .. { M F	1068 780	917 686	928 685	820 641	741 607	676 491	703 568	629 547	688 500	734 546	742 553	909 620
530-539	Diseases of buccal cavity and œsophagus .. { M F	11 15	8 15	15 11	11 13	11 9	10 11	10 11	14 10	13 8	7 10	10 5	8 10
540	Ulcer of stomach .. { M F	259 130	239 97	216 92	163 69	150 63	134 77	155 66	118 54	127 52	143 59	155 72	211 82
541	Ulcer of duodenum .. { M F	264 57	250 50	234 43	182 40	182 35	144 19	164 35	121 30	137 22	164 33	160 25	181 49
542	Gastrojejunal ulcer .. { M F	6 1	9 1	7 —	6 —	2 2	4 —	1 —	1 1	8 1	6 —	4 2	6 1
543	Gastritis and duodenitis .. { M F	10 6	8 8	8 14	6 5	13 7	4 6	4 1	2 7	4 6	7 5	6 11	3 9
544	Disorders of function of stomach .. { M F	1 —	— 3	— 1	2 —	— —	1 2	1 2	— —	— 2	2 —	1 —	3 —
545	Other diseases of stomach and duodenum .. { M F	11 4	9 2	5 1	8 2	8 —	4 2	4 5	4 2	8 —	6 3	11 3	7 3
550-553	Appendicitis .. { M F	55 49	56 38	56 39	67 39	52 60	50 34	50 36	58 45	62 44	52 33	52 37	63 39
560, 561	Hernia of abdominal cavity { M F	93 109	80 87	78 83	80 89	48 50	50 45	69 66	53 58	67 61	64 60	56 63	87 76
570	Intestinal obstruction, without mention of hernia .. { M F	71 53	45 73	63 79	61 84	70 54	48 33	49 46	58 66	58 50	71 55	57 51	71 57
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over. { M F	75 81	65 61	77 75	74 58	56 53	50 31	52 53	45 40	46 40	46 44	56 48	70 52
572-578	Other diseases of intestines and peritoneum .. { M F	59 96	53 72	53 71	66 77	61 77	57 82	53 87	60 71	55 64	57 76	43 71	75 78
580-583	Diseases of liver .. { M F	99 56	43 66	50 59	54 54	48 49	61 33	48 55	54 53	56 48	57 57	80 43	62 47
584-586	Diseases of gall bladder and biliary ducts .. { M F	38 97	38 90	48 98	29 95	27 101	35 89	23 91	29 90	34 76	33 89	37 94	36 92
587	Diseases of pancreas .. { M F	16 26	14 23	18 19	11 16	13 17	24 27	20 14	12 20	13 26	19 22	14 28	26 25
590-637	X.—Diseases of the Genito-Urinary System .. { M F	1100 530	942 458	927 441	729 406	719 402	714 308	670 308	623 337	621 299	714 349	679 333	753 356
590	Acute nephritis .. { M F	18 19	15 13	26 15	11 17	8 11	16 7	13 9	10 5	11 11	15 15	7 6	12 13
591-594	Chronic, other and unspecified nephritis .. { M F	370 384	322 336	307 289	233 290	248 271	252 214	240 202	192 230	193 185	233 238	216 218	247 249
600-609	Other diseases of urinary system .. { M F	135 97	123 91	109 103	87 80	108 89	112 67	87 80	83 83	86 75	101 75	83 85	104 78
610	Hyperplasia of prostate .. M	543	457	453	386	341	322	315	320	317	351	352	376
611-617	Other diseases of male genital organs. M	34	25	32	12	14	12	15	18	14	14	21	14
620, 621	Diseases of breast .. F	1	—	—	—	—	1	—	—	—	—	—	—
622-626	Diseases of ovary, Fallopian tube, and parametrium. F	7	4	7	2	8	4	6	5	5	2	5	2
630-637	Diseases of uterus and other female genital organs. F	22	14	27	17	23	15	11	14	23	19	19	14

TABLE 23—continued.

International List No.	Causes of Death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
640-689	XI.—Deliveries and Complications of Pregnancy, Childbirth and the Puerperium.	F	54	40	52	50	58	48	48	53	40	38	42	41
640	Pyelitis and pyelonephritis of pregnancy.	F	1	1	1	—	1	—	—	1	—	—	—	—
641	Other infections of genito-urinary tract during pregnancy.	F	—	—	—	—	—	—	—	1	—	—	—	—
642	Toxæmias of pregnancy ..	F	8	10	10	18	20	17	13	17	9	8	12	11
643-649	Other complications of pregnancy.	F	6	4	3	2	6	4	8	6	3	2	2	—
650-652	Abortion	F	12	9	15	8	7	9	7	9	6	8	12	7
660-678	Delivery	F	20	12	12	17	16	12	10	15	13	14	10	11
680	Puerperal urinary infection without other sepsis.	F	—	—	—	—	—	—	—	—	—	—	—	—
681, 683	Sepsis of childbirth and the puerperium, and pyrexia of unknown origin during the puerperium.	F	—	—	4	1	1	2	3	—	1	1	1	1
682	Puerperal phlebitis and thrombosis.	F	2	1	3	2	5	2	3	1	3	2	2	3
684	Puerperal pulmonary embolism.	F	2	3	1	2	—	1	—	—	2	2	3	3
685, 686	Puerperal toxæmia ..	F	3	—	2	—	1	—	1	3	3	1	—	1
687	Cerebral hæmorrhage in the puerperium.	F	—	—	—	—	—	1	1	—	—	—	—	—
688, 689	Other complications of puerperium.	F	—	—	1	—	1	—	2	—	—	—	—	—
690-716	XII.—Diseases of the Skin and Cellular Tissue ..	{M F}	36 37	21 34	29 34	24 23	26 32	35 39	20 34	18 25	19 22	15 29	20 21	22 30
690-698	Infections of skin and subcutaneous tissue ..	{M F}	17 20	13 16	11 15	8 5	14 11	17 15	10 16	7 8	3 6	7 5	8 8	5 10
700-716	Other diseases of skin and subcutaneous tissue ..	{M F}	19 17	18 18	18 19	16 18	12 21	18 24	10 18	11 17	16 16	8 24	12 13	17 20
720-749	XIII.—Diseases of the Bones and Organs of Movement	{M F}	64 137	57 94	70 99	53 85	48 73	27 83	40 68	38 69	28 76	48 88	35 81	34 83
720, 721	Acute arthritis	{M F}	2 2	2 1	1 —	4 —	2 —	2 1	2 —	— —	— 1	2 1	1 1	— —
722	Rheumatoid arthritis and allied conditions ..	{M F}	25 76	21 60	18 48	14 43	17 39	7 49	12 39	15 36	15 42	19 50	8 45	15 43
723	Osteo-arthritis (arthrosis) & allied conditions ..	{M F}	9 18	7 9	14 17	7 15	6 11	2 8	5 13	6 10	6 16	9 14	4 12	6 21
724, 725	Other and unspecified forms of arthritis	{M F}	4 4	— 1	2 1	1 —	2 1	— 2	— —	1 1	— —	— —	2 2	— —
726, 727	Muscular rheumatism, and rheumatism unspecified	{M F}	1 3	1 2	— —	— 1	— —	— 1	— 1	— —	— 1	— —	2 —	— —
730	Osteomyelitis & periostitis	{M F}	4 2	1 3	4 4	5 4	5 6	7 2	8 2	5 8	1 2	5 3	4 3	3 3
731-749	Other diseases of musculo-skeletal system	{M F}	19 32	25 18	31 29	22 22	16 16	9 20	13 13	11 14	6 14	13 16	16 18	10 14
750-759	XIV.—Congenital Malformations	{M F}	228 192	203 189	260 207	201 179	184 206	218 174	176 152	178 162	184 162	191 199	196 177	195 196
750	Monstrosity	{M F}	1 5	1 2	2 4	5 8	4 1	4 1	4 3	3 5	2 6	2 8	6 5	5 4

TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
751	Spina bifida and meningocele	{M F	43 50	34 32	33 43	29 44	32 46	34 41	29 37	25 38	29 32	18 47	30 43	28 32
752	Congenital hydrocephalus	{M F	10 2	9 12	12 13	9 4	7 7	9 3	8 3	5 9	5 5	9 3	9 7	8 8
753	Other congenital malforma- tion of nervous system and sense organs.	{M F	6 4	4 10	5 4	6 2	3 12	3 4	5 7	3 4	5 6	8 5	2 6	3 11
754	Congenital malformations of circulatory system ..	{M F	95 90	95 86	105 93	91 75	72 92	95 69	76 55	82 70	81 61	83 93	78 78	90 95
755	Cleft palate and harelip ..	{M F	2 2	1 —	2 1	2 1	2 3	— —	1 2	1 1	3 1	4 1	1 2	— 1
756	Congenital malformations of digestive system ..	{M F	22 13	27 17	48 22	32 18	28 16	34 22	24 19	25 15	32 17	31 20	22 13	24 11
757	Congenital malformations of genito-urinary system	{M F	23 9	15 15	31 17	15 12	18 14	28 21	15 15	27 13	11 17	23 14	30 11	18 17
758	Congenital malformations of bone and joint ..	{M F	4 1	2 4	4 2	— 3	1 2	2 2	5 2	1 2	4 3	2 —	4 3	3 —
759	Other and unspecified congen- ital malformations, not elsewhere classified.	{M F	22 16	15 11	18 8	12 12	17 13	9 11	9 9	6 5	12 14	11 8	14 9	15 18
760-776	XV.—Certain Diseases of Early Infancy	{M F	655 415	566 374	657 425	572 371	549 393	545 347	484 322	481 312	422 334	522 306	470 331	522 327
760	Intracranial and spinal injury at birth	{M F	94 45	88 36	92 53	97 37	105 57	87 48	82 37	60 38	68 43	94 44	75 42	94 40
761	Other birth injury	{M F	21 17	15 15	14 17	15 12	20 14	24 12	22 15	17 17	16 10	16 10	23 15	18 19
762	Postnatal asphyxia and atelectasis	{M F	131 97	125 91	152 102	123 93	134 89	119 78	97 90	103 71	111 74	130 71	123 71	111 60
763	Pneumonia of newborn ..	{M F	61 34	77 49	68 41	52 37	50 27	29 31	35 28	40 22	30 24	42 21	33 23	48 36
764	Diarrhœa of newborn ..	{M F	8 3	7 5	10 2	3 3	4 4	6 —	1 3	4 1	3 4	3 5	2 2	5 4
765-769	Other infections of newborn	{M F	17 19	19 12	18 16	11 13	9 8	18 9	12 7	18 17	12 8	15 10	9 11	17 14
770	Hæmolytic disease of newborn	{M F	31 12	29 11	29 23	32 16	37 20	38 15	22 7	29 18	17 14	19 18	20 15	22 17
771	Hæmorrhagic disease of newborn	{M F	13 11	7 5	7 21	18 11	9 12	8 2	8 10	8 6	11 7	9 7	7 11	7 6
772, 773	Nutritional maladjustment and ill-defined diseases peculiar to early infancy.	{M F	42 18	17 11	26 9	21 10	13 9	13 18	16 12	17 7	13 11	18 10	13 9	16 6
774-776	Immaturity unqualified ..	{M F	237 159	182 139	227 155	200 139	168 153	203 134	189 113	185 115	141 139	176 110	165 132	184 125
780-795	XVI.—Symptoms, Senility and Ill-Defined Conditions	{M F	654 1021	509 786	406 642	331 535	270 460	213 387	243 342	190 316	187 302	215 372	210 351	297 429
780-789	Symptoms referable to systems or organs ..	{M F	26 13	10 10	10 7	14 8	16 4	7 13	7 5	9 5	6 7	11 4	6 9	17 9
792	Uræmia unqualified ..	{M F	1 1	2 1	1 1	1 1	3 1	1 2	1 —	— —	2 2	2 1	2 2	3 1
794	Senility without mention of psychosis	{M F	621 1005	494 774	394 631	311 522	245 454	199 370	228 335	177 308	176 292	198 364	197 339	270 416
790, 791, 793, 795.	Ill-defined and unknown causes of mortality ..	{M F	6 2	3 1	1 3	5 4	6 1	6 2	7 2	4 3	3 1	4 3	5 1	7 3

TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
E800-E999	XVII.—Accidents, Poisonings & Violence (External Cause).	{M 1172 F 831	{M 911 F 649	{M 1046 F 672	{M 1049 F 652	{M 1038 F 565	{M 968 F 543	{M 1170 F 520	{M 999 F 559	{M 1002 F 499	{M 1027 F 559	{M 1013 F 567	{M 1071 F 666
E800-E802	Railway accidents	{M 29 F 2	{M 21 F 7	{M 40 F 7	{M 28 F 2	{M 18 F 1	{M 16 F 1	{M 21 F 2	{M 26 F 8	{M 35 F 3	{M 16 F 2	{M 24 F 3	{M 26 F 3
E810-E825	Motor vehicle traffic accidents	{M 227 F 88	{M 200 F 89	{M 244 F 82	{M 248 F 75	{M 270 F 83	{M 264 F 80	{M 288 F 90	{M 284 F 95	{M 291 F 90	{M 336 F 101	{M 335 F 128	{M 331 F 161
E830-E835	Motor vehicle nontraffic accidents	{M 8 F 1	{M 1 F 5	{M 5 F 1	{M 16 F 1	{M 9 F 1	{M 14 F 2	{M 11 F 3	{M 9 F 1	{M 11 F 2	{M 12 F 3	{M 3 F 1	{M 1 F 1
E840-E845	Other road vehicle accidents	{M 24 F 7	{M 15 F 1	{M 16 F 5	{M 13 F 7	{M 19 F 5	{M 20 F 3	{M 24 F 10	{M 23 F 7	{M 21 F 3	{M 16 F 5	{M 24 F 4	{M 30 F 1
E850-E858	Water transport accidents	{M 8 F 1	{M 15 F 1	{M 14 F 1	{M 10 F 1	{M 11 F 1	{M 17 F 3	{M 13 F 1	{M 11 F 1	{M 14 F 1	{M 13 F 2	{M 9 F 1	{M 1 F 1
E860-E866	Aircraft accidents	{M 26 F 13	{M 21 F 1	{M 16 F 1	{M 17 F 1	{M 25 F 1	{M 29 F 1	{M 34 F 1	{M 25 F 1	{M 17 F 2	{M 17 F 1	{M 23 F 1	{M 1 F 1
E870-E895	Accidental poisoning	{M 60 F 42	{M 36 F 51	{M 45 F 50	{M 33 F 42	{M 17 F 26	{M 14 F 29	{M 16 F 25	{M 25 F 18	{M 31 F 39	{M 25 F 42	{M 31 F 30	{M 3 F 5
E900-E904	Accidental falls	{M 225 F 361	{M 153 F 264	{M 152 F 253	{M 138 F 213	{M 149 F 179	{M 125 F 191	{M 140 F 180	{M 136 F 202	{M 148 F 188	{M 140 F 193	{M 139 F 181	{M 16 F 22
E910-E936	Other accidents	{M 238 F 170	{M 194 F 107	{M 257 F 116	{M 265 F 141	{M 232 F 101	{M 204 F 68	{M 346 F 69	{M 235 F 74	{M 196 F 58	{M 191 F 74	{M 197 F 89	{M 21 F 12
E940-E959	Complications due to medical & surgical procedures	{M — F —	{M 1 F 2	{M — F 2	{M — F 1	{M — F 1	{M — F 1	{M 1 F 1	{M — F 1	{M — F 1	{M 2 F 2	{M 1 F 1	{M — F 1
E960-E965	Late effects of injury and poisoning	{M 35 F 4	{M 17 F 2	{M 11 F 3	{M 15 F 2	{M 10 F 1	{M 10 F 3	{M 13 F 2	{M 13 F 2	{M 15 F 1	{M 22 F 1	{M 19 F 2	{M 1 F 1
E970-E973	Suicide by poisoning	{M 150 F 93	{M 101 F 91	{M 128 F 107	{M 119 F 111	{M 120 F 119	{M 110 F 109	{M 121 F 90	{M 90 F 98	{M 113 F 81	{M 113 F 96	{M 104 F 83	{M 10 F 9
E974	Suicide and self-inflicted injury by hanging and strangulation.	{M 41 F 5	{M 51 F 15	{M 43 F 9	{M 48 F 13	{M 69 F 13	{M 50 F 16	{M 49 F 13	{M 41 F 14	{M 39 F 9	{M 48 F 7	{M 27 F 10	{M 3 F 1
E975	Suicide and self-inflicted injury by submersion (drowning).	{M 28 F 22	{M 28 F 19	{M 20 F 24	{M 43 F 19	{M 33 F 20	{M 28 F 12	{M 22 F 20	{M 22 F 18	{M 27 F 10	{M 26 F 18	{M 27 F 20	{M 2 F 1
E976-E979	Suicide by other and unspecified means	{M 58 F 11	{M 52 F 7	{M 49 F 9	{M 44 F 13	{M 42 F 8	{M 61 F 18	{M 58 F 7	{M 53 F 10	{M 39 F 9	{M 41 F 7	{M 46 F 10	{M 4 F 1
E980-E985	Homicide and injury purposely inflicted by other persons (not in war).	{M 15 F 11	{M 5 F 3	{M 6 F 4	{M 12 F 12	{M 9 F 8	{M 6 F 7	{M 13 F 9	{M 6 F 12	{M 5 F 3	{M 9 F 7	{M 4 F 7	{M — F —
E990-E999	Injury resulting from operations of war	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —

TABLE 24.—Stillbirths by Sex and Legitimacy (with Ratio per 1,000 Total Births), 1951.

England and Wales, Standard Regions; Conurbations; London and Metropolitan Boroughs, and County Boroughs; Aggregates of other Urban and of Rural Districts in each Administrative County.

See Explanatory notes on page v.

Area	Legitimate		Illegitimate		Total	Stillbirths per 1,000 Total Births
	M.	F.	M.	F.		
SUMMARY.						
ENGLAND AND WALES	8,070	6,847	599	469	15,985	23
NORTHERN	686	601	40	36	1,363	25
Tyneside conurbation	184	160	7	9	360	24
Remainder of Northern... ..	502	441	33	27	1,003	25
EAST AND WEST RIDINGS	821	666	50	64	1,601	24
West Yorkshire conurbation	312	245	22	32	611	23
Remainder of East and West Ridings	509	421	28	32	990	25
NORTH WESTERN	1,292	1,147	113	82	2,634	25
South East Lancashire conurbation	489	399	38	36	962	25
Merseyside conurbation	325	277	29	20	651	25
Remainder of North Western	478	471	46	26	1,021	26
NORTH MIDLAND	653	540	52	29	1,274	23
MIDLAND	900	745	70	34	1,749	24
West Midland conurbation	447	367	29	14	857	23
Remainder of Midland	453	378	41	20	892	25
EASTERN	545	451	40	27	1,063	22
LONDON AND SOUTH EASTERN	1,683	1,390	138	111	3,322	21
Greater London	1,283	1,075	110	83	2,551	21
Remainder of South Eastern	400	315	28	28	771	21
SOUTHERN	405	362	25	30	822	19
SOUTH WESTERN	504	456	41	35	1,036	22
WALES	581	489	30	21	1,121	26
Wales I	421	368	22	12	823	27
Wales II	160	121	8	9	298	25
Density Aggregates Summary :						
Conurbations	3,040	2,523	235	194	5,992	22
Areas outside the conurbations... ..	5,030	4,324	364	275	9,993	23
Urban areas with populations of 100,000 and over	1,109	948	89	72	2,218	24
Urban areas with populations of 50,000 and under 100,000	631	546	42	39	1,258	24
Urban areas with populations of under 50,000	1,753	1,586	118	94	3,551	24
Rural areas	1,537	1,244	115	70	2,966	22

TABLE 24—continued.

Area.	Legitimate.		Illegitimate.		Total	Still-births per 1000 Total Births	Area.	Legitimate.		Illegitimate.		Total	Still-births per 1000 Total Births
	M.	F.	M.	F.				M.	F.	M.	F.		
LONDON, METROPOLITAN BOROUGHES AND COUNTY BOROUGHES.													
London	509	453	65	46	1073	20							
City of London							County Boroughs						
Inner and Middle							—contd.						
Temples ... }							Dudley	20	15	1	1	37	15
							Eastbourne ...	9	6			15	15
							East Ham	21	12	2		35	35
							Exeter	11	18	1	2	32	32
							Gateshead	17	22	1	1	41	41
Metropolitan Boroughs:							Gloucester	11	12	1	2	26	26
Battersea	17	15	2	3	37	19	Great Yarmouth ...	8	7			15	15
Bermondsey	17	13	2		32	29	Grimsby	18	20	1	1	40	40
Bethnal Green ...	13	8	1	1	23	23	Halifax	14	17		2	33	33
Camberwell	29	27	2	1	59	20	Hastings	5	1	1		7	7
Chelsea	11	8	1		20	24	Huddersfield	19	15	1		35	35
Deptford	6	7			13	10	Ipswich	18	16	2		36	36
Finsbury	5	7			12	19	Kingston upon Hull ...	70	55	5	4	134	134
Fulham	14	23	4	2	43	25	Leeds	95	77	8	12	192	192
Greenwich	16	17	1	1	35	25	Leicester	52	46	6		104	104
Hackney	22	16	2		40	15	Lincoln	16	11	2	1	30	30
Hammersmith	20	17	2		39	20	Liverpool	205	158	18	14	395	395
Hampstead	15	9	1	2	27	19	Manchester	149	140	15	15	319	319
Holborn	1	5	1		7	24	Middlesbrough	33	32		3	70	70
Islington	42	30	7	6	85	21	Newcastle upon Tyne ...	63	47	3	5	118	118
Kensington	29	25	2	3	59	22	Northampton	17	15		1	33	33
Lambeth	35	40	5	4	84	21	Norwich	16	22	2		40	40
Lewisham	32	19	3	1	55	16	Nottingham	61	48	6	4	119	119
Paddington	22	18	7	4	51	23	Oldham	26	20	3		49	49
Poplar	14	15	2		31	24	Oxford	11	15	2	2	30	30
St. Marylebone ...	10	5	2	5	22	23	Plymouth	45	34	6	2	87	87
St. Pancras	16	19	3	3	41	19	Portsmouth	39	24	1	6	70	70
Shoreditch	9	4	1		14	17	Preston	23	19		2	44	44
Southwark	16	20	4	2	42	23	Reading	19	17			36	36
Stepney	18	20	1	1	40	21	Rochdale	18	12		2	32	32
Stoke Newington ...	6	4		1	11	13	Rotherham	21	24	1	1	47	47
Wandsworth	51	32	5	3	91	20	St. Helens	36	24	3	1	64	64
Westminster	8	10	3	1	22	17	Salford	54	46	1	3	104	104
Woolwich	15	20	1	2	38	16	Sheffield	92	69	4	5	170	170
County Boroughs	2753	2298	226	173	5450	24	Smethwick	13	8	1		22	22
Barnsley	18	12	1	1	32	24	Southampton	31	27	6	1	65	65
Barrow-in-Furness ...	11	9	1		21	20	Southend-on-Sea	22	20	1	3	46	46
Bath	11	13			24	21	Southport	11	10	1	1	23	23
Birkenhead	43	31	4		78	29	South Shields	21	23	2	2	48	48
Birmingham	216	178	20	9	423	22	Stockport	33	18	2	1	54	54
Blackburn	15	20	2	3	40	26	Stoke on Trent	69	44	6	6	125	125
Blackpool	21	22	7	3	53	32	Sunderland	41	46	2	4	93	93
Bolton	30	23	3	1	57	22	Tynemouth	19	13	1	1	34	34
Bootle	14	19		2	35	22	Wakefield	9	5	1		15	15
Bournemouth	12	15	1	4	32	21	Wallasey	23	22	3		48	48
Bradford	61	41	6	8	116	24	Walsall	26	20	2	1	49	49
Brighton	20	14	2	4	40	19	Warrington	18	22	3	2	45	45
Bristol	71	68	8	5	152	22	West Bromwich	21	16	1		38	38
Burnley	18	13		2	33	26	West Ham	33	25	6	1	65	65
Burton upon Trent ...	9	11	3		23	29	West Hartlepool	13	12	1		26	26
Bury	9	2	1		12	14	Wigan	31	13	2		46	46
Canterbury	5	7	1		13	27	Wolverhampton	41	22	3	2	68	68
Carlisle	32	13	1		46	38	Worcester	12	11			23	23
Chester	6	12	2	1	21	26	York	21	21	2	3	47	47
Coventry	44	46	4	1	95	22	Cardiff	63	57	4	2	126	126
Croydon	42	31	2	2	77	21	Merthyr Tydfil	21	11	1	1	34	34
Darlington	20	14	1	2	37	28	Newport	23	28	1	1	53	53
Derby	28	23	4		55	25	Swansea	29	25			55	55
Dewsbury	6	12	1		19	20							
Doncaster	15	14			29	22							

TABLE 24—continued.

Area.	Legitimate.		Illegitimate.		Total	Still- births per 1000 Total Births	Area.	Legitimate.		Illegitimate.		Total	Still- births per 1000 Total Births		
	M.	F.	M.	F.				M.	F.	M.	F.				
ADMINISTRATIVE COUNTIES.															
Note.—The following figures relate to Aggregates of Urban Districts (including Municipal Boroughs, but excluding County Boroughs) and of Rural Districts in each Administrative County.															
Bedfordshire ...	U.D.	38	37	3	6	84	25	Shropshire ...	U.D.	28	23	4	3	58	26
	R.D.	15	20	1	—	36	24		R.D.	35	25	1	2	63	25
Berkshire ...	U.D.	12	16	1	—	29	17	Somerset ...	U.D.	29	42	—	—	71	20
	R.D.	27	19	1	3	50	16		R.D.	40	28	—	4	72	19
Buckinghamshire	U.D.	35	23	1	—	59	20	Southampton ...	U.D.	63	55	3	5	126	21
	R.D.	26	24	—	1	51	17		R.D.	46	46	5	2	99	20
Cambridgeshire ...	U.D.	14	11	1	1	27	21	Staffordshire ...	U.D.	138	107	4	4	253	24
	R.D.	11	10	1	—	22	16		R.D.	34	29	4	—	67	20
Cheshire ...	U.D.	95	91	8	6	200	22	Suffolk, East ...	U.D.	21	11	1	—	33	23
	R.D.	42	39	4	—	85	28		R.D.	17	17	2	—	36	18
Cornwall ...	U.D.	37	26	1	3	67	25	Suffolk, West ...	U.D.	2	3	1	—	6	10
	R.D.	21	20	5	2	48	20		R.D.	15	13	1	1	30	23
Cumberland ...	U.D.	23	11	3	3	40	26	Surrey ...	U.D.	155	146	13	13	327	21
	R.D.	36	18	3	3	60	27		R.D.	32	24	1	1	58	25
Derbyshire ...	U.D.	66	59	4	5	134	24	Sussex East ...	U.D.	19	20	—	3	42	20
	R.D.	63	53	4	4	124	24		R.D.	25	14	3	1	43	21
Devon ...	U.D.	38	33	3	4	78	23	Sussex, West ...	U.D.	33	23	1	—	57	28
	R.D.	48	29	2	4	83	23		R.D.	22	15	3	2	42	20
Essex ...	U.D.	28	19	1	1	49	19	Warwickshire ...	U.D.	59	57	4	1	121	24
	R.D.	17	19	2	2	40	22		R.D.	22	35	4	1	62	22
Essex, Isle of ...	U.D.	136	137	5	4	282	25	Westmorland ...	U.D.	4	3	—	—	7	18
	R.D.	69	51	5	1	126	26		R.D.	6	6	2	—	14	26
	U.D.	12	10	—	1	23	26	Wight, Isle of ...	U.D.	15	17	—	2	34	33
	R.D.	10	5	—	1	16	27		R.D.	4	6	—	—	10	38
Essex ...	U.D.	244	191	11	8	454	22	Wiltshire ...	U.D.	26	28	2	3	59	21
	R.D.	30	29	3	—	62	18		R.D.	38	37	1	—	76	23
Gloucestershire ...	U.D.	23	25	3	2	53	23	Worcestershire ...	U.D.	63	58	6	2	129	29
	R.D.	55	43	8	2	108	23		R.D.	30	15	—	—	45	23
Herefordshire ...	U.D.	9	14	1	1	25	28	Yorkshire, E.R.	U.D.	12	14	2	—	28	18
	R.D.	11	11	1	—	23	18		R.D.	16	16	—	—	32	20
Hertfordshire ...	U.D.	82	64	3	6	155	24	Yorkshire, N.R.	U.D.	37	40	3	1	81	23
	R.D.	29	20	3	1	53	18		R.D.	27	31	2	3	63	23
Huntingdonshire	U.D.	6	4	2	—	12	23	Yorkshire, W.R.	U.D.	255	195	10	21	481	26
	R.D.	8	4	1	—	13	19		R.D.	97	79	8	7	191	27
Kent ...	U.D.	217	170	8	13	408	22	Anglesey ...	U.D.	1	2	—	1	4	12
	R.D.	42	39	5	4	90	18		R.D.	4	7	1	—	12	24
Lancashire ...	U.D.	313	306	27	20	666	25	Brecknockshire ...	U.D.	5	2	2	—	9	31
	R.D.	39	35	2	1	77	18		R.D.	9	6	1	1	17	28
Leicestershire ...	U.D.	35	23	2	2	62	23	Caernarvonshire	U.D.	9	13	1	—	23	23
	R.D.	37	25	3	—	65	22		R.D.	12	8	2	2	24	31
Lincoln, Holland ...	U.D.	14	10	—	1	25	38	Cardiganshire ...	U.D.	3	4	—	—	7	29
	R.D.	13	8	2	—	23	22		R.D.	7	4	—	—	11	21
Lincoln, Kesteven	U.D.	7	12	—	1	20	27	Carmarthenshire	U.D.	7	5	—	—	12	13
	R.D.	10	10	1	—	21	14		R.D.	21	18	—	—	39	27
Lincoln, Lindsey ...	U.D.	33	24	2	2	61	23	Denbighshire ...	U.D.	18	12	—	3	33	29
	R.D.	36	31	6	3	76	28		R.D.	34	18	—	—	52	35
Middlesex ...	U.D.	348	276	20	16	660	21	Flintshire ...	U.D.	18	9	—	1	28	23
	R.D.	11	11	1	—	23	21		R.D.	17	13	1	1	32	26
Norfolk ...	U.D.	62	40	5	4	111	24	Glamorganshire...	U.D.	120	96	8	4	228	25
	R.D.	20	30	2	1	53	25		R.D.	48	42	1	2	93	29
Northamptonshire	U.D.	27	15	1	2	45	23	Merionethshire	U.D.	3	4	1	—	8	29
	R.D.	27	15	1	2	45	23		R.D.	3	3	1	—	7	23
Northumberland	U.D.	71	69	3	3	146	25	Monmouthshire...	U.D.	67	72	4	—	143	31
	R.D.	18	13	—	—	31	21		R.D.	8	6	—	—	14	19
Nottinghamshire	U.D.	59	64	6	2	131	21	Montgomeryshire	U.D.	4	1	—	—	5	15
	R.D.	33	21	1	—	55	21		R.D.	8	2	—	—	10	22
Oxfordshire ...	U.D.	8	3	1	—	12	16	Pembrokeshire ...	U.D.	7	10	—	—	17	21
	R.D.	12	17	—	1	30	13		R.D.	10	9	1	—	20	26
Peterborough, ...	U.D.	11	8	—	1	20	25	Radnorshire ...	U.D.	—	—	—	1	—	—
Soke of ...	R.D.	1	3	—	—	4	19		R.D.	2	2	—	—	—	—
Rutland ...	U.D.	—	—	—	—	—	—		R.D.	2	2	—	—	—	—
	R.D.	5	2	—	—	7	23								

ADMINISTRATIVE COUNTIES.
Note.—The following figures relate to Aggregates of Urban Districts (including Municipal Boroughs, but excluding County Boroughs) and of Rural Districts in each Administrative County.

TABLE 25.—Deaths at Various Periods in the First Year of Life by Legitimacy.
Death rates per 1,000 related Live Births, 1951.

See Explanatory notes on page v.

Area.	All Infants.										Legitimate Infants.										Illegitimate Infants.									
	Deaths.										Deaths.										Deaths.									
	per 1,000 related Live Births.										per 1,000 related Live Births.										per 1,000 related Live Births.									
	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.
ENGLAND AND WALES ..	5096	5406	2286	2778	2464	1300	893	20223	19	304684	5114	2148	2601	2326	1238	837	18948	18	29	412	292	138	177	138	62	56	1275	26	38	
Regional Summary:																														
Northern ..	448	514	210	300	296	156	94	2018	22	37424	487	199	287	286	149	88	1920	21	37	24	27	11	13	10	7	6	98	28	44	
Tyne-side Conurbation ..	133	131	53	74	93	39	29	552	22	38128	126	48	71	90	38	28	529	22	38	5	5	3	3	1	1	1	23	26	40	
Remainder of Northern ..	315	383	157	226	203	117	65	1466	22	37296	361	151	216	196	111	60	1391	21	36	19	22	6	10	7	6	5	75	29	46	
East and West Ridings ..	470	549	215	320	312	161	108	2135	19	33435	515	203	310	293	152	96	2004	19	33	35	34	12	10	19	9	12	131	25	41	
West Yorkshire Conurbation ..	194	201	83	138	131	63	47	857	18	33178	185	76	132	119	58	43	791	18	32	16	16	7	6	12	5	4	66	26	44	
Remainder of East and West Ridings ..	276	348	132	182	181	98	61	1278	20	33257	330	127	178	174	94	53	1213	19	33	19	18	5	4	7	4	8	65	25	38	
North Western ..	864	870	401	516	439	232	151	3473	21	34799	823	376	483	414	223	143	3261	21	33	65	47	25	33	25	9	8	212	27	42	
South East Lancs. Conurbation ..	316	317	158	211	146	87	50	1295	21	34294	299	152	197	139	86	58	1225	21	34	22	18	6	14	7	1	2	70	22	33	
Merseyside Conurbation ..	220	218	101	142	131	81	38	911	21	35204	205	94	136	121	57	36	1853	21	35	16	13	7	10	4	2	58	28	44		
Remainder of North Western ..	328	335	142	163	162	84	53	1267	21	33501	139	130	154	80	49	1183	20	32	27	16	12	13	8	4	4	84	35	52		
North Midland ..	383	392	178	211	206	117	72	1559	18	29347	371	167	196	195	112	67	1455	17	28	36	21	11	15	11	5	5	104	25	38	
Midland ..	596	585	272	308	270	154	90	2275	20	32558	554	251	294	254	145	87	2143	20	31	38	31	14	16	9	3	132	28	41		
West Midlands Conurbation ..	298	289	119	150	128	80	57	1121	19	31282	273	107	145	124	73	56	1060	19	30	16	16	5	4	2	7	31	29	39		
Remainder of Midland ..	298	296	153	158	142	74	33	1154	21	33276	281	144	149	130	72	31	1083	21	32	15	9	12	5	4	2	21	28	43		
Eastern ..	322	344	135	150	144	70	46	1211	17	25299	323	127	131	130	67	44	1121	17	25	23	21	8	19	14	3	2	90	23	39	
London and South Eastern ..	1101	1100	409	464	363	185	167	3789	17	24981	1037	385	421	343	175	158	3500	16	23	120	63	24	43	20	10	9	289	25	35	
Greater London ..	846	851	308	332	272	137	120	2866	17	24751	800	288	307	259	130	114	2649	16	23	95	51	20	25	13	7	6	217	26	34	
Remainder of South Eastern ..	255	249	101	132	91	48	47	923	17	26230	237	97	114	84	45	44	851	17	25	22	12	4	18	7	3	3	72	22	39	
Southern ..	266	298	139	131	111	55	51	1051	17	25244	285	133	123	105	53	49	992	17	25	22	13	6	8	6	2	2	59	18	26	
South Western ..	300	382	144	147	123	64	50	1210	18	27277	363	132	135	117	61	44	1129	18	26	23	19	12	12	6	3	6	81	24	36	
Wales ..	346	372	183	231	200	106	64	1502	22	36320	356	175	221	189	101	61	1423	21	36	26	16	8	10	11	5	3	79	32	50	
Wales I ..	261	288	114	149	144	71	48	1075	22	36241	276	110	144	136	67	46	1020	22	35	20	12	4	5	8	4	1	55	35	54	
Wales II ..	85	84	69	82	56	35	16	427	21	3779	80	65	77	53	34	15	403	21	37	6	4	4	4	5	3	1	24	26	44	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)

Density Aggregate Summary:

Conurbations	2007	2007	822	1047	901	467	351	7602	19	29	183	1888	765	988	852	442	335	7107	18	29	170	119	57	59	49	25	16	495	26	37
Areas outside the Conurbations	3089	3399	1464	1731	1563	833	542	12621	19	30	2847	3226	1383	1613	1474	796	502	11841	19	30	242	173	81	118	89	37	40	780	25	40
Urban areas, with populations of 100,000 and over	698	745	356	407	352	203	145	2906	20	32	651	708	331	386	335	195	129	2735	19	31	47	37	25	21	17	8	16	171	23	36
Urban areas, with populations of 50,000 and under 100,000	345	448	162	228	188	106	69	1546	19	30	318	422	150	204	173	102	61	1430	18	29	27	26	12	24	15	4	8	116	24	42
Urban areas, with populations under 50,000	1096	1201	492	592	561	280	181	4403	19	30	1019	1152	469	556	526	270	174	4166	19	30	77	49	23	36	35	10	7	237	23	37
Rural areas	950	1005	454	504	462	244	147	3766	19	29	859	944	433	467	440	229	138	3510	18	28	91	61	21	37	22	15	9	256	30	44
LONDON	415	363	129	167	130	71	58	1333	17	25	356	333	117	155	122	69	55	1207	16	25	59	30	12	12	8	2	3	126	28	35
City of London	3
Inner and Middle Temples
Battersea	8	21	3	7	6	2	5	52	17	28	6	19	3	6	2	5	...	47	16	27	2	2
Barnes	7	11	2	1	2	1	3	27	19	25	7	11	2	1	3	27	20	20
Bermistead	2	7	2	4	5	2	...	22	11	22	2	6	1	3	2	19	10	20
Bethnal Green
Camberwell	28	19	6	9	7	6	1	76	16	26	24	19	6	9	7	6	1	72	18	26	4
Chelsea
Deptford	13	6	3	5	2	1	4	28	15	22	9	6	2	4	2	1	...	24	16	24	1
Finsbury	16	3	1	2	1	14	46	22	5	3	1	2	3	13	15	22	1
Fulham	14	15	6	5	2	3	1	46	21	27	14	13	5	2	3	41	20	26
Greenwich	14	5
Hackney	28	16	8	11	7	3	1	74	20	29	24	16	3	4	9	1	...	70	20	28	4
Hammersmith	13	7	4	4	10	4	2	41	13	22	12	6	4	4	2	1	...	37	12	21	1
Hamstead	14	12	4	1	1	38	21	27	10	11	1	1	1	33	20	26	4
Hoborn	10	28	34	3	2	8	23	30	1
Islington	30	34	11	15	12	7	1	110	19	28	28	34	10	14	12	7	1	106	20	29	2
Kensington	15	25	6	8	5	1	5	65	18	25	10	23	6	7	4	1	4	...	55	16	23	5
Leamth	31	24	7	14	10	4	6	96	16	25	25	23	6	14	9	4	6	...	87	15	24	6
Lewisham	28	21	10	8	6	3	8	86	17	25	26	20	10	10	7	6	3	...	82	17	25	2
Paddington	15	21	4	10	5	2	4	61	19	28	7	17	4	7	5	1	4	...	45	15	24	8
Poplar
St. Marylebone	12	6	4	5	5	4	4	40	17	31	12	6	4	4	5	4	4	...	39	18	32
St. Pancras	16	4	5	5	2	1	5	58	16	19	26	13	11	5	8	5	4	...	12	11	14	2
Shoreditch	15	12	5	8	6	5	4	56	15	24	12	5	8	5	4	3	4	...	49	15	26	2
Southwark
Stepney	10	12	5	6	5	1	...	39	14	21	8	11	5	6	4	1	...	35	14	21	2
Stoke Newington	14	5	2	1	1	2	26	24	30	14	5	2	2	1
Wandswoth	33	29	10	14	9	6	5	106	16	23	31	25	8	13	6	5	...	96	15	22	2
Westminster	20	8	3	6	2	3	42	25	34	14	7	3	6	2	3	1	...	35	21	31	6
Woolwich	17	18	7	13	2	5	1	63	18	28	17	15	6	13	2	5	...	59	18	27
COUNTY BOROUGHES
ENGLAND (excluding Mon.)
Barnsley	9	9	4	4	5	8	4	43	17	32	7	9	4	4	5	8	...	41	16	33	2
Barrow-in-Furness	10	11	3	8	4	37	24	36	9	10	3	8	3	34	23	35	1
Bath	16	10	4	3	24	18	21	6	9	4	23	18	21
Birkenhead	18	29	11	20	106	22	41	18	27	10	18	19	5	...	99	22	40
Birmingham	134	152	62	69	66	36	28	547	19	29	126	143	517	18	29	8

TABLE 25—continued.

Area.	All Infants.										Legitimate Infants.										Illegitimate Infants.																
	Deaths.										Deaths.										Deaths.																
	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Deaths per 1,000 related Live Births.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Deaths per 1,000 related Live Births.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Deaths per 1,000 related Live Births.				
County Boroughs—continued																																					
Blackburn	9	14	6	5	4	6	4	47	19	31	8	14	5	4	4	6	4	4	45	19	32	1	—	1	—	—	—	—	—	—	2	27	26	26			
Blackpool	25	10	5	7	4	2	4	57	25	35	22	10	7	7	7	4	2	4	45	23	34	3	2	3	—	—	—	—	—	3	44	43	43				
Bolton	26	13	10	22	13	10	6	102	40	41	25	19	10	21	12	4	6	6	97	23	41	1	2	5	—	—	—	—	—	4	44	36	36				
Bootle...	15	14	9	5	8	5	3	62	23	40	12	14	9	5	9	5	5	4	58	24	39	3	—	1	—	—	—	—	—	3	45	60	60				
Bournemouth	9	7	9	5	1	4	3	38	14	25	8	7	5	7	7	1	3	5	35	14	25	1	—	1	—	—	—	—	—	3	18	27	27				
Bradford	49	30	24	38	35	19	13	208	22	44	45	30	23	36	31	19	13	197	22	44	4	—	4	—	1	2	4	—	—	11	16	36	36				
Brighton	7	25	7	9	8	4	4	69	19	34	6	24	6	9	9	8	3	64	19	34	2	—	1	—	1	1	—	—	—	5	18	30	30				
Bristol	23	50	19	15	24	5	4	140	13	20	21	50	17	14	23	5	3	133	13	20	2	—	2	—	2	1	—	—	7	14	25	25					
Burnley	7	10	4	5	10	4	1	41	17	33	6	9	4	4	10	4	1	38	16	32	—	—	1	—	1	1	—	—	3	28	42	42					
Burton upon Trent	25	24	32	7	8	4	2	1	22	26	30	—	—	—	—	—	—	—	—	—	1				
Bury	4	5	8	6	5	1	2	31	20	37	4	5	8	5	5	1	2	30	22	38	—	—	—	—	—	—	—	—	1	18					
Canterbury	2	7	9	19	19	2	7	1	9	20	20	—	—	—	—	—	—	—	—	—				
Carlisle	3	12	1	1	3	5	2	30	14	25	2	12	1	4	3	27	13	24	1	—	1	—	—	—	—	—	3	17	75	75					
Chester	12	10	1	5	3	2	1	33	29	41	10	9	1	2	5	2	...	29	27	39	2	—	2	—	1	—	—	—	4	56	56	56					
Coventry	59	36	21	18	11	7	2	154	27	35	56	34	20	16	10	7	2	145	27	36	3	—	3	2	1	2	1	—	9	22	33	33					
Croydon	17	23	7	12	6	1	3	69	13	19	17	22	6	11	6	3	3	65	13	29	1	—	1	—	1	1	—	—	4	11	21	21					
Darlington	5	13	2	4	7	5	1	37	15	28	4	12	2	4	7	5	1	35	15	29	—	—	1	—	1	1	—	—	2	27	27	27					
Derby	13	15	11	5	9	7	6	66	18	31	12	14	10	4	9	7	5	61	18	30	1	—	1	—	1	1	—	—	5	26	43	43					
Dewsbury	3	10	5	5	3	2	3	34	19	36	3	10	5	5	5	2	2	32	20	36	2	—	2	—	2	2	—	—	2	33	33	33					
Doncaster	8	10	4	9	3	4	3	41	17	32	8	9	3	9	3	4	3	39	16	32	—	—	1	—	1	—	—	—	2	26	26	26					
Dudley	7	4	2	3	6	2	1	25	13	25	7	3	2	3	6	2	1	24	13	25	—	—	1	—	—	—	—	—	1	40	40	40					
Eastbourne	3	1	1	1	1	3	—	6	8	10	2	1	1	4	7	7	1	—	1	—	—	—	—	—	2	28	55	55					
East Ham	15	8	1	5	3	1	2	32	14	18	14	8	30	13	18	1	—	1	—	—	—	—	—	2	33	32	32					
Exeter	11	11	2	4	1	2	2	33	22	30	9	10	2	5	3	1	2	28	21	27	2	—	2	—	1	—	—	—	5	46	76	76					
Gateshead	17	22	15	13	16	5	8	96	25	44	17	22	14	13	15	5	8	94	25	45	—	—	1	—	—	—	—	—	2	13	27	27					
Gloucester	8	14	6	5	3	3	2	41	25	36	7	13	5	5	2	3	2	37	24	35	1	—	1	—	—	—	—	—	4	47	62	62					
Gt. Yarmouth	7	5	2	5	3	2	1	22	19	30	7	4	2	21	19	30	—	—	1	—	—	—	—	—	1	22	22	22					
Grimsby	11	23	5	11	6	5	3	60	22	34	10	23	5	11	5	3	1	57	23	35	1	—	2	—	—	—	—	—	3	8	25	25					
Halifax	14	9	4	7	5	3	1	43	18	28	13	7	2	7	5	3	1	38	16	27	1	—	2	—	—	—	—	—	5	39	39	39					
Hastings	4	6	1	3	2	—	3	18	14	22	4	5	14	12	19	—	—	1	—	—	—	—	—	4	37	73	73					
Huddersfield	9	14	6	5	6	5	1	46	15	24	8	13	6	5	6	4	1	43	15	24	1	—	1	—	—	—	—	—	3	19	29	29					
Ipswich	12	14	6	12	2	5	2	53	18	30	11	14	6	11	2	4	1	49	18	29	1	—	1	—	—	—	—	1	12	46	46	46					
Kingston upon Hull	40	66	29	44	44	19	16	258	24	46	36	60	28	43	42	18	14	241	23	45	4	6	1	1	1	1	3	2	17	37	57	57					
Leeds	60	65	16	37	41	18	11	288	18	31	53	55	35	36	38	15	8	220	16	29	7	10	1	1	1	1	3	3	38	34	34	34					
Leicester	36	24	12	12	17	6	9	116	16	25	33	22	12	11	17	6	8	109	15	25	3	2	2	—	—	—	—	—	1	22	30	30					

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
Lincoln	...	139	126	56	1	40	...	27	19	26	5	10	3	4	25	18	25	...	9	2	2	31	42	
Liverpool	...	109	93	49	75	37	...	554	23	130	115	52	92	70	...	3	21	517	20	35	...	16	37	28	38		
Manchester	76	56	15	...	439	20	36	96	87	47	53	...	13	17	407	20	35	...	13	32	25	34		
Middlesbrough	...	21	25	15	11	14	...	8	109	20	35	20	25	10	...	13	7	103	21	36	...	2	6	21	38		
Newcastle upon Tyne	...	41	47	12	25	24	...	166	21	36	39	45	11	24	...	3	6	158	21	34	...	1	8	23	37		
Northampton	14	8	...	3	...	45	20	30	30	13	7	3	2	43	20	30	2	23	23		
Norwich	...	12	12	8	8	52	17	27	12	11	7	2	2	49	17	27	3	16	24		
Nottingham	170	21	33	51	22	17	11	10	160	21	33	10	18	25		
Oldham	...	15	23	20	14	13	...	179	24	41	15	22	14	12	5	74	23	41	5	37	46		
Oxford	16	12	4	1	...	2	29	14	19	6	12	3	2	110	15	20	1	9	...		
Plymouth	...	28	34	15	25	9	...	121	21	34	27	30	11	24	...	9	6	28	20	33	11	36	44		
Portsmouth	...	22	27	16	17	10	...	109	18	30	20	26	16	7	9	7	102	18	30	1	7	13		
Preston	...	19	16	6	7	7	...	68	22	35	15	15	7	7	4	61	20	33	7	60	69		
Reading	13	15	4	9	...	52	18	29	13	15	5	5	1	52	20	31		
Reigate	...	25	14	7	9	4	...	69	36	54	22	14	7	6	4	65	36	54	4	38	51		
Rotherham	11	10	6	1	...	2	40	19	28	11	9	7	3	1	19	28	1	2	17		
St. Helens	...	11	19	7	13	12	...	71	20	39	11	19	7	11	5	68	21	38	3	...	48		
Salisbury	26	29	11	8	...	107	22	34	56	54	22	10	6	103	23	35	7	18	...		
Sheffield	...	59	56	22	28	29	...	219	19	30	26	22	18	28	8	212	19	30	1	7	18		
Sheffield	...	4	10	4	6	5	...	31	25	26	4	10	4	4	2	73	16	28	3	...	26		
Smethwick	...	21	17	15	11	5	...	4	76	18	25	21	16	11	5	4	73	18	26	3	10	15		
Southampton		
Southend-on Sea	...	15	13	9	5	5	...	53	18	25	14	11	8	5	4	2	49	17	25	4	33	33		
Southport	9	8	5	4	...	36	25	40	9	7	5	6	4	1	33	25	39	2	20	61		
South Shields	...	27	15	6	8	11	...	78	25	40	26	15	5	11	7	4	76	25	41	2	21	21		
Stockport	16	30	14	7	...	85	26	41	15	27	8	16	5	5	80	26	41	5	38	48		
Stoke on Trent	...	29	38	22	19	11	...	144	21	33	27	34	21	17	11	3	134	20	32	10	48	68		
Sunderland		
Tynemouth	...	31	33	12	29	11	...	133	22	38	31	31	12	10	11	5	127	22	38	1	6	17		
Walsley	...	12	15	5	6	6	...	54	26	44	11	14	4	5	8	5	50	25	42	4	51	67		
Walsley	...	3	8	4	6	6	...	30	17	33	3	8	3	6	5	2	76	31	3	24	71		
Walsley	...	17	16	2	9	1	...	55	21	32	16	16	2	8	8	1	3	13	39	3	13	39		
Walsley	...	26	14	11	7	4	...	75	25	37	25	13	10	7	3	5	69	25	35	6	37	74		
Warrington	...	12	19	5	8	5	...	53	26	38	11	15	5	6	5	2	45	23	34	8	72	115		
West Bromwich	...	16	13	4	7	9	...	45	15	29	6	13	3	9	3	3	44	15	29	3	21	21		
West Bromwich	...	15	17	11	10	11	...	74	15	25	15	15	10	7	3	71	14	25	3	21	21		
West Hartlepool	...	8	9	5	15	7	...	49	16	35	6	8	5	15	7	4	46	14	34	3	52	52		
Wigan...	...	6	12	4	14	10	...	58	17	43	6	12	4	10	7	3	47	17	44	1		
Wolverhampton	...	30	27	9	13	15	...	112	24	40	29	25	9	14	10	5	103	24	39	9	26	79		
Worcester	7	2	3	4	...	25	13	28	7	1	2	3	8	1	22	12	26	3	34	51		
York	10	17	5	4	40	21	26	9	15	5	3	...	36	20	24	1	4	34		
SALES AND MONMOUTH																															
Cardiff	...	33	38	11	23	22	...	140	19	32	32	38	11	21	7	4	133	20	32	7	6	39		
Merthyr Tydfil	...	8	13	1	6	8	...	42	22	42	6	13	1	6	7	3	56	19	32	4	66	132		
Newport	...	17	14	3	7	12	...	58	32	35	15	14	3	7	3	2	58	21	39	2	32	31		
Swansea	...	21	18	3	8	10	...	77	18	31	18	18	6	8	9	4	73	18	31	4	38	50		

TABLE 25—continued.

Area.	All Infants.										Legitimate Infants.										Illegitimate Infants.										
	Deaths.										Deaths.										Deaths.										
	Deaths per 1,000 related Live Births.										Deaths per 1,000 related Live Births.										Deaths per 1,000 related Live Births.										
	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Deaths per 1,000 related Live Births.
ADMINISTRATIVE COUNTIES (Urban and Rural Aggregates):																															
ENGLAND (excluding Monmouth)																															
Bedfordshire ..	23	23	16	11	12	6	4	95	19	28	20	21	15	10	11	6	4	87	18	27	3	2	1	1	1	—	—	—	8	35	46
Berkshire ..	8	17	3	2	5	6	4	34	19	23	12	16	3	2	—	—	4	33	19	23	2	1	—	—	—	—	—	—	1	24	14
Berkshire ..	14	11	5	5	6	2	2	45	18	27	12	11	5	4	6	1	2	41	18	26	3	—	—	—	—	—	—	—	4	21	43
Berkshire ..	18	21	14	11	12	4	2	82	17	26	15	21	14	11	10	4	1	76	17	26	3	—	—	—	—	—	—	—	9	18	33
Buckinghamshire ..	13	33	11	8	10	1	2	78	19	26	13	32	11	8	10	2	2	77	20	27	—	1	—	—	—	—	—	1	8	74	8
Cambridgeshire ..	23	19	6	9	6	2	2	67	16	23	20	16	5	6	6	2	2	57	14	20	3	3	1	—	—	—	—	1	10	52	16
Cambridgeshire ..	8	8	1	4	2	5	1	23	13	18	8	7	1	4	2	1	1	22	13	18	—	—	—	—	—	—	—	1	1	16	22
Cambridgeshire ..	13	19	7	14	5	9	3	70	17	30	13	17	7	11	5	9	3	31	18	24	—	—	—	—	—	—	—	1	1	1	—
Cheshire ..	66	65	48	32	27	15	17	270	20	30	64	63	45	30	27	15	17	261	20	30	2	2	3	2	1	—	—	9	21	27	27
Cornwall ..	34	25	17	14	10	6	4	108	26	37	31	24	15	14	9	5	4	100	25	35	3	1	2	1	—	—	—	8	54	72	20
Cornwall ..	13	19	7	14	5	9	3	93	26	36	30	26	11	10	6	3	2	90	27	37	—	2	—	—	—	—	—	5	21	53	—
Cornwall ..	13	19	7	14	5	9	3	70	17	30	13	17	7	11	5	9	3	65	17	29	—	—	—	—	—	—	—	2	—	32	—
Cumberland ..	7	14	6	4	7	7	3	48	18	32	7	14	6	3	7	6	3	46	19	32	—	—	—	—	—	—	—	2	—	32	—
Derbyshire ..	9	26	13	11	3	7	7	76	22	35	9	23	13	11	2	6	7	71	22	34	—	3	—	—	—	—	—	5	34	57	33
Derbyshire ..	43	35	18	25	32	11	5	169	17	31	39	34	17	25	31	11	5	162	17	31	4	4	2	2	1	—	—	7	29	33	63
Derbyshire ..	10	31	16	22	14	6	2	132	18	26	37	28	14	20	14	6	2	121	16	25	4	3	2	2	1	—	—	11	52	63	—
Devon ..	30	28	9	11	11	7	3	99	20	29	26	28	7	11	10	7	3	92	19	28	4	2	—	—	—	—	—	7	34	39	—
Dorset ..	22	25	19	8	10	6	2	92	19	26	18	23	19	8	10	6	1	85	18	25	4	2	—	—	—	—	—	7	40	47	—
Dorset ..	23	27	8	11	6	2	1	78	22	30	21	27	7	10	6	2	1	74	22	30	2	1	1	1	—	—	—	4	20	27	—
Dorset ..	10	8	4	2	9	3	2	38	12	21	8	7	4	2	9	3	2	35	11	21	2	1	—	—	—	—	—	3	32	32	—
Durham ..	104	108	48	77	73	29	21	460	24	42	101	103	46	72	70	29	20	441	24	41	3	5	2	5	3	—	—	19	28	52	—
Ely, Isle of ..	53	54	17	31	35	14	6	210	26	43	49	17	3	5	2	1	—	199	25	42	4	5	2	1	—	—	—	11	62	75	—
Ely, Isle of ..	6	4	4	4	4	1	1	21	15	24	6	3	3	4	1	1	—	20	14	24	1	1	1	—	—	—	—	1	22	22	—
Ely, Isle of ..	6	4	4	4	4	1	1	20	24	35	5	3	3	4	1	1	—	17	20	31	1	1	1	—	—	—	—	3	100	99	—
Ely, Isle of ..	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
Essex	U.D. 118	145	43	58	41	26	18	449	15	22	113	138	41	51	40	23	18	424	15	22	5	7	2	7	1	3	—	—	25	20	35
Gloucestershire	U.D. 16	21	6	7	9	6	2	71	21	17	13	22	4	6	9	1	2	55	12	17	3	—	—	—	—	—	—	—	7	18	55
Herefordshire	U.D. 19	24	4	7	9	6	5	108	16	24	25	32	8	12	10	8	5	100	15	23	4	1	1	1	1	1	—	8	27	35	
Hertfordshire...	U.D. 6	8	4	5	4	1	1	29	21	34	6	10	4	4	4	1	1	28	22	35	2	—	—	—	—	—	—	1	—	20	
Hertfordshire...	U.D. 16	10	4	6	3	2	8	156	17	24	55	43	7	13	9	16	7	150	17	24	2	2	—	—	—	—	—	22	22	33	
Hertfordshire...	U.D. 57	45	7	14	9	16	8	66	17	23	7	25	6	4	10	3	—	55	14	20	6	4	—	—	—	—	—	6	15	23	
Hertfordshire...	U.D. 13	29	6	4	11	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11	83	91	
Huntingdonshire	U.D. 3	6	2	3	—	2	1	17	21	33	3	6	2	3	—	2	1	17	23	35	—	—	—	—	—	—	—	—	—	—	—
Kent	U.D. 120	122	63	74	55	22	20	476	17	26	114	116	62	68	51	20	20	451	17	26	6	6	1	6	4	2	—	25	16	30	
Lancashire	U.D. 39	31	17	21	16	5	2	131	17	26	33	29	17	19	15	4	2	119	16	25	6	2	—	—	—	—	—	12	38	56	
Lancashire	U.D. 189	206	86	98	90	45	27	741	19	29	178	199	81	91	83	43	25	700	19	28	11	7	5	7	7	2	2	41	22	39	
Leicestershire...	U.D. 38	37	11	10	15	12	6	129	31	33	36	11	10	15	10	15	6	122	20	30	5	1	—	—	—	—	—	7	50	58	
Leicestershire...	U.D. 18	17	6	13	10	4	4	72	16	27	17	17	6	12	9	4	5	69	16	27	1	2	—	—	—	—	—	3	10	29	
Leicestershire...	U.D. 18	13	11	9	5	10	5	71	14	24	16	11	11	19	5	10	5	67	14	24	2	2	—	—	—	—	—	4	41	41	
Lincolnshire, Holland	U.D. 6	8	4	1	2	3	—	24	29	38	6	7	4	1	2	3	—	23	29	39	—	1	—	—	—	—	—	1	25	25	
Lincolnshire, Kesteven	U.D. 8	5	1	5	4	—	1	16	14	22	5	3	2	4	3	1	1	16	15	23	1	—	—	—	—	—	—	3	20	59	
Lincolnshire, Kesteven	U.D. 5	13	8	8	4	5	2	45	18	31	4	13	8	6	4	4	2	41	18	30	1	—	—	—	—	—	—	4	17	66	
Lincolnshire, Lindsey	U.D. 19	20	9	10	14	8	2	82	19	32	15	19	8	9	11	8	2	72	17	30	4	1	1	3	—	—	—	10	42	70	
Middlesex	U.D. 21	24	11	9	15	6	1	87	21	33	19	23	10	7	15	6	1	81	21	33	2	1	2	—	—	—	—	6	28	41	
Norfolk	U.D. 218	225	82	70	67	25	32	719	17	23	197	217	80	65	62	24	30	675	17	23	21	8	2	5	1	2	—	44	23	32	
Norfolk	U.D. 6	6	4	6	5	2	—	29	15	26	5	6	3	6	4	2	—	26	14	25	1	1	—	—	—	—	—	3	31	46	
Norfolk	U.D. 32	36	17	15	21	8	5	134	19	30	31	35	15	11	20	7	5	124	19	29	1	1	2	4	1	1	—	10	17	43	
Northamptonshire	U.D. 10	12	6	4	5	2	2	41	14	20	9	11	6	4	2	2	2	38	13	19	1	1	—	—	—	—	—	3	18	26	
Northamptonshire	U.D. 9	16	8	9	9	8	1	60	17	31	8	16	8	9	9	7	1	58	18	32	1	1	—	—	—	—	—	2	11	21	
Northumberland	U.D. 43	43	20	28	37	12	9	192	18	33	42	42	18	28	37	12	8	187	18	34	1	1	—	—	—	—	—	5	21	26	
Northumberland	U.D. 11	7	7	4	9	2	2	42	17	29	10	7	6	4	2	2	2	40	17	29	1	1	—	—	—	—	—	1	1	1	1
Nottinghamshire	U.D. 32	51	19	25	25	18	13	183	17	30	30	49	17	22	24	17	12	171	17	30	2	2	3	1	1	1	1	12	22	44	
Nottinghamshire	U.D. 22	17	4	10	11	—	5	69	17	27	16	16	4	10	10	4	4	60	15	24	6	1	—	—	—	—	—	9	58	74	
Oxfordshire	U.D. 4	4	2	2	2	1	1	15	14	21	3	4	2	2	1	1	1	14	13	20	1	1	—	—	—	—	—	1	28	28	
Oxfordshire	U.D. 10	11	4	5	6	—	—	37	11	17	8	10	3	4	6	—	—	32	10	15	2	1	1	1	—	—	—	5	33	41	
Peterborough, Soke of	U.D. 2	6	3	5	3	—	—	19	14	24	2	6	3	4	3	—	—	18	15	25	—	—	—	—	—	—	—	1	—	17	17
Peterborough, Soke of	U.D. 2	3	—	—	—	—	—	5	24	24	2	6	3	4	3	—	—	5	25	25	—	—	—	—	—	—	—	—	—	—	—
Rutland	U.D. 2	4	—	—	—	—	—	10	27	34	2	4	2	2	—	—	—	10	28	35	—	—	—	—	—	—	—	—	—	—	—
Rutland	U.D. 2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Shropshire	U.D. 20	16	10	14	4	3	4	71	21	32	18	16	10	13	4	3	4	68	21	33	2	—	—	—	—	—	—	3	19	28	
Somerset	U.D. 12	17	7	15	10	6	3	69	15	28	11	17	15	8	6	2	4	68	15	28	—	—	—	—	—	—	—	3	19	28	
Somerset	U.D. 16	27	12	10	9	—	—	81	16	24	16	16	10	10	9	3	6	80	17	24	—	—	—	—	—	—	—	3	9	28	
Somerset	U.D. 30	36	8	7	9	—	6	96	20	26	30	34	8	7	7	—	—	92	20	26	—	—	—	—	—	—	—	4	14	27	
Southampton	U.D. 30	44	19	19	15	9	11	147	16	24	29	43	19	19	15	8	11	144	16	25	1	1	—	—	—	—	—	3	7	10	
Staffordshire	U.D. 41	30	18	12	13	9	16	129	18	27	40	43	19	19	15	8	11	124	19	27	1	3	2	1	—	—	—	5	15	19	
Staffordshire	U.D. 89	86	47	56	40	25	19	362	22	35	83	84	46	54	37	24	16	124	19	27	1	3	2	1	—	—	—	15	30	49	
Staffordshire	U.D. 31	27	12	17	18	10	4	119	21	36	30	26	12	17	18	10	3	116	21	36	1	1	—	—	—	—	—	15	30	49	

TABLE 25—continued.

Area.	All Infants.										Legitimate Infants.										Illegitimate Infants.																
	Deaths.										Deaths.										Deaths.																
	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Deaths per 1,000 related Live Births.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Deaths per 1,000 related Live Births.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Deaths per 1,000 related Live Births.				
ADMINISTRATIVE COUNTIES—continued.																																					
Suffolk, East	U.D. 7	9	2	10	7	2	1	38	13	27	7	8	2	3	3	4	—	26	13	19	—	—	—	—	—	—	—	—	—	—	—	—	—	15			
Suffolk, West	R.D. 16	18	5	9	5	5	2	57	22	30	14	16	9	4	4	4	—	51	22	28	2	—	—	—	—	—	—	—	—	—	—	—	—	12			
Surrey ...	U.D. 4	5	2	4	5	1	3	20	19	34	4	5	2	3	4	1	3	20	20	36	—	—	—	—	—	—	—	—	—	—	—	—	—	3			
Sussex, East ...	R.D. 8	7	4	5	5	5	3	33	15	26	7	7	4	4	4	4	—	30	15	24	1	—	—	—	—	—	—	—	—	—	—	—	—	3			
Sussex, West	U.D. 98	115	44	34	20	14	14	339	16	22	87	109	43	31	18	13	13	315	16	21	11	6	1	3	2	1	—	—	—	—	—	—	24				
Warwickshire	R.D. 11	18	4	3	5	3	6	48	15	21	11	18	4	2	5	3	6	47	15	22	4	—	—	—	—	—	—	—	—	—	—	—	5				
Sussex, West	U.D. 14	15	3	7	7	5	4	52	15	25	13	14	3	5	3	6	5	47	15	24	1	—	—	—	—	—	—	—	—	—	—	—	3				
Westmorland...	R.D. 16	8	5	9	9	7	5	50	14	25	14	8	5	9	6	5	—	47	14	24	2	—	—	—	—	—	—	—	—	—	—	—	3				
Wight, Isle of...	U.D. 18	10	3	7	4	2	4	48	15	24	15	10	3	5	4	2	4	43	15	23	3	—	—	—	—	—	—	—	—	—	—	—	5				
Wiltshire	R.D. 23	10	5	6	5	4	2	52	18	25	19	10	4	4	5	—	2	44	17	22	4	—	—	—	—	—	—	—	—	—	—	—	8				
Worcestershire	U.D. 42	44	11	12	17	6	6	134	20	27	38	42	9	12	15	5	1	123	19	26	4	—	—	—	—	—	—	—	—	—	—	—	11				
Yorkshire, E.R.	R.D. 22	21	16	11	8	6	1	85	21	31	22	17	15	10	8	5	—	78	20	29	2	—	—	—	—	—	—	—	—	—	—	—	4				
Yorkshire, N.R.	U.D. 3	7	1	1	2	—	—	13	28	33	3	7	1	1	—	—	—	13	29	34	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Yorkshire, W.R.	R.D. 7	9	1	1	1	—	—	19	33	37	7	9	1	2	2	1	—	19	35	39	2	—	—	—	—	—	—	—	—	—	—	—	—	3			
	U.D. 2	2	—	—	—	—	—	16	24	2	2	2	—	—	—	—	—	6	17	25	—	—	—	—	—	—	—	—	—	—	—	—	—	53			
	R.D. 17	13	12	3	6	5	1	75	22	27	16	30	11	2	6	4	1	70	22	27	1	—	—	—	—	—	—	—	—	—	—	—	—	—			
	U.D. 18	13	7	11	10	1	6	66	12	20	17	12	6	9	10	1	5	60	11	19	1	—	—	—	—	—	—	—	—	—	—	—	—	5			
	R.D. 41	35	11	10	13	10	4	124	20	28	36	35	11	9	13	10	4	119	20	28	5	—	—	—	—	—	—	—	—	—	—	—	—	6			
	R.D. 8	17	8	10	8	4	3	58	17	30	6	15	4	9	7	3	4	48	14	27	2	—	—	—	—	—	—	—	—	—	—	—	—	10			
	U.D. 12	5	4	5	4	5	4	45	19	30	10	11	5	3	4	4	3	40	18	28	2	—	—	—	—	—	—	—	—	—	—	—	—	5			
	R.D. 7	12	5	5	5	5	3	42	15	26	6	12	5	5	5	2	2	39	15	25	3	—	—	—	—	—	—	—	—	—	—	—	—	3			
	U.D. 27	38	14	18	15	4	13	134	23	38	24	34	13	18	16	15	4	124	22	38	3	—	—	—	—	—	—	—	—	—	—	—	—	18			
	R.D. 19	17	10	10	10	4	2	72	17	27	16	15	10	9	10	3	2	64	16	25	3	—	—	—	—	—	—	—	—	—	—	—	—	8			
	U.D. 126	147	52	82	87	32	29	555	18	31	119	141	48	78	81	31	28	526	18	30	7	—	—	—	—	—	—	—	—	—	—	—	—	29			
	R.D. 50	74	24	41	28	19	7	243	21	34	48	72	43	40	28	18	6	235	21	35	2	—	—	—	—	—	—	—	—	—	—	—	—	8			
	U.D. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33				

ADMINISTRATIVE COUNTIES—continued.																																			
WALES AND MONMOUTH																																			
Anglesey ...	U.D.	3	1	2	9	6	5	1	—	25	40	76	3	1	7	6	3	1	—	21	35	67	—	—	—	—	—	—	—	—	—	—	—		
Brecknockshire	R.D.	4	2	4	7	7	—	3	—	20	21	41	4	2	4	6	—	3	—	19	22	41	—	—	—	—	—	—	—	—	—	—	—	—	
...	U.D.	5	4	3	1	1	1	—	—	10	29	36	4	3	1	1	—	—	—	10	29	36	—	—	—	—	—	—	—	—	—	—	—	—	
...	R.D.	4	7	3	2	—	—	—	2	22	26	37	5	7	3	2	1	—	2	22	26	38	—	—	—	—	—	—	—	—	—	—	—	—	
Caernarvonshire	U.D.	4	13	4	8	7	2	1	39	21	39	4	13	4	8	7	2	1	39	22	41	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cardiganshire	R.D.	4	6	5	9	5	5	2	36	20	47	3	5	5	8	5	5	2	33	18	46	1	1	—	—	—	—	—	—	—	—	—	—	—	
...	U.D.	1	2	2	2	—	—	—	5	21	21	1	2	2	2	—	—	—	5	22	22	—	—	—	—	—	—	—	—	—	—	—	—	—	
...	R.D.	4	2	3	4	—	7	2	4	23	18	45	4	2	3	1	7	2	3	22	19	45	—	—	—	—	—	—	—	—	—	—	—	—	
Carmarthenshire	U.D.	8	5	1	2	4	—	2	22	15	23	7	4	1	2	4	—	2	20	13	22	1	1	—	—	—	—	—	—	—	—	—	—	—	
...	R.D.	13	16	2	4	7	2	3	38	22	27	12	14	2	4	7	2	2	35	21	26	1	2	—	—	—	—	—	—	—	—	—	—	—	
Denbighshire	U.D.	5	7	4	4	7	8	2	32	14	28	5	7	2	4	7	2	3	30	13	28	—	—	—	—	—	—	—	—	—	—	—	—	—	
...	R.D.	8	14	8	13	6	8	2	59	21	41	6	14	8	12	6	8	2	56	20	41	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Flintshire	U.D.	11	8	4	6	3	2	—	34	19	29	10	8	4	6	3	2	—	33	19	29	1	—	—	—	—	—	—	—	—	—	—	—	—	—
...	R.D.	9	7	9	8	5	5	1	44	20	36	9	6	9	7	5	4	1	41	20	35	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glamorganshire	U.D.	84	94	41	57	35	23	16	350	25	39	79	89	39	55	31	22	15	330	24	38	5	5	—	—	—	—	—	—	—	—	—	—	—	—
...	R.D.	20	22	13	7	13	10	6	91	18	29	20	22	12	7	12	10	6	89	18	30	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Merionethshire	U.D.	2	2	2	1	1	1	—	9	23	34	2	2	2	1	1	1	—	9	24	35	—	—	—	—	—	—	—	—	—	—	—	—	—	—
...	R.D.	6	1	—	—	—	—	—	14	23	46	6	1	—	—	—	—	1	14	25	50	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Monmouthshire	U.D.	41	49	30	27	27	11	7	192	27	42	36	46	8	29	27	11	7	183	26	42	5	3	—	—	—	—	—	—	—	—	—	—	—	—
...	R.D.	7	9	2	8	5	2	—	33	25	46	7	3	2	8	4	2	—	31	25	45	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Montgomeryshire	U.D.	3	4	1	3	1	1	1	10	25	31	2	3	1	—	—	—	1	8	20	26	1	—	—	—	—	—	—	—	—	—	—	—	—	—
...	R.D.	2	3	2	3	1	1	1	13	16	30	2	3	2	3	1	1	1	13	17	32	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pembrokeshire	U.D.	8	2	3	4	1	1	—	19	16	24	7	3	3	7	3	1	—	17	16	23	1	—	—	—	—	—	—	—	—	—	—	—	—	—
...	R.D.	7	6	7	6	4	1	—	31	26	41	7	5	7	6	3	1	—	29	26	40	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Radnorshire ...	U.D.	1	1	—	—	—	—	—	3	21	32	1	1	1	—	—	—	—	3	23	34	—	—	—	—	—	—	—	—	—	—	—	—	—	—
...	R.D.	3	3	2	3	—	—	—	11	41	56	3	3	3	2	3	—	—	11	44	60	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 26—Deaths at Various Periods in the First Year of Life,
1951, and the Four Quarters thereof.

Area		Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Total under 1 day	Days						1 day and under 1 week
						1	2	3	4	5	6	
England & Wales	All Infants .. { M	11773	394	2578	2972	1045	862	605	314	272	203	3301
		8450	310	1814	2124	695	545	338	220	157	150	2105
		20223	704	4392	5096	1740	1407	943	534	429	353	5406
	Legitimate .. { M	11035	317	2423	2740	987	821	572	302	253	195	3111
		7913	257	1687	1944	659	510	313	213	148	141	1984
		18948	574	4110	4684	1646	1331	885	515	401	336	5114
England & Wales	Illegitimate .. { M	738	77	155	232	58	41	33	12	19	8	171
		537	53	127	180	36	35	25	7	9	9	121
		1275	130	282	412	94	76	58	19	28	17	292
	Regional Summary											
	and Conurbations:											
	Northern	2018	66	382	448	165	145	79	54	37	34	514
England & Wales	Tyneside conurbation ..	552	19	114	133	39	32	27	14	11	8	131
	Remainder of Northern ..	1466	47	268	315	126	113	52	40	26	26	383
	East & West Ridings	2135	67	403	470	189	135	93	43	46	43	548
	West Yorkshire conurbation	857	27	167	194	68	41	43	16	18	15	201
	Remainder of East & West											
	Ridings	1278	40	236	276	121	94	50	27	28	28	348
England & Wales	North Western	3473	109	755	864	281	233	154	75	67	60	870
	S.E. Lancashire conurbation	1295	44	272	316	98	90	58	27	22	22	317
	Merseyside conurbation ..	911	25	195	220	76	55	40	17	16	14	218
	Remainder of North Western	1267	40	288	328	107	88	56	31	29	24	335
	North Midland	1559	45	338	383	115	97	67	49	37	27	392
	Midland	2275	106	490	596	197	163	89	52	50	34	581
England & Wales	West Midlands conurbation	1121	55	243	298	95	81	40	30	27	16	285
	Remainder of Midland ..	1154	51	247	298	102	82	49	22	23	18	296
	Eastern	1211	33	289	322	110	93	57	34	25	25	344
	London & South Eastern ..	3789	156	945	1101	381	260	211	104	80	64	1100
	Greater London	2866	124	722	846	298	202	163	77	63	48	851
	Remainder of South Eastern	923	32	223	255	83	58	48	27	17	16	245
England & Wales	Southern	1051	32	234	266	66	98	51	29	31	23	298
	South Western	1210	49	251	300	101	98	74	56	31	22	381
	Wales	1502	41	305	346	135	85	68	38	25	21	371
	Wales I	1075	30	231	261	100	64	57	29	20	18	281
	Wales II	427	11	74	85	35	21	11	9	5	3	80
	Density Aggregates Summary:											
England & Wales	Conurbations	7602	294	1713	2007	674	501	371	181	157	123	2007
	Areas outside the conurbations	12621	410	2679	3089	1066	906	572	353	272	230	3399
	Urban areas with popula-											
	tions of 100,000 and over	2906	99	599	698	234	203	128	65	65	50	743
	Urban areas with popula-											
	tions of 50,000 and under	1546	44	301	345	143	99	81	52	36	37	448
England & Wales	100,000											
	Urban areas with popula-											
	tions under 50,000 ..	4403	140	956	1096	401	299	201	138	93	69	1201
	Rural areas	3766	127	823	950	288	305	162	98	78	74	1001
	March Quarter	6572	172	1157	1329	471	407	268	153	117	116	1531
	June Quarter	5066	202	1109	1311	474	377	278	150	121	88	1481
England & Wales	September Quarter ..	4003	153	1027	1180	391	310	199	104	84	82	1171
	December Quarter ..	4582	177	1099	1276	404	313	198	127	107	67	1211

England and Wales, Standard Regions, Conurbations, Aggregates of Urban
and Rural areas outside the Conurbations.

Weeks				Months											
0	1	2	3	Total under 4 weeks	1	2	3	4	5	6	7	8	9	10	11
6273 4229 10502	667 553 1220	344 248 592	261 213 474	7545 5243 12788	909 611 1520	736 522 1258	572 442 1014	462 355 817	329 304 633	307 229 536	238 167 405	190 169 359	182 135 317	167 153 320	136 120 256
5870 3928 9798	611 518 1129	328 236 564	251 204 455	7060 4886 11946	844 570 1414	695 492 1187	538 420 958	433 340 773	310 285 595	295 222 517	222 154 376	180 165 345	171 126 297	156 139 295	131 114 245
403 301 704	56 35 91	16 12 28	10 9 19	485 357 842	65 41 106	41 30 71	34 22 56	29 15 44	19 19 38	12 7 19	16 13 29	10 4 14	11 9 20	11 14 25	5 6 11
962 264 698	104 28 76	67 18 49	39 7 32	1172 317 855	155 35 120	145 39 106	112 30 82	102 35 67	82 28 54	67 13 54	43 14 29	46 12 34	40 10 30	28 9 19	26 10 16
1019 395	108 32	55 24	52 27	1234 478	170 73	150 65	133 56	107 41	72 34	65 24	45 15	51 24	49 25	34 14	25 8
624	76	31	25	756	97	85	77	66	38	41	30	27	24	20	17
1734 633 438 663	203 78 48 77	106 38 29 39	92 42 24 26	2135 791 539 805	284 104 86 94	232 107 56 69	190 65 47 65	145 41 60 57	104 40 24 40	95 35 32 28	72 25 18 29	65 27 11 27	52 17 14 21	58 24 17 17	41 19 7 15
775	92	48	38	953	124	87	71	72	63	51	30	36	23	24	25
1181 587 594	142 63 79	70 32 38	60 24 36	1453 706 747	169 83 86	139 67 72	120 58 62	86 46 40	64 24 40	66 34 32	43 23 20	45 23 22	27 16 11	32 19 13	31 22 9
666	85	26	24	801	98	52	51	48	45	26	23	21	16	20	10
2201 1697 504	225 166 59	101 79 22	83 63 20	2610 2005 605	230 164 66	234 168 66	162 119 43	102 81 21	99 72 27	71 55 16	67 44 23	47 38 9	51 36 15	64 49 15	52 35 17
564	72	37	30	703	74	57	45	45	21	13	27	15	24	16	11
682	82	35	27	826	82	65	48	46	29	33	21	10	14	18	18
718 549 169	107 68 39	47 29 18	29 17 12	901 663 238	134 87 47	97 62 35	82 60 22	64 43 21	54 41 13	49 34 15	34 21 13	23 16 7	21 16 5	26 18 8	17 14 3
4014 6488	415 805	220 372	187 287	4836 7952	545 975	502 756	388 626	291 526	222 411	193 343	139 266	135 224	118 199	132 188	101 155
1443	207	86	63	1799	233	174	152	116	84	83	66	54	61	40	44
793	95	37	30	955	125	103	74	58	56	45	32	29	25	24	20
2297	250	137	105	2789	335	257	216	195	150	108	88	84	68	71	42
1955	253	112	89	2409	282	222	184	157	121	107	80	57	45	53	49
2861	378	209	179	3627	570	533	415	332	242	209	153	128	131	127	105
2799	309	137	113	3358	374	278	244	191	144	107	86	87	67	71	59
2350	275	124	82	2831	284	176	136	119	103	85	73	64	56	43	33
2492	258	122	100	2972	292	271	219	175	144	135	93	80	63	79	59

TABLE 27.—Causes of Death of Children under One Year at Different Age Periods, 1951.

England and Wales.

See Explanatory notes on page v.

International Classification Number	Causes of death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months				
					1	2	3	4	5	6		1	2	3	Total under 4 weeks mnts.	4 weeks to 2 mnts.	3-5	6-8	9-11
001-008	ALL CAUSES	11773 8450	394 310	2578 1814	695	862 545	605 338	314 220	272 157	203 150	6273 4229	261 213	344 248	7545 5243	1645 1133	1363 1101	735 565	485 408	
	Tuberculosis of res- piratory system	14 15	— 1	—	—	—	—	—	—	—	1	—	—	—	4 3	3 2	1 1	4 8	
010	Tuberculosis of men- inges and central nervous system	36 20	—	—	—	—	—	—	—	—	—	—	—	—	1	6 3	9 7	20 10	
011	Tuberculosis of inte- stines, peritoneum & mesenteric glands	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
012, 013	Tuberculosis of bones and joints	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
014-018	Tuberculosis, all other organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
019	Disseminated tuber- culosis	5 7	—	—	—	—	—	—	—	—	—	—	—	—	1	2 2	3 3	2	
020-029	Syphilis & its sequelæ	11 8	—	3 3	1	—	—	—	—	—	4 3	1 1	—	5 3	—	—	1	—	
030-039	Gonococcal infection and other venereal diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
040-049	Infectious diseases commonly arising in intestinal tract	12 6	—	—	—	—	—	—	—	—	2	—	—	2	3	2 2	2 —	3 2	
045-048	Dysentery, all forms	7 5	—	—	—	—	—	—	—	—	—	—	1	1	2 2	1 1	2 —	1 2	
050-064	Other bacterial diseases	208 197	—	1	—	—	1	—	1	—	1 3	1 4	1	3 8	51 56	56 49	55 47	43 37	
050	Scarlet fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
055	Diphtheria	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
056-0	Whooping cough, without mention of pneumonia	48 48	—	—	—	—	—	—	—	—	—	1	1	1	14 21	14 12	8 11	11 3	

TABLE 27—continued.

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months								
					1	2	3	4	5	6		1	2	3	Total under 4 weeks	4 weeks to 2 months	3-5	6-8	9-11				
280-289	Avitaminoses, and other metabolic diseases	3 9	—	—	—	—	—	1	—	—	—	1	—	—	—	—	2	2	—	—	—	3	
283	Active rickets	1 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1
286-0	Steatorrhea and sprue	1 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
290-293	Anemias	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
294-299	Other diseases of blood and blood- forming organs	13 8	—	1	—	—	—	—	—	—	—	1	4	—	—	—	—	5	1	2	1	1	1
300-326	Mental, psychoneu- rotic, & personality disorders	34 31	1	2	2	1	—	—	—	2	2	3	—	6	3	12	9	5	6	5	7	3	1
325	Mental deficiency	34 31	1	2	2	1	—	—	—	2	2	9	6	—	—	12	11	8	6	5	7	3	3
330-334	Vascular lesions affecting central nervous system	10 7	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
340	Meningitis, except meningococcal and tuberculous	79 67	—	—	—	—	—	1	2	1	2	5	4	5	2	13	22	18	10	16	12	6	6
351	Cerebral spastic infan- tile paralysis	1 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
353	Epilepsy	10 5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
390-398	Diseases of ear and mastoid process	67 47	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. of 330-398	Diseases of the ner- vous system and sense organs, others	60 24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402	Rheumatic fever	— 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-434	Diseases of the heart	7 3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
440-468	Other diseases of the circulatory system	4 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

[illegible]

TABLE 27—continued.

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks		Months					
					1	2	3	4	5	6		1	2	3	Total under 4 weeks	4 weeks to 2 mths	3-5	6-8	9-11
590-594	Nephritis & nephrosis.. { M F	12 14	—	—	—	—	—	—	—	—	—	—	—	—	—	4	4	4	—
600-609	Other diseases of urinary system .. { M F	26 17	—	—	—	—	—	—	—	—	—	—	—	—	—	4	10	6	4
610-617	Diseases of male geni- tal organs .. M	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—
615	Redundant prepuce & phimosis .. M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
620-637	Diseases of female genital organs .. F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-698	Infections of skin and subcutaneous tissue.. { M F	10 11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	1
700-716	Other diseases of skin and subcutaneous tissue .. { M F	16 6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	4
720-749	Diseases of the bones & organs of move- ment .. { M F	14 9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	4	3
730	Osteomyelitis and osteopertosis .. { M F	3 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—
750	Monstrosity .. { M F	37 53	2 15	20 29	13 5	1 3	1 1	—	—	—	37 53	—	—	—	—	—	—	—	—
751	Spina bifida and men- ingocoele .. { M F	341 456	7 18	23 46	12 18	19 22	17 16	17 9	11 10	12 10	118 149	60 80	36 52	20 28	234 309	50 78	29 49	18 14	10 6
752	Congenital hydro- cephalus .. { M F	60 57	1 4	11 10	2 1	3 1	1 4	1 3	2 —	—	21 22	5	1	2	22 29	15 5	12 9	5 8	6 6
753-0	Congenital cataract .. { M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
753-1	Other congenital mal- formations of nerv. System & sense organs	24 31	1 —	3 3	—	2 3	—	1 4	1 —	—	6 14	3 3	1 1	3	10 21	2 3	5 2	6 1	1 4
754-0	Tetralogy of Fallot .. { M F	8 11	—	—	—	—	—	—	—	—	1 3	1	—	—	2 4	3 3	3 1	2 —	1 3
754-1	Patent ductus arter- iosus (Botalli) .. { M F	42 26	1 —	4 4	3 1	10 2	2 4	1 —	1 —	—	22 12	2 2	2 2	3	29 16	8 3	3 4	1 2	1 1

TABLE 27—continued.

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months				
					Days							Total under 4 weeks	Weeks		4 weeks to 2 mths	Months			
					1	2	3	4	5	6			1	2		3	3-5	6-8	9-11
759-0	Congenital malformations of respiratory system {M}{F}	24 29	2 1	5 5	6 2	— 3	— —	— —	— —	1 —	14 11	— —	2 1	— —	16 15	2 4	2 6	3 1	1 3
759-1	Congenital malformations of skin {M}{F}	5 2	— —	1 —	— —	— —	— —	1 —	— —	— —	2 1	— —	— —	— —	2 1	3 1	— —	— —	— —
759-2	Congenital malformations of muscle {M}{F}	6 5	3 1	1 3	— 1	— —	— —	1 —	— —	— —	5 5	— —	— —	— —	5 —	— —	— —	— —	1 —
759-3	Congenital malformations, other and unspecified {M}{F}	60 53	6 9	25 14	2 5	2 2	2 2	3 4	2 3	4 3	47 39	2 3	2 2	2 1	54 44	5 5	1 2	1 —	— —
760-0	Intracranial & spinal injury at birth, without mention of immaturity {M}{F}	735 344	46 24	234 126	119 46	100 45	91 28	38 14	15 9	16 6	659 298	39 26	8 4	4 3	710 331	15 11	5 1	4 1	— —
760-5	Intracranial & spinal injury at birth, with immaturity {M}{F}	298 179	4 5	100 57	51 42	52 24	30 16	19 9	13 6	8 7	277 166	19 11	1 1	1 1	298 179	— —	— —	— —	— —
761-0	Other birth injury, without mention of immaturity {M}{F}	114 90	19 32	59 41	15 6	9 6	4 1	1 1	2 1	— —	109 89	3 1	1 1	— —	114 90	— —	— —	— —	— —
761-5	Other birth injury, with immaturity {M}{F}	107 86	13 11	65 57	15 5	8 4	1 1	2 1	1 3	2 —	105 84	2 2	— —	— —	107 86	— —	— —	— —	— —
762-0	Postnatal asphyxia & atelectasis, without mention of immaturity {M}{F}	664 471	63 45	242 199	107 70	92 42	44 19	15 11	11 10	7 10	581 406	32 25	15 8	4 8	632 447	18 10	10 12	1 1	3 1
762-5	Postnatal asphyxia & atelectasis, with immaturity {M}{F}	789 517	18 13	350 220	156 99	90 83	61 25	23 11	24 10	16 9	738 470	27 26	9 6	6 3	780 505	8 8	3 —	1 —	— —
763-0	Pneumonia of newborn, without mention of immaturity {M}{F}	378 257	1 1	8 7	19 10	26 13	42 19	21 18	19 11	11 14	147 93	103 72	64 41	64 51	378 257	— —	— —	— —	— —
763-5	Pneumonia of newborn, with immaturity {M}{F}	192 119	— —	6 2	15 3	25 13	19 11	10 7	12 3	11 3	98 42	39 17	36 13	19 13	192 119	— —	— —	— —	— —
764-0	Diarrhea of newborn, without mention of immaturity {M}{F}	43 30	— —	1 —	— —	1 —	1 —	— —	— —	2 1	4 2	5 5	11 9	23 14	43 30	— —	— —	— —	— —
764-5	Diarrhea of newborn, with immaturity {M}{F}	13 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	3 —	8 2	2 4	13 6	— —	— —	— —	— —
765-0	Ophthalmia neonatorum, without mention of immaturity {M}{F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 27—continued.

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months				
												1	2	3	Total under 4 weeks	4 weeks to 2 mths	3-5	6-8	9-11
					1	2	3	4	5	6									
769-8	Neonatal disorders attributed to toxoplasmosis, with immaturity {M}{F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-9	Neonatal disorders attributed to other or unspecified maternal toxemia, with immaturity {M}{F}	26 18	—	11 5	2 1	4 3	3 7	1 1	1 —	1 1	23 18	2 —	—	—	25 18	1 —	—	—	—
770-0	Erythroblastosis, without mention of immaturity or nervous affection or Kernicterus, without mention of immaturity {M}{F}	190 112	9 7	61 47	18 12	25 8	21 13	14 6	9 4	8 2	165 99	11 7	4 3	3 —	183 109	4 —	1 2	1 1	1 —
770-1	Kernicterus, without mention of immaturity {M}{F}	77 33	—	—	5 1	23 9	15 10	14 5	6 3	6 1	69 29	1 1	1 1	—	71 31	2 —	3 1	—	1 1
770-2	Erythroblastosis, with disorder of liver other than icterus gravis, without mention of immaturity {M}{F}	— 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
770-5	Erythroblastosis, without mention of nervous affection but with immaturity {M}{F}	29 22	— 1	10 5	4 2	2 2	3 1	4 2	2 2	1 2	26 17	3 2	—	—	29 19	— 3	—	—	—
770-6	Kernicterus with immaturity {M}{F}	24 16	—	—	—	—	1 2	3 1	9 4	6 4	20 12	3 3	1 —	—	24 16	—	—	—	—
770-7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity {M}{F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
771-0	Hæmorrhagic disease of newborn, without mention of immaturity {M}{F}	91 69	1 2	11 15	8 7	20 17	19 10	6 6	3 3	3 2	71 62	11 5	4 2	—	86 69	4 —	1 —	—	—
771-5	Hæmorrhagic disease of newborn, with immaturity {M}{F}	34 27	1 —	2 3	5 1	2 5	9 6	3 1	3 6	1 2	26 24	7 2	—	—	34 26	— 1	—	—	—
772-0	Nutritional maladjustment, without mention of immaturity {M}{F}	16 5	—	—	—	—	1 —	—	—	—	1	—	—	—	2	12	2 1	—	—
772-5	Nutritional maladjustment, with immaturity {M}{F}	2 2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
773-0	Ill-defined diseases {M}{F}	54	1	7	4	5	2	3	1	1	24	5	4	3	36	12	5	1	—

774	Immatu- rity with men- tion of any other subsi- diary con- dition	101 83	2 4	4 14	19 6	30 6	16 5	8 5	6 5	1 6	3 3	3 1	4 1	83 42	9 2	4 3	2 3	3 2	36 52	3 1	1 —	—	—
775	Immatu- rity subsidiary to some other cause	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
776	Immatu- rity un- qualified .. {M .. {F	2159 1539	78 62	1073 711	350 265	229 151	114 79	56 55	61 34	61 34	48 38	2009 1395	106 89	29 24	5 15	2149 1523	10 16	36 30	—	—	—	—	
780-795	Symptoms, and ill- defined conditions .. {M .. {F	40 23	8 2	1 —	1 2	1 1	4 —	—	2 —	2 —	—	16 6	3 1	3 2	—	21 9	7 6	3 2	3 1	—	—	—	
780-2	Convulsions .. {M .. {F	27 15	—	—	1 1	1 1	4 —	—	1 —	1 —	—	7 2	2 1	2 —	—	11 3	6 5	4 2	3 1	—	—	—	
785-2	Jaundice .. {M .. {F	3 5	—	1	1	—	—	—	1 —	1 —	—	1 2	1 1	1 —	—	2 4	1 —	—	—	—	—	—	
E800-E999	Accidents, poisonings, and violence.. {M .. {F	453 315	64 37	7 8	3 2	2 2	5 3	4 —	3 1	3 1	—	88 54	5 10	12 6	12 2	117 72	124 84	159 109	35 31	18 19	—	—	
E800-E866	Transport accidents .. {M .. {F	1 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1 —	—	—	—		
E870-E895	Accidental poisoning .. {M .. {F	3 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2 1	1 1	—	—	
E900-E936	Other accidents .. {M .. {F	430 305	57 33	6 8	3 2	2 2	5 3	4 —	3 1	3 1	—	80 50	4 10	10 6	12 2	106 68	124 83	152 108	32 29	16 17	—	—	
E921- E925	Accidental mechanical suffocation .. {M .. {F	333 243	1 2	—	2 2	2 2	4 2	4 —	3 1	3 1	—	16 8	4 9	10 6	11 2	41 25	117 78	140 103	26 26	9 11	—	—	
E926	Lack of care of infants under 1 year of age .. {M .. {F	63 41	55 29	4 8	1 2	—	1 —	—	—	—	—	61 40	—	—	—	61 40	1 —	—	1 —	—	—		
E940-E959	Accidents due to medical & surgical intervention .. {M .. {F	1 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1 —	—	—	—		
E980-E985	Homicide and injury purposely inflicted by other persons (not in war) .. {M .. {F	18 5	7 4	1 —	—	—	—	—	—	—	—	8 4	1 —	2 —	—	11 4	—	5 1	1 —	1 —	—	—	
Rem. of E800-E999	Other violence .. {M .. {F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
N800-N829	Fractures .. {M .. {F	12 8	3 4	—	—	—	—	—	—	—	—	3 4	1 —	—	—	4 4	1 1	5 —	—	2 3	—	—	
N850-N856	Head injury (exclud- ing skull fracture) .. {M .. {F	9 3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2 2	4 —	1 —	—	—	—	
N860-N869	Internal injury of chest, abdomen, & pelvis .. {M .. {F	2 —	—	1	1	—	—	—	—	—	—	2 —	—	—	—	2 —	—	—	—	—	—	—	
N940-N949	Burns .. {M .. {F	7 8	—	1	—	—	—	—	—	—	—	1 —	—	—	—	1 —	—	3 5	2 —	1 2	—	—	
Rem. of N800-N999	Other injuries .. {M .. {F	423 296	61 33	5 7	2 2	2 2	5 3	4 —	3 1	3 1	—	82 49	4 10	12 6	12 2	110 67	121 80	147 104	31 31	14 14	—	—	

TABLE 28.—Infant Mortality from Certain Causes 1951. Deaths under 1 year and various sub-divisions of the first year, and illegitimate deaths under 1 year.

England and Wales, Standard Regions Conurbations, and Aggregates of Urban and Rural areas outside the Conurbations

See explanatory notes on page vi.

Area	Total under 1 year	Under 4 weeks	4 weeks—2 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks—2 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year
All Causes								Tuberculosis (001-019)						
England and Wales	20223	12788	2778	2464	1300	893	1275	99	1	9	19	25	45	
Regional Summary & Conurbations														
Northern	2018	1172	300	296	156	94	98	10	—	—	1	5	4	
Tyneside conurbation	552	317	74	93	39	29	23	2	—	—	—	2	—	
Remainder of Northern	1466	855	226	203	117	65	75	8	—	—	1	3	4	
East and West Ridings	2135	1234	320	312	161	108	131	11	—	1	1	2	7	
West Yorkshire conurbation	857	478	138	131	63	47	66	8	—	1	1	2	4	
Remainder of E. & W. Ridings	1278	756	182	181	98	61	65	3	—	—	—	—	3	
North Western	3473	2135	516	439	232	151	212	18	—	2	6	4	6	
South East Lancs. conurbation	1295	791	211	146	87	60	70	8	—	—	4	3	1	
Merseyside conurbation	911	539	142	131	61	38	58	5	—	2	1	1	1	
Remainder of North Western	1267	805	163	162	84	53	84	5	—	—	1	—	4	
North Midland	1559	953	211	206	117	72	104	6	—	—	—	2	4	
Midland	2275	1453	308	270	154	90	132	18	—	2	5	3	8	
West Midland conurbation	1121	706	150	128	80	57	61	13	—	1	3	3	6	
Remainder of Midland	1154	747	158	142	74	33	71	5	—	1	2	—	2	
Eastern	1211	801	150	144	70	46	90	4	—	—	2	2	—	
London and South Eastern	3789	2610	464	363	185	167	289	15	1	3	1	4	6	
Greater London	2866	2005	332	272	137	120	217	10	1	2	1	2	4	
Remainder of South Eastern	923	605	132	91	48	47	72	5	—	1	—	2	2	
Southern	1051	703	131	111	55	51	59	1	—	—	—	—	1	
South Western	1210	826	147	123	64	50	81	7	—	—	1	2	4	
Wales	1502	901	231	200	106	64	79	9	—	1	2	1	5	
Wales I	1075	663	149	144	71	48	55	4	—	—	—	1	3	
Wales II	427	238	82	56	35	16	24	5	—	1	2	—	2	
Density Aggregates Summary														
Conurbations	7602	4836	1047	901	467	351	495	46	1	6	10	13	16	
Areas outside the conurbations	12621	7952	1731	1563	833	542	780	53	—	3	9	12	29	
Urban areas with populations of 100,000 and over	2906	1799	407	352	203	145	171	12	—	1	3	2	6	
Urban areas with populations of 50,000 and under 100,000	1546	955	228	188	106	69	116	6	—	1	1	1	3	
Urban areas with populations under 50,000	4403	2789	592	561	280	181	237	23	—	—	2	6	15	
Rural areas	3766	2409	504	462	244	147	256	12	—	1	3	3	5	
Whooping cough (056)								Pneumonia (490-493, 763)						
England and Wales	273	3	84	71	63	52	6	3469	946	917	919	417	270	2
Regional Summary & Conurbations														
Northern	24	—	10	9	4	1	1	420	81	118	130	64	27	
Tyneside conurbation	9	—	5	3	1	—	1	111	20	30	41	13	7	
Remainder of Northern	15	—	5	6	3	1	—	309	61	88	89	51	20	
East and West Ridings	27	—	8	8	7	4	1	407	75	108	133	46	45	
West Yorkshire conurbation	8	—	2	4	1	1	—	179	36	49	52	17	25	
Remainder of E. & W. Ridings	19	—	6	4	6	3	1	228	39	59	81	29	20	
North Western	36	1	10	13	6	6	—	637	178	162	167	75	55	
South East Lancs. conurbation	5	—	—	1	2	2	—	235	59	68	62	22	24	
Merseyside conurbation	21	—	8	9	2	2	—	230	58	47	53	27	15	
Remainder of North Western	10	1	2	3	2	2	—	202	61	47	52	26	16	
North Midland	22	—	9	2	6	5	—	281	72	74	78	43	14	
Midland	39	—	12	11	8	8	1	372	117	98	82	48	27	
West Midland conurbation	14	—	5	1	3	5	—	176	54	46	36	24	16	
Remainder of Midland	25	—	7	10	5	3	1	196	63	52	46	24	11	
Eastern	18	—	7	5	1	5	—	164	58	31	40	20	15	
London and South Eastern	37	1	9	4	11	12	1	550	182	167	122	47	32	
Greater London	25	—	4	3	9	9	1	425	142	132	94	32	25	
Remainder of South Eastern	12	1	5	1	2	3	—	125	40	35	28	15	7	
Southern	14	—	2	6	3	3	1	179	63	38	41	17	20	
South Western	21	1	9	4	5	2	—	189	52	49	50	22	16	
Wales	35	—	8	9	12	6	1	270	68	72	76	35	19	
Wales I	22	—	4	5	8	5	—	197	52	52	55	26	12	
Wales II	13	—	4	4	4	1	1	73	16	20	21	9	7	
Density Aggregates Summary														
Conurbations	82	—	24	21	18	19	2	1326	369	372	338	135	112	
Areas outside the conurbations	191	3	60	50	45	33	4	2143	577	545	581	282	158	
Urban areas with populations of 100,000 and over	43	—	10	9	12	12	2	586	171	147	153	75	40	
Urban areas with populations of 50,000 and under 100,000	18	1	7	5	3	2	—	266	61	64	80	36	25	
Urban areas with populations under 50,000	61	1	20	16	13	11	—	690	173	180	190	104	43	
Rural areas	69	1	23	20	17	8	2	601	172	154	158	67	50	

TABLE 28—continued.

Area	Total under 1 year							Total under 1 year																					
	Under 4 weeks	4 weeks—2 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)		Under 4 weeks	4 weeks—2 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)																
Bronchitis (500-502)															Gastro-enteritis (571, 764)														
England and Wales	455	31	164	151	77	32	22	831	92	275	263	130	71	73															
Regional Summary & Conurbations																													
Northern	66	7	28	23	6	2	1	79	10	22	22	16	9	3															
Tyneside conurbation	21	3	9	6	3	—	—	18	2	3	9	3	1	—															
Remainder of Northern	45	4	19	17	3	2	1	61	8	19	13	13	8	3															
East and West Ridings	47	2	15	17	12	1	2	125	17	42	41	16	9	12															
West Yorkshire conurbation	15	1	3	6	5	—	1	52	7	18	16	7	4	6															
Remainder of E. & W. Ridings	32	1	12	11	7	1	1	73	10	24	25	9	5	6															
North Western	82	5	29	28	14	6	6	177	12	69	51	33	12	10															
South East Lancs. conurbation	31	3	10	9	6	3	—	75	7	32	17	16	3	4															
Merseyside conurbation	16	—	8	6	2	—	2	45	—	19	13	9	4	3															
Remainder of North Western	35	2	11	13	6	3	4	57	5	18	21	8	5	3															
North Midland	46	3	14	15	8	6	2	52	3	15	24	9	1	4															
Midland	45	5	15	13	7	5	—	105	12	33	36	16	8	9															
West Midland conurbation	32	4	9	10	4	5	—	62	6	18	24	8	6	4															
Remainder of Midland	13	1	6	3	3	—	—	43	6	15	12	8	2	5															
Eastern	19	2	5	3	7	2	—	57	6	15	22	7	7	13															
London and South Eastern	94	4	37	35	13	5	7	100	12	30	33	16	9	12															
Greater London	79	3	30	32	11	3	6	63	11	16	18	12	6	5															
Remainder of South Eastern	15	1	7	3	2	2	1	37	1	14	15	4	3	7															
Southern	5	—	1	1	3	—	1	45	5	18	10	5	7	3															
South Western	12	1	3	4	3	1	2	38	4	14	9	7	4	4															
Wales	39	2	17	12	4	4	1	53	11	17	15	5	5	3															
Wales I	28	1	12	9	2	4	1	31	3	9	12	3	4	1															
Wales II	11	1	5	3	2	—	—	22	8	8	3	2	1	2															
Density Aggregates Summary																													
Conurbations	194	14	69	69	31	11	9	315	33	106	97	55	24	22															
Areas outside the conurbations	261	17	95	82	46	21	13	516	59	169	166	75	47	51															
Urban areas with populations of 100,000 and over	52	4	20	17	7	4	3	128	8	45	42	18	15	10															
Urban areas with populations of 50,000 and under 100,000	35	1	16	7	8	3	5	63	9	22	15	11	6	13															
Urban areas with populations under 50,000	107	8	35	40	14	10	2	188	25	56	70	22	15	22															
Rural areas	67	4	24	18	17	4	3	137	17	46	39	24	11	6															
Congenital malformations (750-759)															Injury at birth (760, 761)														
England and Wales	2864	1817	506	300	142	99	122	1953	1915	26	6	5	1	111															
Regional Summary & Conurbations																													
Northern	245	162	36	24	13	10	11	163	159	4	—	—	—	7															
Tyneside conurbation	58	42	7	5	1	3	3	45	45	—	—	—	—	2															
Remainder of Northern	187	120	29	19	12	7	8	118	114	4	—	—	—	5															
East and West Ridings	260	148	53	30	19	10	9	220	215	4	—	1	—	16															
West Yorkshire conurbation	97	58	20	10	7	2	4	90	87	2	—	1	—	7															
Remainder of E. & W. Ridings	163	90	33	20	12	8	5	130	128	2	—	—	—	9															
North Western	479	299	88	50	28	14	24	329	323	3	1	2	—	17															
South East Lancs. conurbation	163	97	38	11	11	6	8	135	133	1	1	—	—	7															
Merseyside conurbation	131	79	20	19	9	4	8	92	91	1	—	—	—	5															
Remainder of North Western	185	123	30	20	8	4	8	102	99	1	—	2	—	5															
North Midland	234	147	42	23	10	12	6	133	131	1	—	1	—	8															
Midland	316	215	50	34	15	2	15	224	219	3	2	—	—	13															
West Midland conurbation	140	100	21	14	4	1	8	141	137	3	1	—	—	10															
Remainder of Midland	176	115	29	20	11	1	7	83	82	—	1	—	—	3															
Eastern	178	111	34	22	7	4	10	111	109	1	—	—	1	6															
London and South Eastern	601	373	106	63	32	27	28	373	369	3	1	—	—	25															
Greater London	460	288	76	51	27	18	18	301	299	2	—	—	—	22															
Remainder of South Eastern	141	85	30	12	5	9	10	72	70	1	1	—	—	3															
Southern	155	101	31	12	5	6	7	101	99	1	—	1	—	5															
South Western	179	118	25	22	9	5	5	162	159	2	1	—	—	12															
Wales	217	143	41	20	4	9	7	137	132	4	1	—	—	2															
Wales I	148	99	25	14	2	8	5	102	99	2	1	—	—	1															
Wales II	69	44	16	6	2	1	2	35	33	2	—	—	—	1															
Density Aggregates Summary																													
Conurbations	1049	664	182	110	59	34	49	804	792	9	2	1	—	53															
Areas outside the conurbations	1815	1153	324	190	83	65	73	1149	1123	17	4	4	1	58															
Urban areas with populations of 100,000 and over	381	241	64	35	27	14	15	260	254	6	—	—	—	14															
Urban areas with populations of 50,000 and under 100,000	229	135	47	24	11	12	13	132	132	—	—	—	—	11															
Urban areas with populations under 50,000	661	421	119	69	27	25	23	410	400	7	—	3	—	19															
Rural areas	544	356	94	62	18	14	22	347	337	4	4	1	1	14															

TABLE 28—continued.

Area	Total under 1 year	Under 4 weeks	4 weeks— 2 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks— 2 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Post-natal asphyxia, atelectasis (762)							Haemolytic disease of newborn (770)						
England and Wales	2441	2364	44	25	3	5	149	505	483	9	7	2	4	2
Regional Summary & Conurbations														
Northern	172	166	3	3	—	—	6	37	35	2	—	—	—	—
Tyneside conurbation	38	38	—	—	—	—	1	8	7	1	—	—	—	—
Remainder of Northern	134	128	3	3	—	—	5	29	28	1	—	—	—	—
East and West Ridings	234	220	4	9	—	1	18	47	46	—	1	—	—	—
West Yorkshire conurbation	89	86	—	3	—	—	10	15	14	—	1	—	—	—
Remainder of E. & W. Ridings	145	134	4	6	—	1	8	32	32	—	—	—	—	—
North Western	417	405	11	—	—	1	19	68	62	4	1	—	1	—
South East Lancs. conurbation	163	157	5	—	—	1	7	30	26	2	1	—	1	—
Merseyside conurbation	110	110	—	—	—	—	6	17	16	1	—	—	—	—
Remainder of North Western	144	138	6	—	—	—	6	21	20	1	—	—	—	—
North Midland	195	191	3	1	—	—	15	29	27	—	1	1	—	—
Midland	295	289	3	2	1	—	18	53	50	—	1	1	1	—
West Midland conurbation	143	142	1	—	—	—	6	29	27	—	1	1	—	—
Remainder of Midland	152	147	2	2	1	—	12	24	23	—	—	—	1	—
Eastern	155	149	3	2	—	1	16	40	39	1	—	—	—	—
London and South Eastern	543	531	7	2	2	1	40	136	131	1	3	—	1	—
Greater London	427	422	2	1	1	1	32	108	105	1	1	—	1	—
Remainder of South Eastern	116	109	5	1	1	—	8	28	26	—	2	—	—	—
Southern	127	121	3	3	—	—	5	35	35	—	—	—	—	—
South Western	152	150	1	—	—	1	8	39	39	—	—	—	—	—
Wales	151	142	6	3	—	—	4	21	19	1	—	—	1	—
Wales I	105	98	5	2	—	—	2	16	14	1	—	—	1	—
Wales II	46	44	1	1	—	—	2	5	5	—	—	—	—	—
Density Aggregates Summary														
Conurbations	970	955	8	4	1	2	62	207	195	5	4	1	2	1
Areas outside the conurbations	1471	1409	36	21	2	3	87	298	288	4	3	1	2	1
Urban areas with populations of 100,000 and over	340	323	11	4	—	2	15	81	79	1	—	—	1	—
Urban areas with populations of 50,000 and under 100,000	179	173	3	3	—	—	10	44	41	1	1	1	—	—
Urban areas with populations under 50,000	491	470	14	7	—	—	31	92	89	1	2	—	—	—
Rural areas	461	443	8	7	2	1	31	81	79	1	—	—	1	—
Immaturity associated with diseases of early infancy (760-773)*														
Immaturity (774-776)														
England and Wales	2954	2896	49	6	2	1	195	3886	3788	92	4	2	—	27
Regional Summary & Conurbations														
Northern	231	227	3	—	1	—	10	414	398	14	2	—	—	2
Tyneside conurbation	55	55	—	—	—	—	3	120	111	7	2	—	—	—
Remainder of Northern	176	172	3	—	1	—	7	294	287	7	—	—	—	2
East and West Ridings	279	274	4	1	—	—	18	371	368	3	—	—	—	2
West Yorkshire conurbation	113	108	4	1	—	—	10	143	142	1	—	—	—	1
Remainder of E. & W. Ridings	166	166	—	—	—	—	8	228	226	2	—	—	—	1
North Western	484	470	14	—	—	—	31	686	671	15	—	—	—	5
South East Lancs. conurbation	160	155	5	—	—	—	9	247	243	4	—	—	—	1
Merseyside conurbation	169	166	3	—	—	—	12	152	146	6	—	—	—	1
Remainder of North Western	155	149	6	—	—	—	10	287	282	5	—	—	—	—
North Midland	223	218	3	2	—	—	21	280	272	8	—	—	—	2
Midland	339	333	5	1	—	—	21	411	400	9	2	—	—	2
West Midland conurbation	205	201	4	—	—	—	11	166	163	2	1	—	—	—
Remainder of Midland	134	132	1	1	—	—	10	245	237	7	1	—	—	1
Eastern	186	183	2	1	—	—	18	240	234	6	—	—	—	1
London and South Eastern	645	637	6	—	1	1	41	756	738	17	—	1	—	6
Greater London	519	513	4	—	1	1	37	546	533	12	—	1	—	4
Remainder of South Eastern	126	124	2	—	—	—	4	210	205	5	—	—	—	2
Southern	151	149	2	—	—	—	7	203	200	3	—	—	—	1
South Western	219	217	2	—	—	—	15	225	217	8	—	—	—	1
Wales	197	188	8	1	—	—	13	300	290	9	—	1	—	2
Wales I	134	127	6	1	—	—	8	230	228	2	—	—	—	1
Wales II	63	61	2	—	—	—	5	70	62	7	—	1	—	—
Density Aggregates Summary														
Conurbations	1221	1198	20	1	1	1	82	1374	1338	32	3	1	—	10
Areas outside the conurbations	1733	1698	29	5	1	—	113	2512	2450	60	1	1	—	16
Urban areas with populations of 100,000 and over	405	399	6	—	—	—	25	555	543	11	1	—	—	4
Urban areas with populations of 50,000 and under 100,000	186	183	3	—	—	—	11	306	299	7	—	—	—	2
Urban areas with populations under 50,000	618	602	11	4	1	—	38	918	898	20	—	—	—	5
Rural areas	524	514	9	1	—	—	39	733	710	22	—	1	—	5

*Including some deaths shown elsewhere in this table.

TABLE 29.—Notifications of Certain Infectious Diseases. Case Rates per 100,000 Population, 1941 - 1951 (For the years 1941-1949, the Rates in this Table relate to Civilians only).

England and Wales and Certain Aggregates.

See Explanatory notes on page vii.

Disease.	Year.	England and Wales (including Port Health Districts).	England.	Wales (including Mon-month).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Mon-month).	England.	Wales (including Mon-month).	England (excluding London).	Wales (including Mon-month).	England.	Wales (including Mon-month).
Typhoid fever	1941	3	3	4	4	2	4	2	2	3	4	3	5
	1942	1	1	1	2	1	1	1	1	1	1	1	1
	1943	1	1	1	1	1	1	1	1	1	1	1	1
	1944†	1	1	1	1	1	1	1	1	1	1	1	1
	1945†	1	1	1	1	1	1	1	1	1	1	1	1
	1946†	1	1	7	1	1	9	1	1	1	9	1	8
	1947†	1	1	1	1	1	0	1	1	1	0	1	1
	1948†	1	1	1	0	1	1	1	1	1	1	1	1
	1949†	1	1	1	1	1	0	1	1	1	0	1	1
	1950†	1	0	0	1	0	0	0	—	0	0	0	—
Paratyphoid fevers	1941	9	10	4	6	7	4	16	3	7	6	7	2
	1942	1	1	1	1	1	1	1	1	1	1	1	1
	1943	1	1	1	1	1	1	1	1	1	1	1	1
	1944†	1	1	1	1	1	1	1	1	1	1	1	1
	1945†	1	1	1	0	1	1	1	1	1	1	1	1
	1946†	2	2	1	1	1	3	3	2	1	4	2	1
	1947†	1	1	1	1	1	0	1	—	1	0	1	1
	1948†	1	1	0	1	1	1	1	—	1	1	1	1
	1949†	1	1	0	1	1	1	2	0	1	0	1	1
	1950†	1	2	3	1	2	4	3	1	2	3	2	5
Meningococcal infections	1941	26	24	44	30	19	42	34	54	20	46	16	35
	1942	14	13	20	15	11	20	18	21	11	20	10	19
	1943	8	8	9	9	6	9	10	9	7	9	6	9
	1944†	5	5	6	6	5	6	6	8	5	7	5	4
	1945†	5	5	6	6	4	5	5	8	4	7	4	4
	1946†	5	5	6	6	4	4	6	8	4	7	4	4
	1947†	5	5	6	5	4	4	6	8	5	7	4	4
	1948†	3	3	4	3	2	3	4	5	2	4	2	2
	1949†	3	3	4	3	2	3	4	5	2	4	2	2
	1950†	3	3	4	3	3	4	4	5	3	4	2	3
	1951†												
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)

† See note at end of table.

TABLE 29—continued.

Disease.	Year.	England and Wales (including Port Health Districts).	England.	Wales (including Mon-month).	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
					England (excluding London).	Wales (including Mon-month).	England.	Wales (including Mon-month).	England (excluding London).	Wales (including Mon-month).	England.	Wales (including Mon-month).
Scarlet fever	(1)	(2)	(3)	(8)	(5)	(6)	(7)	(9)	(10)	(11)	(12)	(13)
	1941	150	151	129	103	143	168	76	150	165	143	107
	1942	219	224	154	186	204	271	131	224	184	172	143
	1943	301	308	201	380	297	315	240	333	213	217	156
	1944†	241	241	228	235	222	270	252	243	243	215	188
	1945†	189	189	187	157	175	223	171	183	216	156	153
	1946†	138	137	153	142	127	155	147	132	181	113	113
	1947†	137	111	141	133	123	164	198	131	140	103	102
	1948†	173	170	154	137	154	209	310	165	210	128	164
	1949†	163	163	160	146	156	180	229	167	160	131	109
Diphtheria	1950†	150	150	155	123	147	152	195	152	170	136	101
	1951†	111	111	108	110	107	120	126	113	126	93	67
	1941	128	120	230	95	89	186	294	95	249	78	158
	1942	105	101	152	76	70	169	198	75	159	57	112
	1943	88	86	121	74	60	137	165	68	111	45	108
	1944†	59	56	90	31	44	85	106	50	92	31	77
	1945†	46	45	58	31	37	61	64	41	67	28	51
	1946†	29	28	42	24	23	37	40	25	44	18	38
	1947†	13	13	18	14	10	18	13	11	20	9	17
	1948†	8	8	7	10	7	11	6	7	8	5	8
Whooping cough	1949†	4	4	4	6	3	6	3	3	4	3	5
	1950†	2	2	2	2	1	3	2	2	3	2	5
	1951†	2	1	2	1	1	2	4	1	2	1	7
	1941	447	458	302	356	464	466	210	469	386	454	226
	1942	173	177	114	134	163	184	147	165	113	159	94
	1943	254	252	135	268	236	312	160	243	151	212	101
	1944†	249	283	185	270	257	317	164	252	185	270	199
	1945†	164	163	97	190	167	181	91	159	103	187	92
	1946†	229	233	126	222	216	272	164	215	121	218	106
	1947†	222	228	127	283	215	237	160	220	136	203	88
Erysipelas	1948†	342	349	217	313	218	363	274	342	241	358	203
	1949†	239	242	183	170	237	280	260	232	167	231	150
	1950†	360	372	173	321	347	431	296	351	148	338	123
	1951†	387	387	376	311	407	370	425	401	375	419	342
	1941	31	32	23	51	26	38	23	27	27	24	16
	1942	30	30	23	43	25	37	24	26	26	23	16
	1943	31	31	22	42	28	36	24	26	26	24	14
	1944†	29	29	22	37	27	32	28	28	28	24	13
	1945†	25	26	19	31	23	29	17	24	25	22	11
	1946†	22	23	16	27	20	25	16	22	15	18	11
Erysipelas	1947†	19	19	14	23	17	21	16	22	15	18	10
	1948†	21	22	17	22	20	25	20	21	19	18	10
	1949†	19	19	18	17	18	22	25	18	18	15	12
	1950†	17	18	15	17	17	20	22	17	15	17	9
	1951†	14	14	10	15	13	15	15	13	10	12	8

Dysentery	1941	17	17	17	27	31	19	7	13	4	15	10	27	3
	1942	18	17	25	31	17	21	15	14	15	24	15	24	30
	1943	19	19	43	45	17	8	19	14	15	20	15	20	3
	1944†	30	29	43	29	23	23	19	120	26	36	26	36	19
	1945†	39	39	72	72	36	14	38	73	33	12	42	42	16
Measles	1946†	19	19	12	24	21	18	26	19	26	19	7	24	10
	1947†	9	9	10	11	11	1	6	12	12	8	7	17	2
	1948†	12	12	14	21	10	4	14	24	24	9	7	12	7
	1949†	11	10	12	13	8	10	13	17	17	9	15	8	2
	1950†	39	40	28	28	22	22	32	72	32	29	19	19	11
Acute poliomyelitis and polioencephalitis	1951†	65	67	121	55	23	77	60	44	15	28	44	15	15
	1941	1053	1053	486	1208	1146	862	685	1101	1377	1347	1377	1347	773
	1942	746	775	339	655	324	993	825	1101	1377	1347	1377	1347	773
	1943	988	986	1028	1032	1053	911	930	762	350	423	350	423	283
	1944†	416	429	223	298	236	531	176	412	1313	1113	1313	1113	637
Ac.p. poliomyelitis (Paralytic)	1945†	1167	1170	1123	1226	1043	1127	1421	1191	1198	1306	1198	1306	192
	1946†	394	405	189	352	195	418	167	385	136	276	136	276	192
	1947†	941	936	1024	539	1030	1040	1003	951	1183	893	1183	893	779
	1948†	934	955	917	910	634	1040	456	908	678	914	678	914	564
	1949†	895	916	854	917	485	930	826	908	588	938	588	938	318
Ac. poliomyelitis (Non-para.)	1950†	733	839	657	806	660	968	751	826	724	751	724	751	557
	1951†	1407	1415	1464	1419	1320	1396	1097	1451	1397	1347	1397	1347	1199
Ac.p. poliomyelitis (Non-para.)	1941	2	2	2	3	2	2	1	3	2	3	2	3	3
	1942	2	2	1	2	2	2	1	1	2	2	2	2	2
	1943	1	1	1	1	1	1	1	1	1	1	1	1	1
	1944†	2	2	2	2	2	2	2	2	2	2	2	2	2
	1945†	18	19	15	22	15	16	14	19	14	22	14	22	17
Ac.p. poliomyelitis (Paralytic)	1946†	14	14	8	20	7	12	9	14	9	15	9	15	4
	1947†	13	13	11	8	12	15	7	11	10	15	10	15	15
	1948†	3	4	2	2	4	4	2	2	4	4	4	4	4
	1949†	5	5	5	5	5	5	5	5	5	5	5	5	5
	1950†	2	2	2	2	2	2	2	2	2	2	2	2	2
*Puerperal fever and puerperal pyrexia	1941	19	19	16	18	14	24	24	19	16	13	16	13	9
	1942	22	23	17	26	15	30	26	20	19	14	14	14	8
	1943	22	23	15	25	11	30	29	21	14	14	14	14	7
	1944†	21	21	14	22	10	30	31	19	12	13	13	13	6
	1945†	18	19	13	26	9	25	28	16	11	11	11	11	6
Food poisoning	1946†	16	16	9	16	6	23	27	16	10	7	7	7	6
	1947†	13	13	6	15	4	14	14	11	5	6	6	6	3
	1948†	11	11	5	13	4	17	14	9	5	5	5	5	7
	1949†	9	10	5	11	3	12	8	8	8	8	8	8	3
	1950†	17	17	9	27	6	25	20	15	8	7	8	7	3
Food poisoning	1951†	15	15	25	18	15	14	15	14	21	3	21	3	5
	1951†	13	13	23	12	10	15	7	10	14	16	14	16	6

*The London figures include the following notification rates for Puerperal fever alone:—1941—0·02, 1942—0·04, 1943—0·05, 1944—0·05, 1945—0·06, 1946—0·04, 1947—0·03, 1948—0·01, 1949—Nil, 1950—Nil, 1951—Nil. The Puerperal Pyrexia Regulations 1951, which came into operation on the 1st August, 1951, and which apply throughout England and Wales, including London, contain a revised definition of Puerperal Pyrexia. (For further details, see footnotes at end of Table 33). From the 1st August, 1951, Puerperal Fever was no longer separately notifiable in London.

†The rates in these years are based upon notifications finally corrected after amendment of diagnosis (except in Port Health Districts).

TABLE 30.—Seasonal Incidence of Certain Infectious Diseases, 1951 (including Non-Civilians). } England and Wales.

Note.—The actual average weekly number of cases is shown at the foot of each column. The proportion of the notifications to this average taken as 100 is shown for each week : where the seasonal excess is more than 30 per cent. over the weekly average the proportionate figure is shown in heavy type.

See explanatory notes on page vii.

Week ended	Typhoid fever	Paratyphoid fevers	Meningo-coccal Infection	Scarlet fever	Whooping cough	Diphtheria	Measles	Acute Poliomyelitis		Food poisoning
								Paralytic	Non-paralytic	
Jan. 6 1951 ..	80	5	132	97	154	100	183	109	40	95
" 13 ..	—	36	161	90	153	79	158	79	44	54
" 20 ..	80	9	116	107	148	113	135	85	28	55
" 27 ..	80	18	158	101	154	126	135	59	28	118
Feb. 3 ..	60	14	192	92	151	134	138	62	44	115
" 10 ..	100	27	137	94	157	116	183	35	28	68
" 17 ..	80	50	132	95	174	105	208	53	24	82
" 24 ..	100	59	118	87	182	113	235	47	20	98
Mar. 3 ..	80	9	129	100	187	116	247	56	36	72
" 10 ..	220	18	116	111	173	121	246	26	16	74
" 17 ..	20	23	100	106	170	132	269	53	—	73
" 24 ..	140	45	103	97	125	132	235	29	12	37
" 31 ..	140	95	153	97	126	121	264	56	16	73
Apr. 7 ..	160	123	103	89	123	126	243	32	16	57
" 14 ..	120	59	121	87	118	111	191	44	20	117
" 21 ..	80	55	105	100	107	84	161	41	32	36
" 28 ..	80	18	76	114	112	84	152	32	32	59
May 5 ..	80	32	71	109	107	118	155	50	16	107
" 12 ..	60	45	87	108	98	100	168	32	40	88
" 19 ..	120	45	95	104	79	82	156	41	40	51
" 26 ..	100	68	108	98	92	113	162	65	32	79
June 2 ..	400	18	97	110	99	124	132	47	48	68
" 9 ..	140	68	139	102	101	97	125	94	80	49
" 16 ..	200	64	105	103	101	76	103	74	100	292
" 23 ..	120	177	74	90	106	97	96	129	140	117
" 30 ..	20	191	82	95	108	84	85	121	184	130
July 7 ..	140	105	103	86	103	58	72	118	240	90
" 14 ..	80	132	95	85	101	92	65	147	280	164
" 21 ..	100	168	97	87	104	79	53	179	292	155
" 28 ..	160	241	92	80	100	95	44	147	284	166
Aug. 4 ..	80	155	76	68	89	87	42	162	248	96
" 11 ..	240	200	63	49	82	50	31	162	232	64
" 18 ..	200	236	66	50	97	82	27	168	252	98
" 25 ..	120	209	82	49	91	61	20	176	224	106
Sept. 1 ..	40	168	95	48	84	92	16	103	216	102
" 8 ..	80	145	82	52	79	105	12	138	156	90
" 15 ..	200	173	61	63	74	95	10	124	192	137
" 22 ..	200	127	34	65	67	82	9	141	148	131
" 29 ..	100	150	61	78	54	66	11	188	176	74
Oct. 6 ..	180	141	71	91	49	79	12	165	160	103
" 13 ..	120	409	92	109	49	108	14	159	160	160
" 20 ..	60	368	97	119	47	87	15	197	208	73
" 27 ..	80	132	92	117	44	92	17	182	136	75
Nov. 3 ..	40	118	87	112	45	121	17	182	80	101
" 10 ..	80	45	97	130	50	111	16	165	88	79
" 17 ..	80	64	111	155	56	100	18	132	80	69
" 24 ..	100	64	121	155	58	76	17	121	64	86
Dec. 1 ..	40	82	79	167	57	118	20	115	68	79
" 8 ..	60	64	76	164	59	79	20	109	64	77
" 15 ..	20	77	76	162	59	111	21	106	32	45
" 22 ..	120	77	79	164	56	142	20	65	24	150
" 29 ..	60	32	68	115	43	113	20	50	12	371
Average weekly number of cases notified (original notifications)	5	22	38	951	3,259	38	11,841	34	25	121

TABLE 31.—Cases of Certain Infectious Diseases Notified, 1941-1951. } England and Wales.

See Explanatory notes on page vii.

(a) Total (excluding cases in Port Health Districts). } Civilians only, 1941-1949, including non-civilians for 1950 onwards.

Diseases	1941	1942	1943	1944†	1945†	1946†	1947†	1948†	1949†	1950†	1951†
Typhoid fever	1034	433	364	259	261	459	264	346	278	211	202
Paratyphoid fevers .. .	3621	354	313	225	213	720	396	370	576	291	1094
Plague	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	1	—	—	—
Meningococcal infections .. .	9886	5281	2974	2018	1829	1880	2196	1198	934	1149	1390
Scarlet fever	58051	83830	113917	90581	72174	56099	57246	73940	70186	65878	48735
Whooping cough	173249	65986	96105	93944	62663	92892	92657	146372	102801	157752	169347
Diphtheria	49432	40042	33277	22085	17580	11601	5492	3531	1874	959	658
Erysipelas	12025	11380	11547	10894	9701	9023	7812	9094	8259	7642	5935
Ophthalmia neonatorum .. .	4195	4516	4502	3659	3314	3416	3245	2729	2229	1935	1762
Dysentery	6389	6788	7031	11476	14728	7688	3711	5071	4513	17271	28564
Malaria (contracted in England and Wales)	2	2	4	9	7	6	5	3	4	—	1
Relapsing fever	6	1	1	6	5	3	1	2	—	—	2
Smallpox	—	6	—	15	3	43	77	—	17	7	27
Measles	407949	285446	373788	157125	445412	159553	393116	399185	385753	367598	616093
Ac. Poliomyelitis (Paralytic) .. .	940	636	444	495	821	655	7646	1829	5918	5557	1527
Ac. Poliomyelitis (Non-paralytic) .. .	—	—	—	—	—	—	—	—	—	2195	1082
Ac. Encephalitis (Infective) .. .	176	143	106	73	74	76	67	29	49	186	202
Ac. Encephalitis (Post-infectious) .. .	—	—	—	—	5	—	1	—	—	67	110
Typhus fever	—	—	—	—	—	—	—	—	—	1	*3
Pneumonia (acute primary and acute influenzal)	49399	40926	50683	36795	33349	36134	33006	31207	34386	30634	43229
Puerperal fever and pyrexia ‡ .. .	7355	8528	8350	7929	7006	7167	6528	5501	4724	4132	7417
Continued fever (London only) .. .	—	4	—	1	—	—	—	1	—	—	—
Food poisoning	?	?	?	?	?	?	?	?	?	7506	5797

(b) Port Health Districts. } Civilians only 1941-1949, including non-civilians for 1950 onwards.

Typhoid fever	1	5	—	3	8	10	11	12	15	31	25	4
Paratyphoid fevers .. .	6	2	—	—	—	1	5	4	—	3	2	1
Plague	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—
Meningococcal infections .. .	7	5	2	1	3	2	4	—	—	1	1	—
Scarlet fever	21	17	14	35	13	25	18	7	21	11	9	—
Whooping cough	27	3	1	54	4	24	20	26	7	29	94	—
Diphtheria	57	72	34	20	15	16	17	15	9	3	6	—
Erysipelas	8	10	6	5	4	2	—	5	3	8	1	—
Ophthalmia neonatorum .. .	—	1	—	1	—	—	—	—	—	—	—	—
Dysentery	6	4	6	7	16	43	28	16	—	14	15	26
Relapsing fever	—	—	—	—	—	1	—	—	—	2	1	—
Smallpox	—	—	—	—	—	—	—	—	—	—	—	—
Measles	42	31	39	73	34	530	48	266	64	127	99	2
Ac. Poliomyelitis (Paralytic) .. .	—	—	—	3	3	6	9	7	14	8	3	—
Ac. Poliomyelitis (Non-paralytic) .. .	—	—	—	—	—	—	—	—	—	—	—	—
Ac. Encephalitis (Infective) .. .	—	—	—	—	—	—	—	—	—	—	—	—
Ac. Encephalitis (Post-infectious) .. .	—	—	—	—	—	—	—	—	—	—	—	—
Typhus fever	—	—	—	—	1	—	—	—	—	7	—	—
Pneumonia (acute primary and acute influenzal)	24	32	16	28	28	37	40	29	22	29	30	1
Puerperal fever and pyrexia ‡ .. .	1	10	2	5	—	—	1	—	—	—	—	—
Continued fever (London only) .. .	—	—	—	—	—	—	—	—	—	—	—	—
Food poisoning	?	?	?	?	?	?	?	?	?	2	2	—

(c) Non-Civilians (including cases in Port Health Districts). ‡

Typhoid fever	23	30	18	17	30	23	14	8	2	—	—
Paratyphoid fevers .. .	80	34	15	33	20	11	16	3	3	—	—
Plague	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—
Meningococcal infections .. .	1184	743	327	290	231	130	86	18	8	—	—
Scarlet fever	1361	1237	2103	2055	1500	606	782	884	460	—	—
Whooping cough	54	27	30	46	24	20	5	12	8	—	—
Diphtheria	1308	1290	1351	1094	1001	369	100	29	7	—	—
Erysipelas	199	208	280	249	148	44	33	21	8	—	—
Dysentery	275	504	868	1542	1534	210	63	17	11	—	—
Malaria (contracted in England and Wales)	—	—	—	—	—	1	—	—	—	—	—
Relapsing fever	—	—	1	—	—	—	—	—	—	—	—
Smallpox	—	1	—	1	1	12	1	—	—	—	—
Measles	1724	864	2277	1281	1350	319	623	155	118	—	—
Ac. Poliomyelitis (Paralytic) .. .	19	38	12	34	34	19	121	19	50	—	—
Ac. Poliomyelitis (Non-paralytic) .. .	—	—	—	—	—	—	—	—	—	—	—
Ac. Encephalitis (Infective) .. .	11	5	3	6	2	2	1	1	—	—	—
Ac. Encephalitis (Post-infectious) .. .	—	—	—	—	—	—	—	—	—	—	—
Typhus fever	—	*1	—	—	22	1	—	—	—	—	—
Pneumonia (acute primary and acute influenzal)	1519	1740	1708	1808	994	442	183	122	153	—	—
Puerperal fever and pyrexia ‡ .. .	—	4	2	10	7	12	6	3	—	—	—
Continued fever (London only) .. .	—	—	—	—	—	—	—	—	—	—	—

*Not louse-borne. †Finally corrected notifications (except in Port Health Districts).

‡See footnote at end of Table 33.

TABLE 32.—Cases of Certain Infectious Diseases Notified, by Sex and Age, 1951. { England and Wales, Standard Regions, Conurbations
(including non-civilians). (excluding Port Health Districts).

Final numbers after correction.

Area.	All Ages.		0—		1—		3—		5—		10—		15—		25 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Scarlet fever.																		
England and Wales	24403	24332	87	102	1907	1602	5918	5394	12422	12748	2221	2925	1354	902	433	575	61	84
Regional Summary and Conurbations :																		
Northern	1985	2273	11	13	163	164	532	517	986	1130	186	307	58	82	29	40	20	20
Tyneside conurbation	531	608	3	3	45	42	154	155	266	315	48	65	7	19	8	9	—	—
Remainder of Northern	1454	1665	8	10	118	122	378	362	720	815	138	242	51	63	21	31	20	20
East and West Ridings	2220	2288	9	10	207	168	628	543	999	1125	223	289	102	92	49	58	3	3
West Yorkshire conurbation	934	1003	5	5	87	65	269	287	408	480	95	130	41	43	28	33	2	—
Remainder of East & West Ridings	1286	1285	4	5	120	103	359	256	591	645	128	159	61	49	21	25	3	—
North Western	4443	4464	14	14	370	297	1131	1078	2162	2245	449	611	247	138	60	74	10	7
South East Lancashire conurbation	1849	1969	5	5	141	119	474	474	896	935	256	350	88	38	26	33	3	1
Merseyside conurbation	759	746	2	2	66	53	168	137	898	975	39	109	33	31	12	19	—	—
Remainder of North Western	1835	1749	6	7	163	125	489	447	868	921	134	172	146	49	22	22	7	6
North Midland ..	1758	1788	9	7	143	137	439	411	914	947	148	189	75	56	29	37	1	4
Midland	2391	2406	10	9	173	158	540	489	1113	1206	227	344	277	112	49	82	2	6
West Midland conurbation	1062	1146	2	—	68	62	251	228	553	596	117	175	46	42	22	42	1	1
Remainder of Midland	1329	1260	8	9	105	96	289	261	558	610	110	169	231	70	27	40	1	5
Eastern	1314	1157	5	4	90	59	272	233	728	619	111	138	79	56	26	44	3	4
London and South Eastern	6434	6053	15	24	459	351	1501	1275	3662	3568	483	519	222	185	87	124	5	7
Greater London	5269	5007	15	17	388	302	1287	1073	3011	2972	343	394	163	149	58	94	4	6
Remainder of South Eastern	1165	1046	—	7	71	49	214	202	651	596	140	125	59	36	29	30	1	1
Southern	995	1015	4	3	90	51	206	197	489	556	101	125	77	51	28	28	—	4
South Western ..	1477	1472	3	7	104	105	305	287	712	725	133	193	163	73	47	61	10	21
Wales	1386	1416	7	11	108	112	364	364	657	627	160	210	54	57	29	27	7	8
Wales I	1133	1146	5	9	88	90	295	287	540	512	129	177	46	50	28	20	2	1
Wales II	253	270	2	2	20	22	69	77	117	115	31	33	8	7	1	7	5	7
Density Aggregates Summary :																		
Conurbations	10404	10479	33	32	795	643	2603	2334	5534	5687	918	1203	358	342	154	230	9	8
Areas outside the conurbations	13999	13853	54	70	1112	959	3315	3060	6888	7061	1303	1722	996	560	279	345	52	76
Urban areas with populations of 100,000 and over	3641	3741	12	16	337	285	1000	948	1838	1894	295	394	110	134	49	66	—	4
Urban areas with populations of 50,000 and under 100,000	1554	1606	4	8	110	102	400	353	797	825	134	210	75	62	34	43	—	3
Urban areas with populations under 50,000	4846	4868	21	27	337	337	1189	1062	2445	2517	429	609	255	192	100	131	15	23
Rural areas	3958	3638	17	19	273	235	726	697	1808	1825	443	509	556	172	96	135	37	46

TABLE 32—continued.

Area.	All Ages.		0—		1—		3—		5—		10—		15—		25 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	Whooping cough.																	
England and Wales	81083	88264	7333	7463	21014	21685	25411	28223	25228	27371	1223	1347	196	444	503	1478	175	253
Regional Summary and Conurbations :																		
Northern	5614	6297	538	585	1611	1786	1834	2076	1530	1671	60	83	8	19	17	57	16	20
Tyneside conurbation	1718	1963	171	186	512	542	562	662	461	523	5	20	—	8	2	18	5	4
Remainder of Northern	3896	4334	369	399	1099	1244	1272	1414	1069	1148	55	63	8	11	15	39	11	16
East and West Ridings	7379	8063	663	720	2072	2112	2476	2772	2026	2218	86	98	17	30	28	105	11	8
West Yorkshire conurbation	2917	3238	279	321	837	873	1006	1136	739	822	30	33	10	13	8	33	8	7
Remainder of East & West Ridings	4462	4825	384	399	1235	1239	1470	1636	1287	1396	56	65	7	17	20	72	3	1
North Western	9146	9997	953	966	2740	2835	3066	3578	2221	2360	105	102	20	35	31	107	10	14
South East Lancashire conurbation	2965	3288	306	323	900	947	1013	1200	706	740	26	35	2	6	3	53	4	4
Merseyside conurbation	2927	3141	347	335	941	923	960	1126	629	701	31	23	6	8	13	23	—	2
Remainder of North Western	3254	3568	300	308	899	965	1093	1252	886	919	48	44	12	21	10	51	6	8
North Midland	6651	7281	575	602	1743	1831	2159	2361	2030	2272	91	95	9	27	29	77	15	16
Midland	8525	9107	853	791	2273	2414	2637	2897	2603	2730	97	116	15	30	35	110	12	19
West Midland conurbation	4516	4789	490	435	1280	1364	1449	1568	1248	1313	24	45	7	13	14	45	8	16
Remainder of Midland	4009	4318	363	356	993	1050	1188	1329	1355	1417	73	71	8	17	21	65	8	13
Eastern	6663	7211	506	550	1608	1600	1983	2136	2339	2544	141	147	21	43	50	169	15	22
London and South Eastern	21880	23842	1777	1823	5196	5406	6615	7276	7686	8206	317	383	61	151	193	536	35	61
Greater London	15028	16538	1336	1322	3704	3840	4387	5156	5046	5531	173	228	40	91	119	324	23	46
Remainder of South Eastern	6852	7304	441	501	1492	1566	2028	2120	2640	2675	144	155	21	60	74	212	12	15
Southern	4844	5218	429	414	1130	1104	1352	1464	1732	1916	126	139	20	42	45	118	10	21
South Western	5691	6208	534	515	1409	1388	1715	1925	1834	2059	111	106	13	37	41	127	34	51
Wales	4690	5040	505	497	1232	1209	1574	1738	1227	1395	89	78	12	30	34	72	17	21
Wales I	3374	3594	381	386	916	884	1173	1279	828	922	47	53	7	18	17	45	5	7
Wales II	1316	1446	124	111	316	325	401	459	399	473	42	25	5	12	17	27	12	14
Density Aggregates Summary :																		
Conurbations	30071	32957	2929	2922	8174	8489	9577	10848	8829	9630	289	384	65	139	164	476	44	69
Areas outside the conurbations	51012	55307	4404	4541	12840	13196	15834	17375	16399	17741	934	963	131	305	339	1002	131	184
Urban areas with populations of 100,000 and over	11090	12123	1147	1200	3067	3145	3664	4089	3017	3351	118	131	19	52	48	144	10	11
Urban areas with populations of 50,000 and under	5284	5833	441	494	1395	1438	1734	1919	1606	1766	66	81	12	32	25	96	5	7
Urban areas with populations under 50,000	17948	19298	1520	1545	4632	4626	5750	6275	5580	6028	252	276	41	108	113	364	60	76
Rural areas	16690	18053	1296	1302	3746	3987	4686	5092	6196	6596	498	475	59	113	153	398	56	90

TABLE 32—continued.

Area.	All Ages.		0—		1—		3—		5—		10—		15—		25 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.

TABLE 32—continued.

Area.	All Ages.		0—		1—		3—		5—		10—		15—		25 and over		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Measles.																		
England and Wales	313223	302870	10545	10445	70394	66429	100215	95400	119827	116008	6925	7647	2488	3134	1779	2795	1050	1012
Regional Summary and Conurbations:																		
Northern	22259	21586	992	1023	5672	5474	7721	7362	7179	6996	311	347	106	121	84	89	194	174
Tyneside conurbation	5691	5656	253	286	1606	1526	2047	2022	1727	1753	22	37	13	17	4	4	19	11
Remainder of Northern	16568	15930	739	737	4066	3948	5674	5340	5452	5243	289	310	93	104	80	85	175	163
East and West Ridings	28212	26887	1129	1117	7342	6783	10050	9559	9028	8661	357	434	168	167	92	127	46	39
West Yorkshire conurbation	11070	10574	416	412	3036	2813	4133	4046	3282	3090	106	117	48	39	32	43	17	14
Remainder of East & West Ridings	17142	16313	713	705	4306	3970	5917	5513	5746	5571	251	317	120	128	60	84	29	25
North Western	39845	38620	1749	1671	10511	9871	14270	13773	12511	12287	416	557	200	225	131	191	57	45
South East Lancashire conurbation	16320	15605	688	644	4546	4259	6253	5859	4590	4560	128	140	47	67	44	59	24	17
Merseyside conurbation	8511	8428	473	471	2360	2322	2874	2819	2667	2635	65	112	49	39	19	29	4	1
Remainder of North Western	15014	14387	588	556	3605	3290	5143	5095	5254	5092	223	305	104	119	68	103	29	27
North Midland	23462	22503	822	773	5387	5065	7663	7326	8904	8510	411	483	121	140	93	133	61	73
Midland	29108	28054	1071	1114	6766	6523	9135	8577	11156	10681	568	615	244	285	144	234	24	25
West Midland conurbation	17227	16638	688	710	4391	4193	5529	5195	6193	5942	243	314	104	145	65	127	14	12
Remainder of Midland	11881	11416	383	404	2375	2330	3606	3382	4963	4739	325	301	140	140	79	107	10	13
Eastern	18140	17043	419	405	3351	3009	5038	4713	8333	7625	556	659	216	284	158	273	69	75
London and South Eastern	86937	84165	2508	2497	18893	17719	27218	25742	35107	34427	1813	1783	702	920	538	899	158	191
Greater London	65654	63406	2029	2038	15253	14091	21377	20142	25241	24821	896	960	435	644	309	566	119	144
Remainder of South Eastern	21283	20759	479	459	3640	3628	5846	5587	9866	9606	917	823	267	276	229	333	39	47
Southern	23018	22539	552	560	4292	4111	6333	5983	10675	10344	686	814	225	362	196	310	59	55
South Western	25629	25200	734	706	4814	4653	7147	6943	10980	10586	1202	1311	278	401	221	376	253	224
Wales	16613	16273	569	579	3366	3221	5640	5435	5954	5891	605	644	228	229	122	163	129	111
Wales I	11028	10747	431	431	2449	2321	4011	3919	3673	3563	268	287	115	127	43	69	38	30
Wales II	5585	5526	138	148	917	900	1629	1516	2281	2328	337	357	113	102	79	94	91	81
Density Aggregates Summary:																		
Conurbations	124473	120307	4547	4561	31192	29204	42208	40083	43700	42801	1460	1680	696	951	473	828	197	199
Areas outside the conurbations	188750	182563	5998	5884	39202	37225	58007	55317	76127	73207	5465	5967	1792	2183	1306	1967	853	813
Urban areas with populations of 100,000 and over	43380	42070	1697	1635	10742	10287	15257	14543	14869	14514	480	624	174	245	110	179	51	43
Urban areas with populations of 50,000 and under 100,000	20883	20161	735	681	4699	4422	6863	6602	7966	7542	387	480	112	207	96	200	25	27
Urban areas with populations under 50,000	67151	65342	2167	2071	14000	13449	21386	20308	26968	26166	1465	1663	519	723	364	663	282	299
Rural areas	57336	54990	1399	1497	9761	9067	14501	13864	26324	24985	3133	3200	987	1008	736	925	495	444

TABLE 32—continued.

Area.	All Ages.		0—		1—		3—		5—		10—		15—		25 and over		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Acute poliomyelitis (paralytic).																		
England and Wales	817	710	30	31	133	134	116	111	160	131	75	61	114	101	183	140	6	1
Regional Summary and Conurbations :																		
Northern	59	38	1	2	18	9	8	8	9	6	5	4	7	3	11	6	—	—
Tyneside conurbation	16	6	—	—	6	1	—	2	2	1	1	—	4	1	3	1	—	—
Remainder of Northern	43	32	—	—	12	8	—	8	7	5	4	—	4	2	8	5	—	—
East and West Ridings	102	122	8	12	23	36	24	15	16	20	5	8	10	15	16	16	—	—
West Yorkshire conurbation	39	38	4	3	9	6	3	3	5	7	5	3	8	7	7	6	—	—
Remainder of East & West Ridings	63	84	4	9	14	30	21	11	11	13	2	3	2	8	9	10	—	—
North Western	102	96	4	3	25	19	15	25	17	17	4	9	10	8	27	15	—	—
South East Lancashire conurbation	22	29	—	—	6	3	5	12	3	3	1	3	3	2	4	3	—	—
Merseyside conurbation	18	25	1	2	4	7	1	3	6	5	1	3	6	4	4	3	—	—
Remainder of North Western	62	42	3	—	15	9	9	10	8	9	2	3	1	6	19	7	—	—
North Midland	91	74	3	4	14	15	19	10	19	16	8	6	8	14	20	9	—	—
Midland	83	63	4	1	15	16	10	11	16	12	8	5	11	9	19	9	—	—
West Midland conurbation	35	30	3	1	7	9	3	4	5	5	4	3	5	2	5	6	—	—
Remainder of Midland	48	33	1	—	8	7	7	7	8	7	4	2	6	7	14	3	—	—
Eastern	54	38	1	—	4	7	5	3	12	4	6	5	13	8	13	11	—	—
London and South Eastern	153	139	3	3	17	13	17	24	36	21	20	9	23	27	36	42	1	1
Greater London	93	79	3	2	12	5	10	14	21	10	14	6	11	15	21	27	—	—
Remainder of South Eastern	60	60	—	1	5	8	7	10	15	11	6	3	12	12	15	15	—	—
Southern	50	51	2	—	5	5	3	5	9	13	8	8	9	2	14	18	—	—
South Western	96	63	3	4	6	5	11	7	23	17	7	6	21	13	20	10	5	1
Wales	27	26	1	2	6	9	4	3	3	5	4	1	2	2	7	4	—	—
Wales I	17	13	1	1	1	3	3	2	2	2	1	1	1	1	4	3	—	—
Wales II	10	13	—	1	2	6	1	1	1	3	3	—	—	—	3	1	—	—
Density Aggregates Summary :																		
Conurbations	223	207	11	9	44	31	22	39	45	31	24	20	32	29	44	48	1	1
Areas outside the conurbations	594	503	19	22	89	103	94	72	115	100	51	41	82	72	139	92	5	—
Urban areas with populations of 100,000 and over	117	120	4	6	11	25	25	21	21	22	10	10	15	11	31	25	—	—
Urban areas with populations of 50,000 and under 100,000	86	66	3	4	14	16	18	8	18	15	5	3	11	12	17	8	—	—
Urban areas with populations under 50,000	193	174	8	6	36	30	26	29	37	20	20	16	22	22	44	32	—	—
Rural areas	196	143	4	6	28	32	25	14	39	27	16	12	34	24	47	27	2	1

TARI F. 32—continued

Area.	All Ages.		0—		1—		3—		5—		10—		15—		25 and over		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	Acute poliomyelitis (non-paralytic).																	
England and Wales	649	433	13	4	39	25	81	51	199	101	115	64	100	84	101	103	1	1
Regional Summary and Conurbations :																		
Northern	34	30	1	—	2	4	3	2	9	4	8	6	8	8	3	6	—	—
Tyne-side conurbation	9	2	—	—	2	—	—	—	1	1	3	—	2	1	1	—	—	—
Remainder of Northern	25	28	—	—	—	4	3	—	8	3	5	6	6	7	2	6	—	—
East and West Ridings	79	52	4	—	3	4	11	8	19	13	14	5	12	6	16	16	—	—
West Yorkshire conurbation	8	6	—	—	—	—	2	—	1	1	—	2	2	2	2	3	—	—
Remainder of East & West Ridings	71	46	3	—	3	4	9	8	18	12	14	3	10	6	14	13	—	—
North Western	49	36	1	—	3	2	6	2	15	7	7	7	7	7	10	11	—	—
South East Lancashire conurbation	9	9	—	—	—	—	1	—	3	3	—	2	3	1	1	4	—	—
Merseyside conurbation	16	13	—	—	3	1	1	1	5	3	2	3	2	2	3	3	—	—
Remainder of North Western	24	14	1	—	—	1	4	1	7	2	5	2	2	4	5	4	—	—
North Midland ..	41	35	1	1	2	4	3	4	10	7	9	5	7	10	9	3	—	1
Midland ..	94	65	—	1	6	4	9	13	37	21	12	8	16	4	14	14	—	—
West Midland conurbation	17	10	—	—	4	1	3	3	7	3	1	—	1	—	1	3	—	—
Remainder of Midland ..	77	55	—	1	2	3	6	10	30	18	11	8	15	4	13	11	—	—
Eastern	40	20	—	—	2	3	6	1	12	4	10	4	7	2	3	6	—	—
London and South Eastern																		
Greater London	140	113	—	2	9	3	22	10	52	31	24	19	13	29	20	19	—	—
Remainder of South Eastern	128	90	—	2	9	3	21	8	48	27	21	14	11	28	18	15	—	—
Remainder of South Eastern	12	23	—	—	—	—	1	2	4	4	3	5	2	8	2	4	—	—
Southern	47	17	1	—	1	—	7	—	11	4	9	1	12	4	6	8	—	—
South Western ..	77	32	3	—	7	—	5	4	24	5	14	3	14	5	9	15	1	—
Wales	48	33	2	—	4	1	9	7	10	5	8	6	4	9	11	5	—	—
Wales I ..	44	30	2	—	4	1	8	5	9	5	7	6	4	9	11	4	—	—
Wales II ..	4	3	—	—	1	—	1	2	1	—	1	—	—	—	—	1	—	—
Density Aggregates Summary :																		
Conurbations	187	130	1	2	18	5	28	12	65	37	27	21	21	25	27	28	—	—
Areas outside the conurbations	462	303	12	2	21	20	53	39	134	64	88	43	79	59	74	75	1	1
Urban areas with populations of 100,000 and over	152	98	9	—	5	7	13	15	49	23	28	19	22	11	26	23	—	—
Urban areas with populations of 50,000 and under	50	39	—	1	1	4	11	3	16	6	10	5	5	11	7	9	—	—
Urban areas with populations under 50,000	133	92	3	—	9	9	15	11	35	14	24	15	24	22	22	25	1	1
Rural areas ..	127	74	—	1	6	5	14	10	34	21	26	4	28	15	19	18	—	—

TABLE 32—Continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Enteric or typhoid fever.														
England and Wales	90	112	25	16	16	18	29	48	10	19	9	10	1	1
Regional Summary and Conurbations :														
Northern	9	13	2	1	1	2	5	7	1	2	—	1	—	—
Tyneside conurbation	3	3	—	—	—	—	3	2	—	1	—	—	—	—
Remainder of Northern	6	10	—	—	—	—	—	5	—	—	—	—	—	—
East and West Ridings	2	—	1	—	1	—	—	—	—	—	—	—	—	—
West Yorkshire conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of East & West Ridings	2	—	—	—	—	—	—	—	—	—	—	—	—	—
North Western	18	21	1	1	3	—	9	9	5	6	—	4	—	—
South East Lancashire conurbation	5	2	—	—	—	—	4	1	1	—	—	—	—	—
Merseyside conurbation	9	9	—	—	2	—	5	6	1	2	—	1	—	—
Remainder of North Western	4	10	—	—	1	—	—	2	3	4	—	3	—	—
North Midland	4	9	—	—	2	3	2	3	—	3	—	—	—	—
Midland	1	4	—	—	—	1	—	2	1	—	—	—	—	—
West Midland conurbation	—	3	—	—	—	—	—	1	1	—	—	—	—	—
Remainder of Midland	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Eastern	2	5	—	—	2	1	—	3	—	—	—	1	—	—
London and South Eastern	27	43	3	3	4	7	10	22	2	7	8	4	—	—
Greater London	24	24	3	3	3	4	9	11	2	4	7	2	—	—
Remainder of South Eastern	3	19	—	—	1	3	1	11	—	3	1	2	—	—
Southern	7	3	5	2	1	—	1	—	—	1	—	—	—	—
South Western	18	13	13	8	2	3	—	2	1	—	1	—	1	—
Wales	2	1	—	—	—	1	2	—	—	—	—	—	—	—
Wales I	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales II	2	1	—	—	—	—	—	—	—	—	—	—	—	—
Density Aggregates Summary :														
Conurbations	42	41	4	4	5	5	20	21	6	7	7	3	—	1
Areas outside the conurbations	48	71	21	12	11	13	9	27	4	12	2	7	1	—
Urban areas with populations of 100,000 and over	8	9	4	2	2	2	2	4	—	1	—	—	—	—
Urban areas with populations of 50,000 and under	2	9	—	—	2	3	—	3	—	2	—	1	—	—
Urban areas with populations under 50,000	15	15	—	—	2	3	5	8	—	2	—	2	—	—
Rural areas	23	38	15	10	5	5	2	12	—	7	1	4	—	—

Area.	All Ages.		0-		5-		15-		45-		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Paratyphoid fevers.														
England and Wales	418	676	122	125	156	285	114	195	21	47	4	19	1	5
Regional Summary and Conurbations :														
Northern	18	31	8	11	7	6	1	9	2	1	—	3	—	1
Tyneside conurbation	—	8	—	2	—	2	—	3	—	—	—	1	—	—
Remainder of Northern	18	23	—	9	7	4	1	6	2	—	—	2	—	—
East and West Ridings	45	156	7	5	13	117	19	19	4	11	2	3	—	1
West Yorkshire conurbation	6	121	—	1	1	108	4	7	1	2	—	2	—	1
Remainder of East & West Ridings	39	35	7	4	12	9	15	12	3	9	2	1	—	—
North Western	76	117	26	34	33	35	15	39	1	6	1	3	—	—
South East Lancashire conurbation	23	46	6	16	14	13	3	12	—	3	—	2	—	—
Merseyside conurbation	21	22	11	7	9	6	1	6	—	2	—	1	—	—
Remainder of North Western	32	49	9	11	10	16	11	21	1	1	1	—	—	—
North Midland	27	31	6	12	13	11	7	7	—	1	—	—	1	—
Midland	77	119	24	21	31	46	18	38	3	6	1	7	—	1
West Midland conurbation	56	68	15	11	24	33	14	22	2	1	1	—	—	1
Remainder of Midland	21	51	9	10	7	13	4	16	1	5	—	—	—	—
Eastern	26	32	7	1	6	12	12	10	1	9	—	—	—	—
London and South Eastern	74	105	25	23	24	29	19	46	6	4	—	2	—	1
Greater London	48	73	17	15	15	18	12	34	4	4	—	2	—	1
Remainder of South Eastern	26	32	8	8	9	11	7	12	2	—	—	—	—	—
Southern	20	29	5	7	6	8	7	9	2	3	—	1	—	1
South Western	15	19	2	2	4	9	7	6	2	2	—	—	—	—
Wales	40	37	12	9	19	12	9	12	—	4	—	—	—	—
Wales I	8	7	3	1	1	3	4	2	—	1	—	—	—	—
Wales II	32	30	9	8	18	9	5	10	—	3	—	—	—	—
Density Aggregates Summary :														
Conurbations	154	338	49	52	63	180	34	84	7	12	1	8	—	2
Areas outside the conurbations	264	338	73	73	93	105	80	111	14	35	3	11	1	3
Urban areas with populations of 100,000 and over	54	79	16	23	24	35	13	16	1	3	—	1	—	1
Urban areas with populations of 50,000 and under	22	29	5	2	2	11	10	11	5	4	—	1	—	—
Urban areas with populations under 50,000	100	123	29	27	31	29	32	46	9	17	—	3	—	—
Rural areas	88	107	23	21	36	30	25	38	2	11	2	6	1	1

TABLE 32—continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
England and Wales Regional Summary and Conurbations : Northern Tyneside conurbation Remainder of Northern East and West Ridings West Yorkshire conurbation Remainder of East & West Ridings North Western South East Lancashire conurbation Merseyside conurbation Remainder of North Western North Midland Midland West Midland conurbation Remainder of Midland Eastern London and South Eastern Greater London Remainder of South Eastern Southern South Western Wales Wales I Wales II Density Aggregates Summary : Conurbations Areas outside the conurbations Urban areas with populations of 100,000 and over Urban areas with populations of 50,000 and under 100,000 Urban areas with populations under 50,000 Rural areas	793	597	458	338	152	114	138	91	31	39	6	10	8	5
	103	69	55	41	22	19	16	7	8	1	—	—	2	1
	19	15	10	9	5	5	3	1	1	—	—	—	—	—
	84	54	45	32	17	14	13	6	7	—	—	—	—	—
	74	62	41	43	12	6	13	9	5	4	2	—	1	—
	28	21	16	15	3	2	6	3	1	1	2	—	—	—
	46	41	25	28	9	4	7	6	4	3	—	—	—	—
	139	113	96	70	22	17	17	15	3	8	1	2	1	—
	58	31	39	20	9	4	9	4	—	2	1	1	—	—
	40	53	32	30	6	11	2	8	—	3	—	—	—	—
	41	29	25	20	7	2	6	3	3	3	—	—	—	1
	56	38	30	22	15	9	9	4	—	2	1	1	—	—
	100	79	52	35	25	22	20	17	3	3	—	—	—	—
	66	59	34	23	17	18	13	15	2	2	—	—	—	—
	34	20	18	12	8	4	7	2	1	1	—	—	—	—
	40	28	26	16	5	5	8	4	—	1	—	—	2	—
	152	112	93	51	20	19	29	22	10	17	—	—	2	1
	127	98	82	47	15	15	21	20	9	14	—	—	1	—
	25	14	11	4	5	4	8	2	1	3	—	—	1	—
	37	32	22	17	3	6	11	6	1	2	—	—	—	1
33	18	21	13	6	2	4	1	—	1	—	2	—	—	
59	46	22	30	22	9	11	6	1	—	—	—	—	—	
46	40	20	25	16	9	9	5	1	—	—	—	1	—	
13	6	2	5	6	—	2	2	1	—	—	—	—	—	
338	277	213	144	55	55	54	51	13	21	—	3	5	—	—
455	320	245	194	97	59	84	40	18	18	—	3	5	—	4
114	83	76	52	23	12	12	13	3	5	—	—	1	—	—
64	49	42	36	11	4	6	5	5	3	—	—	—	—	1
170	105	81	59	28	15	36	9	5	5	—	2	2	—	2
107	83	46	47	22	15	30	13	5	5	—	1	2	—	1

TABLE 32—continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
England and Wales	2558	3377	47	33	91	83	677	820	1170	1555	542	814	31	72
Regional Summary and Conurbations :														
Northern	215	221	1	2	7	8	58	52	111	102	37	53	1	4
Tyneside conurbation	62	64	—	—	4	1	15	16	27	29	15	16	1	2
Remainder of Northern	153	157	1	2	3	7	43	36	84	73	22	37	—	2
East and West Ridings	346	438	13	3	16	9	106	109	142	222	66	92	3	3
West Yorkshire conurbation	157	189	5	3	17	8	55	51	60	86	30	42	—	1
Remainder of East & West Ridings	189	249	8	2	9	1	51	58	82	136	36	50	3	2
North Western	375	418	4	4	11	10	86	88	190	197	82	114	2	5
South East Lancashire conurbation	147	143	4	1	6	3	42	27	64	61	31	49	—	2
Merseyside conurbation	77	100	—	—	1	4	17	25	38	48	21	21	—	1
Remainder of North Western	151	175	—	2	4	3	27	36	88	88	30	44	2	2
North Midland	213	248	1	1	10	2	50	61	90	128	54	48	8	8
Midland	258	309	6	8	10	13	75	71	121	149	44	60	2	8
West Midland conurbation	156	188	5	4	7	8	50	40	71	95	23	38	—	3
Remainder of Midland	102	121	1	4	3	5	25	31	50	54	21	22	2	5
Eastern	146	251	1	3	1	5	33	69	76	106	34	59	1	9
London and South Eastern	622	907	9	6	23	17	175	231	271	386	138	255	6	12
Greater London	512	699	7	6	14	14	145	190	225	294	117	190	4	5
Remainder of South Eastern	110	208	2	—	9	3	30	41	46	92	21	65	2	7
Southern	114	174	4	—	3	3	32	45	42	76	32	44	1	6
South Western	157	254	4	5	5	13	38	55	75	111	31	56	4	14
Wales	112	157	4	1	5	3	24	39	52	78	24	33	3	3
Wales I	90	122	4	1	4	1	13	30	45	62	21	27	1	1
Wales II	22	35	—	—	1	2	9	9	7	16	3	6	2	2
Density Aggregates Summary :														
Conurbations	1111	1383	21	13	39	38	324	349	485	613	237	356	5	14
Areas outside the conurbations	1447	1994	26	20	52	45	353	471	685	942	305	458	26	58
Urban areas with populations of 100,000 and over	366	525	5	5	11	8	94	136	186	257	65	113	5	6
Urban areas with populations of 50,000 and under 100,000	163	251	2	3	5	4	52	54	68	123	34	60	2	7
Urban areas with populations under 50,000	494	663	9	10	18	16	104	153	234	302	122	160	7	22
Rural areas	424	555	10	2	18	17	103	128	197	260	84	125	12	23

TABLE 32—continued.

Area.	All Ages.		0-		5-		15-		45-		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
England and Wales	13834	14730	5893	4862	4503	3758	2154	4015	709	1118	410	739	165	238
Regional Summary and Conurbations :														
Northern	623	634	237	216	153	124	122	168	51	66	43	36	17	24
Tyneside conurbation	277	264	147	108	68	47	29	59	14	20	5	14	14	19
Remainder of Northern	346	370	90	108	85	77	93	109	37	46	38	25	3	5
East and West Ridings	1117	1118	511	390	332	260	194	310	45	91	26	61	9	6
West Yorkshire conurbation	578	651	284	248	174	137	76	172	21	46	17	43	6	5
Remainder of East & West Ridings	539	467	227	142	158	123	118	138	24	45	9	18	3	1
North Western	2070	2187	1053	813	513	415	302	611	113	190	58	126	31	32
South East Lancashire conurbation	1006	1120	597	478	242	228	120	311	38	59	14	42	—	2
Merseyside conurbation	431	362	239	162	133	67	34	95	11	16	9	22	—	—
Remainder of North Western	633	705	217	173	138	120	148	205	64	115	35	62	31	30
North Midland	898	950	403	371	245	205	154	266	50	58	18	24	28	26
Midland	970	1018	389	350	338	251	171	253	44	111	21	37	7	16
West Midland conurbation	431	459	213	195	144	123	49	104	16	23	8	11	1	3
Remainder of Midland	539	559	176	155	194	128	122	149	28	88	13	26	6	13
Eastern	1271	1422	388	331	494	516	254	409	86	92	35	55	14	19
London and South Eastern	5040	5394	2265	1849	1790	1462	640	1443	197	318	116	229	32	93
Greater London	4517	4785	2088	1689	1549	1268	569	1258	177	284	106	201	28	85
Remainder of South Eastern	523	609	177	160	241	194	71	185	20	34	10	28	4	8
Southern	796	839	277	195	305	258	149	263	39	75	20	45	6	3
South Western	679	741	232	201	219	178	101	178	57	77	62	102	8	5
Wales	370	427	138	146	114	89	67	114	27	40	11	24	13	14
Wales I	286	328	111	123	85	55	57	92	16	30	8	22	9	6
Wales II	84	99	27	23	29	34	10	22	11	10	3	2	4	8
Density Aggregates Summary :														
Conurbations	7240	7641	3568	2880	2310	1870	877	1999	277	448	159	330	49	114
Areas outside the conurbations	6594	7089	2325	1982	2193	1888	1277	2016	432	670	251	409	116	124
Urban areas with populations of 100,000 and over	2525	2686	1055	912	789	713	405	660	139	187	81	151	56	63
Urban areas with populations of 50,000 and under 100,000	807	871	281	228	262	221	151	270	69	100	42	43	2	9
Urban areas with populations under 50,000	1597	1712	554	513	584	446	309	502	89	160	40	73	21	18
Rural areas	1665	1820	435	329	558	508	412	584	135	223	88	142	37	34

TABLE 26—Continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
England and Wales	7	20	1	—	2	1	3	15	1	4	—	—	—	—
Regional Summary and Conurbations :														
Northern	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tyneside conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of Northern	—	—	—	—	—	—	—	—	—	—	—	—	—	—
East and West Ridings	—	—	—	—	—	—	—	—	—	—	—	—	—	—
West Yorkshire conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of East & West Ridings	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North Western	—	—	—	—	—	—	—	—	—	—	—	—	—	—
South East Lancashire conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Merseyside conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of North Western	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North Midland	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Midland	—	—	—	—	—	—	—	—	—	—	—	—	—	—
West Midland conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of Midland	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Eastern	—	1	—	—	—	1	—	—	—	—	—	—	—	—
London and South Eastern	7	19	1	—	2	—	3	15	1	4	—	—	—	—
Greater London	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of South Eastern	7	19	1	—	2	—	3	15	1	4	—	—	—	—
Southern	—	—	—	—	—	—	—	—	—	—	—	—	—	—
South Western	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales I	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales II	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Density Aggregates Summary :														
Conurbations	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Areas outside the conurbations	7	20	1	—	2	1	3	15	1	4	—	—	—	—
Urban areas with populations of 100,000 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urban areas with populations of 50,000 and under 100,000	7	19	1	—	2	—	3	15	1	4	—	—	—	—
Urban areas with populations under 50,000	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rural areas	—	1	—	—	—	1	—	—	—	—	—	—	—	—

TABLE 32—continued.

Area.	All Ages.		0—			5—			15—			45—			65 and over.			Unknown.		
	M.	F.	M.	F.		M.	F.		M.	F.		M.	F.		M.	F.		M.	F.	
Acute encephalitis (infective).																				
England and Wales	121	81	32	24	48	23	33	26	7	7	—	—	—	—	—	—	—	1	1	—
Regional Summary and Conurbations :																				
Northern	16	12	6	9	8	1	2	2	—	—	—	—	—	—	—	—	—	—	—	
Tyneside conurbation	8	7	2	3	5	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
Remainder of Northern	8	5	4	6	3	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
East and West Ridings	10	7	4	2	4	1	1	2	1	2	—	—	—	—	—	—	—	—	—	
West Yorkshire conurbation	2	2	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Remainder of East & West Ridings	8	5	3	2	1	—	1	2	1	2	—	—	—	—	—	—	—	—	—	
North Western	17	10	4	3	8	1	3	3	2	3	3	3	3	3	3	3	3	3	3	
South East Lancashire conurbation	3	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Merseyside conurbation	3	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Remainder of North Western	11	6	3	2	4	1	1	2	1	2	—	—	—	—	—	—	—	—	—	
North Midland ..	5	6	2	1	2	3	1	2	—	—	—	—	—	—	—	—	—	—	—	
Midland ..	6	3	2	1	2	1	2	1	—	—	—	—	—	—	—	—	—	—	—	
West Midland conurbation	3	1	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Remainder of Midland	3	2	1	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	
Eastern ..	3	4	1	1	1	1	1	2	—	—	—	—	—	—	—	—	—	—	—	
London and South Eastern	14	6	4	1	6	2	3	3	—	—	—	—	—	—	—	—	—	—	—	
Greater London	8	3	3	1	2	1	3	1	—	—	—	—	—	—	—	—	—	—	—	
Remainder of South Eastern	6	3	1	—	4	1	—	2	—	—	—	—	—	—	—	—	—	—	—	
Southern ..	7	3	2	1	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	
South Western ..	37	26	4	3	15	11	15	10	3	2	—	—	—	—	—	—	—	—	—	
Wales ..	6	4	3	2	—	1	2	1	1	—	—	—	—	—	—	—	—	—	—	
Wales I	5	3	2	2	—	1	2	—	1	—	—	—	—	—	—	—	—	—	—	
Wales II	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Density Aggregates Summary :																				
Conurbations	27	17	8	9	13	1	5	3	1	4	—	—	—	—	—	—	—	—	—	
Areas outside the conurbations	94	64	24	15	35	22	28	23	6	3	—	—	—	—	—	—	—	—	—	
Urban areas with populations of 100,000 and over	15	16	6	5	5	8	3	2	1	1	—	—	—	—	—	—	—	—	—	
Urban areas with populations of 50,000 and under 100,000	8	7	2	1	3	4	3	1	—	—	—	—	—	—	—	—	—	—	—	
Urban areas with populations under 50,000	27	14	10	7	11	—	4	7	—	—	—	—	—	—	—	—	—	—	—	
Rural areas	44	27	6	2	6	10	18	13	4	1	—	—	—	—	—	—	—	—	—	

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	Acute encephalitis (post-infectious).													
England and Wales	64	46	15	11	33	20	13	12	2	1	1	1	—	1
Regional Summary and Conurbations :														
Northern	3	—	2	—	1	—	—	—	—	—	—	—	—	—
Tyneside conurbation	3	—	2	—	1	—	—	—	—	—	—	—	—	—
Remainder of Northern	—	—	—	—	—	—	—	—	—	—	—	—	—	—
East and West Ridings	16	4	—	—	13	3	3	—	—	1	—	—	—	—
West Yorkshire conurbation	1	2	—	—	1	1	—	—	—	1	—	—	—	—
Remainder of East & West Ridings	15	2	—	—	12	2	3	—	—	—	—	—	—	—
North Western	6	7	4	2	2	2	2	2	—	—	—	—	—	1
South East Lancashire conurbation	—	4	—	1	—	1	—	1	—	—	—	—	—	1
Merseyside conurbation	1	—	3	—	2	—	—	—	—	—	—	—	—	—
Remainder of North Western	5	3	3	1	—	1	—	—	—	—	—	—	—	—
North Midland	6	7	3	2	2	2	1	3	—	—	—	—	—	—
Midland	5	4	—	1	3	3	2	—	—	—	—	—	—	—
West Midland conurbation	3	4	—	1	3	3	—	—	—	—	—	—	—	—
Remainder of Midland	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Eastern	1	2	—	1	1	1	—	—	—	—	—	—	—	—
London and South Eastern	17	12	3	4	8	5	5	2	1	—	—	1	—	—
Greater London	16	10	3	3	7	4	5	2	1	—	—	1	—	—
Remainder of South Eastern	1	2	—	1	1	1	—	—	—	—	—	—	—	—
Southern	3	5	2	1	—	2	1	2	—	—	—	—	—	—
South Western	6	3	—	—	3	—	1	3	1	—	1	—	—	—
Wales	1	2	1	—	—	2	—	—	—	—	—	—	—	—
Wales I	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales II	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Density Aggregates Summary :														
Conurbations	24	20	6	5	12	9	5	3	1	1	—	1	—	1
Areas outside the conurbations	40	26	9	6	21	11	8	9	1	—	—	—	—	—
Urban areas with populations of 100,000 and over	11	10	2	2	5	5	3	3	—	—	1	—	—	—
Urban areas with populations of 50,000 and under 100,000	3	4	3	1	—	1	—	2	—	—	—	—	—	—
Urban areas with populations under 50,000	9	7	1	1	4	2	4	4	—	—	—	—	—	—
Rural areas	17	5	3	2	12	3	1	—	1	—	—	—	—	—

TABLE 32—Continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
								Acute pneumonia.						
England and Wales	23107	20122	4038	3372	2446	1984	5145	4138	6568	4772	4709	5682	201	174
Regional Summary and Conurbations :														
Northern	1961	1596	520	457	190	156	487	280	475	332	270	353	19	18
Tyneside conurbation	711	544	215	169	78	53	161	100	182	111	68	101	7	10
Remainder of Northern	1250	1052	305	288	112	103	326	180	293	221	202	252	12	8
East and West Ridings	3400	2593	671	539	326	246	758	547	1000	597	630	656	15	8
West Yorkshire conurbation	992	820	207	182	85	72	198	164	302	170	198	229	2	3
Remainder of East & West Ridings	2408	1773	464	357	241	174	560	383	698	427	432	427	13	5
North Western	3419	3058	655	517	309	235	717	607	1006	743	721	946	11	10
South East Lancashire conurbation	1269	1076	257	223	139	85	246	201	383	263	219	300	5	4
Merseyside conurbation	789	744	195	159	69	53	142	136	205	159	176	236	2	1
Remainder of North Western	1361	1238	203	135	81	97	329	270	418	321	326	410	4	5
North Midland	1755	1438	247	198	181	156	401	295	519	365	386	410	21	14
Midland	2850	2271	428	364	280	203	703	468	855	573	559	649	25	14
West Midland conurbation	1601	1239	296	237	147	99	391	264	486	302	276	336	5	1
Remainder of Midland	1249	1032	132	127	133	104	312	204	369	271	283	313	20	13
Eastern	1380	1272	171	161	145	112	295	248	362	304	377	417	30	30
London and South Eastern	4418	4380	731	650	612	516	954	974	1246	1008	852	1201	23	31
Greater London	3352	3419	520	477	432	380	740	782	1004	832	637	922	19	26
Remainder of South Eastern	1066	961	211	173	180	136	214	192	242	176	215	279	4	5
Southern	996	884	136	93	119	100	227	196	284	243	218	239	12	13
South Western	1350	1273	210	153	153	133	300	271	367	292	298	403	22	21
Wales	1578	1357	269	240	131	127	303	252	454	315	398	408	23	15
Wales I	1223	985	228	196	102	94	231	187	355	242	297	262	10	4
Wales II	355	372	41	44	29	33	72	65	99	73	101	146	13	11
Density Aggregates Summary :														
Conurbations	8714	7842	1690	1447	970	742	1878	1647	2562	1837	1574	2124	40	45
Areas outside the conurbations	14393	12280	2348	1925	1476	1242	3267	2491	4006	2935	3135	3558	161	129
Urban areas with populations of 100,000 and over	3906	3342	769	649	394	318	843	620	1116	812	775	935	9	8
Urban areas with populations of 50,000 and under 100,000	1517	1382	278	239	135	140	333	305	455	315	306	372	10	11
Urban areas with populations under 50,000	4720	4103	746	597	480	414	1078	847	1290	1006	1068	1196	58	43
Rural areas	4250	3453	555	440	467	370	1013	719	1145	802	986	1055	84	67

Area.	All Ages.		0-		5-		15-		45-		65 and over.		Unknown.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Food poisoning.																
England and Wales	2559	3238	471	395	524	823	926	1139	413	517	168	263	57	101		
Regional Summary and Conurbations :																
Northern	201	202	19	21	48	37	47	43	33	42	37	38	17	21		
Tyneside conurbation	63	59	5	8	2	1	6	11	16	14	34	25	—	—		
Remainder of Northern	138	143	14	13	46	36	41	32	17	28	3	13	17	21		
East and West Ridings	108	122	22	22	17	17	41	45	22	28	4	10	2	—		
West Yorkshire conurbation	26	34	5	10	3	—	8	11	9	9	—	4	1	—		
Remainder of East & West Ridings	82	88	17	12	14	17	33	34	13	19	4	6	1	—		
North Western	279	366	60	52	61	113	96	112	46	67	6	17	10	5		
South East Lancashire conurbation	103	161	39	32	15	43	26	47	16	30	2	6	5	3		
Merseyside conurbation	100	117	7	8	34	53	40	38	16	18	2	—	1	—		
Remainder of North Western	76	88	14	12	12	17	30	27	14	19	2	11	4	2		
North Midland	253	294	31	31	27	42	107	119	66	54	22	46	—	2		
Midland	412	433	85	73	64	85	177	150	36	44	37	45	13	36		
West Midland conurbation	117	146	23	23	9	18	28	27	12	12	33	33	12	33		
Remainder of Midland	295	287	62	50	55	67	149	123	24	32	4	12	1	3		
Eastern	136	151	27	36	39	33	42	46	21	28	6	5	1	3		
London and South Eastern	705	1022	163	111	117	275	270	402	112	162	35	66	8	6		
Greater London	649	806	148	105	107	110	252	379	100	150	34	56	8	6		
Remainder of South Eastern	56	216	15	6	10	165	18	23	12	12	1	10	—	—		
Southern	179	189	22	13	30	30	75	89	37	41	14	13	1	3		
South Western	207	289	22	25	111	132	40	84	24	33	5	7	5	8		
Wales	79	170	20	11	10	59	31	49	16	18	2	16	—	17		
Wales I	58	61	12	9	7	4	25	24	14	17	—	7	—	—		
Wales II	21	109	8	2	3	55	6	25	2	1	2	9	—	17		
Density Aggregates Summary :																
Conurbations	1058	1323	227	186	170	225	360	513	169	233	105	124	27	42		
Areas outside the conurbations	1501	1915	244	209	354	598	566	626	244	284	63	139	30	59		
Urban areas with populations of 100,000 and over	430	512	118	94	90	79	148	223	61	87	9	24	4	5		
Urban areas with populations of 50,000 and under	121	179	20	19	22	31	43	53	27	37	7	35	2	4		
Urban areas with populations under 50,000	402	509	59	51	65	126	162	185	76	76	25	43	15	21		
Rural areas	548	722	47	45	177	362	213	165	80	84	22	37	9	29		

TABLE 33.—Cases of Certain Infectious Diseases Notified, 1951.
(including non-civilians)

{ England and Wales ; Standard Regions ; Conurbations ; Counties ;
County Boroughs ; Other Urban Districts ; Rural Districts.

See explanatory notes on page vii.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Polymyositis		Acute Encephalitis		Acute pneumonia (primary and influenza)	†Puerperal pyrexia.	Food poisoning.
											Non-paralytic.	Paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
(a) Numbers Originally Notified																	
*ENGLAND AND WALES (including Port Health Districts) :																	
Total	283	1192	1964	49709	169679	1989	6039	1782	29663	616456	1824	1313	205	116	43546	7481	6411
Total (excluding Port Health Districts)	279	1191	1964	49700	169585	1983	6038	1782	29637	616357	1822	1310	205	116	43516	7480	6409
Port Health Districts	4	1	—	9	94	6	1	—	26	99	2	3	—	—	30	1	2
Regional Summary and Conurbations:																	
Northern	27	53	271	4311	11938	225	443	58	1326	43842	111	77	27	4	3611	518	435
Tyneside conurbation	7	10	94	1153	3687	46	130	15	778	11343	24	29	15	2	1284	170	137
Remainder of Northern	20	43	177	3158	8251	179	313	43	748	32499	87	48	12	2	2327	348	298
East and West Ridings	8	215	182	4648	15485	166	804	109	2269	55139	252	159	17	20	6096	574	225
West Yorkshire conurbation	2	132	51	1967	6159	49	356	26	1226	21659	92	46	4	3	1798	170	56
Remainder of East and West Ridings	6	83	131	2681	9326	117	448	83	1043	33480	160	143	13	17	4298	404	169
North Western	67	234	342	9140	19229	483	826	278	4427	78571	251	127	25	4	6462	1200	774
South East Lancashire conurbation	21	76	115	3918	6294	164	315	89	2215	31974	60	43	5	2	2328	419	275
Merseyside conurbation	30	59	137	1589	6102	247	181	157	883	16963	82	38	7	2	1553	515	319
Remainder of North Western	16	99	90	3633	6833	72	330	32	1329	29634	109	46	13	8	2601	568	180
North Midland	14	210	302	4850	17657	514	583	125	2126	45929	160	111	12	11	5703	581	591
Midland	13	138	238	2234	9328	450	359	617	932	33882	151	19	5	8	2864	286	304
West Midland conurbation	1	72	64	2616	8329	64	224	84	1098	23287	86	136	5	3	2779	305	387
Remainder of Midland	8	57	360	2498	13892	22	400	61	2718	35268	97	69	8	3	2675	457	420
*Eastern	88	190	360	12783	45759	271	1550	284	10816	171178	365	318	25	31	8835	2427	1948
Greater London	65	139	315	10556	31624	253	1235	251	9679	129138	242	270	15	28	6810	2065	1675
Remainder of South Eastern	23	51	145	2227	14135	18	315	33	1137	42040	123	48	10	3	2025	362	273
Southern	11	53	74	2040	10035	15	292	83	1689	45551	108	70	11	9	1880	453	398
South Western	31	35	65	2988	11915	117	408	41	1416	50827	174	137	59	8	2666	517	508
Wales	9	82	159	2854	9736	109	269	42	820	32883	67	87	11	5	2939	235	256
Wales I	9	19	133	2330	6984	96	211	31	619	21790	39	71	9	5	2214	207	126
Wales II	—	63	26	524	2752	13	58	11	201	11093	28	16	2	—	725	28	130
Density Aggregates Summary:																	
Conurbations	138	554	950	21417	63194	1209	2576	1155	15513	244959	651	415	51	47	16617	3625	2766
Areas outside the conurbations	141	637	1014	28283	106391	774	3462	627	14124	371398	1171	895	154	69	26899	3855	3643
Urban areas with populations of 100,000 and over	20	142	251	7535	23279	178	901	278	5508	85455	244	290	34	20	7310	1499	963
Urban areas with populations of 50,000 and over	14	65	165	3227	11124	122	417	114	1723	41042	164	96	10	8	3004	699	441
Urban areas with populations under 50,000	37	237	372	9854	37256	301	1164	158	3368	132584	399	266	42	18	8856	1071	938
Rural areas	70	193	226	7667	34732	173	980	77	3525	112317	364	243	68	23	7729	586	1301

Area.

*ENGLAND AND WALES (excluding Port Health Districts):																			
(b) Final Number after Correction																			
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18		
Total	202	1094	1390	48735	169347	658	5935	1762	28564	616093	1527	1082	202	110	43229	7417	5797		
Regional Summary and Conurbations:																			
Northern	22	49	172	4258	11911	84	436	58	1257	43845	97	64	28	3	3557	513	403		
Tyneside conurbation	6	41	34	1139	3681	25	126	16	46	11347	22	11	15	3	1255	170	122		
Remainder of Northern	16	8	138	3119	8230	59	310	42	716	32498	75	53	13	—	2302	343	281		
East and West Ridings	2	261	136	4508	15442	21	784	108	2235	55099	224	131	17	20	5993	565	230		
West Yorkshire conurbation	—	127	49	1937	6155	8	346	25	1229	21644	77	14	4	17	1812	171	60		
Remainder of East and West Ridings	37	174	87	2571	9287	13	438	83	1006	33455	147	117	13	17	4181	394	170		
North Western	2	193	232	8907	19143	117	793	276	4257	78465	198	85	27	13	9477	1186	645		
South East Lancashire conurbation	7	49	89	3818	6253	33	290	191	2126	31925	51	28	5	4	2345	411	264		
Merseyside conurbation	18	43	93	1303	6668	43	177	157	173	16959	104	38	17	8	1333	515	217		
Remainder of North Western	14	41	70	3584	13822	41	326	128	1338	29601	143	76	11	13	2599	260	164		
North Midland	13	58	94	3546	13932	20	461	122	1848	45965	165	76	11	13	3195	505	547		
Midland	5	196	179	4797	17632	228	544	698	1988	57162	146	159	9	7	5121	584	845		
West Midland conurbation	4	124	125	2208	9305	173	344	616	890	33865	65	27	4	7	2840	280	282		
Remainder of Midland	1	72	54	2589	8327	53	223	82	1098	23297	81	132	5	2	2281	304	582		
*Eastern	7	58	68	2471	13874	19	397	62	2693	35183	92	60	20	29	2652	464	287		
*London and South Eastern	70	179	264	12487	45722	52	1529	280	10434	171102	292	253	20	29	8798	2418	1727		
Greater London	48	121	225	10276	31566	44	1211	247	9302	129060	172	218	11	26	6771	2058	1455		
Remainder of South Eastern	22	58	39	2211	14156	8	318	33	1132	42042	120	35	9	9	2027	360	272		
Southern	10	49	69	2010	10062	6	288	82	1635	45557	101	64	10	8	1880	449	368		
South Western	31	34	51	2949	11899	55	411	46	1420	50829	159	109	63	9	2623	503	496		
Wales I	3	77	105	2802	9730	53	269	38	797	32886	53	81	10	3	2935	230	249		
Wales I	3	15	86	2279	6968	49	212	29	614	21775	30	74	8	3	2208	203	119		
Wales II	—	62	19	523	2762	4	57	9	183	11111	23	7	2	—	727	27	130		
Density Aggregates Summary:																			
Conurbations	83	492	615	20883	63028	328	2494	1152	14881	244780	430	317	44	44	16556	3605	2381		
Areas outside the conurbations	119	602	775	27852	106319	330	3441	610	13683	371313	1097	765	158	66	26673	3812	3416		
Urban areas with populations of 100,000 and over	17	133	197	7382	23213	74	891	275	5211	85450	237	250	31	21	7248	1488	942		
Urban areas with populations of 50,000 and under 100,000	11	51	113	3160	11117	56	414	110	1678	41044	152	89	15	7	2899	695	300		
Urban areas with populations under 50,000	30	223	275	9714	37246	142	1157	155	3309	132493	369	225	41	16	8823	1055	904		
Rural areas	61	195	190	7596	34743	58	979	70	3485	112326	339	201	71	22	7703	574	1270		

* Smallpox cases notified.—Final: England and Wales, 27; Eastern, 1; London and South Eastern, (Remainder of South Eastern) 26.
† See note at end of Table

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fever.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis.		Acute Encephalitis.		Acute pneumonia (primary and influenzal).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ENGLAND (excluding Monmouth)																
BEDFORDSHIRE :																
Admin. County ...	—	5	6	209	1113	1	32	12	98	2191	4	3	—	—	201	54
Urban Districts ...	—	2	4	142	842	1	18	12	73	1582	3	2	—	—	141	49
Amphill ...	—	—	—	5	1	—	3	—	—	8	—	—	—	—	—	—
Bedford M.B. ...	—	—	—	38	232	—	5	3	8	202	—	—	—	—	69	22
Biggleswade ...	—	—	—	3	4	—	—	—	1	5	—	—	—	—	—	1
Dunstable M.B. ...	—	—	—	6	85	—	—	—	—	123	—	1	—	—	8	2
Kempston ...	—	2	1	5	51	—	—	—	—	12	—	—	—	—	2	—
Leighton Buzzard ...	—	—	—	7	50	—	2	—	21	127	—	—	—	—	25	—
Luton M.B. ...	—	—	2	78	321	1	7	9	43	1097	3	1	—	—	29	24
Sandy ...	—	—	1	—	98	—	1	—	—	8	—	—	—	—	8	—
Rural Districts ...	—	3	2	67	271	—	14	—	25	609	1	1	—	—	60	5
Amphill ...	—	1	1	16	65	—	3	—	—	66	—	—	—	—	6	4
Bedford ...	—	2	1	23	66	—	8	—	—	139	—	1	—	—	32	1
Biggleswade ...	—	—	—	15	92	—	—	—	17	308	—	—	—	—	16	—
Luton ...	—	—	—	13	48	—	—	—	8	96	—	—	—	—	6	—
BERKSHIRE																
County Borough : Reading ...	—	—	6	11	524	1441	—	25	4	313	7737	3	14	2	379	60
Admin. County ...	—	6	11	285	1183	—	23	3	279	5772	2	13	1	2	297	37
Urban Districts ...	—	2	2	67	240	—	5	2	45	2222	—	5	1	1	47	17
Abingdon M.B. ...	—	2	—	14	49	—	1	—	3	313	—	—	1	—	16	1
Maidenhead M.B. ...	—	—	1	15	97	—	1	—	29	781	—	2	—	1	14	1
Newbury M.B. ...	—	—	—	3	7	—	—	—	—	196	—	—	—	—	3	—
New Windsor M.B. ...	—	—	—	5	16	—	2	—	11	394	—	—	—	—	11	14
Wallingford M.B. ...	—	—	—	2	4	—	—	—	—	53	—	—	—	—	—	—
Wantage ...	—	—	1	13	39	—	—	—	1	163	—	—	—	—	—	—
Wokingham M.B. ...	—	—	—	15	28	—	1	2	1	322	—	1	—	—	3	1
Rural Districts ...	—	4	9	218	943	—	18	1	234	3550	2	8	—	1	250	20
Abingdon ...	—	—	—	32	212	—	3	—	57	493	—	2	—	1	28	2
Bradfield ...	—	—	—	12	211	—	2	—	14	443	—	—	—	—	104	2
Cookham ...	—	—	—	6	28	—	3	—	73	309	—	—	—	—	13	1
Easthampstead ...	—	—	1	28	144	—	3	—	45	457	—	—	—	—	16	—
Faringdon ...	—	1	—	19	33	—	—	—	1	40	—	1	—	—	8	1
Hungerford ...	—	2	—	5	29	—	—	—	—	195	1	—	—	—	—	1
Newbury ...	—	—	—	3	17	—	—	—	1	148	—	—	—	—	1	—
Wallingford ...	—	—	1	8	40	—	1	—	20	317	—	1	—	—	4	3
Wantage ...	—	—	1	16	52	—	—	—	8	198	—	2	—	—	12	—
Windsor ...	—	1	4	8	38	—	—	1	5	220	—	—	—	—	8	9
Wokingham ...	—	—	2	81	139	—	6	—	10	730	1	2	—	—	56	—
BUCKINGHAMSHIRE:																
Admin. County ...	—	1	6	243	1129	1	40	25	109	7089	27	20	1	3	271	73
Urban Districts ...	—	—	5	118	521	1	28	23	56	3866	12	12	1	2	164	28
Aylesbury M.B. ...	—	—	—	22	126	—	—	19	35	622	—	2	—	1	29	16
Beaconsfield ...	—	—	—	5	5	—	5	—	7	185	—	—	—	—	—	—
Bletchley ...	—	—	—	17	62	—	1	—	7	28	1	—	—	—	17	—
Buckingham M.B. ...	—	—	—	—	—	—	—	—	1	31	—	—	—	—	—	—
Chesham ...	—	—	1	3	16	—	—	—	1	197	—	—	—	—	—	—
Eton ...	—	—	—	—	1	—	—	—	—	84	—	—	—	—	—	—
High Wycombe M.B. ...	—	—	1	11	45	—	7	2	2	512	2	—	—	—	39	—
Linslade ...	—	—	—	2	—	1	—	—	1	61	—	—	—	—	16	1
Marlow ...	—	—	1	2	6	—	—	—	—	121	1	—	—	—	—	1
Newport Pagnell ...	—	—	—	2	3	—	—	—	—	99	1	3	—	—	—	3
Slough M.B. ...	—	—	2	33	226	—	12	2	2	1681	7	7	1	1	44	6
Wolverton ...	—	—	—	21	31	—	3	—	—	245	—	—	—	—	19	1
Rural Districts ...	—	1	1	125	608	—	12	2	53	3223	15	8	—	1	107	45
Amersham ...	—	—	1	26	95	—	1	1	2	865	3	1	—	—	17	10
Aylesbury ...	—	—	—	16	82	—	4	—	25	342	1	1	—	—	13	—

† See note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis.		Acute Encephalitis.		Acute pneumonia (primary and influenza).	†Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
S—contd. Districts																	
—contd.																	
Luckingham ...	—	—	—	4	7	—	1	—	5	208	1	—	—	—	11	—	—
ton ...	—	—	—	11	109	—	—	—	1	674	—	—	—	—	21	—	—
ewport Pagnell ...	—	—	—	19	10	—	1	—	1	120	8	3	—	—	2	—	8
ing ...	—	—	—	25	118	—	—	—	8	148	—	—	—	—	17	—	—
inslow ...	—	1	—	12	35	—	—	—	—	143	1	—	—	—	5	—	2
lycombe ...	—	—	—	12	152	—	5	1	11	723	1	1	—	1	21	—	—
BRIDGESHIRES : County	—	1	1	72	888	3	27	—	248	2825	23	14	—	—	154	57	30
District : Cambridge M.B.	—	1	—	34	435	3	20	—	157	1404	23	12	—	—	43	53	21
Districts	—	—	1	38	453	—	7	—	91	1421	—	2	—	—	111	4	9
Chesherton ...	—	—	—	21	171	—	4	—	72	723	—	1	—	—	48	2	6
ewmarket ...	—	—	1	13	101	—	1	—	18	176	—	1	—	—	43	—	2
outh Cambridge- shire	—	—	—	4	181	—	2	—	1	522	—	—	—	—	20	2	1
SHIRE	9	16	59	1584	3293	25	137	11	530	14031	49	12	7	2	1457	82	172
y Boroughs ...	4	4	39	580	1148	17	49	10	149	4450	13	9	5	1	521	49	49
irkenhead ...	—	2	1	18	144	362	7	16	—	22	1678	2	6	2	337	18	5
chester ...	1	1	3	45	175	5	4	—	9	455	3	—	—	—	25	4	6
tockport ...	—	1	1	9	275	299	—	17	9	10	1374	4	3	1	70	19	36
Vallasey ...	1	1	9	116	312	5	12	1	108	943	4	—	2	—	89	8	2
County	5	12	20	1004	2145	8	88	1	381	9581	36	3	2	1	936	33	123
Districts	3	9	17	860	1585	6	67	—	264	7163	27	1	2	1	691	24	109
Allderley Edge ...	—	—	—	5	30	—	1	—	—	8	—	—	—	—	3	—	—
Alsager ...	—	—	—	1	16	2	—	—	—	56	3	—	—	—	13	—	—
Altrincham M.B.	—	—	1	29	54	—	8	—	32	673	2	—	—	1	32	4	3
ebington M.B.	1	1	3	71	200	—	6	—	27	293	3	—	—	—	57	5	25
ollington ...	—	—	—	8	—	—	1	—	—	52	1	—	—	—	6	—	—
owdon ...	—	—	—	—	11	—	—	—	4	24	—	—	—	—	2	—	—
redbury and Romiley	—	—	2	24	22	—	—	—	3	115	—	—	—	—	3	1	40
headie and Gatley	—	—	—	45	93	—	1	—	10	297	1	—	—	—	30	—	6
Congleton M.B.	—	—	—	18	37	1	5	—	—	36	3	—	—	—	43	1	1
Crewe M.B.	1	1	1	84	114	—	3	—	1	1218	—	—	—	—	34	—	—
Dukinfield M.B.	—	—	2	20	8	—	3	—	1	228	1	—	—	—	50	3	5
Gleesmere Port ...	—	1	—	55	93	2	6	—	6	385	4	—	—	—	23	2	—
Hale ...	—	—	—	5	33	—	2	—	6	100	—	—	—	—	1	—	—
Hazel Grove and Bramhall	—	—	—	51	42	—	1	—	3	173	—	—	1	—	7	1	—
Hoole ...	1	—	1	17	45	—	1	—	—	56	—	—	—	—	4	—	—
Hoyle ...	—	—	1	31	77	—	3	—	5	122	4	—	—	—	61	—	—
Hyde M.B.	—	1	—	90	39	—	11	—	13	675	—	—	—	—	71	1	1
Knutsford ...	—	—	—	4	17	—	—	—	—	24	—	—	—	—	8	—	—
Longendale ...	—	1	—	2	10	—	—	—	1	47	—	—	—	—	1	—	—
ymm ...	—	—	1	12	—	—	—	—	—	—	—	—	—	—	—	—	—
Macclesfield M.B.	—	—	1	44	12	—	4	—	36	94	—	—	—	—	53	1	4
Marple ...	—	1	—	12	36	—	—	—	—	143	1	—	—	—	3	2	7
Middlewich ...	—	—	—	—	—	—	—	—	—	48	—	—	—	—	—	—	—
Nantwich ...	—	1	2	17	2	—	—	—	—	101	1	—	—	—	4	—	2
Neston ...	—	—	—	10	125	—	—	—	5	126	1	—	—	—	54	—	—
Northwich ...	—	—	—	13	89	—	2	—	13	302	—	—	—	—	34	—	—
Runcorn ...	—	1	—	41	41	—	1	—	—	204	—	1	—	—	16	2	—
ale M.B.	—	1	1	74	22	—	2	—	44	601	1	—	1	—	14	—	15
andbach ...	—	—	—	8	9	—	—	—	—	22	—	—	—	—	4	—	—
Stalybridge M.B.	—	—	—	10	85	—	2	—	42	590	—	—	—	—	14	1	—
Widmslow ...	—	—	—	41	44	—	1	—	—	198	—	—	—	—	28	—	—
Winsford ...	—	—	1	14	1	—	—	—	—	6	—	—	—	—	—	—	—
Wirral ...	—	—	—	4	178	—	1	—	12	145	1	—	—	—	18	—	—

note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis.		Acute Encephalitis.		Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
CHESHIRE—contd.																
Rural Districts ..	2	3	3	144	560	2	21	1	117	2418	9	2	—	—	245	9
Bucklow ..	—	—	—	7	22	—	1	—	—	94	—	—	—	—	1	—
Chester ..	2	1	—	14	40	—	1	—	27	238	—	1	—	—	44	—
Congleton ..	—	—	—	18	21	1	3	—	2	130	3	—	—	—	17	—
Disley ..	—	—	—	—	1	—	—	—	—	39	—	—	—	—	2	1
Macclesfield ..	—	—	—	19	10	1	4	—	1	141	1	—	—	—	17	5
Nantwich ..	—	1	1	30	128	—	4	—	56	414	2	—	—	—	42	1
Northwich ..	—	1	—	25	185	—	1	1	4	808	—	1	—	—	42	1
Runcorn ..	—	—	2	15	119	—	4	—	5	248	1	—	—	—	32	1
Tarvin ..	—	—	—	15	34	—	3	—	22	297	—	—	—	—	47	—
Tintwistle ..	—	—	—	1	—	—	—	—	—	9	1	—	—	—	1	—
CORNWALL:																
Admin. County ..	—	1	5	312	1485	10	35	—	82	5894	31	5	3	—	274	58
Urban Districts ..	—	—	3	192	719	8	19	—	73	3282	13	4	—	—	118	49
Bodmin M.B. ..	—	—	—	21	—	1	—	—	11	123	—	—	—	—	7	1
Bude-Stratton ..	—	—	—	3	3	—	—	—	—	123	—	—	—	—	—	—
Camborne-Redruth ..	—	—	1	56	104	—	10	—	19	280	4	1	—	—	37	30
Falmouth M.B. ..	—	—	—	11	44	1	1	—	2	372	—	1	—	—	4	2
Fowey M.B. ..	—	—	—	—	9	—	—	—	—	26	—	1	—	—	—	—
Helston M.B. ..	—	—	—	1	15	—	—	—	8	98	—	—	—	—	—	—
Launceston M.B. ..	—	—	—	—	17	—	2	—	—	106	—	—	—	—	1	—
Liskeard M.B. ..	—	—	—	3	89	—	1	—	—	14	—	—	—	—	5	—
Looe ..	—	—	—	10	27	—	—	—	—	72	1	—	—	—	26	—
Lostwithiel M.B. ..	—	—	—	1	3	—	—	—	—	11	—	—	—	—	5	—
Newquay ..	—	—	—	16	83	—	1	—	7	296	1	—	—	—	2	1
Padstow ..	—	—	—	1	—	—	—	—	1	89	—	—	—	—	—	—
Penryn M.B. ..	—	—	—	—	5	—	—	—	—	54	—	—	—	—	1	—
Penzance M.B. ..	—	—	—	40	4	3	1	—	17	542	1	—	—	—	—	5
St. Austell ..	—	—	2	11	91	2	—	—	1	512	2	1	—	—	1	2
St. Ives M.B. ..	—	—	—	12	34	1	—	—	—	68	—	—	—	—	—	—
St. Just ..	—	—	—	—	—	—	—	—	—	179	—	—	—	—	—	—
Saltash M.B. ..	—	—	—	1	102	—	1	—	3	251	2	—	—	—	22	4
Torpoint ..	—	—	—	2	40	—	1	—	—	30	—	—	—	—	5	1
Truro M.B. ..	—	—	—	3	49	—	1	—	4	36	1	—	—	—	2	2
Rural Districts ..	—	1	2	120	766	2	16	—	9	2612	18	1	3	—	156	9
Camelford ..	—	—	—	6	2	—	—	—	—	27	—	—	—	—	5	—
Kerrier ..	—	—	—	13	93	—	—	—	—	456	2	—	—	—	5	—
Launceston ..	—	—	—	3	15	1	—	—	—	42	1	—	—	—	3	—
Liskeard ..	—	—	—	12	66	—	—	—	1	203	—	—	2	—	24	2
St. Austell ..	—	—	1	16	133	—	2	—	1	333	6	1	—	—	5	1
St. Germans ..	—	1	—	27	142	—	5	—	2	325	1	—	—	—	35	1
Scilly, Isles of ..	—	—	—	1	—	—	—	—	—	81	—	—	—	—	10	—
Stratton ..	—	—	—	1	14	1	4	—	—	68	1	—	—	—	11	—
Truro ..	—	—	—	21	258	—	4	—	1	485	2	—	1	—	40	4
Wadebridge ..	—	—	—	9	22	—	1	—	—	330	3	—	—	—	11	1
West Penwith ..	—	—	1	11	21	—	—	—	4	262	2	—	—	—	7	—
CUMBERLAND																
County Borough:	—	1	16	333	834	1	64	10	107	5868	20	13	—	—	160	75
Carlisle ..	—	1	1	93	140	—	17	10	18	1245	—	1	—	—	20	51
Admin. County ..	—	—	15	240	694	1	47	—	89	4623	20	12	—	—	140	24
Urban Districts ..	—	—	4	78	230	—	14	—	17	1949	5	4	—	—	42	11
Cockermouth ..	—	—	1	—	—	—	—	—	—	6	—	1	—	—	—	—
Keswick ..	—	—	—	5	—	—	—	—	—	3	—	—	—	—	—	—
Maryport ..	—	—	1	20	51	—	1	—	1	335	—	—	—	—	4	1
Penrith ..	—	—	—	11	97	—	2	—	12	294	—	—	—	—	12	2
Whitehaven M.B. ..	—	—	1	22	16	—	2	—	4	591	4	3	—	—	20	8
Workington M.B. ..	—	—	1	20	66	—	9	—	—	720	1	—	—	—	6	—

† See note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis.		Acute Encephalitis.		Acute pneumonia (primary and influenza).	†Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
ERLAND																	
—contd.																	
Districts	—	—	11	162	464	—	1	33	—	72	2674	15	8	—	98	13	7
ton with Garrigill	—	—	1	4	10	—	—	—	—	—	11	—	—	—	12	—	—
der	—	—	2	15	23	—	—	2	—	64	321	1	1	—	14	—	1
ckermouth	—	—	1	46	27	1	—	3	—	—	250	1	—	—	2	—	—
erdale	—	—	3	26	136	—	—	1	—	—	897	9	—	—	10	11	—
lom	—	—	1	28	6	—	—	17	—	3	384	3	3	—	29	—	—
rith	—	—	1	16	96	—	—	3	—	5	184	—	1	—	12	1	—
ton	—	—	2	27	166	—	—	7	—	—	627	1	—	—	19	1	6
SHIRE																	
Borough :	3	35	28	1116	2342	1	123	55	105	11954	47	23	3	—	864	95	18
by	1	16	7	197	432	—	25	48	22	3125	2	—	—	—	160	67	7
County	2	19	21	919	1910	1	98	7	83	8829	45	23	3	—	704	28	11
Districts	—	3	11	553	1058	—	1	48	3	65	4153	28	16	3	389	19	2
reton	—	1	—	12	5	—	—	2	—	—	125	—	—	—	15	—	—
bourne	—	—	—	13	32	—	—	4	—	—	181	—	—	—	6	—	—
cwell	—	—	—	10	4	—	—	1	—	—	21	—	—	—	2	—	—
per	—	1	—	34	105	—	—	4	2	3	322	—	—	—	5	4	—
sover	—	—	1	27	21	1	—	1	—	—	167	1	—	—	15	1	—
ton M.B.	—	—	—	32	25	—	—	—	—	—	60	3	—	—	9	—	—
esterfield M.B.	—	—	4	138	207	—	—	9	—	1	343	14	6	—	126	2	—
y Cross	—	—	1	20	13	—	—	1	—	—	216	2	7	1	22	—	—
onfield	—	—	—	57	9	—	—	3	—	—	38	—	2	—	4	—	—
ossop M.B.	—	—	—	11	7	—	—	2	—	58	126	—	—	—	2	2	—
anor	—	—	3	72	216	—	—	5	—	3	698	5	—	—	62	—	—
ston M.B.	—	—	—	11	86	—	—	4	1	—	117	1	—	1	13	3	—
ng Eaton	—	—	—	39	133	—	—	4	—	—	730	1	—	—	13	2	1
lock	—	—	2	8	37	—	—	—	—	—	128	—	—	—	4	2	1
w Mills	—	—	—	2	3	—	—	1	—	—	51	—	—	—	1	—	—
ley	—	1	—	21	69	—	—	2	—	—	207	—	—	—	44	2	—
veley	—	—	—	31	44	—	—	—	—	—	163	—	1	1	14	1	—
adlincote	—	—	—	12	19	—	—	3	—	—	394	—	—	—	20	—	—
aley Bridge	—	—	—	2	3	—	—	1	—	—	50	—	—	—	4	—	—
rksworth	—	—	—	1	20	—	—	—	—	—	16	1	—	—	8	—	—
Districts	2	16	10	366	852	—	—	50	4	18	4676	17	7	—	315	9	9
bourne...	—	—	—	19	32	—	—	6	—	—	138	—	—	—	7	—	—
cwell	—	—	1	23	20	—	—	1	—	2	186	—	1	—	25	—	—
per	—	6	3	27	74	—	—	5	—	2	472	3	—	—	37	2	—
ckwell	—	—	1	62	171	—	—	5	—	1	577	—	—	—	23	—	6
apel en le Frith	—	—	1	11	8	—	—	—	1	—	180	1	—	—	12	1	—
esterfield	—	1	—	91	180	—	—	20	3	2	1081	8	6	—	115	1	—
owne	—	—	—	48	42	—	—	5	—	—	198	1	—	—	13	2	—
pton	2	2	1	19	35	—	—	2	—	11	311	1	—	—	11	—	—
ardlow	—	7	3	66	290	—	—	6	—	—	1533	3	—	—	72	3	3
N																	
Boroughs	4	14	15	605	3645	36	143	16	198	16566	54	26	1	5	834	111	102
eter	1	2	12	328	1789	34	73	13	118	8068	22	8	1	4	390	81	46
mouth	—	2	1	98	284	1	18	7	67	2164	3	1	—	—	140	48	16
County	1	—	11	230	1505	33	55	6	51	5904	19	7	1	4	250	33	30
County	3	12	3	277	1856	2	70	3	80	8498	32	18	—	1	444	30	56
Districts	3	8	—	129	936	2	32	2	32	4380	9	14	—	—	201	15	32
aburton	—	—	—	—	12	—	—	—	—	—	75	—	—	—	1	—	—
minster	—	—	—	—	1	—	—	—	—	—	239	—	—	—	7	—	—
rnstaple M.B.	—	—	—	4	104	—	—	5	—	9	58	—	3	—	34	8	—
leford M.B.	—	—	—	5	8	—	—	—	—	—	253	—	—	—	7	—	—
xham	—	—	—	8	14	—	—	5	—	1	134	1	—	—	10	—	—
ckfastleigh	—	—	—	—	—	—	—	—	—	—	15	—	—	—	—	—	—
deigh Salterton	—	—	—	—	26	—	—	1	—	1	20	—	—	—	7	—	—
editon	—	—	—	—	—	—	—	—	—	—	37	—	—	—	2	1	—

ote at end of Table.

TABLE 33—continued.

Area	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza)
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
DEVON															
—contd.															
U.D's—contd.															
Dartmouth M.B.	—	—	—	1	64	—	—	—	—	39	—	1	—	—	14
Dawlish	—	1	—	5	70	—	—	—	—	99	—	—	—	—	—
Exmouth	—	—	—	12	21	—	2	—	—	530	—	—	—	—	—
Gt. Torrington M.B.	—	—	—	1	1	—	—	—	3	45	—	3	—	—	21
Holsworthy	—	—	—	8	6	—	1	—	—	72	—	—	—	—	—
Honiton M.B.	—	—	—	—	6	—	—	—	—	201	—	—	—	—	10
Ilfracombe	—	2	—	20	49	—	—	—	—	29	—	—	—	—	2
Kingsbridge	—	—	—	4	9	—	1	—	—	8	1	1	—	—	—
Lynton	—	—	—	—	1	—	—	—	—	2	1	1	—	—	2
Newton Abbot	—	—	—	7	60	—	1	—	4	397	1	1	—	—	3
Northam	—	—	—	4	2	—	—	—	—	146	—	—	—	—	3
Okehampton M.B.	—	—	—	—	44	—	1	—	4	142	—	—	—	—	6
Ottery St. Mary	1	—	—	1	2	—	—	—	—	67	1	1	—	—	—
Paignton	—	2	—	9	94	—	3	—	—	197	2	1	—	—	11
Salcombe	—	—	—	2	5	—	—	—	—	5	1	1	—	—	—
Seaton	—	—	—	3	—	—	—	—	—	105	—	—	—	—	2
Sidmouth	1	2	—	6	5	—	2	—	10	17	—	—	—	—	1
South Molton M.B.	—	—	—	—	2	—	—	—	—	8	—	—	—	—	—
Tavistock	—	—	—	—	19	—	—	—	—	7	—	1	—	—	—
Teignmouth	—	—	—	53	—	—	5	1	—	262	—	—	—	—	21
Tiverton M.B.	1	—	—	1	18	2	—	—	—	28	—	—	—	—	—
Torquay M.B.	—	—	—	17	219	—	3	1	—	1031	1	—	—	—	37
Totnes M.B.	—	—	—	11	21	—	2	—	—	112	—	—	—	—	—
Rural Districts															
Axminster	—	4	3	148	920	—	38	1	48	4118	23	4	—	1	243
Barnstaple	—	—	—	7	4	—	2	—	—	462	—	—	—	—	8
Bideford	—	1	1	6	71	—	3	—	9	52	1	—	—	—	16
Broadwood Widge	—	—	—	2	4	—	—	—	—	17	—	—	—	—	1
Crediton	—	—	—	3	6	—	1	—	1	172	2	—	—	—	10
Holsworthy	—	—	—	8	—	—	—	—	—	20	3	—	—	—	2
Honiton	—	—	—	—	22	—	—	—	—	190	2	—	—	—	7
Kingsbridge	—	1	—	6	86	—	2	—	—	109	—	—	—	—	1
Newton Abbot	—	—	—	5	115	—	1	—	—	613	—	1	—	1	4
Okehampton	—	—	—	3	42	—	2	—	11	259	2	—	—	—	11
Plympton St. Mary	—	—	2	53	233	—	10	1	7	685	1	1	—	—	58
St. Thomas	—	2	—	28	120	—	9	—	8	751	—	—	—	—	54
South Molton	—	—	—	3	5	—	—	—	—	17	2	—	—	—	3
Tavistock	—	—	—	8	37	—	1	—	—	134	6	2	—	—	5
Tiverton	—	—	—	7	93	—	7	—	10	459	1	—	—	—	42
Torrington	—	—	—	1	42	—	—	—	2	30	—	—	—	—	16
Totnes	—	—	—	6	40	—	—	—	—	100	2	—	—	—	4
DORSET :															
Admin. County	1	3	4	172	1492	—	65	4	192	4709	16	17	1	—	307
Urban Districts															
Blandford Forum M.B.	—	—	—	4	18	—	—	—	1	7	—	3	—	—	4
Bridport M.B.	—	1	—	2	25	—	2	—	—	45	—	—	—	—	13
Dorchester M.B.	—	—	1	1	49	—	1	—	17	150	2	1	—	—	7
Lyme Regis M.B.	—	—	—	5	2	—	1	—	—	47	—	—	—	—	2
Poole M.B.	—	1	2	18	390	—	16	4	7	1469	5	3	—	—	73
Portland	—	—	—	1	208	—	4	—	1	28	—	4	—	—	7
Shaftesbury M.B.	—	—	—	—	16	—	1	—	—	16	—	—	—	—	—
Sherborne	1	—	—	1	12	—	—	—	—	345	—	—	—	—	6
Swanage	—	—	—	1	14	—	2	—	1	139	—	—	—	—	11
Wareham M.B.	—	—	—	5	44	—	—	—	11	58	1	—	—	—	12
Weymouth and Melcombe Regis M.B.	—	1	—	32	107	—	6	—	2	272	2	2	—	—	40
Wimborne Minster	—	—	—	—	8	—	1	—	3	86	1	—	—	—	6

† See note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis.		Acute Encephalitis.		Acute pneumonia (primary and influenza).	†Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
SET																	
—contd.																	
Districts	—	—	1	102	615	—	31	—	149	2047	5	4	1	—	126	6	2
Leamington	—	—	—	6	47	—	5	—	—	395	2	2	—	—	4	—	—
Wandford	—	—	1	25	55	—	6	—	1	91	1	—	—	—	27	2	—
Widport	—	—	—	7	62	—	1	—	—	78	—	—	—	—	5	1	—
Worcester	—	—	—	14	117	—	6	—	—	358	1	—	1	—	25	1	1
Worcestershire	—	—	—	15	24	—	1	—	—	167	1	—	—	—	1	—	—
Worcester	—	—	—	—	47	—	—	—	—	214	—	—	—	—	9	—	—
Worcester	—	—	—	2	1	—	—	—	—	71	—	—	—	—	2	1	—
Worcester	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worcester	—	—	—	23	145	—	3	—	29	223	—	2	—	—	28	—	1
Worcester	—	—	—	10	117	—	9	—	3	450	—	—	—	—	25	1	—
Worcester	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
HAM	14	38	97	1960	5921	37	185	32	488	19166	35	17	14	3	2118	189	121
City Boroughs	5	23	48	660	2324	9	99	18	202	7830	17	2	9	2	1018	133	86
Darlington	—	—	6	44	169	—	5	2	38	645	1	—	—	—	56	5	54
Gateshead	—	3	15	149	231	3	19	2	120	1283	3	—	—	2	257	11	8
South Shields	3	1	3	208	519	3	29	6	20	1704	7	—	5	—	144	33	11
Sunderland	2	19	13	188	1304	1	38	3	18	3225	6	—	1	—	430	81	11
West Hartlepool	—	—	11	71	101	2	8	5	6	973	—	2	—	—	131	3	2
n. County	9	15	49	1300	3597	28	86	14	286	11336	18	15	5	1	1100	56	35
in Districts	4	11	42	819	2665	22	58	6	274	8428	15	12	5	1	743	36	28
Barnard Castle	—	—	—	5	4	—	2	—	—	27	1	—	—	—	3	—	—
Billingham	—	—	—	53	85	1	3	—	—	465	1	3	—	—	29	1	—
Bishop Auckland	—	—	2	61	123	—	1	1	3	175	—	—	—	—	31	1	—
Blaydon	—	2	1	43	54	—	1	—	6	558	3	1	—	—	20	—	4
Boldon	—	—	—	6	48	—	—	—	—	65	—	—	—	—	3	—	—
Brandon and	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Byshtotles	—	—	1	23	161	2	—	1	—	225	—	—	—	—	4	—	—
Chester le Street	—	1	2	11	16	—	—	—	1	106	—	—	—	—	26	1	1
Consett	—	—	2	24	85	—	4	—	5	740	—	—	3	—	9	1	1
Crook and	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Willington	—	—	4	54	52	—	3	—	—	128	—	—	—	—	24	—	—
Durham M.B.	—	—	8	10	80	2	—	—	2	205	—	1	—	—	7	—	1
Felling	—	—	—	47	222	—	—	2	2	332	—	—	1	—	31	2	1
Hartlepool M.B.	—	—	1	12	37	—	—	—	1	234	—	—	—	—	5	13	—
Hebburn	—	—	1	34	291	—	2	—	2	404	—	1	—	—	52	—	—
Hetton	—	—	1	11	79	2	1	—	—	315	—	—	—	—	45	1	—
Houghton le Spring	—	1	1	22	55	—	2	—	—	203	1	—	—	—	15	—	—
Jarrow M.B.	—	—	3	25	285	1	5	—	11	922	2	—	—	—	102	—	—
Ryton	—	—	—	33	33	—	1	—	5	179	1	—	—	—	3	—	—
Seaham	—	—	1	24	30	—	4	1	2	549	1	—	—	—	52	4	4
Shildon	—	—	2	34	126	—	1	1	—	36	—	—	—	—	31	—	2
Spennymoor	—	—	3	31	72	3	3	—	12	56	—	1	—	—	19	1	—
Stanley	—	2	—	104	212	1	12	—	112	803	1	5	—	—	92	2	15
Stockton on Tees	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B.	—	1	7	104	378	4	13	1	4	1045	3	1	—	—	108	8	—
Tow Law	—	—	—	10	13	—	—	—	—	15	—	—	—	—	2	—	—
Washington	—	—	1	8	9	3	—	—	—	49	—	—	—	—	9	—	—
Whickham	—	2	—	30	115	—	—	—	116	290	—	—	1	—	21	1	—
al Districts	5	4	7	481	932	6	28	8	12	2908	3	3	—	—	357	20	7
Barnard Castle	—	—	1	32	65	—	2	1	—	192	—	—	—	—	12	3	1
Chester le Street	—	3	—	131	120	2	1	—	1	224	—	1	—	—	114	3	—
Darlington	—	—	—	2	31	—	1	—	—	79	—	—	—	—	4	—	2
Durham	—	—	2	57	126	1	2	2	2	336	—	1	—	—	45	4	—
Easington	—	3	1	121	155	—	5	1	4	1222	—	—	—	—	72	5	—
Lanchester	—	—	—	15	53	—	1	—	—	288	—	—	—	—	11	—	—
Sedgefield	—	2	—	93	58	—	3	—	5	137	2	1	—	—	16	3	—
Stockton	—	—	1	9	35	—	1	—	—	212	—	—	—	—	20	1	—
Sunderland	—	—	1	11	250	—	2	—	1	196	—	—	—	—	61	1	—
Weardale	—	—	—	10	39	—	1	6	—	82	—	—	—	—	2	—	—

see note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ELY, ISLE OF :																
Admin. County ...	2	2	1	69	329	1	15	—	7	247	1	—	—	—	61	—
Urban Districts ...	2	1	—	56	198	1	7	—	1	147	1	—	—	—	40	—
Chatteris ...	—	—	—	15	6	—	1	—	—	11	—	—	—	—	1	—
Ely ...	—	—	—	2	73	—	2	—	1	15	—	—	—	—	17	—
March ...	2	—	—	—	2	—	1	—	—	1	—	—	—	—	—	—
Whittlesey ...	—	—	—	31	72	1	—	—	—	107	1	—	—	—	19	—
Wisbech M.B. ...	—	1	—	8	45	—	3	—	—	13	—	—	—	—	3	—
Rural Districts ...	—	1	1	13	131	—	8	—	6	100	—	—	—	—	21	—
Ely ...	—	—	—	5	86	—	3	—	5	42	—	—	—	—	5	—
North Witchford ...	—	1	—	1	8	—	—	—	—	3	—	—	—	—	15	—
Thorney ...	—	—	—	—	3	—	—	—	—	2	—	—	—	—	—	—
Wisbech ...	—	—	1	7	34	—	5	—	1	53	—	—	—	—	1	—
*ESSEX...	5	25	57	2562	10559	11	323	60	1549	37592	36	40	2	1	1981	366
County Boroughs ...	—	4	19	764	2461	6	89	41	560	10236	6	11	—	—	484	57
East Ham ...	—	1	4	203	625	—	19	1	321	2198	3	4	—	—	58	2
Southend-on-Sea ...	—	3	10	279	751	1	49	3	25	4027	—	—	—	—	279	7
West Ham ...	—	—	5	282	1085	5	21	37	214	4011	3	7	—	—	147	48
*Admin. County ...	5	21	38	1798	8098	5	234	19	989	27356	30	29	2	1	1497	309
*Urban Districts ...	5	17	35	1604	7075	4	218	18	945	23767	28	27	2	1	1320	255
Barking ...	—	1	2	86	276	1	15	—	50	1713	3	4	—	—	46	10
Benfleet ...	—	—	—	7	77	—	4	—	—	577	1	—	—	—	4	—
*Billericay ...	—	—	2	56	333	—	2	—	55	985	—	1	—	—	36	3
Braintree and Bocking ...	—	1	—	3	104	—	2	—	5	609	—	—	—	—	3	—
Brentwood ...	—	—	2	16	72	—	1	—	1	571	—	—	—	—	26	—
Brightlingsea ...	—	—	—	11	13	—	—	—	—	223	—	—	—	—	2	—
Burnham on Crouch ...	—	—	—	7	5	—	2	—	—	163	—	—	—	—	16	1
Canvey Island ...	—	—	—	2	13	—	—	—	—	98	—	—	—	—	1	—
Chelmsford M.B. ...	—	—	1	22	89	—	4	1	2	403	1	1	—	—	14	12
Chigwell ...	—	1	—	67	365	—	4	1	174	1577	3	1	—	—	46	3
Chingford M.B. ...	—	—	—	81	463	—	8	—	39	940	—	—	—	—	54	1
Clacton ...	—	—	—	18	22	—	—	—	412	—	—	—	1	—	—	—
Colchester M.B. ...	—	—	2	81	353	1	4	—	106	694	1	—	—	—	34	20
Dagenham M.B. ...	—	2	3	151	492	—	5	5	28	1407	—	6	—	—	45	14
Epping ...	—	—	—	6	26	—	—	—	15	173	—	—	—	—	4	20
Frinton and Walton ...	—	—	—	10	22	—	—	—	1	64	—	—	—	—	15	2
Halstead ...	—	—	—	3	35	—	—	—	—	23	—	—	—	—	—	—
Harwich M.B. ...	—	—	1	4	24	—	—	—	2	91	1	—	—	—	3	1
Hornchurch ...	—	1	2	127	495	—	16	3	13	2023	2	6	—	—	67	4
Ilford M.B. ...	2	4	2	278	1026	1	31	3	125	2985	—	1	—	—	225	64
Leyton M.B. ...	1	2	3	166	593	1	52	—	56	1540	—	—	—	—	372	16
Maldon M.B. ...	—	—	—	15	75	—	1	—	—	179	—	—	—	—	32	4
Rayleigh ...	—	—	1	1	35	—	5	—	—	251	—	—	—	—	7	1
Romford M.B. ...	1	2	7	100	520	—	14	—	37	1290	6	6	—	—	69	11
Saffron Walden M.B. ...	—	1	—	4	—	—	2	—	—	120	—	—	—	—	1	—
Thurrock ...	—	1	—	96	296	—	7	—	26	946	—	—	—	—	47	6
Waltham Holy Cross ...	—	—	2	4	51	—	1	—	3	184	1	—	—	—	7	—
Walthamstow M.B. ...	1	1	5	118	742	—	33	2	159	2295	8	1	—	—	84	43
Wanstead and Woodford M.B. ...	—	—	—	51	425	—	5	1	41	1091	—	—	—	—	48	19
West Mersea M.B. ...	—	—	—	3	4	—	—	2	—	69	—	—	—	—	5	—
Witham ...	—	—	—	4	24	—	—	—	7	46	—	—	—	—	5	—
Wivenhoe ...	—	—	—	6	5	—	—	—	—	25	—	—	1	—	2	—
Rural Districts ...	—	4	3	194	1023	1	16	1	44	3589	2	2	—	—	177	54
Braintree ...	—	—	—	17	183	—	1	—	3	134	—	—	—	—	4	—
Chelmsford ...	—	1	—	42	151	—	3	—	9	571	1	—	—	—	28	2
Dunmow ...	—	—	—	9	82	—	—	—	—	329	—	1	—	—	15	1
Epping ...	—	1	—	18	61	1	2	—	1	508	—	1	—	—	17	1
Halstead ...	—	—	—	12	110	—	1	1	2	79	1	—	—	—	3	—

* Cases of Smallpox notified : Billericay U.D., 1.

† See note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal).	†Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
—contd.																	
—contd.																	
Exden and Winstree	—	—	—	28	115	—	2	—	9	443	—	—	—	—	27	3	—
aldon ...	—	—	—	13	85	—	1	—	2	424	—	—	—	—	16	—	—
ngar ...	—	—	—	3	23	—	—	—	7	215	—	—	—	—	6	—	—
chford ...	—	—	2	22	18	—	3	—	—	388	—	—	—	—	10	45	3
ffron Walden	—	—	1	10	46	—	1	—	4	287	—	—	—	—	22	—	—
ndring ...	—	2	—	20	149	—	2	—	7	211	—	—	—	—	29	1	—
CESTERSHIRE	25	15	15	1090	3345	3	159	9	741	12603	34	16	55	—	1049	232	107
Boroughs ...	—	10	9	601	2140	—	94	6	611	7697	21	10	8	—	675	212	74
istol ...	—	9	7	546	1902	—	84	5	611	7090	21	10	7	—	606	199	66
oucester ...	—	1	2	55	238	—	10	1	—	607	—	—	1	—	69	13	8
County ...	25	5	6	489	1205	3	65	3	130	4906	13	6	47	—	374	20	33
Districts ...	—	1	1	210	397	1	20	1	50	1102	5	2	2	—	106	11	6
arlton Kings	—	—	—	7	14	—	1	—	—	79	—	—	—	—	6	—	1
eltenham M.B.	—	1	—	57	196	1	4	—	22	218	1	1	2	—	59	8	5
rencester ...	—	—	—	5	17	—	3	—	1	39	—	—	—	—	15	1	—
ngswood ...	—	—	—	67	59	—	2	—	2	265	2	—	—	—	4	—	—
angotfield ...	—	—	1	36	29	—	3	—	15	225	1	1	—	—	2	—	—
illsworth ...	—	—	—	14	6	—	5	1	—	91	—	—	—	—	13	—	—
oud ...	—	—	—	9	70	—	1	—	2	173	—	—	—	—	6	2	—
wkesbury M.B.	—	—	—	15	6	—	1	—	8	12	1	—	—	—	1	—	—
Districts ...	25	4	5	279	808	2	45	2	80	3804	8	4	45	—	268	9	27
eltenham ...	—	—	1	36	46	—	2	1	8	121	1	1	—	—	25	—	1
rencester ...	24	—	1	22	23	—	1	—	10	146	—	2	—	—	13	—	1
arsley ...	—	—	2	41	94	—	3	—	—	262	—	—	—	—	47	—	—
st Dean ...	—	—	—	19	81	1	—	1	—	181	—	—	22	—	2	1	2
oucester ...	—	—	—	9	138	1	4	—	27	359	—	—	5	—	21	1	1
dney ...	—	1	1	7	31	—	1	—	—	250	—	—	14	—	3	—	7
ewent ...	—	—	—	3	6	—	—	—	—	25	—	—	—	—	2	2	—
orth Cotswold	—	—	—	10	103	—	10	—	5	458	1	—	—	—	31	—	—
orthleach ...	—	—	—	4	10	—	2	—	—	128	—	—	—	—	3	—	—
dbury ...	—	3	—	61	88	—	5	—	19	803	5	1	—	—	32	2	13
oud ...	—	—	—	29	109	—	4	—	—	300	—	—	—	—	21	2	—
thbury ...	—	—	—	2	—	—	—	—	—	14	—	—	—	—	1	1	—
ornbury ...	—	—	—	24	45	—	8	—	11	467	1	—	—	—	46	—	1
armley ...	—	1	—	10	20	—	4	—	—	93	—	—	—	—	7	—	1
est Dean ...	—	—	—	2	14	—	1	—	—	197	—	—	4	—	14	—	—
FORDSHIRE :																	
County ...	—	—	4	291	576	4	11	2	183	474	2	—	—	—	100	12	24
Districts ...	—	—	—	75	206	2	6	1	116	134	—	—	—	—	28	4	14
omyard ...	—	—	—	8	20	—	1	—	22	5	—	—	—	—	5	1	11
ereford M.B.	—	—	—	45	89	2	2	1	14	43	—	—	—	—	6	2	3
ngton ...	—	—	—	1	28	—	—	—	—	2	—	—	—	—	—	—	—
dbury ...	—	—	—	—	4	—	—	—	—	40	—	—	—	—	—	—	—
ominster M.B.	—	—	—	17	22	—	1	—	1	9	—	—	—	—	6	—	—
oss on Wye ...	—	—	—	4	43	—	2	—	79	35	—	—	—	—	11	1	—
Districts ...	—	—	4	216	370	2	5	1	67	340	2	—	—	—	72	8	10
omyard ...	—	—	—	11	23	2	2	—	3	27	—	—	—	—	6	2	—
ore and	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bredwardine ...	—	—	3	11	61	—	1	—	1	30	—	—	—	—	22	1	2
ereford ...	—	—	—	115	66	—	1	—	9	35	1	—	—	—	10	—	2
ngton ...	—	—	—	20	48	—	—	—	—	23	—	—	—	—	—	—	—
dbury ...	—	—	—	4	39	—	—	—	3	110	—	—	—	—	4	—	1
ominster and	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wigmore ...	—	—	—	50	37	—	1	—	24	16	—	—	—	—	8	2	—
oss and Whitchurch	—	—	—	3	59	—	—	1	27	23	—	—	—	—	12	2	2
eebley ...	—	—	1	2	37	—	—	—	—	76	—	—	—	—	10	1	3

note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis.	Non-paralytic.	Acute Encephalitis.	Post-infectious.	Acute pneumonia (primary and influenza).	Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
HERTFORDSHIRE :																
Admin. County ...	3	5	9	613	2632	4	57	25	390	9235	9	10	—	4	336	110
Urban Districts ...	2	3	7	453	1759	3	47	25	96	6924	5	5	—	2	231	11
Baldock ...	—	—	—	8	40	—	—	—	—	18	—	—	—	—	9	—
Barnet ...	—	1	2	43	76	—	4	—	9	261	—	—	—	—	17	2
Berkhamsted ...	—	—	—	19	60	—	4	—	—	291	—	—	—	—	3	—
Bishop's Stortford ...	1	—	—	18	83	—	—	—	—	271	—	—	—	—	5	10
Bushey ...	—	—	—	13	43	—	2	23	5	266	1	1	—	—	6	3
Cheshunt ...	—	—	—	88	71	—	6	1	7	580	—	—	—	1	35	—
Chorley Wood ...	—	—	—	2	8	—	—	—	—	99	—	—	—	—	—	—
East Barnet ...	—	1	—	45	246	—	3	—	8	809	—	1	—	—	14	—
Harpenden ...	—	—	—	7	124	1	4	—	2	318	—	—	—	—	5	—
Hemel Hempstead M.B. ...	—	—	—	19	21	—	—	—	18	230	—	1	—	—	—	1
Hertford M.B. ...	—	—	—	20	87	—	1	—	—	242	—	—	—	—	32	—
Hitchin ...	—	—	—	17	112	—	2	—	6	202	—	—	—	—	5	1
Hoddesdon ...	—	—	—	10	135	—	3	—	—	376	—	—	—	—	18	—
Letchworth ...	—	—	—	4	67	—	1	—	—	72	—	—	—	—	12	—
Rickmansworth ...	—	—	—	10	66	—	3	1	1	374	—	1	—	—	—	—
Royston ...	—	—	—	—	23	—	—	—	—	52	—	—	—	—	—	—
St. Alban M.B. ...	—	1	3	26	174	1	6	—	10	355	1	—	—	—	25	—
Sawbridgeworth ...	—	—	—	2	2	—	—	—	—	71	—	—	—	—	1	—
Stevenage ...	—	—	—	—	18	—	—	—	—	27	—	—	—	—	2	—
Tring ...	—	—	—	6	18	—	—	—	—	208	—	—	—	—	—	—
Ware ...	—	—	—	1	28	—	—	—	—	90	—	—	—	—	—	—
Watford M.B. ...	1	—	2	62	159	1	6	—	22	1409	3	1	—	1	37	1
Welwyn Garden City ...	—	—	—	31	98	—	2	—	8	303	—	—	—	—	5	—
Rural Districts ...	1	2	2	160	873	1	10	—	294	2311	4	5	—	2	105	—
Berkhamsted ...	—	—	—	16	21	—	—	—	1	139	—	—	—	—	—	—
Braughing ...	—	2	1	5	121	—	—	—	—	201	—	1	—	—	16	—
Elstree ...	—	—	—	15	40	—	—	—	17	55	1	—	—	—	2	—
Hatfield ...	—	—	—	19	69	—	3	—	176	369	—	—	—	2	19	—
Hemel Hempstead ...	—	—	—	6	37	—	—	—	1	107	—	—	—	—	5	—
Hertford ...	—	—	—	6	92	—	—	—	5	118	—	1	—	—	5	—
Hitchin ...	—	—	—	7	120	1	1	—	39	248	1	—	—	—	11	—
St. Albans ...	1	—	—	30	91	—	5	—	50	371	—	—	—	—	21	—
Ware ...	—	—	—	1	100	—	—	—	—	248	—	—	—	—	18	—
Watford ...	—	—	1	52	175	—	1	—	5	441	2	3	—	—	8	—
Welwyn ...	—	—	—	3	7	—	—	—	—	14	—	—	—	—	—	—
HUNTINGDONSHIRE:																
Admin. County ...	—	—	1	39	312	—	11	2	6	340	—	2	1	—	63	1
Urban Districts ...	—	—	1	20	171	—	5	—	2	141	—	1	1	—	37	—
Godmanchester M.B. ...	—	—	—	3	42	—	1	—	—	30	—	—	—	—	10	—
Huntingdon M.B. ...	—	—	—	—	16	—	—	—	—	19	—	—	1	—	11	—
Old Fletton ...	—	—	—	4	52	—	2	—	—	7	—	—	—	—	3	—
Ramsey ...	—	—	—	—	14	—	—	—	—	4	—	—	—	—	10	—
St. Ives M.B. ...	—	—	1	10	2	—	—	—	2	45	—	1	—	—	—	—
St. Neots ...	—	—	—	3	45	—	2	—	—	36	—	—	—	—	3	—
Rural Districts ...	—	—	—	19	141	—	6	2	4	199	—	1	—	—	26	1
Huntingdon ...	—	—	—	4	48	—	1	—	1	26	—	—	—	—	4	—
Norman Cross ...	—	—	—	5	6	—	1	—	—	3	—	—	—	—	1	—
St. Ives ...	—	—	—	2	67	—	3	1	2	40	—	1	—	—	16	—
St. Neots ...	—	—	—	8	20	—	1	1	1	130	—	—	—	—	5	—
KENT																
County Borough:																
Canterbury ...	—	—	—	60	136	—	4	—	3	791	2	—	—	—	4	1
Admin. County ...	2	42	30	1569	10200	5	214	13	656	28449	84	87	10	4	1443	17

† See note at end of Table.

TABLE 33—continued.

Area.	Typoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis.		Acute Encephalitis.		Acute pneumonia (primary and influenzal).	†Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
—contd.																	
Districts ...	2	27	20	1306	7784	4	172	12	457	22354	60	84	10	3	1036	148	101
Abford ...	—	—	—	11	252	—	3	—	—	492	1	—	—	—	12	—	—
Adenham M.B. ...	—	1	3	78	242	—	4	3	45	1110	2	1	—	—	47	11	20
Adxley M.B. ...	—	2	—	101	440	—	17	—	5	2209	2	—	—	—	36	7	7
Adxley and St. Peter's ...	—	—	—	29	86	1	3	—	—	132	1	—	—	—	25	—	—
Adxley M.B. ...	—	1	—	47	444	—	7	—	6	1381	—	3	—	—	52	51	1
Adxley M.B. ...	—	—	2	57	396	—	4	1	47	1184	—	—	2	—	62	18	2
Adxley M.B. ...	—	—	4	2	161	441	—	10	1	1824	1	8	—	—	51	2	9
Adxley M.B. ...	—	1	1	35	134	—	3	—	4	682	—	2	1	—	21	2	1
Adxley M.B. ...	—	1	—	33	187	—	12	1	5	382	5	5	1	—	50	2	—
Adxley M.B. ...	—	—	—	8	142	—	1	—	2	434	—	—	—	—	15	1	2
Adxley M.B. ...	—	—	—	12	473	1	6	3	—	779	—	—	—	—	25	5	6
Adxley M.B. ...	—	3	2	45	173	—	5	1	—	1007	—	—	1	2	40	1	3
Adxley M.B. ...	—	—	—	3	256	—	4	—	—	106	—	—	—	—	14	3	1
Adxley M.B. ...	—	—	—	24	323	2	13	1	5	854	—	—	—	—	121	9	13
Adxley M.B. ...	—	1	1	54	419	—	10	1	10	1663	2	—	1	—	34	2	—
Adxley M.B. ...	—	1	—	26	214	—	7	—	—	773	13	8	1	—	25	1	—
Adxley M.B. ...	—	1	—	23	13	—	—	—	12	29	—	—	—	—	7	3	—
Adxley M.B. ...	—	—	—	1	38	—	—	—	6	226	—	—	—	—	10	—	—
Adxley M.B. ...	—	—	—	2	28	—	—	—	—	69	1	—	—	—	11	1	—
Adxley M.B. ...	—	1	—	53	324	—	3	—	1	309	—	—	—	—	13	5	—
Adxley M.B. ...	—	2	1	38	219	—	—	—	2	161	1	—	1	—	6	2	2
Adxley M.B. ...	—	—	—	5	53	—	—	—	—	10	—	—	—	—	6	—	—
Adxley M.B. ...	—	—	1	5	100	—	4	—	—	335	9	—	—	—	20	—	—
Adxley M.B. ...	—	4	4	94	550	—	14	—	93	1663	8	53	—	—	143	5	26
Adxley M.B. ...	—	—	—	44	107	—	7	—	5	467	—	—	—	—	10	—	—
Adxley M.B. ...	—	—	—	—	9	—	1	—	—	70	1	—	—	—	1	—	—
Adxley M.B. ...	—	1	1	29	109	—	4	—	1	486	1	1	—	—	15	2	—
Adxley M.B. ...	—	1	—	101	396	—	6	—	28	1108	3	—	—	—	68	—	—
Adxley M.B. ...	—	—	—	41	376	—	7	—	25	453	1	—	—	—	21	8	1
Adxley M.B. ...	—	—	—	5	6	—	1	—	—	38	—	—	—	—	2	1	—
Adxley M.B. ...	—	—	—	13	60	—	—	—	—	253	—	1	—	—	4	—	1
Adxley M.B. ...	—	—	1	11	69	—	3	—	9	398	—	—	—	—	9	3	—
Adxley M.B. ...	—	—	—	18	219	—	5	—	—	226	5	—	—	—	1	3	1
Adxley M.B. ...	—	—	—	5	41	—	—	—	—	41	—	—	—	—	1	—	2
Adxley M.B. ...	2	2	—	14	81	—	—	—	2	130	—	1	—	—	25	—	—
Adxley M.B. ...	—	—	—	—	2	—	—	—	—	186	—	—	—	—	—	—	1
Adxley M.B. ...	—	—	1	18	95	—	4	—	47	465	3	1	2	1	12	—	1
Adxley M.B. ...	—	—	—	62	267	—	4	—	1	219	—	—	—	—	21	1	—
Districts ...	—	15	10	263	2416	1	42	1	199	6095	24	3	—	1	407	23	21
Adxley M.B. ...	—	—	—	21	79	—	1	—	3	272	1	—	—	—	42	1	—
Adxley M.B. ...	—	6	—	43	139	—	2	—	3	292	—	—	—	—	13	—	—
Adxley M.B. ...	—	2	—	27	118	—	4	—	—	637	4	—	—	—	31	1	9
Adxley M.B. ...	—	—	—	2	76	—	—	—	1	158	—	—	—	—	9	1	—
Adxley M.B. ...	—	1	—	7	51	—	—	—	1	258	—	—	—	—	12	—	—
Adxley M.B. ...	—	—	—	8	110	—	2	—	—	418	3	—	—	—	10	3	—
Adxley M.B. ...	—	—	—	1	18	—	1	1	—	154	1	—	—	—	2	1	—
Adxley M.B. ...	—	—	—	5	106	—	2	—	1	266	—	—	—	—	—	1	2
Adxley M.B. ...	—	—	2	8	269	—	1	—	4	417	—	—	—	—	24	2	—
Adxley M.B. ...	—	—	3	13	278	—	11	—	133	623	2	—	—	—	8	2	4
Adxley M.B. ...	—	—	—	8	44	—	2	—	—	16	2	—	—	—	3	—	—
Adxley M.B. ...	—	—	1	46	343	1	9	—	23	619	6	2	—	—	160	—	2
Adxley M.B. ...	—	—	1	12	71	—	2	—	—	245	—	—	—	1	18	2	2
Adxley M.B. ...	—	—	—	12	53	—	2	—	1	532	—	—	—	—	6	—	1
Adxley M.B. ...	—	6	—	25	287	—	—	—	4	334	2	1	—	—	11	3	—
Adxley M.B. ...	—	1	—	5	7	—	—	—	—	248	1	—	—	—	—	—	—
Adxley M.B. ...	—	—	1	18	324	—	3	—	24	379	1	—	—	—	31	6	1
Adxley M.B. ...	—	—	—	2	43	—	—	—	1	227	1	—	—	—	27	—	—

note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
LANCASHIRE ...	30	177	192	7265	15804	92	652	264	3669	63967	145	73	20	11	4992	110
County Boroughs ...	18	74	126	4208	9799	54	348	240	2374	37501	87	49	7	4	2964	95
Barrow-in-Furness ...	—	2	2	33	136	—	5	3	5	444	10	3	1	—	34	—
Blackburn ...	—	—	3	97	131	—	3	2	72	498	6	3	—	—	109	4
Blackpool ...	—	4	1	224	245	—	21	2	10	1756	3	1	—	—	43	2
Bolton ...	1	2	2	448	278	12	24	1	294	1800	1	—	—	—	214	—
Bootle ...	—	—	4	81	366	—	3	4	41	922	1	—	—	—	40	—
Burnley ...	—	2	3	147	269	—	22	1	25	886	6	5	—	—	125	3
Bury ...	—	5	2	21	131	—	4	3	21	395	1	1	—	—	70	—
Liverpool ...	13	29	53	896	3610	25	112	149	553	10464	22	23	1	—	781	47
Manchester ...	3	12	27	970	2255	10	73	56	384	8953	18	5	2	—	709	26
Oldham ...	—	—	—	167	199	—	15	8	488	1834	—	3	—	—	86	—
Preston ...	—	6	—	382	303	1	10	5	147	1157	4	1	2	1	104	1
Rochdale ...	—	—	3	54	70	2	6	—	4	752	1	—	—	—	59	—
St. Helens ...	1	5	6	130	552	1	14	—	16	2613	5	1	—	—	91	—
Salford ...	—	6	7	309	696	2	17	5	145	2122	7	1	—	—	275	5
Southport ...	—	1	4	94	192	—	15	—	155	1272	2	—	—	—	1	—
Warrington ...	—	—	3	70	164	—	1	1	7	574	—	—	—	—	58	—
Wigan ...	—	—	2	85	202	—	3	—	7	1059	—	2	1	—	97	—
Admin. County ...	12	103	66	3057	6005	38	304	24	1295	26466	58	24	13	7	2028	14
Urban Districts ...	10	87	52	2600	5025	34	259	21	1082	23096	48	22	8	5	1679	10
Abram ...	—	—	—	5	24	—	—	—	—	43	—	2	—	—	9	—
Accrington M.B. ...	—	—	—	19	47	—	4	—	9	207	2	—	—	—	21	—
Adlington ...	—	—	—	6	26	—	2	—	4	66	—	—	—	—	9	—
Ashton in	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Makerfield ...	—	—	—	7	91	—	1	—	—	296	—	—	—	—	7	—
Ashton under Lyne	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B. ...	—	—	3	102	88	3	4	—	4	855	1	—	—	—	51	—
Aspull ...	—	1	—	4	27	—	—	—	—	76	—	—	—	—	28	—
Atherton ...	—	—	—	59	15	—	11	1	2	51	—	2	—	—	17	—
Audenshaw ...	—	1	—	19	24	—	1	2	—	145	—	—	—	—	3	—
Bacup M.B. ...	—	—	—	21	56	—	—	—	6	44	—	—	—	—	3	—
Barrowford ...	—	—	—	12	9	—	1	1	—	55	—	—	—	—	—	—
Billinge and	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Winstanley ...	—	—	—	5	20	—	1	—	1	50	—	—	—	—	4	—
Blackrod ...	—	—	—	6	10	—	—	—	1	107	—	—	—	—	3	—
Brierfield ...	—	—	—	14	9	1	1	—	1	103	1	—	—	—	8	—
Carnforth ...	—	2	—	9	7	—	—	—	—	88	—	—	—	—	—	—
Chadderton ...	—	—	1	39	64	—	1	1	59	535	—	—	—	—	33	—
Chorley M.B. ...	—	—	—	14	67	1	4	—	1	485	1	1	—	—	77	—
Church ...	—	—	—	2	8	—	1	—	2	40	1	—	—	—	—	—
Clayton le Moors	—	—	—	2	13	—	—	—	2	47	1	—	—	—	—	—
Clitheroe M.B. ...	—	1	—	36	127	—	1	—	—	60	2	1	—	—	11	—
Colne M.B. ...	—	—	1	35	16	—	—	—	—	342	1	1	—	—	18	—
Crompton ...	—	—	—	18	47	—	3	—	3	184	—	—	—	—	6	—
Crosby M.B. ...	—	1	—	44	346	—	8	—	1	643	—	—	—	—	45	—
Dalton in Furness	—	2	1	—	27	—	3	1	3	36	3	—	—	—	1	—
Darwen M.B. ...	—	—	—	75	76	15	6	2	157	340	—	—	—	—	23	—
Denton ...	—	—	1	57	74	—	3	—	3	395	—	—	—	—	36	—
Droylsden ...	—	1	2	—	37	49	—	1	—	2	444	1	—	—	6	—
Eccles M.B. ...	—	2	3	2	91	102	—	19	3	69	794	—	—	—	40	—
Failsforth ...	—	—	1	—	44	40	—	3	—	28	108	—	—	—	25	—
Farnworth M.B. ...	—	—	1	—	74	160	—	4	1	81	300	2	—	—	50	—
Fleetwood M.B. ...	—	—	1	—	11	44	3	1	—	10	342	—	—	—	38	—
Formby ...	—	—	—	1	3	61	—	2	—	1	245	—	—	—	20	—
Fulwood ...	—	3	—	1	19	20	—	1	14	83	1	—	—	—	2	1
Golborne ...	—	—	—	22	29	—	—	—	2	185	—	1	—	—	22	—
Grange ...	—	—	—	—	2	—	—	—	—	3	—	—	—	—	—	—
Great Harwood ...	—	—	—	26	50	—	1	—	20	262	—	—	—	—	18	—
Haslingden M.B. ...	—	—	—	16	51	—	—	—	—	103	3	—	—	—	4	—
Haydock ...	—	3	—	28	58	3	5	—	—	407	—	—	—	—	74	—
Heywood M.B. ...	—	—	2	45	30	—	2	—	10	438	—	—	—	—	13	—
Hindley ...	—	1	—	20	50	—	3	—	3	249	1	—	—	—	9	—
Horwich ...	—	—	—	30	11	—	5	—	1	258	—	—	—	—	30	—

† See note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis.	Non-paralytic.	Acute Encephalitis.	Post-infectious.	Acute pneumonia (primary and influenzal).	†Puerperal pyrexia.	Food poisoning.
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
ASHIRE																	
—contd.																	
ayton with Roby	—	3	3	34	265	4	8	3	10	839	1	—	—	—	20	—	1
ce in Makerfield	—	—	1	8	119	—	2	—	—	205	—	—	1	—	22	—	—
arsley ...	—	—	—	18	—	—	1	—	3	284	—	1	—	—	17	—	—
rkham ...	—	—	—	17	98	—	2	—	12	213	—	—	—	—	13	—	—
rkham ...	—	3	—	55	4	1	—	—	1	41	—	—	—	—	6	—	—
ncaster M.B.	4	3	4	93	189	—	15	—	109	1255	—	1	4	2	112	1	14
es ...	—	—	1	1	18	—	—	—	6	117	1	—	—	—	3	—	—
igh M.B.	—	7	—	177	35	—	11	—	25	315	3	1	—	—	44	2	—
yland ...	—	1	—	16	62	—	2	—	—	207	—	—	—	—	13	—	1
therland ...	—	7	1	19	134	—	2	—	3	379	—	—	—	—	8	1	—
tleborough ...	—	—	—	4	22	—	2	—	—	181	—	1	—	—	—	—	—
tle Lever	—	—	—	27	13	—	2	—	1	63	—	—	—	—	2	—	—
ongridge ...	—	—	—	4	9	—	2	—	—	16	—	—	—	—	5	—	—
tham ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
St. Anne's M.B.	—	—	—	16	105	—	1	—	—	138	2	3	—	—	7	1	3
iddleton M.B.	—	4	2	16	84	1	—	—	59	619	—	—	—	—	15	—	3
ilnow ...	—	—	—	4	16	—	1	—	—	182	—	—	—	—	1	—	—
orecambe and	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Heysham M.B.	2	2	2	40	102	—	11	1	1	495	1	1	3	1	30	—	1
ossley M.B.	—	1	—	3	60	—	—	—	3	174	—	—	—	—	14	—	—
elson M.B.	—	—	1	61	45	—	—	—	18	190	2	—	—	—	36	2	13
ewton-le-Willows	—	—	1	34	31	—	16	—	7	586	—	—	—	—	97	—	—
rmskirk ...	—	—	1	14	118	—	2	—	5	210	—	—	—	—	15	15	—
rell ...	—	—	1	6	39	—	3	—	—	113	2	—	—	—	14	—	—
swaltdwistle	—	—	—	16	8	—	—	—	2	43	—	—	—	—	6	—	—
idham ...	—	—	—	17	31	—	—	—	1	55	3	—	—	—	—	1	—
ulton le Fylde	—	—	—	8	18	—	3	—	—	146	—	—	—	—	8	—	1
eesall ...	—	—	—	1	16	—	—	—	—	3	—	—	—	—	1	—	—
escot ...	—	—	—	37	84	—	—	—	—	210	—	—	—	—	2	—	—
estwich M.B.	—	1	1	28	42	—	2	—	40	408	—	—	—	—	29	—	7
adcliffe M.B.	—	1	—	65	47	—	6	—	37	770	—	1	—	—	37	—	—
ainford ...	—	—	—	2	17	—	—	—	21	50	—	—	—	—	—	—	—
amsbottom	—	—	—	29	24	—	3	1	7	175	1	—	—	—	10	—	—
awtenstall M.B.	—	—	1	7	66	—	1	—	10	111	2	—	—	—	50	—	7
shston ...	—	—	—	3	27	—	—	—	—	134	—	—	—	—	17	—	—
oyton ...	—	—	2	12	33	—	1	—	23	223	—	1	—	—	6	—	2
elmersdale ...	—	1	—	1	3	—	—	—	—	1	—	—	—	—	1	1	—
andish with	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Langtree	—	—	1	6	13	—	—	—	2	158	—	1	—	—	5	—	—
retford M.B.	—	1	1	77	165	1	9	2	30	855	2	—	—	—	37	13	2
inton and	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pendlebury M.B.	—	12	6	118	44	—	12	—	29	326	3	—	—	2	51	3	3
ornton Cleveleys	—	—	—	20	10	—	3	—	—	242	—	—	—	—	16	—	—
ottington ...	—	—	—	5	35	—	2	—	—	134	—	—	—	—	3	—	—
awden ...	—	—	—	3	1	—	—	—	1	7	—	—	—	—	—	—	—
arton ...	—	—	—	13	21	—	1	—	1	178	—	—	—	—	12	2	—
ldesley ...	—	1	1	37	24	—	3	—	5	30	1	—	—	—	7	3	—
lverston ...	—	—	—	7	32	—	—	—	1	16	—	—	—	—	1	—	—
pholland ...	—	—	—	3	62	—	3	—	—	142	—	—	—	—	1	—	—
rmston ...	—	11	5	32	192	—	8	—	95	896	1	—	—	—	25	16	5
ulton le Dale	—	1	—	43	51	—	5	—	—	306	—	2	—	—	15	—	4
ardle ...	—	—	—	9	16	—	1	—	3	17	—	—	—	—	—	9	—
est Houghton	—	—	—	40	7	—	—	—	5	35	—	—	—	—	17	1	—
hitefield ...	—	—	—	23	30	—	2	—	1	141	—	—	—	—	14	—	1
hithworth ...	—	—	1	6	38	—	1	—	—	79	—	—	—	—	4	1	—
idnes M.B.	—	4	—	89	83	—	5	1	—	324	1	—	—	—	21	1	3
ithnell ...	—	—	—	4	7	—	—	—	—	34	—	—	—	—	7	—	—
Vorsley ...	—	—	1	96	135	1	3	—	6	511	1	1	—	—	10	1	—
Districts	2	16	14	457	980	4	45	3	213	3370	10	2	5	2	349	37	5
ackburn ...	—	—	1	12	35	—	1	1	10	104	—	—	—	—	11	—	—
urnley ...	—	1	1	18	17	—	2	—	2	146	2	—	—	—	15	1	—
horley ...	—	—	—	71	83	1	—	—	—	285	—	—	—	—	35	—	—
litheroe ...	—	—	—	20	36	—	8	—	50	55	1	—	—	—	15	—	—
ylde ...	—	1	—	22	36	—	2	—	18	98	—	—	—	—	11	—	—
arstang ...	—	—	—	5	12	—	2	—	2	62	—	—	—	—	43	—	1

note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis.		Acute Encephalitis.		Acute pneumonia. (primary and influenzal).	Perinatal mortality.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
LANCASHIRE																
—contd.																
R.D.'s.—contd.																
Lancaster ...	—	—	1	14	39	—	1	—	—	138	1	—	—	1	4	—
Limehurst ...	—	—	—	11	21	—	1	—	9	147	—	—	—	—	11	—
Lunesdale ...	—	—	—	13	6	—	3	1	1	215	—	—	—	1	3	—
Preston ...	—	4	—	58	49	—	2	—	33	328	1	—	—	—	17	—
Ulverston ...	—	—	—	10	77	—	5	1	1	171	1	—	—	—	21	—
Warrington ...	1	—	2	71	67	—	6	—	57	293	1	—	—	—	48	—
West Lancashire ...	—	4	—	20	291	1	8	—	8	518	—	—	2	—	57	—
Whiston ...	—	7	9	101	179	2	4	—	22	727	3	2	1	—	46	—
Wigan ...	—	—	—	11	32	—	—	—	—	83	—	—	—	—	12	—
LEICESTERSHIRE																
County Borough:	3	13	39	546	3491	2	98	21	933	9441	28	7	2	—	710	1
Leicester ...	1	3	31	241	1759	2	49	20	764	4810	10	4	1	—	250	—
Admin. County ...	2	10	8	305	1732	—	49	1	169	4631	18	3	1	—	460	—
Urban Districts	—	10	8	161	726	—	26	1	77	2064	8	3	—	—	208	—
Ashby de la Zouch ...	—	—	—	1	21	—	—	—	—	178	—	—	—	—	8	—
Ashby Wolds ...	—	—	1	—	9	—	—	—	—	32	—	—	—	—	2	—
Coalville ...	—	—	1	16	101	—	2	1	7	152	—	—	—	—	84	—
Hinckley ...	—	—	2	60	138	—	7	—	47	590	4	1	—	—	27	—
Loughborough M.B.	—	10	1	43	105	—	2	—	—	729	2	—	—	—	27	—
Market Harborough ...	—	—	—	2	13	—	2	—	—	17	—	—	—	—	1	—
Melton Mowbray ...	—	—	3	15	15	—	5	—	5	133	2	—	—	—	31	—
Oadby ...	—	—	—	—	10	—	—	—	4	84	—	—	—	—	2	—
Shepshed ...	—	—	—	2	144	—	6	—	—	13	—	1	—	—	24	—
Wigston ...	—	—	—	22	170	—	2	—	14	136	—	1	—	—	2	—
Rural Districts	2	—	—	144	1006	—	23	—	92	2567	10	—	1	—	252	—
Ashby de la Zouch ...	—	—	—	4	44	—	6	—	1	121	—	—	—	—	42	—
Barrow upon Soar ...	1	—	—	60	386	—	10	—	40	954	5	—	—	—	76	—
Billesdon ...	—	—	—	5	31	—	—	—	3	74	—	—	1	—	5	—
Blaby ...	1	—	—	35	177	—	4	—	33	685	1	—	—	—	37	—
Castle Donington ...	—	—	—	9	127	—	—	—	13	205	1	—	—	—	21	—
Lutterworth ...	—	—	—	1	43	—	—	—	—	106	—	—	—	—	5	—
Market Bosworth ...	—	—	—	12	97	—	3	—	1	253	2	—	—	—	29	—
Market Harborough ...	—	—	—	10	1	—	—	—	1	34	1	—	—	—	4	—
Melton and Belvoir ...	—	—	—	8	100	—	—	—	—	135	—	—	—	—	33	—
LINCOLNSHIRE :																
Parts of Holland :																
Admin. County ...	—	—	3	72	717	—	25	1	12	702	5	—	—	—	73	—
Urban Districts	—	—	1	24	306	—	8	1	1	132	2	—	—	—	30	—
Boston M.B.	—	—	1	22	264	—	4	1	1	113	1	—	—	—	24	—
Spalding ...	—	—	—	2	42	—	4	—	—	19	1	—	—	—	6	—
Rural Districts	—	—	2	48	411	—	17	—	11	570	3	—	—	—	43	—
Boston ...	—	—	—	14	219	—	3	—	1	313	—	—	—	—	13	—
East Elloe ...	—	—	1	16	103	—	12	—	7	62	2	—	—	—	14	—
Spalding ...	—	—	1	18	89	—	2	—	3	195	1	—	—	—	16	—
LINCOLNSHIRE:																
Parts of Kesteven :																
Admin. County ...	—	1	—	67	865	—	19	1	24	1642	7	3	—	—	161	—
Urban Districts	—	—	—	31	508	—	12	—	16	755	1	—	—	—	89	—
Bourne ...	—	—	—	14	111	—	6	—	1	81	—	—	—	—	30	—
Grantham M.B.	—	—	—	7	343	—	4	—	11	437	1	—	—	—	23	—
Sleaford ...	—	—	—	—	21	—	1	—	2	205	—	—	—	—	4	—
Stamford M.B.	—	—	—	10	33	—	1	—	2	32	—	—	—	—	32	—
Rural Districts	—	1	—	36	357	—	7	1	8	887	6	3	—	—	72	—
East Kesteven ...	—	1	—	4	123	—	1	—	1	364	2	—	—	—	23	—
North Kesteven ...	—	—	—	12	10	—	3	—	7	190	4	3	—	—	3	—
South Kesteven ...	—	—	—	17	116	—	2	—	—	197	—	—	—	—	24	—
West Kesteven ...	—	—	—	3	108	—	1	1	—	136	—	—	—	—	22	—

†See note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis.	Non-paralytic.	Acute Encephalitis.	Post-infectious.	Acute pneumonia (primary and influenza).	†Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
ENGLAND:																	
County of Lindsey	3	5	9	366	1933	13	42	15	413	5686	11	4	—	—	413	59	39
Boroughs ...	1	3	2	87	634	10	10	15	40	1387	5	1	—	—	74	40	13
Grimsby ...	—	—	2	65	602	10	5	14	3	1332	1	—	—	—	29	28	11
Lincoln ...	—	3	—	22	32	—	5	1	37	55	4	1	—	—	45	12	2
County	2	2	7	279	1299	3	32	—	373	4299	6	3	—	—	339	19	26
Districts	—	1	4	128	864	1	14	—	333	2273	1	1	—	—	230	12	18
Grimsby ...	—	—	—	—	4	—	1	—	—	79	—	—	—	—	—	—	—
Granton upon Humber ...	—	—	—	3	98	—	1	—	—	41	—	—	—	—	5	—	—
Grigg ...	—	—	—	1	4	—	2	—	—	26	1	—	—	—	4	—	—
Grantham M.B. ...	—	—	—	16	167	—	3	—	—	474	—	—	—	—	43	8	4
Grantham ...	—	—	—	15	177	—	3	—	—	204	—	—	—	—	26	—	—
Grantham ...	—	—	—	—	2	—	—	—	—	4	—	—	—	—	4	1	—
Grantham M.B. ...	—	1	—	8	—	—	1	—	—	193	—	—	—	—	—	3	—
Grantham and Sutton ...	—	—	—	—	38	—	—	—	—	11	—	—	—	—	6	—	—
Grantham Rasen ...	—	—	—	2	2	—	—	—	—	43	—	—	—	—	—	—	—
Grantham M.B. ...	—	—	3	77	358	1	2	—	331	1149	—	1	—	—	118	—	14
Grantham ...	—	—	1	4	2	—	—	—	—	33	—	—	—	—	4	—	—
Grantham Spa ...	—	—	—	2	12	—	1	—	2	16	—	—	—	—	20	—	—
Districts	2	1	3	151	435	2	18	—	40	2026	5	2	—	—	109	7	8
Grantham ...	1	—	—	28	72	1	—	—	1	287	—	—	—	—	13	3	2
Grantham ...	1	—	—	5	24	—	—	—	—	142	—	—	—	—	5	—	—
Grantham Brigg ...	—	—	2	32	91	1	4	—	21	457	1	—	—	—	27	1	—
Grimsby ...	—	—	—	12	14	—	—	—	—	125	1	—	—	—	5	—	—
Grantham ...	—	—	—	6	75	—	4	—	—	72	—	—	—	—	18	1	5
Grantham ...	—	—	—	9	4	—	—	—	—	18	1	—	—	—	—	1	1
Grantham ...	—	—	—	16	48	—	2	—	10	316	—	1	—	—	11	—	—
Grantham ...	—	1	1	29	79	—	4	—	8	499	2	1	—	—	22	1	—
Grantham ...	—	—	—	14	28	—	4	—	—	110	—	—	—	—	8	—	—
ENGLAND	19	47	108	3705	10449	30	496	94	4069	49148	61	51	4	15	2409	911	770
County of London	—	—	—	2	3	—	1	1	2	26	—	—	—	—	1	—	—
Inner and Middle Temples	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metropolitan Boroughs:	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Battersea ...	—	1	3	114	340	1	28	1	14	2664	1	1	—	—	83	36	7
Barnet ...	1	—	6	79	76	1	9	1	131	1197	1	—	—	—	28	19	7
Barnet Green ...	1	2	1	102	205	1	9	16	212	1340	—	—	—	—	46	9	3
Barnet ...	—	2	5	176	299	—	18	4	52	2139	2	5	—	—	127	60	43
Barnet ...	1	3	2	29	174	—	7	—	95	669	—	1	—	—	21	7	13
Barnet ...	—	1	8	94	141	—	19	—	77	919	2	—	—	—	37	13	14
Barnet ...	—	—	—	54	191	—	3	2	163	897	—	1	—	—	33	8	11
Barnet ...	1	8	7	78	452	—	17	1	72	1948	4	2	—	—	70	9	2
Barnet ...	1	—	—	92	384	—	4	1	93	1482	—	—	—	1	29	10	4
Barnet ...	1	—	6	316	453	—	40	1	88	2168	2	—	1	—	79	55	3
Barnet ...	1	2	1	117	489	2	19	3	88	1595	5	2	—	—	112	29	32
Barnet ...	—	3	1	70	289	1	11	3	72	1187	2	—	—	—	74	28	2
Barnet ...	—	—	—	21	33	—	1	—	34	254	—	—	—	—	8	3	—
Barnet ...	1	—	6	372	1050	17	62	3	928	3179	7	3	—	—	128	103	148
Barnet ...	2	5	8	68	484	1	13	2	81	1314	8	4	—	—	149	22	18
Barnet ...	—	1	7	232	607	1	21	11	80	3121	5	6	—	—	121	72	47
Barnet ...	—	4	6	213	819	—	24	3	365	3546	2	9	1	—	173	63	27
Barnet ...	—	—	3	79	292	1	10	4	109	1511	1	2	—	—	90	41	69
Barnet ...	—	—	1	130	350	1	11	—	41	1761	—	—	—	—	112	17	5
Barnet ...	—	—	2	25	135	—	13	1	79	678	2	4	—	—	38	24	8
Barnet ...	—	1	7	103	391	1	22	7	153	1990	3	2	—	—	119	51	40
Barnet ...	—	—	1	76	100	1	9	5	171	962	2	—	—	—	44	12	4
Barnet ...	1	—	5	143	289	—	12	4	191	1790	3	1	1	—	40	23	6
Barnet ...	—	9	9	136	230	—	17	8	217	1454	1	—	—	—	97	34	7
Barnet ...	1	—	3	114	293	—	8	—	88	1100	—	—	—	—	27	21	4
Barnet ...	2	2	2	402	984	—	67	4	117	4299	4	7	—	—	310	99	148
Barnet ...	2	1	1	60	372	—	9	—	186	1018	1	—	—	—	82	12	60
Barnet ...	3	2	7	208	524	—	12	8	70	2940	3	1	—	—	131	31	15

Note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis.		Acute Encephalitis.		Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
MIDDLESEX :																
Admin. County ...	12	28	54	2762	7678	4	344	68	2806	30311	45	62	4	6	2043	554
Urban Districts ...	12	28	54	2762	7678	4	344	68	2806	30311	45	62	4	6	2043	554
Acton M.B. ...	2	2	4	73	122	—	8	—	73	974	3	—	—	—	41	32
Brentford and Chiswick M.B. ...	—	—	1	65	90	—	8	—	15	863	—	—	—	1	32	2
Ealing M.B. ...	—	3	1	196	550	1	16	6	501	3296	3	7	1	1	197	35
Edmonton M.B. ...	—	2	2	187	349	2	25	20	661	1610	3	—	—	—	48	75
Enfield ...	—	1	5	171	510	—	22	1	257	2466	1	—	—	—	94	36
Feltham ...	—	—	—	18	172	—	3	1	2	510	1	—	1	—	14	—
Finchley M.B. ...	—	1	1	99	240	—	14	2	38	647	3	2	—	—	72	31
Friern Barnet ...	6	—	—	24	91	—	3	1	11	317	3	—	—	—	11	—
Harrow ...	—	6	5	182	779	—	25	2	45	2548	2	6	—	—	166	17
Hayes and Harlington ...	—	—	1	101	331	—	4	1	25	634	2	8	—	—	95	2
Hendon M.B. ...	1	4	5	147	604	—	21	20	74	1618	3	3	—	—	213	106
Heston and Isleworth M.B. ...	1	1	5	67	222	—	12	1	77	790	2	2	—	1	89	3
Hornsey M.B. ...	1	1	1	157	269	—	18	1	132	1345	3	2	—	—	55	1
Potters Bar ...	—	—	—	15	68	—	8	—	18	179	—	3	—	—	17	—
Ruislip Northwood ...	—	3	—	75	249	—	15	—	5	1650	1	6	—	—	96	1
Southall M.B. ...	—	1	1	87	222	—	4	—	226	1125	1	10	—	—	109	1
Southgate M.B. ...	—	—	2	99	126	—	12	—	57	980	—	1	—	—	33	—
Staines ...	—	—	1	9	101	—	1	—	25	638	3	—	—	—	—	—
Sunbury on Thames ...	—	—	—	19	109	—	—	—	—	536	—	—	1	—	—	—
Tottenham M.B. ...	—	—	4	245	427	—	12	1	112	1331	4	—	—	—	125	—
Twickenham M.B. ...	—	1	2	64	341	—	23	8	48	1478	—	2	—	1	83	1
Uxbridge ...	—	—	—	52	168	—	23	—	8	766	2	4	—	2	78	—
Wembley M.B. ...	—	1	4	177	701	—	24	2	66	1461	3	5	1	—	116	—
Willesden M.B. ...	—	—	6	204	543	1	30	1	276	1927	—	—	—	—	161	7
Wood Green M.B. ...	1	1	2	196	127	—	13	—	27	434	1	—	—	—	41	—
Yiewsley and West Drayton ...	—	—	1	33	167	—	—	—	27	188	1	1	—	—	57	1
NORFOLK :																
County Boroughs ...	—	1	12	417	2547	3	93	34	805	1551	30	8	—	—	595	5
Great Yarmouth ...	—	—	1	46	163	1	2	1	29	26	2	—	1	—	10	1
Norwich ...	—	1	3	123	424	1	12	26	695	226	6	1	—	—	169	1
Admin. County ...	—	—	8	248	1960	1	79	7	81	1299	22	7	1	—	416	2
Urban Districts ...	—	—	3	70	522	1	14	2	10	345	4	1	1	—	99	1
Cromer ...	—	—	—	10	37	—	—	—	3	6	2	—	—	—	6	—
Diss ...	—	—	—	—	50	—	—	—	—	9	—	—	—	—	2	—
Downham Market ...	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—
East Dereham ...	—	—	—	2	130	—	4	—	—	13	—	—	—	—	15	—
Kings Lynn M.B. ...	—	—	2	40	154	1	3	1	—	139	1	—	—	—	44	—
New Hunstanton ...	—	—	1	1	—	—	—	—	—	55	—	—	—	—	—	—
North Walsham ...	—	—	2	1	—	—	—	—	—	66	1	—	—	—	—	—
Sheringham ...	—	—	—	32	—	—	—	—	—	2	—	—	—	—	—	—
Swaffham ...	—	—	6	13	—	—	—	—	3	3	—	—	—	—	9	—
Thetford M.B. ...	—	—	—	52	—	—	2	1	—	46	—	—	1	—	18	—
Wells ...	—	—	—	18	—	—	—	—	4	1	—	—	—	—	2	—
Wymondham ...	—	—	9	35	—	—	5	—	—	3	—	1	—	—	2	—
Rural Districts ...	—	—	5	178	1438	—	65	5	71	954	18	6	—	—	317	—
Blofield and Flegg ...	—	—	1	15	188	—	9	—	8	131	—	1	—	—	65	—
Depwade ...	—	—	—	12	155	—	6	—	—	15	2	—	—	—	45	—
Docking ...	—	—	—	1	31	—	—	—	—	23	—	—	—	—	9	—
Downham ...	—	—	1	13	39	—	7	1	—	99	—	—	—	—	25	—
Erpingham ...	—	—	—	6	143	—	3	—	1	63	2	—	—	—	2	—
Forehoe and Henstead ...	—	—	1	26	102	—	8	—	9	11	—	3	—	—	27	—
Freebridge Lynn ...	—	—	—	5	30	—	—	—	—	22	—	—	—	—	7	—
Loddon ...	—	—	2	23	—	—	2	—	—	9	—	—	—	—	3	—
Marshland ...	—	—	14	37	—	—	5	—	—	82	—	—	—	—	10	—
Mitford and Launditch ...	—	—	—	7	81	—	—	—	11	37	—	—	—	—	13	—
St. Faith's and Aylsham ...	—	—	1	39	163	—	7	2	18	166	5	2	—	—	42	—
Smallburgh ...	—	—	—	8	48	—	6	2	3	94	1	—	—	—	28	—
Swaffham ...	—	—	—	9	95	—	3	—	1	20	—	—	—	—	6	—
Walsingham ...	—	—	1	8	113	—	2	—	19	137	6	—	—	—	8	—
Wayland ...	—	—	—	13	190	—	7	—	—	45	2	—	—	—	27	—

† See note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal).	†Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
THAMPTON-SHIRE ...	1	—	2	441	1319	1	38	—	185	4390	38	17	3	1	270	110	259
City Borough: Northampton ...	1	—	—	187	400	—	11	—	53	728	17	6	—	—	53	90	64
n. County ...	—	—	2	254	919	1	27	—	132	3662	21	11	3	1	217	20	195
n Districts ...	—	—	1	130	475	1	19	—	88	2322	8	6	2	—	137	15	1
Brackley M.B. ...	—	—	—	—	1	—	—	—	—	75	—	—	—	—	4	—	—
Burton Latimer ...	—	—	—	24	17	—	3	—	—	107	—	—	—	—	17	—	—
Corby ...	—	—	—	11	80	—	1	—	1	392	—	—	1	—	10	1	1
Daventry M.B. ...	—	—	—	—	1	—	—	—	—	9	—	—	—	—	—	—	—
Desborough ...	—	—	—	2	2	—	—	—	—	157	—	1	—	—	—	—	—
Higham Ferrers M.B. ...	—	—	—	9	2	—	2	—	5	37	—	—	—	—	3	—	—
Northampton ...	—	—	—	—	31	—	—	—	—	227	—	—	—	—	3	—	—
Kettering M.B. ...	—	—	1	23	130	—	6	—	79	571	7	4	—	—	42	4	—
Dundle ...	—	—	—	—	4	—	—	—	—	25	—	—	—	—	—	—	—
Raunds ...	—	—	—	2	5	—	—	—	—	24	1	—	—	—	11	—	—
Rothwell ...	—	—	—	7	40	—	1	—	—	121	—	—	—	—	—	—	—
Rushden ...	—	—	—	24	38	—	2	—	2	247	—	—	1	—	15	—	—
Wellingborough ...	—	—	—	28	124	1	4	—	1	330	—	1	—	—	32	10	—
n Districts ...	—	—	1	124	444	—	8	—	44	1340	13	5	1	1	80	5	194
Brackley ...	—	—	—	1	28	—	—	—	—	132	2	1	—	—	6	1	—
Brixworth ...	—	—	—	30	79	—	1	—	17	186	2	1	—	—	10	—	39
Daventry ...	—	—	1	22	59	—	3	—	2	243	1	—	1	—	5	—	17
Kettering ...	—	—	—	8	74	—	—	—	8	236	—	3	—	—	8	1	—
Northampton ...	—	—	—	36	69	—	1	—	3	113	3	—	—	1	11	—	23
Dundle and ...	—	—	—	—	50	—	—	—	1	238	2	—	—	—	14	1	—
Thrapston ...	—	—	—	14	33	—	3	—	1	122	2	—	—	—	14	1	112
Towcester ...	—	—	—	3	33	—	—	—	1	122	2	—	—	—	14	1	112
Wellingborough ...	—	—	—	10	52	—	—	—	12	70	1	—	—	—	12	1	3
[THUMBERLAND]	5	5	33	1056	2754	24	132	7	403	9462	13	11	7	—	882	132	123
City Boroughs ...	1	1	8	428	1331	15	49	6	225	4846	6	5	2	—	478	116	93
Newcastle upon Tyne ...	1	1	7	384	1138	14	39	6	224	4163	5	4	2	—	459	116	20
Tynemouth ...	—	—	1	44	193	1	10	—	1	683	1	1	—	—	19	—	73
n. County ...	4	4	25	628	1423	9	83	1	178	4616	7	6	5	—	404	16	30
n Districts ...	3	2	20	489	1098	2	56	1	65	3451	6	6	3	—	304	9	14
Alnwick ...	—	—	1	19	4	—	1	—	5	102	—	—	—	—	7	—	1
Amble ...	—	—	—	7	—	—	—	—	—	34	—	—	—	—	—	—	—
Ashington ...	—	1	—	24	28	—	3	—	—	202	—	—	—	—	13	—	1
Bedlingtonshire ...	—	—	7	83	79	—	6	1	—	155	3	—	—	—	10	—	—
Berwick upon Tweed ...	—	—	—	8	1	—	—	—	10	108	—	—	—	—	1	—	—
Blyth M.B. ...	—	—	5	55	93	—	10	—	1	491	—	—	—	—	53	—	—
Gosforth ...	1	—	—	28	120	—	3	—	18	164	—	—	—	—	25	1	—
Hexham ...	—	—	2	9	18	—	—	—	3	10	—	—	—	—	7	—	—
Longbenton ...	—	1	—	38	81	—	2	—	9	393	1	1	—	—	29	2	2
Morpeth M.B. ...	—	—	1	12	4	1	9	—	—	62	—	—	—	—	12	—	—
Newbigin by the Sea ...	1	—	—	6	59	—	2	—	—	145	—	—	—	—	15	1	2
Newburn ...	1	—	—	33	212	—	7	—	7	455	—	1	—	—	37	—	6
Prudhoe ...	—	—	—	—	22	—	3	—	—	91	—	—	—	—	6	1	—
Seaton Valley ...	—	—	—	48	103	—	—	—	1	485	—	—	—	—	10	—	—
Wallsend M.B. ...	—	—	4	47	149	1	4	—	11	245	2	3	—	—	68	4	—
Whitley Bay ...	—	—	—	72	125	—	6	—	—	309	—	1	3	—	11	—	2
n Districts ...	1	2	5	139	325	7	27	—	113	1165	1	—	2	—	100	7	16
Alnwick ...	—	—	—	15	9	—	—	—	—	106	—	—	—	—	2	—	—
Belford ...	—	—	—	2	4	—	—	—	—	19	—	—	—	—	—	—	—
Bellingham ...	—	—	—	26	19	—	—	—	—	216	—	—	—	—	6	—	—
Castle Ward ...	—	1	—	19	65	—	3	—	2	103	—	—	—	—	12	6	1
Glendale ...	1	—	—	3	80	7	3	—	—	148	—	—	2	—	9	—	—
Haltwhistle ...	—	—	1	18	2	—	—	—	8	50	—	—	—	—	4	—	—
Hexham ...	—	—	3	14	44	—	1	—	2	218	1	—	—	—	26	1	—
Morpeth ...	—	—	—	30	13	—	4	—	3	165	—	—	—	—	13	—	2

note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
NORTHUMBER- LAND —contd.																
R.D.'s.—contd.																
Newcastle upon Tyne (Moot Hall and precincts) ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Norham and Islandshires ...	—	—	—	2	15	—	3	—	—	67	—	—	—	—	—	—
Rothbury ...	—	1	1	10	74	—	13	—	98	73	—	—	—	—	28	—
NOTTINGHAMSHIRE	3	4	13	944	2833	2	117	30	192	12241	32	18	3	12	677	78
County Borough : Nottingham ...	2	1	5	297	1347	—	39	26	98	5009	16	9	2	9	286	51
Admin. County ...	1	3	8	647	1486	2	78	4	94	7232	16	9	1	3	391	27
Urban Districts	—	2	7	462	922	2	54	4	62	4815	14	8	1	3	262	19
Arnold ...	—	—	1	8	87	—	—	—	—	371	—	—	—	—	3	—
Beeston and Stapleford ...	—	—	—	67	188	—	8	—	41	938	2	1	1	—	43	2
Carlton ...	—	1	2	23	75	—	4	—	3	693	1	—	—	2	9	—
East Retford M.B. ...	—	—	1	13	95	—	4	—	4	35	—	1	—	—	25	—
Eastwood ...	—	—	—	23	45	—	—	—	1	311	—	—	—	—	19	—
Hucknall ...	—	—	1	13	106	—	8	—	—	530	3	—	—	—	57	—
Kirkby in Ashfield ...	—	1	1	6	48	—	5	—	—	158	—	1	—	—	16	—
Mansfield ...	—	—	—	59	42	—	6	2	9	312	3	—	—	—	8	—
Mansfield Woodhouse ...	—	—	1	28	47	2	9	—	—	182	—	—	—	—	2	—
Newark M.B. ...	—	—	—	24	30	—	4	—	—	414	1	—	—	—	13	—
Sutton in Ashfield ...	—	—	—	27	63	—	2	2	1	418	1	—	—	—	21	—
Warsop ...	—	—	—	17	10	—	—	—	—	89	—	—	—	—	1	—
West Bridgford ...	—	—	—	64	28	—	—	—	2	109	2	—	—	1	7	—
Worksop M.B. ...	—	—	—	90	58	—	4	—	1	255	1	5	—	—	38	3
Rural Districts	1	1	1	185	564	—	24	—	32	2417	2	1	—	—	129	8
Basford ...	—	—	1	53	230	—	12	—	32	1119	—	—	—	—	73	3
Bingham ...	1	—	—	21	71	—	3	—	—	235	—	—	—	—	2	—
East Retford ...	—	—	—	39	87	—	4	—	—	244	1	1	—	—	32	—
Newark ...	—	—	—	18	7	—	—	—	—	222	—	—	—	—	8	—
Nottingham (Shire Hall) ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Southwell ...	—	1	—	16	151	—	5	—	—	349	—	—	—	—	8	—
Worksop ...	—	—	—	38	18	—	—	—	—	248	1	—	—	—	6	—
OXFORDSHIRE	—	—	11	208	1389	—	28	14	351	4237	14	3	1	1	196	73
County Borough : Oxford ...	—	—	4	76	741	—	15	13	255	1294	4	—	1	1	96	64
Admin. County ...	—	—	7	132	648	—	13	1	96	2943	10	3	—	—	100	9
Urban Districts	—	—	2	25	118	—	5	—	32	1033	4	2	—	—	10	4
Banbury M.B. ...	—	—	—	18	84	—	1	—	6	548	4	1	—	—	3	—
Bicester ...	—	—	1	—	1	—	—	—	1	11	—	—	—	—	—	—
Chipping Norton M.B. ...	—	—	—	2	9	—	1	—	5	103	—	—	—	—	—	—
Henley on Thames M.B. ...	—	—	1	2	3	—	—	—	18	103	—	1	—	—	1	—
Thame ...	—	—	—	1	10	—	3	—	—	183	—	—	—	—	5	—
Witney ...	—	—	—	1	11	—	—	—	—	85	—	—	—	—	1	—
Woodstock M.B. ...	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—
Rural Districts	—	—	5	107	530	—	8	1	64	1910	6	1	—	—	90	5
Banbury ...	—	—	1	15	112	—	1	—	—	230	1	—	—	—	20	—
Bullington ...	—	—	1	34	219	—	3	—	22	511	1	—	—	—	15	—
Chipping Norton ...	—	—	1	2	38	—	1	—	10	327	1	—	—	—	5	—
Henley ...	—	—	—	23	55	—	2	1	23	293	1	—	—	—	34	1
Ploughley ...	—	—	1	22	95	—	1	—	9	251	2	—	—	—	2	—
Witney ...	—	—	1	11	11	—	—	—	—	298	—	1	—	—	14	—
PETERBOROUGH, SOKE OF :																
Admin. County ...	—	—	—	41	448	—	2	—	—	272	1	1	—	—	33	38
Urban District: Peterborough M.B. ...	—	—	—	36	398	—	2	—	—	108	—	—	—	—	21	35

† See note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	†Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BRBOROUGH, KE OF—contd.																	
Districts	—	—	—	5	50	—	—	—	—	164	1	1	—	—	12	3	—
arnack ...	—	—	—	1	32	—	—	—	—	112	1	—	—	—	12	1	—
eterborough ...	—	—	—	4	18	—	—	—	—	52	—	1	—	—	—	2	—
LAND :																	
n. County ...	—	—	1	11	30	1	1	—	42	104	—	3	—	—	20	4	3
District:	—	—	—	3	—	—	—	—	14	2	—	—	—	—	5	2	1
akham ...	—	—	—	3	—	—	—	—	14	2	—	—	—	—	5	2	1
Districts	—	—	1	8	30	1	1	—	28	102	—	3	—	—	15	2	2
etton ...	—	—	—	2	23	—	—	—	—	35	—	—	—	—	9	—	—
akham ...	—	—	—	1	6	2	1	1	27	53	—	3	—	—	3	1	2
ppingham ...	—	—	—	—	5	—	—	—	1	14	—	—	—	—	3	1	—
OPSHIRE :																	
n. County ...	—	2	8	155	1272	—	23	6	228	3721	8	6	1	1	205	33	11
Districts	—	2	5	75	540	—	17	6	147	1902	2	4	—	1	87	26	7
bishop's Castle	—	—	—	5	9	—	—	—	—	26	—	—	—	—	—	—	—
M.B. ...	—	—	—	—	34	—	2	—	—	53	—	—	—	—	4	1	2
bridgnorth M.B.	—	—	—	2	68	—	1	—	2	13	—	—	—	—	12	—	—
church Stretton	—	—	—	5	20	—	1	1	—	269	—	—	—	—	10	—	—
awley ...	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Ellesmere ...	—	—	—	1	47	—	—	—	1	135	—	—	—	—	—	—	—
udlow M.B.	—	—	—	7	—	—	—	—	—	3	—	1	—	—	—	—	—
arket Drayton ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Newport ...	—	—	—	2	50	—	—	1	—	59	—	—	—	—	6	—	—
akengates ...	—	—	—	1	14	—	—	—	1	145	—	1	—	—	—	—	—
oswestry M.B.	—	2	1	1	15	—	—	1	—	22	—	—	—	—	26	3	—
hrewsbury M.B.	—	—	—	36	104	—	6	1	92	689	2	1	—	1	7	17	3
Vellington ...	—	—	2	4	44	—	—	—	22	205	—	—	—	—	5	—	2
Vem ...	—	—	1	—	12	—	2	—	9	4	—	—	—	—	3	—	—
enlock M.B.	—	—	—	2	72	—	—	2	—	160	—	—	—	—	—	3	—
Whitchurch ...	—	—	—	8	51	—	5	—	19	119	—	1	—	—	14	2	—
Districts	—	—	3	80	732	—	6	—	81	1819	6	2	1	—	118	7	4
atcham ...	—	—	—	19	111	—	1	—	21	311	1	—	—	—	17	1	—
bridgnorth ...	—	—	—	11	39	—	—	—	3	210	—	—	—	—	19	2	—
Clun ...	—	—	—	11	50	—	—	—	1	219	—	—	—	—	6	1	—
Drayton ...	—	—	—	5	66	—	—	—	7	24	—	1	—	—	11	—	4
Ellesmere ...	—	—	—	2	2	—	—	—	7	54	1	—	—	—	1	—	—
udlow ...	—	—	—	1	65	—	—	—	—	95	—	—	—	—	4	—	—
oswestry ...	—	—	1	16	63	—	2	—	14	158	—	1	—	—	20	—	—
hifnal ...	—	—	—	10	98	—	—	—	—	253	—	—	—	—	—	3	—
Wellington ...	—	—	1	3	128	—	3	—	10	384	2	—	1	—	13	—	—
Vem ...	—	—	1	2	110	—	—	—	18	111	1	1	—	—	17	—	—
ERSET	2	3	13	336	1879	4	44	11	151	9046	25	45	2	3	297	50	21
ty Borough:	—	—	—	73	479	1	12	1	39	1059	3	18	—	1	43	4	6
Bath ...	—	—	—	73	479	1	12	1	39	1059	3	18	—	1	43	4	6
n. County ...	2	3	13	263	1400	3	32	10	112	7987	22	27	2	2	254	46	15
Districts	1	2	8	130	552	—	18	6	60	3577	7	12	—	2	97	37	3
Bridgwater M.B.	—	—	—	5	33	—	—	—	—	234	—	—	—	—	5	2	—
Burnham on Sea	—	—	—	1	15	37	—	—	3	140	—	—	—	—	9	—	1
Chard M.B.	—	—	1	1	9	—	2	—	—	193	—	—	—	—	3	2	—
Clevedon ...	—	—	—	4	44	—	2	—	—	144	3	2	—	—	9	2	—
Crewkerne ...	—	—	—	1	5	—	—	—	—	72	—	—	—	—	1	3	—
Frome ...	—	—	—	23	5	—	—	—	—	143	—	1	—	—	8	—	—
Glastonbury M.B.	—	—	—	—	—	—	—	—	—	111	—	—	—	—	5	—	—
Minster ...	—	—	—	—	11	—	—	—	—	35	—	1	—	—	1	—	—

note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
SOMERSET—contd.																
U.D's.—contd.																
Keynsham ...	—	—	—	3	61	—	3	—	—	130	—	—	—	—	4	—
Minehead ...	—	—	—	1	7	—	1	—	2	354	—	—	—	—	2	—
Norton Radstock ...	—	—	—	6	55	—	1	—	—	173	—	2	—	—	—	1
Portishead ...	—	—	—	1	2	—	—	—	—	9	2	2	—	1	—	—
Shepton Mallet ...	—	—	—	2	—	—	—	—	—	18	—	—	—	—	2	—
Street ...	—	—	—	6	—	—	—	—	—	178	—	—	—	—	9	—
Taunton M.B. ...	—	—	3	24	124	—	4	—	35	403	2	2	—	1	7	3
Watchet ...	—	—	1	1	2	—	—	—	—	64	—	—	—	—	—	—
Wellington... ..	—	—	—	2	6	—	—	—	—	21	—	—	—	—	5	—
Wells M.B. ...	—	—	—	4	8	—	1	—	—	87	—	—	—	—	—	—
Weston super Mare M.B. ...	—	2	—	27	94	—	—	1	20	584	—	—	—	—	10	8
Yeovil M.B. ...	1	—	2	4	49	—	4	5	—	484	—	2	—	—	17	14
Rural Districts																
Axbridge ...	1	1	5	133	848	3	14	4	52	4410	15	15	2	—	157	9
Bathavon ...	—	—	—	7	58	—	2	1	6	534	1	—	—	—	21	1
Bridgwater ...	—	1	—	102	—	—	1	—	1	453	1	2	—	—	15	—
Chard ...	—	—	1	26	63	—	—	—	1	371	—	—	—	—	13	2
Clutton ...	1	—	—	35	—	—	1	—	—	210	—	1	—	—	6	—
Dulverton ...	—	—	—	16	69	1	3	3	—	300	—	—	—	—	17	—
Frome ...	—	—	—	3	—	—	—	—	1	100	—	—	—	—	6	—
Langport ...	—	—	—	12	34	—	1	—	—	256	—	1	—	—	17	1
Long Ashton ...	—	—	1	6	29	—	1	—	—	261	—	—	—	—	16	—
Shepton Mallet ...	—	—	—	16	80	—	—	—	6	207	1	—	—	—	18	—
Taunton ...	—	—	—	3	45	—	—	—	5	101	3	1	—	—	1	—
Wellington ...	—	—	—	5	81	1	1	—	4	147	—	—	—	—	—	—
Wells ...	—	—	—	4	12	—	—	—	—	25	—	—	—	—	3	—
Williton ...	—	—	—	—	9	—	1	—	—	211	—	—	—	—	5	—
Wincanton ...	—	—	1	20	31	—	—	—	—	297	1	—	—	—	—	—
Yeovil ...	—	—	2	7	67	1	2	—	27	333	2	—	—	—	10	—
SOUTHAMPTON																
County Boroughs ...	9	38	35	832	4025	8	123	34	662	19959	30	10	5	2	693	193
Bournemouth ...	7	4	12	400	1341	7	64	9	359	9081	15	4	1	1	296	104
Portsmouth ...	—	3	3	60	355	2	20	—	122	2168	5	—	—	—	110	2
Southampton ...	2	3	5	205	390	5	21	1	99	2808	8	4	—	—	58	55
Admin. County ...	5	1	4	135	596	—	23	8	138	4105	2	—	—	—	128	47
Urban Districts																
Aldershot M.B. ...	2	34	23	432	2684	1	59	25	303	10878	15	6	4	1	397	89
Alton ...	1	10	16	255	1506	1	26	16	133	6402	11	6	3	—	224	73
Andover M.B. ...	—	1	5	29	84	1	—	—	1	574	3	3	1	—	3	15
Basingstoke M.B. ...	—	—	—	4	29	—	—	—	3	161	—	—	—	—	12	—
Christchurch M.B. ...	—	—	—	4	123	—	1	—	—	241	—	—	—	—	—	4
Eastleigh M.B. ...	—	—	—	6	91	—	2	2	1	230	—	1	—	—	3	1
Fareham ...	—	—	3	7	118	—	5	—	5	265	—	—	2	—	13	—
Farnborough ...	3	1	43	179	—	—	5	1	25	826	—	—	—	—	14	—
Fleet ...	1	—	47	124	—	—	—	1	24	742	—	—	—	—	23	7
Gosport M.B. ...	—	1	1	13	205	—	1	1	1	601	—	—	—	—	3	3
Havant and Waterloo ...	—	—	5	63	—	—	2	—	—	114	1	—	—	—	44	—
Lymington M.B. ...	—	—	3	35	215	—	6	5	10	1579	2	—	—	—	55	16
Petersfield ...	—	—	2	26	74	—	—	2	43	261	2	—	—	—	18	7
Romsey M.B. ...	1	—	—	10	74	—	3	—	1	103	2	1	—	—	13	—
Winchester M.B. ...	—	3	—	9	20	—	—	—	—	6	—	—	—	—	1	—
Rural Districts																
Alton ...	—	24	7	177	1178	—	33	9	170	4476	4	—	1	1	173	16
Andover ...	—	7	2	16	105	—	2	—	1	387	—	—	—	—	14	1
Basingstoke ...	—	—	—	16	36	—	—	1	—	313	—	—	—	—	1	—
Droxford ...	—	1	1	9	50	—	6	1	20	220	1	—	—	—	13	—
Hartley Wintney ...	—	5	—	10	66	—	2	1	83	418	—	—	—	—	6	—
	—	—	—	28	71	—	4	—	—	334	—	—	—	—	9	—

† See note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.		Paratyphoid fevers.		Meningococcal infection.		Scarlet fever.		Whooping cough.		Diphtheria.		Erysipelas.		Ophthalmia neonatorum.		Dysentery.		Measles.		Acute Poliomyelitis.		Acute Encephalitis.		Acute pneumonia (primary and influenza).		Puerperal pyrexia.		Food poisoning.		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18														
HAMPTON																															
—contd.																															
ingsclere and	—	—	1	12	33	—	6	2	11	190	—	—	—	1	43	1	—														
Whitchurch ...	—	1	1	18	230	—	—	2	28	612	1	—	—	—	12	8	3														
ew Forest ...	—	7	—	36	159	—	2	—	1	280	2	—	1	—	19	4	—														
ingwood and	—	—	—	6	148	—	1	1	—	372	—	—	—	—	29	—	—														
Fordingbridge ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—														
omsey and	—	—	4	14	85	—	4	—	—	306	—	—	—	—	14	—	—														
Stockbridge	—	—	—	12	195	—	4	—	26	1044	—	—	—	—	13	1	—														
inchester ...	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—														
DORSETSHIRE																															
Boroughs ...	1	69	43	1898	6587	143	179	43	606	21519	65	16	3	1	1881	215	219														
arton upon Trent	—	26	18	769	2777	12	98	21	200	11621	38	8	1	—	986	181	122														
netwick ...	—	3	3	40	122	—	1	5	—	885	2	—	—	—	65	19	—														
oke on Trent	—	9	1	93	425	1	14	—	7	1449	5	3	1	—	107	3	4														
alsall ...	—	3	2	410	624	1	31	13	43	2845	23	4	—	—	301	76	8														
est Bromwich	—	5	1	88	595	2	18	1	51	2373	1	—	—	—	272	8	103														
olverhampton	—	2	5	51	241	3	1	1	19	1796	2	—	—	—	25	27	—														
County ...	1	43	25	1129	3810	131	81	22	406	9898	27	8	2	1	895	34	97														
Districts																															
ldridge ...	1	23	20	823	2669	129	58	17	204	7739	17	6	1	1	640	26	17														
emblecote ...	—	2	1	17	152	1	4	—	14	593	—	—	—	—	42	1	3														
ddulph ...	—	—	—	7	1	—	—	—	—	53	—	—	—	—	3	—	—														
lston M.B.	—	2	—	12	94	—	—	2	—	204	1	2	—	—	35	—	—														
erley Hill	—	4	—	33	88	24	5	2	6	219	—	—	—	—	67	—	—														
ownhills	—	—	3	41	53	1	8	—	5	1019	—	—	—	—	14	3	—														
anock ...	—	—	1	13	100	—	2	4	3	438	—	—	—	—	26	1	—														
oseley ...	—	—	—	46	135	4	1	2	35	576	—	—	—	—	6	1	—														
arlston ...	—	1	—	93	271	66	9	3	10	674	1	—	—	—	147	—	4														
idsgrove ...	—	—	1	15	74	2	—	—	—	174	—	—	—	—	9	1	—														
ek ...	—	1	—	47	84	—	2	2	1	91	1	—	—	—	13	—	2														
chfield M.B.	—	1	2	22	178	—	—	—	—	29	9	1	—	—	11	1	—														
ewcastle under	—	—	—	1	65	—	—	—	2	13	—	—	—	—	3	8	—														
Lyme M.B.	—	4	1	129	192	—	2	—	40	218	3	1	1	—	27	2	1														
owley Regis M.B.	—	4	—	46	77	1	4	—	6	438	1	1	—	1	2	—	—														
ageley ...	—	1	—	40	52	—	—	—	—	16	—	1	—	—	8	—	—														
dgley ...	—	—	1	26	71	3	5	—	—	360	—	—	—	—	28	—	—														
afford M.B.	—	—	2	67	222	1	—	1	57	352	—	—	—	—	36	2	1														
one ...	—	—	—	2	7	—	—	—	—	20	—	—	—	—	28	—	—														
amworth M.B.	—	—	1	21	100	—	7	—	3	270	—	—	—	—	12	—	—														
ettenhall	1	—	—	5	85	—	1	—	—	154	—	—	—	—	12	—	—														
pton M.B.	—	—	3	53	134	14	1	—	3	798	1	—	—	—	44	2	1														
toxeter	—	—	1	8	32	—	1	—	—	6	—	—	—	—	—	—	—														
ednesbury M.B.	—	1	4	32	281	6	2	—	12	584	—	—	—	—	37	2	1														
ednesfield ...	—	2	—	5	63	—	—	—	7	201	—	—	—	—	1	1	—														
illenhall ...	—	—	—	42	58	6	4	1	—	239	—	—	—	—	29	1	2														
Districts																															
anock ...	—	20	5	306	1141	2	23	5	202	2159	10	2	1	—	255	8	80														
eadle ...	—	—	2	14	151	—	3	—	3	313	—	—	—	—	19	—	—														
ek ...	—	18	—	28	137	—	4	1	47	302	3	1	—	—	54	2	—														
chfield ...	—	—	—	14	30	—	1	—	1	102	1	—	—	—	12	—	—														
ewcastle under	—	1	1	132	244	—	3	—	123	454	1	—	—	—	102	1	76														
Lyme	—	—	1	35	26	—	6	—	1	99	2	—	1	—	10	3	—														
lson ...	—	—	—	21	131	—	—	1	6	387	—	—	—	—	21	—	—														
afford ...	—	—	—	27	201	—	2	1	5	126	1	—	—	—	7	—	—														
one ...	—	—	1	16	75	—	1	—	9	64	—	1	—	—	17	1	4														
thbury ...	—	—	—	8	90	—	—	1	—	278	—	—	—	—	4	1	—														
toxeter ...	—	1	—	11	56	—	3	1	7	34	2	—	—	—	9	—	—														
OLK EAST																															
Borough:	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—														
swich ...	—	1	—	50	493	1	12	1	585	976	4	2	—	—	38	33	4														
County ...	1	30	7	85	1187	3	20	—	218	1657	2	5	1	—	257	26	9														

Note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis.		Acute Encephalitis.		Acute pneumonia (primary and influenzal).	Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
SUFFOLK EAST																
contd.																
Urban Districts	—	22	4	33	367	2	8	—	57	1010	—	2	1	—	83	20
Aldeburgh M.B.	—	—	—	1	2	—	—	—	8	11	—	1	—	—	2	—
Beccles M.B.	—	—	1	1	4	—	—	—	—	28	—	—	—	—	13	—
Bungay	—	—	—	3	1	—	1	—	—	3	—	—	—	—	—	—
Eye M.B.	—	—	—	1	56	—	—	—	—	6	—	—	—	—	—	—
Felixstowe	—	—	—	2	8	—	—	—	19	371	—	—	—	—	1	—
Halesworth	—	—	—	1	3	—	1	—	—	—	—	—	—	—	—	—
Lexton cum Sizewell	—	—	—	5	27	—	1	—	22	5	—	—	—	—	8	1
Lowestoft M.B.	—	2	3	14	65	1	1	—	2	430	—	—	—	—	14	11
Saxmundham	—	—	—	2	45	—	—	—	3	11	—	—	—	—	7	—
Southwold M.B.	—	—	—	—	59	—	1	—	—	24	—	—	—	—	13	—
Stowmarket	—	20	—	—	66	—	2	—	1	34	—	1	1	—	5	—
Woodbridge	—	—	—	3	31	1	1	—	2	87	—	—	—	—	16	—
Rural Districts	1	8	3	52	820	1	12	—	161	647	2	3	—	—	174	6
Blyth	—	—	—	7	115	—	4	—	15	47	1	—	—	—	28	—
Deben	—	—	3	3	186	—	—	—	110	289	—	—	—	—	74	2
Gipping	—	7	—	7	174	1	3	—	21	150	—	2	—	—	19	1
Hartismere	1	—	—	21	146	—	—	—	—	96	—	1	—	—	28	1
Lothingland	—	—	—	8	84	—	1	—	—	42	—	—	—	—	13	1
Samford	—	1	—	5	97	—	—	—	15	18	—	—	—	—	7	—
Wainford	—	—	—	1	18	—	—	—	—	5	1	—	—	—	5	1
SUFFOLK WEST :																
Admin. County	—	2	2	46	433	—	16	—	43	481	6	2	1	—	172	23
Urban Districts	—	—	—	10	163	—	4	—	39	157	3	—	1	—	71	20
Bury St. Edmunds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B.	—	—	—	7	85	—	—	—	—	13	—	—	1	—	4	9
Hadleigh	—	—	—	—	22	—	1	—	—	62	—	—	—	—	—	—
Haverhill	—	—	—	3	14	—	—	—	—	32	—	—	—	—	1	—
Newmarket	—	—	—	—	2	—	1	—	39	44	—	—	—	—	61	8
Sudbury M.B.	—	—	—	—	40	—	2	—	—	6	1	—	—	—	5	3
Rural Districts	—	2	2	36	270	—	12	—	4	324	3	2	—	—	101	3
Clare	—	1	—	13	22	—	—	—	—	9	—	—	—	—	4	—
Cosford	—	—	1	3	58	—	10	—	—	155	1	1	—	—	41	2
Melford	—	1	—	5	122	—	1	—	3	65	—	1	—	—	24	—
Mildenhall	—	—	1	3	22	—	1	—	1	49	1	—	—	—	19	—
Thedwastre	—	—	—	1	—	—	—	—	—	5	1	—	—	—	3	—
Thingoe	—	—	—	11	46	—	—	—	—	41	—	—	—	—	10	1
SURREY																
County Borough:	17	23	31	1913	6260	5	154	11	1106	26342	54	15	1	2	1051	306
Croydon	1	2	1	435	699	—	19	2	79	4490	5	4	—	—	62	30
Admin. County	16	21	30	1478	5561	5	135	9	1027	21852	49	11	1	2	989	276
Urban Districts	16	19	26	1332	5009	5	117	9	986	19093	41	11	1	2	912	26
Banstead	1	—	2	22	282	—	1	—	49	659	4	1	—	—	20	—
Barnes M.B.	1	1	2	17	82	—	2	—	4	541	—	—	—	—	29	—
Beddington and Wallington M.B.	—	—	—	31	89	—	4	—	7	241	—	—	—	—	77	—
Carshalton	—	—	—	109	471	—	3	—	264	1007	1	2	—	—	54	81
Caterham and Warlingham	2	—	—	41	146	—	3	—	—	36	610	—	1	—	11	—
Chertsey	—	1	1	10	100	—	3	—	—	30	468	2	—	—	4	1
Coulson and Purley	8	3	—	90	204	—	—	—	—	22	816	—	—	—	51	3
Dorking	—	—	1	2	71	—	1	1	2	402	1	—	—	—	4	11
Egham	—	—	—	8	40	—	1	—	1	411	1	—	—	—	2	—
Epsom and Ewell	—	4	3	52	205	—	12	—	135	958	4	3	—	—	76	39
M.B.	—	1	1	39	227	—	10	—	69	986	1	—	—	—	60	1
Esher	—	1	—	28	20	—	2	1	5	356	1	—	—	—	13	7
Farnham	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Frimley and Camberley	—	—	—	31	110	—	—	—	1	487	—	—	—	—	4	1
Godalming M.B.	1	—	—	19	35	—	4	3	—	526	—	1	—	—	52	—
Guildford M.B.	1	—	1	34	145	—	1	—	3	586	2	1	—	1	9	—
Haslemere	—	3	—	2	37	—	—	—	14	87	5	—	—	—	1	—

† See note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis.		Acute Encephalitis.		Acute pneumonia. (primary and influenza).	Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
REY—contd.																	
s.—contd.																	
Kingston upon																	
Thames M.B. ...	—	—	1	37	222	—	1	—	4	443	—	—	1	—	4	41	5
Leatherhead ...	—	—	—	26	167	—	4	—	8	438	—	—	—	—	54	—	1
Malden and Coombe																	
M.B. ...	—	—	—	32	206	—	3	—	26	807	1	—	—	—	27	4	1
Merton and Morden	—	1	2	155	390	1	10	2	22	1214	1	—	—	—	111	6	4
Mitcham M.B. ...	—	1	3	111	420	—	8	1	7	1386	1	—	—	1	24	13	7
Reigate M.B. ...	—	—	1	18	229	1	5	—	3	424	2	—	—	—	49	6	—
Richmond M.B. ...	—	1	—	87	112	—	8	1	9	546	1	1	—	—	5	3	9
Surbiton M.B. ...	—	1	6	50	162	—	2	—	62	1067	2	—	—	—	18	4	11
Sutton and Cheam																	
M.B. ...	2	1	—	110	352	1	4	—	106	1433	6	—	—	—	68	6	6
Walton and																	
Weybridge ...	—	—	—	12	224	—	3	—	—	893	1	—	—	—	19	—	2
Wimbledon M.B. ...	—	—	2	136	166	—	5	—	53	758	3	1	—	—	27	2	4
Woking ...	—	—	—	23	95	1	8	—	44	549	1	—	—	—	39	39	—
W Districts																	
Bagshot ...	—	2	4	146	552	—	18	—	41	2759	8	—	—	—	77	8	162
Dorking and Horley	—	—	1	12	100	—	4	—	32	528	2	—	—	—	15	2	4
Godstone ...	—	—	1	64	110	—	2	—	—	653	1	—	—	—	21	2	—
Guildford ...	—	—	—	28	201	—	4	—	2	769	2	—	—	—	17	2	—
Hambleton ...	—	2	—	40	128	—	7	—	6	530	3	—	—	—	24	—	158
SSEX EAST																	
Anty Boroughs	11	16	10	513	2634	—	75	15	453	8992	14	9	—	—	497	92	29
Brighton ...	—	13	6	172	830	—	35	7	356	4045	4	3	1	—	299	76	14
Eastbourne ...	—	13	3	112	548	—	15	3	172	2643	3	1	1	—	249	14	13
Hastings ...	—	—	2	29	57	—	4	—	183	476	1	2	—	—	14	28	1
Hastings ...	—	—	1	31	225	—	16	4	1	926	—	—	—	—	36	34	—
in. County	11	3	4	341	1804	—	40	8	97	4947	10	6	—	—	198	16	15
W Districts																	
Bexhill M.B. ...	—	2	3	217	844	—	29	8	47	2588	7	4	—	—	103	9	10
Burgess Hill ...	—	1	—	5	155	—	3	—	19	351	—	—	—	—	10	3	—
Cuckfield ...	—	—	—	3	55	—	3	8	—	96	2	—	—	—	10	5	5
East Grinstead ...	—	—	—	5	124	—	—	—	—	283	1	—	—	—	5	—	—
Hove M.B. ...	—	1	3	69	164	—	9	—	23	885	1	2	—	—	32	1	4
Lewes M.B. ...	—	—	—	3	21	—	3	—	1	360	—	1	—	—	10	—	1
Newhaven ...	—	—	—	5	77	—	—	—	—	13	—	—	—	—	4	—	—
Portslade by Sea ...	—	—	—	72	55	—	2	—	4	240	—	—	—	—	13	—	—
Rye M.B. ...	—	—	—	10	54	—	3	—	—	116	1	1	—	—	12	—	—
Seaford ...	—	—	—	5	31	—	5	—	—	50	—	—	—	—	4	—	—
W Districts																	
Battle ...	11	1	1	124	960	—	11	—	50	2359	3	2	—	—	95	7	5
Chailey ...	—	—	—	22	251	—	2	—	1	411	—	—	—	—	25	1	—
Cuckfield ...	—	—	—	7	89	—	1	—	27	451	2	1	—	—	4	1	—
Hailsham ...	—	—	—	24	195	—	3	—	—	406	—	—	—	—	23	2	—
Uckfield ...	11	—	—	20	109	—	2	—	12	581	1	—	—	—	19	2	—
Uckfield ...	—	1	—	51	316	—	3	—	10	510	—	1	—	—	24	1	—
SSEX WEST :																	
in. County	5	9	3	274	1746	—	33	5	85	5157	9	3	—	—	145	90	18
W Districts																	
Arundel M.B. ...	5	5	2	139	918	—	20	5	66	3157	4	2	—	—	110	63	9
Bognor Regis ...	—	—	—	19	216	—	2	—	—	613	—	—	—	—	5	—	—
Chichester M.B. ...	—	—	1	2	34	—	—	1	20	341	2	1	—	—	33	7	6
Horsham ...	—	3	—	16	45	—	3	—	—	192	1	—	—	—	17	4	—
Littlehampton ...	—	—	—	10	175	—	2	—	—	459	—	—	—	—	6	12	—
Shoreham by Sea ...	—	2	—	13	94	—	1	3	24	372	—	1	—	—	12	2	3
Southwick ...	—	—	—	46	61	—	4	—	12	132	—	—	—	—	13	1	—
Worthing M.B. ...	3	—	—	33	249	—	8	1	9	921	1	—	—	—	20	17	—
W Districts																	
Chancotbury ...	—	4	1	135	828	—	13	—	19	2000	5	1	—	—	35	27	9
Chichester ...	—	—	—	29	144	—	2	—	—	359	1	—	—	—	7	2	—
Horsham ...	—	—	—	20	161	—	—	—	—	725	—	—	—	—	3	2	6
Midhurst ...	—	4	—	19	114	—	4	—	9	199	2	—	—	—	7	1	—
Petworth ...	—	—	—	4	61	—	2	—	—	123	1	1	—	—	6	—	—
Worthing ...	—	—	1	2	119	—	1	—	—	62	1	—	—	—	6	—	—
Worthing ...	—	—	—	61	229	—	4	—	10	532	—	—	—	—	6	22	3

cases of Smallpox notified:— Brighton C.B., 26.
see note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis.		Acute Encephalitis.		Acute pneumonia. (primary and influenza).	Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
WARWICKSHIRE ...	4	99	113	1862	7490	41	297	617	862	25037	60	132	4	6	2458	273
County Boroughs ...	3	96	101	1447	5798	31	255	612	695	18601	49	107	3	6	1750	177
Birmingham ...	3	71	92	1156	5120	27	209	604	562	16149	40	17	3	5	1495	159
Coventry ...	—	25	9	291	678	4	46	8	133	2452	9	90	—	1	255	18
Admin. County ...	1	3	12	415	1692	10	42	5	167	6436	11	25	1	—	708	96
Urban Districts ...	—	3	8	316	915	8	26	3	107	4478	11	10	—	—	433	62
Bedworth ...	—	—	1	58	47	—	—	—	19	328	1	1	—	—	21	3
Kenilworth ...	—	—	1	17	34	1	1	—	11	336	—	—	—	—	68	—
Nuneaton M.B. ...	—	—	—	72	48	1	4	—	27	516	4	5	—	—	74	2
Royal Leamington	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spa M.B. ...	—	—	—	9	42	1	2	—	1	244	1	—	—	—	27	36
Rugby M.B. ...	—	—	4	50	291	—	8	1	5	469	—	1	—	—	88	1
Solihull ...	—	2	—	34	154	2	5	2	10	1263	1	1	—	—	84	10
Stratford upon Avon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B. ...	—	—	—	14	107	—	1	—	2	243	1	—	—	—	21	7
Sutton Coldfield	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B. ...	—	—	1	58	117	—	5	—	28	560	2	2	—	—	36	2
Warwick M.B. ...	—	1	1	4	75	3	—	—	4	519	1	—	—	—	14	1
Rural Districts ...	1	—	4	99	777	2	16	2	60	1958	—	15	1	—	275	34
Alcester ...	—	—	1	9	95	—	2	—	—	281	—	—	—	—	23	2
Atherstone ...	—	—	—	15	69	—	1	—	2	230	—	1	—	—	51	—
Meriden ...	—	—	—	36	231	—	8	2	25	444	—	8	1	—	78	20
Rugby ...	—	—	—	10	61	—	1	—	2	110	—	1	—	—	28	7
Shipston on Stour	—	—	—	—	63	—	—	—	—	143	—	—	—	—	18	—
Southam ...	—	—	—	2	4	1	—	—	—	44	—	—	—	—	2	—
Stratford upon Avon	—	—	1	10	27	—	1	—	1	253	—	—	—	—	4	3
Tamworth ...	—	—	1	13	206	—	1	—	5	298	—	1	—	—	19	1
Warwick ...	1	—	1	4	21	1	2	—	25	155	—	4	—	—	52	1
WESTMORLAND :																
Admin. County ...	—	2	1	60	256	—	4	—	36	1444	8	2	1	—	25	5
Urban Districts ...	—	—	1	38	84	—	1	—	21	653	7	1	1	—	1	5
Appleby M.B. ...	—	—	—	5	—	—	—	—	—	61	1	—	—	—	—	—
Kendal M.B. ...	—	—	1	25	29	—	—	—	21	388	1	1	1	—	1	4
The Lakes ...	—	—	—	7	13	—	1	—	—	73	1	—	—	—	—	1
Windermere ...	—	—	—	1	42	—	—	—	—	131	4	—	—	—	—	—
Rural Districts ...	—	2	—	22	172	—	3	—	15	791	1	1	—	—	24	—
North Westmorland	—	1	—	14	81	—	1	—	10	531	—	—	—	—	20	—
South Westmorland	—	1	—	8	91	—	2	—	5	260	1	1	—	—	4	—
WIGHT, ISLE OF :																
Admin. County ...	—	1	2	31	586	—	7	1	8	1826	11	—	—	—	34	6
Urban Districts ...	—	1	1	25	517	—	4	1	8	1410	6	—	—	—	22	6
Cowes ...	—	—	—	3	128	—	1	—	5	53	1	—	—	—	2	1
Newport M.B. ...	—	—	1	15	157	—	1	—	2	433	—	—	—	—	6	1
Ryde M.B. ...	—	—	—	3	175	—	1	1	—	514	—	—	—	—	4	1
Sandown-Shanklin	—	1	—	2	31	—	1	—	1	368	3	—	—	—	2	2
Ventnor ...	—	—	—	2	26	—	—	—	—	42	2	—	—	—	8	1
Rural District:																
Isle of Wight ...	—	—	1	6	69	—	3	—	—	416	5	—	—	—	12	—
WILTSHIRE :																
Admin. County ...	—	1	3	606	1545	2	30	4	248	6720	15	17	2	1	169	52
Urban Districts ...	—	1	2	302	741	—	15	2	136	3336	8	2	1	1	58	44
Bradford on Avon	—	—	—	6	37	—	—	—	—	43	—	—	—	—	—	—
Calne M.B. ...	—	—	—	11	39	—	2	—	—	46	—	—	—	—	—	—
Chippenham M.B. ...	—	—	—	25	47	—	3	—	1	188	—	2	—	—	2	1
Devizes M.B. ...	—	—	—	18	6	—	1	—	—	230	—	—	—	—	1	—
Malmesbury M.B. ...	—	—	—	13	—	—	—	—	—	13	—	—	—	—	2	—
Marlborough M.B. ...	—	1	—	—	15	—	2	—	—	126	—	—	—	—	2	—
Melksham ...	—	—	—	2	36	—	1	—	—	204	—	—	—	—	2	—
Salisbury M.B. ...	—	—	—	28	186	—	5	—	29	825	—	—	—	1	8	6
Swindon M.B. ...	—	—	2	146	287	—	1	2	67	1173	5	—	—	—	38	37
Trowbridge ...	—	—	—	14	37	—	—	—	38	137	1	—	1	—	1	—

† See note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	†Fuerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
WILTSHIRE—contd.																	
Warminster	—	—	—	8	38	—	—	—	1	174	—	—	—	—	2	—	—
Westbury ...	—	—	—	30	7	—	—	—	—	50	1	—	—	—	—	—	1
Wilton M.B. ...	—	—	—	1	6	—	—	—	—	127	—	—	—	—	—	—	—
1 Districts	—	—	1	304	804	2	15	2	112	3384	7	15	1	—	111	8	227
Amesbury ...	—	—	—	11	63	1	1	—	—	437	—	—	—	—	5	—	1
Bradford and Melksham	—	—	—	22	42	—	—	—	8	211	1	4	—	—	6	—	—
Calne and Chippenham	—	—	—	136	149	—	2	—	29	552	4	7	1	—	12	3	3
Cricklade and Wootton Bassett	—	—	—	13	22	—	1	1	5	125	—	2	—	—	3	—	106
Devizes ...	—	—	—	32	26	—	—	—	9	200	—	—	—	—	13	—	—
Highworth ...	—	—	—	31	79	—	4	—	25	343	—	—	—	—	20	3	6
Malmesbury ...	—	—	1	21	33	—	—	—	—	74	—	2	—	—	2	—	110
Marlborough and Ramsbury	—	—	—	2	87	1	—	—	25	141	1	—	—	—	18	2	1
Mere and Tisbury	—	—	—	5	95	—	2	—	—	381	—	—	—	—	8	—	—
Pewsey ...	—	—	—	4	37	—	1	1	2	311	—	—	—	—	16	—	—
Salisbury and Wilton	—	—	—	9	148	—	1	—	6	400	—	—	—	—	3	—	—
Warminster and Westbury	—	—	—	18	23	—	3	—	2	209	1	—	—	—	5	—	—
WORCESTERSHIRE																	
City Boroughs	—	26	11	591	1707	40	57	30	109	6411	11	5	1	1	477	51	26
Dudley ...	—	2	3	145	159	14	11	25	7	706	—	—	—	—	129	9	1
Worcester ...	—	2	2	32	69	11	4	1	2	350	—	—	—	—	62	1	—
County ...	—	—	1	113	90	3	7	24	5	356	—	—	—	—	67	8	1
1 Districts	—	24	8	446	1548	26	46	5	102	5705	11	5	1	1	348	42	25
Bewdley M.B.	—	19	8	322	1095	23	38	3	90	4308	9	3	1	1	240	37	15
Bromsgrove	—	—	—	1	40	—	—	—	—	82	—	—	—	—	9	—	—
Droitwich M.B.	—	4	—	18	71	—	6	1	5	145	—	—	—	—	25	8	—
Evesham M.B.	—	—	—	7	30	—	1	—	—	23	—	—	—	—	3	—	—
Halesowen M.B.	—	—	—	6	31	—	—	—	—	304	—	—	—	—	4	1	—
Kidderminster M.B.	—	10	2	71	102	—	5	—	41	537	1	1	1	—	23	1	1
Malvern ...	—	1	1	15	196	—	—	—	—	679	—	—	—	—	41	1	—
Oldbury M.B.	—	—	—	23	124	—	6	—	14	679	2	—	—	—	27	1	1
Redditch ...	—	4	1	78	263	—	3	—	11	962	5	1	—	1	51	2	3
Stourbridge M.B.	—	—	2	33	75	23	1	2	3	65	1	—	—	—	8	5	—
Stourport on Severn	—	—	2	45	41	—	4	—	16	647	—	—	—	—	34	8	10
1 Districts	—	—	—	25	122	—	—	—	—	185	—	—	—	—	15	10	—
Bromsgrove	—	5	—	124	453	3	8	2	12	1397	2	2	—	—	108	5	10
Droitwich ...	—	3	—	20	91	—	—	—	6	239	1	2	—	—	21	1	9
Evesham ...	—	1	—	29	83	3	1	1	—	119	—	—	—	—	13	2	—
Kidderminster	—	—	—	18	33	—	—	—	—	330	—	—	—	—	10	—	1
Martley ...	—	—	—	17	70	—	1	—	—	158	—	—	—	—	19	—	—
Pershore ...	—	—	—	15	103	—	5	—	—	201	—	—	—	—	29	1	—
Tenbury ...	—	—	—	15	20	—	—	—	3	152	—	—	—	—	7	1	—
Upton on Severn	—	—	—	1	24	—	—	—	—	27	—	—	—	—	—	—	—
1 Districts	—	—	—	9	29	—	1	—	3	171	1	—	—	—	9	—	—
WILTSHIRE, EAST RIDING																	
City Borough:	2	4	12	479	2364	1	65	25	188	4597	9	3	—	2	597	72	9
Kingston upon Hull	—	1	10	374	1882	—	38	25	149	2026	3	1	—	1	351	59	6
County ...	2	3	2	105	482	1	27	—	39	2571	6	2	—	1	246	13	3
1 Districts	1	2	1	65	228	1	14	—	34	1018	3	—	—	1	157	8	3
Beverley M.B.	—	—	—	14	23	—	3	—	2	259	—	—	—	—	12	6	—
Bridlington M.B.	—	1	—	11	37	—	6	—	5	141	—	—	—	—	98	—	—
Driffield ...	—	—	—	2	7	—	—	—	—	168	—	—	—	—	6	—	—
Filey ...	—	1	—	5	18	—	1	—	—	17	—	—	1	—	7	—	—
Haltemprice	—	—	—	25	129	1	3	—	25	269	3	—	—	1	28	1	3
Hedon M.B.	—	—	—	1	—	—	—	—	—	30	—	—	—	—	—	—	—
Hornsea ...	—	—	—	—	—	—	—	—	—	5	—	—	—	—	4	—	—
Norton ...	—	—	1	2	1	—	—	—	—	103	—	—	—	—	—	—	—
Withernsea	1	—	—	5	13	—	1	—	2	26	—	—	—	—	2	1	—

note at end of Table.

TABLE 33—continued.

Area	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza)	† Puerperal pyrexia.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
YORKSHIRE, EAST RIDING—contd.																
Rural Districts ..	1	1	1	40	254	—	13	—	5	1553	3	2	—	—	89	5
Beverley ..	—	—	—	6	40	—	2	—	4	296	1	—	—	—	19	4
Bridlington ..	—	—	—	—	6	—	1	—	—	37	1	—	—	—	16	—
Derwent ..	—	—	—	7	41	—	1	—	—	279	1	—	—	—	10	—
Driffield ..	—	—	—	1	12	—	2	—	1	112	—	—	—	—	12	—
Holderness ..	1	—	—	13	71	—	2	—	—	217	—	—	—	—	14	—
Howden ..	—	—	1	3	27	—	4	—	—	269	—	1	—	—	9	1
Norton ..	—	—	—	9	19	—	—	—	—	96	—	—	—	—	3	—
Pocklington ..	—	1	—	1	38	—	1	—	—	247	—	1	—	—	6	—
YORKSHIRE, NORTH RIDING	3	3	25	849	2146	22	51	9	223	7905	21	21	6	—	372	112
County Borough:																
Middlesbrough ..	1	—	14	431	480	18	9	6	167	3562	7	10	3	—	118	83
Admin. County ..	2	3	11	418	1666	4	42	3	56	4343	14	11	3	—	254	29
Urban Districts ..	—	2	5	245	842	1	26	2	7	2521	6	7	2	—	136	22
Eston ..	—	—	2	46	92	—	4	1	5	732	—	6	—	—	29	3
Guisborough ..	—	—	—	13	30	—	1	—	—	125	—	—	—	—	3	—
Loftus ..	—	—	—	7	89	—	2	—	—	177	—	—	—	—	7	2
Malton ..	—	—	—	13	9	—	—	—	—	81	—	—	—	—	—	—
Northallerton ..	—	—	—	10	15	1	—	—	—	83	1	—	—	—	2	—
Pickering ..	—	—	—	20	10	—	2	—	1	61	1	—	—	—	—	—
Redcar M.B. ..	—	1	—	26	103	—	2	—	—	248	1	—	1	—	38	3
Richmond M.B. ..	—	—	—	2	18	—	—	—	—	19	—	—	—	—	1	—
Saltburn and Marske by the Sea ..	—	—	—	3	22	—	1	—	—	114	—	—	—	—	1	7
Sealby ..	—	—	—	4	12	—	1	—	—	57	—	—	—	—	2	—
Scarborough M.B. ..	—	1	—	71	186	—	3	—	—	373	3	—	—	—	15	4
Skelton and Brotton ..	—	—	1	11	35	—	3	—	—	188	—	—	—	—	6	1
Thornaby on Tees M.B. ..	—	—	2	13	51	—	3	1	—	234	—	1	1	—	25	2
Whitby ..	—	—	—	6	170	—	4	—	1	29	—	—	—	—	7	—
Rural Districts ..	2	1	6	173	824	3	16	1	49	1822	8	4	1	—	118	7
Aysgarth ..	—	—	—	2	109	—	—	—	8	45	—	—	—	—	5	—
Bedale ..	—	—	—	18	55	—	4	—	—	61	2	—	—	—	11	—
Croft ..	—	—	—	3	1	—	—	—	—	16	—	—	—	—	—	—
Easingwold ..	1	—	2	4	36	—	2	—	—	87	—	1	—	—	5	—
Flaxton ..	—	1	—	30	159	—	—	—	—	262	—	—	—	—	6	1
Helmsley ..	1	—	—	6	41	—	—	—	—	109	—	2	—	—	2	—
Kirkby Moorside ..	—	—	—	3	1	—	1	—	1	26	1	—	—	—	—	—
Leyburn ..	—	—	—	4	14	—	—	—	—	35	—	—	—	—	—	—
Malton ..	—	—	—	8	7	—	—	—	—	116	1	—	—	—	16	—
Masham ..	—	—	—	—	—	—	—	—	7	8	—	—	—	—	—	—
Northallerton ..	—	—	—	5	46	—	—	1	—	108	—	—	—	—	4	1
Pickering ..	—	—	—	8	8	—	1	—	1	27	—	—	—	—	—	—
Reeth ..	—	—	—	4	18	—	3	—	—	51	—	—	—	—	8	—
Richmond ..	—	—	4	26	109	—	1	—	18	144	2	1	1	—	23	2
Scarborough ..	—	—	—	20	35	—	—	—	—	107	—	—	—	—	1	—
Startforth ..	—	—	—	2	37	—	1	—	—	23	—	—	—	—	3	—
Stokesley ..	—	—	—	26	55	3	1	—	3	280	1	—	—	—	20	2
Thirsk ..	—	—	—	2	10	—	—	—	—	7	—	—	—	—	—	1
Wath ..	—	—	—	—	3	—	—	—	1	17	—	—	—	—	5	—
Whitby ..	—	—	—	2	80	—	1	—	10	293	1	—	—	—	9	—
YORKSHIRE, WEST RIDING																
County Boroughs ..	—	197	124	4029	13078	20	719	83	2047	50502	215	128	17	18	5396	493
Barnsley ..	—	133	66	2237	6131	10	407	55	1209	25308	125	70	12	3	3658	364
Bradford ..	—	21	16	112	216	2	32	—	21	684	15	3	1	—	285	7
Dewsbury ..	—	62	2	291	1273	4	103	12	322	3771	7	5	1	—	494	13
Doncaster ..	—	2	2	63	333	—	2	—	56	515	—	—	—	—	53	20
Halifax ..	—	4	7	73	263	—	8	12	4	1048	6	1	—	—	101	52
Huddersfield ..	—	15	6	123	145	—	28	2	13	622	8	2	1	—	73	8
	—	17	2	233	222	—	10	1	281	1066	3	—	—	—	83	8

† See note at end of table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis.	Acute Encephalitis.	Acute pneumonia (primary and influenzal).	†Puerperal pyrexia.	Food poisoning.		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
YORKSHIRE, WEST RIDING —contd.																	
3's.—contd.																	
Leeds	—	1	15	524	1625	3	59	6	155	7670	35	—	1	—	531	77	31
Rotherham	—	—	—	1	46	70	1	19	5	1307	13	4	1	—	107	9	12
Sheffield	—	10	12	476	1076	—	128	14	312	7338	35	44	3	2	1832	117	—
Wakefield	—	—	2	27	250	—	13	—	17	290	—	—	—	1	64	14	—
York	—	1	1	269	658	—	5	7	23	997	3	11	4	—	35	39	5
min. County	—	64	58	1792	6947	10	312	28	838	25194	90	58	5	15	1738	129	138
ban Districts	—	59	45	1345	5210	7	254	19	712	18426	65	31	2	3	1343	97	102
Adwick le Street	—	—	—	11	32	—	6	1	—	309	—	1	—	—	30	—	—
Aireborough	—	1	—	11	42	—	1	—	—	92	1	—	—	—	6	—	—
Baildon	—	2	—	4	63	—	1	—	13	147	2	—	—	—	8	—	1
Barnoldswick	—	—	1	6	110	1	4	—	6	197	—	—	—	—	26	1	—
Batley M.B.	—	—	—	45	230	—	3	—	16	360	—	—	—	—	9	4	—
Bentley with Arksey	—	—	—	23	100	—	1	1	—	201	—	—	—	—	50	—	—
Bingley	—	4	—	8	161	—	3	—	28	194	1	—	—	—	19	1	—
Brighouse M.B.	—	10	—	68	134	—	5	—	48	622	3	1	—	—	30	2	2
Castleford	—	—	2	51	418	—	3	6	—	1289	—	—	—	—	67	7	—
Colne Valley	—	—	3	166	138	—	12	—	36	529	1	—	—	1	34	—	1
Conisbrough	—	—	2	6	12	—	1	—	—	305	—	—	—	—	4	1	1
Cudworth	—	1	1	19	40	—	7	—	—	212	2	—	—	—	15	—	—
Darfield	—	9	—	5	10	—	1	—	1	76	1	—	—	—	5	1	1
Darton	—	5	2	25	42	—	3	—	—	71	3	2	—	—	7	—	—
Deerne	—	1	2	28	94	1	17	1	1	182	3	—	1	—	45	1	26
Denby Dale	—	—	—	14	25	—	—	—	1	151	—	—	—	—	1	—	—
Denholme	—	—	—	—	7	—	3	—	74	85	—	—	—	—	23	—	1
Dodworth	—	2	—	1	1	—	1	—	—	1	2	—	—	—	2	—	—
Earby	—	—	—	19	33	—	3	—	37	147	—	—	—	—	11	—	—
Elland	—	1	—	33	39	—	4	—	—	378	2	2	—	—	20	2	—
Featherstone	—	—	—	18	8	1	2	1	2	531	—	—	—	—	27	—	2
Garforth	—	—	—	11	24	—	—	—	—	241	—	—	—	—	3	—	—
Goole M.B.	—	—	—	16	75	—	1	—	—	95	—	—	—	—	12	—	—
Harrogate M.B.	—	—	2	50	476	—	9	—	31	781	—	—	—	—	37	13	—
Hebden Royd	—	—	—	4	1	—	2	—	4	81	—	—	—	—	3	—	—
Heckmondwike	—	—	—	10	70	—	1	—	—	85	—	—	—	—	6	1	—
Hemsworth	—	—	—	14	97	—	7	1	5	229	1	—	—	—	47	1	—
Holmfirth	—	—	2	34	72	—	5	—	35	137	—	—	—	—	12	3	—
Horbury	—	—	—	4	16	—	3	—	—	122	—	—	—	—	3	—	—
Horsforth	—	—	—	4	52	—	1	—	1	128	—	1	—	—	11	1	—
Hoyland Nether	—	—	2	72	53	—	5	—	1	163	—	—	—	—	38	—	—
Ilkley	—	3	1	8	142	—	4	—	2	403	1	1	—	—	10	—	11
Keighley M.B.	—	8	9	32	177	—	11	—	12	1074	1	—	—	—	44	9	2
Kirkburton	—	—	—	24	36	—	1	—	17	73	—	—	—	1	4	—	—
Knaresborough	—	—	—	7	131	—	—	—	—	82	—	—	—	—	2	—	—
Knottingley	—	—	—	15	43	—	1	—	—	308	—	—	—	—	34	1	—
Maltby	—	—	—	6	15	—	1	—	—	431	6	12	—	—	23	1	1
Meltham	—	—	—	10	112	—	2	—	9	172	—	—	—	—	13	—	—
Mexborough	—	—	1	18	38	—	—	—	3	366	7	1	—	—	43	3	—
Mirfield	—	—	—	24	33	—	—	—	1	110	—	—	—	—	6	2	—
Morley M.B.	—	—	—	58	111	—	6	—	9	661	2	1	—	—	21	1	—
Normanton	—	—	—	36	64	—	4	—	—	622	—	—	—	—	45	1	—
Ossett M.B.	—	—	1	5	154	—	—	—	—	163	—	—	—	—	4	—	—
Otley	—	1	2	15	52	—	—	—	19	262	1	—	—	—	23	7	20
Penistone	—	—	1	2	17	—	—	—	—	236	2	1	—	—	5	—	—
Pontefract M.B.	—	—	—	18	93	—	3	2	5	661	—	2	—	—	27	7	5
Pudsey M.B.	—	—	—	34	120	—	5	3	1	507	2	—	—	—	21	—	—
Queensbury and Shelf	—	—	—	2	26	—	36	—	10	174	—	—	—	—	37	—	6
Rawmarsh	—	—	1	15	40	—	3	—	—	278	2	1	—	—	3	2	—
Ripon M.B.	—	—	—	5	17	—	1	—	—	45	—	—	—	—	2	2	—
Ripponden	—	—	1	1	14	—	—	—	—	180	—	—	—	—	5	—	—
Rothwell	—	—	1	17	85	—	17	—	—	585	3	—	—	—	46	2	—

see note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fever.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis.	Acute Encephalitis.	Acute pneumonia (primary and influenza).	†Puerperal pyrexia.	Food poisoning.		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
YORKSHIRE, WEST RIDING																	
—contd.																	
U.D's.—contd.																	
Royston ...	—	—	—	2	36	1	2	—	—	218	—	—	—	—	4	—	—
Saddleworth ...	—	1	1	21	79	—	—	—	120	309	—	—	—	—	8	—	—
Selby ...	—	—	—	7	3	—	2	2	—	216	—	—	—	—	6	—	—
Shipley ...	—	1	—	38	115	—	—	1	64	215	2	—	1	—	34	1	—
Silsden ...	—	—	—	6	33	—	1	—	—	87	—	1	—	1	51	1	—
Skipton ...	—	—	—	7	21	—	1	—	72	84	1	—	—	—	8	2	—
Sowerby Bridge ...	—	1	—	16	7	—	3	—	1	296	—	—	—	—	13	—	—
Spenborough ...	—	—	1	37	219	—	6	—	9	368	4	2	—	—	68	1	—
Stanley ...	—	1	—	13	29	1	2	—	—	102	—	—	—	—	16	—	—
Stocksbridge ...	—	3	—	20	69	—	1	—	—	128	3	—	—	—	18	1	—
Swinton ...	—	1	—	6	18	—	6	—	—	225	1	—	—	—	7	2	—
Tickhill ...	—	—	—	8	32	—	—	—	—	106	—	—	—	—	5	—	—
Todmorden M.B.	—	—	2	8	87	—	7	—	4	72	—	—	—	—	31	—	—
Wath upon Dearne	—	—	1	11	91	—	—	—	—	66	1	—	—	—	3	—	—
Wombwell ...	—	—	1	17	134	—	7	—	13	220	1	2	—	—	17	5	—
Worsborough ...	—	2	—	32	22	—	5	—	1	180	2	—	—	—	25	6	—
Rural Districts ...	—	5	13	447	1737	3	58	9	126	6768	25	27	3	12	395	32	3
Bowland ...	—	—	—	2	43	—	1	—	—	25	—	—	—	—	6	—	—
Doncaster ...	—	—	2	39	86	—	4	2	17	837	3	1	—	—	35	2	—
Goole ...	—	—	—	1	43	1	—	—	1	127	—	—	—	1	4	—	—
Hemsworth ...	—	—	1	81	89	—	9	—	2	685	—	1	—	—	14	4	—
Hepton ...	—	—	—	—	—	—	—	—	—	12	—	—	—	—	1	—	—
Kiveton Park ...	—	—	—	50	32	1	8	—	—	249	1	1	—	—	46	—	—
Nidderdale ...	—	—	—	28	147	—	1	—	1	172	—	—	—	11	7	—	—
Osgoldcross ...	—	—	—	15	40	—	—	—	—	365	—	—	—	—	3	3	—
Penistone ...	—	1	—	8	18	—	1	—	5	118	—	2	—	—	4	—	—
Ripon and Pateley	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bridge ...	—	—	—	7	166	—	3	—	3	152	2	1	—	—	16	—	—
Rotherham ...	—	1	1	56	141	1	6	2	5	962	14	11	1	—	60	8	—
Sedburgh ...	—	—	—	2	25	—	—	—	22	12	—	—	—	—	1	—	—
Selby ...	—	—	—	4	16	—	—	—	—	57	—	—	—	—	1	—	—
Settle ...	—	2	—	4	31	—	1	—	2	364	—	1	—	—	23	—	—
Skipton ...	—	—	1	24	182	—	3	—	43	452	—	—	1	—	38	—	—
Tadcaster ...	—	—	—	37	174	—	3	—	1	563	1	2	—	—	34	6	—
Thorne ...	—	—	1	20	112	—	2	4	2	208	—	2	—	—	21	1	—
Wakefield ...	—	—	1	18	75	—	5	—	2	264	1	—	—	—	13	4	—
Wetherby ...	—	—	2	13	189	—	5	—	—	570	—	1	—	—	6	—	—
Wharfedale ...	—	—	—	1	31	—	2	—	9	131	1	1	—	—	15	—	—
Wortley ...	—	1	4	37	97	—	4	1	11	503	2	3	—	—	47	4	—
WALES AND MONMOUTH																	
ANGLESEY :																	
Admin. County ...	—	—	—	27	430	—	3	—	50	1191	3	1	—	—	81	—	—
Urban Districts ...	—	—	—	15	209	—	1	—	23	439	—	—	—	—	21	—	—
Amlwch ...	—	—	—	7	31	—	—	—	—	164	—	—	—	—	7	—	—
Beaumaris M.B.	—	—	—	1	13	—	—	—	—	147	—	—	—	—	1	—	—
Holyhead ...	—	—	—	1	63	—	1	—	—	47	—	—	—	—	—	—	—
Llangefni ...	—	—	—	4	52	—	—	—	20	7	—	—	—	—	8	—	—
Menai Bridge ...	—	—	—	2	50	—	—	—	3	74	—	—	—	—	5	—	—
Rural Districts ...	—	—	—	12	221	—	2	—	27	752	3	1	—	—	60	—	—
Aethwy ...	—	—	—	4	138	—	—	—	23	340	—	—	—	—	13	—	—
Twrcelyn ...	—	—	—	8	51	—	2	—	—	134	3	—	—	—	38	—	—
Valley ...	—	—	—	—	32	—	—	—	4	278	—	1	—	—	9	—	—

† See note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	†Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BECKNOCKSHIRE :																	
Min. County ...	—	—		2	50	139	2	3	—	2	465	—	4	—	38	1	—
Urban Districts	—	—		1	11	57	—	1	—	—	192	—	—	—	27	—	—
Brecknock M.B. ...	—	—	1	—	1	—	—	—	—	—	76	—	—	—	1	—	—
Brynmawr ...	—	—	—	4	33	—	1	—	—	—	30	—	—	—	23	—	—
Builth Wells ...	—	—	—	3	—	—	—	—	—	—	74	—	—	—	—	—	—
Hay ...	—	—	—	2	1	—	—	—	—	—	3	—	—	—	—	—	—
Llanwrtyd ...	—	—	—	1	23	—	—	—	—	—	9	—	—	—	3	—	—
Rural Districts	—	—	1	39	82	2	2	—	2	273	—	4	—	—	11	1	—
Brecknock ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Defynnock and	—	—	—	1	54	—	1	—	1	88	—	—	—	—	1	1	—
Llangorse Div. ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Merthyr Cynog	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Div. ...	—	—	—	—	7	—	—	—	—	—	79	—	—	—	3	—	—
Builth ...	—	—	—	6	8	1	—	—	—	—	16	—	—	—	3	—	—
Crickhowell ...	—	—	—	1	5	—	1	1	—	—	8	—	—	—	1	—	—
Hay ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Vaynor and	—	—	—	22	3	—	—	—	—	9	—	—	—	—	2	—	—
Penderyn ...	—	—	—	5	10	—	—	—	1	73	—	4	—	—	1	—	—
Ystradgynlais ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
CERNARVONSHIRE :																	
Min. County ...	—	21	3	73	430	2	12	—	60	2148	4	1	—	—	69	1	2
Urban Districts	—	21	3	44	287	2	6	—	49	1431	4	1	—	—	50	1	1
Bangor M.B. ...	—	1	2	6	82	—	—	—	5	304	3	1	—	—	—	—	—
Bethesda ...	—	—	—	6	5	—	1	—	9	189	—	—	—	—	—	1	—
Bettws y Coed ...	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Caernarvon M.B.	—	—	—	1	65	—	—	—	3	208	—	—	—	—	—	—	—
Conway M.B. ...	—	8	—	10	8	1	1	—	20	149	—	—	—	—	15	—	1
Rural Districts	—	1	—	1	21	—	—	—	6	42	1	—	—	—	3	—	—
Llandudno ...	—	9	1	19	46	1	3	—	1	202	—	—	—	—	17	—	—
Llanfairfechan ...	—	—	—	—	—	—	—	—	—	97	—	—	—	—	6	—	—
Penmaenmawr ...	—	2	—	—	23	—	1	—	3	39	—	—	—	—	6	—	—
Portmadoc ...	—	—	—	1	15	—	—	—	—	51	—	—	—	—	1	—	—
Pwllheli M.B. ...	—	—	—	—	22	—	—	—	2	148	—	—	—	—	2	—	—
Rural Districts	—	—	—	29	143	—	6	—	11	717	—	—	—	—	19	—	1
Gwyrfa ...	—	—	—	19	35	—	4	—	1	258	—	—	—	—	7	—	—
Lleyn ...	—	—	—	5	40	—	1	—	4	261	—	—	—	—	10	—	—
Nant Conway ...	—	—	—	4	21	—	1	—	5	31	—	—	—	—	2	—	1
Ogwen ...	—	—	—	1	47	—	—	—	1	167	—	—	—	—	—	—	—
REDIGANSHIRE :																	
Min. County ...	—	5	1	3	27	—	—	—	1	476	—	—	—	—	4	1	1
Urban Districts	—	5	—	2	13	—	—	—	—	234	—	—	—	—	1	1	—
Aberayron ...	—	—	—	—	—	—	—	—	—	25	—	—	—	—	—	—	—
Aberystwyth M.B.	—	5	—	—	8	—	—	—	—	170	—	—	—	—	—	—	—
Cardigan M.B. ...	—	—	—	2	—	—	—	—	—	—	—	—	—	—	1	1	—
Lampeter M.B. ...	—	—	—	—	5	—	—	—	—	39	—	—	—	—	—	—	—
New Quay ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rural Districts	—	—	1	1	14	—	—	—	1	242	—	—	—	—	3	—	1
Aberayron ...	—	—	—	—	6	—	—	—	—	46	—	—	—	—	1	—	—
Aberystwyth :—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North ...	—	—	—	—	5	—	—	—	—	166	—	—	—	—	1	—	—
South ...	—	—	1	1	—	—	—	—	1	22	—	—	—	—	1	—	—
Teifside ...	—	—	—	—	3	—	—	—	—	1	—	—	—	—	—	—	1
Tregaron ...	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	—
CARMARTHENSHIRE :																	
Min. County ...	—	—	5	66	609	—	8	1	57	1483	7	22	—	—	335	6	5
Urban Districts	—	—	3	31	292	—	3	—	32	554	6	17	—	—	220	5	5
Ammanford ...	—	—	1	3	30	—	—	—	—	8	—	8	—	—	8	—	—
Burry Port ...	—	—	1	1	8	—	—	—	—	46	—	1	—	—	—	—	—
Carmarthen M.B.	—	—	—	6	40	—	—	—	13	235	2	—	—	—	52	—	4
Cwmmaman ...	—	—	—	—	19	—	1	—	—	5	—	—	—	—	15	1	—
Kidwelly M.B. ...	—	—	—	—	16	—	—	—	—	57	—	—	—	—	—	—	—

see note at end of Table.

TABLE 33—continued.

Area	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis	Non-paralytic.	Acute Encephalitis	Post-infectious.	Acute pneumonia. (primary and influenzal).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
CARMARTHEN-SHIRE																
—contd.																
U.D's—contd.																
Llandilo	—	—	—	—	2	—	—	—	—	4	—	—	—	—	5	—
Llandovery M.B. ..	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—
Llanelli M.B. ..	—	—	1	20	182	—	—	—	18	196	1	8	—	—	140	4
Newcastle Emlyn ..	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
Rural Districts ..	—	—	—	2	35	317	—	5	1	25	929	1	5	—	115	1
Carmarthen	—	—	—	—	5	47	—	1	—	9	404	—	—	—	42	—
Llandilo	—	—	—	14	66	—	—	2	—	10	491	1	4	—	25	—
Llanelli	—	—	2	15	202	—	2	1	—	6	425	—	—	—	48	1
Newcastle Emlyn ..	—	—	—	1	2	—	—	—	—	51	—	—	—	—	—	—
DENBIGHSHIRE:																
Admin. County ..	—	—	7	126	449	—	14	8	36	1654	4	1	2	—	212	6
Urban Districts ..	—	—	2	55	247	—	6	8	32	884	4	1	1	—	103	4
Abergele	—	—	—	17	78	—	1	—	—	51	3	—	—	—	10	—
Colwyn Bay M.B. ..	—	—	—	4	18	—	—	8	3	226	—	—	—	—	11	3
Denbigh M.B. ..	—	—	1	6	22	—	1	—	1	12	—	—	—	—	12	—
Llangollen	—	—	—	7	—	—	—	—	—	5	—	—	—	—	—	—
Llanrwst	—	—	—	7	13	—	—	—	28	4	—	—	—	—	1	—
Ruthin M.B. ..	—	—	—	—	16	—	1	—	—	12	—	—	—	—	12	—
Wrexham M.B. ..	—	—	1	14	100	—	3	—	—	574	1	1	—	—	57	1
Rural Districts ..	—	—	5	71	192	—	8	—	4	970	—	—	1	—	110	2
Aled	—	—	—	6	15	—	1	—	—	71	—	—	—	—	2	—
Ceiriog	—	—	—	4	21	—	1	—	—	85	—	—	—	—	20	—
Hiraethog	—	—	—	9	30	—	—	—	2	207	—	—	—	—	4	—
Ruthin	—	—	—	11	13	—	—	—	—	128	—	—	—	—	12	—
Wrexham	—	—	5	41	114	—	6	—	2	479	—	—	1	—	72	2
FLINTSHIRE:																
Admin. County ..	—	5	5	216	426	1	10	1	11	1737	10	—	—	—	197	12
Urban Districts ..	—	3	109	184	—	1	1	—	9	797	9	—	—	—	84	2
Buckley	—	—	21	7	—	—	—	—	—	214	—	—	—	—	11	—
Connah's Quay ..	—	—	66	2	—	—	—	—	—	5	—	—	—	—	7	—
Flint M.B. ..	—	—	5	47	—	—	—	—	—	101	6	—	—	—	9	1
Holywell	—	—	2	38	—	—	—	—	7	221	—	—	—	—	48	—
Mold	—	—	2	9	—	—	—	—	—	114	—	—	—	—	2	—
Prestatyn	—	3	2	51	—	—	—	—	2	109	1	—	—	—	6	1
Rhyl	—	—	11	36	—	1	1	—	—	33	2	—	—	—	1	—
Rural Districts ..	—	5	2	107	242	—	9	1	2	940	1	—	—	—	113	10
Hawarden	—	—	2	69	110	—	3	—	—	389	—	—	—	—	25	2
Holywell	—	5	—	26	86	—	4	1	2	465	1	—	—	—	61	2
Overton	—	—	—	5	—	—	—	—	—	1	—	—	—	—	2	1
St. Asaph	—	—	—	12	41	—	2	—	—	85	—	—	—	—	25	5
GLAMORGANSHIRE:																
County Boroughs ..	—	14	60	1624	4765	33	150	23	381	12952	20	44	6	2	1331	162
Cardiff	—	4	24	521	2050	23	71	15	276	4936	11	29	1	1	405	111
Merthyr Tydfil ..	—	2	16	184	1267	—	50	8	237	3116	2	13	—	—	262	76
Swansea	—	—	1	86	105	23	3	—	2	206	1	—	—	—	11	9
Admin. County ..	—	2	7	251	678	—	18	7	37	1608	8	16	1	—	132	26
Urban Districts ..	—	10	36	1103	2715	15	79	8	105	8022	9	15	5	1	926	51
Aberdare	—	8	28	952	1990	12	64	8	89	5685	5	9	4	1	779	48
Barry M.B. ..	—	—	3	104	147	7	9	2	7	481	—	—	—	—	98	2
Brigend	—	—	—	62	116	—	8	—	3	979	—	1	—	—	70	10
Caerphilly	—	—	57	21	—	—	—	—	—	220	—	—	—	—	3	—
Cowbridge M.B. ..	—	—	3	31	92	—	2	1	—	458	2	—	—	—	43	3
Gelligaer	—	—	2	35	289	—	5	—	5	657	1	1	1	—	27	3
Glyncoed	—	—	1	2	13	—	1	—	2	143	—	—	—	—	10	—
Llwchwr	—	—	1	54	110	—	3	—	21	352	—	4	—	—	5	2
Maesteg	—	—	—	28	33	—	5	—	1	28	—	—	—	—	80	7
Mountain Ash ..	—	—	4	65	68	2	3	1	1	248	—	—	—	—	46	5

† See note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.		Paratyphoid fevers.	Meningococcal infection.		Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis.		Acute Encephalitis.		Acute pneumonia, (primary and influenzal).	Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18		
AMORGANSHIRE—contd.																			
s.—contd.																			
Neath M.B. ...	—	—	3	13	101	—	—	—	1	183	1	—	—	—	9	1	—		
Ogmore and Garw ...	1	—	1	95	214	—	7	1	18	379	—	—	—	—	57	4	19		
Penarth ...	—	3	5	7	109	—	1	—	15	55	—	—	2	—	62	1	—		
Pontypridd ...	—	2	1	60	104	2	2	1	—	78	1	—	—	—	70	3	—		
Porthcawl ...	—	—	—	9	89	—	—	—	1	49	—	—	—	—	1	—	1		
Port Talbot M.B. ...	—	1	1	42	226	—	5	—	10	422	—	—	—	—	21	1	—		
Rhondda ...	—	2	1	298	253	—	12	2	4	953	—	3	1	—	177	6	—		
al Districts ...	—	2	8	151	725	3	15	—	16	2337	4	6	1	—	147	3	1		
Cardiff ...	—	2	1	19	69	—	2	—	8	264	—	1	—	—	24	—	—		
Cowbridge ...	—	—	3	2	21	—	—	—	1	328	—	—	—	—	4	1	—		
Gower ...	—	—	—	5	87	—	—	—	—	238	1	—	—	—	4	2	—		
Llantrisant and Llantwitfardre ...	—	—	2	34	139	—	2	—	—	645	2	—	1	—	11	—	—		
Neath ...	—	—	—	28	125	3	1	—	—	136	—	2	—	—	37	—	—		
Penybont ...	—	—	1	49	129	—	2	—	2	396	—	—	—	—	17	—	—		
Pontardawe ...	—	—	1	14	155	—	8	—	5	330	1	3	—	—	50	—	1		
CAERONETHSHIRE :																			
Caern. County ...	—	—	—	17	288	—	4	—	1	191	1	—	—	—	14	1	—		
Caern. Districts ...	—	—	—	7	115	—	1	—	—	107	—	—	—	—	4	—	—		
Bala ...	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—		
Barmouth ...	—	—	—	1	62	—	—	—	—	11	—	—	—	—	—	—	—		
Dolgellau ...	—	—	—	—	18	—	—	—	—	66	—	—	—	—	—	—	—		
Ffestiniog ...	—	—	—	2	26	—	1	—	—	8	—	—	—	—	4	—	—		
Towyn ...	—	—	—	3	6	—	—	—	—	22	—	—	—	—	—	—	—		
al Districts ...	—	—	—	10	173	—	3	—	1	84	1	—	—	—	10	1	—		
Deudraeth ...	—	—	—	17	—	—	—	—	1	14	—	—	—	—	—	—	—		
Dolgellau ...	—	—	—	6	13	—	—	—	—	49	—	—	—	—	—	—	—		
Edenion ...	—	—	—	—	116	—	3	—	—	17	—	—	—	—	10	—	—		
Penllyn ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Civil Parish of Pennal administered by R.D.C. of Machynlleth (Montgomeryshire)	—	—	—	4	27	—	—	—	—	4	1	—	—	—	—	1	—		
DENBYSHIRE :	2	1	19	539	1455	9	51	5	174	6875	3	4	2	1	504	34	48		
Denb. Borough ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Newport ...	—	1	5	195	365	2	13	—	63	1305	—	—	1	—	98	4	3		
Denb. County ...	2	—	14	344	1090	7	38	5	111	5569	3	4	1	1	406	30	45		
Denb. Districts ...	2	—	14	308	939	6	33	5	99	5173	2	3	1	1	384	29	40		
Abercarn ...	2	—	—	15	106	—	1	1	66	526	—	—	—	—	78	—	29		
Abergavenny M.B. ...	—	—	—	15	9	—	—	—	—	41	—	1	—	—	4	—	—		
Abertillery ...	—	—	1	35	26	3	1	—	—	136	—	—	—	—	3	—	—		
Bedwas and Machen ...	—	—	1	17	19	—	—	—	—	270	—	—	—	—	2	—	1		
Bedwellty ...	—	—	11	41	71	—	3	—	1	392	1	1	—	1	7	1	—		
Blaenavon ...	—	—	—	5	2	—	2	—	—	236	—	—	—	—	4	—	—		
Caerleon ...	—	—	—	6	10	—	1	—	2	165	—	—	—	—	15	9	—		
Chepstow ...	—	—	—	1	8	—	—	—	—	46	—	—	1	—	1	—	—		
Cwmbran ...	—	—	1	2	22	—	—	—	—	298	—	—	—	—	7	—	—		
Ebbw Vale ...	—	—	—	38	245	—	9	2	—	891	—	1	—	—	100	1	1		
Monmouth M.B. ...	—	—	—	—	30	1	1	—	4	4	—	—	—	—	5	—	—		
Mynyddislwyn ...	—	—	—	15	19	1	—	1	2	80	—	—	—	—	2	—	1		
Nantyglo and Blaina ...	—	—	—	17	61	—	4	—	—	76	—	—	—	—	15	—	—		
Pontypool ...	—	—	—	57	36	1	3	—	—	1349	—	—	—	—	20	1	1		
Rhymney ...	—	—	—	1	100	—	1	1	—	94	—	—	—	—	—	—	—		
Risca ...	—	—	—	35	136	—	7	—	22	544	—	—	—	—	96	1	2		
Tredeggar ...	—	—	—	7	8	—	—	—	2	51	—	1	—	—	21	16	—		
Usk ...	—	—	—	1	11	—	—	—	—	34	—	—	—	—	4	—	5		
al Districts ...	—	—	—	36	151	1	5	—	12	396	1	1	—	—	22	1	5		
Abergavenny ...	—	—	—	14	24	1	1	—	11	50	1	—	—	—	4	—	—		
Chepstow ...	—	—	—	4	—	—	—	—	—	107	—	—	—	—	—	—	2		
Magor and St. Mellons ...	—	—	—	13	46	—	2	—	—	82	—	—	—	—	8	—	—		
Monmouth ...	—	—	—	2	62	—	1	—	—	37	—	1	—	—	3	—	—		
Pontypool ...	—	—	—	3	19	—	1	—	1	120	—	—	—	—	7	1	3		

see note at end of Table.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
MONTGOMERY-SHIRE :																
Admin. County ...	—	15	1	18	226	—	11	—	1	898	—	1	—	—	64	5
Urban Districts ...	—	1	—	7	65	—	4	—	—	407	—	—	—	—	27	3
Llanfyllin M.B. ...	—	—	—	—	2	—	—	—	—	43	—	—	—	—	2	—
Llanidloes M.B. ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Machynlleth ...	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Montgomery ...	—	—	—	—	43	—	—	—	—	71	—	—	—	—	4	—
Newtown and Llanilwchaearn ...	—	—	—	3	19	—	3	—	—	231	—	—	—	—	12	—
Welshpool M.B. ...	—	—	—	4	1	—	1	—	—	62	—	—	—	—	9	3
Rural Districts ...	—	14	1	11	161	—	7	—	1	491	—	1	—	—	37	2
Forden ...	—	—	—	1	55	—	2	—	—	165	—	—	—	—	21	—
Llanfyllin ...	—	—	1	7	38	—	5	—	1	219	—	1	—	—	11	2
Machynlleth ...	—	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Newtown and Llanidloes ...	—	—	—	3	68	—	—	—	—	107	—	—	—	—	5	—
PEMBROKESHIRE :																
Admin. County ...	—	16	2	35	466	1	3	—	22	2283	1	3	—	—	68	1
Urban Districts ...	—	1	1	23	241	1	2	—	10	1349	1	—	—	—	41	—
Fishguard and Goodwick ...	—	—	—	7	59	—	1	—	—	264	1	—	—	—	5	—
Haverfordwest M.B. ...	—	1	—	5	28	1	—	—	8	252	—	—	—	—	—	—
Milford Haven ...	—	—	—	5	20	—	—	—	2	366	—	—	—	—	14	—
Narberth ...	—	—	—	—	—	—	—	—	—	25	—	—	—	—	2	—
Neyland ...	—	—	—	—	9	—	—	—	—	61	—	—	—	—	—	—
Pembroke M.B. ...	—	—	—	5	102	—	1	—	—	367	—	—	—	—	15	—
Tenby M.B. ...	—	—	1	1	23	—	—	—	—	14	—	—	—	—	5	—
Rural Districts ...	—	15	1	12	225	—	1	—	12	934	—	3	—	—	27	1
Cemaes ...	—	—	—	3	26	—	1	—	—	144	—	1	—	—	8	—
Haverfordwest ...	—	15	1	7	132	—	—	—	12	525	—	—	—	—	15	1
Narberth ...	—	—	—	—	27	—	—	—	—	220	—	1	—	—	1	—
Pembroke ...	—	—	—	2	40	—	—	—	—	45	—	1	—	—	3	—
RADNORSHIRE :																
Admin. County ...	—	—	—	8	29	—	—	—	1	333	—	—	—	—	17	—
Urban Districts ...	—	—	—	1	6	—	—	—	1	39	—	—	—	—	5	—
Knighton ...	—	—	—	1	—	—	—	—	1	3	—	—	—	—	3	—
Llandrindod Wells ...	—	—	—	—	6	—	—	—	—	36	—	—	—	—	—	—
Presteign ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Rural Districts ...	—	—	—	7	23	—	—	—	—	294	—	—	—	—	12	—
Colwyn ...	—	—	—	—	2	—	—	—	—	22	—	—	—	—	—	—
Knighton ...	—	—	—	5	15	—	—	—	—	55	—	—	—	—	—	—
New Radnor ...	—	—	—	2	—	—	—	—	—	20	—	—	—	—	—	—
Paincastle ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rhayader ...	—	—	—	—	6	—	—	—	—	197	—	—	—	—	12	—

† The Puerperal Pyrexia Regulations, 1951, which apply to the whole of England and Wales, including London, came into operation on the 1st August, 1951. They include a revised definition of puerperal pyrexia, as follows :—
 " 'puerperal pyrexia' means any febrile condition occurring in a woman in whom a temperature of 100·4° Fahrenheit (38° Centigrade) or more has occurred within fourteen days after childbirth or miscarriage."
 With the coming into operation of the new Regulations, puerperal fever ceased to be separately notifiable in London. There were no cases of puerperal fever notified in London in 1951 up to that date.

**TABLE 34.—Quarterly Air Temperature
Rainfall and Sunshine, 1951.** } England and Wales.

Note.—The averages used for rainfall and rain-days are for the period 1881-1915, while those for temperature and sunshine are for 1906-1935.

District	Air Temperature			Rainfall		Sun- shine	Air Temperature			Rainfall		Sun- shine
	Highest	Lowest	Difference from Average daily mean	Percentage of Average	Number of days Difference from Average	Percentage of Average	Highest	Lowest	Difference from Average daily mean	Percentage of Average	Number of days Difference from Average	Percentage of Average
Quarter ended 31st March							Quarter ended 30th June					
	°F.	°F.	°F.	%		%	°F.	°F.	°F.	%		%
England N.E.	60	8	-1.9	149	+1	98	75	22	-1.5	122	0	107
England E.	60	17	-0.5	186	+4	87	77	28	-1.2	132	+1	106
England Counties	59	10	-1.2	170	+4	79	76	26	-1.4	115	0	109
England S.E.	58	18	-0.1	195	+5	91	79	26	-1.2	107	0	112
England N.W.*	58	14	-2.0	133	+3	91	78	25	-1.1	84	-1	112
England S.W.*	57	16	-0.9	146	+4	97	76	25	-1.1	104	0	114
Mean	—	—	-1.1	163	+3	91	—	—	-1.3	111	0	110
Quarter ended 30th Sept.							Quarter ended 31st Dec.					
England N.E.	82	31	+0.5	104	0	97	70	15	+1.6	119	-3	118
England E.	86	36	+0.7	125	0	93	66	13	+2.1	83	-2	106
England Counties	82	31	+0.4	131	+1	89	72	18	+1.9	127	-1	117
England S.E.	85	37	+0.5	137	0	94	68	17	+2.1	109	-2	117
England N.W.*	82	36	+0.4	108	+1	93	70	19	+2.0	152	+1	102
England S.W.*	85	35	+0.4	116	+1	91	71	20	+1.7	104	-1	103
Mean	—	—	+0.5	120	+1	93	—	—	+1.9	116	-1	111
Year 1951												
England N.E.	82	8	-0.3	123	-5	105						
England E.	86	13	+0.3	131	+8	98						
England Counties	82	10	-0.1	136	+10	99						
England S.E.	85	17	+0.3	137	+7	103						
England N.W.*	82	14	-0.2	119	+12	99						
England S.W.*	85	16	0.0	117	+14	101						
Mean	—	—	0.0	127	+8	101						

*The district known as England N.W. includes the Northern half of Wales while England S.W. includes the Southern half.

TABLE 35.—Rainfall, Mean Temperature and Sunshine, 1902-1951. } England and Wales.

Year	Fall of rain in inches	Departure from Average of 35 years (1881-1915)	Mean Temperature of the Air at Sea-Level	Departure from Average of 30 years (1906-1935)	Mean Daily Sunshine	Departure from Average of 30 years (1906-1935)
	ins.	ins.	°F.	°F.	hrs.	hrs.
1902	29·6	-5·6	48·8	-0·9		
1903	45·1	+9·9	49·7	0·0		
1904	31·4	-3·8	49·3	-0·4		
1905	30·3	-4·9	49·4	-0·3		
1906	35·6	+0·4	49·9	+0·2		
1907	34·9	-0·3	49·0	-0·7		
1908	32·0	-3·2	49·7	0·0		
1909	37·0	+1·8	48·4	-1·3	4·04	+0·09
1910	39·8	+4·6	49·6	-0·1	3·87	-0·08
1911	33·1	-2·1	50·8	+1·1	4·59	+0·64
1912	44·0	+8·8	49·6	-0·1	3·35	-0·60
1913	34·5	-0·7	50·5	+0·8	3·61	-0·34
1914	38·1	+2·9	50·7	+1·0	4·27	+0·32
1915	38·8	+3·6	49·0	-0·7	4·10	+0·15
1916	40·1	+4·9	49·4	-0·3	3·61	-0·34
1917	34·5	-0·7	48·3	-1·4	4·03	+0·08
1918	37·7	+2·5	50·0	+0·3	4·08	+0·13
1919	37·0	+1·8	48·2	-1·5	4·01	+0·06
1920	38·4	+3·2	50·2	+0·5	3·66	-0·29
1921	24·7	-10·5	51·8	+2·1	4·60	+0·65
1922	37·1	+1·9	47·8	-1·9	4·02	+0·07
1923	39·8	+4·6	49·2	-0·5	3·87	-0·08
1924	42·3	+7·1	49·5	-0·2	3·75	-0·20
1925	37·3	+2·1	49·4	-0·3	4·09	+0·14
1926	35·9	+0·7	50·3	+0·6	3·77	-0·18
1927	43·3	+8·1	49·4	-0·3	3·61	-0·34
1928	40·4	+5·2	50·1	+0·4	4·12	+0·17
1929	35·2	0·0	49·1	-0·6	4·52	+0·57
1930	41·4	+6·2	50·0	+0·3	3·84	-0·11
1931	38·4	+3·2	49·2	-0·5	3·60	-0·35
1932	36·3	+1·1	49·9	+0·2	3·53	-0·42
1933	28·6	-6·6	50·6	+0·9	4·42	+0·47
1934	33·5	-1·7	50·9	+1·2	4·08	+0·13
1935	39·8	+4·6	50·5	+0·8	4·13	+0·18
1936	38·4	+3·2	49·8	+0·1	3·56	-0·39
1937	38·8	+3·6	50·1	+0·4	3·46	-0·49
1938	34·9	-0·3	51·0	+1·3	3·84	-0·11
1939	39·9	+4·7	50·3	+0·6	3·97	+0·02
1940	35·6	+0·4	49·3	-0·4	4·18	+0·23
1941	33·8	-1·4	49·2	-0·5	3·67	-0·28
1942	33·1	-2·1	49·2	-0·5	3·90	-0·05
1943	32·8	-2·4	51·0	+1·3	4·25	+0·30
1944	35·3	+0·1	50·1	+0·4	3·73	-0·22
1945	32·8	-2·4	51·4	+1·7	3·81	-0·14
1946	41·6	+6·4	50·0	+0·3	3·83	-0·12
1947	32·4	-2·8	50·1	+0·4	3·97	+0·02
1948	37·5	+2·3	50·9	+1·2	4·12	+0·17
1949	30·9	-4·3	51·9	+2·2	4·62	+0·67
1950	40·2	+5·0	50·1	+0·4	3·99	+0·04
1951	43·7	+8·5	49·7	0·0	3·95	0·00

TABLE 36.—Meteorological Observations, 1951. Kew Observatory, Richmond.

Month	Temperature of the Air				Rain collected in a gauge whose receiving surface is 10 inches above the ground		Sunshine registered in hours		Atmospheric Pollution	
	Highest for Month	Lowest for Month	Mean daily Value	Departure from average of 80 years	Total	Departure from average of 80 years	Total	Departure from average of 70 years	Maximum for Month	Mean
	°F	°F	°F	°F	ins.	ins.	hrs.	hrs.	mg/m ³	mg/m ³
January	51·8	25·2	41·0	+1·3	3·04	+1·07	50·7	+8·7	1·100	0·255
February	48·9	29·7	39·7	−0·6	4·99	+3·43	61·7	+2·6	1·100	0·240
March	57·7	28·6	41·4	−1·4	2·87	+1·33	90·5	−16·1	1·100	0·258
April	72·5	33·8	45·9	−1·6	2·30	+0·59	197·2	+47·9	0·650	0·194
May	68·0	38·1	51·4	−2·2	2·02	+0·26	154·9	−43·3	0·950	0·175
June	73·2	44·1	59·0	−0·4	0·94	−1·04	258·4	+57·7	0·450	0·127
July	80·4	48·6	63·9	+1·2	1·00	−1·38	222·9	+27·2	0·300	0·123
August	74·5	49·8	60·5	−1·3	3·35	+1·11	188·4	+3·5	0·450	0·110
September	73·6	43·9	58·8	+1·4	2·11	+0·12	120·0	−20·9	0·650	0·173
October	65·1	29·8	50·4	+0·1	0·83	−1·67	104·4	+10·8	1·950	0·378
November	58·6	32·7	48·7	+4·5	5·29	+2·95	71·1	+19·8	1·100	0·246
December	53·2	25·7	43·6	+2·9	1·44	−0·71	54·0	+16·5	2·300	0·331
Means	—	—	50·4	+0·3	Sum 30·18	+6·06	Sum 1574·2	+114·4	—	0·217

Additional meteorological information may be obtained from the Monthly Weather Reports and Annual Report of the Meteorological Office, and the annual volume of the British Rainfall Organisation, published by Her Majesty's Stationery Office.

APPENDIX A.—Death Rates per million in England and Wales based upon the Sex and Age Distribution of the Population of Great Britain in the year of experience, with rates for Scotland for Comparison—1950–1951.

Inter- national Class'n No.	Causes of Death		1950		1951	
			England and Wales	Scotland	England and Wales	Scotland
	ALL CAUSES	M	13,760	14,917	15,030	15,872
		F	9,877	11,551	10,485	12,086
		P	11,577	13,039	12,454	13,763
001–008	Tuberculosis of respiratory system	M	434	559	390	487
		F	226	438	180	294
		P	319	488	273	379
010–019	Tuberculosis, other forms ..	M	46	64	44	59
		F	41	65	38	53
		P	43	65	41	55
020–029	Syphilis and its sequelæ ..	M	62	58	66	48
		F	21	17	20	19
		P	39	34	40	30
057	Meningococcal infections ..	M	7	6	7	8
		F	6	6	7	8
		P	6	6	7	8
140–205	Malignant neoplasms, including neoplasms of lymphatic and hæmatopoietic tissues	M	2,275	2,353	2,353	2,357
		F	1,679	1,850	1,658	1,841
		P	1,932	2,066	1,951	2,065
260	Diabetes mellitus	M	65	75	65	84
		F	98	147	97	145
		P	83	118	84	118
330–334	Vascular lesions affecting the central nervous system ..	M	1,480	1,759	1,598	1,939
		F	1,456	1,843	1,514	1,942
		P	1,466	1,803	1,549	1,940
400–402	Rheumatic fever	M	12	5	8	9
		F	14	17	10	10
		P	13	10	9	10
410–434	Heart diseases	M	4,109	4,745	4,395	5,198
		F	2,924	3,586	3,064	3,778
		P	3,440	4,098	3,638	4,410
440–447	Hypertensive disease ..	M	508	237	547	342
		F	398	180	421	294
		P	445	203	474	314
480–483	Influenza	M	98	71	399	214
		F	81	84	325	193
		P	88	79	358	205
490–493, 763	Pneumonia (all forms) ..	M	494	520	639	560
		F	360	387	449	448
		P	419	449	532	499
590–594	Nephritis and Nephrosis ..	M	177	148	169	140
		F	140	139	132	130
		P	156	141	148	138

APPENDIX B.—Changes in Boundaries of Counties, Boroughs, Urban Districts and Rural Districts.

- (i) Authorities for changes (the date of operation, except where indicated, was 1st April, 1951).

Reference	Description of Authority
(a)	The Carlisle Extension Act, 1950.
(b)	The Plymouth Extension Act, 1950.
(c)	The South Shields Extension Act, 1950.
(d)	The Sunderland Extension Act, 1950.
(e)	The Stockton-on-Tees (Extension) Order, 1951. (1st October, 1951).
(f)	The Gloucester Extension Act, 1950.
(g)	Somerset and Bristol (Alteration of Boundaries) Order, 1951.
(h)	Ministry of Local Government and Planning Order No. 1149. The County of Hertford (Welwyn Garden City Urban District) Confirmation Order, 1951. (1st October, 1951).
(i)	The Dover Corporation Act, 1950.
(j)	The Bootle Extension Act, 1950.
(k)	The Oldham Extension Act, 1950.
(l)	The Norwich Extension Act, 1950.
(m)	The Bath Extension Act, 1950.
(n)	The Doncaster Extension Act, 1950.
(o)	The Wakefield Extension Act, 1950.
(p)	The Cardiff Extension Act, 1950.

APPENDIX B.—continued.

(ii) Particulars of changes

(a) The names of areas appearing more than once in columns 2 and 3 are marked ‡

(b) Acreage (land and inland water) figures, which are given to the nearest acre, have been supplied by the Ordnance Survey Department.

Reference to Authority	Boroughs, U.D.s or R.D.s affected by change		Particulars of areas transferred		
	Area diminished	Area enlarged	Name and description (in use prior to change)	Acreage (land & inland water).	Census Population 1951
1	2	3	4	5	6
(a)	CUMBERLAND: Border R.D.	Carlisle C.B.	Parts of the C.P.s of Beaumont, Cummersdale, Kingmoor, St. Cuthbert Without, Stanwix and Wetheral,	1,604	92
(b)	DEVON: Plympton St. Mary R.D.	Plymouth C.B.	Parts of the C.P.s of Bickleigh and Tamer-ton Foliot.	3,611	2,57
(c)	DURHAM: Boldon U.D.	South Shields C.B.	Part of Boldon C.P.	760	52
(e)	Stockton R.D.	Stockton on Tees M.B.	Parts of the C.P.s of Elton, Norton and Preston-on-Tees.	523	8
(d)	Sunderland R.D.	Sunderland C.B.	Parts of the C.P.s of Ford, Herrington, Hylton and Silksworth.	1,632	8,17
(g)	GLOUCESTERSHIRE: Bristol C.B.‡	Clevedon U.D. (Co. of Somerset)	Part of Bristol C.P.	Nil†	Nil
(g)	Bristol C.B.‡	Portishead U.D. (Co. of Somerset)	Part of Bristol C.P.	116	
(g)	Bristol C.B.‡	Long Ashton R.D.‡ (Co. of Somerset)	Part of Bristol C.P.	100	42
(f)	Gloucester R.D.	Gloucester C.B.	Wotton Vill C.P. and parts of the C.P.s of Barnwood, Brookthorpe, Hempsted, Longlevens and Quedgeley.	690	1,75
(h)	HERTFORDSHIRE: Welwyn Garden City U.D.‡	Hatfield R.D.‡	Part of Welwyn Garden City C.P.	35	Nil
(h)	Hatfield R.D.‡	Welwyn Garden City U.D.‡	Part of Bishop's Hatfield (or Hatfield) C.P.	811	40
(h)	Hertford R.D.	Welwyn Garden City U.D.‡	Parts of the C.P.s of Hertingfordbury and Tewin.	822	4
(h)	Welwyn R.D.	Welwyn Garden City U.D.‡	Part of Welwyn C.P.	122	4
(i)	KENT: Dover R.D.	Dover M.B.	Parts of the C.P.s of Guston and River Without.	318	1,09
(k)	LANCASHIRE: Limehurst R.D.	Oldham C.B.	Parts of the C.P.s of Alt, Bardsley and Woodhouses.	605	2,13
(j)	West Lancashire R.D.	Bootle C.B.	Parts of the C.P.s of Aintree, Netherton and Sefton.	649	3,69
(l)	NORFOLK: Blofield and Flegg R.D.	Norwich C.B.‡	Part of Thorpe next Norwich C.P.	129	24
(l)	St. Faith's and Aylsham R.D.	Norwich C.B.‡	Part of Sprowston C.P.	114	3
(m)	SOMERSET: Bathavon R.D.‡	Bath C.B.	Parts of the C.P.s of Charlcombe, Claverton, English Combe, Monkton Combe, South Stoke and Weston.	1,126	3,99
(g)	Bathavon R.D.‡	Bristol C.B.‡ (Co. of Gloucester)	Part of Whitchurch C.P.	985	1,56
(g)	Long Ashton R.D.‡	Bristol C.B.‡ (Co. of Gloucester)	Parts of the C.P.s of Bishopsworth, Dundry, Easton-in-Gordano & Long Ashton.	1,175	2,80
(n)	YORKSHIRE (WEST RIDING): Doncaster R.D.	Doncaster C.B.	Part of Cantley C.P.	570	28
(o)	Wakefield R.D.	Wakefield C.B.	Part of Crigglestone C.P.	500	12
(p)	GLAMORGANSHIRE: Penarth U.D.	Cardiff C.B.‡	Part of Penarth C.P.	91	Nil
(p)	Cardiff R.D.	Cardiff C.B.‡	Parts of the C.P.s of Lisvane & Radyr.	222	3
(p)	MONMOUTHSHIRE: Magor and St. Mellons R.D.	Cardiff C.B.‡ (Co. of Glamorgan)	Part of St. Mellons C.P.	712	9

†Area transferred consisted of foreshore only.

(iii) Population of areas as constituted after the boundary changes shown in (ii) (Supplementary to Table E.).

Area affected by Change	Census Popu- lation 1951 (Pro- visional)	Estimated Home Popu- lation Mid-1951.	Area affected by Change	Census Popu- lation 1951 (Pro- visional)	Estimated Home Popu- lation Mid-1951.
1	2	3	1	2	3
Regional Summary:			HERTFORDSHIRE:		
Tyneside conurbation	835,332	834,670	Urban Districts	431,588	436,500
Remainder of Northern	2,304,485	2,292,330	Welwyn Garden City	18,786	18,830
West Yorkshire			Rural Districts	178,147	182,200
conurbation	1,692,190	1,682,362	Hatfield	22,919	23,690
Remainder of East and			Hertford	8,470	8,612
West Ridings	2,404,012	2,398,638	Welwyn	5,360	5,314
South East Lancashire			KENT:		
conurbation	2,421,011	2,409,207	Urban Districts	1,215,454	1,225,800
Merseyside conurbation	1,382,244	1,337,495	Dover M.B.	35,217	35,150
Remainder of North			Rural Districts	320,054	323,560
Western	2,641,206	2,627,298	Dover	10,493	11,360
Density Aggregates Summary:			LANCASHIRE:		
Conurbations	16,913,637	16,886,257	County Boroughs	3,069,556	3,051,000
Areas outside the			Bootle	74,302	74,850
conurbations	26,831,287	26,913,743	Oldham	121,212	120,000
Urban areas with popu- lations of 100,000 and over	5,795,865	5,791,300	Admin. County	2,046,457	2,039,000
Urban areas with popu- lations of 50,000 and under 100,000	3,315,565	3,336,290	Rural Districts	309,419	308,000
Urban areas with popu- lations under 50,000	9,323,674	9,345,354	Limehurst	8,446	8,495
Rural areas	8,396,183	8,440,799	West Lancashire	41,611	41,680
Counties, County Boroughs, Urban & Rural Districts :			NORFOLK:		
CUMBERLAND:			County Boroughs	172,331	171,400
County Borough	67,894	67,300	Norwich	121,226	120,300
Carlisle	67,894	67,300	Admin. County	374,219	373,000
Admin. County	217,453	214,700	Rural Districts	302,169	301,600
Rural Districts	131,118	128,800	Blofield & Flegg	32,095	31,690
Border	29,848	28,720	St. Faith's & Aylsham	37,623	37,530
DEVON:			SOMERSET		
County Boroughs	284,464	295,900	County Borough	551,188	554,300
Plymouth	208,985	219,700	Bath	79,275	79,300
Admin. County	513,819	508,400	Admin. County	471,913	475,000
Rural Districts	247,378	245,600	Urban Districts	224,023	225,400
Plympton St. Mary	31,790	31,620	Clevedon	9,467	9,563
DURHAM:			Portsmouth	4,454	4,536
County Boroughs	560,595	558,400	Rural Districts	247,890	249,600
South Shields	106,605	106,800	Bathavon	18,593	19,010
Sunderland	181,515	179,900	Long Ashton	23,046	22,800
Admin. County	902,821	898,600	YORKSHIRE (WEST RIDING):		
Urban Districts	620,778	618,280	County Boroughs	1,891,290	1,983,700
Boldon	16,692	16,740	Doncaster	81,896	81,400
Stockton on Tees M.B.	74,105	73,740	Wakefield	60,380	59,230
Rural Districts	282,043	280,320	Admin. County	1,588,776	1,586,300
Stockton	8,344	8,345	Rural Districts	427,471	429,100
Sunderland	25,295	25,610	Doncaster	53,332	53,250
GLOUCESTERSHIRE			Wakefield	19,195	19,230
County Boroughs	938,618	946,300	GLAMORGANSHIRE		
Bristol	509,549	512,800	County Boroughs	1,201,989	1,196,000
Gloucester	67,268	70,100	Cardiff	465,552	463,900
Admin. County	429,069	433,500	Cardiff	243,627	243,500
Rural Districts	287,638	289,800	Admin. County	736,437	732,100
Gloucester	36,351	37,360	Urban Districts	534,577	531,900
MONMOUTHSHIRE			Penarth	18,528	18,310
			Rural Districts	201,860	200,200
			Cardiff	36,386	35,730
			MONMOUTHSHIRE		
			Admin. County	424,647	422,700
			Rural Districts	319,362	317,900
			Magor & St. Mellons	44,254	44,100
				13,550	13,550

APPENDIX B.—continued.

(iv) 1951 Census. Sex and Age Distribution of population in areas transferred between County Boroughs, Urban portions and Rural portions of Administrative Counties.

Ages	Cumberland R.Ds. to Carlisle C.B.		Devon R.Ds. to Plymouth C.B.		Durham U.Ds. to South Shields C.B.		Durham R.Ds. to Sunderland C.B.	
	Males	Females	Males	Females	Males	Females	Males	Females
All Ages	441	481	1,247	1,326	263	260	4,009	4,169
under 5	42	29	130	153	31	23	572	591
5—	17	26	115	92	17	11	606	531
10—	32	25	86	81	16	22	566	609
15—	27	34	53	71	17	26	400	499
20—	29	27	62	91	22	26	244	242
25—	36	34	98	106	21	25	186	248
30—	21	23	92	101	20	16	232	316
35—	27	40	104	96	10	12	308	339
40—	42	34	100	106	14	18	326	296
45—	22	40	83	79	22	20	267	223
50—	41	39	70	75	19	13	141	123
55—	30	27	51	69	14	14	66	53
60—	18	25	65	67	13	12	27	35
65—	19	36	43	53	12	14	31	21
70—	16	22	43	36	10	4	12	19
75—	17	11	32	29	3	3	18	17
80—	3	8	10	11	2	1	6	4
85 & over	2	1	10	10	—	—	1	3

Ages	Durham R.Ds. to Durham U.Ds.		Bristol C.B. to Somerset U.Ds.		Bristol C.B. to Somerset R.Ds.		Gloucester R.Ds. to Gloucester C.B.	
	Males	Females	Males	Females	Males	Females	Males	Females
All Ages	35	46	1	—	212	208	811	940
under 5	4	6	—	—	28	22	109	85
5—	2	1	—	—	7	13	53	67
10—	2	3	—	—	8	9	29	34
15—	1	2	—	—	12	30	26	26
20—	3	4	—	—	19	35	36	36
25—	4	5	—	—	40	19	74	87
30—	3	3	—	—	21	11	91	86
35—	3	6	—	—	24	22	73	67
40—	—	2	—	—	14	10	66	54
45—	5	3	—	—	14	16	46	49
50—	1	2	1	—	8	9	59	87
55—	3	4	—	—	7	4	41	68
60—	1	2	—	—	7	3	36	46
65—	—	2	—	—	1	2	26	55
70—	3	1	—	—	2	1	25	50
75—	—	—	—	—	—	1	13	35
80—	—	—	—	—	—	—	6	3
85 & over	—	—	—	—	—	1	2	5

APPENDIX B.—*continued.*

(iv) 1951 Census. Sex and Age Distribution of Population in areas transferred between County Boroughs, Urban portions and Rural portions of Administrative Counties—*continued.*

Ages	Hertfordshire R.Ds. to Hertfordshire U.Ds.		Kent R.Ds. to Kent U.Ds.		Lancashire R.Ds. to Bootle C.B.		Lancashire R.Ds. to Oldham C.B.	
	Males	Females	Males	Females	Males	Females	Males	Females
All Ages	256	234	535	557	1,778	1,921	1,075	1,057
under 5	67	54	150	121	221	208	195	163
5—	23	13	60	68	155	179	102	97
10—	6	10	26	38	142	145	96	89
15—	6	8	11	14	101	108	74	92
20—	10	21	20	46	68	98	74	93
25—	48	53	62	91	100	130	120	136
30—	45	32	85	78	165	157	104	89
35—	19	9	52	36	150	185	79	64
40—	7	6	24	23	168	202	71	80
45—	8	9	16	12	165	135	68	65
50—	6	7	11	13	118	110	39	36
55—	4	6	8	3	67	91	23	15
60—	2	5	2	1	66	61	13	12
65—	3	—	2	4	43	52	3	15
70—	1	—	2	5	28	34	7	6
75—	1	1	1	1	16	18	5	4
80—	—	—	1	3	4	4	2	1
85 & over	—	—	2	—	1	4	—	—

Ages	Norfolk R.Ds. to Norwich C.B.		Somerset R.Ds. to Bath C.B.		Somerset R.Ds. to Bristol C.B.		Yorkshire (W.R.) R.Ds. to Doncaster C.B.	
	Males	Females	Males	Females	Males	Females	Males	Females
All Ages	129	149	1,892	2,107	2,088	2,280	131	156
under 5	13	15	245	232	226	219	7	9
5—	14	6	182	174	188	174	11	11
10—	4	10	136	132	144	165	9	7
15—	1	5	78	125	99	137	7	7
20—	3	9	92	118	105	116	6	6
25—	9	11	169	200	144	156	7	9
30—	17	11	177	191	161	186	6	10
35—	17	20	166	184	209	211	8	10
40—	11	19	168	146	184	203	14	12
45—	11	9	113	137	163	170	11	12
50—	11	3	91	122	143	128	9	9
55—	4	5	86	83	98	109	8	8
60—	4	6	52	68	71	98	5	12
65—	8	11	56	78	60	81	11	17
70—	1	4	48	47	47	53	7	6
75—	—	4	15	41	30	46	2	5
80—	1	—	14	21	11	19	2	3
85 & over	—	1	4	8	5	9	1	3

(iv) 1951 Census. Sex and Age Distribution of Population in areas transferred between County Boroughs, Urban portions and Rural portions of Administrative Counties—continued.

Ages	Yorkshire (W.R.) R.Ds. to Wakefield C.B.		Glamorganshire R.Ds. to Cardiff C.B.		Monmouthshire R.Ds. to Cardiff C.B.	
	Males	Females	Males	Females	Males	Females
All Ages	56	66	16	17	43	47
under 5	2	3	4	1	2	5
5—	—	4	1	1	4	4
10—	7	5	—	—	2	4
15—	2	6	2	—	—	—
20—	2	2	1	3	2	2
25—	1	1	2	2	—	5
30—	2	5	—	—	5	3
35—	4	3	1	1	8	5
40—	7	6	2	2	2	4
45—	5	8	—	—	2	1
50—	6	4	—	4	1	2
55—	6	5	—	—	2	4
60—	5	2	—	—	4	1
65—	3	4	1	—	4	2
70—	3	4	1	1	3	3
75—	1	2	—	1	2	2
80—	—	—	1	—	—	—
85 & over	—	2	—	1	—	—

Printed in Great Britain under the authority of Her Majesty's Stationery Office
By Hugh Evans & Sons Ltd. Liverpool.